

## **Chapter 5**

---

### **Entity-Relationship modeling Transparencies**

## **Chapter 5 - Objectives**

---

- ◆ **The use of high-level conceptual data models to support database design.**
- ◆ **The basic concepts associated with the Entity-Relationship (ER) model, a high-level conceptual data model.**
- ◆ **How to identify problems called connection traps, which may occur when creating an ER model.**

## **Chapter 5 - Objectives**

---

- ◆ **The limitations of the basic ER modeling concepts and the requirements to model more complex applications using enhanced data modeling concepts.**
- ◆ **The main concepts associated with the Enhanced Entity-Relationship (EER) model called specialization / generalization and categorization.**

3


## **Concepts of the Entity-Relationship Model**

---

- ◆ **Entity types**
- ◆ **Relationship types**
- ◆ **Attributes**

5

## An Example EER Model



## Entity Type

- ◆ **Entity Type**
  - An object or concept that is identified by the enterprise as having an independent existence.
- ◆ **Entity**
  - An object or concept that is uniquely identifiable.

## Examples of Entity Types

---

### *Physical existence*

---

Staff	Part
Property	Supplier
Customer	Product

---

### *Conceptual existence*

---

Viewing	Sale
Inspection	Work experience

---

8

## Entity Type

- ◆ **Weak Entity Type vs. Strong Entity Type**
  - An entity type that is existence-dependent on some other entity type is weak.
  - Otherwise, it is strong, having an independent existence.



9

## Attributes

---

- ◆ **Attribute**

- **A property of an entity or a relationship type.**

- ◆ **Attribute Domain**

- **A set of values that may be assigned to a single-valued attribute.**

11

## Attributes

---

- ◆ **Simple Attribute vs Composite Attributes**

- **simple: An attribute composed of a single component with an independent existence.**
- **Composite: An attribute composed of multiple components each with an independent existence.**
- **Example: JobTitle vs Address**

12

## **Attributes**

---

- ◆ **Single-valued vs Multi-valued Attribute**
  - **An attribute that holds a single-value for a single entity.**
  - **An attribute that holds multiple values for a single entity.**
  - **Example: Age vs Awards**

13


## **Attributes**

---

- ◆ **Derived Attribute**
  - **An attribute that represents a value that is derivable from the value of a related attribute or set of attributes, not necessarily in the same entity.**

14

## Diagrammatic Representation of Entities and their Attributes



15

## Keys

- ◆ **Candidate Key, Primary Key, Composite Key**
  - uniquely identifies individual occurrences of an entity type.
  - An entity type may have one or more possible candidate keys, one of which is selected to be the primary key.
  - A candidate key that consists of two or more attributes is considered composite.

16

## **Relationship Types**

---

- ◆ **Relationship Type**

- **A meaningful association among entity types.**

- ◆ **Relationship**

- **An association of entities where the association includes one entity from each participating entity type.**

18

## **Relationship Types**

---

- ◆ **Degree of a Relationship**

- **The number of participating entities in a relationship.**


- ◆ **Recursive Relationship**

- **A relationship where the same entity participates more than once in a different roles.**

19




## Semantic Net Model of the Branch *IsAllocated* Staff Relationship



20

## Diagrammatic Representation of Entities, Relationships, and Primary Key Attributes



21

## Binary Relationship called *Owns*


---



22


## Ternary Relationship called *SetsUp*

---




23

## **Quaternary Relationship called *Arranges***




24

## **Recursive Relationship called *Supervises***




25

## Entities associated through two distinct Relationships



26

## Relationship called *Views* with attributes



27

## **Structural Constraints**

---

- ◆ **Two main types of restrictions on relationships are cardinality and participation constraints.**
  
- ◆ **Cardinality Constraints (Ratio)**
  - **Determines the number of possible relationships for each participating entity.**
  - **Most common degree for relationships is binary with cardinality ratios of one-to-one (1:1), one-to-many (1:M) or many-to-many (M:N).**

28


## **Structural Constraints**

---

- ◆ **Participation Constraints**
  - **Determines whether the existence of an entity depends on its being related to another entity through the relationship.**


29

## A Semantic Net Model of Staff *Manages* Branch Relationship




30

## Staff *Manages* Branch (1:1) Relationship




31

## Semantic Net Diagram of Staff Oversees Property\_for\_Rent Relationship




32

## Staff Oversees Property\_for\_Rent (1:M) Relationship




33

## Semantic Net Diagram of Newspaper *Advertises Property\_for\_Rent* Relationship



34


## Newspaper *Advertises* Property\_for\_Rent (M:N) Relationship



35




## Participation Constraints of Branch *IsAllocated* Staff Relationship



36

## Displaying Participation Constraints using (Min, Max) Notation



37

## Problems with ER Models

---

- ◆ Problems may arise when designing a conceptual data model called connection traps.
- ◆ Often due to a misinterpretation of the meaning of certain relationships.
- ◆ Two main types of connection traps are called *fan* traps and *chasm* traps.

38


## Problems with ER Models

---

- ◆ Fan Trap
  - When a model represents a relationship between entity types, but the pathway between certain entity occurrences is ambiguous.
- ◆ Chasm Trap
  - When a model suggests the existence of a relationship between entity types, but the pathway does not exist between certain entity occurrences.


39

## An Example of a Fan Trap




40

## Semantic Net of ER Model with Fan Trap




41

## Restructuring ER model to remove Fan Trap




42

## Semantic Net of Restructured ER Model with Fan Trap Removed




43

## An Example of a Chasm Trap




44

## Semantic Net of ER Model with Chasm Trap




45

## ER Model restructured to remove Chasm Trap



46

## Semantic Net of Restructured ER Model with Chasm Trap Removed



47

## **The Enhanced Entity-Relationship Model**

- ◆ **Since the 1980s there has been an increase in the emergence of new database applications with more demanding requirements.**
- ◆ **Basic concepts of ER modeling are not sufficient to represent the requirements of the newer, more complex applications.**
- ◆ **Response is development of additional 'semantic' modeling concepts.**

48

## **The Enhanced Entity-Relationship Model**

- ◆ **Semantic concepts are incorporated into the original ER model and is called the Enhanced Entity-Relationship (EER) model.**
- ◆ **Additional concepts of EER model includes specialization / generalization, and categorization.**

49

## **Concept of Specialization / Generalization**

---

- ◆ **Associated with the related concepts of entity types described as superclasses or subclasses and the process of attribute inheritance.**
- ◆ **Superclass**
  - **An entity type that includes distinct subclasses that require to be represented In a data model.**

50

## **Concept of Specialization / Generalization**

---

- ◆ **Subclass**
  - **A subclass is an entity type that has a distinct role and is also a member of the superclass.**
- ◆ **Attribute Inheritance**
  - **An entity in a subclass may possess subclass specific attributes, as well as those associated with the superclass.**

51



## Concept of Specialization / Generalization


### ◆ Generalization

- The process of minimizing the differences between entities by identifying their common features.

### ◆ Specialization and generalization has disjoint and participation constraints.


52

## Specialization of Staff Entity into Job Roles Subclasses




53

## Specialization of Staff Entity into Job Roles and Contract of Employment Subclasses



54

## A Shared Subclass called Sales\_Trainee




55

## Categorization

- ◆ The modeling of a single subclass (called a category) with a relationship that involves more than one distinct superclass.
- ◆ A category subclass has selective inheritance.
- ◆ Divided based on total or partial participation.
  - Total - every occurrence of all superclasses must appear in the category.
  - Partial - constraint is removed.


56

## Property\_Owner and Property Categories



57

## Property represented as a Specialization / Generalization.



58

## Manager's View of *DreamHome* Case Study Building an EER Model

- ◆ Identify entity types.
- ◆ Identify relationship types.
- ◆ Determine cardinality and participation constraints of relationship types.
- ◆ Identify and associate attributes with entity or relationship types.

59

## Manager's View of *DreamHome* Case

### Building an EER Model

---

- ◆ Determine candidate and primary key attributes.
- ◆ Specialize / generalize entity types.
- ◆ Categorize entity types.
- ◆ Draw the EER Diagram.

60

## Manager's View

### Major Relationships

---

<i>Entity type</i>	<i>Relationship type</i>	<i>Entity type</i>
Branch	<i>IsAllocated</i>	Staff
	<i>Has</i>	Property_for_Rent
Staff	<i>Oversees</i>	Property_for_Rent
	<i>RelatedTo</i>	Next_of_Kin
	<i>AssignedTo</i>	Allocated_Staff
Manager	<i>Manages</i>	Branch
Supervisor	<i>Supervises</i>	Allocated_Staff
Property_for_Rent	<i>PlacedIn</i>	Advert
Private_Owner	<i>Owns</i>	Property_for_Rent
Business_Owner	<i>Owns</i>	Property_for_Rent
Renter	<i>CallsAt</i>	Branch
	<i>Requests</i>	Viewing
	<i>Holds</i>	Rental_Agreement
Viewing	<i>Of</i>	Property_for_Rent
Rental_Agreement	<i>For</i>	Property_for_Rent
Advert	<i>PlacedIn</i>	Newspaper
Newspaper	<i>Displays</i>	Advert

61

## Manager's View

### Entities and their attributes

Entity type	Attribute
Branch	Branch_No Address (Street, Area, City, Postcode) Tel_No Fax_No
Staff	Staff_No Name (FName and LName) Address Tel_No Sex DOB (Date of Birth) NIN (National Insurance Number) Position Salary Date_Joined
Manager	Staff_No (Same attributes as Staff entity) Date_Mgr_Start Car_Allowance Bonus_Payment
Next_of_Kin	NName Relationship Address Tel_No
Supervisor	Staff_No (Same attributes as Staff entity)
Property_for_Rent	Property_No Address (Street, Area, City, Postcode) Type Rooms Rent

62

## Manager's View

### Entities and their attributes (Continued)

Entity type	Attribute
Private_Owner	Owner_No Name (FName and LName) Address Tel_No
Business_Owner	Owner_No BName BType Address Tel_No Contact_Name
Renter	Renter_No Name (FName and LName) Address Tel_No Pref_Type Max_Rent
Viewing	Date_View Comments
Rental_Agreement	Rental_No Rent_Start Rent_Finish
Advert	Date_Advert Newspaper_Name Cost
Newspaper	Newspaper_Name Address Tel_No Fax_No Contact_Name

63

## Manager's View

### Entity and primary and alternate keys

<i>Entity</i>	<i>Primary key</i>	<i>Alternate key(s)</i>
Branch	Branch_No	Tel_No Fax_No
Staff	Staff_No	FName, LName, DOB NIN
Manager	Staff_No	FName, LName, DOB NIN
Next_of_Kin		
Supervisor	Staff_No	FName, LName, DOB NIN
Allocated_Staff		
Property_for_Rent	Property_No	
Private_Owner	Owner_No	
Business_Owner	Owner_No	Tel_No Fax_No
Renter	Renter_No	
Viewing		
Rental_Agreement	Rental_No	
Advert		
Newspaper	Newspaper_Name	Tel_No Fax_No