Some Mathematical Formulas

©2020 Ethan P. Marzban

These are a few mathematical formulas/tools which may prove useful to statisticians (and indeed anyone in a STEM-related field). It is by no means exhaustive.

1 Sums

1.1 Basic Sums

•
$$\sum_{i=1}^{n} i = \frac{n(n+1)}{2}$$
 • $\sum_{i=1}^{n} i^2 = \frac{n(n+1)(2n+1)}{6}$ • $\sum_{i=1}^{n} i^3 = \frac{n^2(n+1)^2}{4}$

1.2 Geometric Sums

•
$$\sum_{k=0}^{n} r^k = \frac{1 - r^{n+1}}{1 - r}$$
 • $\sum_{k=0}^{\infty} r^k = \frac{1}{1 - r}$; $|r| < 1$ • $\sum_{k=a}^{\infty} r^k = \frac{r^a}{1 - r}$; $|r| < 1$

1.3 Binomial Theorem

$$(a+b)^n = \sum_{k=0}^n \binom{n}{k} a^k b^{n-k} = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k$$

1.4 Taylor Series Expansion about a

$$f(x) = \sum_{n=0}^{\infty} \frac{f^{(n)}(a)}{n!} (x - a)^n$$

= $f(a) + f'(a)(x - a) + \frac{1}{2}f''(a)(x - a)^2 + \frac{1}{6}f'''(a)(x - a)^3 + \dots$

1.5 Maclaurin Expansions

•
$$e^x = \sum_{n=0}^{\infty} \frac{x^n}{n!} = 1 + x + \frac{1}{4}x^2 + \frac{1}{6}x^3 + \dots$$

•
$$e^{-x} = \sum_{n=0}^{\infty} (-1)^n \frac{x^n}{n!} = 1 - x + \frac{1}{4}x^2 - \frac{1}{6}x^3 + \dots$$

•
$$\sin(x) = \sum_{n=0}^{\infty} \frac{(-1)^n}{(2n+1)!} x^{2k+1} = x - \frac{1}{6} x^3 + \frac{1}{120} x^5 - \dots$$

•
$$\cos(x) = \sum_{n=0}^{\infty} \frac{(-1)^n}{(2n)!} x^{2k} = 1 - \frac{1}{2}x^2 + \frac{1}{24}x^4 - \dots$$

Limits

2.1 Limits involving *e*

•
$$\lim_{n\to\infty} \left(1+\frac{x}{n}\right)^n = e^x$$

•
$$\lim_{n\to\infty} \left(1-\frac{x}{n}\right)^n = e^{-x}$$

2.2 L'Hôspital's Rule

 $\lim_{n} \frac{f(n)}{g(n)} = \lim_{n} \frac{f'(n)}{g'(n)}$, provided we have an indeterminate form 0/0 or ∞/∞

Derivatives

3.1 Product Rule

$$\frac{\mathrm{d}}{\mathrm{d}x} [f(x)g(x)] = f'(x)g(x) + f(x)g'(x)$$

Quotient Rule 3.2

$$\frac{\mathrm{d}}{\mathrm{d}x} \left[\frac{f(x)}{g(x)} \right] = \frac{f'(x)g(x) - f(x)g'(x)}{[g(x)]^2}$$

3.3 Chain Rule

$$\frac{\mathrm{d}}{\mathrm{d}x} \left[f(g(x)) \right] = f'(g(x))g'(x)$$

3.4 Derivative of an Inverse

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[f^{-1}(x)\right] = \frac{1}{f'(f^{-1}(x))}$$

3.5 Useful Derivatives

$$dx^n = nx^{n-1}$$

•
$$\frac{d}{dx}\ln(x) = \frac{1}{x}$$
 • $\frac{d}{dx}\cos(x) = -\sin(x)$

$$d dx a^x = a^x \ln(a)$$

•
$$\frac{d}{dx}\sin(x) = \cos(x)$$

•
$$\frac{d}{dx}\sin(x) = \cos(x)$$
 • $\frac{d}{dx}\tan(x) = \sec^2(x)$

4 Integrals

4.1 Second Fundamental Theorem of Calculus

$$\frac{\mathrm{d}}{\mathrm{d}x} \left(\int_{g(x)}^{h(x)} f(t) \, \mathrm{d}t \right) = f(h(x))h'(x) - f(g(x))g'(x)$$

4.2 Integration By Substitution

$$\int_a^b f(g(x))g'(x) dx = \int_{g(a)}^{g(b)} f(u) du$$

4.3 Integration By Parts

$$\int_a^b u \, \mathrm{d}v = uv \Big]_a^b - \int_a^b v \, \mathrm{d}u$$

4.4 Useful Integrals

•
$$\int x^n dx = \begin{cases} \frac{1}{n+1} x^{n+1} & n \neq -1\\ \ln|x| + C & n = -1 \end{cases}$$

•
$$\int \frac{1}{(ax)^2 + b^2} dx = \frac{1}{ab} \arctan\left(\frac{ax}{b}\right) + C$$

•
$$\int \frac{1}{\sqrt{1-(ax)^2}} \, dx = \frac{1}{a} \arcsin(ax) + C$$

•
$$\int_0^\infty x^{r-1} e^{-x} dx =: \Gamma(r)$$
 (called the **Gamma function**)

•
$$\int_0^1 x^{a-1} (1-x)^{b-1} dx =: B(a,b) = \frac{\Gamma(a)\Gamma(b)}{\Gamma(a+b)}$$
 (sometimes called the **Beta function**)