

O9 Sept 2023 – 10 Sept 2023

Trainer

AHMAD SAIFUL BAHRI BIN MAT AMIN

ARCHITECTURE & FOUNDATION

LARAVEL


- Laravel is a free, open-source PHP web framework
- Created by Taylor Otwell
- Intended for the development of web applications
- Following the model-view-controller (MVC) architectural
- Current version is Laravel 9.X



ARCHITECTURE & FOUNDATION

Model – View – Controller (MVC)





Download & Install Laragon (Windows) - https://laragon.org

Using Composer Create Project

\$ composer create-project --prefer-dist laravel/laravel:^9.x composer create-project_name>


Or Using Laravel Installer

\$ composer global require laravel/installer

\$ laravel new project_name>



02 SETUP & INSTALLATION



Laravel project folder structure

02 SETUP & INSTALLATION

```
APP_NAME=roject_name>
APP ENV=<environment: local/production>
APP_KEY=base64:0iRg2ydvJDhJ9uAu2xld3hCTJ/XWAHSU/DTQrsVyteo=
APP_DEBUG=<debug: true/false>
APP_URL=https:///project_url>
DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB PORT=3306
DB_DATABASE=<database_name>
DB USERNAME=<database username>
DB_PASSWORD=<database_password>
```

Route Location: routes/web.php

return content directly

```
Route::get('/', function() {
    return "hello world!";
});
```

return view

```
Route::get('/', function() {
    return view('welcome');
});
```

return controller

```
Route::get('/profile', [
    App\Http\Controllers\ProfileController::class, 'profile'
]);
```

Available router methods/protocols:

```
//GET method
Route::get('/profile', [ ... ]);
//POST method
Route::post('/profile', [ ... ]);
//PUT method
Route::put('/profile', [ ... ]);
//PATCH method
Route::patch('/profile', [ ... ]);
//DELETE method
Route::delete('/profile', [ ... ]);
```

Extras

return redirect

```
Route::redirect('/here', '/there');
```

return permanent redirect

```
Route::permanentRedirect('/here', '/there');
```

return array/object

```
Route::get('/', function () {
    return [1, 2, 3];
});
```

return JSON

Controller Location: app/Http/Controllers/...

\$ php artisan make:controller <controller_name>

```
class HomeController extends Controller
 8
 9
          * Show the application dashboard.
10
11
          * @return \Illuminate\Contracts\Support\Renderable
12
13
         public function index()
14
15
             return view('welcome');
16
17
18
```

O5 CONTROLLER (resources)

\$ php artisan make:controller <controller_name> --resource

Verb	URI	Action	Route Name
GET	/photos	index	photos.index
GET	/photos/create	create	photos.create
POST	/photos	store	photos.store
GET	/photos/{photo}	show	photos.show
GET	/photos/{photo}/edit	edit	photos.edit
PUT/PATCH	/photos/{photo}	update	photos.update
DELETE	/photos/{photo}	destroy	photos.destroy

06 BLADE TEMPLATE

Blade Location: resources/views/...

File name must end with .blade.php

```
@extends()
```

@section() . . . @endsection

@include()


@if() . . . @endif

@for() . . . @endfor

{{ \$variable }}



BLADE TEMPLATE



layouts/admin.blade.php

Company Routes (MORE)

Grouping

```
Route::group([
    'prefix' => '/admin',
    'as' => 'admin.',
    'middleware' => []
], function () {
    //route 2
});
```

Dynamic URL

```
Route::get('/user/{user_id}', [
    App\Http\Controllers\UserController::class, 'view'
])->name('subscription.view');
```

07 ROUTES (MORE)

Dynamic URL / with variable

```
Route::get('/user/{user_id}', [
    App\Http\Controllers\UserController::class, 'view'
])->name('subscription.view');
```

Receiving/accessing the variable

```
public function view($user_id)
{
    //variable $user_id is accessible here
    //...
}
```

08 URL GENERATION

Get URL information

```
// Get the current URL without the query string...
url()->current();

// Get the current URL including the query string...
url()->full();

// Get the full URL for the previous request...
url()->previous();
```

09 REQUEST DATA

Request

```
use Illuminate\Http\Request;

class UserController extends Controller {

   public function myFunction(Request $request)
   {
        $name = $request->input('name');
        //
   }
}
```

Retrieving All Input Data

```
//retrieve all request as an array
$input = $request->all();

//retrieve all request as a collection
$input = $request->collect();
```

HTML forms

CSRF

```
@csrf

<input type="hidden" name="_token" value="H0rGJ4MPOGCxGZVwOBFyTJcRniZCwhuESNIAc2hm">
```

Retrieving previous inputs

```
<input type="text" name="name" value="{{ old('name') }}">
```

11 VALIDATION

```
$this->validate($request, [
    'type' => 'required',
    'name' => 'required|min:3|max:60',
    'email' => 'required|email|unique:users,email',
    'password' => 'required|string|min:6',
    'mobile' => 'nullable',
]);
```

```
email
                                  - Check valid email address
integer
                                  - 1, 2, 100, etc
numeric
                                  - 1, 2, 0.55, etc
                                  - Check valid URL
url
                                  - Check valid date
date
date_format:YYYY-MM-DD
                                  - Date with specific format
min:5
                                  - At least 5 chars length
                                  - Not more than 100 chars
max:100
required
                                  - Field is compulsory / cannot be null
mimes:jpg,png,pdf
                                  - Allow file type JPEG, PNG, or PDF only
```

12 MODEL & MIGRATIONS

Model Location: app/Models/...

Migration Location: database/migrations/...

Creating a new model

\$ php artisan make:model <model_name>

Creating a new migration

\$ php artisan make:migration <migration_name>

Creating a new model, together with a migration

\$ php artisan make:model <model_name> -m

12 MODEL & MIGRATIONS

Migration Location: database/migrations/...

```
Schema::create('users', function (Blueprint $table) {
    $table->id();
    $table->string('name');
    $table->string('email')->unique();
    $table->timestamp('email_verified_at')->nullable();
    $table->string('password');
    $table->rememberToken();
    $table->timestamps();
});
```

Run the migration file \$ php artisan migrate



12 MODEL & MIGRATIONS



Rollback the migration \$ php artisan migrate:rollback

Reset the migration \$ php artisan migrate:reset

Refresh the migration \$ php artisan migrate:refresh

Check the migration status \$ php artisan migrate:status

Get the required package laravel/ui

\$ composer require laravel/ui:^4.x

Choose either to use Vue or Bootstrap

\$ php artisan ui vue --auth

\$ php artisan ui bootstrap --auth

Once ready, run the command to generate UI scaffold

\$ npm install && npm run dev

\$ npm run build Or to build the asset file statically

14 MIDDLEWARE

Middleware Location: app/Http/Middleware/...

Create new middleware

\$ php artisan make:middleware <middleware_name>

```
public function handle($request, Closure $next)
{
    $user = Auth::user();

    if($user && $user->age < 18){
        return redirect()->route('kids_section');
    } else {
        return $next($request);
    }
}
```

14 MIDDLEWARE

Registering middleware (app/Http/Kernel.php)

```
protected $routeMiddleware = [
    'auth' => \App\Http\Middleware\Authenticate::class,
    'auth.basic' => \Illuminate\Auth\Middleware\Authenticate
    'checkAge' => \App\Http\Middleware\CheckAge::class,
];
```

Applying middleware to route

```
Route::group(['middleware' => ['checkAge']], function() {
    Route::get('/adult', 'Controller@index')->name('adult_section');
});
```

Get a (single) record having 'id' = 2

```
$article = Article::find(2);
```

Fetch all records

```
$articles = Article::all();
```

Fetch records with some basic query

```
$articles = Article::where('status','published')->orderBy('title','ASC')->get();
```

Count result

```
$total = Article::whereIn('status',['published','draft'])->get()->count();
```



Q&A

Contact

Ahmad Saiful Bahri

me@azbahri.my +60193327204

www.azbahri.my