```
1)
public class LibyaPanel extends JPanel{
     public LibyaPanel() {
           //panel
           setSize(500,300);
           setBackground(Color.green);
     public static void main(String[] args) {
           JFrame frame = new JFrame("Libya");
           frame.setDefaultCloseOperation(JFrame.EXIT ON CLOSE);
           frame.setSize(500, 300);
           frame.setLocation(400, 300);
           frame.add(new LibyaPanel());
           frame.setVisible(true);
     }
}
2)
public class FrancePanel extends JPanel{
     public FrancePanel() {
           //containerpanel for color-panels
           setSize(500, 300);
           setLayout(new BorderLayout());
           JPanel bluePanel = new JPanel();
          bluePanel.setBackground(Color.blue);
           JPanel whitePanel = new JPanel();
           whitePanel.setBackground(Color.white);
           JPanel redPanel = new JPanel();
           redPanel.setBackground(Color.red);
           add(bluePanel, BorderLayout.WEST);
           add(whitePanel, BorderLayout.CENTER);
           add(redPanel, BorderLayout.EAST);
     public static void main(String[] args) {
           JFrame frame = new JFrame("France");
           frame.setDefaultCloseOperation(JFrame.EXIT ON CLOSE);
           frame.setSize(500, 300);
           frame.setLocation(400, 300);
           frame.add(new FrancePanel());
           frame.setVisible(true);
     }
```

```
}
3)
public class PanamaPanel extends JPanel{
     public PanamaPanel() {
           setSize(500,300);
           setLayout(new GridLayout(2,2));
           JPanel whitePanel = new JPanel();
           whitePanel.setBackground(Color.white);
           JPanel redPanel = new JPanel();
           redPanel.setBackground(Color.red);
           JPanel bluePanel = new JPanel();
          bluePanel.setBackground(Color.blue);
           JPanel whitePanel2 = new JPanel();
           whitePanel2.setBackground(Color.white);
           add(whitePanel);
           add(redPanel);
           add(bluePanel);
           add(whitePanel2);
     public static void main(String[] args) {
           JFrame frame = new JFrame("Panama");
           frame.setDefaultCloseOperation(JFrame.EXIT ON CLOSE);
           frame.setSize(500, 300);
           frame.setLocation(400, 300);
           frame.add(new PanamaPanel());
           frame.setVisible(true);
     }
}
4)
public class ColorChanger extends JFrame implements ActionListener{
     private JPanel colorPanel;
     private JButton redButton, blueButton, yellowButton;
     public ColorChanger(String title) {
           setTitle(title);
           setDefaultCloseOperation(JFrame.EXIT ON CLOSE);
           setSize(800, 600);
           setLocation(100, 100);
           //container
```

```
JPanel container = new JPanel();
     container.setLayout(new BorderLayout());
     //colorpanel
     colorPanel = new JPanel();
     colorPanel.setBackground(Color.white);
     //buttonpanel
     JPanel buttonPanel = new JPanel();
     redButton = new JButton("RED");
     redButton.addActionListener(this);
     blueButton = new JButton("BLUE");
     blueButton.addActionListener(this);
     yellowButton = new JButton("YELLOW");
     yellowButton.addActionListener(this);
     buttonPanel.add(redButton);
     buttonPanel.add(blueButton);
     buttonPanel.add(yellowButton);
     //adding swing-elements
     container.add(colorPanel, BorderLayout.CENTER);
     container.add(buttonPanel, BorderLayout.SOUTH);
     add(container);
     setVisible(true);
}
@Override
public void actionPerformed(ActionEvent e) {
     if (e.getSource() == redButton) {
           colorPanel.setBackground(Color.red);
     if(e.getSource() == blueButton) {
           colorPanel.setBackground(Color.blue);
     if(e.getSource() == yellowButton) {
           colorPanel.setBackground(Color.yellow);
     }
}
public static void main(String[] args) {
     new ColorChanger("Färgknappar");
}
```

```
}
5)
public class FlagChanger extends JFrame implements ActionListener{
     private JPanel flagPanel, buttonPanel;
     private JButton libyaButton, franceButton, panamaButton;
     public FlagChanger(String title) {
           setTitle(title);
           setDefaultCloseOperation(JFrame.EXIT ON CLOSE);
          setSize(500, 400);
          setLocation(100, 100);
          //container
          JPanel container = new JPanel();
           container.setLayout(new BorderLayout());
           //colorpanel
           flagPanel = new JPanel();
           flagPanel.setSize(500,300);
           //buttonpanel
          buttonPanel = new JPanel();
          buttonPanel.setSize(500,100);
          libyaButton = new JButton("LIBYA");
          libyaButton.addActionListener(this);
           franceButton = new JButton("FRANCE");
           franceButton.addActionListener(this);
          panamaButton = new JButton("PANAMA");
          panamaButton.addActionListener(this);
          buttonPanel.add(libyaButton);
          buttonPanel.add(franceButton);
          buttonPanel.add(panamaButton);
          container.add(flagPanel, BorderLayout.CENTER);
          container.add(buttonPanel, BorderLayout.SOUTH);
           add(container);
           setVisible(true);
     }
     @Override
     public void actionPerformed(ActionEvent e) {
           flagPanel.removeAll();
```

Lösningsförslag SI-pass 7

tinyurl.com/sipass7kod

```
flagPanel.revalidate();
           if(e.getSource() == libyaButton) {
                flagPanel.add(new LibyaPanel());
                System.out.println("libya");
           else if(e.getSource() == franceButton) {
                flagPanel.add(new FrancePanel());
                System.out.println("france");
           }
           else if(e.getSource() == panamaButton) {
                flagPanel.add(new PanamaPanel());
                System.out.println("panama");
           repaint();
     }
     public static void main(String[] args){
           new FlagChanger("Färgknappar");
     }
}
```