\equiv Q (https://profile.intra.42.fr/searches)

epresa-c

(https:// profile.intra.42.fr)

SCALE FOR PROJECT INCEPTION-OF-THINGS (/ PROJECTS/INCEPTION-OF-THINGS)

You should evaluate 2 students in this team



Git repository

git@vogsphere.42lausanne.ch:vogsphere/intra-uuid-fc341d1a-b7e4-4



Introduction

Please comply with the following rules:

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the student or group whose work is evaluated the possible dysfunctions in their project. Take the time to discuss and debate the problems that may have been identified.
- You must consider that there might be some differences in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade them as honestly as possible. The pedagogy is useful only and only if the peer-evaluation is done seriously.

Guidelines

- Only grade the work that was turned in the Git repository of the evaluated student or group.
- Double-check that the Git repository belongs to the student(s). Ensure that the project is the one expected. Also, check that 'git clone' is used in an empty folder.
- Check carefully that no malicious aliases was used to fool you and make you evaluate something that is not the content of the official repository.
- To avoid any surprises and if applicable, review together any scripts used to facilitate the grading (scripts for testing or automation).
- If you have not completed the assignment you are going to evaluate, you have to read the entire subject prior to starting the evaluation process.
- Use the available flags to report an empty repository, a non-functioning program, a Norm error, cheating, and so forth.

 In these cases, the evaluation process ends and the final grade is 0,

or -42 in case of cheating. However, except for cheating, student are strongly encouraged to review together the work that was turned in, in order to identify any mistakes that shouldn't be repeated in the future.

Attachments

Intra Projects Inception-of-Things Edit

subject.pdf (https://cdn.intra.42.fr/pdf/pdf/82452/en.subject.pdf)

Preliminaries

If cheating is suspected, the evaluation stops here. Use the "Cheat" flag to report it. Take this decision calmly, wisely, and please, use this button with caution.

Preliminary tests

- Defense can only happen if the evaluated group is present. This way everybody learns by sharing knowledge with each other.
- If no work has been submitted (or wrong files, or wrong directory, or wrong filenames), the grade is 0, and the evaluation process ends.
- For this project, you have to clone the Git repository on the group's machine.
- For this project, you must use the virtual machine of 42.

	imes No

General instructions

General instructions

- During the defense, whenever you need help in order to verify a requirement of the subject, the evaluated group must help you.
- Ensure that all the files required for the three different parts of the project are in the folders p1, p2 and p3 respectively. There may be an additional bonus folder.

✓ Yes	imes No

Mandatory part


The project consists of setting up several infrastructures with different services that use K3s, Vagrant and K3d. Make sure that all of the following requirements are met.

Global configuration and explanation

- Those being evaluated should explain to you in a simple way:
 - The basic operation of K3s.
 - The basic operation of Vagrant.
 - The basic operation of K3d.
 - What is a continuous integration and Argo CD.

Part 1 - Configuration

- Check that a Vagrantfile is present in the p1 folder. Once done, check its content. Thanks to the help of
 the evaluated persons, you should basically understand this file. It must be similar to the example
 given in the subject.
- Check that there are two virtual machines in the Vagrantfile.
- In the Vagrantfile, check that the latest stable version of the distribution of the choice of the evaluated group is used for both virtual machines.
- Check that there is an eth1 interface with the IP addresses required by the subject.
- The names chosen for the two virtual machines must include a login of a member of the group. For the
 first machine, it must be followed by S (like Server), and for the second one, by SW (like
 ServerWorker). If something does not work as expected, the evaluation stops here.



Part 1 - Usage

- Use Vagrant to SSH into both virtual machine with the help of the evaluated group.
- Ensure there is an eth1 interface with the IP addresses required by the subject by using the command: "ifconfig eth1"
- Ensure both machines have the hostname required by the subject.
- Then, check that both virtual machines use K3s. The evaluated group should be able to help you.
- Finally, verify that the Server machine and the Agent machine are in the same cluster by running this command on the Server machine: "kubectl get nodes -o wide" An output similar to the one given as an example in the subject is expected. The evaluated group must explain to you the output. If something does not work as expected, the evaluation stops here.



Part 2 - Configuration

- To avoid space/performance issues, you can of course shut down every other running virtual machines with the help of the evaluated group.
- Check that a Vagrantfile is present in the p2 folder. Once done, check its content. Thanks to the help of the evaluated persons, you should basically understand this file. It must be similar to the example given in the part 1 of the subject.
- Check that there is only one virtual machine in the Vagrantfile.
- In the Vagrantfile, check that the latest stable version of the distribution of the evaluated group choice is used for the virtual machine.
- Check that there is an eth1 interface with the IP address required by the subject.
- The name chosen for the virtual machine must include a login of a member of the group followed by the capital letter S.
- If extra files are present in the p2 folder, verify them and ask for explanations. If something does not work as expected, the evaluation stops here.



Part 2 - Usage

- Use Vagrant to SSH into the virtual machine with the help of the evaluated group.
- Ensure there is an eth1 interface with the IP address required by the subject by using the command: "ifconfig eth1"
- Ensure the machine has the hostname required by the subject.

- Then, check that the virtual machine uses K3s. The evaluated group should be able to help you.
- Verify that the virtual machine meets the subject's requirements. To do so, use the following
 commands: "kubectl get nodes -o wide" It should display the name of the controller and the internal IP
 address. "kubetctl get all -n kube-system" It should display 3 applications. The second one must have
 3 replicas. The evaluated group must explain to you each output. Next, they must show you how their
 Ingress works. The command is deliberately not given here.
- Now, check that the 3 applications can be accessed depending on the HOST header that is used (have a look at the subject). To do so, you can use curl with the help of evaluated group, or just a browser (for a web application). You will have to change the HOST in order to see some differences.

If something does not work as expected, the evaluation stops here.



Part 3 - Configuration

- Thanks to the evaluted group, start up the infrastructure.
- Check that the configuration files are present in the p3 folder. Once done, check their content. Don't hesitate to ask for more precise explanations. This part is essential to understand what's next.
- Make sure there is at least 2 namespaces in K3d: "argood" and "dev". Use the command: "kubectl get ns".
- Verify that there is at least 1 pod in the "dev" namespace. Use the command: "kubectl get pods -n dev"
- Ensure the group members understand the differences between a namespace and a pod.
- Check that all the required services are running with the help of the evaluated group.
- Check that Argo CD is installed and configured. You can access it in your web browser. You will need a login and a password. The evaluated group will give them to you.
- Check that the login of someone of the group was put in the name of the Github repository (e.g., if a login was "wil", the name could be "wil_config" or "wil-ception"). Read the subject carefully to understand this part.
- Check that a Docker image is used in the Github repository. The image can be Wil's or a custom one.
 In the second case, verify that the login of a member of the group was put in the name of the Dockerhub repository. Also, ensure that there are the two required tags in the Dockerhub repository.
- If there are extra files in the p3 folder, ask for explanations. If something does not work as expected, the evaluation stops here.



Partie 3 - Usage

- Now that you can use Argo CD, try to understand how it basically works. With the help of the evaluated group, navigate through the application. Do not hesitate to ask questions here. If you have any doubt (maybe their explanations are confused or they can't explain something they should know), the evaluation stops now. It is important.
- Check that the v1 application can be accessed from this machine. You can use curl (there is an example usage in the subject).
- Verify that Dockerhub is used. This part is important. In case of any doubt, the evaluation stops now.
- Since you can see the v1 application, you must be able to update it with the help of the evaluated group. Use the configuration file on Github that Argo CD relays on. You must commit and push a modification. It will automatically trigger the update of your application. You must be able to understand how this whole process works. Do not hesitate to ask for explanations.
- Now that you have pushed the v2 application on Github, if synchronizing didn't happen, do it manually in Argo CD (if it did happen, skip this step). The evaluated people must help you.
- Ensure that the application was successfully synchronized using operation given as an example in the subject. The evaluated people must help you.

Inception-of-Things Edit			https://projects.intra.42.fr/scale_teams/68			
If something does	not work as expected, the e	evaluation stops n	ow.			
	⊗ Yes		×	No		
Bonus						
management hand	Evaluate the bonus part if, and only if, the mandatory part has been entirely and perfectly done, and the error management handles unexpected or wrong usage. In case all the mandatory points were not passed during the defense, bonus points must be totally ignored.					
Bonus						
 Test Gitlab the help of the help of the first steem of the correctly. Engroup should two versions 	p is quite simple. Make sure nsure that the repository use Id guide you in this process s of the chosen application.	properly implement try to add some content the operation and in Argo CD is a so you can verify	ented. To do so, crode in it. Check then sof the part 3 of a local repository of the operations we	reate a new repository with the operation was successful fithe subject still function on Gitlab. The evaluated		
	⊗ Yes		X	No		
Ratings Don't forget to chec	k the flag corresponding to th	e defense				
✓ Ok			★ Outstanding project			
Empty work	■ Incomplete work	₽ Cheat	T Crash	♣ Incomplete group		
A	Concerning situation		⊘ Forbido	den function		
Conclus Leave a comment of						

Finish evaluation

Declaration on the use of cookies (https:// profile.intra.42.fr/ legal/terms/2)

Privacy policy (https:// profile.intra.42.fr/ legal/terms/5)

General term of use of the site (https:// profile.intra.42.fr/ legal/terms/6)

Rules of procedure (https:// profile.intra.42.fr/ legal/terms/4)

Terms of use for video surveillance (https:// profile.intra.42.fr/ legal/terms/1)

Legal notices (https:// profile.intra.42.fr/ legal/terms/3)

7/4/24, 11:35 5 of 5