



Infor M3 Integration for Salesforce CRM

Version 1.0

Copyright © 2023 Infor

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident, or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material, and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade, or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: Infor M3 Integration for Salesforce CRM 1.0

Publication date: February 28, 2023

Contents

Contents	3
About this guide.....	6
Intended audience.....	6
Related documents	6
Contacting Infor.....	7
Requirements	8
Required products	8
Overview.....	9
Terminology.....	9
Integration checklist.....	9
Integration of solution components	10
Features in this integration	11
Data mapping.....	12
Configuring Infor M3	13
BOD Processor Administration	13
Installing the SalesOrder mapping.....	13
Master data setup	14
Settings for better performance	16
Disabling other invoice variants	17
Configuring Salesforce CRM	19
Creating a connected app	19
Prerequisites before installing the Salesforce CRM integration package	20
Converting state and country date	20
Enabling state and country picklist.....	21
Enabling multiple currencies	21
Enabling quotes	21
Installing the Salesforce CRM integration package	21
Post-deployment changes	22
Setting field-level security.....	22
Adding Infor ERP external ID to page layout	23
Searching for Auth providers.....	23
Searching for named credentials.....	23
Configure custom settings	24
Activating and deactivating flows and processes.....	24
Configuring ION API between products	38
Registering Salesforce CRM API suite in ION API	38

Configuring Authorized Apps	39
Connecting to ION with a solution XML.....	40
Downloading the solution XML.....	40
Importing the solution XML.....	41
Approving the mapping documents.....	41
Importing Object Schemas	42
Approving the script documents	42
Configuring the service account	43
Updating the Infor M3 connection point	43
Updating the Salesforce CRM ION API connection point	45
Salesforce_CompositeAPIs.....	45
Salesforcepapis_Acc_Update.....	45
Salesforce_apis	45
SalesforceAck	46
SFDC-ItemAPI	46
Updating the Salesforce CRM IMS connection point.....	46
Configuring Accounting Entity Filter in dataflows	47
Verifying the data flows between Infor M3 and Salesforce CRM	48
Activating the data flow	48
Publishing BODs	50
Starting applications and services.....	50
Starting applications.....	50
Initial data load	50
Sending the initial data load from Infor M3	50
Publishing additional data.....	51
Synchronizing items.....	52
Synchronizing customers.....	52
Synchronizing contacts	52
Synchronizing shipping address (ShipTo)	52
Synchronizing customer orders	53
Synchronizing shipments.....	53
Synchronizing invoices	53
Synchronizing customer returns.....	53
Processing accounts.....	54
Processing contacts.....	54
Processing Ship to addresses.....	54
Processing quotes	55
Processing SalesOrder	55

Verifying the integration	56
Verifying the data flow	56
Verifying business tasks.....	56
Performing ongoing business processes.....	56
Troubleshooting	57
Unsupported features.....	59
Product Change Log.....	60

About this guide

This guide describes the integration of Infor M3 and Salesforce CRM. It explains integration requirements, configuration tasks, and troubleshooting information.

Intended audience

This guide is intended for the system administrator or consultant who configures the integration between Infor M3 and Salesforce CRM.

Related documents

This table shows types of documents that are related to ION integrations and their purpose. You can find these documents on docs.infor.com

Document Name	Purpose
Infor M3 Cloud Configuration Guide	This guide provides configuration and implementation information for the BOD-based integration of one Infor application with ION. The guides describe how to create a connection point in ION for the product. Listed in the guide are the business events or user actions in the product that send BODs to ION, and the integrations that consume each BOD. This guide also provides these instructions: • Deployment of the product as an application in Infor Ming.le™ • Configuration of users and roles that are shared across products in Infor Ming.le • Configuration of Infor Ming.le to launch drillbacks to the product. This guide provides product-specific configuration information that is required to use Infor Document Management and Analytics. The guide provides information about how to include the content for product-specific workflow and event examples.

Document Name	Purpose
Infor M3 Outbound BOD Mapping and Descriptions	This document provides the source and definition of the data in each outbound BOD element that is sent from the product through ION for each BOD that the product has certified. This document also provides details about the data that is published.
Infor M3 Inbound BOD Mapping and Descriptions	This document provides the details about how the product receives information or processes information from the inbound BOD for each BOD that the product has certified. For example, the source might be an extension product, a result of a workflow, or a drillback function from Infor Ming.le. If a BOD updates a source table, the exceptions and handling are described.
Infor M3 to Salesforce CRM Cross BOD Mapping and Descriptions	This document provides end-to-end integrated BOD mapping details for BODs that are exchanged between this product and another product. It describes the exceptions and handling requirements by element. This document is available in Infor Marketplace.

Contacting Infor

If you have questions about Infor products, go to Infor Concierge at <https://concierge.infor.com/> and create a support incident.

Requirements

Ensure that all requirements and prerequisites are met.

Required products

Ensure that you have installed and configured the necessary hardware and software for these components:

- Infor M3 Core with Infor OS (as provided in Infor Cloud)
- Salesforce CRM (as provided in Salesforce Cloud, integration supports version 49.0 or later)

Overview

This chapter provides an overview of the integration of Infor M3 with Salesforce CRM using Infor ION.

Terminology

The terminology between Infor M3 and Salesforce CRM differs in some areas. To explain the process and communicate steps clearly, sometimes the BOD terminology is used. This table shows an overview of the Infor M3, Salesforce CRM, and BOD terminology.

Infor M3 term	Salesforce CRM term	BOD term
Customer	Account	CustomerPartyMaster
Delivery Address	Shipping Address	ShipToPartyMaster
Item	Product	ItemMaster
Customer Order	Orders	SalesOrder
CO Invoice	Infor ERP Invoices	Invoice
Customer Returns	Infor ERP Returns	CustomerReturn
Shipment Delivery	Infor ERP Shipments	Shipment
Payment Term	Infor ERP Payment Terms	CodeDefinition (PaymentTerm)
AR Payment Methods	Infor ERP Payment Methods	CodeDefinition (ARPaymentMethods)
Delivery Terms	Infor ERP Delivery Terms	CodeDefinition (DeliveryTerms)
Delivery Methods	Infor ERP Delivery Methods	CodeDefintion (TransportationMethods)


Integration checklist

Follow this checklist to integrate the products.

Complete?	Task	Reference
☐	Collect the documents that are listed in the next column from the Infor Support Portal. These documents are required for this integration.	<i>Infor M3 Cloud Configuration Guide</i>
☐	Ensure that all requirements and prerequisites are met.	<i>Requirements</i>
☐	Review the description of this integration.	<i>Overview</i>
☐	Verify that the Infor M3 instances you plan to use are connected to Infor ION. If they have not been configured, configure the connection.	<i>Infor M3 Cloud Configuration Guide</i>
☐	Verify that the Salesforce CRM instances you plan to use are connected to Infor ION. If they have not been configured, then configure the connection.	<i>Configuring Salesforce CRM</i>
☐	Perform additional configuration of Infor M3 specific to this integration.	<i>Configuring M3</i>
☐	Perform additional configuration of Salesforce CRM specific to this integration.	<i>Configuring Salesforce CRM</i>
☐	Publish BODs.	<i>Publishing BODs</i>
☐	Verify the integration.	<i>Verifying the integration</i>

Integration of solution components

This diagram shows the flow of BODs between the products:



See the appropriate configuration guide for the complete list of BODs available for each product and for a list of the events that generate each BOD.

Features in this integration

Overview

Feature	Description
Item Pricing	Item Pricing is supported by calling OIS345MI.LstPriceMargin API to sync sales price and discount in Salesforce CRM. This feature enables you to retrieve the latest prices and discounts when creating quotes in Salesforce CRM.
Available to Promise (ATP)	Details of Available to Promise (ATP) are displayed in Salesforce CRM by calling M3 APIs.
Supply Model	The Supply Model feature is supported by calling the M3 API OIS340MI.LstSupplSummary. This enables the user to select the warehouse from multiple warehouses from M3 in Salesforce CRM Quote.
Items	Only sellable items and active status are synchronized from M3 to Salesforce CRM.
Currency	The integration supports single or multi-currency. Select the multi-currency check box in the Salesforce CRM configuration in the company setting if the company supports multi-currency.
Initial load	The required master data such as customers, addresses, contacts, and items are synchronized as part of this integration.

Data mapping

You can use the Infor M3 to Salesforce CRM Cross BOD Mapping and Descriptions guide to determine these.

- The source location and target location of the integrated data
- Which conversions, if any, are performed between the source and target.

Configuring Infor M3

In Infor M3, you must complete configuration tasks that are specific to this integration.

The *Infor M3 Cloud Configuration Guide* describes the required setup for BOD publishing. To integrate M3 with Salesforce CRM, you must set up additional data and verify conditions.

BOD Processor Administration

If Master Accounting Entity (Master AE) is to be used for an existing integration, then we recommend running an initial load of the master data BODs that supports this functionality. Enabling a noun's Master AE affects how M3 publishes the BOD of the respective noun, which may affect the integration. Activate this functionality with precaution.

For more details on Master Accounting Entity, see the *Infor M3 CE Core Administration Guide*.

Installing the SalesOrder mapping

1. Download the **M3-SalesforceCRM_1.x.yyyymmddhhmmss.zip** file to a local folder.
2. Extract M3-SalesforceCRM_1.x.yyyymmddhhmmss.zip to a local folder. The file **M3BOD_SalesOrder_Sync_Out_2_13_5.zip** should be available in the extracted folder:
3. Click Infor Business Document Mapper.
4. Select view Mapping Explorer in the perspective Mapping Development.
5. Select an existing mapping project or create a new mapping project.
6. Right-click on the mapping project and select Import > From Archive file (.zap). Select the M3BOD_SalesOrder_Sync_Out_2_13_5.zip file.
7. Right click on the mapping, select Publish and the MEC server environment
8. Click **Infor M3 > Administration Tools > Enterprise Collaborator Administration > Server > Agreement Status**.
9. Under Custom, Select the generated custom agreement M3_SalesOrder_Sync_Out. The custom agreement of M3BOD_SalesOrder_Sync_Out_2_13_5 is inactive.
10. Click **Activate** for the custom agreement.

You will get a message that a duplicate agreement is found. This is because the corresponding standard agreement is still active, and both agreements have the same detection, which is not allowed.
11. To deactivate the standard agreement and activate the custom agreement, Click **Proceed**.
12. Test the SyncSalesOrder BOD.

Master data setup

These are the master data in Infor M3:

- Customer
- Customer Ship to Address
- Customer Contact
- Item
- Code Definition (Payment Terms, Payment Methods, Delivery Terms, Delivery Method)

Configuring Quote order type

The order type determines how the order is processed during order entry and defines the processing flow. The Order Type for sales quotation can be created or selected in the CO type (OIS010) field and the CO category must be 4.

1. Access **ION Grid Management Pages**.
2. Select **EC Server > Management Pages > Agreement Control Properties** and locate M3_Quote_Process_In.
3. Specify this information:
m3beDefaultQuoteOrderType = QUO

Note: This recommended value may be modified.

4. For the change to take effect, enable **Auto Server Reload** and click **Save Control Properties**.

Configuring ContactMaster

Microsoft Dynamics 365 CRM sends the ProcessContactMaster BOD to M3 to create and update contact data. To support automatic contact ID generation, m3beContactPrefix and m3beContactSequenceDigits must be added to the BOD partner agreement control properties.

- m3beContactPrefix: Used to set the prefix that is used to name a new contact.
 - m3beContactSequenceDigits: Used to set the number of digits for the sequence following the prefix when naming a new contact. If this value is not specified, the default value is 3.
1. Access **ION Grid Management Pages**.
 2. Select **EC Server > Management Pages > Agreement Control Properties** and locate M3_ContactMaster_Process_In.
 3. Specify this information:
m3beContactPrefix = CONTACT
m3beContactSequenceDigits = 4

Note:

- This recommended value may be modified. The maximum length for the contact is 36 characters.
 - Based on the information above, the contact ID generated is CONTACT0000.
4. For the change to take effect, enable **Auto Server Reload** and click **Save Control Properties**.

Creating and updating Customer and ShipTo

A customer in M3 can be represented by these BODs, which use the OCUSMA table:

- CustomerPartyMaster
- BillToPartyMaster
- PayFromPartyMaster
- ShipToPartyMaster

When the Sync or Show BODs is triggered, these BODs are published:

- CustomerPartyMaster
- BillToPartyMaster
- PayFromPartyMaster
- ShipToPartyMaster

Microsoft Dynamics 365 CRM sends Customer and ShipTo Process BODs to M3 to create and update customer data. When a new customer is sent from Microsoft Dynamics 365 CRM to M3, M3 uses the IONCUST template to retrieve the default information. The user can configure and change the information of the IONCUST template in (CRS610).

To support the automatic generation of the customer ID, the first six characters of the customer's name that is created in Microsoft Dynamics 365 CRM are used as the customer ID and are set as the prefix of a sequential four-digit number.

Example:

Customer Name = WILKINS

The Wilkin0000 customer ID is generated.

To support the automatic generation of the ShipTo address ID, the first character is set to 1 and is set as the prefix of a sequential five-digit number.

Settings for better performance

This table shows recommended settings:

Program and Panel	Field	Value	Notes
(OIS010/E)	Dsp dely addr	Check box should not be selected	
	Create address	Check box should not be selected when the Adhoc shipping feature is enabled in Salesforce CRM	
(OIS010/F)	New entry order	Check box should not be selected	
	Close	Set to 0	
	New entry lines	Check box should not be selected	
	Upd OV wo risk	Check box should not be selected	
(OIS010/I)	Avail check	Set to 0	
	Reasonablty chk	Check box should not be selected	
	Chk duplicates	Set to 0	
	Upd cum weight	Check box should not be selected	
(OIS010/J)	Promotion check	Set to 0 or 1	
	Cost price rule	Set to 3, 4, or 5	
	Quantity limit	Set to 0.00	
	Price date chk	Leave blank	
	Supply model	Leave blank	
	Round order qty	Set to 0, 2, or 3	
	Supply model	Leave blank	Listed fields for (OIS014) should not be set to mandatory
(OIS014/E)	Request dely tm	Drop-down box value is set to 0	

Program and Panel	Field	Value	Notes
(OIS014/F)	Route	Leave blank	
	Route departure	Leave blank	
	Payment terms	Set to *SYS	This setting is for the support of CenPos.
(OIS014/K)	Joint delivery	Leave blank	
(OIS278/E)	Source sls prc	Set to 1	
	Complete orders	Check box should not be selected	Select this check box to display all order lines that belong to the same batch order.
	Severity level	Set to 20	
(OIS399/E)	CO check	Set to 2	This setting affects the creation of customer returns.

Disabling other invoice variants

The M3-Salesforce CRM integration supports invoicing for SalesOrder. We recommend that you deactivate the other invoice variants.

1. Select **Administration Tools > BOD Processor Administration**.
2. Select the company and division.
3. In the list of all BODs displayed, Deactivate these invoice variants:
 - ShowInvoiceInternalInvoicing
 - SyncInvoiceInternalInvoicing
 - ShowInvoiceInternalInvoicing
 - SyncInvoiceInternalInvoicing
 - SyncInvoiceManualInvoicing
 - SyncInvoiceManualInvoicing
 - ShowInvoiceProjectInvoicing
 - SyncInvoiceProjectInvoicing
 - ShowInvoiceMaintenanceOrderInvoicing

- SyncInvoiceMaintenanceOrderInvoicing
- ShowInvoiceRentalAgreementInvoicing
- SyncInvoiceRentalAgreementInvoicing
- ShowInvoiceLeasingAgreementInvoicing
- SyncInvoiceLeasingAgreementInvoicing
- ShowInvoiceCustomerOrder
- SyncInvoiceCustomerOrder

Note: Verify that the BOD SyncInvoiceCustomerOrderInvoicing for the SalesOrder invoice is activated.

Configuring Salesforce CRM

In Salesforce CRM, you must complete configuration tasks that are specific to this integration.

To open the setup, click the **Gear** icon and select **Setup**.

Creating a connected app

A Salesforce CRM system administrator must create a connected app to allow for a connection between Infor M3 to and the Salesforce CRM organization.

Before you proceed, ensure that you have the OAuth callback URL for the Infor tenant available.

1. In **Setup**, specify Apps in the quick-find box and select App Manager.
2. Click **New Connected App**.
3. Provide the **Connected App Name**, preferably without spaces and with the Infor tenant ID in the name.
Example: M3WHITEGLOVE_DEV.
4. Provide the contact email and fill in the optional fields.
5. In the **API (Enable OAuth Settings)** area of the page, select **Enable OAuth Settings**.
6. Specify the callback URL (endpoint) that Salesforce CRM calls back to the application during the OAuth authentication process. You can obtain this URL from the Infor tenant owner or administrator for whom you are creating this application.
7. Select OAuth scopes to apply to the connected application.
8. Select Full access, perform requests on your behalf at any time, Access and manage your data scopes and Click Add.
9. Click **Save**
10. When the message Allow from 2-10 minutes for your changes to take effect on the server before using the connected app displays, click **Continue**.
11. Click **Manage**.
12. In the **OAuth Policies** section, click **Edit Policies**
13. In the **IP Relaxation** field, **select** Relax IP Restrictions.
14. Click **Save**.
15. In the **Setup** area, specify Apps in the quick-find box.
16. Select **App Manager**.
17. Locate the connected app, click the down arrow.
18. Select View.

Note: You need to provide the consumer key and consumer secret details to the Infor tenant admin or owner to configure the SalesforceION API suite.

Prerequisites before installing the Salesforce CRM integration package

A Salesforce CRM administrator must complete the below activities before importing the Salesforce CRM integration package.

Before importing the Salesforce CRM integration package, A Salesforce CRM administrator must complete these activities:

- Convert state and country dates
- Enable country picklists
- Enable multiple currencies
- Enable quotes

The state and country fields on all objects in Salesforce CRM are text fields by default which are not suitable for integration. To enable Salesforce CRM to send the ISO codes for the state and country values, the state and country picklists should be enabled.

Converting state and country date

Before you convert state and country values in the state and country picklist setup, configure the picklists for your organization. When you enable pick lists, the data in your organization is consistent and accurate. This is because all new and updated records use your specified integration value. You must convert the countries first, then the states and provinces.

1. In **Setup > Quick-find**, search for State and Country Picklists.
2. Select **State and Country/Territory Picklists**.
3. Under point 1, click **Configure State and Countries** link.
4. From the drop-down list, select the **Default Country/Territory** and click **Save**.
5. From the menu, Click **State and Country/Territory Picklists**.
6. Under point 2, click **Scan your organization**, click **Scan now**.
7. On the **Scan for Affected Data and Customizations** page, click **Scan**.
After scanning is completed, you receive an email confirmation.
8. From the menu, click **State and Country/Territory Picklists**.
9. On the **State and Country Picklists setup** page, click **Convert now**.

The Convert Countries page displays all country text values that occur in your organization and the number of times that each value is used.

10. Select **Change** for one or more values that you want to convert.
For example, select **Change** for all the iterations of United States.
11. In the **Change To** area, select the country for which you want to convert the text values.
12. Click **Save to Changelist**.

13. Repeat the steps 10-12 for other country values, for example Canada.
Salesforce CRM tracks planned changes in the **Changelist** area.
14. Click **Next** to convert the state values when all countries are mapped.
15. Use the **Country of Origin** section to identify the country that is associated with the state or province.
16. On the **Confirm Changes** page, click **Finish**.

Enabling state and country picklist

1. In **Setup > Quick-find**, specify State and Country Picklists and select State and Country Picklists.
2. To enable the picklists, click **Enable** on the **State and Country/Territory Picklists** setup page.

Enabling multiple currencies

1. In **Setup > Quick-find**, specify Company Information.
2. Click **Company Information**.
3. Click **Edit**.

In the **Currency settings** section, ensure that the selected currency locale is the default currency that you require to use for current and future records.

4. Enable **Activate Multiple Currencies**.
5. Click **Save**.

Note: Ensure that the M3 default currency and the Salesforce CRM default currency or corporate currency match for the integration to work.

Enabling quotes

1. In **Setup > Quick-find**, specify Quote and select **Quote Settings (Lightning Experience)** or **Quotes Settings (Salesforce CRM Classic)**.
2. Select the option for enabling quotes.
3. Select **Opportunity Layout** to display the quotes-related list on the standard opportunity page layout.
4. Select **Append to users** to add the quotes-related list to all opportunity page layouts that users have customized.
5. Click **Save**.

Installing the Salesforce CRM integration package

After completing the prerequisites that are mentioned in the previous step, proceed to the installation of the integration package.

1. Extract M3-SalesforceCRM_1.x.yyyymmddhhmmss.zip to a local folder. The file **retrieve_*.zip** should be available in the extracted folder.
2. Sign in to <https://workbench.developerforce.com/login.php> using your Salesforce CRM credentials.
3. On the menu, select **Migration > Deploy**.
4. To navigate and upload the retrieve_*.zip file, click **Browse**.
5. Select **Check Only** to verify the deployment. Selecting this option enables you to verify that no error occurs without deploying the components.
6. Click **Next**.
7. Click **Deploy**.

Note: Ensure that no component errors are reported after the process has run completely. If errors occur in the process, do not continue. Ensure that you have fulfilled the prerequisites mentioned in the previous step. You can also contact the support or integration team to resolve the errors.

8. From the menu, select **Migration > Deploy**.
9. Select the integration package.
10. Select the **Roll back on error** option and click **Deploy**.
11. Verify that the deployment is completed without errors.

Post-deployment changes

After deploying the integration package, the Salesforce CRM objects Account, Contact, Product, PriceBookEntry, and Quote should have the new custom field **Infor ERP External ID**.

For each of the mentioned objects, perform these processes:

- Set field-level security
- Add Infor ERP external ID to page layouts

Setting field-level security

1. In **Setup > Quick-find**, specify Object Manager.
2. Select an object.
For example: Select Account, Contact, Quote, Order, or Product.
3. On the menu, click **Fields & Relationships**.
4. In the list of fields, find **Infor ERP ExternalID** and click the hyperlink on the label.
5. Click **Set Field-Level Security**.

6. Select **Read-only**.
7. Click **Save**.

Adding Infor ERP external ID to page layout

1. On the left sidebar menu, click **Page Layouts**.
2. Select the generic object layout.
For example: Account Layout or Contact Layout.
3. Drag and drop the **Infor ERP External ID** field onto the **Account/Contact/Product/Quote/Order** information section.
4. Click **Save**.

Searching for Auth providers

1. In **Setup > Quick-find**, specify Auth. Providers.
2. Click the IMSEndpoint hyperlink in the list.
3. Copy the Callback URL.
Get the .ionapi file from the Infor tenant owner or administrator after creating a new authorized app of the Web type in Infor ION API. See *Configuring Authorized Apps*. Complete and continue from here.
4. In a text editor, open the .ionapi file.
5. Click **Edit** to make the changes to IMSEndpoint Auth.Provider.
6. In the **Consumer Key** field, specify the value that is specified for ci in the .ionapi file.
7. In the **Consumer Secret** field, specify the value that is specified for cs in the .ionapi file.
8. In the **Authorize Endpoint URL** field, specify the combination of the values that are specified for pu and oa in the .ionapi file.
9. In the **Token Endpoint URL** field, specify the combination of the values that are specified for pu and ot in the .ionapi file.
10. Click **Save**.

Searching for named credentials

1. In **Setup > Quick-find**, specify Named credentials.
2. Click **Edit** next to **IMSCallout**.
3. Specify the ION API tenant URL in the **URL** field.
For example: `https://qac-ionapi.qac.awsdev.infor.com/M3WHITEGLOVE_DEV`.

4. Click **Save**.
5. In the access permission screen, Verify that the tenant name and user name are correct.
6. Click **Allow**.
7. When redirected to Salesforce CRM, ensure that the **Authentication status** is changed to Authenticated.

Configure custom settings

1. In **Setup > Quick-find**, specify Custom Settings. The **Custom Settings** field is displayed.
2. In the list, click **Manage** next to the **ERPSettings** label.
3. Click **New**.
4. Specify this information:
companyNumber
Specify the value.
tenantId
Specify the value.
fromLogicalId
Specify the value.
These values are used when sending BODs to Infor M3. Contact the Infor tenant owner for these values.

Activating and deactivating flows and processes

1. In **Setup > Quick-find**, specify Process Builder.
2. Ensure that these processes are in Active status:
 - PopulateAccountPEs
 - PopulateContactPE
 - PopulateQuotePE
 - PopulateOrderPE

Note: You must activate these processes to allow Salesforce CRM to send process BODs to Infor M3. Deactivating these processes can stop Salesforce CRM from sending BODs to Infor M3.
3. If any of these processes is not in Active status, activate the process:
 - Select the process.
 - Click **Activate**.

Note: Ensure to deactivate the Salesforce CRM process or flow when the initial load flows are activated in Infor OS.

Adding Infor ERP Warehouse and ATP Full Quantity Available Date fields to quote line item page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select the **Quote Line Item** object.
3. Select **Page Layouts** from the menu on the left. Select the **Quote Line Item** page layout.
4. Drag and drop the **Infor ERP Warehouse** and **ATP Full Quantity Available Date** fields onto **Quote Line Item Information**.
5. Click **Save**.

Adding ERP Details button to Quote object

1. In **Setup > Quick-find**, specify Object Manager.
2. Click the Quote object link.
3. Select **Page Layouts** from the menu on the left.
4. Select **Quote Layout**.
5. Click **Mobile & Lightning Experience Actions**.
6. Click the wrench icon in the **Salesforce Mobile and Lightning Experience Actions** section.
Note: The wrench icon appears only when you hover over the text in the Salesforce Mobile and Lightning Experience Actions section.
7. Drag the **ERP Details** field onto the layout under the **Salesforce Mobile and Lightning Experience Actions** section.
8. Click **Save**.

Adding Select Warehouse button to Quote line item object

1. In **Setup > Quick-find**, specify Object Manager.
2. Click the **Quote Line Item** object link.
3. Select **Page Layouts** from the menu on the left.
4. Select **Quote Line Item Layout**.
5. Click **Mobile & Lightning Experience Actions**.
6. Click the wrench icon in the **Salesforce Mobile and Lightning Experience Actions** section.

Note: The wrench icon appears only when you hover over the text in the Salesforce **Mobile and Lightning Experience Actions** section.

7. Drag the **Select Warehouse** field onto the layout under the Salesforce **Mobile and Lightning Experience Actions** section.
8. Click **Save**.

Adding ERP Details button to Order object

1. In **Setup > Quick-find**, specify Object Manager.
2. Click the Order object link.
3. Select **Page Layouts** from the menu on the left.
4. Select **Order Layout**.
5. Click **Mobile & Lightning Experience Actions**.
6. Click the wrench icon in the **Salesforce Mobile and Lightning Experience Actions** section.
Note: The wrench icon appears only when you hover over the text in the Salesforce Mobile and Lightning Experience Actions section.
7. Drag the **ERP Details** field onto the layout under the **Salesforce Mobile and Lightning Experience Actions** section.
8. Click **Save**.

Adding Select Warehouse button to Order Product object

1. In **Setup > Quick-find**, specify Object Manager.
2. Click the **Order Product** object link.
3. Select **Page Layouts** from the menu on the left.
4. Select **Order Product Layout**.
5. Click **Mobile & Lightning Experience Actions**.
6. Click the wrench icon in the **Salesforce Mobile and Lightning Experience Actions** section.
Note: The wrench icon appears only when you hover over the text in the Salesforce **Mobile and Lightning Experience Actions** section.
7. Drag the **Select Warehouse** field onto the layout under the Salesforce **Mobile and Lightning Experience Actions** section.
8. Click **Save**.

Making ERP Details button visible to non-admin users

For all users for whom you want these buttons to be visible, ensure that the user is marked as a Flow user.

1. In Setup > Quick-find, specify **Users**
2. Click **Edit** next to the user that you want to edit.
3. Select the **Flow user** check box.
4. Click **Save**.

Adding Infor ERP Warehouse and ATP Quantity Available Date fields to quote or quote line item

1. In **Setup > Quick-find**, specify Object Manager.
2. Select the **Quote** object.
3. Select **Page Layouts** from the menu on the left. Click **Quote Layout**.
4. Scroll down to the **Related Lists** section. Click the wrench icon in the **Quote Line Items** section.
5. Move **Infor ERP Warehouse** and **ATP Quantity Available** from the list of available fields to the top 4 selected fields.

Note: By default, only the first four fields of the selected fields are displayed in the quote page layout.

6. Click **OK**.

Note: Perform these steps after Quote is activated for the user and if the user wants all selected fields to be displayed in the quote page layout.

7. Open a quote. Select the **Gear** icon and click **Edit Page**.
8. Select the **Quote Line Items** section from the middle. On the right pane, from the **Related List Type** drop-down, select **Enhanced List**. This view displays all available selected fields for quote line item.
9. Click **Save**.
10. Click **Activation**. Set this view as the org default and select the option for both desktop and mobile.
11. Click **Save**.

The **Quote** page shows all selected fields for all quote line items as below.

Adding Infor ERP Warehouse and ATP Quantity Available Date fields to Order or Order Product

1. In **Setup > Quick-find**, specify Object Manager.
2. Select the **Order** object.
3. Select **Page Layouts** from the menu on the left. Click **Order Layout**.
4. Scroll down to the **Related Lists** section. Click the wrench icon in the **Order Products** section.

5. Move **Infor ERP Warehouse and ATP Quantity Available** from the list of available fields to the top 4 selected fields.
Note: By default, only the first four fields of the selected fields are displayed in the Order page layout.
6. Click **OK**.
Note: Perform these steps after Order is activated for the user and if the user wants all selected fields to be displayed in the Order page layout.
7. Open an Order. Select the **Gear** icon and click **Edit Page**.
8. Select the **Order Products** section from the middle. On the right pane, from the **Related List Type** drop-down, select **Enhanced List**. This view displays all available selected fields for Order Products.
9. Click **Save**.
10. Click **Activation**. Set this view as the org default and select the option for both desktop and mobile.
11. Click **Save**.

The **Order** page shows all selected fields for all Order Products as below.

Adding fields to the Account page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Account** object.
3. From **Fields & Relationships** menu, select **Account Number**.
4. Click **Field level security**.
5. Select visible for all the user profiles or for the profiles you require.
6. Click **Save**.
7. Repeat steps 3 to 5 for these fields: **ERP Origin**, **Infor ERP Bill To External ID**, **Infor ERP Delivery Term**, **Infor ERP Division**, **Infor ERP Payment Term**, **Infor ERP Ship To External ID**, and **Infor ERP Supply Model**.
8. Select **Page Layouts** from the **Menu** and click **Account Layout**.
9. Add these fields to the page layout: **Account Number**, **Infor ERP Bill To External ID**, **Infor ERP Delivery Term**, **Infor ERP Division**, **Infor ERP Payment Term**, **Infor ERP Ship To External ID**, and **Infor ERP Supply Model**.
10. Drag and drop the fields to the **Account Information** section.

Adding fields to the Contact page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Click **Contact** object.
3. From **Fields & Relationships** menu, select **Do Not Call**.

4. Click **Field level security**.
5. Select visible for all the user profiles or the profiles you require
6. Click **Save**.
7. Repeat the steps 3 to 5 for these fields: **ERP Origin**, **Email Opt Out**, and **Infor ERP Division**.
8. Select **Page Layouts**.
9. Click **Contact Layout**.
10. Add the **Do Not Call**, **Email Opt Out**, and **Infor ERP Division** fields to the page layout. Drag and drop the fields from top to the **Contact Information** section.

Adding fields to the Quote page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Quote** object.
3. From **Fields & Relationships** menu, select **Infor ERP Division**.
4. Click **Field level security**.
5. Select visible for all the user profiles or the profiles you require
6. Click **Save**.
7. Repeat the steps 3 to 5 for the **Infor ERP Facility** field.
8. Select **Page Layouts** from the menu and click **Quote Layout**.
9. Add the **Infor ERP Division** and **Infor ERP Facility** fields to the page layout. Drag and drop the fields to the **Quote Information** section.

Adding fields to the Quote Line Item page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Quote Line Item** object.
3. From **Fields & Relationships** menu, select **ATP Quantity Available**.
4. Click **Field level security**.
5. Select visible for all the user profiles or the profiles you require.
6. Click **Save**.
7. Repeat the steps 3 to 5 for the **Infor ERP Warehouse** field.
8. Select **Page Layouts**.
9. Click **Quote Line Item Layout** from the menu.
10. Add the **Infor ERP Warehouse** and **ATP Quantity Available** fields to the page layout.

11. Drag and drop the field to the **Quote Line Item Information** section.

Adding fields to the Order page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Order** object.
3. From **Fields & Relationships** menu, select **Infor ERP Division**.
4. Click **Field level security**.
5. Select visible for all the user profiles or the profiles you require
6. Click **Save**.
7. Repeat the steps 3 to 5 for the **Infor ERP Facility** field.
8. Select **Page Layouts** from the menu and click **Order Layout**.
9. Add the **Infor ERP Division** and **Infor ERP Facility** fields to the page layout. Drag and drop the fields to the **Order Information** section.

Adding fields to the Order Products page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Order Products** object.
3. From **Fields & Relationships** menu, select **ATP Quantity Available**.
4. Click **Field level security**.
5. Select visible for all the user profiles or the profiles you require.
6. Click **Save**.
7. Repeat the steps 3 to 5 for the **Infor ERP Warehouse** field.
8. Select **Page Layouts**.
9. Click **Order Products Layout**.
10. Add the **Infor ERP Warehouse** and **ATP Quantity Available** fields to the page layout.
11. Drag and drop the field to the **Product Information** section.

Adding fields to the Product page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Product** object.
3. Select **Page Layouts** from the menu and click **Product Layout**.
4. Click **Field level security**.

5. Add the **Product SKU**, **Quantity Unit Of Measure**, and **Product Code** fields to the page layout.
6. Drag and drop the fields to the **Product Information** section.

Adding fields to the Infor ERP Shipment page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Infor ERP Shipment** object.
3. From **Fields & Relationships** menu, select **Delivery Number**.
4. Click **Field level security**.
5. Select **visible** for all the user profiles or for the profiles you require.
6. Click **Save**.
7. Repeat steps three to five for these fields:
 - Created By
 - Currency
 - Dely mtd
 - Dely_sts
 - Depart Dt
 - Ext Tracking No
 - Infor ERP External ID
 - Last Modified By
 - Order no
 - Owner
 - Warehouse
8. Select **Page Layouts** from the Menu and click **Infor ERP Shipment Layout**.
9. Add these fields to the page layout:
 - Delivery Number
 - Created By
 - Currency
 - Dely mtd
 - Dely_sts
 - Depart Dt
 - Ext Tracking No
 - Infor ERP External ID
 - Last Modified By
 - Order no
 - Owner
 - Warehouse
10. Drag and drop the fields to the Information section.

Adding fields to the Infor ERP Shipment Line page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Infor ERP Shipment Line** object.
3. From the **Fields & Relationships** menu, select **Currency**.
4. Click **Field level security**.
5. Select **visible** for all the user profiles or for the profiles you require.
6. Click **Save**.
7. Repeat steps three to five for these fields:
 - Created By, Description
 - Infor ERP External ID
 - Infor ERP Shipment
 - Last Modified By
 - Line No
 - Product ID
 - Quantity
 - Unit
8. Select **Page Layouts** from the Menu and click **Infor ERP Shipment Line Layout**.
9. Add these fields to the page layout:
 - Created By
 - Currency
 - Description
 - Infor ERP External ID
 - Infor ERP Shipment
 - Last Modified By
 - Line No
 - Product ID
 - Quantity
 - Unit
10. Drag and drop the fields to the Information section.

Adding fields to the Infor ERP Invoice page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Infor ERP Invoice** object.
3. From the **Fields & Relationships** menu, select **Amount**.
4. Click **Field level security**.
5. Select **visible** for all the user profiles or for the profiles you require.

6. Click **Save**.
7. Repeat steps three to five for these fields:
 - Created By
 - Currency
 - Currency [Picklist]
 - Due Date
 - Infor ERP External ID
 - Infor ERP Origin
 - Infor ERP Original Invoice
 - Infor ERP Return Amount
 - Invoice Date
 - Invoice No
 - Last Modified By
 - Order no
 - Owner
 - Remaining To Pay
 - Type
8. On the menu, select **Page Layouts** and click **Infor_ERP_Invoice Layout**.
9. Add these fields to the page layout:
 - Amount
 - Created By
 - Currency
 - Currency [Picklist]
 - Due Date
 - Infor ERP External ID
 - Infor ERP Origin
 - Infor ERP Original Invoice
 - Infor ERP Return Amount
 - Invoice Date
 - Invoice No
 - Last Modified By
 - Order no
 - Owner
 - Remaining To Pay
 - Type.

Adding fields to the Infor ERP Returns page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Infor ERP Returns** object.
3. From the **Fields & Relationships** menu, select **Currency**.
4. Click **Field level security**.

5. Select **visible** for all the user profiles or for the profiles you require.
6. Click **Save**.
7. Repeat steps three to five for these fields:
 - Created By
 - Delivery Term
 - Ext Tracking No
 - Infor ERP External ID
 - Last Modified By
 - Order no
 - Owner
 - Return Date
 - Return Number
 - Return Status
 - Warehouse
8. Select **Page Layouts** from the Menu and click **Infor ERP Returns Layout**.
9. Add these fields to the page layout:
 - Created By
 - Currency
 - Delivery Term
 - Ext Tracking No
 - Infor ERP External ID
 - Last Modified By
 - Order no
 - Owner
 - Return Date
 - Return Number
 - Return Status
 - Warehouse

Adding fields to the Infor ERP Return Line page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Infor ERP Return Line** object.
3. From the **Fields & Relationships** menu, select **Currency**.
4. Click **Field level security**.
5. Select **visible** for all the user profiles or for the profiles you require.
6. Click **Save**.
7. Repeat steps three to five for these fields:
 - Created By
 - Description

- Infor ERP External ID
 - Infor ERP Returns
 - Last Modified By
 - Line No
 - Name Num
 - Quantity
 - Unit
8. Select **Page Layouts** from the Menu and click **Infor ERP Return Line Layout**.
 9. Add these fields to the page layout:
 - Created By
 - Currency, Description
 - Infor ERP External ID
 - Infor ERP Returns
 - Last Modified By
 - Line No
 - Name Num
 - Quantity
 - Unit

Adding fields to the Infor ERP Warehouse page layout

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Infor ERP Warehouse** object.
3. From the **Fields & Relationships** menu, select ATP Quantity.
4. Click **Field level security**.
5. Select **visible** for all the user profiles or for the profiles you require.
6. Click **Save**.
7. Repeat steps three to five for these fields:
 - Created By
 - Currency
 - Description
 - Infor ERP Warehouse Id
 - Infor ERP Warehouse Name
 - Last Modified By
 - Owner
 - QuoteLineItemId
8. Select **Page Layouts** from the Menu and click **Infor ERP Warehouse Layout**.
9. Add these fields to the page layout:
 - ATP Quantity
 - Created By

- Currency
- Description
- Infor ERP Warehouse Id
- Infor ERP Warehouse Name
- Last Modified By
- Owner
- QuoteLineItemId

Adding Related list in Infor ERP Shipment Screen

1. In **Setup > Quick-find**, specify Object Manager.
2. Search and select **Infor ERP Shipment** object.
3. Click **Page Layouts**.
4. Click **Infor ERP Shipment Layout**.
5. In the **Related Lists** tab, select **Infor ERP Shipment Lines Label**.
6. Drag and drop Infor ERP Shipment Lines Label into the Related Lists section and click on **Save**.

Adding Related list in Infor ERP Returns Screen

1. In **Setup > Quick-find**, specify Object Manager.
2. Search and select **Infor ERP Returns** object.
3. Click **Page Layouts**.
4. Click **Infor ERP Returns Layout**.
5. In the **Related Lists** tab, select **Infor ERP Return Lines Label**.
6. Drag and drop Infor ERP Return Lines Label into the Related Lists section and click on **Save**.

Adding Related list in Order Screen

1. In **Setup > Quick-find**, specify Object Manager.
2. Search and select **Order** object.
3. Click **Page Layouts**.
4. Click **Order Layout**.
5. In the Related Lists, select and drag these labels into the Related Lists section:
 - a. Order Products
 - b. Order History

- c. Open Activities
 - d. Activity History
 - e. Notes & Attachments
 - f. Infor ERP Shipments
 - g. Infor_ERP_Invoices
 - h. Infor ERP Returns
6. Click **Save**.

Configuring the Division picklist value set

1. In **Setup > Quick-find**, specify Picklist Value Sets.
2. Select **Division** object.
3. Remove any values in the **Values** section.
4. Click **New**.
5. Specify the M3 division details.
6. Add one or more picklist values. Each value should be in a separate line.
7. Click **Save**.

Configuring the Facility picklist value set

1. In **Setup > Quick-find**, specify Picklist Value Sets.
2. Select **Facility** object.
3. Remove any values in the **Values** section.
4. Click **New**.
5. Specify the M3 facility details.
6. Add one or more picklist values. Each value should be in a separate line.
7. Click **Save**.

Configuring the Infor ERP Facility dependent dropdown

1. In **Setup > Quick-find**, specify Object Manager.
2. Select **Quote** object.
3. From the **Fields & Relationships** menu, select **Field Dependencies**.
4. To modify the **Infor ERP division**, click **Edit**

5. Select the relevant Infor ERP Facility values. Do this for each Infor ERP Division value.
6. Click **Preview** to verify the changes.

When an Infor ERP Division is selected in the first drop-down list, the relevant values for the division should be visible in the second drop-down list.

7. Click **Save**.

Configuring the custom object tabs

1. In **Setup > Quick-find**, specify Tabs.
2. In the **Custom Object Tabs** section, click **New**.
3. Select **Infor ERP Delivery Method** from the **Object** drop-down.
4. Click **Tab Style** to open a pop-up showing the **Tab style selector**.
5. Select a tab style from the list and click **Next**.
6. Click **Save**.
7. Repeat steps two to six for these other custom objects:
 - Infor ERP Delivery Term
 - Infor ERP Invoice
 - Infor_ERP_Payment_Method
 - Infor_ERP_Payment_Terms
 - Infor_ERP_Return_Line
 - Infor_ERP>Returns
 - Infor_ERP_Shipment
 - Infor_ERP_Shipment_Line.

Configuring ION API between products

A Salesforce CRM connection must be established in ION API for the communication between Infor OS and Salesforce CRM.

Registering Salesforce CRM API suite in ION API

1. In Infor OS, open the **ION API** application.
2. From the menu, select **Available APIs**.
3. Select **Salesforce v49.0** from **Select an API suite template**.
4. In the **Deployment Information** section, click **Add Deployment**.
5. Specify this information:

Host Name

The Salesforce host name that is configured.

Note: To display the host name, you can sign in Salesforce and click the **Profile** icon. The host name is displayed below the profile name.

User Name

Specify the Salesforce user ID.

Password

Specify the Salesforce user password used to sign in.

Client ID

Specify the client ID.

Client Secret

The client secret is identified only by the application and the authorization server. The value of this field is used to connect with external systems using the OAuth protocol. This client secret is provided by Salesforce.

Configuring Authorized Apps

1. In ION API , Select **Authorized Apps**.
2. Click **Add New App**.
3. Select **Web**.
4. Specify this information

Name

Specify **M3_Salesforce_Web_Service**

Description

Specify **M3 Salesforce Web service**.

5. Specify the Redirect URL in the **Redirect URL** section
6. Specify ***** in the **Authorized JavaScript Origins** field.
7. Enable **Issue Refresh Token**.
8. Click **Save**.

Note: For further reference, download the M3_Salesfore_Web_Service.ionapi file from ION API.

Connecting to ION with a solution XML

This integration has a solution XML file that is used to set up a sample model. When you import the solution XML file in ION Desk, the sample connection points and data flows for this integration are defined in ION.

Downloading the solution XML

1. Extract **m3ion-integration-to-salesforce-1.x.yyymmddhhmmss.zip** to a local folder. These files should then be available in the extracted folder:
 - o M3-Salesforce_ItemMaster_BOD_Integration.xml
 - o M3-Salesforce_ItemMaster_InitialLoad_Show_BOD_Integration.xml
 - o M3-Salesforce_CustomerPartyMaster_InitialLoad_Show_BOD_Integration.xml
 - o M3-Salesforce_ShipToPartyMaster_BOD_Integration.xml
 - o M3-Salesforce_Contact_InitialLoad_Show_BOD_Integration.xml
 - o M3-Salesforce_CustomerPartyMaster_BOD_Integration.xml
 - o M3-Salesforce_ShipToPartyMaster_InitialLoad_Show_BOD_Integration.xml
 - o M3-Salesforce_Contact_BOD_Integration.xml
 - o M3-Salesforce_CodeDefinition_BODs_Integration.xml
 - o M3-Salesforce_SalesOrder_BOD_Integration.xml
 - o M3-Salesforce_Invoice_BOD_Integration.xml
 - o M3-Salesforce_Shipment_BOD_Integration.xml
 - o M3-Salesforce_CustomerReturn_BOD_Integration.xml
 - o Salesforce-M3_Account_CustomerShipToParty_BODs_Integration.xml
 - o Salesforce-M3_Contact_BOD_Integration.xml
 - o Salesforce-M3_Quote_BOD_Integration.xml
 - o Salesforce-M3_SalesOrder_BOD_Integration.xml
 - o SalesforceInvoice.zip
 - o SalesforceInvoiceCreditCreate.zip
 - o SalesforceInvoiceCredit.zip
 - o SalesforceShipment.zip
 - o SalesforceShipmentLine.zip
 - o SalesforceReturn.zip
 - o SalesforceReturnLine.zip

- SalesforceCustomer.zip

Importing the solution XML

1. In ION Desk, select **Connect > Data Flows**.
2. Click **Import**.
3. Select M3-Salesforce_ItemMaster_InitialLoad_Show_BOD_Integration.xml.
4. Select **Merge Additional Documents** if document flows or connections points are available in the application.
5. Click **Open**.

The connections, data flows, scripts, and mappings are imported from the file.

6. Perform the import process for these data flows:
 - M3-Salesforce_ItemMaster_BOD_Integration.xml
 - M3-Salesforce_ItemMaster_InitialLoad_Show_BOD_Integration
 - M3-Salesforce_CustomerPartyMaster_InitialLoad_Show_BOD_Integration.xml
 - M3-Salesforce_ShipToPartyMaster_InitialLoad_Show_BOD_Integration.xml
 - M3-Salesforce_Contact_InitialLoad_Show_BOD_Integration.xml
 - M3-Salesforce_CustomerPartyMaster_BOD_Integration.xml
 - M3-Salesforce_ShipToPartyMaster_BOD_Integration.xml
 - M3-Salesforce_Contact_BOD_Integration.xml
 - M3-Salesforce_CodeDefinition_BODs_Integration.xml
 - M3-Salesforce_SalesOrder_BOD_Integration.xml
 - M3-Salesforce_Invoice_BOD_Integration.xml
 - M3-Salesforce_Shipment_BOD_Integration.xml
 - M3-Salesforce_CustomerReturn_BOD_Integration.xml
 - Salesforce-M3_Account_CustomerShipToParty_BODs_Integration.xml
 - Salesforce-M3_Contact_BOD_Integration.xml
 - Salesforce-M3_Quote_BOD_Integration.xml
 - Salesforce-M3_SalesOrder_BOD_Integration.xml

Approving the mapping documents

To approve the mapping documents:

1. In ION Desk, click **Connect > Mappings**.
2. Approve these mapping documents:
 - SyncItem_To_SFDC_SyncItem
 - Show_To_Sync_ItemMaster
 - Show_To_Sync_CustomerPartyMaster
 - ManageSyncCustomerPartyMaster
 - Show_To_Sync_ShipToPartyMaster
 - ManageSyncShipToPartyMaster
 - Show_To_Sync_Contact
 - SyncContact_To_SFDC_SyncContact
 - ManageSyncCodeDefinitionName

Importing Object Schemas

1. In ION Desk, click **Data Catalog > Object Schema**.
2. Click **Import**.
3. Select `SalesforceShipment.zip`.
4. Follow the importing process for these object schemas:
 - SalesforceInvoice.zip
 - SalesforceInvoiceCreditCreate.zip
 - SalesforceInvoiceCredit.zip
 - SalesforceShipment.zip
 - SalesforceShipmentLine.zip
 - SalesforceReturn.zip
 - SalesforceReturnLine.zip
 - SalesforceCustomer.zip

Approving the script documents

1. In ION Desk, click **Scripting > Scripts**.
2. Approve these script documents.
 - SalesforceInvoice

- SalesforceInvoiceCreditCreate
- SalesforceCreditInvoice
- SalesforceShipment
- M3_Shipment_Merge
- SalesforceShipmentLine
- SalesforceReturn
- M3_CustReturn_Merge
- SalesforceReturnLine
- SalesforceContact
- SalesforceAckContact
- SalesforceAckQuote
- SalesforceAckSalesOrder
- AcknowledgeCustomerPartyMasterScript
- AcknowledgeShipToPartyMasterScript
- Salesforce_order
- Salesforce_Details
- Salesforce_SalesOrder_Merge
- M3_Salesforce_Customer

Configuring the service account

To configure the service account:

1. In **User Management**, select **Manage > Service Accounts**.
2. Click **Add New Item**.
3. Specify this information:

Description

M3Salesforce

4. Select a user who is assigned to the administrator role to invoke ION API.
5. Click **Save**.

Note: For further reference, download the ServiceAccount.csv file from User Management.

Updating the Infor M3 connection point

You must update the connection points that were included in the imported solution XML to use the existing Infor M3 connection point. You defined this connection point when you configured Infor M3 to communicate with ION.

1. In ION Desk, select **Connect > Connection Points**.
2. On the Connection Points page, select the M3 connection point.
3. Click Documents.
4. Verify that the **Documents** tab includes the outbound and inbound documents that are required for this integration.

This table shows the outbound and inbound documents required for the integration:

Document	Receive in application	Send from application
Sync.ShipToPartyMaster		X
Sync.CustomerPartyMaster		X
Sync.ContactMaster		X
Sync.ItemMaster		X
Sync.Shipment		X
Sync.Invoice		X
Sync.CustomerReturn		X
Sync.SalesOrder		X
Sync.CodeDefinition		X
Show.ContactMaster		X
Show.CustomerPartyMaster		X
Show.ItemMaster		X
Show.ShipToPartyMaster		X
Acknowledge.ShipToPartyMaster		X
Acknowledge.CustomerPartyMaster		X
Acknowledge.ContactMaster		X
Acknowledge.SalesOrder		X
Acknowledge.Quote		X

Document	Receive in application	Send from application
Process.ShipToPartyMaster	x	
Process.CustomerPartyMaster	x	
Process.ContactMaster	x	
Process.Quote	x	
Process.SalesOrder	x	

5. If a document is missing, then click **Add** to add it to the M3 connection point.

Updating the Salesforce CRM ION API connection point

Update the SalesforceION API connection point that is included in the import document flow to use the existing Salesforce ION API connection point.

Salesforce_CompositeAPIs

1. In ION Desk, select **Connect > Connection Points**.
2. On the **Connection Points** page, select the Salesforce_CompositeAPIs connection point.
3. Click **Import**.
4. Click browse and select the ServiceAccount.csv file created in *Configuring the service account*.
5. Save the changes.

Salesforcepapis_Acc_Update

1. In ION Desk, select **Connect > Connection Points**.
2. On the **Connection Points** page, select the Salesforcepapis_Acc_Update connection point.
3. Click **Import**.
4. Click browse and select the ServiceAccount.csv file created in *Configuring the service account*.
5. Save the changes.

Salesforce_apis

1. In ION Desk, select **Connect > Connection Points**.
2. On the **Connection Points** page, select the Salesforce_apis connection point.
3. Click **Import**.
4. Click browse and select the ServiceAccount.csv file created in *Configuring the service account*.
5. Save the changes.

SalesforceAck

1. In ION Desk, select **Connect > Connection Points**.
2. On the **Connection Points** page, select the SalesforceAck connection point.
3. Click **Import**.
4. Click browse and select the ServiceAccount.csv file created in *Configuring the service account*.
5. Save the changes.

SFDC-ItemAPI

1. In ION Desk, select **Connect > Connection Points**.
2. On the **Connection Points** page, select the SFDC-ItemAPI connection point.
3. Click **Import**.
4. Click browse and select the ServiceAccount.csv file created in *Configuring the service account*.
5. Save the changes.

Updating the Salesforce CRM IMS connection point

Update the Salesforce Infor Messaging Service (IMS) connection point that is included in the import data flow to use the existing Salesforce IMS connection point.

1. In ION Desk, select **Connect > Connection Points**.
2. On the **Connection Points** page, select the sfdc connection point.
3. Specify the ION API Client ID. This ION API Client ID (ci json property value) can be found in the M3_Salesforce_Web_Service_ionapi file.
4. Save the changes.

Configuring Accounting Entity Filter in dataflows

You must update the Accounting Entity filter that are included in the imported document flows

1. Click **Connect > Data Flows** in ION Desk.
2. Select the **data flow name** listed below.
3. Select the **M3Filter**.
4. Navigate to **Conditions Tab** in Filter Properties.
5. Edit **AE** record and change the **Accounting Entity** value.
6. Click **Save**.

Repeat the steps for configuring Accounting Entity Filter in dataflows for the data flows mentioned in the these tables containing the respective Filter names for Accounting Entity.

Initial load flows:

Data flow Name	Filter Name	Condition Name	Sample Data
M3-Salesforce_ItemMaster_InitialLoad_Show_BOD_Integration	M3Filter	AE	490_AAA
M3-Salesforce_CustomerPartyMaster_InitialLoad_Show_BOD_Integration	M3Filter	AE	490_AAA
M3-Salesforce_ShipToPartyMaster_InitialLoad_Show_BOD_Integration	M3Filter	AE	490_AAA
M3-Salesforce_Contact_InitialLoad_Show_BOD_Integration	M3Filter	AE	490_AAA

Master Data flows:

Data flow Name	Filter Name	Condition Name	Sample Data
M3-Salesforce_ItemMaster_BOD_Integration	M3Filter	AE	490_AAA
M3-Salesforce_CustomerPartyMaster_BOD_Integration	M3Filter	AE	490_AAA
M3-Salesforce_ShipToPartyMaster_BOD_Integration	M3Filter	AE	490_AAA

M3-Salesforce_Contact_BOD_Integration	M3Filter	AE	490_AAA
M3-Salesforce_CodeDefinition_BODs_Integration	M3Filter	AE	490_AAA
Salesforce-M3_Account_CustomerShipToParty_BODs_Integration	M3Filter M3ShipToFilter	AE AE	490_AAA
Salesforce-M3_Contact_BOD_Integration	M3Filter	AE	490_AAA

Transactional Flows:

Data flow Name	Filter Name	Condition Name	Sample Data
Salesforce-M3_Quote_BOD_Integration	M3Filter	AE	490
Salesforce-M3_SalesOrder_BOD_Integration	M3Filter	AE	490
M3-Salesforce_SalesOrder_BOD_Integration	M3Filter	AE	490
M3-Salesforce_Shipment_BOD_Integration	M3Filter	AE	490
M3-Salesforce_CustomerReturn_BOD_Integration	M3Filter	AE	490
M3-Salesforce_Invoice_BOD_Integration	M3Filter	AE	490

Verifying the data flows between Infor M3 and Salesforce CRM

1. In ION Desk, select **Connect > Data Flows**.
2. Verify that the solution data flows exist.
3. For document flows, click the document icons in the flows and verify that they contain the expected documents.
4. Add any missing documents or messages.

Activating the data flow

A new or changed data flow can be used in Infor ION after it is activated. This section describes how to activate a data flow.

Note: If you encounter problems during this setup, you must stop and restart the ION service.

1. In ION Desk, select **Connect > Data Flows**.
2. Select the these data flows between Infor M3 and Salesforce CRM, and click **Activate**.
 - M3-Salesforce_ItemMaster_BOD_Integration.xml
 - M3-Salesforce_CustomerPartyMaster_BOD_Integration.xml
 - M3-Salesforce_ShipToPartyMaster_BOD_Integration.xml
 - M3-Salesforce_Contact_BOD_Integration.xml
 - M3-Salesforce_CodeDefinition_BODs_Integration.xml
 - M3-Salesforce_SalesOrder_BOD_Integration.xml
 - M3-Salesforce_Invoice_BOD_Integration.xml
 - M3-Salesforce_Shipment_BOD_Integration.xml
 - M3-Salesforce_CustomerReturn_BOD_Integration.xml
 - Salesforce-M3_Account_CustomerShipToParty_BODs_Integration.xml
 - Salesforce-M3_Contact_BOD_Integration.xml
 - Salesforce-M3_Quote_BOD_Integration.xml
 - Salesforce-M3_SalesOrder_BOD_Integration.xml

Note: Only activate the following data flows, if an initial load is to be run:

- M3-Salesforce_ItemMaster_InitialLoad_Show_BOD_Integration.xml
 - M3-Salesforce_CustomerPartyMaster_InitialLoad_Show_BOD_Integration.xml
 - M3-Salesforce_ShipToPartyMaster_InitialLoad_Show_BOD_Integration.xml
 - M3-Salesforce_Contact_InitialLoad_Show_BOD_Integration.xml
3. If you receive a message that the activation was successful, then click **OK**.

Note: If you receive a message that the activation was successful, then your changes are effective immediately.

If you receive a warning message, the model is activated.

If you receive an error message, the model cannot be activated.

Publishing BODs

After the ION connections are configured, BODs must be published for this integration.

Starting applications and services

Start these applications, services, and processes if they are not already running:

- Infor M3
- Salesforce CRM
- ION Service. Use the ION Grid Management user interface to verify that the ION Service is running. See the *Infor ION Grid Administration Guide*.

Starting applications

Start these applications if they are not already running:

- Infor M3
- Salesforce CRM

Initial data load

During normal processing, BODs are generated when a user makes a data change or completes a transaction. When you set up a new integration with another application, you must manually generate BODs that pass the current set of Infor M3 data to Salesforce CRM and vice versa, so that the base systems are synchronized. The BODs are placed in the message outbox, from which Infor ION retrieves them and passes them to the other application.

Sending the initial data load from Infor M3

In the following table, you can find the trigger tables and selection criteria:

BOD	Variant	Triggering table	Selection
CodeDefinition	DeliveryTerms	CSYTAB	STCO = TEDL STKY

BOD	Variant	Triggering table	Selection
CodeDefinition	PaymentTerms	CSYTAB	STCO = TEPY STKY
CodeDefinition	TransportationMethods	CSYTAB	STCO = MODL STKY
CodeDefinition	PaymentMethods	CSYTAB	STCO = PYCD STKY
ItemMaster		MITMAS	ITNO
CustomerPartyMaster		OCUSMA	CUNO
ShipToPartyMaster		OCUSMA OCUSAD	CUNO CUNO ADRT = 1
ContactMaster		CCUCON	CNPE

Note: For the CodeDefinition initial load, use the BOD verb 'Sync'.

When the Initial load process is completed, deactivate the following data flows:

- M3_Salesforce_ItemMaster_InitialLoad_Show_BOD_Integration
- M3_Salesforce_Customer_InitialLoad_Show_BOD_Integration
- M3_Salesforce_CustomerRoles_InitialLoad_Show_BOD_Integration
- M3_Salesforce_Contact_InitialLoad_Show_BOD_Integration

After the initial data load, Infor M3 sends BOD updates when users change certain data or when certain transactions occur in Infor M3.

If data exists in M3 Business Engine, it can be published to the database using initial load sessions in M3 Business Engine.

See "Starting an initial data load from (EVS006)" in the *M3 CE Core Administration Guide* for how to perform an initial load of M3 data into BODs that are placed in the message outbox.

For a list of the events that generate BODs, see "Outbound BODs" in the *Infor M3 CE Core Administration Guide*.

Publishing additional data

All master and initializing data are included in the initial loads from Infor M3 and Salesforce. Additional master data BODs and transaction BODs are generated through Infor M3 and Salesforce business events as they occur.

Synchronizing items

1. The Infor M3 user adds or updates an item in 'Item.Open' (MMS001).
2. Infor M3 sends the SyncItemMaster BOD to ION.
3. As soon as the ItemMaster BOD is in ION, ION invokes the Salesforce Rest APIs to create or update a product in Salesforce CRM. The administrator monitors the appropriate message queues to identify and resolve the errors.

Note: Select Sales item in 'Item. Open' (MMS001) on the G panel. Only sale items are considered in Salesforce CRM.

Synchronizing customers

1. The Infor M3 user adds or updates customers in 'Customer.Open' (CRS610).
2. Infor M3 sends the SyncCustomerPartyMaster BOD to ION.
3. As soon as the CustomerPartyMaster BOD is in ION, ION invokes the Salesforce Rest APIs to create or update an account in Salesforce CRM. The administrator monitors the appropriate message queues to identify and resolve the errors.

Note: Only customers with Open status are considered in Salesforce. Specify a **Supply model** in 'Customer. Open' (CRS610) on panel G.

Synchronizing contacts

1. The Infor M3 user adds or updates contacts in 'Contact Person.Open' (CRS618).
2. Infor M3 sends the SyncContactMaster BOD to ION.
3. As soon as the ContactMaster BOD is in ION, ION invokes the Salesforce Rest APIs to create or update the contact in Salesforce. The administrator monitors the appropriate message queues to identify and resolve the errors.

Note:

- Only contacts that are linked to the customer are synchronized with Salesforce.
- Only contacts with Open status are considered.

Synchronizing shipping address (ShipTo)

1. The Infor M3 user adds or updates addresses with **Address type** = 1 in 'Customer. ConnectAddress' (OIS002).
2. Infor M3 sends the SyncShipToPartyMaster BOD to ION.
3. As soon as the ShipToPartyMaster BOD is in ION, ION invokes the Salesforce Rest APIs to create or update **Shipping Address** in Salesforce. The administrator monitors the appropriate message queues to identify and resolve the errors.

Synchronizing customer orders

1. The Infor M3 application user creates or updates the customer order in 'Customer Order.Open' (OIS100).
2. Infor M3 sends the SyncSalesOrder BOD to ION.
3. As soon as the SalesOrder BOD is in ION, ION invokes the Salesforce Rest APIs to update the order in Salesforce. The administrator monitors the appropriate message queues to identify and resolve the errors.

Synchronizing shipments

1. The Infor M3 application user completes the delivery process of the SalesOrder in 'Delivery.Open' (MWS410).
2. Infor M3 sends the SyncShipment BOD to ION. Only shipments with **Shipped** status are considered in Salesforce.
3. As soon as the Shipment BOD is in ION, ION invokes the Salesforce Rest APIs to create an ERP shipment in Salesforce. The administrator monitors the appropriate message queues to identify and resolve the errors.

Synchronizing invoices

1. The M3 application user generates the invoice for the SalesOrder in 'CustomerInvoice.Print' (OIS151).
2. Infor M3 sends the SyncInvoice BOD to ION.
3. As soon as the Invoice BOD is in ION, ION invokes the Salesforce Rest APIs to create invoices in Salesforce. The administrator monitors the appropriate message queues to identify and resolve the errors.

Synchronizing customer returns

1. The Infor M3 user performs returns for the SalesOrder in 'Customer Return.Open' (OIS390).
2. M3 sends the SyncCustomerReturn BOD to ION.

3. As soon as CustomerReturn BOD is in ION, ION invokes the Salesforce Rest APIs to create an ERP return in Salesforce. The administrator monitors the appropriate message queues to identify and resolve the errors.

Processing accounts

1. In Salesforce, you create an account in the **Account** grid.
2. When the account is created, Salesforce publishes the account information through Infor Messaging Service (IMS).
3. ION sends the ProcessCustomerPartyMaster BOD to Infor M3.
4. After the customer is created in M3, the corresponding customer ID is updated as Infor ERP External ID in Salesforce.
5. M3 sends an acknowledgment BOD with the Accept status to Salesforce. In case of failure, M3 sends the Acknowledgment BOD with the Reject status to Salesforce along with the complete error details to Salesforce.
6. M3 also sends the Confirm BOD to ION along with the complete error details in case of failure.

The administrator monitors the appropriate message queues to identify and resolve the errors.

Note: Specify a **Supply model** in 'Customer. Open' (CRS610) on panel G.

Processing contacts

1. In Salesforce, you create a contact in the **Contact** grid.
2. When a contact is created, Salesforce publishes contact information through Infor Messaging Service (IMS).
3. ION sends the ProcessContactPartyMaster BOD to Infor M3.
4. After the contact is created in M3, the corresponding contact ID is updated as Infor ERP External ID in Salesforce.
5. M3 sends an acknowledgment BOD with the Accept status to Salesforce. In case of failure, M3 sends the acknowledgment BOD with the Reject status to Salesforce along with the complete error details.
6. M3 also sends the Confirm BOD to ION along with the complete error details in case of failure.

The administrator monitors the appropriate message queues to identify and resolve the errors.

Note: Only contacts that are linked to a customer are synchronized with Salesforce.

Processing Ship to addresses

1. In Salesforce, you create an account along with the shipping address in the **Account** grid.

2. When the shipping address is created, Salesforce publishes Ship to information through Infor Messaging Service (IMS).
3. ION sends the ProcessShipPartyMaster BOD to Infor M3.
4. M3 sends an acknowledgment BOD with the Accept status to Salesforce. In case of failure, M3 sends the Acknowledgment BOD with the Reject status to Salesforce along with the complete error details.
5. M3 also sends the Confirm BOD to ION along with the complete error details in case of failure.

The administrator monitors the appropriate message queues to identify and resolve the errors.

Processing quotes

In Salesforce, you cannot create a quote directly. The quote is created from opportunities.

1. Create a quote in the **Opportunities** grid in Salesforce.
2. When the quote is created, Salesforce publishes the quote information through Infor Messaging Service (IMS).
3. ION sends a ProcessQuote BOD to M3.
4. M3 sends the AcknowledgmentQuote with the Accept status to Salesforce. In case of failure, M3 sends an acknowledgement with the Reject status to Salesforce along with the complete error details.
5. M3 also sends the confirm BOD to ION along with the complete error details in case of failure.

The administrator monitors the appropriate message queues to identify and resolve the errors.

Processing SalesOrder

1. Create an order in the Orders grid in Salesforce. You have the option to link a quote which has an Infor ERP External ID or not.

Note:

- You cannot add new product for quote-based order.
- For quote-based order, select the Infor ERP Facility and Infor ERP Division related to the quote.

2. When the order is created, Salesforce publishes the SalesOrder information through Infor Messaging Service (IMS).

Note: If the order is not connected to a quote, select the Activated button to publish to SalesOrder BOD.

3. ION sends a ProcessSalesOrder BOD to M3.
4. M3 sends the AcknowledgmentSalesOrder with the Accept status to Salesforce. In case of failure, M3 sends an acknowledgement with the Reject status to Salesforce along with the complete error details.
5. M3 also sends the confirm BOD to ION along with the complete error details in case of failure.

The administrator monitors the appropriate message queues to identify and resolve the errors.

Verifying the integration

After a successful integration, transactions in Infor M3 and Salesforce generate BODs that send data to the integrating product through ION. This section describes how to verify that the integration sends and receives the expected data.

Verifying the data flow

To verify whether the initial data is flowing between the products, check the message inbox and outbox areas in both products to see if the Infor M3 data arrives and if data is retrieved from Salesforce.

If data is not flowing between the systems, see the troubleshooting section in the appropriate configuration guide.

Verifying business tasks

If multiple instances of the applications are sending BODs, verify that the expected data from each instance is available in the appropriate areas of the other application.

Performing ongoing business processes

You must coordinate any daily or scheduled activities between the integrated applications.

Troubleshooting

If data is not flowing between the systems, an error might exist in your configuration with ION. See the Infor OS configuration guides for the integrated applications.

If you receive error messages, see the error message descriptions for this integration.

Problem	Possible Causes	Check	Possible Resolution
Update/Addition in Salesforce CRM is not displayed in M3.	ION is not receiving the BOD.	If the BOD is not received, check the Queue Viewer in ION. If the routing is correct between Salesforce CRM and M3, check the Routing Modeler in ION.	Change the routing and activate the routing, or only re-activate the routing.
ION received the BOD, but M3 is not updated.	Check whether errors are logged in ION (Connect/Error BODs)	Resolve reported error.	
The update is rejected by M3	Check the BOD Integration setup in M3. See the Infor M3 Configuration Guide.	Change the routing and activate the routing, or only re-activate the routing.	
Update/Addition in M3 is not received by Salesforce CRM	The BOD is not received by ION.	If the BOD is not received, check the queue Viewer in ION. If the routing is correct between M3 and Salesforce CRM, check the Routing Modeler in ION. See the Infor M3 Configuration Guide.	Change the routing and activate the routing, or only reactivate the routing.
The BOD is not received by Salesforce CRM, but published by ION.	Check the OneView Graphic modeler in ION for the respective business transaction.	Resolve the error specified in the API Gateway connection point.	
Account is created in Salesforce CRM not received in M3	Customer is not created in M3	Check the OneView Graphic modeler in ION for the respective Acknowledge business transaction.	Acknowledge business transaction with rejected status should have clear information of the failure message. Resolve the error and resubmit the

Troubleshooting

Problem	Possible Causes	Check	Possible Resolution
			transaction from Connect->Error BODs
Item is created in M3 and not synched with Salesforce CRM.	Product not created in Salesforce CRM	Check the OneView Graphic modeler in ION for the respective ItemMaster BOD	Resolve the error that shows in the Confirm BOD thrown by Salesforce CRM API.

Unsupported features

This table shows the features that are not supported in the integration:

Feature	Description
Delete	Delete functionality is not part of the integration. If any record is manually deleted by the user, it is not synced to the target application.
Address	The state or province in an address in Salesforce CRM must exist in M3. The state or province code list is not synchronized from M3.
Quote	Quote is not supported by Salesforce CRM. Any updates in M3 will not update the record in Salesforce CRM.
SalesOrder	After the SalesOrder is created in M3, any updates on the record will not update the record in Salesforce CRM.
Shipping address	Only one (1) ShipTo address is supported. When a new ShipTo address is added, it replaces the existing address in Salesforce CRM.
Tax	Tax functionality is not included in the scope of delivery.

Product Change Log

Version	Date	Comments
1.0	2023-02-28	Initial version