Introduction to LaTeX

LaTeX: A Professional Document Preparation System

Ratthaprom PROMKAM
ratthaprom_p@rmutt.ac.th

Department of Mathematics and Computer Science
Rajamangala University of Technology Thanyaburi

November 2026



Agenda


1. Preliminary
   - 1.1 Document Preparation Systems
   - 1.2 TeX vs LaTeX
   - 1.3 Workflow
   - 1.4 Showcases

2. Installation
   - 2.1 Windows
   - 2.2 macOS
   - 2.3 Linux/Unix
   - 2.4 Testing

3. LaTeX Document Structure
   - 3.1 Structure Fundamentals
   - 3.2 Typesetting
   - 3.3 Adding Comments

WYSISWG

What-You-See-Is-What-You-Get




WYSIWYM

What-You-See-Is-What-You-Mean

Source | Rich Text

```
1  \documentclass[a4paper, 12pt]{article}
2  \usepackage[utf8]{inputenc}
3  \author{Dennis and Cosima}
4  \title{Your first document}
5  \date{\today}
6
7  \begin{document}
8  \maketitle
9
10 \section{This is a section}
11 Some intelligent text here.
12
13 \subsection{And a subsection}
14 More intelligent text here. As you can see, \LaTeX \space
   automatically enumerates your sections and
   subsections.\footnote{Isn't it cool?}
15
16
17
18
19
20
21
22
23
24
25
26
```

Recompile



Your first document

Dennis and Cosima

February 20, 2020

1 This is a section

Some intelligent text here.

1.1 And a subsection

More intelligent text here. As you can see, LaTeX automatically enumerates your sections and subsections.[1]

[1] Isn't it cool?

1

What LaTeX ?


- LaTeX (LAH-tekh or LAY-tekh, often stylized as LaTeX) is a software system for document preparation.
- When writing, the writer uses **plain text**.
- The writer uses **markup** tagging conventions to define the general structure of a document to stylish text throughout a document (such as bold and italics), and to add citations and cross-references.

`\textbf{Bold Face}`	$\rightarrow$	**Bold Face**
`\textit{Italic}`	$\rightarrow$	*Italic*
`x_{n} = x_{n-1}^{2}`	$\rightarrow$	$x_n = x_{n-1}^2$

Why LaTeX ?



- LaTeX is widely used in academia for the communication and publication of scientific documents in many fields, including mathematics, computer science, engineering, physics, chemistry, economics, linguistics, quantitative psychology, philosophy, and political science.
- It also has a prominent role in the preparation and publication of books and articles that contain complex multilingual materials.
- LaTeX uses the TeX typesetting program for formatting its output, and is itself written in the TeX macro language.

Learning Curves




Ville Klar., (2019). "Scientifc writing in Latex".


TeX vs LaTeX

	TeX	LaTeX
		
Original	Donald Knuth	Leslie Lamport
Initial	1978	1984
Stable	Feb 2021	Nov 2022
User	Document Designers	Document Writers
Summary	A typesetting system giving algorithms and commands to specify documents to look pretty.	A set of macros built on top of TeX giving a beautiful document and well structured, easier to read and write, for humans, source inputs.

Workflow Fundamentals



LaTeX Typesettings



A LaTeX Example: Source

```latex
\documentclass{article}

\title{My first LaTeX document}
\author{John Doe}
\date{1 October 2022}

\begin{document}
\maketitle

LaTeX was created in the early 1980s
by Leslie Lamport, when he was working at SRI.
He needed to write TeX macros for his own use,
and thought that with a little extra effort
he could make a general package usable by others.

Peter Gordon, an editor at Addison-Wesley, convinced
him to write a LaTeX user's manual for publication
(Lamport was initially skeptical that anyone would pay money for it);
it came out in 1986 and sold hundreds of thousands of copies.
Meanwhile, Lamport released versions of his LaTeX macros
in 1984 and 1985.

\end{document}
```

A LaTeX Example: Output

My first LaTeX document

John Doe

1 October 2022

LaTeX was created in the early 1980s by Leslie Lamport, when he was working at SRI. He needed to write TeX macros for his own use, and thought that with a little extra effort he could make a general package usable by others. Peter Gordon, an editor at Addison-Wesley, convinced him to write a LaTeX user's manual for publication (Lamport was initially skeptical that anyone would pay money for it); it came out in 1986 and sold hundreds of thousands of copies. Meanwhile, Lamport released versions of his LaTeX macros in 1984 and 1985.

On 21 August 1989, at a TeX Users Group (TUG) meeting at Stanford, Lamport agreed to turn over maintenance and development of LaTeX to Frank Mittelbach. Mittelbach, along with Chris Rowley and Rainer Schöpf, formed the LaTeX3 team; in 1994, they released LaTeX2e, the current standard version. LaTeX3 itself has since been cancelled with version features intended for that version being back-ported to LaTeX 2e since 2018.

Showcases

A duplicating of a 16th century French Bible



Le premier liure de Moyſe,

Dict Geneſe.

ARGVMENT.

Ce premier liure comprend l'origine & cauſes de toutes choſes, principalement la creation de l'homme, qu'il a eſté du commencement, ſa cheute & releuement : comment d'un tous ont eſté procreés, & pour leurs enormes pechés Dieu les a conſumés, par le deluge, reſerué huict, dont la ſemence a rempli toute la terre. Puis il deſcrit les vies, faicts, religion, & lignees des ſaints Patriarches, qui ont veſcu deuant la Loy : Les benedictions, promeſſes, & alliances du Seigneur faictes auec iceux : Comment de le la terre de Chanaan ſont deſcendus en Egypte. Aucuns ont appelé ce liure, le liure des Iuſtes. Toutefois ceci a obtenu entre nos predeceſſeurs & nous, qu'il eſt appelé Geneſe, qui eſt vn mot Grec, ſignifiant generation & origine : d'autant qu'en icelui eſt deſcrite l'origine & procreation de toutes choſes : & nommément des Peres anciens, qui ont eſté tant deuant qu'apres le deluge, & eu eſgard à IESVS CHRIST *deſcendu d'iceux ſelon la chair.*

CHAPITRE I.

[1]Creation du ciel & de la terre, II, 20. *& de tout ce qui y eſt comprins.* 3.14 *De la lumiere auſſi,* 26 *& de l'homme,* 28 *Auquel tout eſt aſſubietti.* 2.2. 28 *Dieu benit toutes ſes œuures,* 31 *qu'il a accomplies en ſix iours.*

[1]Ieu [a]crea [b]au com mence - ment [c]le ciel & la les eaux, qui eſtoyent ſous l'eſtendue, d'auec celles, qui eſtoyent ſur l'eſtendue. Et fut ainſi faict.

8 Et Dieu appela l'eſtendue, Ciel. Lors fut faict le ſoir & le matin du ſecond iour.

9 ¶ Puis Dieu dît, [4] [1]Que les eaux, qui ſont ſous le ciel, ſoyent aſſemblees en vn lieu, & que le ſec apparoiſſe. Et fut

I Ce premier chapitre eſt fort difficile : & pour cette cauſe, il eſtoit defendu entre les Hebrieux de le lire & interpreter deuant l'aage de trente ans.

a Fit de rien, & ſans aucune matiere.

1 *Iob* 38.4, *Pſeau.* 33.6, & 89.12., 135.5, *Eccleſiaſti.* 13.1, *Act.* 14-15, & 17.14

b Tout premierement, & auãt qu'il y eut aucune creature, *Iean* 1.10.

2 *Hebr.* 11.3.

c Le ciel & la terre, les eaux, les abyſmes, ſe prennent ici pour vne meſme choſe : aſç. pour vne matiere

pourquoy les Hebrieux cõmencent le iour naturel le ſoir apres le ſoleil couchant.

g Ce mot d'Eſtẽdue, compriſ tout ce qui ſe voit par deſſus nous, tãt en la region celeſte, quelementaire.

4 *Pſeau.* 33.7.

h Il eſt ici parlé de deux manieres d'eaux : aſçauoir, celles q ſont ſous l'eſtendue, comme la mer, les fleuues, & autres qui ſont ſur la terre & celles, qui ſont ſur l'eſtendue, comme ſont les nuees pleines d'eau ça haut

Showcases

A lecture note

ma con assi costantemente orientati secondo le tre direzioni geografiche standard: Nord, Est e centro della Terra (*Down*).

1.7 Assi vento (*Wind Axes*, W)

La terna *assi vento* $\mathcal{T}_W$ è una terna trirettangola levogira con origine nel baricentro del velivolo (punto $G \equiv C$) ed avente l'asse vento longitudinale x_W diretto secondo la direzione della velocità $V \equiv V_G$ del velivolo, con verso positivo nel senso del moto (figura 1.13). L'asse vento z_W è definito dall'intersezione del piano verticale π_V contenente V e G con il piano π_n normale alla traiettoria in G, con verso positivo verso il basso. L'asse trasversale y_W è tale da completare la terna $\{G, x_W, y_W, z_W\}$.




Figura 1.13 Terna di assi vento $\mathcal{T}_W = \{G, x_W, y_W, z_W\}$ (o assi traiettoria). In questa particolare circostanza la traiettoria del baricentro è orizzontale e l'orientamento del velivolo non è simmetrico rispetto al piano verticale $x_W z_W$.

DRAFT ver. 2012.a Copyright © A. De Marco, D. P. Coiro




Figura 1.14 Evoluzione del moto di un velivolo con traiettoria del baricentro. Sono rappresentati gli orientamenti nello spazio in cinque istanti successivi. La terna di assi vento $\mathcal{T}_W = \{G, x_W, y_W, z_W\}$ (o assi traiettoria) è rappresentata nell'istante t_5. In questa circostanza la traiettoria è curva e l'angolo di rampa γ è non nullo (negativo).

Si noti che, secondo la definizione data sopra, l'asse vento trasversale y_W è sempre orizzontale. Esso è la normale al piano $\{G, x_W, z_W\}$ che è, per definizione, costantemente verticale come si osserva dalle figure 1.13, 1.14 e 1.15.

Nella figura 1.13, è rappresentato il caso particolare in cui la traiettoria del baricentro è orizzontale. Si osserva che, anche per un orientamento del velivolo non simmetrico rispetto al piano verticale $x_W z_W$, in questa circostanza gli assi vento presentano un asse z_W verticale (allineato con la forza peso mg).

Nella figura 1.14, è rappresentata un'evoluzione in cui la traiettoria del baricentro si incurva e allo stesso tempo l'orientamento del velivolo è non simmetrico rispetto al piano verticale π_v. L'asse vento x_W, per definizione tangente alla traiettoria, è non orizzontale e l'asse z_W è non verticale. Naturalmente — come da definizione — anche in questo caso, in cui il piano π_n non è verticale, l'asse vento y_W è orizzontale.

Tale particolarità evidenzia un'importante differenza tra la definizione data in questa sede e la definizione di assi vento che si ritrova in diversi libri di testo americani e anglosassoni. Secondo questi ultimi [13, 9, 50] l'asse longitudinale coincide con x_W; il terzo

DRAFT ver. 2012.a Copyright © A. De Marco, D. P. Coiro

Showcases

A game booklet



Showcases

A text book

GENERALIZED MODEL OF THE IDEAL GAS

2

When generalizing the model of an ideal gas, the first step is to determine whether a parametric[8] or an explicit notation[9] is desirable. Later in the exercise, explicit notations are used exclusively, suggesting the use of an explicit answer. Since the unit axis $\mathbf{v}_x$ in velocity space can be chosen arbitrarily in three dimensions, we can for instance state for the velocity distribution along the y-axis[10]

$$g(v_y) \propto e^{-mv_y^2/2k_BT}.$$

The above expression is a velocity distribution of molecules, with for each value of the length of vector $\mathbf{v}_y$. The expression defines a proportion of the number of molecules corresponding to that condition. To calculate this proportion, we can take an piece of the velocity distribution of width $\mathrm{d}v_y$ to consequently multiply it thereto. The small size of the infinitesimal causes $g(v)\,\mathrm{d}v$ to not change in value across such a small part of the x-axis. As such, the expression can be visualized as a bar of height $g(v_y)$ and width $\mathrm{d}v_y$. When integrating across multiple dimensions, the area which is between the limits v_x and $v_x + \mathrm{d}v_x$, v_y and $v_y + \mathrm{d}v_y$ and v_z and $v_z + \mathrm{d}v_z$, then encloses the region in velocity space of v and $v + \mathrm{d}v$. Multiplication of each bar so to say 'filters' the right volume in velocity y-space[11]. Translating this to an expression, we can derive the proportionality in velocity y-space to be

$$g(v)\mathrm{d}v \propto g(v_x)g(v_y)g(v_z)\mathrm{d}v_x \cdot \mathrm{d}v_y \cdot \mathrm{d}v_z.$$

Filling in the relation given in the exercise description, we find

$$g(v)\mathrm{d}v \propto e^{-m\left(v_x^2+v_y^2+v_z^2\right)/2k_BT}\,\mathrm{d}v_x \cdot \mathrm{d}v_y \cdot \mathrm{d}v_z.$$

By virtue of the pythagorean theorem, we may use relation $v^2 = v_x^2 + v_y^2 + v_z^2$ to rewrite common terms, for a final relation of

$$g(v)\mathrm{d}v \propto e^{-mv^2/2k_BT}\mathrm{d}v. \tag{1}$$

A

[8] A notation of the form $g(v) = (g(v_x), g(v_y), g(v_z))$.

[9] This is a single expression for $g(v) = \ldots$, which can be integrated as is.

[10] Since the x- and y-axes can be interchanged arbitrarily. Furthermore, the same goes for the velocity distribution along the z-axis.




Figure 1: The velocity distribution and the corresponding bar of width $\mathrm{d}v$.

[11] This is the process of multiple integration.

B

[12] The volume of a sphere is $V = \frac{4}{3}\pi r^3$, which is already an integrand.




Figure 2: Each of the spheres has a volume V corresponding to respectively $r = v + \mathrm{d}v$ (green) and $r = v$ (purple). The element $\mathrm{d}V$ is the region in space enclosed by these two spheres.

[13] The binomial expansion here is $(v + \mathrm{d}v)^3 = v^3 + 3v^2\mathrm{d}v + 3v\,(\mathrm{d}v)^2 + (\mathrm{d}v)^3$.

[14] That is, to set $(\mathrm{d}v)^2 \approx 0$ and $(\mathrm{d}v)^3 \approx 0$.

C

The region in velocity space previously mentioned can now be calculated, by visualizing the volume as a shell of a sphere. The volume of this shell can be obtained by evaluating the well-known formula for the volume of a sphere, between lower limit v and upper limit $v + \mathrm{d}v$. Evaluating the upper and lower limit, we find that one term cancels. First, we subtract the upper limit from the lower limit of our known formula[12],

$$V = \frac{4}{3}\pi\left[(v + \mathrm{d}v)^3 - v^3\right].$$

Using the binomial theorem[13], the expression for volume after cancellation of terms is given by

$$V = \frac{4}{3}\pi\left[3v^2\mathrm{d}v + 3v\,(\mathrm{d}v)^2 + (\mathrm{d}v)^3\right].$$

Since in real case scenarios the infinitesimal approaches zero, within the limit of $\lim_{\mathrm{d}v \to 0}$, we may pose that powers of these infinitesimals equal zero in this limit[14], for our expression of volume to become

$$V = 4\pi v^2\mathrm{d}v. \tag{2}$$

When considering the fraction of molecules travelling in any direction in space, the expression $g(v)$ previously calculated can be interpreted as a weighting factor for each infinitesimal unit of volume $\mathrm{d}V$. Interpreting this shell, it contains a set of vectors about v and $v + \mathrm{d}v$, but the amount of molecules N corresponding with that speed varies with how large a given v is. The size of N for a particular v is then described by our expression $g(v)$. When we want to know what amount of molecules corresponds to a particular element $\mathrm{d}V$ in v-space, we must evaluate

$$\mathrm{d}N = g(v) \cdot \mathrm{d}V.$$

To combine our previously calculated result from equation 1, we must first cancel the infinitesimals on both sides of the proportionality sign. Observing that volume V from equation 2 is already an integrand, we may denote the desired expression to be


$$\mathrm{d}N \propto 4\pi v^2 e^{-mv^2/2k_BT}\mathrm{d}v,$$

where $\mathrm{d}N$ is the non-normalized fraction $f(v)\mathrm{d}v$. The desired expression for $f(v)\mathrm{d}v$ is the same as the expression above, with an equals sign rather than a proportionality sign. To obtain this result, simply add in a constant on the right hand side of the relation,

$$f(v)\mathrm{d}v = 4\pi C v^2 e^{-mv^2/2k_BT}\mathrm{d}v.$$


Showcases

A presentation



Showcases

A CV/resume



Maël Minot

Doctorant en informatique

06[redacted]
m[redacted]@gmail.com
Né le 7 août 1991 (26 ans)
22 rue Maurice Flandin, 69003 Lyon

Doctorat en intelligence artificielle
« Investigating decomposition methods for the maximum common subgraph and sum colouring problems » · *INSA de Lyon*

Master « Intelligence artificielle et décision »
Mention B · *Université Claude Bernard Lyon 1*

Licence d'informatique
Mention B · *Université Claude Bernard Lyon 1*

Baccalauréat série S, spé. Mathématiques
Mention B · *Lycée Notre Dame de Mongré*

2017
2016
2015
2014
2013
2012
2011
2010
2009

Conduite d'un projet de recherche
Doctorat · *INSA de Lyon*

Stage de recherche (5 mois)
Amorce de la thèse : décomposition de problèmes combinatoires, optimisation, théorie des graphes
· *Laboratoire LIRIS, équipe M2DisCo, Lyon*

Stage professionnel (3 mois)
Développement d'une application web de création de sites ; construction d'un nouveau site pour *L'AmiDiététique*.
· *Société Ejinov, Villefranche-sur-Saône*

950 / 990 au TOEIC fin 2013.
Thèse rédigée en anglais.

Projets d'études


- Simulation d'aspirateurs à **réseaux de neurones** avec **algorithme génétique**


Autres réalisations


- Application de traçage de champs de vecteurs (*Java*).
- Outil d'archivage de SMS

★★★ C/C++, Java, Bash, LaTeX
★★☆ Python
★★☆ JavaScript

Installation: MS Windows 10/11








MiKTeX

`https://miktex.org/download`

- Download the latest **Windows Basic MiKTeX Installer** (approx. 150 MB).
- Run the installer and proceed with the displayed instruction.
- For installation of missing packages on the fly, choose "**Always**".
- The installation will take a few minutes. The progress bar shows an approximate percentage of completion.
- On completing of the setup wizard, click "*Close*" to finish the setup.


Installation: macOS



MacTeX
`https://www.tug.org/mactex/mactex-download.html`

- Download the latest **MacTeX.pkg** (approx. 5 GB) with Safari.
- After downloading, double click it to install.
- Follow the straightforward instructions.
- On the custom installation, the GUI-Applications can be excluded.

Installation: Linux/Unix



TeX Live

`https://www.tug.org/texlive/`

- `cd /tmp`
- `wget https://mirror.ctan.org/systems/texlive/tlnet/install-tl-unx.tar.gz`
- `zcat install-tl-unx.tar.gz | tar xf -`
- `cd install-tl-*`
- `perl ./install-tl --no-interaction`
- Finally, prepend `/usr/local/texlive/YYYY/bin/PLATFORM` to your PATH.

Testing

After a successful installation, the following command line can be used to test if the system is ready for typesetting.

- In Command Prompt/Terminal, use

```
tex --version
```

  or

```
latex --version
```

- The output should be something like these:

```
TeX 3.141592653 (TeX Live 2022)
```

  or

```
pdfTeX 3.141592653-2.6-1.40.24 (TeX Live 2022)
```


  Otherwise, there is something wrong in the installation process.

LaTeX Document Structure

```
1  \documentclass{article}
2
3  \begin{document}
4  First document.
5  This is a simple example,
6  with no extra parameters or
7  packages included.
8  \end{document}
```

LaTeX Document Structure

```
1  \documentclass{article}
2
3  \begin{document}
4  First document.
5  This is a simple example,
6  with no extra parameters or
7  packages included.
8  \end{document}
```



LaTeX Document Structure

```
1  \documentclass{article}
2
3  \begin{document}
4  First document.
5  This is a simple example,
6  with no extra parameters or
7  packages included.
8  \end{document}
```

← Document Contents

Typesetting

- To typeset `filename.tex`, use the command:

```
pdflatex filename.tex
```

  or

```
pdflatex -interaction=nonstopmode filename.tex
```

  In case of successfully typesetting, the output `filename.pdf` will be produced.

- **Always pay attention to errors**. You will find them a lot. The system should give some useful clues to solve the errors.

Output

First document. This is a simple example, with no extra parameters or packages included.

LaTeX Document Structure

```
1  \documentclass{article}
2
3  \begin{document}
4  LaTeX was created in the early 1980s
5  by Leslie Lamport, when he was working at SRI.
6  He needed to write TeX macros for his own use,
7  and thought that with a little extra effort
8  he could make a general package usable by others.
9
10 Peter Gordon, an editor at Addison-Wesley, convinced
11 him to write a LaTeX user's manual for publication
12 (Lamport was initially skeptical that anyone would pay money
   ↪  for it);
13 it came out in 1986 and sold hundreds of thousands of
   ↪  copies.
14 Meanwhile, Lamport released versions of his LaTeX macros
15 in 1984 and 1985.
16 \end{document}
```

Output

LaTeX was created in the early 1980s by Leslie Lamport, when he was working at SRI. He needed to write TeX macros for his own use, and thought that with a little extra effort he could make a general package usable by others.

Peter Gordon, an editor at Addison-Wesley, convinced him to write a LaTeX user's manual for publication (Lamport was initially skeptical that anyone would pay money for it); it came out in 1986 and sold hundreds of thousands of copies. Meanwhile, Lamport released versions of his LaTeX macros in 1984 and 1985.

LaTeX Document Structure

```
1  \documentclass{article}
2  \title{My first LaTeX document}
3  \author{John Doe}
4  \date{1 October 2022}
5  \begin{document}
6  \maketitle
7  LaTeX was created in the early 1980s
8  by Leslie Lamport, when he was working at SRI.
9  He needed to write TeX macros for his own use,
10 and thought that with a little extra effort
11 he could make a general package usable by others.
12
13 Peter Gordon, an editor at Addison-Wesley, convinced
14 him to write a LaTeX user's manual for publication
15 (Lamport was initially skeptical that anyone would pay money
   ↪  for it);
16 it came out in 1986 and sold hundreds of thousands of
   ↪  copies.
17 Meanwhile, Lamport released versions of his LaTeX macros
18 in 1984 and 1985.
19 \end{document}
```

Output

My first LaTeX document

John Doe

1 October 2022

LaTeX was created in the early 1980s by Leslie Lamport, when he was working at SRI. He needed to write TeX macros for his own use, and thought that with a little extra effort he could make a general package usable by others. Peter Gordon, an editor at Addison-Wesley, convinced him to write a LaTeX user's manual for publication (Lamport was initially skeptical that anyone would pay money for it); it came out in 1986 and sold hundreds of thousands of copies. Meanwhile, Lamport released versions of his LaTeX macros in 1984 and 1985.

On 21 August 1989, at a TeX Users Group (TUG) meeting at Stanford, Lamport agreed to turn over maintenance and development of LaTeX to Frank Mittelbach. Mittelbach, along with Chris Rowley and Rainer Schöpf, formed the LaTeX3 team; in 1994, they released LaTeX2e, the current standard version. LaTeX3 itself has since been cancelled with version features intended for that version being back-ported to LaTeX 2e since 2018.

The Preamble Part

```
1  \documentclass{article}
2  \title{My first LaTeX document}
3  \author{John Doe}
4  \date{1 October 2022}
5  \begin{document}
6  \maketitle
7  LaTeX was created in the early 1980s
8  by Leslie Lamport, when he was working at SRI.
9  He needed to write TeX macros for his own use,
10 and thought that with a little extra effort
11 he could make a general package usable by others.
12
13 Peter Gordon, an editor at Addison-Wesley, convinced
14 him to write a LaTeX user's manual for publication
15 (Lamport was initially skeptical that anyone would pay money
   ↪  for it);
16 it came out in 1986 and sold hundreds of thousands of
   ↪  copies.
17 Meanwhile, Lamport released versions of his LaTeX macros
18 in 1984 and 1985.
19 \end{document}
```

Preamble Part

Macro: make title

Adding Comments

```
1  \documentclass{article}
2  \title{My first LaTeX document}
3  \author{John Doe}
4  \date{1 October 2022}
5  \begin{document}
6  \maketitle
7  LaTeX was created in the early 1980s
8  by Leslie Lamport, when he was working at SRI.
9  %He needed to write TeX macros for his own use,
10 %and thought that with a little extra effort
11 %he could make a general package usable by others.
12
13 Peter Gordon, an editor at Addison-Wesley, convinced
14 him to write a LaTeX user's manual for publication
15 (Lamport was initially skeptical that anyone would pay money
   ↪  for it);
16 it came out in 1986 and sold hundreds of thousands of
   ↪  copies.
17 Meanwhile, Lamport released versions of his LaTeX macros
18 in 1984 and 1985.
19 \end{document}
```

Output

My first LaTeX document

John Doe

1 October 2022

LaTeX was created in the early 1980s by Leslie Lamport, when he was working at SRI.

Peter Gordon, an editor at Addison-Wesley, convinced him to write a LaTeX user's manual for publication (Lamport was initially skeptical that anyone would pay money for it); it came out in 1986 and sold hundreds of thousands of copies. Meanwhile, Lamport released versions of his LaTeX macros in 1984 and 1985.

Ratthaprom PROMKAM

RMUTT, November 2026

ratthaprom_p@rmutt.ac.th