Campus Pond Water Survey

Results from May 2026

Environmental Science Club

RMUTT

June 2026

Outline

1. Introduction
2. Methods
3. Results
4. Next Steps

Why Survey the Pond?

- The pond collects rain water from three faculty buildings.

Why Survey the Pond?

- The pond collects rain water from three faculty buildings.
- Nobody has measured the water for several years.

Why Survey the Pond?


- The pond collects rain water from three faculty buildings.
- Nobody has measured the water for several years.
- In April we saw green water and a few dead fish near the outlet.

Sampling Points

Three points were marked with wooden posts.

1. Inlet pipe (north)
2. Footbridge (middle)
3. Outlet (south)

Samples were taken every Monday at 9 a.m., about 20 cm below the surface.



Measurements

Temperature and pH

A digital thermometer and a pocket pH meter, calibrated before every visit.

Dissolved Oxygen

A colour test kit. Each reading was repeated twice and the average was recorded.

Dissolved Oxygen (mg/L)

Week	Inlet	Footbridge	Outlet
1	7.2	6.8	5.1
2	7.0	6.5	4.6
3	6.9	6.3	3.8
4	6.7	6.1	3.4

Temperature rose from 29 to 32 degrees, and the pH stayed between 7.0 and 7.8.

Dissolved Oxygen (mg/L)

Week	Inlet	Footbridge	Outlet
1	7.2	6.8	5.1
2	7.0	6.5	4.6
3	6.9	6.3	3.8
4	6.7	6.1	3.4

Temperature rose from 29 to 32 degrees, and the pH stayed between 7.0 and 7.8.

Problem at the outlet

Oxygen fell below 4 mg/L in weeks 3 and 4, where the water hardly moves and dense algae grow.

Suggestions

- Remove some floating plants near the outlet every month.

Suggestions

- Remove some floating plants near the outlet every month.
- Add a small solar fountain to keep the water moving.

Suggestions

- Remove some floating plants near the outlet every month.
- Add a small solar fountain to keep the water moving.
- Repeat the survey at the end of the rainy season.

Examples

The grounds team has agreed to help with the first two steps.

Thank You

Questions?

Environmental Science Club, RMUTT