




	1	2	3	4	5	6	7	8
A	POWER Power input, current sense, 9.6 V gate rail, 5 V BEC, LDOs File: power.kicad_sch			ESC1 ESC channel 1 File: esc1.kicad_sch				
B	MCU STM32F722RET6 flight controller File: mcu.kicad_sch			ESC2 ESC channel 2 File: esc2.kicad_sch				
C	SENSORS IMU, barometer, blackbox flash File: sensors.kicad_sch			ESC3 ESC channel 3 File: esc3.kicad_sch				
D	USB USB-C and ESD protection File: usb.kicad_sch			ESC4 ESC channel 4 File: esc4.kicad_sch				
E	IO Pads, connectors, mounting File: io.kicad_sch							
F	1	2	3	4	5	6	7	8






OA35 open hardware		
Sheet: /		
File: oa35-aio.kicad_sch		
Title: OA35-AIO		
Size: A3	Date:	Rev: A
KiCad E.D.A.	kicad-cli 7.0.11+dfsg-1build4	Id: 1/10



OA35	
Sheet: /POWER/	
File: power.kicad_sch	
Title: OA35-AIO - POWER	
Size: User	Date:
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4	
Rev: A	
Id: 2/10	







OA35

Sheet: /USB/

File: usb.kicad_sch

Title: OA35-AIO - USB


Size: User

Date:

Rev: A

KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4

Id: 5/10



OA35		
Sheet: /10/		
File: io.kicad_sch		
Title: OA35-A10 - 10		
Size: User	Date:	Rev: A
KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4		Id: 6/10

