La Mejor Masa de Pizza de Marcelo*

Miguel Equihua ⬤
Inecol,
miguel.equihua@inecol.mx

Abstract. Nunc ac dignissim magna. Vestibulum vitae egestas elit. Proin feugiat leo quis ante condimentum, eu ornare mauris feugiat. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris cursus laoreet ex, dignissim bibendum est posuere iaculis. Suspendisse et maximus elit. In fringilla gravida ornare. Aenean id lectus pulvinar, sagittis felis nec, rutrum risus. Nam vel neque eu arcu blandit fringilla et in quam. Aliquam luctus est sit amet vestibulum eleifend. Phasellus elementum sagittis molestie. Proin tempor lorem arcu, at condimentum purus volutpat eu. Fusce et pellentesque ligula. Pellentesque id tellus at erat luctus fringilla. Suspendisse potenti.

Keywords. Quarto; Typst; format

This document shows a practical usage of the template.

I use the Palmer penguins dataset (Horst, Hill, y Gorman 2020) to demonstrate the features of the template. The code is available here.

Section as Heading Level 1

Section numbering can be specified in the YAML `section-numbering` field as other Typst templates.

Subsection as Heading Level 2

You can use LaTeX math expressions:

$$Y_{it} = \alpha_i + \lambda_t + \sum_{k \neq -1} \tau_h \mathbb{1}\{E_i + k = t\} + \varepsilon_{it}.$$

I choose a mathematical font which supports the indicator function $\mathbb{1}\{\cdot\}$. Currently, I use the **?meta:mathfont** font.

Subsubsection as Heading Level 3

I don't use and don't recommend using heading levels 3 and below but it works.

---

*This template is inspired by Kieran Healy's LaTeX and Rmd template and Andrew Heiss's Hikmah Quarto template.