

Interview Integration Guide

Connecting the Path Saathi platform to the Skill Passport interview service.

Version 1.0 Date September 2026 Audience Path Saathi engineering

1 Overview

The integration is two HTTP calls, one in each direction. No shared database and no polling.

- 1 When a student is ready, Path Saathi requests a personalised interview link from Skill Passport and shows it to the student.
- 2 The student opens the link and completes the interview inside Skill Passport.
- 3 On completion, Skill Passport posts the full result back to a Path Saathi endpoint, keyed to the student.

All students join one shared interview room; each receives their own link. Nothing is stored on the Path Saathi side except the two credentials exchanged in section 5.

2 Authentication

Each direction is protected by a bearer token, sent in the `Authorization` header.

DIRECTION	HEADER	KEY OWNER
Path Saathi → Skill Passport	<code>Authorization: Bearer <api_key></code>	Issued by Skill Passport
Skill Passport → Path Saathi	<code>Authorization: Bearer <webhook_key></code>	Issued by Path Saathi (optional)

3 Request an interview link

Call this when a student signs in, signs up, or opens the interview. It is safe to call repeatedly — an interview is only created once the student actually starts, so repeated calls never create duplicates.

POST <https://devskillpassport.threepointolabs.com/api/integrations/attempts>

Request body

Send the student profile. Only the fields below are read; every other field in the payload is ignored.

FIELD	REQUIRED	DESCRIPTION
<code>student_uuid</code>	Required	The Path Saathi student record id. Returned unchanged with the result so it can be matched back.
<code>full_name</code>	Required*	Student's full name. *If absent, <code>first_name</code> + <code>middle_name</code> + <code>last_name</code> are combined instead.
<code>email</code>	Optional	Pre-fills the start form.
<code>phone</code>	Optional	Pre-fills the start form.
<code>training_record.course</code>	Optional	Course or trade, e.g. "Industrial Electrician". Used to tailor part of the interview.

Response

200 OK — a link to display to the student:

```
{ "url": "https://devskillpassport.threepointolabs.com/i/<room>?p=<token>" }
```

The `?p=` portion is an encrypted token carrying the student's details; it is unreadable to anyone but the Skill Passport server. The student does not re-enter their details — the form opens pre-filled, and they only choose an interview language.

Errors

STATUS	MEANING
401	Missing or incorrect API key.
422	Missing <code>student_uuid</code> , or no usable name.
503	Integration not configured on the Skill Passport side.

4 Receive the result

Path Saathi provides one endpoint that accepts the completed result. Skill Passport posts to it automatically the moment a student finishes; failed deliveries are retried.

```
POST <your result endpoint>
```

Include a bearer key if you want the request authenticated; it will be sent as `Authorization: Bearer <webhook_key>`. Respond with any `2xx` to acknowledge.

Payload

```
{
  "studentId": "8f2c41d6-...",           // your student_uuid, unchanged
  "attemptId": "...",
  "interviewId": "...",
  "interviewTitle": "...",
  "candidate": { "name": "...", "email": "...", "phone": "...", "course": "..." },
  "language": "hindi",
  "overallScore": 7.5,                   // out of 10
  "skills": [
    { "skillId": "reliability", "label": "Reliability", "score": 6 }
  ],                                     // score out of 10, null if unanswered
  "summary": "...",
  "strengths": ["..."],
  "improvements": ["..."],
  "introduction": "...",                 // the student's spoken introduction
  "questions": [
    {
      "turnNumber": 2,
      "skillId": "reliability",
      "skillLabel": "Reliability",
      "isFollowUp": false,
      "question": "...",
      "questionTranslation": "...",      // English rendering
      "answer": "...",                  // transcribed answer
      "skipped": false,
      "score": 6,
      "evaluation": "..."
    }
  ],
  "startedAt": "2026-09-24T10:10:00Z",
  "completedAt": "2026-09-24T10:27:00Z"
}
```

5 Credentials to exchange

Skill Passport provides

- The endpoint base URL (above).
- The API key for the `Authorization` header.
- This document.

Path Saathi provides

- The result endpoint URL.
- A webhook bearer key, if authentication is desired.

Environments. The base URL above is the staging environment. A production URL will be issued separately; only the host changes — the paths, fields and payloads are identical.