क्षेत्रीय रेल प्रशिक्षण संस्थान, भूली

ZONAL RAILWAY TRAINING INSTITUTE, BHULI

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

Dhananjay Kumar Singh

TRANSPORTATION INSTRUCTOR

ZRTI/Bhuli

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

1) In foggy and tempestuous weather, when the Visibility Test Object (VTO) is not visible to the SM from his station building, he shall ensure himself that all the signals of the station are lit.

2) Then he shall send two trained men to act as fog signal men in both direction at the fog signal posts which are erected at all stations 270 meters in rear of the first stop signal. Each of these men shall be provided with 20 detonating signals or as lesser number as may be prescribed under special instructions.

D.K.SINGH /Instructor /ZRTI,Bhuli

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

3) The fog signal men shall place one fog signal at the fog signal post and the other at a distance of 10 meters from it and will stand at 45 meters with another detonator to warn the Loco Pilot of his proximity to the Outer, Warner or Distant Signal of the station.

4) As soon as the engine explodes two detonators, the Loco Pilot shall immediately bring his train under his control and shall be ready to follow the aspects of the signal to come 270 meters ahead.

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

5) The fog signal man shall immediately replace two fresh detonators on the passage of train.

6) In single line section, the fog signals man shall show proceed hand signal to the Loco Pilot of the train leaving the station.

7) The SM shall depute two trained men to act as fog signal men. He may depute off duty staffs for this purpose if On duty staffs are not available. If necessary, two trained gang men can be deputed by permanent way supervisor.

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

8) Divisional Railway Manager (DRM) will notify the names of the stations at which fog prevails persistently. At each such station, four class IV staffs shall be posted to act as fog signal men.

9) These four men will be on intermittent duty, one on duty at each end of the station and two resting at the station each performing 3 Hrs ON and 3 Hrs OFF duty.

10) At the double line station if the fog appears for about 7 days in the month it should be treated as persistent fog and separate fog porters should be appointed.

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

11) If fog is for less than 7 days in a month the SM will immediately call out two of the class IV staffs who are OFF duty to work at the station as porter, and the staffs who are ON duty will be utilised for fog signaling duties.

12) Only the permanent employees of the Railway shall work as fog signal man.

13) At single line stations where the station porters are required for delivering tokens also, The DRM should examine both the duration of fog and the number of days in a month on which it appears and then taking the overall work into consideration, determine whether special fog porters are required or not.

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

14) On branch lines or section on which the traffics is light, instead of fog signal man remaining continuously on duty at each fog signal post, a fog signal man may be send out to place detonating signals for each individual trains. This procedure may only be adopted under special instruction. In such cases, line clear shall not be given for a train, unless the fog signal man has been sent out at least 30 minutes before the is due to leave the station in rear.

15) The SM shall ensure that fresh supplies of detonators are sent to the men in replacement of those used.

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

16) A "Station Detonators Register" must be maintained at each station, and must show the names of fog signal men, on duty, periods of duty, the stocks of detonators, the number of detonators sent out with each fog signal man, the number of each train under which the detonators have been exploded, and the number of un used detonators and used cases returned each time by fog signal man to the SM on duty.

17) The SM will obtain in the "Station Detonator Register" the signature or thumb impression of all men deputed and/or posted to his station as fog signal man as an acknowledgement that they understand the rules relating to the fog signaling of train.

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

CIRCUMSTANCES UNDER WHICH THE USE OF DETONATORS ARE DISPENSED WITH:-

Under the following circumstances, the use of detonators is dispensed with to so the position of the signals.

1) In those sections where reliable fog safe devices is installed in the engine.
2) If there are facilities of pre warning or in those stations where there is provision of double distance.
3) In those stations where maximum speed of the train is 15 KMPH and warning board is installed, even if there is no pre warning signal.

D.K.SINGH /Instructor /ZRTI,Bhuli

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

4) In those sections where sectional speed is less than 50 KMPH (but more than 15 KMPH) and the first signal of the station is not a stop signal.
5) In the automatic signaling section.
6) At the Gate Stop Signal.
7) At starter (departure) Signal.
8) Places where temporary speed restriction is in force for the maintenance of Railway track/OHE/signals.

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

- In Absolute Block System the Loco Pilot shall proceed with his train in restricted speed so that he will be able to bring his train to a stop before any obstruction. The speed shall at any circumstances not exceed 60 KMPH.
- When Fog Safe Device is provided in Loco maximum speed can go upto 75kmph.

WORKING OF TRAINS IN THICK FOGGY AND TEMPESTUOUS WEATHER

- The Loco Pilot shall not exceed the following speed in automatic block system-
  - Green Signal- 60 KMPH
  - Double Yellow- 30 KMPH
  - One Yellow- with restricted speed and prepared to stop at next stop Signal.
  - Red – As per rule of passing automatic signal at 'ON'.



- **Dhananjay Kumar Singh**
- **INSTRUCTOR**
- **ZRTI/Bhuli**