बहु-विषयक क्षेत्रीय रेल प्रशिक्षण संस्थान , धनबाद (भूली)

MULTI-DISCIPLINARY ZONAL RAILWAY TRAINING INSTITUTE, DHANBAD (Bhuli)



TRAIN DIVIDING

Dhananjay Kumar Singh
Transportation Instructor
MDZTI / Bhuli

TRAIN DIVIDING

1. When a train stopped in a block section has to be divided in consequence of an accident or the inability of the engine to take the whole train forward, the Guard of the train shall immediately take steps to protect the rear portion of his train in accordance with Rule 6.03.



TRAIN DIVIDING

2. If the engine is capable of proceeding either with or without vehicles, the Guard shall, after taking action as provided for in sub-rule [1] and before uncoupling, put down the brakes and shall, if necessary, otherwise carefully secure the rear portion of the train to ensure its remaining stationary.



TRAIN DIVIDING

NOTE:

In the event of the Loco Pilot of a goods train finding his train come to a stand on a gradient, he shall on no account back his train for the purpose of making a fresh start but must obtain written permission from the Guard to divide the train to proceed to the next station with the first portion and to return the remainder, which operations Loco Pilot shall then proceed to carry out. Before uncoupling, the Guard shall be responsible for seeing that the rear portion is sufficiently braked to ensure its remaining stationary. In the case of a load of empties, at least 50 per cent of the brakes should be pinned down and in the case of a loaded train all the brakes should be pinned down . These instructions apply only to goods trains and on no account is the Loco Pilot of a passenger train permitted to part his train on a gradient.

TRAIN DIVIDING

3. **When the Guard has taken action as provided for in sub-rule [2], he shall give a written permission to the Loco Pilot to uncouple and proceed to the next station and may, if he thinks fit, give him written instructions to return on the same line.**



TRAIN DIVIDING

NOTE:

When a Driver finds it necessary to divide his train owing to inability of the engine to draw the full train or to detach his engine from a train and run into the next station for water or for any other purpose, he must obtain the Guard's written permission on prescribed form **T/609** to leave the train, and on arrival at the station he must immediately report his arrival to the Station Master, telling him where the train has been left, and whether he will return, of if another engine must be sent out. The Driver must not leave the station to return to the train, without advising the Station Master.

TRAIN DIVIDING


NOTE:

When the front portion of a train is taken forward the Guard shall give a written permission referred to in sub-rule [3] clearly stating the number of vehicles and also the painted number and the owning railway of the last vehicle of the load attached to the engine.



TRAIN DIVIDING

4. On sections of the single line where token working is in force, the Loco Pilot shall, before leaving any portion of his train in a block section, hand over the token to the Guard from whom he shall obtain a written receipt. The Guard shall retain the token until the block section has been cleared of all vehicles of his train.




TRAIN DIVIDING

5. **At night or in thick, foggy or tempestuous weather impairing visibility, as soon as the engine, whether with or without vehicles is drawn forward, the Guard shall-**

   a) **protect his train in the front also in accordance with rule 6.03, and**


   b) **also see that a red light is shown on the front vehicle of the rear portion of the train.**






TRAIN DIVIDING


6. **When the front portion of the train is taken forward, no tail lamp or tail board shall be placed on the rear vehicle of that portion of the train but the Guard shall give its number in full in the written permission referred to in sub-rule [3].**



TRAIN DIVIDING

7. On approaching the station ahead with the knowledge that the block section behind is obstructed, the Loco Pilot must stop at the outermost facing points and give (—o—o) whistles repeatedly to warn the station staff that only a part of load has arrived and that the section behind is obstructed. At stations where there are no facing points, the Loco Pilot shall stop opposite station/Cabin without clearing the block section in rear and give the prescribed whistle code.





TRAIN DIVIDING

- **The form T/609 must be counter-signed by the Station Master before the Loco Pilot starts back to bring the rear portion of the train left on line. The Station Master must also ensure that front portion is complete.**

Loco Pilot of _____, you are hereby permitted and authorized to enter into the Block Section to clear the disabled/rear portion of your train.

_____

Signature of Station Master

Date_____

Station Master stamp

TRAIN DIVIDING

- In addition to countersigned part of form following form also be given as per requirement:
  a) T/369(3b) ot T/511
  b) T/409

- If different Loco Pilot & Engine is sent to bring back rest portion then forms given are:
  a) T/A – 602
  b) T/511 (when sent by wrong direction)

TRAIN DIVIDING

NOTE:

- In normal circumstances, a passenger carrying train not to be divided except when it is necessary to sent the front portion due to an accident after due care of the track and after getting permission to do so by a competent authority.

- If the engine of passenger train is unable to haul the load it will not be divided, ask for assisting/relief engine

TRAIN DIVIDING

8.

a) The Loco Pilot shall not bring his engine, with or without vehicles, back on the same line unless he has received written instructions under sub-rule [3] from the Guard to do so.

b) In addition, on a multiple line section, the Loco Pilot shall also have a written authority from the Station Master, who shall ensure that no train is diverted on to or crossing the same line on that portion of the track over which the said Loco Pilot would be returning.

c) The Station Master, before giving such written authority, shall obtain necessary assurances as prescribed by special instructions from the Station Masters having diversion facilities and also inform the Controller of the circumstances.


TRAIN DIVIDING

NOTE:

Whenever a portion of a train is left on the line either in a block section or within station limits, no other train must be allowed to enter the section on the same line until the block section has been cleared either by bringing the reminder of the train to the station in advance or by pushing it to the station in rear depending upon the proximity of the remainder portion with the stations at either end of the block section.

TRAIN DIVIDING

- Loco Pilot stops the train on seeing the stop hand signal of Guard, Guard shall pick up the 3 detonators, pilot the engine by riding on engine.



D.K.SINGH/ Instructor/MDZTI,Bhuli

TRAIN DIVIDING


- Guard will get up on the engine and proceed towards the portion left leaving the intermediate detonator (600M) to be exploded which will alert the Loco Pilot that he is approaching the place of obstruction and LP shall stop the train when second portion is sighted.



D.K.SINGH/ Instructor/MDZTI,Bhuli

TRAIN DIVIDING

- Guard will get down, pilot and couple the engine cautiously release the brakes and start the train.
- On arrival at station, Guard and SM shall check for complete arrival of the train.





Dhananjay Kumar Singh
Transportation Instructor
MDZTI / Bhuli