SPEED CHART

Sl. No.	Description	Speed in KMPH
1	EMU while entering a dead end platform at terminal station	15
2	Entering into terminal yard	15
3	Non Interlocked point over running line	30
4	Over turn out and cross over	15
5	To pass through via loop line 1in 12	15
6	To pass through via loop with thick web switch	30
7	Passing defective signal at danger	15
8	Defective locking of facing point on running line	15
9	Normal speed of shunting	15
10	Max impact speed during shunting of single BOX wagon	5
11	Max impact speed during shunting of a group of BOX wagons	2.5
12	When negotiating 1 in 8.5 turn out	10
13	When negotiating 1 in 8 turn out	08
14	While entering dock platform	10
15	Passing IBP stop signal at on without line clear pvt. No.	15/8(ER) &15/10(ECR)
16	Passing IBP stop signal at on with line clear pvt. No.	Booked speed
17	Passing automatic signal at on straight line at (i)Day (ii)Night and curve	 15 10

18	In faulty OHE section (i) on adjacent line (ii) on same line	Sharp look out 10
19	In case of defective automatic brake	08
20	When petrol man does not turn up (i) day (ii) night	 40 15
21	Shunting with petrol tank explosive and dangerous explosive goods	08
22	Speed of assisting engine	15/10/WP
23	Speed of a train during foggy weather (I)in absolute block system (II)in automatic block system	60 60(G),30(YY),as per LP(Y),10(Red, after dead stop as per rule)
24	Max speed of petrol /search light special	40
25	When engine running tender for most under special instruction	25
26	Engine head light is defective	40(GR),50(SR/ER),40 (SR/ECR)
27	Normal speed of DMT	40
28	speed of DMT when Engine in pushing and B/V in leading	25/8
29	speed of DMT when Engine in pushing and B/V not in leading	08
30	speed of DMT speed of DMT when Engine in pushing in 1/150 down gradient	08
31	When train is driven by Assistant Driver in emergency	40
32	Train engine driven from trailing cab	40
33	When water label the track up to 5cm (i) EMU (ii) electric loco	5 10
34	When water label the track is more than 5cm (i) EMU (ii) electric loco	 Dead stop (both)

35	On main line standard I interlocking	50
36	On main line standard II interlocking	75
37	On main line standard III interlocking	booked
38	A-class ODC	Booked
39	B-class ODC	40/16
40	C-class ODC	25/08/dead slow
41	When clearance between ODC in between 13.5 to 15.5inches	15
42	Rolling stock with flat tire	30
43	Spring broken with clamped	40
44	TFC on D/L in absolute block system	25/10/WP
45	When a light engine is sent to bring L/C from station in advance during TFC in S/L	15/10/ WP
46	When a goods train is allowed over a section where bad riding has been reported	10
47	When motor trolley passes over points and station	16
48	When a train running on last vehicle	Booked Speed(view is clear); Stop and start at station to check L/V
49	S/L working on D/L in absolute and automatic both – first train speed	25
50	Prolonged failure of automatic signal but communication is available	25
51	Prolonged failure of automatic signal but communication is not available	25/10/WP
52	Speed of the rerailed wagon in block section	
53	Speed of non isolation station	50
54	Speed of the second and subsequent train during S/L working on double line in automatic zone via wrong direction	25

55	Speed of the second and subsequent train during S/L working on double line in automatic zone via right direction	As per aspect of signals
56	Speed of second and subsequent train during single line working on double line in absolute block system via wrong or right direction	Booked speed
57	Pushing load in block section	25
58	When gang mate rectified rail fracture temporarily	10 to 15
59	Detonator testing under an empty wagon	08 to 12
60	Max speed of working goods train	40
61	Train running with partial vacuum	Not permitted normally With great caution in emergency
62	When speedometer is defective	20% less
63	Maximum impact speed during shunting of coaching vehicle with occupants	05 to 08
64	When running tender foremost	25
65	When entering into terminal yard	15