

Strengthening Airline communication Network Security: A zero-trust model with blockchain-Based identity Storage and advanced algorithms

Ch. Prathima¹, Ch.Bindu Madhuri², Nerella Chandra Hasitha³, Nuvusetty Kowshik Sai Teja³, Mandala Greeshma³ and Muddana Sree Vani³

¹Assistant Professor, Dept. of DS, Mohan Babu University Erstwhile (SreeVidyanikethan Engineering College), A.Rangampet, Tirupati, India

²Assistant Professor, Department of Information Technology, JNTUGV-College of engineering, Vizianagaram,

³Dept. of Information Technology, SreeVidyanikethan Engineering College, A.Rangampet, Tirupati, India

E-mail : chilukuriprathi@gmail.com, chbmadhuri.it@jntugvce.edu.in, chandrasahitha.nerella@gmail.com, kowshiknuvusetty63@gmail.com, greeshmamandala0123@gmail.com, sreevanimuddana@gmail.com

Abstract It proposes a zero-trust paradigm, sophisticated algorithms, and blockchain-based identity storage as a revolutionary means of improving aircraft communication network security. The aviation industry's fast expansion and growing reliance on digital technologies for mission-critical operations necessitate a strong and secure network infrastructure. New cybersecurity threats, however, have exposed the weaknesses in the current security systems. In order to resolve this problem, we suggest a zero-trust model that, regardless of the user's device or location, verifies each access request, so doing away with the idea of implicit trust in the network. To guarantee the secrecy and integrity of communication channels, this design integrates user identity, authorization, and encryption techniques. We also employ blockchain technology to securely preserve and retain user identities by doing away with the requirement for centralized identity servers and lowering the risk of fraud or identity theft. We fortify our system's defenses against complex attacks by employing state-of-the-art technologies, such as machine learning and anomaly detection, to continually monitor network traffic and identify anomalous or suspicious activities in real-time. Our suggested solution is to create a solid and secure foundation for airline communication networks in order to protect sensitive data and guarantee the continuous provision of airline services. Our study's primary focus is on the value of network security to the aviation industry.

Keywords— Airline communication networks, Zero-trust model, Blockchain based identity storage, Anomaly detection, Machinelearning, Encryption, Userauthentication.

I. INTRODUCTION

In today's digitally connected world, secure communications networks are essential for airlines, which frequently exchange sensitive information about customers, flight schedules and operations. For ultimate security and reliability, airlines must adopt a zero-trust architecture supported by modern algorithms and blockchain-based identity storage.

The zero-trust paradigm [1], encapsulated in the mantra "Never trust, always verify," marks the departure of traditional security methods based on perimeter protection. Instead, it considers any connection attempt as potentially dangerous until it has been thoroughly verified, which calls into question the internal reliability of the system. By implementing strict access controls, encryption techniques [10], and authentication protocols, this approach holistically reduces cybersecurity risks.

An example of this strategy is blockchain-based identity storage [2], which uses the decentralized nature of blockchain to securely manage user identities without a centralized data repositories. who are vulnerable. violations Using cryptographic keys [3] for access, the distributed ledger keeps user identities immutable and transparent, reducing the risk of identity theft and unauthorized [8] use, and improving traceability [9] and accountability.

Algorithms developed in conjunction with the blockchain[14] constantly monitor online data for anomalies and threats. Machine learning algorithms [4] analyze patterns indicative of risky behavior, facilitating rapid intervention, while anomaly detection algorithms [7] detect deviations from normal network activity[13], such as unusual data transfers or access attempts. These proactive measures will strengthen airline communications networks[5] against emerging cyber threats.

A trustless approach combined with advanced algorithms and blockchain technology is essential to improving the security of airline communications networks. This not only protects passenger data and operating systems, but also builds trust between industry stakeholders. In the era of evolving cyber threats [6], the implementation of innovative information security solutions is of prime

importance to ensure the integrity and reliability of airline communication networks.

II. RELATED WORKS

For railway communication networks [1], Feng, Y., Zhong, Z., Sun, X., Wang, L., Lu, Y., & Zhu, Y. (2023) provide a blockchain enabled zero trust based authentication method. The authors stress the need of secure communication in railway systems since any network breach could have unfavorable effects. They present the idea of "zero trust," which demands that every communication request—regardless of where it comes from—be validated and verified. Their suggested remedy makes use of blockchain technology to guarantee the immutability and integrity of transactions related to authentication.

Li, Saxena, & Iqbal (2022) offer a zero-trust security-focused perspective for the Internet of Things (IoT) [2]. The writers address the idea of zero trust in reference to the Internet of Things, where all interactions and exchanges are viewed as possibly suspicious. They provide a zero-trust paradigm for Internet of Things (IoT) security that guarantees data integrity, availability, and confidentiality.

A blockchain-based data storage solution [3] for zero-trust IoT is suggested by Wang et al. (2023). Xiong, N., Tolba, A., Alfarraj, O., & Ren, Y. They draw attention to the difficulties in protecting IoT data storage because of how dispersed and diverse IoT devices are. Blockchain technology is used in their proposed system, known as S-BDS, to guarantee data availability, secrecy, and integrity. S-BDS validates and stores IoT data in a decentralized, tamper-proof way via a consensus process.

Alevizos, L., Ta, V. T., & Hashem Eiza, M. (2022) employ blockchain technology in a cutting-edge analysis to enhance zero trust architecture to endpoints. They bring out the risks connected to the endpoints of zero trust systems and talk about how blockchain might improve endpoint security.

For the banking industry, Chaudhry, U. B., and Hydros, A. K. (2023) suggest a zero trust anti-data breach security paradigm. In order to improve security and stop unwanted access, their suggested design uses the zero trust principles to authenticate and validate each transaction and access request.

A thorough examination of zero trust architecture (ZTA) is provided by Syed, N. F., Shah, S. W., Shaghghi, A., Anwar, A., Baig, Z., & Doss, R. (2022). They talk about how zero trust got started and how it developed in the cybersecurity space. The three main parts of ZTA—micro-segmentation, risk-based access control, and continuous verification—are outlined by the authors. They also draw attention to the difficulties and potential routes for ZTA adoption and implementation.

Fang, L., Wu, C., Kang, Y., Ou, W., Zhou, D., & Ye, J. (2022) offer a zero-trust-based protection mechanism for users in the Internet of Vehicles (IoV) [7]. They solve security issues in the context of the Internet of Vehicles (IoV), where trust cannot be established with regular certificates alone. Their suggested approach makes use of blockchain technology and zero trust principles to authorize and authenticate users in Internet of Vehicles networks. This guarantees safe and reliable communication between automobiles, infrastructure, and other organizations.

Li, P., Ou, W., Liang, H., Han, W., Zhang, Q., & Zeng, G. (2023) offer a zero-trust blockchain-based protection method for smart electric car chargers [8]. They draw attention to the vulnerabilities in smart chargers as well as the threats posed by dishonest people. By leveraging blockchain technology, their suggested approach improves charger interactions' dependability and security.

He, Y., Huang, D., Chen, L., Ni, Y., & Ma, X. investigate zero trust architecture in 2022, concentrating on potential future problems and trends. They talk about the shortcomings of conventional security measures and the necessity of switching to a zero trust framework [9].

LBFT, an asynchronous committee-based blockchain storage technique based on the zero trust paradigm [10], is provided by Du, Z., Gong, J., & Qian, H. (2022). They tackle the difficulties of upholding security and trust in decentralized blockchain storage systems. Their suggested course of action.

III. EXISTING SYSTEM

There are a number of issues with the present system in place to improve the security of the aircraft communication network. Although the zero-trust paradigm successfully lowers the danger of illegal access, it can initially result in administrative costs and complicate access permission management. This approach is laborious and time-consuming since each user must authenticate and grant authorization for each access request. Furthermore, there are scalability issues with the usage of blockchain-based identity storage, despite the fact that it offers excellent security by decentralizing identity information. Moreover, incorporating advanced algorithms increases security but increases system complexity as well. The necessity for real-time communication in the aircraft business may be impacted by these algorithms' high processing resource requirements and likely delay. Furthermore, relying too much on intricate algorithms runs the danger of producing false positives or false negatives, which could deny access to authorized users or refuse access to legal people. The current system's significant reliance on the network infrastructure for proper operation is another drawback. Any interruption or malfunction in the network could

jeopardize system security and hinder airlines' ability to communicate efficiently. To guarantee smooth adoption and integration, significant upgrades to the current system's training and infrastructure might also be required. Finally, opposition to or delays in the adoption process may arise from various aviation sector participants not cooperating during the new system's deployment. In conclusion, these issues must be fixed to guarantee the effective deployment of a stable and effective airplane communication system, even with the improved security characteristics of the suggested system.

IV. PROPOSED SYSTEM

The suggested solution uses a zero-trust paradigm with blockchain-based identity storage and cutting-edge algorithms to improve the security of aircraft communication networks. At the moment, there is a major problem with cyberattacks and data breaches on airline communication networks. These accidents could have a negative impact on passenger safety and privacy as well as the industry's general operations.

The suggested zero-trust architecture makes sure that no person or device on the network is trusted by default, which allays these security worries. Instead, in order to access any network resource, all entities must continually authenticate and grant themselves authorization.

By utilizing blockchain technology to store and manage user IDs, identity management within the network is made even more secure. Blockchain's decentralized structure and immutability protect user data against attacks and exploitation.

The security posture of airline communication networks can be significantly improved by carrying out this advised action. By severely restricting access to essential data and resources, the zero-trust paradigm reduces the likelihood of data breaches. By ensuring the confidentiality and integrity of user IDs, blockchain-based identity storage lowers the risk of identity theft and illegal access. Additionally, by employing cutting-edge algorithms[11][12] the network is able to quickly detect and address security risks, averting possible delays to airline operations, and preserving passenger confidence.

All things considered, this proposed project provides a thorough and reliable way to improve airline communication network security while reducing the dangers of data breaches and cyberattacks.

V. SYSTEM ARCHITECTURE




Fig. 1. System Architecture

VI. METHODOLOGY

Three essential components comprise the suggested approach to improving airline communication network security: the Zero-Trust Model, Blockchain-Based Identity Storage, and Advanced Algorithms.

The Zero-Trust Model enhances security by continuously authenticating all users and devices, while blockchain-based identity storage ensures validity and decentralization. Advanced techniques, employing AI and machine learning, provide proactive threat detection and defense. Additionally, the Advanced Encryption Standard (AES) algorithm ensures secure communication in airline networks, safeguarding sensitive data.

Implementation of AES:

Key Generation: Symmetric keys are generated using a cryptographically secure random number generator to minimize vulnerabilities where,

```
Symmetric_Key = Secure_Random_Number_Generator()
```

Key Management: Key rotation and distribution protocols are implemented to enhance security.

a) The Key_Rotation() function is responsible for generating new symmetric keys at predefined intervals.

Algorithm:Key_Rotation() mechanism

Begin

1. Determine the frequency of key rotation based on security policies and requirements.
2. Generate a new symmetric key using a cryptographically secure random number generator.
3. Replace the existing symmetric key with the newly generated key.
4. Update all systems and devices within the network with the new symmetric key to ensure continuity of encrypted communication.
5. Log the key rotation event for auditing and

compliance purposes.

End

b) The Key_Distribution() function manages the secure dissemination of symmetric keys to authorized entities.

Algorithm:Key_Distribution() mechanism

Begin

1. Authenticate and verify the identity of the requesting entity to ensure authorization.
2. Generate a unique symmetric key for the authorized entity.
3. Encrypt the symmetric key using asymmetric encryption with the public key of the authorized entity
4. Transmit the encrypted symmetric key securely to the authorized entity.
5. Upon receipt, the authorized entity decrypts the symmetric key using its private key.
6. Store the decrypted symmetric key securely for use in decryption processes.
7. Implement mechanisms to securely manage and store symmetric keys on authorized devices.
8. Periodically review and update key distribution protocols to maintain security.

End

Encryption and Decryption: AES encryption and decryption processes are seamlessly integrated into network communication protocols where,

Ciphertext=AES_Encrypt (Plaintext, Symmetric_Key)

Plaintext=AES_Decrypt (Ciphertext, Symmetric_Key)

Performance Optimization:

- a) Hardware Acceleration: Cryptographic operations are accelerated using dedicated hardware.
- b) Parallelization: Parallel processing techniques are employed to improve computational efficiency.
- c) Parameter Fine-Tuning: AES parameters are optimized to balance security and performance.

Secure Key Exchange:

Diffie-Hellman Key Exchange: Robust key exchange protocols ensure the confidentiality of symmetric keys where,

Symmetric_Key=Diffie_Hellman_Key_Exchange()

By combining these three modules, a strong and safe aircraft communication network is created, reducing the possibility of illegal access, data breaches, and other internet dangers.




Fig. 2. Securing Airline communication network methodology

VII. RESULT AND DISCUSSION

1. Zero-Trust Model: Using a zero-trust model is the first module in the suggested method for enhancing airline communication network security. The conventional security paradigm, which is based on internal network trust within an organization, is called into question by this method. This module makes sure that by default, access is not allowed to any device or user, regardless of their location or past authentication method. Each and every access request is carefully reviewed and approved after taking into account many aspects like the user's identification, the condition of their device, and the network environment.

2. Blockchain-Based Identity Storage: The second module's main objective is to develop a blockchain-based identity storage system. A decentralized, unhackable framework for safely storing and managing user IDs is offered by blockchain technology. Blockchain technology eliminates the need for a centralized repository that could be compromised by securely storing each user's credentials and identity in a distributed ledger. Additionally, this module makes use of blockchain's immutability to guarantee the legitimacy and non-repudiation of user IDs. Furthermore, identity storage based on blockchain improves privacy by giving people control over their personal information and reducing the possibility of misuse or unwanted access.

3. Advanced Algorithms: The third module of the suggested system makes use of sophisticated algorithms to quickly identify and remove possible risks. This module forecasts possible security breaches, detects anomalies, and examines network traffic patterns using artificial intelligence and machine learning approaches. These sophisticated algorithms are able to identify and react to a variety of threats, including malware infections, phishing attempts, by continuously monitoring the network. Because these algorithms can adjust and learn from new threats, the aviation communication network will always be safe from known and undiscovered security issues.

The suggested solution seeks to establish a stable and secure aviation communication network through the implementation of these three modules. Numerous degrees of protection are made possible by a zero-trust paradigm, blockchain-based identity storage, and sophisticated algorithms. These factors reduce the likelihood of unauthorized access, data breaches, and other online threats.




Fig. 3. Airlines Home page




Fig. 4. Create Bookings page




Fig. 5. View Bookings page




Fig. 6. Smart Contract deployment




Fig. 7. Smart Contracts for Flight Booking

VIII. CONCLUSION

In summary, the zero-trust paradigm provides a thorough and reliable way to improve airplane communication network security by combining intricate algorithms with blockchain-based identity storage. Airlines can minimize the risk of data breaches and unauthorized access by putting this system into place and ensuring that only authorized persons have access to critical information. By storing identities in an immutable and transparent manner, blockchain technology improves authentication and guarantees data integrity. Furthermore, the system's potent algorithms allow it to promptly decrease any hazards by continuously monitoring and identifying any suspicious activities. All things considered, this technology provides airlines with a solid and safe foundation to safeguard their priceless assets and communication networks.

IX FUTURE WORK

Subsequent efforts to augment the security of aviation communication networks may concentrate on creating and executing a zero-trust framework utilizing cutting-edge algorithms and identity storage rooted in blockchain technology. This technique operates under the premise that all devices, users, and applications are potentially hazardous and require constant authentication and authorization. It uses a zero-trust architecture to strengthen the security, privacy, and integrity of airline

communication networks. Blockchain technology provides a decentralized, immutable method of managing user IDs, which could make identity storage more transparent and secure. Furthermore, real-time threat and attack identification and mitigation can be aided by the application of sophisticated algorithms, such as those found in artificial intelligence and machine learning. The deployment and assessment of this kind of system, taking into account aspects like scalability, user-friendliness, and interaction with the current aviation communication infrastructure, may be the subject of future research.

REFERENCES

- [1] Feng, Y.; Zhong, Z.; Wang, L.; Lu, Y.; & Zhu, Y. (2023). Sun, X. Zero trust based authentication for railway communication networks is made possible by blockchain technology. *Cloud Computing Journal*, 12(1), 1–21.
- [2] P. K. et al "An Secure and Low Energy Consumption based Intelligent Street Light Managing System using LoRa Network," ICECA, Coimbatore, India, 2022, pp. 638-645, doi: 10.1109/ICECA55336.2022.10009408.
- [3] Tolba, A., Alfarraj, O., Xiong, N., Wang, J., Chen, J., & Ren, Y. (2023). An efficient blockchain-based data storage system for zero-trust Internet of Things is S-BDS. 23(3), 1-23. *ACM Transactions on Internet Technology*.
- [4] F. I. A. et al, "LoRaWAN Mesh Networks: An efficient mesh formation of LoRa devices in rural energy system," (ICSES), Chennai, India, 2022, pp. 1-8, doi: 10.1109/ICSES55317.2022.9914273.
- [5] Hydros, A. K., and Chaudhry, U. B. (2023). A blockchain consensus method serves as a zero-trust security mechanism against data breaches in the financial industry. 98–115 in *IET Blockchain*, 3(2).
- [6] Shah, S. W., Anwar, A., Baig, Z., Syed, N. F., & Doss, R. (2022). A thorough examination of zero trust architecture (zta). 10, 57143-57179, IEEE Access.
- [7] Ye, J., Ou, W., Zhou, D., Wu, C., Kang, Y., and Fang, L. (2022). Zero-Trust Protection System for Internet of Vehicles Users. *Network Security and Communication*, 2022.
- [8] Zhang, Q., Zeng, G., Ou, W., Liang, H., Han, W., and Li, P. (2023). A blockchain-based defense mechanism with zero trust for intelligent electric vehicle chargers. 213, 103599, *Journal of Network and Computer Applications*.
- [9] He, Y., Ni, Y., Huang, D., Chen, L., & Ma, X. (2022). An analysis of zero trust architecture's obstacles and potential directions. *Mobile Computing and Wireless Communications*, 2022.
- [10] Chakrabarti A. Lessons learned from five years of multi-cloud at PagerDuty[EB/OL]. <https://www.usenix.org/conference/srecon18am-ericas/presentation/chakrabarti>. 2018-03-28/2021-06-23.
- [11] Zhao M, Yu M, Jan MA, Lan D, Taherkordi A Mobility-Aware MultiHop Task Offloading for Autonomous Driving in Vehicular Edge Computing and Networks. In: *IEEE Transactions on Intelligent Transportation Systems*. <https://doi.org/10.1109/TITS.2022.3142566>.
- [12] Dai Y, Guan YL, Leung KK, Zhang Y (2021) "Reconfigurable Intelligent Surface for Low-Latency Edge Computing in 6G." *IEEE Wirel28(6):72–79*. <https://doi.org/10.1109/MWC.001.2100229>.
- [13] Jyothsna, V., Mukesh, D., Sreedhar, A.N. (2019). A Flow-Based Network Intrusion Detection System for High-Speed Networks Using Meta-heuristic Scale. In: Peng, SL., Dey, N., Bunde, M. (eds) *Computing and Network Sustainability. Lecture Notes in Networks and Systems*, vol 75. Springer, Singapore. https://doi.org/10.1007/978-981-13-7150-9_36.
- [14] J Vekatarao ,Putta Vishnu Vardhan , PasamDwarakamayee , Neelam Vijayalakshmi, SECURE ELECTRONIC HEALTH RECORD MANAGEMENT WITH BLOCKCHAIN, *Eur. Chem. Bull.* 2023, 12(Special Issue 4), 2314-2320.