FAHIPAY PAYMENT GATEWAY

DEVELOPER'S GUIDE

VERSION –2.0

Table ofcontents

INTRODUCTION 3
Purpose 3
Transaction flow 3
COMMUNICATION 3
MESSAGE 1 – REQUEST FROM MERCHANT'S WEBSITE 4
MESSAGE 2 – SUCCESS RESPONSE FROM THE PAYMENT GATEWAY 5
MESSAGE 2 – FAILED RESPONSE FROM THE PAYMENT GATEWAY 5
MESSAGE 2 – CANCEL RESPONSE FROM THE PAYMENT GATEWAY 5
API Operations 6
Create a Transaction. 6
Query a specific transaction. 7
CONSTRAINTS 8

INTRODUCTION

Purpose

This document contains information relevant to online merchants who are interested in routing their online transactions to FahiPay gateway for processing the payment.

Transaction flow

1. FahiPay user selects to checkout at the merchant website, merchant server will prepare a checkout page with all the fields required in Payment Request.
2. FahiPay receives Payment Request and validates the transaction. If the transaction is valid and successful, Payment Response will be posted to Merchant's *ReturnURL* with details. If an error occurred, data will be sent to Merchant *ReturnErrorURL* and if user cancels payment, data will be sent to *CancelURL*. Merchant server must response accordingly to the user's browser.
3. FahiPay will process the transaction if user is valid and has sufficient balance.
4. If FahiPay user does not have sufficient balance, the user will see an error message and will have option to topup FahiPay wallet before proceeding.
5. If the payment is success, FahiPay will deduct the transaction amount from customer's FahiPay wallet and credit to merchants FahiPay wallet after deducting the transaction fee.
6. Merchants can see the transactions in real-time through FahiPay merchant portal and also has the option to withdraw the amount to bank account.

COMMUNICATION

FahiPay Gateway Integration API will be called only via HTTPS, no other protocol is allowed. Irrespective of language, request must be a HTTPS POST request.

MESSAGE 1 – REQUEST FROM MERCHANT'S WEBSITE

Merchant has to call the below URL for completing a payment with FahiPay Payment Gateway with parameters mentioned in the table below. All the parameters are compulsory to complete a transaction.

URL: https://fahipay.mv/payment/

NAME	VALUE
ShopID	An alphanumeric ID provided by FahiPay.
ShoppingCartID	The transaction ID of the order that uniquely identifies the transaction in the Merchant's system. It should be unique for the Merchant. Should be alphanumeric and should not contain any special characters.
TotalAmount	This is the total amount of the payment. Payment amount as calculated by the Merchant's system. Last 2 digits shall be reserved for decimal places. Example: 19.00 Should be 1900 and 19.5 should be 1950.
Signature	This is a digital signature that will verify that the contents of the request are not altered in transit. A hash signature calculated from the following: Base64_encode(sha1(ShopID.SecretKey.ShoppingCartID.SecretKey.TotalAmount .SecretKey)) SecretKey – Merchant secret key provided by FahiPay. The hash value that is produced uses SHA1 hash algorithm and base64 encoding. Hash has to be generated and sent along with the parameters so as to verify the request is not altered in transit.
ReturnURL	The success response URL for getting the result back. This is the URL of a web page on Merchant's server where success response will be sent. The URL shall be provided for authorization purpose.
ReturnErrorURL	The error response URL for getting the result back. This is the URL of a web page on Merchant's server where error response will be sent. The URL shall be provided for authorization purpose.

MESSAGE 2 – SUCCESS RESPONSE FROM THE PAYMENT GATEWAY

The response shall be a GET request. The success response shall return the Success status code, ShoppingCartID, ApprovalCode, TotalAmount and Signature hash. Hash is generated so as to verify the message is not altered in transit.

NAME	VALUE
Success	The result of the transaction. The code is 1 for success.
ShoppingCartID	The merchant transaction ID of the order.
ApprovalCode	FahiPay transaction ID equivalent of Merchant transaction id. This is unique in FahiPay system, issued for each Merchant's transaction ID. FahiPay transaction ID will also appear in customer's transaction history.
TotalAmount	This is the total amount of the payment. Payment amount as calculated by the Merchant's system. Last 2 digits shall be reserved for decimal places. Example: 19.00 Should be 1900. 19.5 should be 1950.
Signature	The hash value that is produced uses SHA1 hash with base64 encoding algorithm. A hash signature calculated from the following: Base64_Encode(sha1(ShopID.SecretKey.ShoppingCartID.SecretKey.Su ccess.Secr etKey.ApprovalCode.SecretKey,true)) SecretKey – Merchant secrete key provided by FahiPay.

MESSAGE 2 – FAILED RESPONSE FROM THE PAYMENT GATEWAY

The Response shall be a GET request which will be sent to *ReturnErrorURL*. The failed response shall return the fail status code, ShoppingCartID and ErrorMessage for the failure of the transaction.

NAME	VALUE
Success	The result of the transaction. The code is 0 for errors.
ShoppingCartID	The merchant transaction ID of the order.
ErrorMessage	Description of why the transaction failed.

MESSAGE 2 – CANCEL RESPONSE FROM THE PAYMENT GATEWAY

The Response shall be a GET request which will be sent to *CancelURL*. This means the user has cancelled the transaction by pressing cancel button.

API Operations

The following exposed API operations from the FahiPay API are available using the API Client. See below for more details about each resource.

Create a Transaction.

<table>
<tr><th>Description</th><th>Data</th></tr>
<tr><td>Method</td><td>POST</td></tr>
<tr><td>URL</td><td>https://fahipay.mv/api/merchants/createTxn/</td></tr>
<tr><td>Params</td><td>
<table>
<tr><th>NAME</th><th>VALUE</th></tr>
<tr><td>ShopID</td><td>An alphanumeric ID provided by FahiPay.</td></tr>
<tr><td>ShoppingCartID</td><td>The transaction ID of the order that uniquely identifies the transaction in the Merchant’s system. It should be unique for the Merchant. Should be alphanumeric and should not contain any special characters.</td></tr>
<tr><td>TotalAmount</td><td>This is the total amount of the payment. Payment amount as calculated by the
Merchant’s system. Last 2 digits shall be reserved for decimal places.
Example: 19.00 Should be 1900 and 19.5 should be 1950.</td></tr>
<tr><td>Signature</td><td>This is a digital signature that will verify that the contents of the request are not altered in transit. A hash signature calculated from the following:

Base64_encode(sha1(ShopID.SecretKey.ShoppingCartID.SecretKey.TotalAmount
.SecretKey))

SecretKey – Merchant secret key provided by FahiPay.
The hash value that is produced uses SHA1 hash algorithm and base64 encoding.
Hash has to be generated and sent along with the parameters so as to verify the request is not altered in transit.</td></tr>
<tr><td>ReturnURL</td><td>The success response URL for getting the result back. This is the URL of a web
page on Merchant’s server where success response will be sent. The URL shall be provided for authorization purpose.</td></tr>
<tr><td>ReturnErrorURL</td><td>The error response URL for getting the result back. This is the URL of a web page on Merchant’s server where error response will be sent. The URL shall be provided for authorization purpose.</td></tr>
<tr><td>CancelURL</td><td>The cancel response URL when a user cancels the payment.</td></tr>
</table>
</td></tr>
</table>

Success Response Example:


```
{
   "type": "success",
   "link": "https://fahipay.mv/pay/L20220406135651IBNJT"
}
```

Error Response Example:


```
{
   "type": "error",
   "msg": "This transaction already exists"
}
```


Query a specific transaction.

Description	Data
Method	GET
URL	https://fahipay.mv/api/merchants/getTxn/?mref=<:ShoppingCartID> OR https://fahipay.mv/api/merchants/getTxn/?ref=<: ApprovalCode >
Headers	X-Api-Key: api_key, Accept: application/json, Content-Type: application/json

Success Response Example:


```
{
   "type": "success",
   "data": {
      "time": "2022-03-30 09:45:37",
      "method": "gateway",
      "mref": "ABCD1234",
      "amount": "100.00",
      "fee": "2.00",
      "extras": {
         "ref": "FP20220330094249KTG",
         "name": "ALI ARIF",
         "mobile": "9607997991"
      },
      "status": "paid",
      "ApprovalCode": " FP20220330094249KTG"
   }
}
```


Error Response Example:


```
{
   "type": "error",
   "msg": "Transaction not found!"
}
```

CONSTRAINTS

API is expected to fail when there is a TCP communication gap between third party system and FahiPay.