

```
<!DOCTYPE html>
<html>
  <head>
    <title>TODO supply a title</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
  </head>
  <body>
    <center>
      <form action="NewServlet" method="post">

        <h2>Online Quiz Questions</h2>
        Name<input type="text" name="name"><br><br>
        <p>1. Which language is used to Create WEB page?</p>
        <input type="radio" name="q1" value="Python">Python<br>
        <input type="radio" name="q1" value="HTML">HTML<br><br>

        <p>2. What is principle for STACK?</p>
        <input type="radio" name="q2" value="LIFO">LIFO<br>
        <input type="radio" name="q2" value="FIFO">FIFO<br><br>

        <p>3.What is the capital of tamilnadu? </p>
        <input type="text" name="q3">

        <p>3.What is the stands for JS?</p>
        <input type="text" name="q4"><br><br>

        <input type="submit" value="submit">
      </form>
    </center>

  </body>
</html>
```

```

import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import
javax.servlet.http.HttpServletRequest;
import
javax.servlet.http.HttpServletResponse;

/**
 *
 * @author 24uad111
 */
public class NewServlet extends
HttpServlet {

    /**
     * Processes requests for both HTTP
<code>GET</code> and
<code>POST</code>
     * methods.
     *
     * @param request servlet request
     * @param response servlet response
     * @throws ServletException if a servlet-
specific error occurs
     * @throws IOException if an I/O error
occurs
     */
    protected void
processRequest(HttpServletRequest request, HttpServletResponse response)
throws ServletException,
IOException {

response.setContentType("text/html;cha
rset=UTF-8");

```

```

String
name=request.getParameter("name");
String
q1=request.getParameter("q1");
String
q2=request.getParameter("q2");
String
q3=request.getParameter("q3");
String
q4=request.getParameter("q4");
int score=0;
if("HTML".equals(q1)){
    score++;
}
if("LIFO".equals(q2)){
    score++;
}
if("Chennai".equals(q3)){
    score++;
}
if("JavaScript".equals(q4)){
    score++;
}

try (PrintWriter out =
response.getWriter()) {
    /* TODO output your page here. You
may use following sample code. */
    out.println("<!DOCTYPE html>");
    out.println("<html>");
    out.println("<head>");
    out.println("<title>Servlet
NewServlet</title>");
    out.println("</head>");
    out.println("<body>");
    out.println("Name:"+name+"<br>");
    out.println("<h2>Score: " + score +
"</h2>");

```

```

        out.println("</body>");
        out.println("</html>");
    }
}

// <editor-fold defaultstate="collapsed"
desc="HttpServlet methods. Click on the
+ sign on the left to edit the code.">
/**
 * Handles the HTTP
<code>GET</code> method.
 *
 * @param request servlet request
 * @param response servlet response
 * @throws ServletException if a servlet-
specific error occurs
 * @throws IOException if an I/O error
occurs
 */
@Override
protected void
doGet(HttpServletRequest request,
HttpServletResponse response)
    throws ServletException,
IOException {
    processRequest(request, response);
}

/**
 * Handles the HTTP
<code>POST</code> method.
 *
 * @param request servlet request
 * @param response servlet response
 * @throws ServletException if a servlet-
specific error occurs

```

```

    * @throws IOException if an I/O error
occurs
 */
@Override
protected void
doPost(HttpServletRequest request,
HttpServletResponse response)
    throws ServletException,
IOException {
    processRequest(request, response);
}

```

```
}

/**
 * Returns a short description of the
servlet.
 *
 * @return a String containing servlet
description
 */
@Override
public String getServletInfo() {
    return "Short description";
} // </editor-fold>

}
```