```
*8200G
8118 JOT 0EBE
806D RESCUE? 0EBE
8017 CAPS-MODE-KEY 0EBE
7F9C NEW-DISK 0EBE
7F66 MAKE-DISK 0EBE
7F4A COPY-DISK 0EBE
7ED3 COPY-SOME 0EBE
7EBF >#2 0EBE
7E45 FMT 0EBE
7E22 &HIT OEBE
7E16 SET OEBE
7DF1 END-ECHO 0EBE
7DDE ECHO 0EBE
7DA4 BLINK OEBE
7D45 START-ECHO 0EBE
7CE1 CURS-PREP 0EBE
7CD2 <- 0EBE
7CC3 -> 0EBE
7C89 PAINT OEBE
7C67 CLEAN OEBE
7C30 ECHO-DONE? 0EBE
7BEC TELL-FREE 0EBE
7BD5 IDLE 0EBE
7BB3 CURS-TYPE 0EBE
7B9C BLACK-CURS 13DA
7B85 WHITE-CURS 13DA
7B76 ECHO-PTR 0F21
7B6A 'ECHO 0F21
7B56 BLINK-COUNTER 0F21
7B47 ECHO-CHV 0F21
7B38 CURS-CHV 0F21
7B25 WHITE-PERIOD 0F05
7B12 BLINK-PERIOD 0F05
7AFB PLUS-KEY 0EBE
7AE3 CARET-KEY 0EBE
7ACB SLASH-KEY 0EBE
7AB5 PUNCSTUFF 0EBE
7AA0 KEYSTUFF OEBE
7A8D | KEY 0EBE
7A7A [KEY 0EBE
7A39 PARA-DEL-KEY 0EBE
7A0B PARAKEY 0EBE
79D5 PRINT-KEY 0EBE
79A2 PR-DONE? 0EBE
7956 >PR 0EBE
792A EXIT-KEY OEBE
7913 RESCUE OEBE
7903 TEXT-SAFE 0F21
78BC PREMIT OEBE
789A PR-SENT OEBE
786E PR-BL 0EBE
781A PR-PARA 0EBE
7794 PR-PR 0EBE
7744 PR-CR 0EBE
772B PR-FLUSH 0EBE
7710 PR-EAT OEBE
76E6 PR-UPTO 0EBE
76BD ENDPAGE? 0EBE
7692 PR-START 0EBE
7674 ENDPAGE OEBE
763C NEWPAGE 0EBE
7626 SKIP-TO OEBE
75EA PR-SKIP 0EBE
75DC OPR OEBE
```

```
75A8 1PR 0EBE
7588 COL 0EBE
757E LF? 0F21
756E ROLLPAPER 0F21
74DC PR-BUF 13DA
74D0 PAGE# 0F21
74C2 BOTMARG 0F21
74B4 TOPMARG 0F21
74A6 PAGELEN 0F21
7498 PR-LINE 0F21
7489 BLOCKING 0F21
747C INDENT 0F21
746C PARA-SKIP 0F21
745E SPACING 0F21
7453 CHSV 0F21
7446 PR-PTR 0F21
7439 END-CR 0F21
742A PR-WIDTH 0F21
741F SLOT 0F05
73FF CLR-DEL-KEY 0EBE
73D0 DELETE-KEY 0EBE
736F DELETE OEBE
7357 SLURP-KEY OEBE
7319 BLURP OEBE
72EC SPIT 0EBE
72B8 ESC-KEY 0EBE
728F MODE-KEY 0EBE
7273 MODETAB 13DA
7254 LETTER OEBE
721C INSCH 0EBE
7200 SENTKEY OEBE
71DA SPACE-BAR OEBE
7185 BACK-KEY OEBE
7173 <-KEY 0EBE
7163 ->KEY 0EBE
7151 SUPER OEBE
7124 NOISY-STEP OEBE
70FB STEP 0EBE
70E0 UNSHIFT? OEBE
70CE FWD 0EBE
70A7 BKWD 0EBE
7080 SP-> 0EBE
7053 MARK-> 0EBE
7026 <-MARK 0EBE
6FDF DEPART 0EBE
6FC5 INS-SP? 0EBE
6F93 END-SENT? OEBE
6F53 END-WORD? 0EBE
6F3D ANDIF 0EBE
6F28 ORIF OEBE
6EED ERAC 0EBE
6EC5 CHEK-WORD 0EBE
6EAE ACTIVE 0EBE
6E8F TEXT-TOP 0EBE
6E7A WORDMODE 0EBE
6E63 MODE 0EBE
6E43 UNSHIFT OEBE
6E37 BUMPY 0F21
6E2B HOVER 0F21
6E1F
    MODE 0F21
6E10 JUST-ESC 0F21
6E04 LEVEL 0F21
6DAA NOISE-KEY 0EBE
6D79 CACOPH 0EBE
6D40 SOUNDS OEBE
```

6D30 SOUND 0EBE

```
6C6A (SOUND) 0EBE
6C59 DWN- 0EBE
6C49 UP- 0EBE
6C3E MUFF 0F21
6C14 CLUCK 0EBE
6BFE CLACK 0EBE
6BE6 PAUSE 0EBE
6BC4 OSC/2 0EBE
6BA2 OSC 0EBE
6B90 GLICK 0EBE
6B78 CLICK 0EBE
6B6A CLICKER 0F05
6B09 SWEEP 6B13
6AF5 BOT>***>TOP 0EBE
6AE5 *>TOP 0EBE
6AC7 ARRIVE? 0EBE
6A7A ARRIVE OEBE
6A34 TOP>***>BOT 0EBE
69E4 (T>*>B) 0EBE
69A2 B>***>T 0EBE
6954 (B>*>T) 0EBE
6942 TOP>* 0EBE
68AD UNPOUR OEBE
6877 GROPE 0EBE
6858 POUR OEBE
67F6 NON-SP-POUR OEBE
67DD (>SCR) 0EBE
67CE
     SCREMIT 0F21
6774 SP-POUR OEBE
6758 NEXT-LINE OEBE
6738 AT-LEFT OEBE
672C WORD1 0F21
671D WORD-LEN 0F21
6712 LOST 0F21
66EC BANNER? 0EBE
6686 BANNER OEBE
6658 MULTI<- OEBE
6649 LF 0EBE
662E UNLF 0EBE
661F UP 0EBE
65D4 SCROLLDOWN 0EBE
6599 CHEKCHAR OEBE
6587 PUNCT OEBE
6573 SETPUNC OEBE
655F CLRPUNC 0EBE
654C CLRWAS 0EBE
653C WASPUNKED 0F21
652F PUNKED 0F21
64E1 (PUNCT) 13DA
63D6 KEYT 13DA
63B0 REVCAPS 0EBE
639C ALLCAPS OEBE
6380 CAPIZE? OEBE
635D CAPIZE OEBE
632D LETTER? 0EBE
6314 SENTCAP? OEBE
630A CAP 0F21
62F6 LIKEY 0EBE
62DB CURS-ADR 0EBE
62C8 DARKEY 0EBE
62B0 INVERSE 0EBE
6299 KEY? 0EBE
6284 ?KEY 0EBE
626F CHV! 0EBE
6265 KBD 0F05
624E CURS-SIZE 13DA
```

```
6239 CH-SIZE 13DA
6229 TWEEN OEBE
6216 TOS-TYPE 0EBE
61C0 CH-TYPE 0EBE
618E DEFAULT OEBE
6176 CASE> 0EBE
615F CASE 0EBE
6140 SWITCH OEBE
60DF SW-STUFF 13DA
608C XFER 0EBE
605B DONE 0EBE
6050 D-CS 0F21
6045 S-CS 0F21
6036 >= 0EBE
6029 <> 0EBE
601A <= 0EBE
600C NOT OEBE
5FCC MLXFER 5FD7
5FC1 DIME 0F21
5EE2 CLEAR-TEXT OEBE
5ECE LOAD-TEXT 0EBE
5E9D LOAD-INDEX 0EBE
5E7F LOAD-CS 0EBE
5E64 LOAD-BUNCH 0EBE
5E43 LOAD-BYTES 0EBE
5E30 SAVE-KEY 0EBE
5E1A SAVE-TEXT OEBE
5DE8 WRITE-INDEX OEBE
5DCA SAVE-CS 0EBE
5DB1 SAVE-BUNCH 0EBE
5D92 SAVE-BYTES OEBE
5D88 PTR 0F21
5D79 >SIP 0EBE
5D6A >DEL 0EBE
5D5B >BOT OEBE
5D4C >TOP 0EBE
5D32 CPUSH 0EBE
5D0D #CPUSHED 0EBE
5CD3 PREPUSH 0EBE
5CC3 SIP>? OEBE
5CB3 DEL>? 0EBE
5CA4 BOT> 0EBE
5C95 TOP> 0EBE
5C6A EMPTY-CSTACK OEBE
5C4E CPOP 0EBE
5C1E CPOP? 0EBE
5BED #CPOPPED 0EBE
5BB8 FREE-ALL 0EBE
5B8E POP-BLK 0EBE
5B75 FREE OEBE
5B33 ALLOC 0EBE
5B19 LAST-FREE 0EBE
5B0A RES-FREE 0F21
5A6C FREE-BLOCKS 0F21
5A41 TURKEY OEBE
5A22 PEEK 0EBE
5A06 TH-CHAR OEBE
59EF 'BOT-BLK OEBE
59D0 SIZE 0EBE
592B SLURP-BUFFER 13DA
588C BOTTOM 13DA
57E6 DELETE-BUFFER 13DA
574A TOP 13DA
5721 CLR-CSTK 0EBE
5713 TOS 0EBE
56FA TOS OEBE
```

```
56E6 TOS-BLK 0EBE
     TOS-BLK OEBE
56C9
56B8 #RES 0EBE
     ´#RES 0EBE
56A8
568F EMPTY? OEBE
5679 #BLKS 0EBE
     '#BLKS OEBE
5664
564F #CHARS 0EBE
563F #FREE OEBE
5630
     '#FREE 0EBE
560F CSTACK 0EBE
5604 "ESC 0F05
55F4 BACKSLASH 0F05
55EA "-> 0F05
55E0 "<- 0F05
55CB TYPE-SP 13DA
55BB WORD1-BIT 0F05
55AD HI-BITS 0F05
559E LOW-BITS 0F05
558F END-MARK 0F05
5580 CUT-MARK 0F05
5571 PARAMARK 0F05
5562 SENTMARK 0F05
5555 SPACER 0F05
5548 MIN-SP 0F05
553D BLKN 0F05
5532 BLK1 0F05
5527 INDX 0F05
551C NOP 5524
54F9 CTABLE 0EBE
54A3 NCOPIES OEBE
5476 SIGNUM OEBE
5457 NWIPES OEBE
5438 UNCLOG OEBE
5428 1WIPE 0EBE
53F9 (WIPE) OEBE
53E9 1COPY 0EBE
53B4 (COPY) 0EBE
537A WRITE-ALL OEBE
5364 FLUSH-ONE 0EBE
534A FREE-BUFFER OEBE
5327 EMPTY-BUFFER 0EBE
52F5 WRITE-ONE OEBE
52DA UPDATED? 0EBE
52C3 >BLK 0EBE
5283 RLIST OEBE
523C BLK> 0EBE
5219 BLK? 0EBE
5203 CHUCK OEBE
51E2 REASSIGN OEBE
51BB BUFFER OEBE
519B BLOCK OEBE
517C NOTE-RES OEBE
5160 #BUFS 0EBE
50FC RESIDENT? 0EBE
50CA ?BLK 0EBE
4E8C BLK-TAB 13DA
4E77 CARRAY OEBE
4E62 STUFFS 0EBE
4E3F (STUFFS) 0EBE
4E2F STUFF 0EBE
4E19 (STUFF) 0EBE
4DFF ARRAY 0EBE
4DF0 2* 0EBE
4DDC MACRO 0EBE
4D8C (MACRO) 0EBE
```

```
4D70 CGRAB 0EBE
4D55 GRAB 0EBE
4D40 J 4D46
4D2A I 4D31
4CAE LOOK-RES? 0EBE
4C7D NOTE-IF-FREE 0EBE
4C5A -BUF 0EBE
4C49 UNSIGN OEBE
4C3D 32K-1 0F05
4A97 EDIT: 0EBE
4A78 EDIT 0EBE
4A6B RE OEBE
4881 INCLUDE 0EBE
485C LOOKUP OEBE
47F6 LOOKUP? 0EBE
47D2 APPEND-CHAR 0EBE
477A (LOOKUP?) 0EBE
470B IN-INDEX 0EBE
46E9 -NUMBER 0EBE
46B5 IN-LIST OEBE
46A7 RPAR 13DA
4699 LPAR 13DA
467B -BL 0EBE
4661 SAME-WORD OEBE
4646 NEXTCHAR OEBE
4638 LOOKPTR 0F21
4625 I6 0EBE
4616 I3 OEBE
4603 I5 OEBE
45F4 I2 0EBE
45E3 I4 0EBE
45D6 I1 0EBE
45B6 SUMMARIZE OEBE
4594 SUM 0EBE
454D (SUM) 0EBE
4538 SEEN 0F21
452C LOOKS 0F05
4520 LOOK1 0F05
4505 :" OEBE
44E7 CTRL- 0EBE
44D3 " 0EBE
44AD INPTR 0EBE
446F FORGET OEBE
4457 TASTE OEBE
4438 EXISTS OEBE
4424 --> 0EBE
43F4 LOAD 0EBE
43EB S0 0FA2
43DF \(^\) 0EBE
43CB (´) 0EBE
43BC >V 0EBE
43AF V> 0EBE
4392 LITERALW OEBE
437D LITW OEBE
436F #2! 0EBE
4361 #1! OEBE
4341 OFFSET! OEBE
4334 #2 OEBE
4328 B/DSK 0F05
3D39 TASK OEBE
3D00 SEARCH OEBE
3CA1 SRCH 0EBE
3C90 ST 0EBE
3C73 SW 0EBE
3C38 COUNT-CHRS 0EBE
3C2E EFL 0F21
```

```
3C22 #CHRS 0F21
3BEE SLINE 0F21
3BA3 SCAN 0EBE
3B96 EDIT OEBE
342A EDITOR 13DA
341A MON OEBE
3407 DEMO 0EBE
33A7
      0EBE
337C LS OEBE
3362 VLINE 336C
3348 HLINE 3352
332F SCRN 3338
331C PLOT 3325
330A COLOR 3314
32DD TEXT OEBE
32B6 GR 0EBE
3294 CLEAR OEBE
3278 (TXT) 0EBE
3259 (GR) 0EBE
323F L 0EBE
3213 SCOPY OEBE
31EE BSTR 31F7
31C9 SBTR 31D2
3169 CODE 0EBE
2B78 ASSEMBLER 13DA
2B65 RAND 0EBE
2B3F URAND 0EBE
2B33 RSEED 0F21
2AC9 BUFFERS OEBE
2A75 BACKUP 0EBE
2A40 DUMP 0EBE
2A2D .ROW 0EBE
29F8 .ASCII 0EBE
29CE .VALUES 0EBE
29B7 .ADDRESS 0EBE
2939 SAVETURNKEY OEBE
2927 &KA 0F05
290F &VRD 2918
28D2 INITIALIZEDISK OEBE
28B5 SAVESYSTEM 0EBE
288F &SIZE OEBE
286F &DUMP-FORTH OEBE
2850 &DUMP-RWTS OEBE
27CB &DISK-DUMP 0EBE
2746 &RWTS-FMT OEBE
2738 SECTORS 0F05
2726 GET 0EBE
2715 LOAD 0EBE
2700 LK 0EBE
26DB JOIN 0EBE
266B VLIST OEBE
263B INDEX OEBE
25D9 LIST OEBE
25A7 VHTAB 0EBE
2560 Y/NQUERY 0EBE
2507 WHERE OEBE
24D9 IND OEBE
24AC PR 0EBE
2484 ?CARD 0EBE
2477 D = 0EBE
2469 D0= 0EBE
245C D? 0EBE
2443 DMAX OEBE
242A DMIN OEBE
241D D> 0EBE
240C D< 0EBE
```

```
23FF D- 0EBE
23E8 2ROT 0EBE
23D0 2SWAP 0EBE
23C1 2DUP 0EBE
23A9 2OVER 0EBE
2399 2DROP 0EBE
2373 --> 0EBE
2367 ? OEBE
235B . 0EBE
234A .R 0EBE
233D U. 0EBE
232D U.R 0EBE
231E D. 0EBE
22FA D.R OEBE
22E3 #S 0EBE
22B9 # 0EBE
22A0 SIGN 0EBE
2289 #> 0EBE
227A <# 0EBE
2259 SPACES OEBE
221A &R/WSECT OEBE
21AB FORGET OEBE
2197 OEBE
2187 WHILE OEBE
2166 ELSE 0EBE
2151 IF 0EBE
2134 REPEAT OEBE
211E AGAIN OEBE
2112 END 0EBE
20FC UNTIL 0EBE
20E6 +LOOP 0EBE
20D1 LOOP 0EBE
20C0 DO 0EBE
20B3 THEN OEBE
2097 ENDIF OEBE
2085 BEGIN OEBE
2074 BACK OEBE
205F MYSELF OEBE
2032 REBOOT OEBE
201E <<COMPILE>> 0EBE
2000 [COMPILE] 0EBE
1F70 &R/W 0EBE
1F3E &I/O 0EBE
1F0A &DRV 0EBE
1EFD DRIVE2 0F21
1EF0 DRIVE1 0F21
1EA4 ERRMSG 0EBE
1E81 CALL 1E8A
1E62 &RWTS 1E6C
1DE1 LOAD 0EBE
1D8B MESSAGE 0EBE
1D79 .LINE OEBE
1D52 (LINE) OEBE
1CEE BLOCK 0EBE
1CCA EMPTY-BUFFERS OEBE
1CA2 FLUSH 0EBE
1C53 BUFFER 0EBE
1C43 DR0 0EBE
1C24 UPDATE OEBE
1BF8 +BUF
           0EBE
1BDA M/MOD 0EBE
1BCB */ OEBE
1BB7 */MOD 0EBE
1BA9 MOD 0EBE
1B9B / 0EBE
1B88 /MOD 0EBE
```

```
1B7C * 0EBE
1B55 M/ 0EBE
1B38 M* 0EBE
1B20 MAX OEBE
1B08 MIN OEBE
1AF9 DABS 0EBE
1AEB ABS OEBE
1AD9 D+- 0EBE
1AC8 +- 0EBE
1AB7 S->D 0EBE
1A71 COLD 1A7A
1A57 COLD1 0EBE
1A48 HOME 1A51
19EE ABORT OEBE
19BF QUIT OEBE
19B2 ( 0EBE
1998 DEFINITIONS OEBE
1986 FORTH 13DA
1951 VOCABULARY OEBE
193A IMMEDIATE OEBE
18EA INTERPRET OEBE
18B0 ?STACK OEBE
1893 DLITERAL OEBE
1877 LITERAL OEBE
17DB CREATE OEBE
17AA ID. OEBE
176F ERROR OEBE
175F (ABORT) 0EBE
171B -FIND 0EBE
16C4 NUMBER OEBE
1677 (NUMBER) OEBE
1629 WORD 0EBE
1618 PAD 0EBE
15FF HOLD 0EBE
15EE BLANKS OEBE
15DE ERASE OEBE
15C2
       0EBE
15A7 QUERY OEBE
14B6 EXPECT OEBE
1488 ." OEBE
146D (.") OEBE
1435 -TRAILING OEBE
140C TYPE 0EBE
13F8 COUNT OEBE
13C6 DOES> 0EBE
13B4 <BUILDS 0EBE
139E ; CODE 0EBE
1386 (; CODE) 0EBE
1371 DECIMAL OEBE
1360 HEX 0EBE
134C SMUDGE 0EBE
133D 1 0EBE
132F [ 0EBE
1313 COMPILE OEBE
12F9 ?LOADING OEBE
12E1 ?CSP 0EBE
12CD ?PAIRS 0EBE
12B8 ?EXEC OEBE
12A1 ?COMP OEBE
1286 ?ERROR 0EBE
1275 !CSP 0EBE
1262 PFA 0EBE
124D NFA OEBE
123F CFA OEBE
1230 LFA 0EBE
121D LATEST OEBE
```

```
11F7 TRAVERSE 0EBE
11DC U< 0EBE
11C9 -DUP 0EBE
11B9 SPACE OEBE
11AB ROT 0EBE
119F > 0EBE
1193 = 0EBE
1187 - 0EBE
1176 C, 0EBE
1166 , OEBE
1156 ALLOT OEBE
1147 HERE 0EBE
113A 2+ 0EBE
112D 1+ 0EBE
1120 DISKMAX OFA2
1116 SLOT 0FA2
110D HLD 0FA2
1105 R# 0FA2
10FC CSP 0FA2
10F3 FLD 0FA2
10EA DPL 0FA2
10E0 BASE 0FA2
10D5 STATE 0FA2
10C8 CURRENT 0FA2
10BB CONTEXT 0FA2
10AF OFFSET 0FA2
10A6 SCR 0FA2
109D OUT 0FA2
1095 IN 0FA2
108C BLK 0FA2
1083 C/L 0FA2
1079 PREV 0FA2
1070 USE 0FA2
1065 LIMIT OFA2
105A FIRST 0FA2
104C VOC-LINK 0FA2
1044 DP 0FA2
1039 FENCE OFA2
102C WARNING OFA2
1021 WIDTH OFA2
1018 TIB 0FA2
100F CV 0F05
1006 CH 0F05
OFF2 +ORIGIN OEBE
OFE6 B/SCR OF05
OFDA B/BUF OF05
0FD1 BL 0F05
0FC9 3 0F05
0FC1 2 0F05
0FB9 1 0F05
0FB1 0 0F05
0F95 USER 0EBE
0F73 2CONSTANT 0EBE
OF5F 2VARIABLE OEBE
0F46 2! 0F4D
0F2D 2@ 0F34
OF10 VARIABLE OEBE
0EF2 CONSTANT 0EBE
OEE5 EMIT OEBE
0ED3 ; 0EBE
0EA4 : 0EBE
0E7E BCALC 0E88
0E4D -TEXT 0E57
0E25 ROLL 0E2E
0E11 PICK 0E1A
ODF8 C! ODFF
```

0DE1 ! 0DE7 0DD1 C@ 0DD8

ODBD @ ODC3

0DA9 TOGGLE 0DB4

0D8C +! 0D93

0D7C DUP 0D84

0D63 SWAP 0D6C

OD5A DROP O9CA

ODJA DROF UJCE

0D49 OVER 0D52

0D30 DMINUS 0D3B

0D18 MINUS 0D22

0CF5 D+ 0CFC

0CDD + 0CE3

0CC0 < 0CC6

0CAE 0< 0CB5

0C99 0= 0CA0

0C84 R 0C8A

0C72 R> 0C79

0C60 >R 0C67

0C42 LEAVE 0C4C

0C32 ;S 0C39

0C1D RP! 0C25

0C0D SP! 0C15

OBFE SP@ OCO6

0BE8 XOR 0BF0

OBD3 OR OBDA

OBBD AND OBC5

0B81 U/ 0B88

0B49 U* 0B50

0B20 FILL 0B29

0AF7 CMOVE 0B02

OAEB KEYESC 1E54

0AE4 CR 1E4C

0AD6 ?TERMINAL 1E3A

OACE KEY 1E32

0AC3 (EMIT) 1E14

0A74 ENCLOSE 0A80

0A05 (FIND) 0A10

09D5 DIGIT 09DF

09CF I 0C8A

09B3 (DO) 09BC

0979 (+LOOP) 0985

094A (LOOP) 0955

0928 OBRANCH 0934

090A BRANCH 0915

08F1 EXECUTE 08FD

08D1 CLIT 08DA

0898 LIT 08A0