




OP IRON TIDE

OPERATION IRON TIDE

HAMMERFALL · 19 OCTOBER 2026 · 09:00 LOCAL

TIME HACK

MISSION BRIEFING · 01



START · LOCAL

09:00

PACKAGE FREQUENCY

305.000

THREAT

MEDIUM

OBJECTIVES 2 OBJECTIVES

☒ **GUARDIAN** SEAD: destroy the GUARDIAN SA-6 Site. Success when ['GUARDIAN SA-6 Straight Flush']% or fewer remain. Time limit 120 min.

☒ **DEPOT** STRIKE: destroy the GUDAUTA Fuel and Ammunition Depot. Time limit 120 min.

STRIKE PACKAGE 4 FLIGHTS · 8 AIRCRAFT

RAM 1	2 × FA-18C HORNET	SEAD	GUARDIAN	255.000
ROMAN 1	2 × FA-18C HORNET	STRIKE	DEPOT	256.000
SNAKE 1	2 × FA-18C HORNET	SEAD	GUARDIAN	257.000
CHECK 1	2 × FA-18C HORNET	STRIKE	DEPOT	258.000

WX CVN-71 190500Z /////KT 9999 SCT089 15/// Q1016 – built from the mission weather, not a real report



OP IRON TIDE
TIMELINE

OP IRON TIDE · HAMMERFALL


TIME HACK

—:—:—

TIMELINE · 02

MISSION TIMELINE

MINUTES FROM MISSION START · ETAS AT 800 KM/H



KEY EVENTS

T+10 VIPER CAP (MiG-29S) launches from Gudauta



OP IRON TIDE


SITUATION

OP IRON TIDE · HAMMERFALL · 19 OCTOBER 2026

TIME HACK

SITAC · 03

SITUATION MAP



SITUATION LOG

- 01** An SA-6 battery, the GUARDIAN SA-6 Site, guards the airfield from the hills at 43°08'55"N 40°37'34"E (3 nm bearing 045 from Gudauta airfield). While its Straight Flush radar is up, nothing gets near Gudauta.
- 02** The GUDAUTA Fuel and Ammunition Depot sits just north of the runway at 43°08'05"N 40°34'58"E (1 nm bearing 020 from Gudauta airfield); fuel bowzers and ammunition trucks that keep the MiGs and the coastal units supplied.
- 03** Kill the radar and the airfield is open. Burn the depot and the NCF cannot rearm for another push.

BACKGROUND

Operation IRON TIDE, Day 2. 19 October 2026, 09:00 local. Yesterday CTF-61 went after the NCF offensive at sea and on the road to Kutaisi (BREAKWATER). Today we take the fight to the airfield it came from. Gudauta is the NCF's forward base on the coast: its MiG-29s, its fuel and its ammunition all stage there.




OP IRON TIDE

THREAT SUMMARY

OP IRON TIDE · HAMMERFALL · TRUE BEARINGS FROM CVN-71 THEODORE ROOS



THREAT · 04



TRUE BRG/DIST FROM CVN-71 THEODORE ROOSEVEL · DASHED = THREAT RANGE

OBJ GUARDIAN

SAM SA-6 KUB

- 1 "STRAIGHT FLUSH" 340°/62 13 nm
STR, 3× SAM SA-6 KUB
"GAINFUL" TEL

OBJ DEPOT

- 2 2× REFUELER ATZ-10, 2× TRUCK URAL-4320 338°/62 air

SAM GUDAUTA Point Defence

- 3 SAM SA-8 OSA "GECKO" 338°/60 6 nm
TEL, SPAAA ZSU-23-4
SHILKA "GUN DISH"

- 4 VIPER CAP (MiG-29S) 348°/41 air
2× MIG-29S

SAM
5
13 NM

OTHER
4
—

AAA
1
1 NM

AIR
2
—

ENEMY AIR · VIPER CAP (MIG-29S)

2 × MiG-29S from Gudauta, launch ≈T+10.

CAP 42°50'19"N 40°52'54"E · ALT 23,000 FT

Longest-range air defence: SAM SA-6 Kub "Gainful" TEL, about 13 nm (pydcs threat range).

OVERALL · MEDIUM



OP IRON TIDE RECOGNITION

OP IRON TIDE · HAMMERFALL · 8 UNIT TYPES

TIME HACK

RECOGNITION · 05

RECOGNITION

◆ HOSTILE · - FRIENDLY · • OWN AIRCRAFT · PICTURES FROM DCS



◆ MIG-29S

×2



◆ REFUELER ATZ-10

×2



◆ SAM SA-6 KUB "GAINFUL" TEL

×3



◆ SAM SA-6 KUB "STRAIGHT FLUSH" STR

×1



◆ SAM SA-8 OSA "GECKO" TEL

×1




◆ SPAAA ZSU-23-4 SHILKA "GUN DISH"

×1



◆ TRUCK URAL-4320

×2



○ FA-18C HORNET

×8



OP IRON TIDE

COMMAND & SIGNAL

OP IRON TIDE · HAMMERFALL · COMM LADDER IN ORDER OF USE

TIME HACK

COMMS · 06

OWN FREQUENCY

COMM1 CH1 · PER FLIGHT

RAM 1

AM

255.000

CH 1

ROMAN 1

AM

256.000

CH 1

SNAKE 1

AM

257.000

CH 1

CHECK 1

AM

258.000

CH 1

CARRIER — DEPARTURE & RECOVERY

TOWER / MARSHAL

5

309.500

AM

CVN-71 Theodore Roosevelt tower / marshal

6

310.500

AM

CVN-74 John C. Stennis tower / marshal

PACKAGE & TACTICAL

PUSH · CHECK-IN · TANKER

2

305.000

AM

IRON TIDE common — push / package

3

264.000

AM

AWACS Overlord 1 — check-in

4

265.000

AM

Texaco 1 — tanker

PRESET PANEL

COMM1 / COMM2

CH 1

OWN

FLIGHT — SEE ABOVE

CH 2

305.000

IRON TIDE COMMON

CH 3

264.000

OVERLORD 1

CH 4

265.000

TEXACO 1

CH 5

309.500

CVN-71 THEODORE
ROOSEVELT

CH 6

310.500

CVN-74 JOHN C.
STENNIS

CH 7

262.000

KOBULETI ATC

CH 8

260.000

BATUMI ATC

CH 9

261.000

SENAKI-KOLKHI ATC

NAVAIDS

TACAN · ICLS · LINK 4

CVN-71 THEODORE ROOSEVELT

TCN 71X TDR

ICLS 11 · L4 336.000

CVN-74 JOHN C. STENNIS

TCN 74X STN

ICLS 1 · L4 331.000

TEXACO 1

TCN 41Y TEX

BULLSEYE

NOT SET FOR THIS MISSION



OP IRON TIDE

CREW · ORDER OF BATTLE

OP IRON TIDE · HAMMERFALL



CREW · 07

ORDER OF BATTLE READ AND INITIAL BEFORE STEP

OP IRON TIDE · OP IRON TIDE

CVN-71 THEODORE ROOSEVELT

RAM 1 2 × FA-18C HORNET SEAD · GUARDIAN 255.000	RAM 1-1		INIT
	RAM 1-2		INIT

ROMAN 1 2 × FA-18C HORNET STRIKE · DEPOT 256.000	ROMAN 1-1		INIT
	ROMAN 1-2		INIT

CVN-74 JOHN C. STENNIS

SNAKE 1 2 × FA-18C HORNET SEAD · GUARDIAN 257.000	SNAKE 1-1		INIT
	SNAKE 1-2		INIT

CHECK 1 2 × FA-18C HORNET STRIKE · DEPOT 258.000	CHECK 1-1		INIT
	CHECK 1-2		INIT



OP IRON TIDE
LINEUP · RAM 1
 OP IRON TIDE · SEAD - GUARDIAN



LINEUP · RAM 1 · 08




RAM 1


2 × **FA-18C HORNET**
 FLIGHT FREQ **255.000**

SEAD

ROUTE · LEG TRUE BEARING / DISTANCE · ETA MIN FROM START



ALTITUDE PROFILE



CREW

RAM 1-1 _____

RAM 1-2 _____

OBJECTIVE

SEAD: destroy the GUARDIAN SA-6 Site.
 Success when ['GUARDIAN SA-6 Straight Flush']% or fewer remain.
 Time limit 120 min.

JOKER / BINGO

— / —

DIVERT

KOBULETI

LASER

—

MOTHER / HOME **CVN-71 Theodore Roosevelt** · TCN 71X TDR · ICLS 11

RECOVERY **CASE I** · ACLS ON

PHASES Start: HOT · ground ops · departure · en route: STANDARD



OP IRON TIDE

EXECUTION · RAM 1

OP IRON TIDE · SEAD · GUARDIAN · THREAT LEVEL HIGH

TIME HACK



EXECUTION · RAM 1 · 09

01 Launch from CVN-71 Theodore Roosevelt

a) Flight frequency 255.000

b) Check in on IRON TIDE common 305.000

c) AWACS Overlord 1 264.000

02 WP1 PUSH - push at 20,000 ft

03 WP2 IP COPPER - IP, target 020°/16 nm

a) Attack altitude 14,800 ft

04 WP3 TGT GUARDIAN - attack GUARDIAN

a) Prio #1: SAM SA-6 Kub "Gainful" TEL, SAM SA-6 Kub "Straight Flush" STR (air defence)

05 WP4 MOTHER - recover CVN-71 Theodore Roosevelt, Case I

a) Tower / Marshal 309.500

b) TACAN 71X TDR, ICLS 11

c) ACLS available (see carrier page)

d) Divert Kobuleti



FA-18C HORNET

2x AIM-9X Sidewinder IR AAM

4x AGM-88C HARM - High Speed Anti-Radiation Missile

2x AIM-120C AMRAAM - Active Radar AAM

— FPU-8A Fuel Tank 330 gallons

TACTICAL NOTES

THREAT LEVEL HIGH



Target defence: SAM SA-6 Kub "Gainful" TEL, range about 13 nm - stay outside it or kill it first.



SAM SA-8 Osa "Gecko" TEL (SAM GUDAUTA Point Defence): range about 6 nm; the route passes 0 nm from it - INSIDE its envelope.



SPAAA ZSU-23-4 Shilka "Gun Dish" (SAM GUDAUTA Point Defence): range about 1 nm; the route passes 0 nm from it - INSIDE its envelope.



Enemy air: 2x MiG-29S (VIPER CAP (MiG-29S)) from Gudauta, launch about T+10 min, CAP near 42°50'19"N 40°52'54"E.



OP IRON TIDE
LINEUP · ROMAN 1
 OP IRON TIDE · STRIKE - DEPOT




LINEUP · ROMAN 1 · 10

ROMAN 1

2 × **FA-18C HORNET**
 FLIGHT FREQ **256.000**

STRIKE



CREW ROMAN 1-1 ROMAN 1-2	OBJECTIVE STRIKE: destroy the GUDAUTA Fuel and Ammunition Depot. Time limit 120 min.	JOKER / BINGO — / —
	DIVERT SENAKI-KOLKHI	
	LASER —	

MOTHER / HOME **CVN-71 Theodore Roosevelt** · TCN 71X TDR · ICLS 11

RECOVERY **CASE I** · ACLS ON

PHASES Start: HOT · ground ops · departure · en route: STANDARD



OP IRON TIDE

EXECUTION · ROMAN 1

OP IRON TIDE · STRIKE · DEPOT · THREAT LEVEL HIGH

TIME HACK

EXECUTION · ROMAN 1 · 11

01 Launch from CVN-71 Theodore Roosevelt

a) Flight frequency 256.000

b) Check in on IRON TIDE common 305.000

c) AWACS Overlord 1 264.000

02 WP1 PUSH - push at 20,000 ft

03 WP2 IP COPPER - IP, target 020°/16 nm

a) Attack altitude 14,800 ft

04 WP3 TGT DEPOT - attack DEPOT

a) Prio #1: Refueler ATZ-10, Truck Ural-4320

05 WP4 MOTHER - recover CVN-71 Theodore Roosevelt, Case I

a) Tower / Marshal 309.500

b) TACAN 71X TDR, ICLS 11

c) ACLS available (see carrier page)

d) Divert Senaki-Kolkhi



FA-18C HORNET

2x AIM-9X Sidewinder IR AAM

2x LAU-117 - AGM-65E - Maverick E
(Laser ASM - Lg Whd)2x BRU-33 with 2 x GBU-12 - 500lb Laser
Guided Bomb

— AN/AAQ-28 LITENING - Targeting Pod

— FPU-8A Fuel Tank 330 gallons

— AIM-120C AMRAAM - Active Radar
AAM

TACTICAL NOTES

THREAT LEVEL HIGH

SAM SA-6 Kub "Gainful" TEL (GUARDIAN): range about 13 nm; the route passes 2 nm from it -
INSIDE its envelope.SAM SA-8 Osa "Gecko" TEL (SAM GUDAUTA Point Defence): range about 6 nm; the route passes 1
nm from it - INSIDE its envelope.SPAAA ZSU-23-4 Shilka "Gun Dish" (SAM GUDAUTA Point Defence): range about 1 nm; the route
passes 1 nm from it - INSIDE its envelope.Enemy air: 2x MiG-29S (VIPER CAP (MiG-29S)) from Gudauta, launch about T+10 min, CAP near
42°50'19"N 40°52'54"E.



OP IRON TIDE

LINEUP · SNAKE 1

OP IRON TIDE · SEAD - GUARDIAN

TIME HACK



LINEUP · SNAKE 1 · 12




SNAKE 1


2 × FA-18C HORNET
FLIGHT FREQ 257.000

SEAD

ROUTE · LEG TRUE BEARING / DISTANCE · ETA MIN FROM START



ALTITUDE PROFILE



CREW

SNAKE 1-1

SNAKE 1-2

OBJECTIVE

SEAD: destroy the
GUARDIAN SA-6 Site.
Success when
['GUARDIAN SA-6 Straight
Flush']% or fewer remain.
Time limit 120 min.

JOKER / BINGO

— / —

DIVERT

KOBULETI

LASER

—

MOTHER / HOME CVN-74 John C. Stennis · TCN 74X STN · ICLS 1

RECOVERY CASE I · ACLS OFF

PHASES Start: HOT · ground ops · departure · en route: STANDARD



OP IRON TIDE

EXECUTION · SNAKE 1

OP IRON TIDE · SEAD · GUARDIAN · THREAT LEVEL HIGH

TIME HACK



EXECUTION · SNAKE 1 · 13

01 Launch from CVN-74 John C. Stennis

a) Flight frequency 257.000

b) Check in on IRON TIDE common 305.000

c) AWACS Overlord 1 264.000

02 WP1 PUSH - push at 20,000 ft

03 WP2 IP COPPER - IP, target 020°/16 nm

a) Attack altitude 14,800 ft

04 WP3 TGT GUARDIAN - attack GUARDIAN

a) Prio #1: SAM SA-6 Kub "Gainful" TEL, SAM SA-6 Kub "Straight Flush" STR (air defence)

05 WP4 MOTHER - recover CVN-74 John C. Stennis, Case I

a) Tower / Marshal 310.500

b) TACAN 74X STN, ICLS 1

c) Divert Kobuleti



FA-18C HORNET

2x AIM-9X Sidewinder IR AAM

4x AGM-88C HARM - High Speed Anti-Radiation Missile

2x AIM-120C AMRAAM - Active Radar AAM

— FPU-8A Fuel Tank 330 gallons

TACTICAL NOTES

THREAT LEVEL HIGH



Target defence: SAM SA-6 Kub "Gainful" TEL, range about 13 nm - stay outside it or kill it first.



SAM SA-8 Osa "Gecko" TEL (SAM GUDAUTA Point Defence): range about 6 nm; the route passes 0 nm from it - INSIDE its envelope.



SPAAA ZSU-23-4 Shilka "Gun Dish" (SAM GUDAUTA Point Defence): range about 1 nm; the route passes 0 nm from it - INSIDE its envelope.



Enemy air: 2x MiG-29S (VIPER CAP (MiG-29S)) from Gudauta, launch about T+10 min, CAP near 42°50'19"N 40°52'54"E.




CHECK 1


2 × **FA-18C HORNET**
 FLIGHT FREQ **258.000**

STRIKE

ROUTE · LEG TRUE BEARING / DISTANCE · ETA MIN FROM START



ALTITUDE PROFILE



CREW _____
CHECK 1-1 _____

CHECK 1-2 _____

OBJECTIVE
 STRIKE: destroy the
 GUDAUTA Fuel and
 Ammunition Depot. Time
 limit 120 min.

JOKER / BINGO
 — / —

DIVERT
SENAKI-KOLKHI

LASER
 —

MOTHER / HOME **CVN-74 John C. Stennis** · TCN 74X STN · ICLS 1

RECOVERY **CASE I** · ACLS OFF

PHASES Start: HOT · ground ops · departure · en route: STANDARD



OP IRON TIDE

EXECUTION · CHECK 1

OP IRON TIDE · STRIKE · DEPOT · THREAT LEVEL HIGH

TIME HACK



EXECUTION · CHECK 1 · 15

01 Launch from CVN-74 John C. Stennis

a) Flight frequency 258.000

b) Check in on IRON TIDE common 305.000

c) AWACS Overlord 1 264.000

02 WP1 PUSH - push at 20,000 ft

03 WP2 IP COPPER - IP, target 020°/16 nm

a) Attack altitude 14,800 ft

04 WP3 TGT DEPOT - attack DEPOT

a) Prio #1: Refueler ATZ-10, Truck Ural-4320

05 WP4 MOTHER - recover CVN-74 John C. Stennis, Case I

a) Tower / Marshal 310.500

b) TACAN 74X STN, ICLS 1

c) Divert Senaki-Kolkhi



FA-18C HORNET

2x AIM-9X Sidewinder IR AAM

2x LAU-117 - AGM-65E - Maverick E
(Laser ASM - Lg Whd)2x BRU-33 with 2 x GBU-12 - 500lb Laser
Guided Bomb

— AN/AAQ-28 LITENING - Targeting Pod

— FPU-8A Fuel Tank 330 gallons

— AIM-120C AMRAAM - Active Radar
AAM

TACTICAL NOTES

THREAT LEVEL HIGH

SAM SA-6 Kub "Gainful" TEL (GUARDIAN): range about 13 nm; the route passes 2 nm from it -
INSIDE its envelope.SAM SA-8 Osa "Gecko" TEL (SAM GUDAUTA Point Defence): range about 6 nm; the route passes 1
nm from it - INSIDE its envelope.SPAAA ZSU-23-4 Shilka "Gun Dish" (SAM GUDAUTA Point Defence): range about 1 nm; the route
passes 1 nm from it - INSIDE its envelope.Enemy air: 2x MiG-29S (VIPER CAP (MiG-29S)) from Gudauta, launch about T+10 min, CAP near
42°50'19"N 40°52'54"E.

WW-M2-IRON-TIDE-HAMMERFALL-2026

17 NATO SECRET



CAS CHECK-IN

1 MISSION	2 NO./TYPE	3 POS/ALT	4 ORDNANCE	5 PLAY	6 CAPAB.	7 ABORT
Ram 1	2x FA-18C hornet	IP COPPER, 20,000 ft	2x AIM-9X Sidewinder IR AAM; 4x AGM-88C HARM - High Speed Anti-Radiation Missile...	___	—	___
Snake 1	2x FA-18C hornet	IP COPPER, 20,000 ft	2x AIM-9X Sidewinder IR AAM; 4x AGM-88C HARM - High Speed Anti-Radiation Missile...	___	—	___

9-LINE · GUARDIAN

9-LINE OBJ GUARDIAN
OP IRON TIDE | HAMMERFALL - GUARDIAN SA-6 Site

1 IP	IP COPPER
2 HDG	020°T (true)
3 DIST	16 nm
4 ELEV	376 ft MSL
5 DESC	1x Kub 1S91 str, 3x Kub 2P25 1n
6 LOC	43°08'55"N 40°37'34"E
7 MARK	none
8 FRND	-
9 EGRS	MOTHER 172°T

REMARKS

- Air defence in the target group: threat ring 13 nm (pydcs threat_range).
- SAM POINTDEF 2 nm S of target.
- Flights: Ram 1, Snake 1
- Headings are TRUE (pydcs has no magnetic variation) - UNVERIFIED offset to magnetic.

READ
BACK

Lines 4, 6 and any restrictions. Headings TRUE (pydcs has no magnetic variation).



OP IRON TIDE

TARGET · DEPOT

OP IRON TIDE · GUDAUTA FUEL AND AMMUNITION DEPOT

TIME HACK

— : — : —

TARGET · DEPOT · 18

TARGET AREA · DEPOT

PRIMARY

OP IRON TIDE | HAMMERFALL
TARGET AREA - OBJ DEPOT (GUDAUTA Fuel and Ammunition Depot)

9-LINE (summary)
1 IP IP COPPER
2 HDG 020°T (true)
3 DIST 16 nm
4 ELEV 125 ft MSL
5 DESC 2x ATZ-10, 2x Ural-375
6 LOC 43°08'05"N 40°34'58"E
7 MARK none
8 FORD
9 EGRS ROTHER 170°T

TARGET RECOGNITION

2x ATZ-10

2x Ural-375

5 nm

terrain: DCS 2.9.30.28718 heightmap hillshade - generated from the mission spec

OBJECTIVE

STRIKE: destroy the GUDAUTA Fuel and Ammunition Depot. Time limit 120 min.

ASSIGNED

ROMAN 1256.000STRIKE

CHECK 1258.000STRIKE

DEFENCE NET · PYDCS RANGE

Refueler ATZ-10 x2

Truck Ural-4320 x2

SUCCESS

Time limit 120 min.





OP IRON TIDE

CAS · DEPOT

OP IRON TIDE · GUDAUTA FUEL AND AMMUNITION DEPOT

TIME HACK

:

:

CAS · DEPOT · 19

CAS CHECK-IN

JP 3-09.3 ORDER

1 MISSION	2 NO./TYPE	3 POS/ALT	4 ORDNANCE	5 PLAY	6 CAPAB.	7 ABORT
Roman 1	2x FA-18C hornet	IP COPPER, 20,000 ft	2x AIM-9X Sidewinder IR AAM; 2x LAU-117 - AGM-65E - Maverick E (Laser ASM - Lg W...	___	—	___
Check 1	2x FA-18C hornet	IP COPPER, 20,000 ft	2x AIM-9X Sidewinder IR AAM; 2x LAU-117 - AGM-65E - Maverick E (Laser ASM - Lg W...	___	—	___

9-LINE · DEPOT

9-LINE OBJ DEPOT

OP IRON TIDE | HAMMERFALL - GUDAUTA Fuel and Ammunition Depot

1 IP	IP COPPER
2 HDG	020°T (true)
3 DIST	16 nm
4 ELEV	125 ft MSL
5 DESC	2x ATZ-10, 2x Ural-375
6 LOC	43°08'05"N 40°34'58"E
7 MARK	none
8 FRND	-
9 EGRS	MOTHER 170°T

REMARKS

- SAM POINTDEF 2 nm SE of target.
- Flights: Roman 1, Check 1
- Headings are TRUE (pydcs has no magnetic variation) - UNVERIFIED offset to magnetic.

READ
BACK

Lines 4, 6 and any restrictions. Headings TRUE (pydcs has no magnetic variation).



OP IRON TIDE

RECOVERY · CVN-71 Theodore Roosev...

OP IRON TIDE · CASE I

TIME HACK

RECOVERY · 20

TACAN

71X TDR

ICLS

ch 11

LINK 4

336.000

TOWER / MARSHAL

309.500 AM

BRC

320

SPEED

20 kt

CASE (BRIEFED) I

ACLS ON

LIGHT AT START day (sunrise 07:33)

START POSITION 42°09'24"N 40°58'50"E

RECOVERY CARD

CVN-71 Theodore Roosevelt (CVN_71)
 TACAN 71X TDR ICLS ch 11 Link 4 336.000
 Tower / Marshal 309.500 BRC 320
 Light at start: day (sun 14.2 deg, sunrise 07:33)
 Briefed case I - DCS likely runs Case I
 ACLS (auto landing): ON

CASE III WITH ACLS (F/A-18C)

- 1 Marshal check-in: gives the case, final bearing and your marshal
- 2 'Commencing' when pushed; switch to Approach when told
- 3 Call 'platform' when asked - the ACLS page then shows CMD speed / ALT
- 4 UFC ILS ch 11; AMPCD VEC then L4 (Link 4) - page shows ACL 1
- 5 By 10 nm: gear, flaps FULL, hook; then ATC on (needs gear down)
- 6 Inside 6 nm: stick centred, hands off, press A/P CPL until COUPLED shows a colon. Do not fly it - that breaks the couple

Source: DCS Weekend Warrior live tests 2026-09 (ACL 1 lock confirmed; full coupled trap not yet confirmed by automation).



TACAN
74X STN

ICLS
ch 1

LINK 4
331.000

TOWER / MARSHAL
310.500 AM

BRC
320

SPEED
20 kt

CASE (BRIEFED) I

ACLS OFF

LIGHT AT START day (sunrise 07:33)

START POSITION 42°06'36"N 40°52'41"E

RECOVERY CARD

CVN-74 John C. Stennis (Stennis)
TACAN 74X STN ICLS ch 1 Link 4 331.000
Tower / Marshal 310.500 BRC 320
Light at start: day (sun 14.2 deg, sunrise 07:33)
Briefed case I - DCS likely runs Case I
ACLS (auto landing): OFF - not on this hull

CASE III BY HAND
ICLS ch 1 needles + TACAN 74X; Marshal gives final bearing



OP IRON TIDE

RECOVERY · Kobuleti

OP IRON TIDE · RWY PER ATC

TIME HACK

—:—:—

RECOVERY · 22

RUNWAYS
25-07

RUNWAY IN USE
per ATC

ATC UHF
262.000 AM

TACAN
67X KBL

ILS RWY 07
111.50 IKB

ATC VHF HIGH
133.000 AM


ATC VHF LOW 40.800 AM

ATC HF 4.350 AM

ELEVATION 59 ft (heightmap)

POSITION 41°55'48"N 41°51'48"E

ICAO UG5X





OP IRON TIDE

RECOVERY · Senaki-Kolkhi

OP IRON TIDE · RWY PER ATC

TIME HACK

---:---:---

RECOVERY · 23

RUNWAYS

27-09

RUNWAY IN USE

per ATC

ATC UHF

261.000 AM

TACAN

31X TSK

ILS RWY 09

108.90 ITS

ATC VHF HIGH

132.000 AM

ATC VHF LOW

40.600 AM

ATC HF

4.300 AM

ELEVATION

43 ft (heightmap)

POSITION

42°14'27"N 42°02'53"E

ICAO

UGKS





OP IRON TIDE

WHAT-IFS

OP IRON TIDE · HAMMERFALL

TIME HACK

WHAT-IFS · 24**WHAT-IFS**

TRIGGER → ACTION

PLAN · OP IRON TIDE AS BRIEFED**IF · AIR DEFENCE UP**

Longest-range air defence: SAM SA-6 Kub "Gainful" TEL, about 13 nm (pydcs threat range).

ABORT ATTACK

Leave the threat ring; re-attack only on the flight lead's call.

IF · ENEMY AIR

VIPER CAP (MiG-29S): 2 × MiG-29S, launch ≈T+10.

DEFEND / COMMIT

Strikers stay low and fast; escorts commit on the lead's call. Call Overlord 1 on 264.000.

IF · BINGO FUEL

Fuel at the briefed bingo.

RTB / DIVERT

Knock it off and recover direct; divert Kobuleti (262.000), Senaki-Kolkhi (261.000).

IF · LOST COMMS

No contact on the flight frequency.

FLY THE PLAN

Fly the route ladder; try IRON TIDE common 305.000, then guard; rejoin at the next waypoint.

IF · LOST WINGMAN

Visual and radar contact lost.

SEPARATE

Separate in altitude, call it, rejoin at the next briefed waypoint.

IF · HUNG / NO RELEASE

A store will not release.

HOLD IT

Do not overfly friendlies; recover as briefed.