



NOMINATIONS

USE CASES AND SCENARIOS

Legend

Keywords: Given, When, Then, And, If (to add conditionals), Each time, # (for comments)

Information Technology Center, Aristotle University of Thessaloniki | edssi@it.auth.gr

Updated on 2025/03/29 by EWP technical team | ewp-tech@lists.erasmuswithoutpaper.eu

Table of Contents

From the spec	3
Implemented by the Sending institution	3
Implemented by the Receiving institution	3
Scenarios	4
Scenario 1 Receiving accepts Nomination (Sending in Dashboard)	4
Scenario 2 Receiving rejects Nomination (Sending in Dashboard)	6
Scenario 3 Receiving accepts Nomination (Receiving in Dashboard)	7
Scenario 4 Receiving rejects Nomination (Receiving in Dashboard)	9
Examples	10

From the spec

Implemented by the Sending institution

1. Incoming Mobility CNR API

allows the sending HEI to be notified whenever incoming mobilities kept on their partner institutions' servers are changed.

(a) response (params: omobility_id*)

2. Outgoing Mobilities API

allows the receiving HEI to read, write and enumerate mobilities stored on the sending HEI's servers.

(a) index (params: receiving_academic_year_id, modified_since, global_id, activity_attributes)

(b) get (params: omobility_id*)

- ewp-status: pending | approved | rejected | cancelled

(c) update

Implemented by the Receiving institution

1. Incoming Mobilities API

allows the sending HEI to read the receiving HEI's **part** of the information related to the sending HEIs outgoing mobilities.

(a) get (params: omobility_id*)

2. Outgoing Mobility CNR API

allows the receiving HEI to be notified whenever mobilities kept on their partner institutions' servers are changed

(a) response (params: omobility_id*)

Scenarios

Scenario 1 Receiving approves Nomination (Sending in Dashboard)

Sending HEI A: Dashboard-ErasmusAPP		Receiving HEI B
Given that A represents the Sending HEI And a new Application is created by the Student in the ErasmusAPP And A nominates the Student for a mobility in HEI B via Dashboard When the Student accepts the Nomination to HEI B Then A sends a CNR And A waits for a CNR Response When A receives a CNR Response from B Then A is sure that B received the CNR When A receives a GET omobility Request from B Then A prepares the GET omobility Response And A sends the (Ex-1) GET omobility Response to B (status = <i>pending</i>) When A receives an UPDATE omobility Request from B Then A makes sure that B has not violated any rules Then A responds to an UPDATE omobility Request to B When A receives (Ex-2) UPDATE omobility Request from B Then A sets the status of omobility to <i>approved</i> Then A sends a CNR And A waits for a CNR Response	>omobilities CNR <omobilities CNR Response <omobilities GET >omobilities GET Response <omobilities UPDATE >omobilities UPDATE Response >omobilities CNR <omobilities CNR Response	Given that B represents the Receiving HEI B When B receives a omobilites CNR from A Then B sends a CNR Response to A Then B sends a GET omobility Request to A And B waits for a response to the GET request When B receives GET omobility Response from A Then B informs the local users about pending nomination to be considered When B decides to approve the Nomination for Student Then B sends the (Ex-2) UPDATE omobility Request to A And B waits for a response to the UPDATE request When B receives a omobilites CNR from A Then B sends a CNR Response to A

When A wants to cancel the Nomination Then A sets the status of omobility to <i>cancelled</i> And A sends a CNR And A waits for a CNR Response When A receives a CNR Response from B Then A is sure that B received the CNR When A receives a GET omobilities Request from B Then A prepares the GET omobilities Response And A sends the (Ex-3) GET omobilities Response to B (status = <i>cancelled</i>)	>omobilities CNR <omobilities CNR Response <omobilities GET >omobilities GET Response	When B receives a omobilites CNR from A Then B sends a omobilites CNR Response to A Then B sends a GET omobilities Request to A And B waits for a response to the GET request When B receives GET omobilities Response from A Then B knows that the Nomination is cancelled
--	---	---

Scenario 2 Receiving rejects Nomination (Sending in Dashboard)

Sending HEI A: Dashboard-ErasmusAPP		Receiving HEI B
Given that A represents the Sending HEI And a new Application is created by the Student Student in the ErasmusAPP And A nominates the Student for a mobility in HEI B via Dashboard When the Student accepts the Nomination to HEI B Then A sends a CNR And A waits for a CNR Response When A receives a CNR Response from B Then A is sure that B received the CNR When A receives a GET omobility Request from B Then A prepares the GET omobility Response And A sends the (Ex-1) GET omobility Response to B (status = <i>pending</i>)	>omobilities CNR <omobilities CNR Response <omobilities GET >omobilities GET Response <omobilities UPDATE	Given that B represents the Receiving HEI B When B receives a omobilites CNR from A Then B sends a CNR Response to A Then B sends a GET omobility Request to A And B waits for a response to the GET request When B receives GET omobility Response from A Then B informs the local users about pending nomination to be considered
When A receives an UPDATE omobility Request from B Then A makes sure that B has not violated any rules Then A responds to an UPDATE omobility Request to B When A receives (Ex-4) UPDATE omobility Request from B Then A sets the status of omobility to <i>rejected</i> Then A sends a CNR And A waits for a CNR Response	>omobilities UPDATE Response >omobilities CNR <omobilities CNR Response	When B decides to rejects the Nomination for Student Then B sends the (Ex-4) UPDATE omobility Request to A And B waits for a response to the UPDATE request When B receives a omobilites CNR from A Then B sends a CNR Response to A
HEI A didn't meet the requirements of HEI A HEI A may now nominate the student for another HEI C		

Scenario 3 Receiving approves Nomination (Receiving in Dashboard)

Sending HEI A: Dashboard-ErasmusAPP		Receiving HEI B: Dashboard-ErasmusAPP
Given that A represents the Sending HEI And A nominates the Student for a mobility in HEI When the Student accepts the Nomination to HEI B Then A sends a CNR And A waits for a CNR Response When A receives a CNR Response from B Then A is sure that B received the CNR When A receives a GET omobility Request from B Then A prepares the GET omobility Response And A sends the (Ex-1) GET omobility Response to B (status = <i>pending</i>) When A receives an UPDATE omobility Request from B Then A makes sure that B has not violated any rules Then A responds to an UPDATE omobility Request to B When A receives (Ex-2) UPDATE omobility Request from B Then A sets the status of omobility to <i>approved</i> Then A sends a CNR And A waits for a CNR Response	>omobilities CNR <omobilities CNR Response <omobilities GET >omobilities GET Response <omobilities UPDATE >omobilities UPDATE Response >omobilities CNR <omobilities CNR Response	Given that B represents the Receiving HEI B (Dashboard /ErasmusAPP) When B receives a omobilites CNR from A Then B sends a CNR Response to A Then B sends a GET omobility Request to A And B waits for a response to the GET request When B receives GET omobility Response from A Then B informs the local users about pending nomination to be considered When B decides to approve the Nomination for Student Then B sends the (Ex-2) UPDATE omobility Request to A And B waits for a response to the UPDATE request When B receives a omobilites CNR from A Then B sends a CNR Response to A

When A wants to cancel the Nomination Then A sets the status of omobility to <i>cancelled</i> And A sends a CNR And A waits for a CNR Response When A receives a CNR Response from B Then A is sure that B received the CNR When A receives a GET omobilities Request from B Then A prepares the GET omobilities Response And A sends the (Ex-3) GET omobilities Response to B (status = <i>cancelled</i>)	>omobilities CNR <omobilities CNR Response <omobilities GET >omobilities GET Response	When B receives a omobilites CNR from A Then B sends a omobilites CNR Response to A Then B sends a GET omobilities Request to A And B waits for a response to the GET request When B receives GET omobilities Response from A Then B knows that the Nomination is cancelled
--	---	---

Scenario 4 Receiving rejects Nomination (Receiving in Dashboard)

Sending HEI A: Dashboard-ErasmusAPP		Receiving HEI B
Given that A represents the Sending HEI And A nominates the Student for a mobility in HEI When the Student accepts the Nomination to HEI B Then A sends a CNR And A waits for a CNR Response When A receives a CNR Response from B Then A is sure that B received the CNR	>omobilities CNR <omobilities CNR Response	Given that B represents the Receiving HEI B (Dashboard /ErasmusAPP) When B receives a omobilites CNR from A Then B sends a CNR Response to A
When A receives a GET omobility Request from B Then A prepares the GET omobility Response And A sends the (Ex-1) GET omobility Response to B (status = <i>pending</i>)	<omobilities GET >omobilities GET Response	Then B sends a GET omobility Request to A And B waits for a response to the GET request When B receives GET omobility Response from A Then B informs the local users about pending nomination to be considered
When A receives an UPDATE omobility Request from B Then A makes sure that B has not violated any rules Then A responds to an UPDATE omobility Request to B	<omobilities UPDATE >omobilities UPDATE Response	When B decides to rejects the Nomination for Student Then B sends the (Ex-4) UPDATE omobility Request to A And B waits for a response to the UPDATE request
When A receives (Ex-4) UPDATE omobility Request from B Then A sets the status of omobility to <i>rejected</i> Then A sends a CNR And A waits for a CNR Response	>omobilities CNR <omobilities CNR Response	When B receives a omobilites CNR from A Then B sends a CNR Response to A
HEI A didn't meet the requirements of HEI A HEI A may now nominate the student for another HEI C		

Examples

Ex 1 Omobilities GET Response (pending)

```
<omobilities-get-response>
  <student-mobility proposal-id="AE61266750D019063512516C7EE01968012C81F25A89">
    <omobility-id>c442c289-5541-4cae-9edb-8ad83e133</omobility-id>
    <sending-hei>
      <hei-id>example_a.edu</hei-id>
      <ounit-id>1234</ounit-id>
      <iia-id>dd87538e-49e3-44ae-844e-55ad1b819ce9</iia-id>
    </sending-hei>
    <receiving-hei>
      <hei-id>example_b.edu</hei-id>
      <ounit-id>5653486D98511E16E0530B501E0A4594</ounit-id>
      <iia-id>549117543-498-2093-121212-c4</iia-id>
    </receiving-hei>
    <sending-academic-term-ewp-id>2022/2023-2/2</sending-academic-term-ewp-id>
    <receiving-academic-year-id>2022/2023</receiving-academic-year-id>
    <student>
      <given-names>Nalty</given-names>
      <family-name>Patel</family-name>
      <global-id>urn:schac:personalUniqueCode:int:esi:uio:no:85525839</global-id>
      <birth-date>1985-05-05</birth-date>
      <nationality>NO</nationality>
      <gender>1</gender>
      <email>nalty@example_a.edu</email>
    </student>
    <status>pending</status>
    <activity-type>student-studies</activity-type>
    <activity-attributes>long-term</activity-attributes>
    <agreement-isced-f-code>0215</agreement-isced-f-code>
    <eqf-level-studied-at-departure>7</eqf-level-studied-at-departure>
    <nominee-isced-f-code>0215</nominee-isced-f-code>
  </student-mobility>
</omobilities-get-response>
```

Ex 2 Omobilities UPDATE Request (verified)

```
<omobility-update-request>
  <approve-proposal-v1>
    <omobility-id>c442c289-5541-4cae-9edb-8ad83e133</omobility-id>
    <proposal-id> AE61266750D019063512516C7EE01968012C81F25A89 </proposal-id>
  </ approve-proposal-v1 >
</ omobility-update-request >
```

Ex 3 Omobilites GET Response (cancelled)

```
<omobilities-get-response>
  <student-mobility proposal-id="AE61266750D019063512516C7EE01968012C81F25A89" >
    <omobility-id>c442c289-5541-4cae-9edb-8ad83e133</omobility-id>
    <sending-hei>
      <hei-id>example_a.edu</hei-id>
      <ounit-id>1234</ounit-id>
      <iia-id>dd87538e-49e3-44ae-844e-55ad1b819ce9</iia-id>
    </sending-hei>
    <receiving-hei>
      <hei-id>example_b.edu</hei-id>
      <ounit-id>5653486D98511E16E0530B501E0A4594</ounit-id>
      <iia-id>549117543-498-2093-121212-c4</iia-id>
    </receiving-hei>
    <sending-academic-term-ewp-id>2022/2023-2/2</sending-academic-term-ewp-id>
    <receiving-academic-year-id>2022/2023</receiving-academic-year-id>
    <student>
      <given-names>Nalty</given-names>
      <family-name>Patel</family-name>
      <global-id>urn:schac:personalUniqueCode:int:esi:uio:no:85525839</global-id>
      <birth-date>1985-05-05</birth-date>
      <nationality>NO</nationality>
      <gender>1</gender>
      <email>nalty@example_a.edu</email>
    </student>
```

```
<status>cancelled</status>
<activity-type>student-studies</activity-type>
<activity-attributes>long-term</activity-attributes>
<agreement-isced-f-code>0215</agreement-isced-f-code>
<eqf-level-studied-at-departure>7</eqf-level-studied-at-departure>
<nominee-isced-f-code>0215</nominee-isced-f-code>
</student-mobility>
</omobilities-get-response>
```

Ex 4 Omobilities UPDATE Request (rejected)

```
<omobility-update-request>
  <reject-proposal-v1>
    <omobility-id>c442c289-5541-4cae-9edb-8ad83e133</omobility-id>
    <proposal-id> AE61266750D019063512516C7EE01968012C81F25A89 </proposal-id>
    <comment> The limit of mobilities has already been reached.</comment>
  </ reject-proposal-v1 >
</ omobility-update-request >
```