

```
<!DOCTYPE html>

<html lang="en"><head>

<meta charset="utf-8"/>

<meta content="width=device-width, initial-scale=1.0" name="viewport"/>

<title>Cool-Assist - AI Assistant</title>

<script src="https://cdn.tailwindcss.com?plugins=forms,container-queries"></script>

<script>

  tailwind.config = {

    darkMode: "class",

    theme: {

      extend: {

        colors: {

          primary: "#10B981", // Teal-500 from the logo color

          "background-light": "#F3F4F6", // Gray-100

          "background-dark": "#111827", // Gray-900

          "surface-light": "#FFFFFF",

          "surface-dark": "#1F2937",

          "border-light": "#E5E7EB",

          "border-dark": "#374151",

        },

        fontFamily: {

          display: ["Inter", "sans-serif"],

        },

        borderRadius: {

          DEFAULT: "0.5rem",
```

```

        },
    },
},
};
</script>

<link
href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap" rel="stylesheet"/>

<link href="https://fonts.googleapis.com/icon?family=Material+Icons+Outlined"
rel="stylesheet"/>

<style>
    body { font-family: 'Inter', sans-serif; }

    .scrollbar-hide::-webkit-scrollbar {
        display: none;
    }

    .scrollbar-hide {
        -ms-overflow-style: none;
        scrollbar-width: none;
    }
</style>

</head>

<body class="bg-background-light dark:bg-background-dark text-gray-800 dark:text-gray-100 h-screen overflow-hidden flex transition-colors duration-200">

<aside class="w-64 bg-surface-light dark:bg-surface-dark border-r border-border-light dark:border-border-dark flex flex-col justify-between transition-colors duration-200 flex-shrink-0 z-20">

<div>

<div class="h-16 flex items-center px-6 border-b border-border-light dark:border-border-dark">

```

```
<div class="flex items-center gap-2 text-primary">
  <span class="material-icons-outlined text-3xl">ac_unit</span>
  <span class="text-xl font-bold text-gray-900 dark:text-white tracking-tight">Cool-Assist</span>
</div>
</div>
<nav class="mt-6 px-3 space-y-1">
  <a class="flex items-center px-3 py-2.5 text-sm font-medium text-gray-600 dark:text-gray-300
rounded-lg hover:bg-gray-50 dark:hover:bg-gray-700 hover:text-primary transition-colors
group" href="#">
    <span class="material-icons-outlined mr-3 text-gray-400 group-hover:text-primary dark:text-
gray-500">dashboard</span>
    Dashboard
  </a>
  <a class="flex items-center px-3 py-2.5 text-sm font-medium bg-green-50 dark:bg-green-900/20
text-primary rounded-lg transition-colors" href="#">
    <div class="w-1 h-5 bg-primary absolute left-0 rounded-r-md"></div>
    <span class="material-icons-outlined mr-3 text-primary">chat_bubble_outline</span>
    AI Assistant
  </a>
  <a class="flex items-center px-3 py-2.5 text-sm font-medium text-gray-600 dark:text-gray-300
rounded-lg hover:bg-gray-50 dark:hover:bg-gray-700 hover:text-primary transition-colors
group" href="#">
    <span class="material-icons-outlined mr-3 text-gray-400 group-hover:text-primary dark:text-
gray-500">folder_open</span>
    Projects
  </a>
</nav>
</div>
```

```
<div class="p-4 border-t border-border-light dark:border-border-dark">

<div class="flex flex-col items-center mb-4">

<div class="w-10 h-10 rounded-full bg-green-50 dark:bg-green-900/30 flex items-center justify-
center text-primary mb-2">

<span class="material-icons-outlined">support_agent</span>

</div>

<p class="text-xs font-medium text-gray-500 dark:text-gray-400">Connect with us</p>

<div class="flex gap-3 mt-2 text-gray-400 dark:text-gray-500">

<a class="hover:text-primary transition-colors" href="#"><i class="material-icons-outlined text-
lg">camera_alt</i></a>

<a class="hover:text-primary transition-colors" href="#"><i class="material-icons-outlined text-
lg">telegram</i></a>

<a class="hover:text-primary transition-colors" href="#"><i class="material-icons-outlined text-
lg">work</i></a>

</div>

</div>

<button class="w-full flex items-center justify-center py-2 text-gray-400 hover:text-gray-600
dark:hover:text-gray-200 transition-colors">

<span class="material-icons-outlined text-sm">chevron_left</span>

</button>

</div>

</aside>

<main class="flex-1 flex flex-col h-full relative overflow-hidden">

<header class="h-16 bg-surface-light dark:bg-surface-dark border-b border-border-light
dark:border-border-dark flex items-center justify-between px-6 flex-shrink-0 z-10">

<div class="flex items-center gap-3">

<div class="w-8 h-8 rounded-full bg-gray-900 dark:bg-white text-white dark:text-gray-900 flex
items-center justify-center">
```

```
<span class="material-icons-outlined text-lg">smart_toy</span>
</div>
<div>
<h1 class="text-sm font-bold text-gray-900 dark:text-white">AI Engineer</h1>
<p class="text-xs text-gray-500 dark:text-gray-400">HVAC-R Design • Online</p>
</div>
</div>
<button class="text-xs font-medium text-gray-500 hover:text-red-500 dark:text-gray-400
dark: hover:text-red-400 transition-colors">
    Clear Conversation
</button>
</header>
<div class="flex-1 flex overflow-hidden">
<div class="flex-1 flex flex-col relative bg-white dark:bg-gray-800">
<div class="flex-1 overflow-y-auto p-6 space-y-6 scrollbar-hide">
<div class="flex gap-4 max-w-3xl">
<div class="w-8 h-8 rounded-full bg-gray-900 dark:bg-white text-white dark:text-gray-900 flex-
shrink-0 flex items-center justify-center mt-1">
<span class="material-icons-outlined text-sm">smart_toy</span>
</div>
<div class="bg-gray-100 dark:bg-gray-700 p-4 rounded-2xl rounded-tl-none text-sm text-gray-
700 dark:text-gray-200 leading-relaxed shadow-sm">
<p>Hello! I am your HVAC-R Design Engineer.</p>
<p class="mt-2">I can help you with cooling load calculations, duct sizing, or refrigerant
property lookups. How can I assist you with your project today?</p>
</div>
</div>
```

```
<div class="flex gap-4 max-w-3xl ml-auto flex-row-reverse">

<div class="w-8 h-8 rounded-full bg-primary text-white flex-shrink-0 flex items-center justify-
center mt-1">

<span class="text-xs font-bold">ME</span>

</div>

<div class="bg-primary/10 dark:bg-primary/20 p-4 rounded-2xl rounded-tr-none text-sm text-
gray-800 dark:text-gray-100 leading-relaxed border border-primary/20 shadow-sm">

<p>I need to design a cooling system for a small server room. Approx 400 sq ft.</p>

</div>

</div>

<div class="flex gap-4 max-w-3xl">

<div class="w-8 h-8 rounded-full bg-gray-900 dark:bg-white text-white dark:text-gray-900 flex-
shrink-0 flex items-center justify-center mt-1">

<span class="material-icons-outlined text-sm">smart_toy</span>

</div>

<div class="bg-gray-100 dark:bg-gray-700 p-4 rounded-2xl rounded-tl-none text-sm text-gray-
700 dark:text-gray-200 leading-relaxed shadow-sm">

<p>Understood. For a server room, the sensible heat load from equipment is usually the
primary factor. Do you have an estimate of the total power consumption (kW) of the server
equipment?</p>

</div>

</div>

</div>

<div class="p-6 pt-2 bg-white dark:bg-gray-800 border-t border-transparent dark:border-gray-
700">

<div class="flex items-center justify-between mb-3 px-1">

<label class="flex items-center cursor-pointer group">

<div class="relative">
```

```

<input checked="" class="sr-only peer" type="checkbox"/>

<div class="w-9 h-5 bg-gray-200 peer-focus:outline-none peer-focus:ring-2 peer-focus:ring-
primary/50 dark:peer-focus:ring-primary/80 rounded-full peer dark:bg-gray-700 peer-
checked:after:translate-x-full peer-checked:after:border-white after:content-[''] after:absolute
after:top-[2px] after:left-[2px] after:bg-white after:border-gray-300 after:border after:rounded-
full after:h-4 after:w-4 after:transition-all dark:border-gray-600 peer-checked:bg-
primary"></div>

</div>

<span class="ml-3 text-xs font-medium text-gray-500 dark:text-gray-400 group-hover:text-
primary transition-colors">Design & Calculations Mode</span>

</label>

<div class="relative group">

<button class="flex items-center gap-2 text-xs font-medium text-gray-500 hover:text-primary
dark:text-gray-400 dark:hover:text-primary transition-colors py-1 px-2 rounded hover:bg-gray-
50 dark:hover:bg-gray-700">

<span class="material-icons-outlined text-sm">handyman</span>

Tools

</button>

<div class="absolute bottom-full right-0 mb-2 w-48 bg-white dark:bg-gray-800 rounded-lg
shadow-xl border border-gray-100 dark:border-gray-700 p-1 hidden group-hover:block group-
focus-within:block transition-all opacity-0 group-hover:opacity-100 group-focus-within:opacity-
100 transform translate-y-2 group-hover:translate-y-0 group-focus-within:translate-y-0">

<a class="flex items-center gap-3 px-3 py-2 text-xs text-gray-600 dark:text-gray-300 hover:bg-
gray-50 dark:hover:bg-gray-700 rounded-md" href="#">

<span class="material-icons-outlined text-blue-400 text-sm">ac_unit</span>

Refrigerant Properties

</a>

<a class="flex items-center gap-3 px-3 py-2 text-xs text-gray-600 dark:text-gray-300 hover:bg-
gray-50 dark:hover:bg-gray-700 rounded-md" href="#">

<span class="material-icons-outlined text-purple-400 text-sm">calculate</span>

```

Eng. Calculator

compare_arrows

Unit Converter

</div>

</div>

</div>

<div class="relative flex items-center">

<input class="w-full bg-gray-50 dark:bg-gray-900 border border-gray-200 dark:border-gray-700 text-gray-900 dark:text-white text-sm rounded-xl focus:ring-primary focus:border-primary block p-4 pr-12 shadow-sm transition-shadow" placeholder="Ask questions or describe your project..." type="text"/>

<button class="absolute right-2 p-2 bg-black dark:bg-white text-white dark:text-black rounded-lg hover:bg-gray-800 dark:hover:bg-gray-200 transition-colors">

send

</button>

</div>

<div class="mt-2 text-center">

<p class="text-[10px] text-gray-400 dark:text-gray-500">AI can make mistakes. Verify important calculations.</p>

</div>

</div>

</div>


```
<div class="hidden lg:flex w-[40%] bg-gray-50 dark:bg-gray-900 border-l border-border-light
dark:border-border-dark flex-col items-center justify-center p-8 text-center">
```

<div class="max-w-xs">

<div class="mb-6 relative mx-auto w-24 h-24 opacity-20 dark:opacity-10">

```
<div class="absolute top-0 left-0 w-10 h-10 bg-gray-800 dark:bg-white rounded-sm"></div>
```

```
<div class="absolute top-4 left-8 w-10 h-10 bg-gray-600 dark:bg-gray-300 rounded-sm"></div>
```

```
<div class="absolute top-12 left-12 w-10 h-10 bg-gray-400 dark:bg-gray-500 rounded-sm"></div>
```

<div class="absolute top-5 left-4 w-6 h-1 bg-gray-800 dark:bg-white"></div>

<div class="absolute top-9 left-10 w-1 h-6 bg-gray-600 dark:bg-gray-300"></div>

</div>

Preview Panel

<p class="text-sm text-gray-500 dark:text-gray-400 leading-relaxed">

Design results, charts, and calculation summaries will be displayed here as you chat.

```
<div class="mt-8 flex justify-center gap-2">
```

```
<div class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-700"></div>
```

```
<div class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-700"></div>
```

```
<div class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-700"></div>
```

</div>

</div>

</div>

</div>

</main>

</body></html>

Cool-Assist

Dashboard

AI Assistant

Projects

Connect with us





AI Engineer
HVAC-R Design • Online

Clear Conversation



Hello! I am your HVAC-R Design Engineer.
I can help you with cooling load calculations, duct sizing, or refrigerant property lookups. How can I assist you with your project today?

I need to design a cooling system for a small server room. Approx 400 sq ft.

ME



Understood. For a server room, the sensible heat load from equipment is usually the primary factor. Do you have an estimate of the total power consumption (kW) of the server equipment?

☒ Design & Calculations Mode

Tools

Ask questions or describe your project...



AI can make mistakes. Verify important calculations.



Preview Panel

Design results, charts, and calculation summaries will be displayed here as you chat.



```
<!DOCTYPE html>

<html class="light"><head>

<meta charset="utf-8"/>

<meta content="width=device-width, initial-scale=1.0" name="viewport"/>

<title>Engineering Toolkit Overlay</title>

<link href="https://fonts.googleapis.com" rel="preconnect"/>

<link crossorigin="" href="https://fonts.gstatic.com" rel="preconnect"/>

<link
href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap" rel="stylesheet"/>

<link
href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:wght,FILL@100..700,0..1&display=swap" rel="stylesheet"/>

<script src="https://cdn.tailwindcss.com?plugins=forms,container-queries"></script>

<script id="tailwind-config">

  tailwind.config = {

    darkMode: "class",

    theme: {

      extend: {

        colors: {

          "primary": "#137fec",

          "background-light": "#f6f7f8",

          "background-dark": "#101922",

        },

        fontFamily: {

          "display": ["Inter", "sans-serif"]

        },

      },

    },

  },


```

```
borderRadius: {
  "DEFAULT": "0.25rem",
  "lg": "0.5rem",
  "xl": "0.75rem",
  "2xl": "1rem",
  "full": "9999px"
},
boxShadow: {
  'soft': '0 4px 20px -2px rgba(0, 0, 0, 0.1)',
  'floating': '0 10px 40px -10px rgba(0, 0, 0, 0.2)',
}
},
},
}
</script>
<style>
::-webkit-scrollbar {
  width: 6px;
  height: 6px;
}
::-webkit-scrollbar-track {
  background: transparent;
}
::-webkit-scrollbar-thumb {
  background: #cbd5e1;
  border-radius: 3px;
```

```

    }

    ::-webkit-scrollbar-thumb:hover {

        background: #94a3b8;

    }

    .fade-in-up {

        animation: fadeInUp 0.5s ease-out forwards;

    }

    @keyframes fadeInUp {

        from {

            opacity: 0;

            transform: translateY(20px);

        }

        to {

            opacity: 1;

            transform: translateY(0);

        }

    }

</style>

</head>

<body class="font-display bg-background-light text-slate-800 antialiased overflow-hidden h-screen w-full flex">

<div class="flex-1 flex flex-col h-full opacity-40 select-none pointer-events-none filter blur-[2px] scale-[1.01]">

<div class="h-16 border-b border-slate-200 bg-white flex items-center px-6 justify-between">

<div class="flex items-center gap-2">

<div class="w-8 h-8 bg-slate-200 rounded-lg"></div>

<div class="w-32 h-4 bg-slate-200 rounded"></div>

```

</div>

<div class="flex items-center gap-4">

<div class="w-8 h-8 rounded-full bg-slate-200"></div>

</div>

</div>

<div class="flex flex-1 overflow-hidden">

<div class="w-64 bg-slate-50 border-r border-slate-200 hidden md:flex flex-col p-4 gap-4">

<div class="w-3/4 h-8 bg-slate-200 rounded mb-4"></div>

<div class="space-y-3">

<div class="w-full h-10 bg-slate-200/50 rounded"></div>

<div class="w-full h-10 bg-slate-200/50 rounded"></div>

<div class="w-full h-10 bg-slate-200/50 rounded"></div>

</div>

</div>

<div class="flex-1 flex flex-col bg-white">

<div class="flex-1 p-8 space-y-8 overflow-y-auto">

<div class="flex gap-4 max-w-3xl mx-auto w-full">

<div class="w-10 h-10 rounded-full bg-primary/20 shrink-0"></div>

<div class="space-y-3 flex-1">

<div class="w-1/4 h-4 bg-slate-200 rounded"></div>

<div class="w-full h-16 bg-slate-100 rounded-lg"></div>

<div class="w-2/3 h-16 bg-slate-100 rounded-lg"></div>

</div>

</div>

<div class="flex gap-4 max-w-3xl mx-auto w-full flex-row-reverse">

<div class="w-10 h-10 rounded-full bg-slate-200 shrink-0"></div>

```
<div class="space-y-3 flex-1 flex flex-col items-end">

<div class="w-full h-12 bg-slate-100 rounded-lg"></div>

</div>

</div>

</div>

<div class="p-6 border-t border-slate-100">

<div class="max-w-3xl mx-auto w-full h-14 border border-slate-200 rounded-xl bg-white
shadow-sm flex items-center px-4">

<div class="w-full h-4 bg-slate-100 rounded"></div>

</div>

</div>

</div>

</div>

</div>

</div>

<div class="absolute inset-0 z-10 flex items-center justify-center p-4 md:items-end md:justify-
end md:pb-8 md:pr-8 pointer-events-none">

<div class="flex flex-col md:flex-row gap-8 pointer-events-auto items-end">

<div class="w-[340px] bg-white dark:bg-slate-800 rounded-xl shadow-floating border border-
slate-200 dark:border-slate-700 flex flex-col overflow-hidden fade-in-up" style="animation-
delay: 0.1s;">

<div class="h-11 bg-slate-50 dark:bg-slate-900 border-b border-slate-200 dark:border-slate-700
flex items-center justify-between px-4 cursor-move select-none">

<div class="flex items-center gap-2">

<span class="material-symbols-outlined text-primary text-[20px]">handyman</span>

<span class="text-sm font-semibold text-slate-700 dark:text-slate-200">Tools</span>

</div>

<div class="flex items-center gap-1.5">
```

```

<button class="text-slate-400 hover:text-slate-600 dark:hover:text-slate-200 rounded p-0.5
transition-colors">

<span class="material-symbols-outlined text-[18px]">remove</span>

</button>

<button class="text-slate-400 hover:text-red-500 rounded p-0.5 transition-colors">

<span class="material-symbols-outlined text-[18px]">close</span>

</button>

</div>

</div>

<div class="p-4 grid gap-3">

<p class="text-xs font-medium text-slate-400 uppercase tracking-wider mb-1">Select Utility</p>

<button class="flex items-center gap-4 p-3 rounded-lg border border-slate-200 dark:border-
slate-700 hover:border-primary hover:shadow-md hover:bg-slate-50 dark:hover:bg-slate-
700/50 transition-all group text-left bg-white dark:bg-slate-800">

<div class="w-10 h-10 rounded-lg bg-blue-50 dark:bg-blue-900/20 text-primary flex items-
center justify-center group-hover:scale-110 transition-transform">

<span class="material-symbols-outlined">thermometer</span>

</div>

<div class="flex flex-col">

<span class="text-sm font-bold text-slate-800 dark:text-slate-100">Refrigerant Props</span>

<span class="text-xs text-slate-500 dark:text-slate-400">P-T charts, Enthalpy</span>

</div>

</button>

<button class="flex items-center gap-4 p-3 rounded-lg border border-slate-200 dark:border-
slate-700 hover:border-primary hover:shadow-md hover:bg-slate-50 dark:hover:bg-slate-
700/50 transition-all group text-left bg-white dark:bg-slate-800">

<div class="w-10 h-10 rounded-lg bg-indigo-50 dark:bg-indigo-900/20 text-indigo-500 flex
items-center justify-center group-hover:scale-110 transition-transform">

```



```
<span class="material-symbols-outlined">calculate</span>

</div>

<div class="flex flex-col">

  <span class="text-sm font-bold text-slate-800 dark:text-slate-100">Eng. Calculator</span>

  <span class="text-xs text-slate-500 dark:text-slate-400">Scientific functions</span>

</div>

</button>

<button class="flex items-center gap-4 p-3 rounded-lg border border-slate-200 dark:border-slate-700 hover:border-primary hover:shadow-md hover:bg-slate-50 dark:hover:bg-slate-700/50 transition-all group text-left bg-white dark:bg-slate-800">

  <div class="w-10 h-10 rounded-lg bg-emerald-50 dark:bg-emerald-900/20 text-emerald-500 flex items-center justify-center group-hover:scale-110 transition-transform">

    <span class="material-symbols-outlined">compare_arrows</span>

  </div>

  <div class="flex flex-col">

    <span class="text-sm font-bold text-slate-800 dark:text-slate-100">Unit Converter</span>

    <span class="text-xs text-slate-500 dark:text-slate-400">Length, Mass, Pressure</span>

  </div>

</button>

</div>

<div class="h-6 bg-slate-50 dark:bg-slate-900 border-t border-slate-100 dark:border-slate-700 flex items-center justify-center">

  <div class="w-10 h-1 bg-slate-200 rounded-full"></div>

</div>

</div>

<div class="w-[340px] bg-white dark:bg-slate-800 rounded-xl shadow-floating border border-slate-200 dark:border-slate-700 flex flex-col overflow-hidden fade-in-up" style="animation-delay: 0.2s;">
```

```
<div class="h-11 bg-slate-50 dark:bg-slate-900 border-b border-slate-200 dark:border-slate-700 flex items-center justify-between px-3 cursor-move select-none">
```

```
<div class="flex items-center gap-1">
```

```
<button class="w-7 h-7 flex items-center justify-center rounded hover:bg-slate-200 dark:hover:bg-slate-700 text-slate-500 transition-colors">
```

```
<span class="material-symbols-outlined text-[20px]">arrow_back</span>
```

```
</button>
```

```
<span class="text-sm font-semibold text-slate-800 dark:text-slate-200 ml-1">Refrigerant Props</span>
```

```
</div>
```

```
<div class="flex items-center gap-1.5">
```

```
<button class="text-slate-400 hover:text-slate-600 dark:hover:text-slate-200 rounded p-0.5">
```

```
<span class="material-symbols-outlined text-[18px]">remove</span>
```

```
</button>
```

```
<button class="text-slate-400 hover:text-red-500 rounded p-0.5">
```

```
<span class="material-symbols-outlined text-[18px]">close</span>
```

```
</button>
```

```
</div>
```

```
</div>
```

```
<div class="p-5 flex flex-col gap-4">
```

```
<div class="flex flex-col gap-4">
```

```
<div>
```

```
<label class="text-[10px] font-bold text-slate-400 uppercase tracking-wide mb-1 block">Fluid</label>
```

```
<div class="relative">
```

```
<select class="w-full bg-slate-50 dark:bg-slate-900 border border-slate-200 dark:border-slate-700 rounded-lg text-sm font-medium text-slate-700 dark:text-slate-200 py-2.5 pl-3 pr-10
```

focus:ring-1 focus:ring-primary focus:border-primary appearance-none cursor-pointer
hover:border-slate-300 dark:hover:border-slate-600 transition-colors">

<option>R-410A</option>

<option>R-134a</option>

<option>R-22</option>

<option>R-32</option>

<option>Ammonia (R-717)</option>

</select>

<div class="absolute right-3 top-1/2 -translate-y-1/2 pointer-events-none text-slate-400">

expand_more

</div>

</div>

</div>

<div class="bg-slate-50 dark:bg-slate-900/50 rounded-xl p-3 border border-slate-200
dark:border-slate-700">

<div class="flex justify-between items-end mb-4 px-1">

<label class="text-[10px] font-bold text-slate-400 uppercase tracking-wide">Saturation
Temp</label>

<div class="flex items-baseline gap-1">

52.4

°C

</div>

</div>

<div class="relative h-14 select-none touch-none group cursor-grabbing">

<div class="absolute inset-x-0 bottom-0 h-10 bg-white dark:bg-slate-800 border border-slate-
200 dark:border-slate-600 rounded-lg overflow-hidden flex items-end justify-between px-3
shadow-inner">

```
<div class="w-px h-2 bg-slate-200 dark:bg-slate-600"></div>

<div class="w-px h-2 bg-slate-200 dark:bg-slate-600"></div>

<div class="w-px h-4 bg-slate-300 dark:bg-slate-500 relative"><span class="absolute -top-3 left-1/2 -translate-x-1/2 text-[8px] text-slate-400 font-medium">30</span></div>

<div class="w-px h-2 bg-slate-200 dark:bg-slate-600"></div>

<div class="w-px h-2 bg-slate-200 dark:bg-slate-600"></div>

<div class="w-px h-4 bg-slate-300 dark:bg-slate-500 relative"><span class="absolute -top-3 left-1/2 -translate-x-1/2 text-[8px] text-slate-400 font-medium">40</span></div>

<div class="w-px h-2 bg-slate-200 dark:bg-slate-600"></div>

<div class="w-px h-2 bg-slate-200 dark:bg-slate-600"></div>

<div class="w-px h-4 bg-slate-300 dark:bg-slate-500 relative"><span class="absolute -top-3 left-1/2 -translate-x-1/2 text-[8px] text-slate-400 font-medium">50</span></div>

<div class="w-px h-2 bg-slate-200 dark:bg-slate-600"></div>

<div class="w-px h-2 bg-slate-200 dark:bg-slate-600"></div>

<div class="w-px h-4 bg-slate-300 dark:bg-slate-500 relative"><span class="absolute -top-3 left-1/2 -translate-x-1/2 text-[8px] text-slate-400 font-medium">60</span></div>

<div class="w-px h-2 bg-slate-200 dark:bg-slate-600"></div>

<div class="w-px h-2 bg-slate-200 dark:bg-slate-600"></div>

</div>

<div class="absolute top-0 bottom-0 left-[72%] -translate-x-1/2 w-8 z-10 flex flex-col items-center">

<div class="mb-1 bg-primary text-white text-xs font-bold px-3 py-1.5 rounded-lg shadow-lg whitespace-nowrap transform -translate-y-3 flex flex-col items-center z-20 transition-transform">

32.1 bar

<div class="w-2.5 h-2.5 bg-primary rotate-45 absolute -bottom-1 z-[-1]"></div>

</div>
```

```
<div class="w-0.5 flex-1 bg-primary shadow-[0_0_12px_rgba(19,127,236,0.8)]"></div>

<div class="w-5 h-5 -mt-3.5 bg-white dark:bg-slate-800 border-[2.5px] border-primary rounded-
full shadow-[0_0_20px_rgba(19,127,236,0.6)] flex items-center justify-center scale-125 ring-
[6px] ring-primary/30 transition-all cursor-grabbing">

<div class="w-2 h-2 bg-primary rounded-full shadow-sm"></div>

</div>

</div>

</div>

<div class="flex justify-between px-1 mt-1">

<span class="text-[9px] text-slate-400 font-medium">Min: -50°C</span>

<span class="text-[9px] text-slate-400 font-medium">Max: 80°C</span>

</div>

</div>

</div>

<div class="relative h-4 flex items-center justify-center">

<div class="absolute inset-x-0 top-1/2 h-[1px] bg-slate-200 dark:bg-slate-700"></div>

<span class="relative z-10 bg-white dark:bg-slate-800 px-2 text-[10px] font-medium text-slate-
400 uppercase">Results</span>

</div>

<div class="bg-primary/5 dark:bg-primary/10 border border-primary/10 rounded-lg p-3 grid
grid-cols-2 gap-x-4 gap-y-3 transition-colors">

<div class="flex flex-col">

<span class="text-[10px] text-slate-500 dark:text-slate-400">Pressure (Sat)</span>

<div class="flex items-baseline gap-1">

<span class="text-sm font-bold text-slate-800 dark:text-slate-100 transition-all">32.1</span>

<span class="text-[10px] text-primary font-medium">bar</span>

</div>

</div>
```

</div>

<div class="flex flex-col">

Density (Liq)

<div class="flex items-baseline gap-1">

895.2

kg/m³

</div>

</div>

<div class="flex flex-col">

Enthalpy (Liq)

<div class="flex items-baseline gap-1">

292.1

kJ/kg

</div>

</div>

<div class="flex flex-col">

Enthalpy (Vap)

<div class="flex items-baseline gap-1">

426.8

kJ/kg

</div>

</div>

</div>

<div class="flex gap-2">

<button class="flex-1 py-2 rounded-lg bg-white dark:bg-slate-700 border border-slate-200 dark:border-slate-600 text-xs font-medium text-slate-600 dark:text-slate-300 hover:bg-slate-50 dark:hover:bg-slate-600 transition-colors flex items-center justify-center gap-2">

```
<span class="material-symbols-outlined text-[16px]">show_chart</span>
```

```
<span>View P-T Chart</span>
```

```
</button>
```

```
<button class="w-10 flex items-center justify-center rounded-lg bg-white dark:bg-slate-700  
border border-slate-200 dark:border-slate-600 text-slate-400 hover:text-primary transition-  
colors">
```

```
<span class="material-symbols-outlined text-[18px]">share</span>
```

```
</button>
```

```
</div>
```


```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body></html>
```




```
<!DOCTYPE html>

<html class="light"><head>

<meta charset="utf-8"/>

<meta content="width=device-width, initial-scale=1.0" name="viewport"/>

<title>Engineering Toolkit Overlay</title>

<link href="https://fonts.googleapis.com" rel="preconnect"/>

<link crossorigin="" href="https://fonts.gstatic.com" rel="preconnect"/>

<link
href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap" rel="stylesheet"/>

<link
href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:wght,FILL@100..700,0..1&display=swap" rel="stylesheet"/>

<script src="https://cdn.tailwindcss.com?plugins=forms,container-queries"></script>

<script id="tailwind-config">

  tailwind.config = {

    darkMode: "class",

    theme: {

      extend: {

        colors: {

          "primary": "#137fec",

          "background-light": "#f6f7f8",

          "background-dark": "#101922",

        },

        fontFamily: {

          "display": ["Inter", "sans-serif"]

        },

      },

    },

  },

</script>
```

```
borderRadius: {
  "DEFAULT": "0.25rem",
  "lg": "0.5rem",
  "xl": "0.75rem",
  "2xl": "1rem",
  "full": "9999px"
},
boxShadow: {
  'soft': '0 4px 20px -2px rgba(0, 0, 0, 0.1)',
  'floating': '0 10px 40px -10px rgba(0, 0, 0, 0.2)',
}
},
},
}
</script>
<style>::-webkit-scrollbar {
  width: 6px;
  height: 6px;
}
::-webkit-scrollbar-track {
  background: transparent;
}
::-webkit-scrollbar-thumb {
  background: #cbd5e1;
  border-radius: 3px;
}
```

```

::-webkit-scrollbar-thumb:hover {
    background: #94a3b8;
}.fade-in-up {
    animation: fadeInUp 0.5s ease-out forwards;
}
@keyframes fadeInUp {
    from {
        opacity: 0;
        transform: translateY(20px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}
</style>
</head>
<body class="font-display bg-background-light text-slate-800 antialiased overflow-hidden h-screen w-full flex">
<div class="flex-1 flex flex-col h-full opacity-40 select-none pointer-events-none filter blur-[2px] scale-[1.01]">
<div class="h-16 border-b border-slate-200 bg-white flex items-center px-6 justify-between">
<div class="flex items-center gap-2">
<div class="w-8 h-8 bg-slate-200 rounded-lg"></div>
<div class="w-32 h-4 bg-slate-200 rounded"></div>
</div>
<div class="flex items-center gap-4">

```

```
<div class="w-8 h-8 rounded-full bg-slate-200"></div>

</div>

</div>

<div class="flex flex-1 overflow-hidden">

  <div class="w-64 bg-slate-50 border-r border-slate-200 hidden md:flex flex-col p-4 gap-4">

    <div class="w-3/4 h-8 bg-slate-200 rounded mb-4"></div>

    <div class="space-y-3">

      <div class="w-full h-10 bg-slate-200/50 rounded"></div>

      <div class="w-full h-10 bg-slate-200/50 rounded"></div>

      <div class="w-full h-10 bg-slate-200/50 rounded"></div>

    </div>

  </div>

  <div class="flex-1 flex flex-col bg-white">

    <div class="flex-1 p-8 space-y-8 overflow-y-auto">

      <div class="flex gap-4 max-w-3xl mx-auto w-full">

        <div class="w-10 h-10 rounded-full bg-primary/20 shrink-0"></div>

        <div class="space-y-3 flex-1">

          <div class="w-1/4 h-4 bg-slate-200 rounded"></div>

          <div class="w-full h-16 bg-slate-100 rounded-lg"></div>

          <div class="w-2/3 h-16 bg-slate-100 rounded-lg"></div>

        </div>

      </div>

    <div class="flex gap-4 max-w-3xl mx-auto w-full flex-row-reverse">

      <div class="w-10 h-10 rounded-full bg-slate-200 shrink-0"></div>

      <div class="space-y-3 flex-1 flex flex-col items-end">

        <div class="w-full h-12 bg-slate-100 rounded-lg"></div>
```

</div>

</div>

</div>

<div class="p-6 border-t border-slate-100">

<div class="max-w-3xl mx-auto w-full h-14 border border-slate-200 rounded-xl bg-white shadow-sm flex items-center px-4">

<div class="w-full h-4 bg-slate-100 rounded"></div>

</div>

</div>

</div>

</div>

</div>

<div class="absolute inset-0 z-10 flex items-center justify-center p-4 md:items-end md:justify-end md:pb-8 md:pr-8 pointer-events-none">

<div class="flex flex-col md:flex-row gap-8 pointer-events-auto items-end">

<div class="w-[340px] bg-white dark:bg-slate-800 rounded-xl shadow-floating border border-slate-200 dark:border-slate-700 flex flex-col overflow-hidden fade-in-up" style="animation-delay: 0.1s;">

<div class="h-11 bg-slate-50 dark:bg-slate-900 border-b border-slate-200 dark:border-slate-700 flex items-center justify-between px-4 cursor-move select-none">

<div class="flex items-center gap-2">

handyman

Tools

</div>

<div class="flex items-center gap-1.5">

<button class="text-slate-400 hover:text-slate-600 dark:hover:text-slate-200 rounded p-0.5 transition-colors">

remove

```

</button>

<button class="text-slate-400 hover:text-red-500 rounded p-0.5 transition-colors">

<span class="material-symbols-outlined text-[18px]">close</span>

</button>

</div>

</div>

<div class="p-4 grid gap-3">

<p class="text-xs font-medium text-slate-400 uppercase tracking-wider mb-1">Select Utility</p>

<button class="flex items-center gap-4 p-3 rounded-lg border border-slate-200 dark:border-slate-700 hover:border-primary hover:shadow-md hover:bg-slate-50 dark:hover:bg-slate-700/50 transition-all group text-left bg-white dark:bg-slate-800">

<div class="w-10 h-10 rounded-lg bg-blue-50 dark:bg-blue-900/20 text-primary flex items-center justify-center group-hover:scale-110 transition-transform">

<span class="material-symbols-outlined">thermometer</span>

</div>

<div class="flex flex-col">

<span class="text-sm font-bold text-slate-800 dark:text-slate-100">Refrigerant Props</span>

<span class="text-xs text-slate-500 dark:text-slate-400">P-T charts, Enthalpy</span>

</div>

</button>

<button class="flex items-center gap-4 p-3 rounded-lg border border-slate-200 dark:border-slate-700 hover:border-primary hover:shadow-md hover:bg-slate-50 dark:hover:bg-slate-700/50 transition-all group text-left bg-white dark:bg-slate-800">

<div class="w-10 h-10 rounded-lg bg-indigo-50 dark:bg-indigo-900/20 text-indigo-500 flex items-center justify-center group-hover:scale-110 transition-transform">

<span class="material-symbols-outlined">calculate</span>

</div>

<div class="flex flex-col">

```

```

<span class="text-sm font-bold text-slate-800 dark:text-slate-100">Eng. Calculator</span>
<span class="text-xs text-slate-500 dark:text-slate-400">Scientific functions</span>
</div>
</button>
<button class="flex items-center gap-4 p-3 rounded-lg border border-slate-200 dark:border-slate-700 hover:border-primary hover:shadow-md hover:bg-slate-50 dark:hover:bg-slate-700/50 transition-all group text-left bg-white dark:bg-slate-800">
<div class="w-10 h-10 rounded-lg bg-emerald-50 dark:bg-emerald-900/20 text-emerald-500 flex items-center justify-center group-hover:scale-110 transition-transform">
<span class="material-symbols-outlined">compare_arrows</span>
</div>
<div class="flex flex-col">
<span class="text-sm font-bold text-slate-800 dark:text-slate-100">Unit Converter</span>
<span class="text-xs text-slate-500 dark:text-slate-400">Length, Mass, Pressure</span>
</div>
</button>
</div>
<div class="h-6 bg-slate-50 dark:bg-slate-900 border-t border-slate-100 dark:border-slate-700 flex items-center justify-center">
<div class="w-10 h-1 bg-slate-200 rounded-full"></div>
</div>
</div>
<div class="w-[340px] bg-white dark:bg-slate-800 rounded-xl shadow-floating border border-slate-200 dark:border-slate-700 flex flex-col overflow-hidden fade-in-up" style="animation-delay: 0.2s;">
<div class="h-11 bg-slate-50 dark:bg-slate-900 border-b border-slate-200 dark:border-slate-700 flex items-center justify-between px-3 cursor-move select-none">
<div class="flex items-center gap-1">

```

```
<button class="w-7 h-7 flex items-center justify-center rounded hover:bg-slate-200
dark:hover:bg-slate-700 text-slate-500 transition-colors">
```

```
<span class="material-symbols-outlined text-[20px]">arrow_back</span>
```

```
</button>
```

```
<span class="text-sm font-semibold text-slate-800 dark:text-slate-200 ml-1">Eng.
Calculator</span>
```

```
</div>
```

```
<div class="flex items-center gap-1.5">
```

```
<button class="text-slate-400 hover:text-slate-600 dark:hover:text-slate-200 rounded p-0.5">
```

```
<span class="material-symbols-outlined text-[18px]">remove</span>
```

```
</button>
```

```
<button class="text-slate-400 hover:text-red-500 rounded p-0.5">
```

```
<span class="material-symbols-outlined text-[18px]">close</span>
```

```
</button>
```

```
</div>
```

```
</div>
```

```
<div class="p-4 flex flex-col gap-3">
```

```
<div class="bg-slate-50 dark:bg-slate-900 border border-slate-200 dark:border-slate-700
rounded-lg p-3 flex flex-col items-end justify-center h-24 shadow-inner relative overflow-hidden
group">
```

```
<div class="absolute top-2 left-3 text-[10px] font-bold text-slate-400 uppercase tracking-wider
bg-slate-100 dark:bg-slate-800 px-1.5 py-0.5 rounded cursor-pointer hover:text-primary
hover:bg-primary/10 transition-colors">RAD</div>
```

```
<div class="text-xs text-slate-400 font-medium mb-1 font-mono">sin(30) * 150</div>
```

```
<div class="text-3xl font-bold text-slate-800 dark:text-slate-100 tracking-tight font-mono select-
all">75</div>
```

```
</div>
```

```
<div class="grid grid-cols-4 gap-2">
```


<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">sin</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">cos</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">tan</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">log</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">ln</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">v</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">(</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">)</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">x²</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">x^y</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">π</button>

<button class="h-9 rounded bg-slate-100 dark:bg-slate-700 text-slate-500 dark:text-slate-400 text-xs font-semibold hover:bg-slate-200 dark: hover:bg-slate-600 transition-colors">e</button>

<div class="col-span-4 h-px bg-slate-200 dark:bg-slate-700 my-1"></div>

<button class="h-10 rounded-lg bg-red-50 dark:bg-red-900/20 text-red-500 text-xs font-bold hover:bg-red-100 transition-colors">AC</button>

<button class="h-10 rounded-lg bg-slate-100 dark:bg-slate-700 text-slate-600 dark:text-slate-300 text-lg font-medium hover:bg-slate-200 transition-colors flex items-center justify-center">backspace</button>

<button class="h-10 rounded-lg bg-indigo-50 dark:bg-indigo-900/20 text-primary text-sm font-bold hover:bg-indigo-100 transition-colors">%</button>

<button class="h-10 rounded-lg bg-indigo-50 dark:bg-indigo-900/20 text-primary text-xl font-medium hover:bg-indigo-100 transition-colors">÷</button>

<button class="h-10 rounded-lg bg-white dark:bg-slate-700 border border-slate-200 dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50 transition-colors shadow-sm">7</button>

<button class="h-10 rounded-lg bg-white dark:bg-slate-700 border border-slate-200 dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50 transition-colors shadow-sm">8</button>

<button class="h-10 rounded-lg bg-white dark:bg-slate-700 border border-slate-200 dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50 transition-colors shadow-sm">9</button>

<button class="h-10 rounded-lg bg-indigo-50 dark:bg-indigo-900/20 text-primary text-xl font-medium hover:bg-indigo-100 transition-colors">x</button>

<button class="h-10 rounded-lg bg-white dark:bg-slate-700 border border-slate-200 dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50 transition-colors shadow-sm">4</button>

<button class="h-10 rounded-lg bg-white dark:bg-slate-700 border border-slate-200 dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50 transition-colors shadow-sm">5</button>

<button class="h-10 rounded-lg bg-white dark:bg-slate-700 border border-slate-200 dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50 transition-colors shadow-sm">6</button>

<button class="h-10 rounded-lg bg-indigo-50 dark:bg-indigo-900/20 text-primary text-xl font-medium hover:bg-indigo-100 transition-colors">-</button>

<button class="h-10 rounded-lg bg-white dark:bg-slate-700 border border-slate-200 dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50 transition-colors shadow-sm">1</button>

```
<button class="h-10 rounded-lg bg-white dark:bg-slate-700 border border-slate-200
dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50
transition-colors shadow-sm">2</button>
```

```
<button class="h-10 rounded-lg bg-white dark:bg-slate-700 border border-slate-200
dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50
transition-colors shadow-sm">3</button>
```

```
<button class="h-10 rounded-lg bg-indigo-50 dark:bg-indigo-900/20 text-primary text-xl font-
medium hover:bg-indigo-100 transition-colors">+</button>
```

```
<button class="h-10 col-span-2 rounded-lg bg-white dark:bg-slate-700 border border-slate-200
dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50
transition-colors shadow-sm text-left pl-5">0</button>
```

```
<button class="h-10 rounded-lg bg-white dark:bg-slate-700 border border-slate-200
dark:border-slate-600 text-slate-700 dark:text-slate-200 text-lg font-medium hover:bg-slate-50
transition-colors shadow-sm">.</button>
```

```
<button class="h-10 rounded-lg bg-primary text-white text-xl font-medium shadow-md
hover:bg-blue-600 transition-colors">=</button>
```

```
</div>
```


```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body></html>
```



Tools

SELECT UTILITY

Refrigerant Props

P-T charts, Enthalpy

Eng. Calculator

Scientific functions

Unit Converter

Length, Mass, Pressure

Eng. Calculator

RADsin(30) * 15075

sin	cos	tan	log
ln	√	(	)
x²	xʸ	π	e
AC	⌫	%	÷
7	8	9	×
4	5	6	-
1	2	3	+
0	.	=	

```
<!DOCTYPE html>
```

```
<html class="light"><head>
```

```
<meta charset="utf-8"/>
```

```
<meta content="width=device-width, initial-scale=1.0" name="viewport"/>
```

```
<title>Engineering Toolkit Overlay</title>
```

```
<!-- Google Fonts -->
```

```
<link href="https://fonts.googleapis.com" rel="preconnect"/>
```

```
<link crossorigin="" href="https://fonts.gstatic.com" rel="preconnect"/>
```

```
<link
```

```
href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap" rel="stylesheet"/>
```

```
<!-- Material Symbols -->
```

```
<link
```

```
href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:wght,FILL@100..700,0..1&display=swap" rel="stylesheet"/>
```

```
<link
```

```
href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:wght,FILL@100..700,0..1&display=swap" rel="stylesheet"/>
```

```
<!-- Tailwind CSS -->
```

```
<script src="https://cdn.tailwindcss.com?plugins=forms,container-queries"></script>
```

```
<!-- Tailwind Configuration -->
```

```
<script id="tailwind-config">
```

```
  tailwind.config = {
```

```
    darkMode: "class",
```

```
    theme: {
```

```
      extend: {
```

```
        colors: {
```

```

        "primary": "#137fec",
        "background-light": "#f6f7f8",
        "background-dark": "#101922",
    },
    fontFamily: {
        "display": ["Inter", "sans-serif"]
    },
    borderRadius: {
        "DEFAULT": "0.25rem",
        "lg": "0.5rem",
        "xl": "0.75rem",
        "2xl": "1rem",
        "full": "9999px"
    },
    boxShadow: {
        'soft': '0 4px 20px -2px rgba(0, 0, 0, 0.1)',
        'floating': '0 10px 40px -10px rgba(0, 0, 0, 0.2)',
    }
},
},
}
</script>
<style>
    /* Custom scrollbar for webkit */
    ::-webkit-scrollbar {
        width: 6px;

```

```
    height: 6px;
}

::-webkit-scrollbar-track {
    background: transparent;
}

::-webkit-scrollbar-thumb {
    background: #cbd5e1;
    border-radius: 3px;
}

::-webkit-scrollbar-thumb:hover {
    background: #94a3b8;
}

/* Animation helper */
.fade-in-up {
    animation: fadeInUp 0.5s ease-out forwards;
}

@keyframes fadeInUp {
    from {
        opacity: 0;
        transform: translateY(20px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}
```

```
    }

    }

</style>

</head>

<body class="font-display bg-background-light text-slate-800 antialiased overflow-hidden h-screen w-full flex">

<!-- BACKGROUND APPLICATION SIMULATION (AI Chat Interface) -->

<!-- This creates the context for the overlay -->

<div class="flex-1 flex flex-col h-full opacity-40 select-none pointer-events-none filter blur-[2px] scale-[1.01]">

<!-- Top Nav -->

<div class="h-16 border-b border-slate-200 bg-white flex items-center px-6 justify-between">

<div class="flex items-center gap-2">

<div class="w-8 h-8 bg-slate-200 rounded-lg"></div>

<div class="w-32 h-4 bg-slate-200 rounded"></div>

</div>

<div class="flex items-center gap-4">

<div class="w-8 h-8 rounded-full bg-slate-200"></div>

</div>

</div>

<div class="flex flex-1 overflow-hidden">

<!-- Sidebar -->

<div class="w-64 bg-slate-50 border-r border-slate-200 hidden md:flex flex-col p-4 gap-4">

<div class="w-3/4 h-8 bg-slate-200 rounded mb-4"></div>

<div class="space-y-3">

<div class="w-full h-10 bg-slate-200/50 rounded"></div>

<div class="w-full h-10 bg-slate-200/50 rounded"></div>


```



```
<div class="w-full h-10 bg-slate-200/50 rounded"></div>

</div>

</div>

<!-- Chat Area -->

<div class="flex-1 flex flex-col bg-white">

  <div class="flex-1 p-8 space-y-8 overflow-y-auto">

    <!-- AI Message -->

    <div class="flex gap-4 max-w-3xl mx-auto w-full">

      <div class="w-10 h-10 rounded-full bg-primary/20 shrink-0"></div>

      <div class="space-y-3 flex-1">

        <div class="w-1/4 h-4 bg-slate-200 rounded"></div>

        <div class="w-full h-16 bg-slate-100 rounded-lg"></div>

        <div class="w-2/3 h-16 bg-slate-100 rounded-lg"></div>

      </div>

    </div>

    <!-- User Message -->

    <div class="flex gap-4 max-w-3xl mx-auto w-full flex-row-reverse">

      <div class="w-10 h-10 rounded-full bg-slate-200 shrink-0"></div>

      <div class="space-y-3 flex-1 flex flex-col items-end">

        <div class="w-full h-12 bg-slate-100 rounded-lg"></div>

      </div>

    </div>

    <!-- Input Area -->

    <div class="p-6 border-t border-slate-100">
```

```

<div class="max-w-3xl mx-auto w-full h-14 border border-slate-200 rounded-xl bg-white
shadow-sm flex items-center px-4">

<div class="w-full h-4 bg-slate-100 rounded"></div>

</div>

</div>

</div>

</div>

</div>

<!-- MAIN OVERLAY CONTAINER -->

<!-- Positioned absolutely to simulate floating window -->

<div class="absolute inset-0 z-10 flex items-center justify-center p-4 md:items-end md:justify-
end md:pb-8 md:pr-8 pointer-events-none">

<!-- WRAPPER for demonstration: Showing 2 states side-by-side on large screens, or stacked on
small -->

<!-- In a real app, this would be one window changing content. -->

<div class="flex flex-col md:flex-row gap-8 pointer-events-auto items-end">

<!-- STATE 1: HOME (MENU) -->

<div class="w-[340px] bg-white dark:bg-slate-800 rounded-xl shadow-floating border border-
slate-200 dark:border-slate-700 flex flex-col overflow-hidden fade-in-up" style="animation-
delay: 0.1s;">

<!-- Header -->

<div class="h-11 bg-slate-50 dark:bg-slate-900 border-b border-slate-200 dark:border-slate-700
flex items-center justify-between px-4 cursor-move select-none">

<div class="flex items-center gap-2">

<span class="material-symbols-outlined text-primary text-[20px]">handyman</span>

<span class="text-sm font-semibold text-slate-700 dark:text-slate-200">Tools</span>

</div>

<div class="flex items-center gap-1.5">

```

```
<button class="text-slate-400 hover:text-slate-600 dark:hover:text-slate-200 rounded p-0.5 transition-colors">
```

```
<span class="material-symbols-outlined text-[18px]">remove</span>
```

```
</button>
```

```
<button class="text-slate-400 hover:text-red-500 rounded p-0.5 transition-colors">
```

```
<span class="material-symbols-outlined text-[18px]">close</span>
```

```
</button>
```

```
</div>
```

```
</div>
```

```
<!-- Content: Grid Menu -->
```

```
<div class="p-4 grid gap-3">
```

```
<p class="text-xs font-medium text-slate-400 uppercase tracking-wider mb-1">Select Utility</p>
```

```
<!-- Tool Card 1 -->
```

```
<button class="flex items-center gap-4 p-3 rounded-lg border border-slate-200 dark:border-slate-700 hover:border-primary hover:shadow-md hover:bg-slate-50 dark:hover:bg-slate-700/50 transition-all group text-left bg-white dark:bg-slate-800">
```

```
<div class="w-10 h-10 rounded-lg bg-blue-50 dark:bg-blue-900/20 text-primary flex items-center justify-center group-hover:scale-110 transition-transform">
```

```
<span class="material-symbols-outlined">thermometer</span>
```

```
</div>
```

```
<div class="flex flex-col">
```

```
<span class="text-sm font-bold text-slate-800 dark:text-slate-100">Refrigerant Props</span>
```

```
<span class="text-xs text-slate-500 dark:text-slate-400">P-T charts, Enthalpy</span>
```

```
</div>
```

```
</button>
```

```
<!-- Tool Card 2 -->
```

```
<button class="flex items-center gap-4 p-3 rounded-lg border border-slate-200 dark:border-slate-700 hover:border-primary hover:shadow-md hover:bg-slate-50 dark:hover:bg-slate-700/50 transition-all group text-left bg-white dark:bg-slate-800">
```

```
<div class="w-10 h-10 rounded-lg bg-indigo-50 dark:bg-indigo-900/20 text-indigo-500 flex items-center justify-center group-hover:scale-110 transition-transform">
```

```
<span class="material-symbols-outlined">calculate</span>
```

```
</div>
```

```
<div class="flex flex-col">
```

```
<span class="text-sm font-bold text-slate-800 dark:text-slate-100">Eng. Calculator</span>
```

```
<span class="text-xs text-slate-500 dark:text-slate-400">Scientific functions</span>
```

```
</div>
```

```
</button>
```

```
<!-- Tool Card 3 -->
```

```
<button class="flex items-center gap-4 p-3 rounded-lg border border-slate-200 dark:border-slate-700 hover:border-primary hover:shadow-md hover:bg-slate-50 dark:hover:bg-slate-700/50 transition-all group text-left bg-white dark:bg-slate-800">
```

```
<div class="w-10 h-10 rounded-lg bg-emerald-50 dark:bg-emerald-900/20 text-emerald-500 flex items-center justify-center group-hover:scale-110 transition-transform">
```

```
<span class="material-symbols-outlined">compare_arrows</span>
```

```
</div>
```

```
<div class="flex flex-col">
```

```
<span class="text-sm font-bold text-slate-800 dark:text-slate-100">Unit Converter</span>
```

```
<span class="text-xs text-slate-500 dark:text-slate-400">Length, Mass, Pressure</span>
```

```
</div>
```

```
</button>
```

```
</div>
```

```
<div class="h-6 bg-slate-50 dark:bg-slate-900 border-t border-slate-100 dark:border-slate-700 flex items-center justify-center">
```

```
<div class="w-10 h-1 bg-slate-200 rounded-full"></div>

</div>

</div>

<!-- STATE 2: ACTIVE TOOL (Unit Converter) -->

<!-- This represents what happens after clicking the 3rd option -->

<div class="w-[340px] bg-white dark:bg-slate-800 rounded-xl shadow-floating border border-slate-200 dark:border-slate-700 flex flex-col overflow-hidden fade-in-up" style="animation-delay: 0.2s;">

  <!-- Header with Back Nav -->

  <div class="h-11 bg-slate-50 dark:bg-slate-900 border-b border-slate-200 dark:border-slate-700 flex items-center justify-between px-3 cursor-move select-none">

    <div class="flex items-center gap-1">

      <button class="w-7 h-7 flex items-center justify-center rounded hover:bg-slate-200 dark:hover:bg-slate-700 text-slate-500 transition-colors">

        <span class="material-symbols-outlined text-[20px]">arrow_back</span>

      </button>

      <span class="text-sm font-semibold text-slate-800 dark:text-slate-200 ml-1">Unit Converter</span>

    </div>

    <div class="flex items-center gap-1.5">

      <button class="text-slate-400 hover:text-slate-600 dark:hover:text-slate-200 rounded p-0.5">

        <span class="material-symbols-outlined text-[18px]">remove</span>

      </button>

      <button class="text-slate-400 hover:text-red-500 rounded p-0.5">

        <span class="material-symbols-outlined text-[18px]">close</span>

      </button>

    </div>

  </div>

</div>
```

```
</div>

<!-- Tool Content -->

<div class="p-5 flex flex-col gap-4">

  <!-- Category Tabs -->

  <div class="bg-slate-100 dark:bg-slate-900 p-1 rounded-lg flex overflow-x-auto no-scrollbar">

    <button class="flex-1 text-xs font-semibold py-1.5 px-3 bg-white dark:bg-slate-700 shadow-sm rounded-md text-slate-800 dark:text-white transition-all whitespace-nowrap">Length</button>

    <button class="flex-1 text-xs font-medium py-1.5 px-3 text-slate-500 dark:text-slate-400 hover:text-slate-700 dark:hover:text-slate-200 transition-all whitespace-nowrap">Pressure</button>

    <button class="flex-1 text-xs font-medium py-1.5 px-3 text-slate-500 dark:text-slate-400 hover:text-slate-700 dark:hover:text-slate-200 transition-all whitespace-nowrap">Temp</button>

    <button class="flex-1 text-xs font-medium py-1.5 px-3 text-slate-500 dark:text-slate-400 hover:text-slate-700 dark:hover:text-slate-200 transition-all whitespace-nowrap">Weight</button>

  </div>

  <div class="flex flex-col gap-3 relative">

    <!-- Input Group (From) -->

    <div class="bg-slate-50 dark:bg-slate-900 border border-slate-200 dark:border-slate-700 rounded-lg p-3 group focus-within:ring-1 focus-within:ring-primary focus-within:border-primary transition-all">

      <div class="flex justify-between items-center mb-1">

        <label class="text-[10px] font-bold text-slate-400 uppercase tracking-wide">Input</label>

      </div>

      <div class="flex items-center gap-2">

        <input class="w-full bg-transparent border-none p-0 text-xl font-bold text-slate-800 dark:text-slate-100 focus:ring-0 placeholder-slate-300" type="number" value="120"/>

        <div class="h-6 w-[1px] bg-slate-300 dark:bg-slate-600"></div>

      </div>

    </div>

  </div>
```

```
<select class="bg-transparent border-none text-sm font-medium text-slate-600 dark:text-slate-300 focus:ring-0 cursor-pointer pr-8 pl-1 text-right">
<option>Meters</option>
<option>Kilometers</option>
<option>Miles</option>
</select>
</div>
</div>
<!-- Swap Button -->
<div class="absolute left-1/2 top-1/2 -translate-x-1/2 -translate-y-1/2 z-10">
<button class="w-8 h-8 rounded-full bg-white dark:bg-slate-700 border border-slate-200 dark:border-slate-600 shadow-sm flex items-center justify-center text-primary hover:scale-110 transition-transform">
<span class="material-symbols-outlined text-[18px]">swap_vert</span>
</button>
</div>
<!-- Output Group (To) -->
<div class="bg-primary/5 dark:bg-primary/10 border border-primary/20 rounded-lg p-3">
<div class="flex justify-between items-center mb-1">
<label class="text-[10px] font-bold text-primary/70 uppercase tracking-wide">Result</label>
</div>
<div class="flex items-center gap-2">
<div class="w-full bg-transparent p-0 text-xl font-bold text-primary select-all">393.70</div>
<div class="h-6 w-[1px] bg-primary/20"></div>
<select class="bg-transparent border-none text-sm font-medium text-primary focus:ring-0 cursor-pointer pr-8 pl-1 text-right">
<option>Feet</option>
```

```
<option>Inches</option>
```

```
<option>Yards</option>
```

```
</select>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Actions -->
```

```
<div class="grid grid-cols-2 gap-3 mt-1">
```

```
<button class="py-2.5 px-4 rounded-lg border border-slate-200 dark:border-slate-700 text-sm font-medium text-slate-600 dark:text-slate-300 hover:bg-slate-50 dark:hover:bg-slate-700 transition-colors">Clear</button>
```

```
<button class="py-2.5 px-4 rounded-lg bg-primary text-sm font-medium text-white shadow-md hover:bg-blue-600 transition-colors flex items-center justify-center gap-2">
```

```
<span>Convert</span>
```

```
<span class="material-symbols-outlined text-[16px]">arrow_forward</span>
```

```
</button>
```

```
</div>
```


```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body></html>
```

 Tools

SELECT UTILITY

**Refrigerant Props**
P-T charts, Enthalpy

**Eng. Calculator**
Scientific functions

**Unit Converter**
Length, Mass, Pressure

← Unit Converter

Length

Pressure

Temp

Weight

INPUT

120

Meters ▾

RESULT

393.70

Feet ▾

Clear

Convert →

```
<!DOCTYPE html>

<html lang="en"><head>

<meta charset="utf-8"/>

<meta content="width=device-width, initial-scale=1.0" name="viewport"/>

<title>Cool-Assist - Dashboard</title>

<script src="https://cdn.tailwindcss.com?plugins=forms,typography"></script>

<script>

  tailwind.config = {

    darkMode: "class",

    theme: {

      extend: {

        colors: {

          primary: "#14b8a6", // Teal-500 equivalent based on logo/highlights

          "primary-dark": "#0d9488",

          "primary-light": "#ccfbf1",

          "background-light": "#f3f4f6", // Gray-100

          "background-dark": "#111827", // Gray-900

          "surface-light": "#ffffff",

          "surface-dark": "#1f2937",

          "text-light": "#1f2937",

          "text-dark": "#f3f4f6",

          "text-muted-light": "#6b7280",

          "text-muted-dark": "#9ca3af",

        },

        fontFamily: {

          display: ["Inter", "sans-serif"],
```

```

        },
        borderRadius: {
            DEFAULT: "0.5rem",
        },
    },
    },
};
</script>

<link
href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap" rel="stylesheet"/>

<link href="https://fonts.googleapis.com/icon?family=Material+Icons+Outlined"
rel="stylesheet"/>

<style>
    body { font-family: 'Inter', sans-serif; }
</style>

</head>

<body class="bg-background-light dark:bg-background-dark text-text-light dark:text-text-dark
transition-colors duration-200">

<div class="flex h-screen overflow-hidden">

<aside class="w-64 bg-surface-light dark:bg-surface-dark border-r border-gray-200 dark:border-
gray-700 flex flex-col justify-between hidden md:flex shrink-0">

<div>

<div class="h-16 flex items-center px-6 border-b border-gray-100 dark:border-gray-800">

<span class="material-icons-outlined text-primary text-3xl mr-2">ac_unit</span>

<span class="text-xl font-bold tracking-tight text-gray-900 dark:text-white">Cool-Assist</span>

</div>

```

```
<nav class="p-4 space-y-1">

  <a class="flex items-center px-4 py-3 bg-primary-light dark:bg-primary/20 text-primary
  dark:text-primary-light rounded-lg transition-colors group relative" href="#">

    <div class="absolute left-0 w-1 h-8 bg-primary rounded-r-full"></div>

    <span class="material-icons-outlined mr-3 text-primary">dashboard</span>

    <span class="font-medium">Dashboard</span>

  </a>

  <a class="flex items-center px-4 py-3 text-text-muted-light dark:text-text-muted-dark hover:bg-
  gray-50 dark:hover:bg-gray-800 rounded-lg transition-colors group" href="#">

    <span class="material-icons-outlined mr-3 text-gray-400 group-hover:text-primary dark:group-
    hover:text-primary">chat_bubble_outline</span>

    <span class="font-medium">AI Assistant</span>

  </a>

</nav>

</div>

<div class="p-4 border-t border-gray-100 dark:border-gray-800">

  <div class="flex justify-center mb-4">

    <button class="bg-primary-light dark:bg-gray-800 p-2 rounded-full text-primary hover:bg-
    primary hover:text-white transition-colors">

      <span class="material-icons-outlined text-xl">settings</span>

    </button>

  </div>

  <div class="text-center mb-4">

    <p class="text-xs text-text-muted-light dark:text-text-muted-dark font-medium mb-2">Connect
    with us</p>

    <div class="flex justify-center space-x-3 text-gray-400">

      <a class="hover:text-primary" href="#"><span class="material-icons-outlined text-
      lg">camera_alt</span></a>
```

send

work

close

</div>

</div>

<div class="flex justify-center">

<button class="text-gray-400 hover:text-gray-600 dark:hover:text-gray-200">

chevron_left

</button>

</div>

</div>

</aside>

<main class="flex-1 overflow-y-auto bg-gray-50 dark:bg-black/20 p-4 md:p-8">

<div class="max-w-7xl mx-auto">

<div class="flex flex-col md:flex-row md:items-center justify-between mb-8">

<div>

<h1 class="text-2xl font-bold text-gray-900 dark:text-white">Dashboard</h1>

<p class="text-text-muted-light dark:text-text-muted-dark mt-1">Manage and organize your engineering projects.</p>

</div>

<div class="mt-4 md:mt-0 flex space-x-3">

<div class="relative rounded-md shadow-sm">

<div class="pointer-events-none absolute inset-y-0 left-0 flex items-center pl-3">

search

</div>

<input class="block w-full rounded-lg border-0 py-2.5 pl-10 pr-4 text-gray-900 ring-1 ring-inset ring-gray-300 placeholder:text-gray-400 focus:ring-2 focus:ring-inset focus:ring-primary dark:bg-surface-dark dark:ring-gray-700 dark:text-white sm:text-sm sm:leading-6" id="search" name="search" placeholder="Search projects..." type="text"/>

</div>

<button class="inline-flex items-center gap-x-2 rounded-lg bg-primary px-4 py-2.5 text-sm font-semibold text-white shadow-sm hover:bg-primary-dark focus-visible:outline focus-visible:outline-2 focus-visible:outline-offset-2 focus-visible:outline-primary transition-colors" type="button">

add

New Project

</button>

</div>

</div>

<div class="mb-10">

<div class="flex items-center mb-4">

push_pin

<h2 class="text-lg font-semibold text-gray-900 dark:text-white">Pinned Projects</h2>

</div>

<div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">

<div class="bg-surface-light dark:bg-surface-dark rounded-xl shadow-sm border border-gray-100 dark:border-gray-700 p-6 relative hover:shadow-md transition-shadow group">

<div class="absolute top-4 right-4 flex space-x-1 opacity-0 group-hover:opacity-100 transition-opacity">

<button class="p-1 text-primary hover:bg-primary-light dark:hover:bg-primary/20 rounded-full" title="Unpin">

push_pin

</button>

```
<button class="p-1 text-gray-400 hover:text-red-500 hover:bg-red-50 dark: hover:bg-red-900/20 rounded-full" title="Delete">
```

```
<span class="material-icons-outlined text-lg">delete</span>
```

```
</button>
```

```
</div>
```

```
<div class="flex items-start justify-between mb-4">
```

```
<div class="bg-blue-50 dark:bg-blue-900/20 p-3 rounded-lg">
```

```
<span class="material-icons-outlined text-blue-600 dark:text-blue-400 text-2xl">apartment</span>
```

```
</div>
```

```
<span class="inline-flex items-center rounded-full bg-green-50 dark:bg-green-900/20 px-2 py-1 text-xs font-medium text-green-700 dark:text-green-400 ring-1 ring-inset ring-green-600/20">Active</span>
```

```
</div>
```

```
<h3 class="text-lg font-bold text-gray-900 dark:text-white mb-1">Central Mall HVAC</h3>
```

```
<p class="text-sm text-text-muted-light dark:text-text-muted-dark mb-4 line-clamp-2">Complete redesign of the ventilation system for the new North Wing extension.</p>
```

```
<div class="flex items-center justify-between mt-4 pt-4 border-t border-gray-100 dark:border-gray-700">
```

```
<div class="flex -space-x-2 overflow-hidden">
```

```

```

```


</div>

<span class="text-xs text-text-muted-light dark:text-text-muted-dark">Updated 2h ago</span>

</div>

</div>

<div class="bg-surface-light dark:bg-surface-dark rounded-xl shadow-sm border border-gray-100 dark:border-gray-700 p-6 relative hover:shadow-md transition-shadow group">

<div class="absolute top-4 right-4 flex space-x-1 opacity-0 group-hover:opacity-100 transition-opacity">

<button class="p-1 text-primary hover:bg-primary-light dark:hover:bg-primary/20 rounded-full" title="Unpin">

<span class="material-icons-outlined text-lg">push\_pin</span>

</button>

<button class="p-1 text-gray-400 hover:text-red-500 hover:bg-red-50 dark:hover:bg-red-900/20 rounded-full" title="Delete">

<span class="material-icons-outlined text-lg">delete</span>

</button>

</div>

<div class="flex items-start justify-between mb-4">

<div class="bg-purple-50 dark:bg-purple-900/20 p-3 rounded-lg">

<span class="material-icons-outlined text-purple-600 dark:text-purple-400 text-2xl">factory</span>

</div>

<span class="inline-flex items-center rounded-full bg-yellow-50 dark:bg-yellow-900/20 px-2 py-1 text-xs font-medium text-yellow-800 dark:text-yellow-400 ring-1 ring-inset ring-yellow-600/20">Planning</span>

</div>



<h3 class="text-lg font-bold text-gray-900 dark:text-white mb-1">Industrial Cooling Unit B</h3>

<p class="text-sm text-text-muted-light dark:text-text-muted-dark mb-4 line-clamp-2">Optimization calculations for the primary refrigerant loop in the B-block factory.</p>

<div class="flex items-center justify-between mt-4 pt-4 border-t border-gray-100 dark:border-gray-700">

<div class="flex -space-x-2 overflow-hidden">



</div>

<span class="text-xs text-text-muted-light dark:text-text-muted-dark">Updated 1d ago</span>

</div>

</div>

</div>

</div>

<div>

<div class="flex items-center justify-between mb-4">

<h2 class="text-lg font-semibold text-gray-900 dark:text-white">All Projects</h2>

<div class="flex items-center space-x-2">

<span class="text-sm text-text-muted-light dark:text-text-muted-dark">Sort by:</span>

<select class="text-sm border-none bg-transparent text-gray-900 dark:text-white font-medium focus:ring-0 cursor-pointer">

<option>Last Updated</option>

<option>Name</option>

<option>Date Created</option>

```
</select>

</div>

</div>

<div class="bg-surface-light dark:bg-surface-dark rounded-xl shadow-sm border border-gray-100 dark:border-gray-700 overflow-hidden">

 <ul class="divide-y divide-gray-100 dark:divide-gray-800" role="list">

 <li class="relative flex items-center justify-between gap-x-6 px-4 py-5 hover:bg-gray-50 dark:hover:bg-gray-800/50 sm:px-6 transition-colors group">

 <div class="flex min-w-0 gap-x-4">

 <div class="flex-none flex items-center justify-center w-10 h-10 rounded-lg bg-gray-100 dark:bg-gray-800 text-gray-500">

 folder

 </div>

 <div class="min-w-0 flex-auto">

 <p class="text-sm font-semibold leading-6 text-gray-900 dark:text-white">

 Office Complex Retrofit

 </p>

 <div class="flex items-center gap-x-2 text-xs leading-5 text-text-muted-light dark:text-text-muted-dark">

 <p class="truncate">Engineering • ID: #PROJ-2023-089</p>

 <svg class="h-0.5 w-0.5 fill-current" viewBox="0 0 2 2"><circle cx="1" cy="1" r="1"></circle></svg>

 <p>Edited 3h ago by David</p>

 </div>

 </div>

 </div>

</div>
```

</div>

</div>

<div class="flex items-center gap-x-4 z-10">

<div class="hidden sm:flex sm:flex-col sm:items-end">

<p class="text-sm leading-6 text-gray-900 dark:text-white">Review Pending</p>

<p class="text-xs leading-5 text-text-muted-light dark:text-text-muted-dark">Due Oct 24</p>

</div>

<div class="opacity-0 group-hover:opacity-100 transition-opacity flex items-center space-x-1 pl-2 border-l border-gray-200 dark:border-gray-700">

<button class="p-2 text-gray-400 hover:text-primary rounded-full hover:bg-gray-100 dark:hover:bg-gray-700" title="Pin Project">

<span class="material-icons-outlined text-lg">push\_pin</span>

</button>

<button class="p-2 text-gray-400 hover:text-red-500 rounded-full hover:bg-red-50 dark:hover:bg-red-900/20" title="Delete Project">

<span class="material-icons-outlined text-lg">delete</span>

</button>

</div>

<span class="material-icons-outlined text-gray-400 group-hover:hidden">chevron\_right</span>

</div>

</li>

<li class="relative flex items-center justify-between gap-x-6 px-4 py-5 hover:bg-gray-50 dark:hover:bg-gray-800/50 sm:px-6 transition-colors group">

<div class="flex min-w-0 gap-x-4">

<div class="flex-none flex items-center justify-center w-10 h-10 rounded-lg bg-gray-100 dark:bg-gray-800 text-gray-500">

<span class="material-icons-outlined text-xl">folder</span>

&lt;/div&gt;

```
<div class="min-w-0 flex-auto">
```

<p class="text-sm font-semibold leading-6 text-gray-900 dark:text-white">

[<a class="focus:outline-none" href="#">](#)

<span class="absolute inset-x-0 -top-px bottom-0"></span>

## Residential District 4

```
<div class="flex items-center gap-x-2 text-xs leading-5 text-text-muted-light dark:text-text-muted-dark">
```

HVAC Design • ID: #PROJ-2023-092

```
<svg class="h-0.5 w-0.5 fill-current" viewBox="0 0 2 2"><circle cx="1" cy="1" r="1"></circle></svg>
```

Edited 1d ago by Admin

&lt;/div&gt;

&lt;/div&gt;

```
<div class="flex items-center gap-x-4 z-10">
```

<div class="hidden sm:flex sm:flex-col sm:items-end">

In Progress

Due Nov 01

&lt;/div&gt;

```
<div class="opacity-0 group-hover:opacity-100 transition-opacity flex items-center space-x-1 pl-2 border-l border-gray-200 dark:border-gray-700">
```

```
<button class="p-2 text-gray-400 hover:text-primary rounded-full hover:bg-gray-100
dark:hover:bg-gray-700" title="Pin Project">
```

```
push_pin
</button>

<button class="p-2 text-gray-400 hover:text-red-500 rounded-full hover:bg-red-50
dark: hover:bg-red-900/20" title="Delete Project">

delete

</button>

</div>

chevron_right
</div>

<li class="relative flex items-center justify-between gap-x-6 px-4 py-5 hover:bg-gray-50
dark: hover:bg-gray-800/50 sm:px-6 transition-colors group">

<div class="flex min-w-0 gap-x-4">

<div class="flex-none flex items-center justify-center w-10 h-10 rounded-lg bg-gray-100 dark:bg-
gray-800 text-gray-500">

folder

</div>

<div class="min-w-0 flex-auto">

<p class="text-sm font-semibold leading-6 text-gray-900 dark:text-white">

Cold Storage - Warehouse A

</p>

<div class="flex items-center gap-x-2 text-xs leading-5 text-text-muted-light dark:text-text-
muted-dark">

<p class="truncate">Refrigeration • ID: #PROJ-2023-085</p>
```

```
<svg class="h-0.5 w-0.5 fill-current" viewBox="0 0 2 2"><circle cx="1" cy="1"
r="1"></circle></svg>
```

```
<p>Edited 2d ago by <span class="font-medium text-gray-900 dark:text-gray-
300">John</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="flex items-center gap-x-4 z-10">
```

```
<div class="hidden sm:flex sm:flex-col sm:items-end">
```

```
<p class="text-sm leading-6 text-gray-900 dark:text-white">Completed</p>
```

```
<p class="text-xs leading-5 text-text-muted-light dark:text-text-muted-dark">Delivered Oct
15</p>
```

```
</div>
```

```
<div class="opacity-0 group-hover:opacity-100 transition-opacity flex items-center space-x-1 pl-
2 border-l border-gray-200 dark:border-gray-700">
```

```
<button class="p-2 text-gray-400 hover:text-primary rounded-full hover:bg-gray-100
dark: hover:bg-gray-700" title="Pin Project">
```

```
push_pin
```

```
</button>
```

```
<button class="p-2 text-gray-400 hover:text-red-500 rounded-full hover:bg-red-50
dark: hover:bg-red-900/20" title="Delete Project">
```

```
delete
```

```
</button>
```

```
</div>
```

```
chevron_right
```

```
</div>
```

```

```

```
<li class="relative flex items-center justify-between gap-x-6 px-4 py-5 hover:bg-gray-50
dark:hover:bg-gray-800/50 sm:px-6 transition-colors group">

<div class="flex min-w-0 gap-x-4">

<div class="flex-none flex items-center justify-center w-10 h-10 rounded-lg bg-gray-100 dark:bg-
gray-800 text-gray-500">

folder

</div>

<div class="min-w-0 flex-auto">

<p class="text-sm font-semibold leading-6 text-gray-900 dark:text-white">

 Seaside Hotel AC

</p>

<div class="flex items-center gap-x-2 text-xs leading-5 text-text-muted-light dark:text-text-
muted-dark">

<p class="truncate">Maintenance • ID: #PROJ-2023-078</p>

<svg class="h-0.5 w-0.5 fill-current" viewBox="0 0 2 2"><circle cx="1" cy="1"
r="1"></circle></svg>

<p>Edited 1w ago by <span class="font-medium text-gray-900 dark:text-gray-
300">Alex</p>

</div>

</div>

</div>

</div>

<div class="flex items-center gap-x-4 z-10">

<div class="hidden sm:flex sm:flex-col sm:items-end">

<p class="text-sm leading-6 text-gray-900 dark:text-white">On Hold</p>
```

<p class="text-xs leading-5 text-text-muted-light dark:text-text-muted-dark">Waiting for Client</p>

</div>

<div class="opacity-0 group-hover:opacity-100 transition-opacity flex items-center space-x-1 pl-2 border-l border-gray-200 dark:border-gray-700">

<button class="p-2 text-gray-400 hover:text-primary rounded-full hover:bg-gray-100 dark:hover:bg-gray-700" title="Pin Project">

<span class="material-icons-outlined text-lg">push\_pin</span>

</button>

<button class="p-2 text-gray-400 hover:text-red-500 rounded-full hover:bg-red-50 dark:hover:bg-red-900/20" title="Delete Project">

<span class="material-icons-outlined text-lg">delete</span>

</button>

</div>

<span class="material-icons-outlined text-gray-400 group-hover:hidden">chevron\_right</span>

</div>

</li>

</ul>

<div class="flex items-center justify-between border-t border-gray-100 dark:border-gray-700 px-4 py-3 sm:px-6">

<div class="hidden sm:flex sm:flex-1 sm:items-center sm:justify-between">

<div>

<p class="text-sm text-text-muted-light dark:text-text-muted-dark">

Showing

<span class="font-medium text-gray-900 dark:text-white">1</span>

to

<span class="font-medium text-gray-900 dark:text-white">4</span>



of

<span class="font-medium text-gray-900 dark:text-white">12</span>

results

</p>

</div>

<div>

<nav aria-label="Pagination" class="isolate inline-flex -space-x-px rounded-md shadow-sm">

<a class="relative inline-flex items-center rounded-l-md px-2 py-2 text-gray-400 ring-1 ring-inset ring-gray-300 dark:ring-gray-700 hover:bg-gray-50 dark:hover:bg-gray-800 focus:z-20 focus:outline-offset-0" href="#">

<span class="sr-only">Previous</span>

<span class="material-icons-outlined text-sm">chevron\_left</span>

</a>

<a aria-current="page" class="relative z-10 inline-flex items-center bg-primary px-4 py-2 text-sm font-semibold text-white focus:z-20 focus-visible:outline focus-visible:outline-2 focus-visible:outline-offset-2 focus-visible:outline-primary" href="#">1</a>

<a class="relative inline-flex items-center px-4 py-2 text-sm font-semibold text-gray-900 dark:text-white ring-1 ring-inset ring-gray-300 dark:ring-gray-700 hover:bg-gray-50 dark:hover:bg-gray-800 focus:z-20 focus:outline-offset-0" href="#">2</a>

<a class="relative inline-flex items-center px-4 py-2 text-sm font-semibold text-gray-900 dark:text-white ring-1 ring-inset ring-gray-300 dark:ring-gray-700 hover:bg-gray-50 dark:hover:bg-gray-800 focus:z-20 focus:outline-offset-0" href="#">3</a>

<a class="relative inline-flex items-center rounded-r-md px-2 py-2 text-gray-400 ring-1 ring-inset ring-gray-300 dark:ring-gray-700 hover:bg-gray-50 dark:hover:bg-gray-800 focus:z-20 focus:outline-offset-0" href="#">

<span class="sr-only">Next</span>

<span class="material-icons-outlined text-sm">chevron\_right</span>

</a>

</nav>

