

# Cucumber Report

Sep 24, 2024, 7:18:28 PM

Start : Sep 24, 7:17:28.793 PM

End : Sep 24, 7:18:27.221 PM

Duration : 58.428 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0


PASSED - 11  
FAILED - 2  
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login</u>	15.580 s	1	0	1	0	5	3	1	1
<u>User Registration</u>	42.831 s	1	0	1	0	9	8	1	0





#	Feature Name	T	P	F	S	Duration
1	User Login	1	0	1	0	15.580 s
2	User Registration	1	0	1	0	42.831 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login</u>	<u>Successful user login</u>	5	3	1	1	15.577 s
2	<u>User Registration</u>	<u>Successful user registration</u>	9	8	1	0	42.831 s


## User Login

FAILED	DURATION - 15.580 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 7:17:28.793 PM // 7:17:44.373 PM /					



## Successful user login

FAILED		DURATION - 15.577 s			Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 7:17:28.796 PM // 7:17:44.373 PM /						
User Login						



#	Step / Hook Details	Status	Duration				
1	Given Navigate to the Ikea	PASSED	3.487 s				
2	When user clicks on the login button	PASSED	1.213 s				
3	Then user enters valid login credentials	PASSED	0.521 s				
	<table><tr><td>Email</td><td>layibej345@sgatra.com</td></tr><tr><td>Password</td><td>TestPassword123!</td></tr></table>			Email	layibej345@sgatra.com	Password	TestPassword123!
	Email			layibej345@sgatra.com			
Password	TestPassword123!						
4	And user submits the login form	FAILED	5.518 s				
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input type="button" name="test" value="Giriş Yap" tabindex="3" id="btnLogin" class="btn btn-primary btn-block submit-btn"> is not clickable at point (623, 885). Other element would receive the click: <iframe title="reCAPTCHA sorusunun süresi iki dakika sonra dolacak" name="c-1700iotxmmhu" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin allow-scripts allow-top-navigation allow-modals allow-popups-to-escape-sandbox allow-storage-access-by-user-activation" src="https://www.google.com/recaptcha/api2/bframe?hl=tr&v=xds0rzGrktR88uEZ2JUvdgOY&k=6LfZcIIUAAAAKhpFJn0vb0XdmU-OI78k-L_ftMR" style="width: 300px; height: 250px;"></iframe> (Session info: chrome=129.0.6668.59) Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.23' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [90498388d36c296f1ac2aff28dc0c7bd, clickElement {id=f.10830A0A2E5181F4099559E3268D699C.d.83E9E00BB97757941062157ED9AC9887.e.146}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.59, chrome: {chromedriverVersion: 129.0.6668.58 (81a06fb873a9..., userDataDir: C:\Users\lerdem\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58220}, networkConnectionEnabled: false, pageLoadStrategy:						

#	Step / Hook Details	Status	Duration
	<p>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58220/devtoo..., se:cdpVersion: 129.0.6668.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (90498388d36c296f1ac2aff28dc0c7bd)] -&gt; css selector: input[type='button']] Session ID: 90498388d36c296f1ac2aff28dc0c7bd</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)  at com.sun.proxy.\$Proxy39.click(Unknown Source)  at utilities.ReusableMethods.clickFunctionNoScroll(ReusableMethods.java:39)  at stepDefinitions.LoginSteps.userSubmitsTheLoginForm(LoginSteps.java:52)  at ?.user submits the login form(file:///C:/Users/erdem/IdeaProjects/Ikea-Automation/src/test/java/featureFiles/Login.feature:9)</p> <p>* Not displayable characters are replaced by '?'. </p>		
5	Then user should be redirected to the my orders page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.871 s
	screenshot name		
			

## User Registration

<b>FAILED</b>	DURATION - 42.831 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
/ 7:17:44.390 PM // 7:18:27.221 PM /					

### Successful user registration

<b>FAILED</b>	DURATION - 42.831 s		Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
/ 7:17:44.390 PM // 7:18:27.221 PM /				
User Registration				

#	Step / Hook Details	Status	Duration												
1	Given Navigate to the Ikea	PASSED	2.323 s												
2	When user clicks on the registration button	PASSED	2.240 s												
3	Then user enters valid registration details	PASSED	0.936 s												
	<table><tr><td>First Name</td><td>John</td></tr><tr><td>Last Name</td><td>Doe</td></tr><tr><td>Email</td><td>john@test.com</td></tr><tr><td>Phone Number</td><td>5488716548</td></tr><tr><td>Password</td><td>TestPassword123!</td></tr><tr><td>Confirm Password</td><td>TestPassword123!</td></tr></table>			First Name	John	Last Name	Doe	Email	john@test.com	Phone Number	5488716548	Password	TestPassword123!	Confirm Password	TestPassword123!
First Name	John														
Last Name	Doe														
Email	john@test.com														
Phone Number	5488716548														
Password	TestPassword123!														
Confirm Password	TestPassword123!														
4	And user accepts the terms and conditions														
5	And user accepts the commercial communication consent														
6	And user selects SMS and E-Mail as the preferred communication method														
7	And user grants permission for data transfer abroad														
8	And user submits the registration form	PASSED	3.679 s												
9	Then user should see a registration success message	FAILED	30.067 s												
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('Aktivasyon e-postası adresinize gönderildi.') to be present in element Proxy element for: DefaultElementLocator 'By.id: //h1[@class='page-title text-center']' (tried for 15 second(s) with 500 milliseconds interval)														

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)  at utilities.ReusableMethods.verifyContainsText(ReusableMethods.java:226)  at stepDefinitions.RegisterSteps.userShouldSeeARegistrationSuccessMessage(RegisterSteps.java:75)  at ?.user should see a registration success message(file:///C:/Users/erdem/IdeaProjects/Ikea-Automation/src/test/java/featureFiles/Register.feature:18)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#\\h1\\[\\@class=\\'page\\-title\\' text\\-center\\'\\]} (Session info: chrome=129.0.6668.59) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.23' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7dc24b29d2cd67f06fa8a92e85855353, findElement {value=//h1[@class='page-title text-center'], using=id}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.59, chrome: {chromedriverVersion: 129.0.6668.58 (81a06fb873a9..., userDataDir: C:\Users\erdem\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58338}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58338/devtoo..., se:cdpVersion: 129.0.6668.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7dc24b29d2cd67f06fa8a92e85855353  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at com.sun.proxy.\$Proxy39.getText(Unknown Source)  at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343)  at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)  at utilities.ReusableMethods.verifyContainsText(ReusableMethods.java:226)  at stepDefinitions.RegisterSteps.userShouldSeeARegistrationSuccessMessage(RegisterSteps.java:75)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p>		



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		

#	Step / Hook Details	Status	Duration
	<div>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</div> <div>* Not displayable characters are replaced by '?'. </div>		
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.388 s
	screenshot name		
	