



2012 119: 262-272  
Prepublished online November 4, 2011;  
doi:10.1182/blood-2011-06-358200

## **Ribosomal deficiencies in Diamond-Blackfan anemia impair translation of transcripts essential for differentiation of murine and human erythroblasts**

Rastislav Horos, Hanna IJspeert, Dagmar Pospisilova, Regine Sendtner, Charlotte Andrieu-Soler, Erdogan Taskesen, Andrzej Nieradka, Radek Cmejla, Michael Sendtner, Ivo P. Touw and Marieke von Lindern

---

Updated information and services can be found at:  
<http://bloodjournal.hematologylibrary.org/content/119/1/262.full.html>

Articles on similar topics can be found in the following Blood collections  
[Red Cells, Iron, and Erythropoiesis](#) (427 articles)

---

Information about reproducing this article in parts or in its entirety may be found online at:  
[http://bloodjournal.hematologylibrary.org/site/misc/rights.xhtml#repub\\_requests](http://bloodjournal.hematologylibrary.org/site/misc/rights.xhtml#repub_requests)

Information about ordering reprints may be found online at:  
<http://bloodjournal.hematologylibrary.org/site/misc/rights.xhtml#reprints>

Information about subscriptions and ASH membership may be found online at:  
<http://bloodjournal.hematologylibrary.org/site/subscriptions/index.xhtml>

























