



2011 117: 2469-2475
Prepublished online December 21, 2010;
doi:10.1182/blood-2010-09-307280

Prognostic impact, concurrent genetic mutations, and gene expression features of AML with *CEBPA* mutations in a cohort of 1182 cytogenetically normal AML patients: further evidence for *CEBPA* double mutant AML as a distinctive disease entity

Erdogan Taskesen, Lars Bullinger, Andrea Corbacioglu, Mathijs A. Sanders, Claudia A. J. Erpelinck, Bas J. Wouters, Sonja C. van der Poel-van de Luytgaarde, Frederik Damm, Jürgen Krauter, Arnold Ganser, Richard F. Schlenk, Bob Löwenberg, Ruud Delwel, Hartmut Döhner, Peter J. M. Valk and Konstanze Döhner

Updated information and services can be found at:
<http://bloodjournal.hematologylibrary.org/content/117/8/2469.full.html>

Articles on similar topics can be found in the following Blood collections
[Clinical Trials and Observations](#) (3690 articles)
[Myeloid Neoplasia](#) (908 articles)

Information about reproducing this article in parts or in its entirety may be found online at:
http://bloodjournal.hematologylibrary.org/site/misc/rights.xhtml#repub_requests

Information about ordering reprints may be found online at:
<http://bloodjournal.hematologylibrary.org/site/misc/rights.xhtml#reprints>

Information about subscriptions and ASH membership may be found online at:
<http://bloodjournal.hematologylibrary.org/site/subscriptions/index.xhtml>



