

# Technical Data Sheet

CODE 11282

## VORT HRI 350 FLAT

Ceiling-mounting residencial heat recovery units




### Certifications



## Technical and performance data

|                                                                                |      |                                                                                     |      |
|--------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|------|
| Frequency (Hz)                                                                 | 50   | Max airflow (l/s)                                                                   | 105  |
| Max absorbed current (A)                                                       | 2,0  | Max airflow (m³/h)                                                                  | 380  |
| Max absorbed power (W)                                                         | 240  | Max pressure (mmH2O)                                                                | 56,0 |
| Nominal diameter (mm)                                                          | 150  | Max pressure (Pa)                                                                   | 550  |
| Voltage (V)                                                                    | 230  | Sound power at exhaust inlet LWA [dB(A)]                                            | 37,8 |
| Weight (Kg)                                                                    | 33   | Sound power at supply outlet LWA [dB(A)]                                            | 37,2 |
| Breakout sound power LWA [dB(A)]                                               | 51,0 | Sound pressure at 3m at extraction at Max speed calculated in free field Lp [dB(A)] | 17,3 |
| Breakout sound pressure at 3m at Max speed calculated in free field Lp [dB(A)] | 30,5 | Sound pressure at 3m at supply at Max speed calculated in free field Lp [dB(A)]     | 16,7 |

## Dimensions



|             |      |
|-------------|------|
| Ø (mm)      | 150  |
| Size A (mm) | 1183 |
| Size B (mm) | 740  |
| Size C (mm) | 288  |
| Size D (mm) | 1287 |
| Size E (mm) | 650  |

### PER INFORMAZIONI / FOR INFORMATION

#### ITALY

Pre Sales:  
prevendita@vortice-italy.com  
After Sales:  
postvendita@vortice-italy.com

#### UNITED KINGDOM & REP. OF IRELAND

Sales Dept:  
sales@vortice.ltd.uk  
Technical Dept:  
technical@vortice.ltd.uk

#### OTHER COUNTRIES

Sales Dept:  
export@vortice-italy.com  
After Sales:  
after-sales@vortice-italy.com

# Technical Data Sheet

CODE 11282

## VORT HRI 350 FLAT


Ceiling-mounting residencial heat recovery units



## Description

- Sheet steel housing, internally insulated, fire resistant according wit DIN EN 13501.
- High efficiency backward curved centrifugal fans driven by 3 speeds EC (brushless) motors.
- High efficiency plastic cross-counterflow heat exchanger.
- Automatic thermodynamic by-pass.
- Integrated frost protection.
- Nominal diameter of duct connections 125 mm.
- 2 x ePM10 50% (M5) filters. ePM1 70% (F7) filter for supply available as optional.
- Remote, wired control panel allowing:
  - o To Switch on/off the product
  - o To select the fan speeds
  - o To show the filters status
- Brackets for suspended installation.

## Curves



## Accessories



**FTR F7**  
**230X250X48**

Code 22628



**ELECTRIC**  
**HEATER 750**

Code 22735



**FTR M5**  
**230X250X48**

Code 22646



**C TEMP**

Code 12992



**C SMOKE**

Code 12993



**C HCS**

Code 12994



**C PIR**

Code 12998



**TUBO  
SILENZIATORE  
D.150 L=500**

Code 22316



**DCW 250  
D.150(BATTERIA  
FREDDA)**

Code 24146

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:

[prevendita@vortice-italy.com](mailto:prevendita@vortice-italy.com)

After Sales:

[postvendita@vortice-italy.com](mailto:postvendita@vortice-italy.com)

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:

[sales@vortice.ltd.uk](mailto:sales@vortice.ltd.uk)

Technical Dept:

[technical@vortice.ltd.uk](mailto:technical@vortice.ltd.uk)

OTHER COUNTRIES

Sales Dept:

[export@vortice-italy.com](mailto:export@vortice-italy.com)

After Sales:

[after-sales@vortice-italy.com](mailto:after-sales@vortice-italy.com)