


## Multi Split Guide

Compatibility & Capacity  
Tables

# MXZ Series



# PUMY Series



# Contents

|                                      |     |
|--------------------------------------|-----|
| Selection                            | 3   |
| Outdoor Units - MXZ Series           | 4   |
| Product Specifications - MXZ Series  | 5   |
| Outdoor Units - PUMY Series          | 6   |
| Product Specifications - PUMY Series | 7   |
| Indoor Units                         | 9   |
| Optional Parts - Indoor Units        | 15  |
| Optional Parts - Piping Information  | 17  |
| Capacity Tables for MXZ Series       | 18  |
| MXZ-2F52VF Cooling Capacity Tables   | 18  |
| MXZ-2F52VF Heating Capacity Tables   | 19  |
| MXZ-2F52VGD Cooling Capacity Tables  | 20  |
| MXZ-2F52VGD Heating Capacity Tables  | 21  |
| MXZ-3F54VGD Cooling Capacity Tables  | 22  |
| MXZ-3F54VGD Heating Capacity Tables  | 24  |
| MXZ-4F71VGD Cooling Capacity Tables  | 26  |
| MXZ-4F71VGD Heating Capacity Tables  | 32  |
| MXZ-4F80VGD Cooling Capacity Tables  | 38  |
| MXZ-4F80VGD Heating Capacity Tables  | 47  |
| MXZ-5F100VGD Cooling Capacity Tables | 56  |
| MXZ-5F100VGD Heating Capacity Tables | 78  |
| MXZ-6F120VGD Cooling Capacity Tables | 100 |
| MXZ-6F120VGD Heating Capacity Tables | 141 |

# Selection

| Step 1                                                                                      |                                                                                              | Select Indoor Units                                                                         |                                                                                             |                                                                                               |
|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| Select the indoor unit to be installed in each room.                                        |                                                                                              |                                                                                             |                                                                                             |                                                                                               |
| Wall Mounted                                                                                | Floor Standing                                                                               | Ceiling Cassette                                                                            | Ceiling Suspended                                                                           | Ceiling Concealed                                                                             |
| <br>MSZ-LN |                                                                                              | <br>SLZ-M  |                                                                                             |                                                                                               |
| <br>MSZ-EF |                                                                                              |                                                                                             |                                                                                             |                                                                                               |
| <br>MSZ-AP | <br>MFXZ-KW | <br>PLA-M  | <br>PCA-M | <br>SEZ-M  |
| <br>MSZ-GE |                                                                                              | <br>MLZ-KP |                                                                                             | <br>PEAD-M |

| Step 2                                                                                                                   |                                                                                                                                           | Select Outdoor Units                                                                                                                                                 |                                                                                                                                   |  |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--|
| 2-Port Single Fan                                                                                                        | 2/3/4-Port Single Fan                                                                                                                     | 2-8-Port Single Fan                                                                                                                                                  |                                                                                                                                   |  |
| <br>MXZ-2F52VF-A1<br>(Non-DRED Model) | <br>MXZ-2F52VGD-A1<br>MXZ-3F54VGD-A1<br>MXZ-4F71VGD-A1 | <br>PUMY-SP80V/YKMD<br>PUMY-SP112V/YKMD<br>PUMY-SP125V/YKMD<br>PUMY-SP140V/YKMD | <br>Branch Boxes<br>PAC-MK34BC<br>PAC-MK54BC |  |
| 4/5-Port Single Fan                                                                                                      | 6-Port Single Fan                                                                                                                         | 2-8-Port Twin Fan                                                                                                                                                    |                                                                                                                                   |  |
| <br>MXZ-4F80VGD-A1<br>MXZ-5F100VGD-A1 | <br>MXZ-6F120VGD-A1                                    | <br>PUMY-P200YKMD                                                               | <br>Branch Boxes<br>PAC-MK34BC<br>PAC-MK54BC |  |

\*Branch box dependent on number of indoor units and capacity required.

| Step 3                                                                                                                                                                                                                             |  | Check System Compatibility                                                                                                                                                                                                                     |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Possible combinations depends on the outdoor unit chosen. Please check the following points.                                                                                                                                       |  |                                                                                                                                                                                                                                                |  |
| <b>Check Indoor Units</b><br>Refer to the Indoor Unit Compatibility Table (page 4 & 6) to check if the indoor units selected can be used with the outdoor unit selected.<br>(Indoor units not listed in the table cannot be used.) |  | <b>Check Indoor Units Capacity Combination</b><br>Refer to the Combination Tables starting from the page 18 to check if the capacity combination of the indoor unit selected is connectable.<br>(Combinations not listed cannot be connected.) |  |
| If the desired combination cannot be found, please change either the indoor or outdoor unit to match one of the combinations shown in the tables.                                                                                  |  |                                                                                                                                                                                                                                                |  |

# Outdoor Units      MXZ Series

- Capacity Range: 5.2/5.4/7.1/8.0/10.0/12.0kW.
- Guaranteed Operating Range: -10°C to 46°C (Cooling), -5°C (-15°C \*) to 24°C (Heating).

\*1 Optional air protection guide is required where ambient temperature is lower than -5°C.



**2-Port**  
MXZ-2F52VF-A1  
(Non-DRED Model)




**2/3/4-Port**  
MXZ-2F52VGD-A1  
MXZ-3F54VGD-A1  
MXZ-4F71VGD-A1



**4/5-Port**  
MXZ-4F80VGD-A1  
MXZ-5F100VGD-A1



**6-Port**  
MXZ-6F120VGD-A1



## MXZ Series Indoor Unit Compatibility

| MXZ Series      |              |    |                |                      |   |   |         |                |                  |    |        |    |                   |    |    |    |        |    |    |
|-----------------|--------------|----|----------------|----------------------|---|---|---------|----------------|------------------|----|--------|----|-------------------|----|----|----|--------|----|----|
| Model           | Wall Mounted |    |                |                      |   |   |         | Floor Standing | Ceiling Cassette |    |        |    | Ceiling Concealed |    |    |    |        |    |    |
|                 | MSZ-LN       |    | MSZ-EF         | MSZ-AP               |   |   | MFXZ-KW |                | SLZ-M            |    | MLZ-KP |    | SEZ-M             |    |    |    | PEAD-M |    |    |
| Capacities      | 25/35        | 50 | 22/25/35/42/50 | 15/20/22/25/35/42/50 |   |   | 25/35   | 50             | 25/35            | 50 | 25/35  | 50 | 25/35             | 50 | 60 | 71 | 50     | 60 | 71 |
| MXZ-2F52VF-A1   | ●            |    | ●              | ●                    |   |   | ●       |                | ●                |    | ●      |    | ●                 |    |    |    |        |    |    |
| MXZ-2F52VGD-A1  | ●            |    | ●              | ●                    |   |   | ●       |                | ●                |    | ●      |    | ●                 |    |    |    |        |    |    |
| MXZ-3F54VGD-A1  | ●            | ●  | ●              | ●                    |   |   | ●       | ●              | ●                | ●  | ●      | ●  | ●                 | ●  |    |    | ●      |    |    |
| MXZ-4F71VGD-A1  | ●            | ●  | ●              | ●                    | ● |   | ●       | ●              | ●                | ●  | ●      | ●  | ●                 | ●  | ●  |    | ●      | ●  |    |
| MXZ-4F80VGD-A1  | ●            | ●  | ●              | ●                    | ● | ● | ●       | ●              | ●                | ●  | ●      | ●  | ●                 | ●  | ●  | ●  | ●      | ●  | ●  |
| MXZ-5F100VGD-A1 | ●            | ●  | ●              | ●                    | ● | ● | ●       | ●              | ●                | ●  | ●      | ●  | ●                 | ●  | ●  | ●  | ●      | ●  | ●  |
| MXZ-6F120VGD-A1 | ●            | ●  | ●              | ●                    | ● | ● | ●       | ●              | ●                | ●  | ●      | ●  | ●                 | ●  | ●  | ●  | ●      | ●  | ●  |

# Product Specifications

## MXZ Series

| Series                               |                          |                           | MXZ                                     |                     |                     |                                |                                |                                |                                |
|--------------------------------------|--------------------------|---------------------------|-----------------------------------------|---------------------|---------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Outdoor Unit                         |                          |                           | MXZ-2F52<br>VF-A1                       | MXZ-2F52<br>VGD-A1  | MXZ-3F54<br>VGD-A1  | MXZ-4F71<br>VGD-A1             | MXZ-4F80<br>VGD-A1             | MXZ-5F100<br>VGD-A1            | MXZ-6F120<br>VGD-A1            |
| Refrigerant                          |                          | kg                        | R32                                     |                     |                     |                                |                                |                                |                                |
| Precharge Refrigerant                |                          |                           | 1                                       | 2.4                 |                     |                                |                                |                                |                                |
| Power Supply (V, Phase, Hz)          |                          |                           | 220V, single, 60Hz / 230V, single, 50Hz |                     |                     |                                |                                |                                |                                |
| Cooling                              | Capacity [Min-Rated-Max] | kW                        | 1.1 - 5.2 - 5.6                         | 2.0 - 5.2 - 6.0     | 2.9 - 5.4 - 6.8     | 3.7 - 7.1 - 8.8                | 3.7 - 8.0 - 9.2                | 3.9 - 10.0 - 11.0              | 3.5 - 12.0 - 14.0              |
|                                      | Total Input [Rated]      | kW                        | 1.38                                    | 1.38                | 1.25                | 1.79                           | 1.98                           | 2.84                           | 3.3                            |
|                                      | AEER/EER                 |                           | 3.72/3.77                               | 3.73/3.77           | 4.26/4.32           | 3.93/3.97                      | 4.00/4.04                      | 3.49/3.52                      | 3.61/3.64                      |
|                                      | Running Current [Rated]  | A [220V/60Hz - 230V/50Hz] | 6.5 - 6.3                               | 6.4 - 6.1           | 5.8 - 5.5           | 8.3 - 7.9                      | 9.1 - 8.7                      | 13.0 - 12.5                    | 15.2 - 14.5                    |
|                                      | Sound Pressure Level     | Out [PWL]                 | 61                                      | 60                  | 60                  | 63                             | 61                             | 65                             | 68                             |
| Heating                              | Capacity [Min-Rated-Max] | kW                        | 1.0 - 6.1 - 7.0                         | 1.8 - 6.1 - 7.2     | 2.6 - 7.0 - 9.0     | 3.4 - 8.0 - 10.7               | 3.4 - 8.8 - 11.6               | 4.1 - 10.0 - 14.0              | 3.5 - 13.2 - 16.5              |
|                                      | Total Input [Rated]      | kW                        | 1.49                                    | 1.45                | 1.43                | 1.67                           | 1.68                           | 2.07                           | 3                              |
|                                      | ACOP/COP                 |                           | 4.05/4.09                               | 4.17/4.21           | 4.84/4.90           | 4.74/4.79                      | 5.18/5.24                      | 4.78/4.83                      | 4.37/4.40                      |
|                                      | Running Current [Rated]  | A [220V/60Hz - 230V/50Hz] | 7.1 - 6.7                               | 6.7 - 6.4           | 6.6 - 6.3           | 7.7 - 7.4                      | 7.7 - 7.4                      | 9.5 - 9.1                      | 13.8 - 13.2                    |
|                                      | Sound Pressure Level     | Out [PWL]                 | 63                                      | 65                  | 65                  | 66                             | 63                             | 67                             | 72                             |
| Max. Running Current                 |                          | A                         | 12.2                                    | 12.2                | 18                  | 18                             | 21.4                           | 21.4                           | 29.8                           |
| DRED                                 |                          |                           | X                                       | ✓                   | ✓                   | ✓                              | ✓                              | ✓                              | ✓                              |
| Outdoor Unit                         | Dimensions [HxWxD]       | mm                        | 550 × 800 × 285                         | 710 × 840 × 330     |                     |                                | 796 × 950 × 330                |                                | 1048 × 950 × 330               |
|                                      | Weight                   | kg                        | 37                                      | 57                  | 58                  | 59                             | 61                             | 62                             | 87                             |
| Piping                               | Diameter [Gas/Liquid]    | mm                        | 9.52 × 2 / 6.35 × 2                     | 9.52 × 2 / 6.35 × 2 | 9.52 × 3 / 6.35 × 3 | 9.52 × 3 + 12.7 × 1 / 6.35 × 4 | 9.52 × 3 + 12.7 × 1 / 6.35 × 4 | 9.52 × 4 + 12.7 × 1 / 6.35 × 5 | 9.52 × 5 + 12.7 × 1 / 6.35 × 6 |
|                                      | Max. Length [Total-Each] | m                         | 30 - 20                                 | 40 - 20             | 50 - 25             | 60 - 25                        | 70 - 25                        | 80 - 25                        | 80 - 25                        |
|                                      | Max. Height              | m                         | 15 / 10 *1                              | 15 / 10 *1          | 15 / 10 *1          | 15 / 10 *1                     | 15                             | 15                             | 15                             |
| Guaranteed Operating Range [Outdoor] |                          | Cooling °C                | -10 ~ 46                                |                     |                     |                                |                                |                                |                                |
|                                      |                          | Heating °C                | -15 ~ 24                                |                     |                     |                                |                                |                                |                                |

### Rating Conditions:

Cooling: Indoor 27°C, D.B./19°C, W.B. Outdoor 35°C, D.B./24°C, W.B.

Heating: Indoor 20°C, D.B./15°C, W.B. Outdoor 7°C, D.B./6°C, W.B.

\*1 If the outdoor unit is installed higher than the indoor unit, maximum height is reduced to 10m.

| Maximum Piping Length (Total Length) |     |     |     |     |     |     |
|--------------------------------------|-----|-----|-----|-----|-----|-----|
| Model                                | 30m | 40m | 50m | 60m | 70m | 80m |
| MXZ-2F52VF-A1                        | ✓   |     |     |     |     |     |
| MXZ-2F52VGD-A1                       |     | ✓   |     |     |     |     |
| MXZ-3F54VGD-A1                       |     |     | ✓   |     |     |     |
| MXZ-4F71VGD-A1                       |     |     |     | ✓   |     |     |
| MXZ-4F80VGD-A1                       |     |     |     |     | ✓   |     |
| MXZ-5F100VGD-A1                      |     |     |     |     |     | ✓   |
| MXZ-6F120VGD-A1                      |     |     |     |     |     | ✓   |


| Maximum Piping Length (To each Indoor Unit) |     |     |
|---------------------------------------------|-----|-----|
| Model                                       | 20m | 25m |
| MXZ-2F52VF-A1                               | ✓   |     |
| MXZ-2F52VGD-A1                              | ✓   |     |
| MXZ-3F54VGD-A1                              |     | ✓   |
| MXZ-4F71VGD-A1                              |     | ✓   |
| MXZ-4F80VGD-A1                              |     | ✓   |
| MXZ-5F100VGD-A1                             |     | ✓   |
| MXZ-6F120VGD-A1                             |     | ✓   |



No additional refrigerant required for MXZ-F series, all models are charged to their respective maximum length of field piping.

# Outdoor Units PUMY Series

- Capacity Range: 9.0/12.5/14.0/15.5/22.4kW.
- Single and Three Phase (P200 three phase only).
- Guaranteed Operating Range: Cooling at -5°C to 52°C, Heating at -20°C to 15°C.



## Branch Box Alternatives

PAC-MK34BC  
(3 port)



PAC-MK54BC  
(5 port)



Total indoor unit capacity up to 130% can be connected to PUMY. To confirm design and additional refrigerant charge, it is recommended that Design Tool software is used. Alternatively, please contact your sales representative.

## PUMY Series Indoor Unit Compatibility

| PUMY(AR1) Series       |              |    |                |                      |                |    |    |    |                |                  |       |    |       |     |        |                   |       |    |       |                   |       |    |        |    |          |     |
|------------------------|--------------|----|----------------|----------------------|----------------|----|----|----|----------------|------------------|-------|----|-------|-----|--------|-------------------|-------|----|-------|-------------------|-------|----|--------|----|----------|-----|
| Model                  | Wall Mounted |    |                |                      |                |    |    |    | Floor Standing | Ceiling Cassette |       |    |       |     |        | Ceiling Suspended |       |    |       | Ceiling Concealed |       |    |        |    |          |     |
|                        | MSZ-LN       |    | MSZ-EF         | MSZ-AP               | MSZ-GE         |    |    |    | MFXZ-KW        |                  | SLZ-M |    | PLA-M |     | MLZ-KP |                   | PCA-M |    | SEZ-M |                   |       |    | PEAD-M |    |          |     |
| Capacities             | 25/35        | 50 | 22/25/35/42/50 | 15/20/22/25/35/42/50 | 22/25/35/42/50 | 60 | 71 | 80 | 25/35          | 50               | 25/35 | 50 | 71    | 100 | 25/35  | 50                | 50    | 60 | 71    | 100               | 25/35 | 50 | 60     | 71 | 50/60/71 | 100 |
| PUMY-SP80V(Y)KMD(AR1)  | ●            | ●  | ●              | ●                    | ●              | ●  | ●  | ●  | ●              | ●                | ●     | ●  | ●     | ●   | ●      | ●                 | ●     | ●  | ●     | ●                 | ●     | ●  | ●      | ●  | ●        |     |
| PUMY-SP112V(Y)KMD(AR1) | ●            | ●  | ●              | ●                    | ●              | ●  | ●  | ●  | ●              | ●                | ●     | ●  | ●     | ●   | ●      | ●                 | ●     | ●  | ●     | ●                 | ●     | ●  | ●      | ●  | ●        |     |
| PUMY-SP125V(Y)KM(AR1)  | ●            | ●  | ●              | ●                    | ●              | ●  | ●  | ●  | ●              | ●                | ●     | ●  | ●     | ●   | ●      | ●                 | ●     | ●  | ●     | ●                 | ●     | ●  | ●      | ●  | ●        |     |
| PUMY-SP140V(Y)KMD(AR1) | ●            | ●  | ●              | ●                    | ●              | ●  | ●  | ●  | ●              | ●                | ●     | ●  | ●     | ●   | ●      | ●                 | ●     | ●  | ●     | ●                 | ●     | ●  | ●      | ●  | ●        |     |
| PUMY-P200YKMD(AR1)     | ●            | ●  | ●              | ●                    | ●              | ●  | ●  | ●  | ●              | ●                | ●     | ●  | ●     | ●   | ●      | ●                 | ●     | ●  | ●     | ●                 | ●     | ●  | ●      | ●  | ●        |     |

# Product Specifications PUMY Series

| Series                                      |                        |                                      | PUMY-SP (Single Fan)                                                                                                 |                        |                         |                         |                         |                         |
|---------------------------------------------|------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Outdoor Unit                                |                        |                                      | PUMY-SP80<br>VKMD(AR1)                                                                                               | PUMY-SP80<br>YKMD(AR1) | PUMY-SP112<br>VKMD(AR1) | PUMY-SP112<br>YKMD(AR1) | PUMY-SP125<br>VKMD(AR1) | PUMY-SP125<br>YKMD(AR1) |
| Power Source                                |                        |                                      | VKMD: 1-phase 220-230-240 V, 50 Hz; 1-phase 220 V, 60 Hz<br>YKMD: 3-phase 380-400-415 V, 50 Hz; 3-phase 380 V, 60 Hz |                        |                         |                         |                         |                         |
| Maximum Running Current                     |                        | A                                    | 30.5                                                                                                                 | 13.0                   | 30.5                    | 13.0                    | 30.5                    | 13.0                    |
| Cooling Capacity [Nominal] * <sup>1</sup>   |                        | kW                                   | 9.0                                                                                                                  |                        | 12.5                    |                         | 14.0                    |                         |
|                                             | Power Input            | kW                                   | 2.11                                                                                                                 |                        | 3.10                    |                         | 3.84                    |                         |
|                                             | Current Input          | A                                    | 9.79 - 9.36 - 8.97                                                                                                   | 3.37 - 3.21 - 3.09     | 14.38 - 13.75 -13.18    | 4.96 - 4.71 - 4.54      | 17.81 -17.04 -16.33     | 6.14 - 5.83 - 5.62      |
|                                             | EER                    | kW                                   | 4.27                                                                                                                 |                        | 4.03                    |                         | 3.65                    |                         |
|                                             | AEER                   | kW                                   | 3.35                                                                                                                 |                        | 3.31                    |                         | 3.29 * <sup>3</sup>     |                         |
| Temp. Range of Cooling                      | Indoor                 | W.B.                                 | 15.0 ~ 24.0°C                                                                                                        |                        |                         |                         |                         |                         |
|                                             | Outdoor                | D.B.                                 | -5.0 ~ 52.0°C * <sup>3</sup> * <sup>4</sup> * <sup>5</sup>                                                           |                        |                         |                         |                         |                         |
| Cooling Sound Pressure Level * <sup>2</sup> |                        | dB                                   | 51                                                                                                                   |                        | 52                      |                         | 53                      |                         |
| Heating Capacity [Nominal] * <sup>1</sup>   |                        | kW                                   | 10.0                                                                                                                 |                        | 14.0                    |                         | 16.0                    |                         |
|                                             | Power Input            | kW                                   | 2.27                                                                                                                 |                        | 3.17                    |                         | 3.90                    |                         |
|                                             | Current Input          | A                                    | 10.53 -10.07 - 9.65                                                                                                  | 3.63 - 3.45 - 3.32     | 14.70 -14.06 -13.48     | 5.07 - 4.82 - 4.64      | 18.09 - 17.30 - 16.58   | 6.24 - 5.93 - 5.71      |
|                                             | COP                    | kW                                   | 4.41                                                                                                                 |                        | 4.42                    |                         | 4.10                    |                         |
|                                             | ACOP                   | kW                                   | 3.62                                                                                                                 |                        | 3.72                    |                         | 3.56                    |                         |
| Temp. Range of Heating                      | Indoor                 | W.B.                                 | 15 ~ 27°C                                                                                                            |                        |                         |                         |                         |                         |
|                                             | Outdoor                | D.B.                                 | -20 ~ 15°C                                                                                                           |                        |                         |                         |                         |                         |
| Heating Sound Pressure Level * <sup>2</sup> |                        | dB                                   | 54                                                                                                                   |                        | 54                      |                         | 56                      |                         |
| Indoor Unit Connectable                     | Total Capacity         | 50% to 130% of outdoor unit capacity |                                                                                                                      |                        |                         |                         |                         |                         |
|                                             | Model / Quantity       | P10-P100/9                           |                                                                                                                      | P15-P140/9             |                         | P15-P140/10             |                         |                         |
| Refrigerant Piping Diameter                 | Liquid Pipe            | mm (in.)                             | 9.52 (3/8) Flare                                                                                                     |                        |                         |                         |                         |                         |
|                                             | Gas Pipe               | mm (in.)                             | 15.88 (5/8) Flare                                                                                                    |                        |                         |                         |                         |                         |
| Fan                                         | Type X Quantity        | Propeller fan × 1                    |                                                                                                                      |                        |                         |                         |                         |                         |
|                                             | Air Flow Rate          | L/s                                  | 1250                                                                                                                 |                        | 1283                    |                         | 1383                    |                         |
| External Dimension [HxWxD]                  |                        | mm                                   | 981 × 1050 × 330 (+25)                                                                                               |                        |                         |                         |                         |                         |
| Refrigerant                                 | Type X Original Charge | R410A × 3.5 kg                       |                                                                                                                      |                        |                         |                         |                         |                         |
|                                             | Control                | Electronic expansion valve           |                                                                                                                      |                        |                         |                         |                         |                         |
| Net Weight                                  |                        | kg                                   | 93 * <sup>6</sup>                                                                                                    | 94 * <sup>7</sup>      | 93 * <sup>6</sup>       | 94 * <sup>7</sup>       | 93 * <sup>6</sup>       | 94 * <sup>7</sup>       |

## Remarks:

\*1 Nominal conditions.

\*2 Measured in Anechoic Room

|         | Indoor          | Outdoor       | Pipe Length | Level Difference | Eternal Static Pressure (Outdoor Unit) |
|---------|-----------------|---------------|-------------|------------------|----------------------------------------|
| Cooling | 27°C DB/19°C WB | 35°C DB       | 7.5m        | 0m               | 0Pa                                    |
| Heating | 20°C DB         | 7°C DB/6°C WB |             |                  |                                        |

\*3 MEPS Part load.

\*4 10 to 52: When connecting following models: PKFY-P15/20/25VBM,PKFYP10/15/20/25/32VLM, PFFY-P20/25/32VLE(R)M, PFFY-P20/25/32VKM, and M Series, S Series and P Series type indoor unit with branch box, M Series type indoor unit with connection kit.

\*5 -15 to 52: When using an optional air protect guide [PAC-SH95AG-E]. However, this condition does not apply to the indoor unit listed in \*4.

## Notes:

1. Nominal conditions \*1,\*2 are subject to ISO 15042.

2. Due to continuing improvement, above specifications may be subject to change without notice.

\*6 94 kg for PUMY-SP80/112/125VKMD.TH-A-BS.

\*7 95 kg for PUMY-SP80/112/125YKMD.TH-A-BS.

<Additional Charge>

Calculation of refrigerant charge (PUMY-SP models only!)

| Pipe size<br>Liquid pipe<br>ø6.35<br>(m) × 19.0 (g/m) | + | Pipe size<br>Liquid pipe<br>ø9.52<br>(m) × 50.0 (g/m) | + | Total capacity of<br>connected indoor units | Amount for the<br>indoor units |
|-------------------------------------------------------|---|-------------------------------------------------------|---|---------------------------------------------|--------------------------------|
|                                                       |   |                                                       |   | - 8.0 kW                                    | 1.5 kg                         |
|                                                       |   |                                                       |   | 8.1 - 16.0 kW                               | 2.5 kg                         |
|                                                       |   |                                                       |   | 16.1 kW -                                   | 3.0 kg                         |



Total indoor unit capacity up to 130% can be connected to PUMY. To confirm design and additional refrigerant charge, it is recommended that Design Tool software is used. Alternatively, please contact your sales representative.

# Product Specifications PUMY Series

| Series                                      |                        |          | PUMY-SP (Single Fan)                                                                                                 |                     | PUMY-P (Twin Fan)       |
|---------------------------------------------|------------------------|----------|----------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------|
| Outdoor Unit                                |                        |          | PUMY-SP140VKMD(AR1)                                                                                                  | PUMY-SP140YKMD(AR1) | PUMY-P200YKMD(AR1)      |
| Power Source                                |                        |          | VKMD: 1-phase 220-230-240 V, 50 Hz; 1-phase 220 V, 60 Hz<br>YKMD: 3-phase 380-400-415 V, 50 Hz; 3-phase 380 V, 60 Hz |                     |                         |
| Maximum Running Current                     |                        |          | 30.5                                                                                                                 | 13.0                | 19.0                    |
| Cooling Capacity [Nominal] * <sup>1</sup>   |                        | kW       | 15.5                                                                                                                 |                     | 22.4                    |
|                                             | Power Input            | kW       | 4.38                                                                                                                 |                     | 6.22                    |
|                                             | Current Input          | A        | 20.32 - 19.43 - 18.62                                                                                                | 7.00 - 6.65 - 6.41  | 10.16 - 9.65 - 9.30     |
|                                             | EER                    | kW       | 3.54                                                                                                                 |                     | 3.60                    |
|                                             | AEER                   | kW       | 3.40 <sup>-3</sup>                                                                                                   |                     | 3.17                    |
| Temp. Range of Cooling                      | Indoor                 | W.B.     | 15.0 ~ 24.0°C                                                                                                        |                     |                         |
|                                             | Outdoor                | D.B.     | -5.0 ~ 52.0°C * <sup>4</sup> * <sup>5</sup>                                                                          |                     |                         |
| Cooling Sound Pressure Level * <sup>2</sup> |                        | dB       | 54                                                                                                                   | 57                  |                         |
| Heating Capacity [Nominal] * <sup>1</sup>   |                        | kW       | 16.5                                                                                                                 | 16.5                | 25.0                    |
|                                             | Power Input            | kW       | 4.02                                                                                                                 |                     | 6.0                     |
|                                             | Current Input          | A        | 18.65 - 17.83 - 17.09                                                                                                | 6.24 - 5.93 - 5.71  | 9.80 - 9.31 - 8.98      |
|                                             | COP                    | kW       | 4.10                                                                                                                 |                     | 4.17                    |
|                                             | ACOP                   | kW       | 3.55                                                                                                                 |                     | 3.78                    |
| Temp. Range of Heating                      | Indoor                 | W.B.     | 15 ~ 27°C                                                                                                            |                     |                         |
|                                             | Outdoor                | D.B.     | -20 ~ 15°C                                                                                                           |                     |                         |
| Cooling Sound Pressure Level * <sup>2</sup> |                        | dB       | 56                                                                                                                   | 61                  |                         |
| Indoor Unit Connectable                     | Total Capacity         |          | 50% to 130% of outdoor unit capacity                                                                                 |                     |                         |
|                                             | Model / Quantity       |          | P15-P140/12                                                                                                          | P15-P200/12         |                         |
| Refrigerant Piping Diameter                 | Liquid Pipe            | mm (in.) | 9.52 (3/8) Flare * <sup>8</sup>                                                                                      |                     |                         |
|                                             | Gas Pipe               | mm (in.) | 15.88 (5/8) Flare                                                                                                    | 19.05 (3/4) Flare   |                         |
| Fan                                         | Type X Quantity        |          | Propeller fan x 1                                                                                                    |                     | Propeller fan x 2       |
|                                             | Air Flow Rate          | L/s      | 1383                                                                                                                 | 2000                | 2233                    |
| External Dimension [HxWxD]                  |                        | mm       | 981 × 1050 × 330 (+25)                                                                                               |                     | 1338 × 1050 × 330 (+25) |
| Refrigerant                                 | Type X Original Charge |          | R410A x 4.8kg                                                                                                        |                     | R410A x 7.3kg           |
| Net Weight                                  |                        | kg       | 93 * <sup>6</sup>                                                                                                    | 94 * <sup>7</sup>   | 138 * <sup>9</sup>      |

## Remarks:

\*1 Nominal conditions.

\*2 Measured in Anechoic Room.

|         | Indoor          | Outdoor       | Pipe Length | Level Difference | Eternal Static Pressure (Outdoor Unit) |
|---------|-----------------|---------------|-------------|------------------|----------------------------------------|
| Cooling | 27°C DB/19°C WB | 35°C DB       | 7.5m        | 0m               | 0Pa                                    |
| Heating | 20°C DB         | 7°C DB/6°C WB |             |                  |                                        |

\*3 MEPS Part load.

\*4 10 to 52: When connecting following models: PKFY-P15/20/25VBM, PKFY-P10/15/20/25/32VLM, PFFY-P20/25/32VLE(R)M, PFFY-P20/25/32VKM, and M Series, S Series, and P Series type indoor unit with branch box, M Series type indoor unit with connection kit.

\*5 -15 to 52: When using an optional air protect guide [PAC-SH95AG-E]. However, this condition does not apply to the indoor unit listed in \*4.

\*6 94 kg for PUMY-SP140VKMD.TH-A-BS.

\*7 95 kg for PUMY-SP140YKMD.TH-A-BS.

\*8 Liquid pipe diameter: 12.7mm, when further piping length is longer than 60m, or the farthest length of the main pipe between the outdoor unit and the branch box is longer than 20m in the branch box system.

\*9 139(306): For PUMY-P200YKMD-A-BS.

## Notes:

1. Nominal conditions \*<sup>1</sup>, \*<sup>2</sup> are subject to ISO 15042.

2. Due to continuing improvement, above specifications may be subject to change without notice.

<Additional Charge>

Calculation of refrigerant charge (PUMY-SP models only)

| Pipe size<br>Liquid pipe<br>ø6.35<br>(m) x 19.0 (g/m) | + | Pipe size<br>Liquid pipe<br>ø9.52<br>(m) x 50.0 (g/m) | + | Total capacity of<br>connected indoor units | Amount for the<br>indoor units |
|-------------------------------------------------------|---|-------------------------------------------------------|---|---------------------------------------------|--------------------------------|
|                                                       |   |                                                       |   | - 8.0 kW                                    | 1.5 kg                         |
|                                                       |   |                                                       |   | 8.1 - 16.0 kW                               | 2.5 kg                         |
|                                                       |   |                                                       |   | 16.1 kW -                                   | 3.0 kg                         |

<Additional Charge>

Calculation of refrigerant charge (PUMY-P200 model only!)

| Pipe size<br>Liquid pipe<br>ø6.35<br>(m) x 19.0 (g/m) | + | Pipe size<br>Liquid pipe<br>ø9.52<br>(m) x 50.0 (g/m) | + | Pipe size<br>Liquid pipe<br>ø12.70<br>(m) x 92.0 (g/m) | + | Total capacity of<br>connected indoor units | Amount for the<br>indoor units |
|-------------------------------------------------------|---|-------------------------------------------------------|---|--------------------------------------------------------|---|---------------------------------------------|--------------------------------|
|                                                       |   |                                                       |   |                                                        |   | - 16.0 kW                                   | 2.5 kg                         |
|                                                       |   |                                                       |   |                                                        |   | 16.1 - 25.0 kW                              | 3.0 kg                         |
|                                                       |   |                                                       |   |                                                        |   | 25.1 kW -                                   | 3.5 kg                         |



Total indoor unit capacity up to 130% can be connected to PUMY. To confirm design and additional refrigerant charge, it is recommended that Design Tool software is used. Alternatively, please contact your sales representative.

# Indoor Units

## MSZ-LN Series

- ✓ Built-In Wi-Fi
- ✓ Dual Split Vane Technology
- ✓ 3D i-See Sensor
- ✓ Plasma Quadcore Filter
- ✓ Quiet 19dB Noise Level (LN25)



| 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 8.0kW |
|-------|-------|-------|-------|-------|-------|-------|-------|
| -     | ✓     | ✓     | -     | ✓     | -     | -     | -     |

| MSZ-LN Series (Wall Mounted) |                                |  |        |                          |             |                |  |                |  |
|------------------------------|--------------------------------|--|--------|--------------------------|-------------|----------------|--|----------------|--|
| Indoor Unit                  |                                |  |        | MSZ-LN25VG/B/R           |             | MSZ-LN35VG/B/R |  | MSZ-LN50VG/B/R |  |
| Fan Speed                    |                                |  |        | Quiet-Lo-Mid-Hi-SHi-Auto |             |                |  |                |  |
| Cooling                      | Airflow [min-max]              |  | ℓ/s    | 78 - 207                 |             | 78 - 217       |  | 95 - 232       |  |
|                              | Sound Pressure Level [min-max] |  | dB     | 19 - 42                  |             | 19 - 43        |  | 27 - 46        |  |
| Heating                      | Airflow [min-max]              |  | ℓ/s    | 75 - 232                 |             | 71 - 228       |  | 82 - 262       |  |
|                              | Sound Pressure Level [min-max] |  | dB     | 19 - 45                  |             |                |  | 25 - 47        |  |
| Dimensions                   |                                |  | Height | mm                       | 307         |                |  |                |  |
|                              |                                |  | Width  | mm                       | 890         |                |  |                |  |
|                              |                                |  | Depth  | mm                       | 233         |                |  |                |  |
| Weight                       |                                |  |        | kg                       | 13.5        |                |  |                |  |
| Pipe Size [Liquid/Gas]       |                                |  |        | mm                       | ø6.35/ø9.52 |                |  |                |  |

SHi ▶ Super High

## MSZ-EF Series

- ✓ Built-In Weekly Timer
- ✓ Nano Platinum Filter
- ✓ Wi-Fi Control\*
- ✓ Quiet 21dB Noise Level in 'Quiet Mode' (EF22/25/35)
- ✓ Appealing design matches any room décor



| 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 8.0kW |
|-------|-------|-------|-------|-------|-------|-------|-------|
| ✓     | ✓     | ✓     | ✓     | ✓     | -     | -     | -     |

| MSZ-EF Series (Wall Mounted) |                                |        |                          |                          |                          |                          |                           |
|------------------------------|--------------------------------|--------|--------------------------|--------------------------|--------------------------|--------------------------|---------------------------|
| Indoor Unit                  |                                |        | MSZ-EF22VG<br>(W/B/S)-A1 | MSZ-EF25VG<br>(W/B/S) A1 | MSZ-EF35VG<br>(W/B/S)-A1 | MSZ-EF42VG<br>(W/B/S)-A1 | MSZ-EF50VG<br>(W/B/S) -A1 |
| Fan Speed                    |                                |        | Quiet-Lo-Mid-Hi-SHi-Auto |                          |                          |                          |                           |
| Cooling                      | Airflow [min-max]              | ℓ/s    | 67 - 175                 |                          | 67 - 175                 | 97 - 187                 | 97 - 188                  |
|                              | Sound Pressure Level [min-max] | dB     | 19 - 42                  |                          | 21 - 42                  | 28 - 43                  | 30 - 43                   |
| Heating                      | Airflow [min-max]              | ℓ/s    | 67 - 198                 |                          | 67 - 212                 | 92 - 220                 | 107 - 243                 |
|                              | Sound Pressure Level [min-max] | dB     | 21 - 45                  |                          | 21 - 46                  | 28 - 48                  | 30 - 49                   |
| Dimensions                   |                                | Height | mm                       | 299                      |                          |                          |                           |
|                              |                                | Width  | mm                       | 895                      |                          |                          |                           |
|                              |                                | Depth  | mm                       | 195                      |                          |                          |                           |
| Weight                       |                                | kg     | 11.5                     |                          |                          |                          |                           |
| Pipe Size [Liquid/Gas]       |                                | mm     | ø6.35/ø9.52              |                          |                          |                          |                           |

W: White, B: Black, S: Silver SHi ▶ Super High

\*Optional Wi-Fi adapter required per unit.

# Indoor Units

## MSZ-AP Series

- ✓ Dual Barrier Coating
- ✓ Vertical & Horizontal Vanes
- ✓ Wi-Fi Control\*
- ✓ Quiet 18dB Noise Level (AP25 in heating mode)
- ✓ Electrostatic Anti-Allergy Enzyme Filter (Optional)



| 1.5kW | 2.0kW | 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 8.0kW |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ✓     | ✓     | ✓     | ✓     | ✓     | ✓     | ✓     | ✓     | ✓     | ✓     |

| MSZ-AP Series (Wall Mounted) |                                |        |              |              |              |              |              |              |              |              |              |              |
|------------------------------|--------------------------------|--------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Indoor Unit                  |                                |        | MSZ-AP 15VGD | MSZ-AP 20VGD | MSZ-AP 22VGD | MSZ-AP25 VGD | MSZ-AP35 VGD | MSZ-AP42 VGD | MSZ-AP50 VGD | MSZ-AP60 VGD | MSZ-AP71 VGD | MSZ-AP80 VGD |
| Fan Speed                    |                                |        | Lo-Mid-Hi    |              |              |              |              |              |              |              |              |              |
| Cooling                      | Airflow [min-max]              | ℓ/s    | 58 - 107     | 58 - 112     | 82 - 205     | 82 - 223     | 90 - 223     | 100 - 258    | 156 - 315    | 160 - 310    | 160 - 343    |              |
|                              | Sound Pressure Level [min-max] | dB     | 21 - 40      | 21 - 42      | 19 - 44      | 19 - 45      | 26 - 49      | 28 - 49      | 29 - 48      | 30 - 49      | 30 - 50      |              |
| Heating                      | Airflow [min-max]              | ℓ/s    | 62 - 113     | 62 - 122     | 82 - 190     | 82 - 215     | 88 - 233     | 93 - 268     | 180 - 338    | 133 - 320    |              |              |
|                              | Sound Pressure Level [min-max] | dB     | 21 - 40      | 21 - 42      | 18 - 42      | 19 - 45      | 26 - 46      | 28 - 48      | 29 - 48      | 30 - 49      | 30 - 53      |              |
| Dimensions                   |                                | Height | mm           | 250          |              | 299          |              |              | 325          |              |              |              |
|                              |                                | Width  | mm           | 760          |              | 798          |              |              | 1100         |              |              |              |
|                              |                                | Depth  | mm           | 178          |              | 219          |              |              | 257          |              |              |              |
| Weight                       |                                | kg     | 8.2          |              | 10.5         |              |              |              | 16           |              | 17           |              |
| Pipe Size [Liquid/Gas]       |                                | mm     | ø6.35/ø9.52  |              |              |              |              |              | ø6.35/ø12.7  |              |              |              |

\*Optional Wi-Fi adapter required per unit.

## MSZ-GE Series

- ✓ Catechin Filter (GE22-50)
- ✓ Quick Clean body
- ✓ Wi-Fi Control\*
- ✓ Quiet 19dB Noise Level (GE22/25/35)
- ✓ Nano Platinum Filter (GE60/71/80)
- ✓ Built-In Weekly Timer (GE60/71/80)



| 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 8.0kW |
|-------|-------|-------|-------|-------|-------|-------|-------|
| ✓     | ✓     | ✓     | ✓     | ✓     | ✓     | ✓     | ✓     |

| MSZ-GE Series (Wall Mounted) |                                |  |        |                          |             |             |             |             |              |              |             |
|------------------------------|--------------------------------|--|--------|--------------------------|-------------|-------------|-------------|-------------|--------------|--------------|-------------|
| Indoor Unit                  |                                |  |        | MSZ-GE22VAD              | MSZ-GE25VAD | MSZ-GE35VAD | MSZ-GE42VAD | MSZ-GE50VAD | MSZ-GE60VAD  | MSZ-GE71VAD  | MSZ-GE80VAD |
| Fan Speed                    |                                |  |        | Quiet-Lo-Mid-Hi-SHi-Auto |             |             |             |             |              |              |             |
| Cooling                      | Airflow [min-max]              |  | ℓ/s    | 68 - 188                 |             | 68 - 212    | 97 - 213    | 108 - 252   | 163 - 305    | 162 - 298    |             |
|                              | Sound Pressure Level [min-max] |  | dB     | 19 - 42                  |             | 19 - 43     | 26 - 46     | 28 - 49     | 29 - 49      | 30 - 49      |             |
| Heating                      | Airflow [min-max]              |  | ℓ/s    | 68 - 192                 |             | 68 - 192    | 97 - 218    | 108 - 242   | 163 - 305    | 170 - 298    |             |
|                              | Sound Pressure Level [min-max] |  | dB     | 19 - 42                  |             | 19 - 43     | 26 - 46     | 28 - 48     | 29 - 49      | 30 - 49      |             |
| Dimensions                   |                                |  | Height | mm                       | 295         |             |             |             | 325          |              |             |
|                              |                                |  | Width  | mm                       | 798         |             |             |             | 1100         |              |             |
|                              |                                |  | Depth  | mm                       | 232         |             |             |             | 238          |              |             |
| Weight                       |                                |  | kg     | 10                       |             |             |             | 16          |              |              |             |
| Pipe Size [Liquid/Gas]       |                                |  | mm     | ø6.35/ø9.52              |             |             |             | ø6.35/ø12.7 | ø6.35/ø15.88 | ø9.52/ø15.88 |             |

SHi ▶ Super High

\*Optional Wi-Fi adapter required per unit.

# Indoor Units

## MFXZ-KW Series

- ✓ Simple & Flat Design
- ✓ Nano Platinum Filter
- ✓ Wi-Fi Control\*
- ✓ Multi-Flow Vane (Optimum Air Distribution)
- ✓ Built-In Weekly Timer
- ✓ Recessed Installation Possible



| 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 8.0kW |
|-------|-------|-------|-------|-------|-------|-------|-------|
| -     | ✓     | ✓     | -     | ✓     | -     | -     | -     |

| MFXZ-KW Series (Floor Standing) |                                |        |                          |     |             |  |             |  |
|---------------------------------|--------------------------------|--------|--------------------------|-----|-------------|--|-------------|--|
| Indoor Unit                     |                                |        | MFXZ-KW25VG              |     | MFXZ-KW35VG |  | MFXZ-KW50VG |  |
| Fan Speed                       |                                |        | Quiet-Lo-Mid-Hi-SHi-Auto |     |             |  |             |  |
| Cooling                         | Airflow [min-max]              | ℓ/s    | 40 - 150                 |     |             |  | 93 - 205    |  |
|                                 | Sound Pressure Level [min-max] | dB     | 23 - 43                  |     |             |  | 28 - 48     |  |
| Heating                         | Airflow [min-max]              | ℓ/s    | 70 - 162                 |     |             |  | 100 - 233   |  |
|                                 | Sound Pressure Level [min-max] | dB     | 24 - 44                  |     |             |  | 29 - 49     |  |
| Dimensions                      |                                | Height | mm                       | 600 |             |  |             |  |
|                                 |                                | Width  | mm                       | 750 |             |  |             |  |
|                                 |                                | Depth  | mm                       | 215 |             |  |             |  |
| Weight                          |                                | kg     | 14.5                     |     |             |  |             |  |
| Pipe Size [Liquid/Gas]          |                                | mm     | ø6.35/ø9.52              |     |             |  | ø6.35/ø12.7 |  |

\*Optional Wi-Fi adapter required per unit.

## SLZ-M Series

- ✓ Fresh-Air Intake
- ✓ Unit height of only 235mm
- ✓ 3D i-See Sensor (Optional)
- ✓ Compact 2ft x 2ft size for ceiling installation
- ✓ Wi-Fi Control\*



| 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 8.0kW |
|-------|-------|-------|-------|-------|-------|-------|-------|
| -     | ✓     | ✓     | -     | ✓     | -     | -     | -     |

| SLZ-M Series (Ceiling Cassette) |                                |  |        |                 |           |                 |  |                 |  |
|---------------------------------|--------------------------------|--|--------|-----------------|-----------|-----------------|--|-----------------|--|
| Indoor Unit                     |                                |  |        | SLZ-M25FA-A     |           | SLZ-M35FA-A     |  | SLZ-M50FA-A     |  |
| Fan Speed                       |                                |  |        | Lo-Mid-Hi       |           |                 |  |                 |  |
| Cooling                         | Airflow [min-max]              |  | ℓ/s    | 108 - 125 - 142 |           | 108 - 150 - 192 |  | 117 - 150 - 192 |  |
|                                 | Sound Pressure Level [min-max] |  | dB     | 25 - 28 - 31    |           | 25 - 33 - 59    |  | 27 - 34 - 39    |  |
| Heating                         | Airflow [min-max]              |  | ℓ/s    | 108 - 125 - 142 |           | 108 - 150 - 192 |  | 117 - 150 - 192 |  |
|                                 | Sound Pressure Level [min-max] |  | dB     | 25 - 28 - 31    |           | 25 - 33 - 59    |  | 27 - 34 - 39    |  |
| Dimensions                      |                                |  | Height | mm              | 245 (10)  |                 |  |                 |  |
|                                 |                                |  | Width  | mm              | 570 (625) |                 |  |                 |  |
|                                 |                                |  | Depth  | mm              | 570 (650) |                 |  |                 |  |
| Weight                          |                                |  | kg     | 15 (3)          |           |                 |  |                 |  |
| Pipe Size [Liquid/Gas]          |                                |  | mm     | ø6.35/ø9.52     |           |                 |  | ø6.35/ø12.7     |  |

\*Optional Wi-Fi adapter required per unit.

# Indoor Units

## PLA-M Series

- ✓ 72 Airflow Patterns
- ✓ Fresh-Air Intake
- ✓ High/Low Ceiling Modes
- ✓ 3D i-See Sensor (Optional)
- ✓ Wi-Fi Control\*



| 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 10.0kW |
|-------|-------|-------|-------|-------|-------|-------|--------|
| -     | -     | -     | -     | -     | -     | ✓     | ✓      |

| PLA-M Series (Ceiling Cassette) |                                |  |        |              |           |              |     |
|---------------------------------|--------------------------------|--|--------|--------------|-----------|--------------|-----|
| Indoor Unit                     |                                |  |        | PLA-M71EA-A  |           | PLA-M100EA-A |     |
| Fan Speed                       |                                |  |        | Lo-Mid-Hi    |           |              |     |
| Cooling                         | Airflow [min-max]              |  | ℓ/s    | 233 - 350    |           | 317 - 483    |     |
|                                 | Sound Pressure Level [min-max] |  | dB     | 28 - 34      |           | 31 - 40      |     |
| Heating                         | Airflow [min-max]              |  | ℓ/s    | 233 - 350    |           | 317 - 483    |     |
|                                 | Sound Pressure Level [min-max] |  | dB     | 28 - 34      |           | 31 - 40      |     |
| Dimensions                      |                                |  | Height | mm           | 258 (33)  |              | 298 |
|                                 |                                |  | Width  | mm           | 840 (950) |              | 840 |
|                                 |                                |  | Depth  | mm           | 840 (950) |              | 840 |
| Weight                          |                                |  | kg     | 21           |           | 24           |     |
| Pipe Size [Liquid/Gas]          |                                |  | mm     | ø9.52/ø15.88 |           |              |     |

\*Optional Wi-Fi adapter required per unit.

## MLZ-KP Series

- ✓ Slim Body
- ✓ Horizontal Airflow
- ✓ Auto Vane Control
- ✓ Multi-Flow Vane (Optimum Air Distribution)
- ✓ Wi-Fi Control\*
- ✓ Built-In Weekly Timer



| 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 8.0kW |
|-------|-------|-------|-------|-------|-------|-------|-------|
| -     | ✓     | ✓     | -     | ✓     | -     | -     | -     |

| MLZ-KP Series (Ceiling Cassette) |                                |  |        |                      |             |                   |  |                   |             |  |
|----------------------------------|--------------------------------|--|--------|----------------------|-------------|-------------------|--|-------------------|-------------|--|
| Indoor Unit                      |                                |  |        | MLZ-KP25VF           |             | MLZ-KP35VF        |  | MLZ-KP50VF        |             |  |
| Fan Speed                        |                                |  |        | Auto-Quiet-Lo-Med-Hi |             |                   |  |                   |             |  |
| Cooling                          | Airflow [min-max]              |  | ℓ/s    | 167 - 250            |             | 250 - 317         |  | 267 - 333         |             |  |
|                                  | Sound Pressure Level [min-max] |  | dB     | 27 - 31 - 34 - 38    |             | 27 - 32 - 36 - 40 |  | 29 - 36 - 41 - 47 |             |  |
| Heating                          | Airflow [min-max]              |  | ℓ/s    | 167 - 250            |             | 250 - 317         |  | 267 - 333         |             |  |
|                                  | Sound Pressure Level [min-max] |  | dB     | 26 - 29 - 34 - 37    |             | 26 - 32 - 36 - 40 |  | 26 - 37 - 42 - 48 |             |  |
| Dimensions                       |                                |  | Height | mm                   | 24          |                   |  |                   |             |  |
|                                  |                                |  | Width  | mm                   | 1200        |                   |  |                   |             |  |
|                                  |                                |  | Depth  | mm                   | 424         |                   |  |                   |             |  |
| Weight                           |                                |  |        | kg                   | 3.5         |                   |  |                   |             |  |
| Pipe Size [Liquid/Gas]           |                                |  |        | mm                   | ø6.35/ø9.52 |                   |  |                   | ø6.35/ø12.7 |  |

\*Optional Wi-Fi adapter required per unit.

# Indoor Units

## PCA-M Series

- ✓ Stylish Unit Design
- ✓ 32dB Noise Level (M50)
- ✓ High/Low Ceiling Modes
- ✓ Fresh-Air Intake
- ✓ Wi-Fi Control\*



| 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 10.0kW |
|-------|-------|-------|-------|-------|-------|-------|--------|
| -     | -     | -     | -     | ✓     | ✓     | ✓     | ✓      |

| PCA-M Series (Ceiling Suspended) |                                |  |                    |             |           |              |           |              |            |           |  |
|----------------------------------|--------------------------------|--|--------------------|-------------|-----------|--------------|-----------|--------------|------------|-----------|--|
| Indoor Unit                      |                                |  | PCA-M50KA          |             | PCA-M60KA |              | PCA-M71KA |              | PCA-M100KA |           |  |
| Fan Speed                        |                                |  | Lo-Mi1-Mi2-Hi-Auto |             |           |              |           |              | Lo-Mid-Hi  |           |  |
| Cooling                          | Airflow [min-max]              |  | ℓ/s                | 167 - 250   |           | 250 - 317    |           | 267 - 333    |            | 367 - 467 |  |
|                                  | Sound Pressure Level [min-max] |  | dB                 | 32 - 40     |           | 33 - 40      |           | 35 - 41      |            | 37 - 43   |  |
| Heating                          | Airflow [min-max]              |  | ℓ/s                | 167 - 250   |           | 250 - 317    |           | 267 - 333    |            | 367 - 467 |  |
|                                  | Sound Pressure Level [min-max] |  | dB                 | 32 - 40     |           | 33 - 40      |           | 35 - 41      |            | 37 - 43   |  |
| Dimensions                       |                                |  | Height             | mm          | 230       |              |           |              | 230        |           |  |
|                                  |                                |  | Width              | mm          | 960       |              | 1,280     |              |            | 1600      |  |
|                                  |                                |  | Depth              | mm          | 680       |              |           |              | 680        |           |  |
| Weight                           |                                |  | kg                 | 25          |           | 32           |           | 37           |            |           |  |
| Pipe Size [Liquid/Gas]           |                                |  | mm                 | ø6.35/ø12.7 |           | ø6.35/ø15.88 |           | ø9.52/ø15.88 |            |           |  |

No remote controller included.

\*Optional Wi-Fi adapter required per unit.

## SEZ-M Series

- ✓ Compact Design
- ✓ Wi-Fi Control\*
- ✓ Unit height of only 200mm
- ✓ Three fan speeds and four static pressure levels



| 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 8.0kW |
|-------|-------|-------|-------|-------|-------|-------|-------|
| -     | ✓     | ✓     | -     | ✓     | ✓     | ✓     | -     |

| SEZ-M Series (Compact Bulkhead) |                                |        |                |             |               |           |               |           |               |               |              |
|---------------------------------|--------------------------------|--------|----------------|-------------|---------------|-----------|---------------|-----------|---------------|---------------|--------------|
| Indoor Unit                     |                                |        | SEZ-M25DA (L)  |             | SEZ-M35DA (L) |           | SEZ-M50DA (L) |           | SEZ-M60DA (L) | SEZ-M71DA (L) |              |
| Fan Speed                       |                                |        | Lo-Mid-Hi-Auto |             |               |           |               |           |               |               |              |
| Cooling                         | Airflow [min-max]              |        | ℓ/s            | 92 - 150    |               | 117 - 183 |               | 167 - 250 |               | 200 - 300     | 200 - 333    |
|                                 | Sound Pressure Level [min-max] |        | dB             | 23 - 30     |               | 23 - 33   |               | 30 - 37   |               | 30 - 38       | 30 - 40      |
| Heating                         | Airflow [min-max]              |        | ℓ/s            | 92 - 150    |               | 117 - 183 |               | 167 - 250 |               | 200 - 300     | 200 - 333    |
|                                 | Sound Pressure Level [min-max] |        | dB             | 23 - 30     |               | 23 - 33   |               | 30 - 37   |               | 30 - 38       | 30 - 40      |
| Static Pressure                 |                                |        | Pa             | 5/15/35/50  |               |           |               |           |               |               |              |
| Dimensions                      |                                | Height | mm             | 200         |               |           |               |           |               |               |              |
|                                 |                                | Width  | mm             | 790         |               | 990       |               |           | 1190          |               |              |
|                                 |                                | Depth  | mm             | 700         |               |           |               |           |               |               |              |
| Weight                          |                                |        | kg             | 18          |               | 21        |               | 23        |               | 27            |              |
| Pipe Size [Liquid/Gas]          |                                |        | mm             | ø6.35/ø9.52 |               |           | ø6.35/ø12.7   |           | ø6.35/ø15.88  |               | ø9.52/ø15.88 |

SEZ-KD VAQ: No remote controller included.

SEZ-KD VAL: Equipped with a wireless remote controller.

\*Optional Wi-Fi adapter required per unit.

# Indoor Units

## PEAD-M Series

- ✓ Compact Design

✓ 30dB Noise Level in 'Low Mode' (71)
- ✓ Lighter Weight
- ✓ Wi-Fi Control\*



| 2.2kW | 2.5kW | 3.5kW | 4.2kW | 5.0kW | 6.0kW | 7.1kW | 10.0kW |
|-------|-------|-------|-------|-------|-------|-------|--------|
| -     | -     | -     | -     | ✓     | ✓     | ✓     | ✓      |

| PEAD-M Series (Ceiling Concealed) |                                |        |                |                  |                |                 |                |                 |                 |                 |  |
|-----------------------------------|--------------------------------|--------|----------------|------------------|----------------|-----------------|----------------|-----------------|-----------------|-----------------|--|
| Indoor Unit                       |                                |        | PEAD-M50JAA(D) |                  | PEAD-M60JAA(D) |                 | PEAD-M71JAA(D) |                 | PEAD-M100JAA(D) |                 |  |
| Fan Speed                         |                                |        | Lo-Mid-Hi      |                  |                |                 |                |                 |                 |                 |  |
| Cooling                           | Airflow [min-max]              |        | ℓ/s            | 200 - 242 - 283  |                | 242 - 300 - 350 |                | 292 - 350 - 417 |                 | 400 - 483 - 567 |  |
|                                   | Sound Pressure Level [min-max] |        | dB             | 30 - 35 - 39     |                | 30 - 32 - 36    |                | 30 - 33 - 38    |                 | 33 - 38 - 42    |  |
| Heating                           | Airflow [min-max]              |        | ℓ/s            | 200 - 242 - 283  |                | 242 - 300 - 350 |                | 292 - 350 - 417 |                 | 400 - 483 - 567 |  |
|                                   | Sound Pressure Level [min-max] |        | dB             | 30 - 35 - 39     |                | 30 - 32 - 36    |                | 30 - 33 - 38    |                 | 33 - 38 - 42    |  |
| Static Pressure                   |                                |        | Pa             | 35/50/70/100/125 |                |                 |                |                 |                 |                 |  |
| Dimensions                        |                                | Height | mm             | 250              |                |                 |                |                 |                 |                 |  |
|                                   |                                | Width  | mm             | 900              |                | 1100            |                |                 |                 | 1,400           |  |
|                                   |                                | Depth  | mm             | 732              |                |                 |                |                 |                 |                 |  |
| Weight                            |                                |        | kg             | 26 (27)          |                | 29 (30)         |                | 30              |                 | 39              |  |
| Return Air Spigot Size            |                                |        | mm             | 900 x 178        |                | 1100 x 250      |                | 1058 x 210      |                 | 1360 x 250      |  |
| Supply Air Spigot Size            |                                |        | mm             | 860 x 178        |                | 1060 x 178      |                | 1060 x 178      |                 | 1360 x 178      |  |
| Pipe Size [Liquid/Gas]            |                                |        | mm             | ø6.35/ø12.7      |                | ø6.35/ø15.88    |                | ø9.52/ø15.88    |                 |                 |  |

No remote controller included.  
Note: With PEAD Series, the total capacity of indoor units need to be 100% of the outdoor unit capacity as maximum.  
\*Optional Wi-Fi adapter required per unit.

# Optional Parts

## Indoor Units

| Option                 |                                          | Indoor Unit            |
|------------------------|------------------------------------------|------------------------|
| MAC-408FT-E            | Anti-Allergy Enzyme Filter               |                        |
|                        | MAC-2350FT-E                             |                        |
| MAC-2310FT             | Electrostatic Anti-Allergy Enzyme Filter | MAC-2320FT             |
|                        | MAC-3010FT-E                             |                        |
| PAC- SH59KF-E          | High-Efficiency Filter Element           | PAC- SH88KF-E          |
|                        |                                          |                        |
|                        |                                          |                        |
|                        |                                          |                        |
| PAC-KE93TB-E           | Filter Box                               | PAC-KE94TB-E           |
|                        |                                          |                        |
| MAC-1001CL-E           | Soft-Dry Cloth                           | PAC-SF1ME-E            |
|                        |                                          |                        |
| PAC-SE1ME-E            | 3D i-See Sensor Corner Panel             | PAC-SJ37SP-E           |
|                        |                                          |                        |
| PAC-SJ41TM-E           | Shutter Plate                            | PAC-SJ41TM-E           |
|                        |                                          |                        |
| PAC-SH65OF-E           | Multi-Functional Casement                | PAC-SH65OF-E           |
|                        |                                          |                        |
| PAC-SF28OF-E           | Fresh-Air Intake Duct Flange             | PAC-SF28OF-E           |
|                        |                                          |                        |
| PAC-SJ65AS-E           | Space Panel                              | PAC-SJ65AS-E           |
|                        |                                          |                        |
| PAC-SJ92DM-E           | Drain Pump                               | PAC-SJ92DM-E           |
|                        |                                          |                        |
|                        |                                          |                        |
|                        |                                          |                        |
| PAC-SJ93DM-E           |                                          | PAC-SJ93DM-E           |
|                        |                                          |                        |
| PAC-SJ94DM-E           |                                          | PAC-SJ94DM-E           |
|                        |                                          |                        |
| PAC-KE07DM-E           |                                          | PAC-KE07DM-E           |
|                        |                                          |                        |
| MSZ-LN25VG(M)(B)(R)    |                                          | MSZ-LN35VG(M)(B)(R)    |
|                        |                                          |                        |
| MSZ-LN50VG(M)(B)(R)    |                                          | MSZ-LN50VG(M)(B)(R)    |
|                        |                                          |                        |
| MSZ-EF22VG (W/B/S) -A1 |                                          | MSZ-EF22VG (W/B/S) -A1 |
|                        |                                          |                        |
| MSZ-EF25VG (W/B/S) -A1 |                                          | MSZ-EF25VG (W/B/S) -A1 |
|                        |                                          |                        |
| MSZ-EF35VG (W/B/S) -A1 |                                          | MSZ-EF35VG (W/B/S) -A1 |
|                        |                                          |                        |
| MSZ-EF42VG (W/B/S) -A1 |                                          | MSZ-EF42VG (W/B/S) -A1 |
|                        |                                          |                        |
| MSZ-EF50VG (W/B/S) -A1 |                                          | MSZ-EF50VG (W/B/S) -A1 |
|                        |                                          |                        |
| MSZ-AP22VGD            |                                          | MSZ-AP22VGD            |
|                        |                                          |                        |
| MSZ-AP25VGD            |                                          | MSZ-AP25VGD            |
|                        |                                          |                        |
| MSZ-AP35VGD            |                                          | MSZ-AP35VGD            |
|                        |                                          |                        |
| MSZ-AP42VGD            |                                          | MSZ-AP42VGD            |
|                        |                                          |                        |
| MSZ-AP50VGD            |                                          | MSZ-AP50VGD            |
|                        |                                          |                        |
| MSZ-AP60VGD            |                                          | MSZ-AP60VGD            |
|                        |                                          |                        |
| MSZ-AP71VGD            |                                          | MSZ-AP71VGD            |
|                        |                                          |                        |
| MSZ-AP80VGD            |                                          | MSZ-AP80VGD            |
|                        |                                          |                        |
| MFYZ-KW25VG            |                                          | MFYZ-KW25VG            |
|                        |                                          |                        |
| MFYZ-KW35VG            |                                          | MFYZ-KW35VG            |
|                        |                                          |                        |
| MLZ-KP25VF             |                                          | MLZ-KP25VF             |
|                        |                                          |                        |
| MLZ-KP35VF             |                                          | MLZ-KP35VF             |
|                        |                                          |                        |
| MLZ-KP50VF             |                                          | MLZ-KP50VF             |
|                        |                                          |                        |
| SLZ-M25FA-A            |                                          | SLZ-M25FA-A            |
|                        |                                          |                        |
| SLZ-M35FA-A            |                                          | SLZ-M35FA-A            |
|                        |                                          |                        |
| SLZ-M50FA-A            |                                          | SLZ-M50FA-A            |
|                        |                                          |                        |
| SLZ-M60FA-A            |                                          | SLZ-M60FA-A            |
|                        |                                          |                        |
| SEZ-M25DA(L)           |                                          | SEZ-M25DA(L)           |
|                        |                                          |                        |
| SEZ-M35DA(L)           |                                          | SEZ-M35DA(L)           |
|                        |                                          |                        |
| SEZ-M50DA(L)           |                                          | SEZ-M50DA(L)           |
|                        |                                          |                        |
| SEZ-M60DA(L)           |                                          | SEZ-M60DA(L)           |
|                        |                                          |                        |
| SEZ-M71DA(L)           |                                          | SEZ-M71DA(L)           |
|                        |                                          |                        |
| PLA-M71EA-A            |                                          | PLA-M71EA-A            |
|                        |                                          |                        |
| PLA-M100EA-A           |                                          | PLA-M100EA-A           |
|                        |                                          |                        |
| PCA-M50KA              |                                          | PCA-M50KA              |
|                        |                                          |                        |
| PCA-M60KA              |                                          | PCA-M60KA              |
|                        |                                          |                        |
| PCA-M71KA              |                                          | PCA-M71KA              |
|                        |                                          |                        |
| PCA-M100KA             |                                          | PCA-M100KA             |
|                        |                                          |                        |
| PEAD-M71JAA(D)         |                                          | PEAD-M71JAA(D)         |
|                        |                                          |                        |
| PEAD-M100JAA(D)        |                                          | PEAD-M100JAA(D)        |
|                        |                                          |                        |

# Optional Parts Indoor Units

| Indoor Unit       |                   |                        | Option | Decorative Cover | System Control Interface | MA & Contact Terminal Interface | Wi-Fi Interface | Connector Cable |              | Power Supply Terminal Kit |              |              | Wired Remote Controller |             | Wireless Remote Controller |                            |                 |              |             |                                    | Remote Sensor | Remote On/Off Adapter |             | Connector Cable for Remote Display |
|-------------------|-------------------|------------------------|--------|------------------|--------------------------|---------------------------------|-----------------|-----------------|--------------|---------------------------|--------------|--------------|-------------------------|-------------|----------------------------|----------------------------|-----------------|--------------|-------------|------------------------------------|---------------|-----------------------|-------------|------------------------------------|
|                   |                   |                        |        | PAC-SF81KC-E     | MAC-334IF-E              | MAC-397IF-E                     | MAC-568IF-E     | MAC-1702RA-E    | MAC-1710RA-E | PAC-SG96HR-E              | PAC-SG97HR-E | PAC-SJ39HR-E | Controller              |             | Signal Sender              | Wireless Remote Controller | Signal Receiver |              |             | Controller Kit (Sender & Receiver) |               |                       |             |                                    |
|                   |                   |                        |        |                  |                          |                                 |                 |                 |              |                           |              |              | PAR-40MAA               | PAC-YT52CRA |                            |                            | PAR-SL97A-E     | PAR-SL100A-E | PAR-SA9CA-E |                                    |               | PAR-SF9FA             | PAR-SE9FA-E | PAR-SL94B-E                        |
| M Series          | Wall Mounted      | MSZ-LN25VG(V)(B)(R)    |        | ●                | ●                        |                                 | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-LN35VG(V)(B)(R)    |        | ●                | ●                        |                                 | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-LN50VG(V)(B)(R)    |        | ●                | ●                        |                                 | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-EF22VG (W/B/S) -A1 |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-EF25VG (W/B/S) -A1 |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-EF35VG (W/B/S) -A1 |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-EF42VG (W/B/S) -A1 |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-EF50VG (W/B/S) -A1 |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-AP22VGD            |        | ●                | ●                        | ●                               | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-AP25VGD            |        | ●                | ●                        | ●                               | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-AP35VGD            |        | ●                | ●                        | ●                               | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-AP42VGD            |        | ●                | ●                        | ●                               | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-AP50VGD            |        | ●                | ●                        | ●                               | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-AP60VGD            |        | ●                | ●                        | ●                               | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-AP71VGD            |        | ●                | ●                        | ●                               | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MSZ-AP80VGD            |        | ●                | ●                        | ●                               | ●               | ●               |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   | Floor Standing    | MFZX-KW25VG            |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MFZX-KW35VG            |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MFZX-KW50VG            |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   | Ceiling Cassette  | MLZ-KP25VF             |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MLZ-KP35VF             |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
|                   |                   | MLZ-KP50VF             |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*2          | ●*2                     |             |                            |                            |                 |              |             |                                    |               |                       |             |                                    |
| S Series          | Ceiling Cassette  | SLZ-M25FA-A            |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●            | ●                       | ●           | ●*5                        |                            | ●               |              | ●           | ●                                  | ●*6           | ●                     |             |                                    |
|                   |                   | SLZ-M35FA-A            |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●            | ●                       | ●           | ●*5                        |                            | ●               |              | ●           | ●                                  | ●*6           | ●                     |             |                                    |
|                   |                   | SLZ-M50FA-A            |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●            | ●                       | ●           | ●*5                        |                            | ●               |              | ●           | ●                                  | ●*6           | ●                     |             |                                    |
|                   | Ceiling Concealed | SEZ-M25DA(L)           |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*3          | ●*3                     | ●           |                            | ●                          |                 |              |             | ●                                  | ●             | ●*6                   | ●           |                                    |
|                   |                   | SEZ-M35DA(L)           |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*3          | ●*3                     | ●           |                            | ●                          |                 |              |             | ●                                  | ●             | ●*6                   | ●           |                                    |
|                   |                   | SEZ-M50DA(L)           |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*3          | ●*3                     | ●           |                            | ●                          |                 |              |             | ●                                  | ●             | ●*6                   | ●           |                                    |
|                   |                   | SEZ-M60DA(L)           |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*3          | ●*3                     | ●           |                            | ●                          |                 |              |             | ●                                  | ●             | ●*6                   | ●           |                                    |
|                   |                   | SEZ-M71DA(L)           |        | ●                | ●                        | ●                               |                 |                 |              |                           |              | ●*3          | ●*3                     | ●           |                            | ●                          |                 |              |             | ●                                  | ●             | ●*6                   | ●           |                                    |
| P Series          | Ceiling Cassette  | PLA-M71EA-A            |        | ●*1              | ●*1                      | ●                               |                 |                 |              | ●                         | ●            | ●            | ●                       | ●*5         |                            |                            | ●               |              | ●           | ●                                  | ●*6           | ●                     |             |                                    |
|                   |                   | PLA-M100EA-A           |        |                  |                          | ●                               |                 |                 |              | ●                         | ●            | ●            | ●                       | ●*5         |                            |                            | ●               |              | ●           | ●                                  | ●*6           | ●                     |             |                                    |
|                   | Ceiling Suspended | PCA-M50KA              |        | ●*1              | ●*1                      | ●                               |                 |                 | ●            |                           |              | ●            | ●                       | ●           |                            |                            |                 |              | ●           | ●                                  | ●             | ●*6                   | ●           |                                    |
|                   |                   | PCA-M60KA              |        | ●*1              | ●*1                      | ●                               |                 |                 | ●            |                           |              | ●            | ●                       | ●           |                            |                            |                 |              | ●           | ●                                  | ●             | ●*6                   | ●           |                                    |
|                   |                   | PCA-M71KA              |        | ●*1              | ●*1                      | ●                               |                 |                 | ●            |                           |              | ●            | ●                       | ●           |                            |                            |                 |              | ●           | ●                                  | ●             | ●*6                   | ●           |                                    |
|                   |                   | PCA-M100KA             |        |                  |                          | ●                               |                 |                 | ●            |                           |              | ●            | ●                       | ●           |                            |                            |                 |              | ●           | ●                                  | ●             | ●*6                   | ●           |                                    |
| Ceiling Concealed | PEAD-M71JAA(D)    |                        | ●*1    | ●*1              | ●                        |                                 |                 | ●               |              |                           | ●            | ●            | ●                       |             | ●                          |                            |                 | ●            | ●           | ●                                  | ●*6           | ●                     |             |                                    |
|                   | PEAD-M100JAA(D)   |                        |        |                  | ●                        |                                 |                 | ●               |              |                           | ●            | ●            | ●                       |             | ●                          |                            |                 | ●            | ●           | ●                                  | ●*6           | ●                     |             |                                    |

\*1 P Series indoor units can be used in combination with SUZ or MXZ outdoor units.

\*2 MAC-334IF-E or MAC-397IF-E is required.

\*3 Excluding SEZ-VAL.

\*4 PAC-SH29TC-E is required.

\*5 Group control cannot be used.

\*6 Unable to use with wireless remote controller.

# Outdoor Units      Piping Information

| Option<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>< |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

| Option<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br> |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

The products of Mitsubishi Electric Australia come with guarantees, additional to this Warranty, that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and failure does not amount to a major failure.

# Capacity Tables for MXZ

## MXZ-2F52VF Cooling

| Indoor units combination | Cooling capacity (kW) |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor(%) |
|--------------------------|-----------------------|--------|--------------------|-------------------------------------|---------------------|-----------------|
|                          | Unit A                | Unit B | Total (Range)      |                                     |                     |                 |
| 15                       | 1.50                  | -      | 1.50 (1.20 - 2.90) | 0.310 (0.250 - 0.700)               | 1.40                | 96              |
| 20                       | 2.00                  | -      | 2.00 (1.20 - 3.40) | 0.370 (0.250 - 0.800)               | 1.68                | 96              |
| 22                       | 2.20                  | -      | 2.20 (1.20 - 2.90) | 0.460 (0.250 - 0.800)               | 2.08                | 96              |
| 25                       | 2.50                  | -      | 2.50 (1.30 - 3.60) | 0.510 (0.250 - 0.800)               | 2.31                | 96              |
| 35                       | 3.50                  | -      | 3.50 (1.30 - 5.10) | 0.780 (0.250 - 1.500)               | 3.53                | 96              |
| 42                       | 4.20                  | -      | 4.20 (1.30 - 5.20) | 1.040 (0.250 - 1.840)               | 4.71                | 96              |
| 50                       | 4.50                  | -      | 4.50 (1.30 - 5.20) | 1.420 (0.250 - 1.840)               | 6.43                | 96              |
| 15+15                    | 1.50                  | 1.50   | 3.00 (1.10 - 4.80) | 0.686 (0.330 - 1.326)               | 3.11                | 96              |
| 15+20                    | 1.46                  | 1.94   | 3.40 (1.10 - 5.10) | 0.874 (0.330 - 1.324)               | 3.96                | 96              |
| 15+22                    | 1.48                  | 2.17   | 3.65 (1.10 - 5.20) | 0.947 (0.330 - 1.317)               | 4.29                | 96              |
| 15+25                    | 1.46                  | 2.44   | 3.90 (1.10 - 5.40) | 1.067 (0.330 - 1.317)               | 4.83                | 96              |
| 15+35                    | 1.53                  | 3.57   | 5.10 (1.10 - 5.60) | 1.337 (0.250 - 1.957)               | 6.06                | 96              |
| 15+42                    | 1.34                  | 3.76   | 5.10 (1.10 - 5.60) | 1.331 (0.250 - 1.951)               | 6.03                | 96              |
| 15+50                    | 1.18                  | 3.92   | 5.10 (1.10 - 5.60) | 1.331 (0.250 - 1.951)               | 6.03                | 96              |
| 20+20                    | 1.90                  | 1.90   | 3.80 (1.10 - 5.40) | 1.072 (0.330 - 1.322)               | 4.86                | 96              |
| 20+22                    | 1.98                  | 2.17   | 4.15 (1.10 - 5.40) | 1.115 (0.290 - 1.415)               | 5.05                | 96              |
| 20+25                    | 2.00                  | 2.50   | 4.50 (1.10 - 5.40) | 1.205 (0.250 - 1.595)               | 5.46                | 96              |
| 20+35                    | 1.85                  | 3.25   | 5.10 (1.10 - 5.60) | 1.335 (0.250 - 1.955)               | 6.05                | 96              |
| 20+42                    | 1.65                  | 3.45   | 5.10 (1.10 - 5.60) | 1.329 (0.250 - 1.949)               | 6.02                | 96              |
| 20+50                    | 1.46                  | 3.64   | 5.10 (1.10 - 5.60) | 1.329 (0.250 - 1.949)               | 6.02                | 96              |
| 22+22                    | 2.20                  | 2.20   | 4.40 (1.10 - 5.40) | 1.168 (0.250 - 1.508)               | 5.29                | 96              |
| 22+25                    | 2.27                  | 2.58   | 4.85 (1.10 - 5.50) | 1.248 (0.250 - 1.728)               | 5.65                | 96              |
| 22+35                    | 1.99                  | 3.16   | 5.15 (1.10 - 5.60) | 1.328 (0.250 - 1.948)               | 6.01                | 96              |
| 22+42                    | 1.77                  | 3.38   | 5.15 (1.10 - 5.60) | 1.322 (0.250 - 1.942)               | 5.99                | 96              |
| 22+50                    | 1.57                  | 3.58   | 5.15 (1.10 - 5.60) | 1.322 (0.250 - 1.942)               | 5.99                | 96              |
| 25+25                    | 2.60                  | 2.60   | 5.20 (1.10 - 5.60) | 1.328 (0.250 - 1.948)               | 6.01                | 96              |
| 25+35                    | 2.17                  | 3.03   | 5.20 (1.10 - 5.60) | 1.328 (0.250 - 1.948)               | 6.01                | 96              |
| 25+42                    | 1.94                  | 3.26   | 5.20 (1.10 - 5.60) | 1.322 (0.250 - 1.942)               | 5.99                | 96              |
| 25+50                    | 1.73                  | 3.47   | 5.20 (1.10 - 5.60) | 1.322 (0.250 - 1.942)               | 5.99                | 96              |
| 35+35                    | 2.60                  | 2.60   | 5.20 (1.10 - 5.60) | 1.328 (0.250 - 1.948)               | 6.01                | 96              |

# MXZ-2F52VF Heating

| Indoor units combination | Heating capacity (kW) |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor(%) |
|--------------------------|-----------------------|--------|--------------------|-------------------------------------|---------------------|-----------------|
|                          | Unit A                | Unit B | Total (Range)      |                                     |                     |                 |
| 15                       | 1.70                  | -      | 1.70 (1.40 - 2.60) | 0.360 (0.300 - 0.630)               | 1.63                | 96              |
| 20                       | 2.20                  | -      | 2.20 (1.40 - 2.60) | 0.500 (0.300 - 0.630)               | 2.26                | 96              |
| 22                       | 3.30                  | -      | 3.30 (1.50 - 4.50) | 0.670 (0.260 - 1.130)               | 3.03                | 96              |
| 25                       | 3.60                  | -      | 3.60 (1.50 - 5.40) | 0.720 (0.250 - 1.450)               | 3.26                | 96              |
| 35                       | 4.00                  | -      | 4.00 (1.50 - 5.40) | 0.830 (0.250 - 1.450)               | 3.76                | 96              |
| 42                       | 4.80                  | -      | 4.80 (1.50 - 5.40) | 1.289 (0.250 - 1.450)               | 5.84                | 96              |
| 50                       | 5.00                  | -      | 5.00 (1.50 - 5.50) | 1.343 (0.250 - 1.477)               | 6.08                | 96              |
| 15+15                    | 1.70                  | 1.70   | 3.40 (1.00 - 5.00) | 0.776 (0.360 - 1.166)               | 3.51                | 96              |
| 15+20                    | 1.67                  | 2.23   | 3.90 (1.00 - 5.20) | 0.944 (0.360 - 1.314)               | 4.28                | 96              |
| 15+22                    | 1.68                  | 2.47   | 4.15 (1.00 - 5.30) | 1.007 (0.360 - 1.357)               | 4.56                | 96              |
| 15+25                    | 1.69                  | 2.81   | 4.50 (1.00 - 5.40) | 1.107 (0.360 - 1.447)               | 5.01                | 96              |
| 15+35                    | 1.80                  | 4.20   | 6.00 (1.00 - 7.00) | 1.447 (0.200 - 1.807)               | 6.55                | 96              |
| 15+42                    | 1.58                  | 4.42   | 6.00 (1.00 - 7.00) | 1.441 (0.200 - 1.801)               | 6.53                | 96              |
| 15+50                    | 1.38                  | 4.62   | 6.00 (1.00 - 7.00) | 1.441 (0.200 - 1.801)               | 6.53                | 96              |
| 20+20                    | 2.20                  | 2.20   | 4.40 (1.00 - 5.40) | 1.112 (0.360 - 1.452)               | 5.04                | 96              |
| 20+22                    | 2.50                  | 2.75   | 5.25 (1.00 - 6.10) | 1.285 (0.280 - 1.595)               | 5.82                | 96              |
| 20+25                    | 2.67                  | 3.33   | 6.00 (1.00 - 6.80) | 1.465 (0.200 - 1.755)               | 6.63                | 96              |
| 20+35                    | 2.18                  | 3.82   | 6.00 (1.00 - 7.00) | 1.445 (0.200 - 1.805)               | 6.54                | 96              |
| 20+42                    | 1.94                  | 4.06   | 6.00 (1.00 - 7.00) | 1.439 (0.200 - 1.799)               | 6.52                | 96              |
| 20+50                    | 1.71                  | 4.29   | 6.00 (1.00 - 7.00) | 1.439 (0.200 - 1.799)               | 6.52                | 96              |
| 22+22                    | 3.00                  | 3.00   | 6.00 (1.00 - 6.70) | 1.468 (0.200 - 1.738)               | 6.65                | 96              |
| 22+25                    | 2.83                  | 3.22   | 6.05 (1.00 - 6.90) | 1.448 (0.200 - 1.768)               | 6.56                | 96              |
| 22+35                    | 2.34                  | 3.71   | 6.05 (1.00 - 7.00) | 1.438 (0.200 - 1.798)               | 6.51                | 96              |
| 22+42                    | 2.08                  | 3.97   | 6.05 (1.00 - 7.00) | 1.432 (0.200 - 1.792)               | 6.49                | 96              |
| 22+50                    | 1.85                  | 4.20   | 6.05 (1.00 - 7.00) | 1.432 (0.200 - 1.792)               | 6.49                | 96              |
| 25+25                    | 3.05                  | 3.05   | 6.10 (1.00 - 7.00) | 1.438 (0.200 - 1.798)               | 6.51                | 96              |
| 25+35                    | 2.54                  | 3.56   | 6.10 (1.00 - 7.00) | 1.438 (0.200 - 1.798)               | 6.51                | 96              |
| 25+42                    | 2.28                  | 3.82   | 6.10 (1.00 - 7.00) | 1.432 (0.200 - 1.792)               | 6.49                | 96              |
| 25+50                    | 2.03                  | 4.07   | 6.10 (1.00 - 7.00) | 1.432 (0.200 - 1.792)               | 6.49                | 96              |
| 35+35                    | 3.05                  | 3.05   | 6.10 (1.00 - 7.00) | 1.438 (0.200 - 1.798)               | 6.51                | 96              |

# MXZ-2F52VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor(%) |
|--------------------------|-----------------------|--------|--------------------|-------------------------------------|---------------------|-----------------|
|                          | Unit A                | Unit B | Total (Range)      |                                     |                     |                 |
| 15                       | 1.50                  | -      | 1.50 (1.50 - 2.80) | 0.460 (0.460 - 0.700)               | 2.04                | 98              |
| 20                       | 2.00                  | -      | 2.00 (1.60 - 2.80) | 0.520 (0.460 - 0.870)               | 2.31                | 98              |
| 22                       | 2.20                  | -      | 2.20 (1.60 - 3.80) | 0.520 (0.460 - 0.870)               | 2.31                | 98              |
| 25                       | 2.50                  | -      | 2.50 (1.80 - 3.80) | 0.810 (0.520 - 0.870)               | 3.59                | 98              |
| 35                       | 3.50                  | -      | 3.50 (1.80 - 5.20) | 0.810 (0.520 - 1.500)               | 3.59                | 98              |
| 42                       | 4.20                  | -      | 4.20 (1.80 - 5.00) | 1.030 (0.520 - 1.590)               | 4.57                | 98              |
| 50                       | 4.50                  | -      | 4.50 (1.80 - 5.60) | 1.350 (0.520 - 1.780)               | 5.99                | 98              |
| 15+15                    | 1.50                  | 1.50   | 3.00 (2.00 - 4.80) | 0.686 (0.540 - 1.796)               | 3.04                | 98              |
| 15+20                    | 1.46                  | 1.94   | 3.40 (2.00 - 5.10) | 0.874 (0.620 - 1.804)               | 3.88                | 98              |
| 15+22                    | 1.48                  | 2.17   | 3.65 (2.00 - 5.20) | 0.947 (0.650 - 1.797)               | 4.20                | 98              |
| 15+25                    | 1.46                  | 2.44   | 3.90 (2.00 - 5.40) | 1.067 (0.700 - 1.797)               | 4.73                | 98              |
| 15+35                    | 1.53                  | 3.57   | 5.10 (2.00 - 6.00) | 1.337 (0.540 - 1.937)               | 5.93                | 98              |
| 15+42                    | 1.34                  | 3.76   | 5.10 (2.00 - 6.00) | 1.331 (0.540 - 1.931)               | 5.91                | 98              |
| 15+50                    | 1.18                  | 3.92   | 5.10 (2.00 - 6.00) | 1.331 (0.540 - 1.931)               | 5.91                | 98              |
| 20+20                    | 1.90                  | 1.90   | 3.80 (2.00 - 5.40) | 1.072 (0.700 - 1.802)               | 4.76                | 98              |
| 20+22                    | 1.98                  | 2.17   | 4.15 (2.00 - 5.40) | 1.115 (0.620 - 1.725)               | 4.95                | 98              |
| 20+25                    | 2.00                  | 2.50   | 4.50 (2.00 - 5.50) | 1.205 (0.540 - 1.695)               | 5.35                | 98              |
| 20+35                    | 1.85                  | 3.25   | 5.10 (2.00 - 6.00) | 1.335 (0.540 - 1.935)               | 5.92                | 98              |
| 20+42                    | 1.65                  | 3.45   | 5.10 (2.00 - 6.00) | 1.329 (0.540 - 1.929)               | 5.90                | 98              |
| 20+50                    | 1.46                  | 3.64   | 5.10 (2.00 - 6.00) | 1.329 (0.540 - 1.929)               | 5.90                | 98              |
| 22+22                    | 2.20                  | 2.20   | 4.40 (2.00 - 5.40) | 1.168 (0.540 - 1.638)               | 5.18                | 98              |
| 22+25                    | 2.27                  | 2.58   | 4.85 (2.00 - 5.70) | 1.248 (0.540 - 1.788)               | 5.54                | 98              |
| 22+35                    | 1.99                  | 3.16   | 5.15 (2.00 - 6.00) | 1.328 (0.540 - 1.928)               | 5.89                | 98              |
| 22+42                    | 1.77                  | 3.38   | 5.15 (2.00 - 6.00) | 1.322 (0.540 - 1.922)               | 5.87                | 98              |
| 22+50                    | 1.57                  | 3.58   | 5.15 (2.00 - 6.00) | 1.322 (0.540 - 1.922)               | 5.87                | 98              |
| 25+25                    | 2.60                  | 2.60   | 5.20 (2.00 - 6.00) | 1.328 (0.540 - 1.928)               | 5.89                | 98              |
| 25+35                    | 2.17                  | 3.03   | 5.20 (2.00 - 6.00) | 1.328 (0.540 - 1.928)               | 5.89                | 98              |
| 25+42                    | 1.94                  | 3.26   | 5.20 (2.00 - 6.00) | 1.322 (0.540 - 1.922)               | 5.87                | 98              |
| 25+50                    | 1.73                  | 3.47   | 5.20 (2.00 - 6.00) | 1.322 (0.540 - 1.922)               | 5.87                | 98              |
| 35+35                    | 2.60                  | 2.60   | 5.20 (2.00 - 6.00) | 1.328 (0.540 - 1.928)               | 5.89                | 98              |

# MXZ-2F52VGD Heating

| Indoor units combination | Heating capacity (kW) |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor(%) |
|--------------------------|-----------------------|--------|--------------------|-------------------------------------|---------------------|-----------------|
|                          | Unit A                | Unit B | Total (Range)      |                                     |                     |                 |
| 15                       | 1.70                  | -      | 1.70 (1.70 - 2.50) | 0.502 (0.502 - 0.780)               | 2.23                | 98              |
| 20                       | 2.20                  | -      | 2.20 (2.20 - 2.50) | 0.598 (0.528 - 1.440)               | 2.65                | 98              |
| 22                       | 3.30                  | -      | 3.30 (2.00 - 4.50) | 0.780 (0.480 - 1.250)               | 3.46                | 98              |
| 25                       | 3.60                  | -      | 3.60 (2.00 - 5.30) | 0.830 (0.460 - 1.480)               | 3.68                | 98              |
| 35                       | 4.00                  | -      | 4.00 (2.00 - 5.30) | 0.960 (0.460 - 1.480)               | 4.26                | 98              |
| 42                       | 4.80                  | -      | 4.80 (2.00 - 5.60) | 1.508 (0.460 - 1.564)               | 6.69                | 98              |
| 50                       | 5.00                  | -      | 5.00 (2.00 - 6.80) | 1.620 (0.460 - 2.431)               | 7.19                | 98              |
| 15+15                    | 1.70                  | 1.70   | 3.40 (1.80 - 5.00) | 0.776 (0.670 - 1.296)               | 3.44                | 98              |
| 15+20                    | 1.67                  | 2.23   | 3.90 (1.80 - 5.20) | 0.944 (0.650 - 1.624)               | 4.19                | 98              |
| 15+22                    | 1.68                  | 2.47   | 4.15 (1.80 - 5.30) | 1.007 (0.640 - 1.747)               | 4.47                | 98              |
| 15+25                    | 1.69                  | 2.81   | 4.50 (1.80 - 5.40) | 1.107 (0.630 - 1.947)               | 4.91                | 98              |
| 15+35                    | 1.80                  | 4.20   | 6.00 (1.80 - 7.20) | 1.407 (0.410 - 2.277)               | 6.24                | 98              |
| 15+42                    | 1.58                  | 4.42   | 6.00 (1.80 - 7.20) | 1.401 (0.410 - 2.271)               | 6.22                | 98              |
| 15+50                    | 1.38                  | 4.62   | 6.00 (1.80 - 7.20) | 1.401 (0.410 - 2.271)               | 6.22                | 98              |
| 20+20                    | 2.20                  | 2.20   | 4.40 (1.80 - 5.40) | 1.112 (0.630 - 1.952)               | 4.93                | 98              |
| 20+22                    | 2.50                  | 2.75   | 5.25 (1.80 - 6.10) | 1.285 (0.520 - 1.855)               | 5.70                | 98              |
| 20+25                    | 2.67                  | 3.33   | 6.00 (1.80 - 6.80) | 1.465 (0.410 - 1.855)               | 6.50                | 98              |
| 20+35                    | 2.18                  | 3.82   | 6.00 (1.80 - 7.20) | 1.405 (0.410 - 2.275)               | 6.23                | 98              |
| 20+42                    | 1.94                  | 4.06   | 6.00 (1.80 - 7.20) | 1.399 (0.410 - 2.269)               | 6.21                | 98              |
| 20+50                    | 1.71                  | 4.29   | 6.00 (1.80 - 7.20) | 1.399 (0.410 - 2.269)               | 6.21                | 98              |
| 22+22                    | 3.00                  | 3.00   | 6.00 (1.80 - 6.70) | 1.468 (0.410 - 1.758)               | 6.51                | 98              |
| 22+25                    | 2.83                  | 3.22   | 6.05 (1.80 - 7.00) | 1.428 (0.410 - 2.018)               | 6.34                | 98              |
| 22+35                    | 2.34                  | 3.71   | 6.05 (1.80 - 7.20) | 1.398 (0.410 - 2.268)               | 6.20                | 98              |
| 22+42                    | 2.08                  | 3.97   | 6.05 (1.80 - 7.20) | 1.392 (0.410 - 2.262)               | 6.18                | 98              |
| 22+50                    | 1.85                  | 4.20   | 6.05 (1.80 - 7.20) | 1.392 (0.410 - 2.262)               | 6.18                | 98              |
| 25+25                    | 3.05                  | 3.05   | 6.10 (1.80 - 7.20) | 1.398 (0.410 - 2.268)               | 6.20                | 98              |
| 25+35                    | 2.54                  | 3.56   | 6.10 (1.80 - 7.20) | 1.398 (0.410 - 2.268)               | 6.20                | 98              |
| 25+42                    | 2.28                  | 3.82   | 6.10 (1.80 - 7.20) | 1.392 (0.410 - 2.262)               | 6.18                | 98              |
| 25+50                    | 2.03                  | 4.07   | 6.10 (1.80 - 7.20) | 1.392 (0.410 - 2.262)               | 6.18                | 98              |
| 35+35                    | 3.05                  | 3.05   | 6.10 (1.80 - 7.20) | 1.398 (0.410 - 2.268)               | 6.20                | 98              |

# MXZ-3F54VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor(%) |
|--------------------------|-----------------------|--------|--------|--------------------|-------------------------------------|---------------------|-----------------|
|                          | Unit A                | Unit B | Unit C | Total (Range)      |                                     |                     |                 |
| 15                       | 1.50                  | -      | -      | 1.50 (1.50 - 2.80) | 0.460 (0.460 - 0.700)               | 2.04                | 98              |
| 20                       | 2.00                  | -      | -      | 2.00 (1.60 - 2.80) | 0.520 (0.460 - 0.870)               | 2.31                | 98              |
| 22                       | 2.20                  | -      | -      | 2.20 (1.60 - 3.80) | 0.520 (0.460 - 0.870)               | 2.31                | 98              |
| 25                       | 2.50                  | -      | -      | 2.50 (1.80 - 3.80) | 0.810 (0.520 - 0.870)               | 3.59                | 98              |
| 35                       | 3.50                  | -      | -      | 3.50 (1.80 - 5.20) | 0.810 (0.520 - 1.500)               | 3.59                | 98              |
| 42                       | 4.20                  | -      | -      | 4.20 (1.80 - 5.00) | 1.030 (0.520 - 1.590)               | 4.57                | 98              |
| 50                       | 5.00                  | -      | -      | 5.00 (1.80 - 5.60) | 1.350 (0.520 - 1.780)               | 5.99                | 98              |
| 15+15                    | 1.50                  | 1.50   | -      | 3.00 (2.00 - 5.40) | 0.770 (0.540 - 1.800)               | 3.42                | 98              |
| 15+20                    | 1.50                  | 2.00   | -      | 3.50 (2.00 - 5.40) | 0.920 (0.620 - 1.800)               | 4.08                | 98              |
| 15+22                    | 1.50                  | 2.20   | -      | 3.70 (2.00 - 5.40) | 0.980 (0.650 - 1.800)               | 4.35                | 98              |
| 15+25                    | 1.50                  | 2.50   | -      | 4.00 (2.00 - 5.40) | 1.070 (0.700 - 1.800)               | 4.75                | 98              |
| 15+35                    | 1.50                  | 3.50   | -      | 5.00 (2.00 - 6.00) | 1.400 (0.540 - 1.980)               | 6.21                | 98              |
| 15+42                    | 1.34                  | 3.76   | -      | 5.10 (2.00 - 6.30) | 1.450 (0.540 - 2.200)               | 6.43                | 98              |
| 15+50                    | 1.22                  | 4.08   | -      | 5.30 (2.00 - 6.60) | 1.500 (0.540 - 2.460)               | 6.65                | 98              |
| 20+20                    | 2.00                  | 2.00   | -      | 4.00 (2.00 - 5.40) | 1.070 (0.700 - 1.800)               | 4.75                | 98              |
| 20+22                    | 2.00                  | 2.20   | -      | 4.20 (2.00 - 5.40) | 1.120 (0.620 - 1.720)               | 4.97                | 98              |
| 20+25                    | 2.00                  | 2.50   | -      | 4.50 (2.00 - 5.50) | 1.200 (0.540 - 1.700)               | 5.32                | 98              |
| 20+35                    | 1.85                  | 3.25   | -      | 5.10 (2.00 - 6.20) | 1.430 (0.540 - 2.140)               | 6.34                | 98              |
| 20+42                    | 1.68                  | 3.52   | -      | 5.20 (2.00 - 6.50) | 1.480 (0.540 - 2.360)               | 6.57                | 98              |
| 20+50                    | 1.54                  | 3.86   | -      | 5.40 (2.00 - 6.80) | 1.540 (0.540 - 2.620)               | 6.83                | 98              |
| 22+22                    | 2.20                  | 2.20   | -      | 4.40 (2.00 - 5.40) | 1.170 (0.540 - 1.640)               | 5.19                | 98              |
| 22+25                    | 2.20                  | 2.50   | -      | 4.70 (2.00 - 5.70) | 1.280 (0.540 - 1.810)               | 5.68                | 98              |
| 22+35                    | 1.97                  | 3.13   | -      | 5.10 (2.00 - 6.30) | 1.450 (0.540 - 2.200)               | 6.43                | 98              |
| 22+42                    | 1.82                  | 3.48   | -      | 5.30 (2.00 - 6.60) | 1.490 (0.540 - 2.430)               | 6.61                | 98              |
| 22+50                    | 1.65                  | 3.75   | -      | 5.40 (2.00 - 6.80) | 1.540 (0.540 - 2.620)               | 6.83                | 98              |
| 25+25                    | 2.50                  | 2.50   | -      | 5.00 (2.00 - 6.00) | 1.400 (0.540 - 1.980)               | 6.21                | 98              |
| 25+35                    | 2.17                  | 3.03   | -      | 5.20 (2.00 - 6.40) | 1.470 (0.540 - 2.300)               | 6.52                | 98              |
| 25+42                    | 1.98                  | 3.32   | -      | 5.30 (2.00 - 6.70) | 1.520 (0.540 - 2.520)               | 6.74                | 98              |
| 25+50                    | 1.80                  | 3.60   | -      | 5.40 (2.00 - 6.80) | 1.540 (0.540 - 2.620)               | 6.83                | 98              |
| 35+35                    | 2.70                  | 2.70   | -      | 5.40 (2.00 - 6.80) | 1.540 (0.540 - 2.620)               | 6.83                | 98              |
| 35+42                    | 2.45                  | 2.95   | -      | 5.40 (2.00 - 6.80) | 1.540 (0.550 - 2.620)               | 6.83                | 98              |
| 35+50                    | 2.22                  | 3.18   | -      | 5.40 (2.00 - 6.80) | 1.530 (0.550 - 2.600)               | 6.79                | 98              |
| 42+42                    | 2.70                  | 2.70   | -      | 5.40 (2.00 - 6.80) | 1.540 (0.550 - 2.620)               | 6.83                | 98              |
| 42+50                    | 2.47                  | 2.93   | -      | 5.40 (2.10 - 6.80) | 1.510 (0.560 - 2.480)               | 6.70                | 98              |
| 50+50                    | 2.70                  | 2.70   | -      | 5.40 (2.10 - 6.80) | 1.480 (0.560 - 2.340)               | 6.57                | 98              |
| 15+15+15                 | 1.50                  | 1.50   | 1.50   | 4.50 (2.90 - 6.80) | 0.939 (0.670 - 1.769)               | 4.17                | 98              |
| 15+15+20                 | 1.41                  | 1.41   | 1.88   | 4.70 (2.90 - 6.80) | 1.097 (0.700 - 1.947)               | 4.87                | 98              |
| 15+15+22                 | 1.40                  | 1.40   | 2.05   | 4.85 (2.90 - 6.80) | 1.160 (0.710 - 2.020)               | 5.15                | 98              |
| 15+15+25                 | 1.36                  | 1.36   | 2.27   | 5.00 (2.90 - 6.80) | 1.250 (0.730 - 2.130)               | 5.55                | 98              |
| 15+15+35                 | 1.20                  | 1.20   | 2.80   | 5.20 (2.90 - 6.80) | 1.310 (0.690 - 1.870)               | 5.81                | 98              |
| 15+15+42                 | 1.08                  | 1.08   | 3.03*  | 5.20 (2.90 - 6.80) | 1.214 (0.670 - 1.784)               | 5.39                | 98              |
| 15+15+50                 | 0.98                  | 0.98   | 3.25*  | 5.20 (2.90 - 6.80) | 1.184 (0.670 - 1.784)               | 5.25                | 98              |
| 15+20+20                 | 1.34                  | 1.78   | 1.78   | 4.90 (2.90 - 6.80) | 1.255 (0.730 - 2.135)               | 5.57                | 98              |
| 15+20+22                 | 1.33                  | 1.77   | 1.95   | 5.05 (2.90 - 6.80) | 1.318 (0.740 - 2.198)               | 5.85                | 98              |
| 15+20+25                 | 1.30                  | 1.73   | 2.17   | 5.20 (2.90 - 6.80) | 1.408 (0.760 - 2.308)               | 6.25                | 98              |
| 15+20+35                 | 1.11                  | 1.49   | 2.60   | 5.20 (2.90 - 6.80) | 1.238 (0.670 - 1.788)               | 5.49                | 98              |
| 15+20+42                 | 1.01                  | 1.35   | 2.84*  | 5.20 (2.90 - 6.80) | 1.182 (0.670 - 1.782)               | 5.24                | 98              |
| 15+20+50                 | 0.92                  | 1.22   | 3.06*  | 5.20 (2.90 - 6.80) | 1.182 (0.670 - 1.782)               | 5.24                | 98              |
| 15+22+22                 | 1.32                  | 1.94   | 1.94   | 5.20 (2.90 - 6.80) | 1.371 (0.750 - 2.261)               | 6.08                | 98              |
| 15+22+25                 | 1.27                  | 1.86   | 2.12   | 5.25 (2.90 - 6.80) | 1.361 (0.730 - 2.121)               | 6.04                | 98              |

Combination table for MXZ-3F54VGD continues on the next page.

# MXZ-3F54VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor(%) |
|--------------------------|-----------------------|--------|--------|--------------------|-------------------------------------|---------------------|-----------------|
|                          | Unit A                | Unit B | Unit C | Total (Range)      |                                     |                     |                 |
| 15+22+35                 | 1.09                  | 1.60   | 2.55   | 5.25 (2.90 - 6.80) | 1.211 (0.670 - 1.781)               | 5.37                | 98              |
| 15+22+42                 | 1.00                  | 1.46   | 2.79*  | 5.25 (2.90 - 6.80) | 1.175 (0.670 - 1.775)               | 5.21                | 98              |
| 15+22+50                 | 0.91                  | 1.33   | 3.02*  | 5.25 (2.90 - 6.80) | 1.175 (0.670 - 1.775)               | 5.21                | 98              |
| 15+25+25                 | 1.22                  | 2.04   | 2.04   | 5.30 (2.90 - 6.80) | 1.301 (0.690 - 1.861)               | 5.77                | 98              |
| 15+25+35                 | 1.06                  | 1.77   | 2.47   | 5.30 (2.90 - 6.80) | 1.181 (0.670 - 1.781)               | 5.24                | 98              |
| 15+25+42                 | 0.97                  | 1.62   | 2.71*  | 5.30 (2.90 - 6.80) | 1.175 (0.670 - 1.775)               | 5.21                | 98              |
| 15+25+50                 | 0.88                  | 1.47   | 2.94*  | 5.30 (2.90 - 6.80) | 1.175 (0.670 - 1.775)               | 5.21                | 98              |
| 15+35+35                 | 0.94                  | 2.18   | 2.18   | 5.30 (2.90 - 6.80) | 1.181 (0.670 - 1.781)               | 5.24                | 98              |
| 15+35+42                 | 0.86                  | 2.02   | 2.42*  | 5.30 (2.90 - 6.80) | 1.175 (0.670 - 1.775)               | 5.21                | 98              |
| 15+35+50                 | 0.80                  | 1.86   | 2.65*  | 5.30 (2.90 - 6.80) | 1.175 (0.670 - 1.775)               | 5.21                | 98              |
| 15+42+42                 | 0.80                  | 2.25*  | 2.25*  | 5.30 (2.90 - 6.80) | 1.169 (0.670 - 1.769)               | 5.19                | 98              |
| 20+20+20                 | 1.70                  | 1.70   | 1.70   | 5.10 (2.90 - 6.80) | 1.413 (0.760 - 2.313)               | 6.27                | 98              |
| 20+20+22                 | 1.66                  | 1.66   | 1.83   | 5.15 (2.90 - 6.80) | 1.366 (0.730 - 2.126)               | 6.06                | 98              |
| 20+20+25                 | 1.60                  | 1.60   | 2.00   | 5.20 (2.90 - 6.80) | 1.306 (0.690 - 1.866)               | 5.79                | 98              |
| 20+20+35                 | 1.39                  | 1.39   | 2.43   | 5.20 (2.90 - 6.80) | 1.186 (0.670 - 1.786)               | 5.26                | 98              |
| 20+20+42                 | 1.27                  | 1.27   | 2.66*  | 5.20 (2.90 - 6.80) | 1.180 (0.670 - 1.780)               | 5.24                | 98              |
| 20+20+50                 | 1.16                  | 1.16   | 2.89*  | 5.20 (2.90 - 6.80) | 1.180 (0.670 - 1.780)               | 5.24                | 98              |
| 20+22+22                 | 1.63                  | 1.79   | 1.79   | 5.20 (2.90 - 6.80) | 1.319 (0.700 - 1.949)               | 5.85                | 98              |
| 20+22+25                 | 1.57                  | 1.72   | 1.96   | 5.25 (2.90 - 6.80) | 1.269 (0.670 - 1.779)               | 5.63                | 98              |
| 20+22+35                 | 1.36                  | 1.50   | 2.39   | 5.25 (2.90 - 6.80) | 1.179 (0.670 - 1.779)               | 5.23                | 98              |
| 20+22+42                 | 1.25                  | 1.38   | 2.63*  | 5.25 (2.90 - 6.80) | 1.173 (0.670 - 1.773)               | 5.20                | 98              |
| 20+22+50                 | 1.14                  | 1.26   | 2.85*  | 5.25 (2.90 - 6.80) | 1.173 (0.670 - 1.773)               | 5.20                | 98              |
| 20+25+25                 | 1.51                  | 1.89   | 1.89   | 5.30 (2.90 - 6.80) | 1.229 (0.670 - 1.779)               | 5.45                | 98              |
| 20+25+35                 | 1.33                  | 1.66   | 2.32   | 5.30 (2.90 - 6.80) | 1.179 (0.670 - 1.779)               | 5.23                | 98              |
| 20+25+42                 | 1.22                  | 1.52   | 2.56*  | 5.30 (2.90 - 6.80) | 1.173 (0.670 - 1.773)               | 5.20                | 98              |
| 20+25+50                 | 1.12                  | 1.39   | 2.79*  | 5.30 (2.90 - 6.80) | 1.173 (0.670 - 1.773)               | 5.20                | 98              |
| 20+35+35                 | 1.18                  | 2.06   | 2.06   | 5.30 (2.90 - 6.80) | 1.179 (0.670 - 1.779)               | 5.23                | 98              |
| 20+35+42                 | 1.09                  | 1.91   | 2.29*  | 5.30 (2.90 - 6.80) | 1.173 (0.670 - 1.773)               | 5.20                | 98              |
| 22+22+22                 | 1.75                  | 1.75   | 1.75   | 5.25 (2.90 - 6.80) | 1.272 (0.670 - 1.772)               | 5.64                | 98              |
| 22+22+25                 | 1.69                  | 1.69   | 1.92   | 5.30 (2.90 - 6.80) | 1.232 (0.670 - 1.772)               | 5.47                | 98              |
| 22+22+35                 | 1.48                  | 1.48   | 2.35   | 5.30 (2.90 - 6.80) | 1.172 (0.670 - 1.772)               | 5.20                | 98              |
| 22+22+42                 | 1.36                  | 1.36   | 2.59*  | 5.30 (2.90 - 6.80) | 1.166 (0.670 - 1.766)               | 5.17                | 98              |
| 22+22+50                 | 1.24                  | 1.24   | 2.82*  | 5.30 (2.90 - 6.80) | 1.166 (0.670 - 1.766)               | 5.17                | 98              |
| 22+25+25                 | 1.63                  | 1.86   | 1.86   | 5.35 (2.90 - 6.80) | 1.202 (0.670 - 1.772)               | 5.33                | 98              |
| 22+25+35                 | 1.44                  | 1.63   | 2.28   | 5.35 (2.90 - 6.80) | 1.172 (0.670 - 1.772)               | 5.20                | 98              |
| 22+25+42                 | 1.32                  | 1.50   | 2.52*  | 5.35 (2.90 - 6.80) | 1.166 (0.670 - 1.766)               | 5.17                | 98              |
| 22+25+50                 | 1.21                  | 1.38   | 2.76*  | 5.35 (2.90 - 6.80) | 1.166 (0.670 - 1.766)               | 5.17                | 98              |
| 22+35+35                 | 1.28                  | 2.04   | 2.04   | 5.35 (2.90 - 6.80) | 1.172 (0.670 - 1.772)               | 5.20                | 98              |
| 22+35+42                 | 1.19                  | 1.89   | 2.27*  | 5.35 (2.90 - 6.80) | 1.166 (0.670 - 1.766)               | 5.17                | 98              |
| 25+25+25                 | 1.80                  | 1.80   | 1.80   | 5.40 (2.90 - 6.80) | 1.172 (0.670 - 1.772)               | 5.20                | 98              |
| 25+25+35                 | 1.59                  | 1.59   | 2.22   | 5.40 (2.90 - 6.80) | 1.172 (0.670 - 1.772)               | 5.20                | 98              |
| 25+25+42                 | 1.47                  | 1.47   | 2.47*  | 5.40 (2.90 - 6.80) | 1.166 (0.670 - 1.766)               | 5.17                | 98              |
| 25+25+50                 | 1.35                  | 1.35   | 2.70*  | 5.40 (2.90 - 6.80) | 1.166 (0.670 - 1.766)               | 5.17                | 98              |
| 25+35+35                 | 1.42                  | 1.99   | 1.99   | 5.40 (2.90 - 6.80) | 1.172 (0.670 - 1.772)               | 5.20                | 98              |

\*In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

| Model Name  | Total connected indoor unit | Rated capacity     |
|-------------|-----------------------------|--------------------|
|             | 3 units                     |                    |
| MSZ-AP42VGD | 90%                         | 1.47kW             |
| MSZ-AP50VGD | 80%                         | 1.47kW             |
| SLZ-M50FA   | 70%                         | 2.22kW (=2.47*0.9) |

# MXZ-3F54VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor(%) |
|--------------------------|-----------------------|--------|--------|--------------------|-------------------------------------|---------------------|-----------------|
|                          | Unit A                | Unit B | Unit C | Total (Range)      |                                     |                     |                 |
| 15                       | 1.70                  | -      | -      | 1.70 (1.70 - 2.50) | 0.502 (0.502 - 0.780)               | 2.23                | 98              |
| 20                       | 2.20                  | -      | -      | 2.20 (2.20 - 2.50) | 0.598 (0.528 - 1.440)               | 2.65                | 98              |
| 22                       | 3.30                  | -      | -      | 3.30 (2.00 - 4.50) | 0.780 (0.480 - 1.250)               | 3.46                | 98              |
| 25                       | 3.60                  | -      | -      | 3.60 (2.00 - 5.30) | 0.830 (0.460 - 1.480)               | 3.68                | 98              |
| 35                       | 4.00                  | -      | -      | 4.00 (2.00 - 5.30) | 0.960 (0.460 - 1.480)               | 4.26                | 98              |
| 42                       | 5.40                  | -      | -      | 5.40 (2.00 - 5.60) | 1.508 (0.460 - 1.564)               | 6.69                | 98              |
| 50                       | 5.80                  | -      | -      | 5.80 (2.00 - 6.80) | 1.620 (0.460 - 2.431)               | 7.19                | 98              |
| 15+15                    | 1.70                  | 1.70   | -      | 3.40 (1.80 - 5.00) | 0.780 (0.670 - 1.300)               | 3.46                | 98              |
| 15+20                    | 1.67                  | 2.23   | -      | 3.90 (1.80 - 5.80) | 0.950 (0.650 - 1.630)               | 4.21                | 98              |
| 15+22                    | 1.66                  | 2.44   | -      | 4.10 (1.80 - 6.10) | 1.010 (0.640 - 1.760)               | 4.48                | 98              |
| 15+25                    | 1.65                  | 2.75   | -      | 4.40 (1.80 - 6.60) | 1.110 (0.630 - 1.950)               | 4.92                | 98              |
| 15+35                    | 2.04                  | 4.76   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 15+42                    | 1.79                  | 5.01   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 15+50                    | 1.57                  | 5.23   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 20+20                    | 2.20                  | 2.20   | -      | 4.40 (1.80 - 6.60) | 1.110 (0.630 - 1.950)               | 4.92                | 98              |
| 20+22                    | 2.62                  | 2.88   | -      | 5.50 (1.80 - 6.90) | 1.290 (0.520 - 1.860)               | 5.72                | 98              |
| 20+25                    | 2.93                  | 3.67   | -      | 6.60 (1.80 - 7.50) | 1.480 (0.410 - 1.850)               | 6.57                | 98              |
| 20+35                    | 2.47                  | 4.33   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 20+42                    | 2.19                  | 4.61   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 20+50                    | 1.94                  | 4.86   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 22+22                    | 3.30                  | 3.30   | -      | 6.60 (1.80 - 7.20) | 1.470 (0.410 - 1.760)               | 6.52                | 98              |
| 22+25                    | 3.14                  | 3.56   | -      | 6.70 (1.80 - 8.10) | 1.510 (0.410 - 2.040)               | 6.70                | 98              |
| 22+35                    | 2.62                  | 4.18   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 22+42                    | 2.34                  | 4.46   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 22+50                    | 2.08                  | 4.72   | -      | 6.80 (1.80 - 9.00) | 1.530 (0.410 - 2.310)               | 6.79                | 98              |
| 25+25                    | 3.40                  | 3.40   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 25+35                    | 2.83                  | 3.97   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 25+42                    | 2.54                  | 4.26   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 25+50                    | 2.27                  | 4.53   | -      | 6.80 (1.80 - 9.00) | 1.500 (0.410 - 2.300)               | 6.65                | 98              |
| 35+35                    | 3.40                  | 3.40   | -      | 6.80 (1.80 - 9.00) | 1.550 (0.410 - 2.320)               | 6.88                | 98              |
| 35+42                    | 3.09                  | 3.71   | -      | 6.80 (1.80 - 9.00) | 1.480 (0.410 - 2.290)               | 6.57                | 98              |
| 35+50                    | 2.80                  | 4.00   | -      | 6.80 (1.80 - 9.00) | 1.410 (0.400 - 2.250)               | 6.26                | 98              |
| 42+42                    | 3.40                  | 3.40   | -      | 6.80 (1.80 - 9.00) | 1.410 (0.400 - 2.260)               | 6.26                | 98              |
| 42+50                    | 3.10                  | 3.70   | -      | 6.80 (1.90 - 9.00) | 1.380 (0.380 - 2.170)               | 6.12                | 98              |
| 50+50                    | 3.40                  | 3.40   | -      | 6.80 (1.90 - 9.00) | 1.340 (0.360 - 2.080)               | 5.94                | 98              |
| 15+15+15                 | 1.70                  | 1.70   | 1.70   | 5.10 (2.60 - 7.90) | 1.129 (0.710 - 2.409)               | 5.01                | 98              |
| 15+15+20                 | 1.65                  | 1.65   | 2.20   | 5.50 (2.60 - 7.90) | 1.297 (0.700 - 2.377)               | 5.75                | 98              |
| 15+15+22                 | 1.66                  | 1.66   | 2.43   | 5.75 (2.60 - 7.90) | 1.350 (0.700 - 2.360)               | 5.99                | 98              |
| 15+15+25                 | 1.64                  | 1.64   | 2.73   | 6.00 (2.60 - 8.00) | 1.450 (0.690 - 2.350)               | 6.43                | 98              |
| 15+15+35                 | 1.55                  | 1.55   | 3.61   | 6.70 (2.60 - 8.80) | 1.520 (0.530 - 2.130)               | 6.74                | 98              |
| 15+15+42                 | 1.42                  | 1.42   | 3.97   | 6.80 (2.60 - 9.00) | 1.404 (0.500 - 2.094)               | 6.23                | 98              |
| 15+15+50                 | 1.28                  | 1.28   | 4.25   | 6.80 (2.60 - 9.00) | 1.364 (0.500 - 2.094)               | 6.05                | 98              |
| 15+20+20                 | 1.61                  | 2.15   | 2.15   | 5.90 (2.60 - 8.00) | 1.455 (0.690 - 2.355)               | 6.46                | 98              |
| 15+20+22                 | 1.62                  | 2.16   | 2.37   | 6.15 (2.60 - 8.00) | 1.518 (0.690 - 2.328)               | 6.73                | 98              |
| 15+20+25                 | 1.60                  | 2.13   | 2.67   | 6.40 (2.60 - 8.00) | 1.618 (0.680 - 2.318)               | 7.18                | 98              |
| 15+20+35                 | 1.46                  | 1.94   | 3.40   | 6.80 (2.60 - 9.00) | 1.438 (0.500 - 2.098)               | 6.38                | 98              |
| 15+20+42                 | 1.32                  | 1.77   | 3.71   | 6.80 (2.60 - 9.00) | 1.362 (0.500 - 2.092)               | 6.04                | 98              |
| 15+20+50                 | 1.20                  | 1.60   | 4.00   | 6.80 (2.60 - 9.00) | 1.362 (0.500 - 2.092)               | 6.04                | 98              |
| 15+22+22                 | 1.60                  | 2.35   | 2.35   | 6.30 (2.60 - 8.00) | 1.581 (0.680 - 2.311)               | 7.01                | 98              |
| 15+22+25                 | 1.58                  | 2.32   | 2.64   | 6.55 (2.60 - 8.30) | 1.571 (0.620 - 2.231)               | 6.97                | 98              |

Combination table for MXZ-3F54VGD continues on the next page.

# MXZ-3F54VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor(%) |
|--------------------------|-----------------------|--------|--------|--------------------|-------------------------------------|---------------------|-----------------|
|                          | Unit A                | Unit B | Unit C | Total (Range)      |                                     |                     |                 |
| 15+22+35                 | 1.43                  | 2.09   | 3.33   | 6.85 (2.60 - 9.00) | 1.401 (0.500 - 2.091)               | 6.22                | 98              |
| 15+22+42                 | 1.30                  | 1.91   | 3.64   | 6.85 (2.60 - 9.00) | 1.355 (0.500 - 2.085)               | 6.01                | 98              |
| 15+22+50                 | 1.18                  | 1.73   | 3.94   | 6.85 (2.60 - 9.00) | 1.355 (0.500 - 2.085)               | 6.01                | 98              |
| 15+25+25                 | 1.57                  | 2.62   | 2.62   | 6.80 (2.60 - 8.80) | 1.511 (0.530 - 2.121)               | 6.70                | 98              |
| 15+25+35                 | 1.38                  | 2.30   | 3.22   | 6.90 (2.60 - 9.00) | 1.361 (0.500 - 2.091)               | 6.04                | 98              |
| 15+25+42                 | 1.26                  | 2.10   | 3.53   | 6.90 (2.60 - 9.00) | 1.355 (0.500 - 2.085)               | 6.01                | 98              |
| 15+25+50                 | 1.15                  | 1.92   | 3.83   | 6.90 (2.60 - 9.00) | 1.355 (0.500 - 2.085)               | 6.01                | 98              |
| 15+35+35                 | 1.22                  | 2.84   | 2.84   | 6.90 (2.60 - 9.00) | 1.361 (0.500 - 2.091)               | 6.04                | 98              |
| 15+35+42                 | 1.13                  | 2.63   | 3.15   | 6.90 (2.60 - 9.00) | 1.355 (0.500 - 2.085)               | 6.01                | 98              |
| 15+35+50                 | 1.04                  | 2.42   | 3.45   | 6.90 (2.60 - 9.00) | 1.355 (0.500 - 2.085)               | 6.01                | 98              |
| 15+42+42                 | 1.05                  | 2.93   | 2.93   | 6.90 (2.60 - 9.00) | 1.349 (0.500 - 2.079)               | 5.98                | 98              |
| 20+20+20                 | 2.10                  | 2.10   | 2.10   | 6.30 (2.60 - 8.00) | 1.623 (0.680 - 2.323)               | 7.20                | 98              |
| 20+20+22                 | 2.08                  | 2.08   | 2.29   | 6.45 (2.60 - 8.30) | 1.576 (0.620 - 2.236)               | 6.99                | 98              |
| 20+20+25                 | 2.06                  | 2.06   | 2.58   | 6.70 (2.60 - 8.80) | 1.516 (0.530 - 2.126)               | 6.73                | 98              |
| 20+20+35                 | 1.81                  | 1.81   | 3.17   | 6.80 (2.60 - 9.00) | 1.366 (0.500 - 2.096)               | 6.06                | 98              |
| 20+20+42                 | 1.66                  | 1.66   | 3.48   | 6.80 (2.60 - 9.00) | 1.360 (0.500 - 2.090)               | 6.03                | 98              |
| 20+20+50                 | 1.51                  | 1.51   | 3.78   | 6.80 (2.60 - 9.00) | 1.360 (0.500 - 2.090)               | 6.03                | 98              |
| 20+22+22                 | 2.09                  | 2.30   | 2.30   | 6.70 (2.60 - 8.70) | 1.529 (0.560 - 2.159)               | 6.78                | 98              |
| 20+22+25                 | 2.04                  | 2.25   | 2.56   | 6.85 (2.60 - 9.00) | 1.469 (0.500 - 2.089)               | 6.52                | 98              |
| 20+22+35                 | 1.78                  | 1.96   | 3.11   | 6.85 (2.60 - 9.00) | 1.359 (0.500 - 2.089)               | 6.03                | 98              |
| 20+22+42                 | 1.63                  | 1.79   | 3.43   | 6.85 (2.60 - 9.00) | 1.353 (0.500 - 2.083)               | 6.00                | 98              |
| 20+22+50                 | 1.49                  | 1.64   | 3.72   | 6.85 (2.60 - 9.00) | 1.353 (0.500 - 2.083)               | 6.00                | 98              |
| 20+25+25                 | 1.97                  | 2.46   | 2.46   | 6.90 (2.60 - 9.00) | 1.429 (0.500 - 2.089)               | 6.34                | 98              |
| 20+25+35                 | 1.73                  | 2.16   | 3.02   | 6.90 (2.60 - 9.00) | 1.359 (0.500 - 2.089)               | 6.03                | 98              |
| 20+25+42                 | 1.59                  | 1.98   | 3.33   | 6.90 (2.60 - 9.00) | 1.353 (0.500 - 2.083)               | 6.00                | 98              |
| 20+25+50                 | 1.45                  | 1.82   | 3.63   | 6.90 (2.60 - 9.00) | 1.353 (0.500 - 2.083)               | 6.00                | 98              |
| 20+35+35                 | 1.53                  | 2.68   | 2.68   | 6.90 (2.60 - 9.00) | 1.359 (0.500 - 2.089)               | 6.03                | 98              |
| 20+35+42                 | 1.42                  | 2.49   | 2.99   | 6.90 (2.60 - 9.00) | 1.353 (0.500 - 2.083)               | 6.00                | 98              |
| 22+22+22                 | 2.28                  | 2.28   | 2.28   | 6.85 (2.60 - 9.00) | 1.482 (0.500 - 2.082)               | 6.57                | 98              |
| 22+22+25                 | 2.20                  | 2.20   | 2.50   | 6.90 (2.60 - 9.00) | 1.432 (0.500 - 2.082)               | 6.35                | 98              |
| 22+22+35                 | 1.92                  | 1.92   | 3.06   | 6.90 (2.60 - 9.00) | 1.352 (0.500 - 2.082)               | 6.00                | 98              |
| 22+22+42                 | 1.77                  | 1.77   | 3.37   | 6.90 (2.60 - 9.00) | 1.346 (0.500 - 2.076)               | 5.97                | 98              |
| 22+22+50                 | 1.61                  | 1.61   | 3.67   | 6.90 (2.60 - 9.00) | 1.346 (0.500 - 2.076)               | 5.97                | 98              |
| 22+25+25                 | 2.12                  | 2.41   | 2.41   | 6.95 (2.60 - 9.00) | 1.392 (0.500 - 2.082)               | 6.18                | 98              |
| 22+25+35                 | 1.86                  | 2.12   | 2.97   | 6.95 (2.60 - 9.00) | 1.352 (0.500 - 2.082)               | 6.00                | 98              |
| 22+25+42                 | 1.72                  | 1.95   | 3.28   | 6.95 (2.60 - 9.00) | 1.346 (0.500 - 2.076)               | 5.97                | 98              |
| 22+25+50                 | 1.58                  | 1.79   | 3.58   | 6.95 (2.60 - 9.00) | 1.346 (0.500 - 2.076)               | 5.97                | 98              |
| 22+35+35                 | 1.66                  | 2.64   | 2.64   | 6.95 (2.60 - 9.00) | 1.352 (0.500 - 2.082)               | 6.00                | 98              |
| 22+35+42                 | 1.54                  | 2.46   | 2.95   | 6.95 (2.60 - 9.00) | 1.346 (0.500 - 2.076)               | 5.97                | 98              |
| 25+25+25                 | 2.33                  | 2.33   | 2.33   | 7.00 (2.60 - 9.00) | 1.352 (0.500 - 2.082)               | 6.00                | 98              |
| 25+25+35                 | 2.06                  | 2.06   | 2.88   | 7.00 (2.60 - 9.00) | 1.352 (0.500 - 2.082)               | 6.00                | 98              |
| 25+25+42                 | 1.90                  | 1.90   | 3.20   | 7.00 (2.60 - 9.00) | 1.346 (0.500 - 2.076)               | 5.97                | 98              |
| 25+25+50                 | 1.75                  | 1.75   | 3.50   | 7.00 (2.60 - 9.00) | 1.346 (0.500 - 2.076)               | 5.97                | 98              |
| 25+35+35                 | 1.84                  | 2.58   | 2.58   | 7.00 (2.60 - 9.00) | 1.352 (0.500 - 2.082)               | 6.00                | 98              |

# MXZ-4F71VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 15                       | 1.50                  | -      | -      | -      | 1.50 (1.50 - 2.80) | 0.460 (0.460 - 0.700)               | 2.04                | 98               |
| 20                       | 2.00                  | -      | -      | -      | 2.00 (1.60 - 2.80) | 0.520 (0.460 - 0.870)               | 2.31                | 98               |
| 22                       | 2.20                  | -      | -      | -      | 2.20 (1.60 - 3.80) | 0.520 (0.460 - 0.700)               | 2.31                | 98               |
| 25                       | 2.50                  | -      | -      | -      | 2.50 (1.80 - 3.80) | 0.810 (0.520 - 0.870)               | 3.59                | 98               |
| 35                       | 3.50                  | -      | -      | -      | 3.50 (1.80 - 5.20) | 0.810 (0.520 - 1.500)               | 3.59                | 98               |
| 42                       | 4.20                  | -      | -      | -      | 4.20 (1.80 - 5.00) | 1.030 (0.520 - 1.590)               | 4.57                | 98               |
| 50                       | 5.00                  | -      | -      | -      | 5.00 (1.80 - 5.60) | 1.350 (0.520 - 1.780)               | 5.99                | 98               |
| 60                       | 6.00                  | -      | -      | -      | 6.00 (1.90 - 6.60) | 1.730 (0.450 - 2.490)               | 7.68                | 98               |
| 15+15                    | 1.50                  | 1.50   | -      | -      | 3.00 (2.00 - 5.40) | 0.770 (0.540 - 1.800)               | 3.42                | 98               |
| 15+22                    | 1.50                  | 2.20   | -      | -      | 3.70 (2.00 - 5.40) | 0.980 (0.650 - 1.800)               | 4.35                | 98               |
| 15+25                    | 1.50                  | 2.50   | -      | -      | 4.00 (2.00 - 5.40) | 1.070 (0.700 - 1.800)               | 4.75                | 98               |
| 15+35                    | 1.50                  | 3.50   | -      | -      | 5.00 (2.00 - 6.20) | 1.400 (0.540 - 1.980)               | 6.21                | 98               |
| 15+42                    | 1.45                  | 4.05   | -      | -      | 5.50 (2.00 - 6.40) | 1.580 (0.540 - 2.220)               | 7.01                | 98               |
| 15+50                    | 1.41                  | 4.69   | -      | -      | 6.10 (2.00 - 6.70) | 1.790 (0.540 - 2.490)               | 7.94                | 98               |
| 15+60                    | 1.30                  | 5.20   | -      | -      | 6.50 (2.00 - 7.00) | 2.000 (0.540 - 2.720)               | 8.87                | 98               |
| 20+20                    | 2.00                  | 2.00   | -      | -      | 4.00 (2.00 - 5.40) | 1.070 (0.700 - 1.800)               | 4.75                | 98               |
| 20+22                    | 2.00                  | 2.20   | -      | -      | 4.20 (2.00 - 5.40) | 1.120 (0.620 - 1.720)               | 4.97                | 98               |
| 20+25                    | 2.00                  | 2.50   | -      | -      | 4.50 (2.00 - 5.50) | 1.200 (0.540 - 1.700)               | 5.32                | 98               |
| 20+35                    | 1.96                  | 3.44   | -      | -      | 5.40 (2.00 - 6.40) | 1.530 (0.540 - 2.150)               | 6.79                | 98               |
| 20+42                    | 1.87                  | 3.93   | -      | -      | 5.80 (2.00 - 6.60) | 1.710 (0.540 - 2.390)               | 7.59                | 98               |
| 20+50                    | 1.83                  | 4.57   | -      | -      | 6.40 (2.00 - 6.90) | 1.920 (0.540 - 2.660)               | 8.52                | 98               |
| 20+60                    | 1.68                  | 5.03   | -      | -      | 6.70 (2.00 - 7.00) | 2.070 (0.540 - 2.780)               | 9.18                | 98               |
| 22+22                    | 2.20                  | 2.20   | -      | -      | 4.40 (2.00 - 5.40) | 1.170 (0.540 - 1.640)               | 5.19                | 98               |
| 22+25                    | 2.20                  | 2.50   | -      | -      | 4.70 (2.00 - 5.80) | 1.280 (0.540 - 1.810)               | 5.68                | 98               |
| 22+35                    | 2.12                  | 3.38   | -      | -      | 5.50 (2.00 - 6.40) | 1.580 (0.540 - 2.220)               | 7.01                | 98               |
| 22+42                    | 2.06                  | 3.94   | -      | -      | 6.00 (2.00 - 6.70) | 1.760 (0.540 - 2.450)               | 7.81                | 98               |
| 22+50                    | 1.99                  | 4.51   | -      | -      | 6.50 (2.00 - 6.90) | 1.950 (0.540 - 2.680)               | 8.65                | 98               |
| 22+60                    | 1.80                  | 4.90   | -      | -      | 6.70 (2.00 - 7.10) | 2.110 (0.540 - 2.810)               | 9.36                | 98               |
| 25+25                    | 2.50                  | 2.50   | -      | -      | 5.00 (2.00 - 6.20) | 1.400 (0.540 - 1.980)               | 6.21                | 98               |
| 25+35                    | 2.38                  | 3.33   | -      | -      | 5.70 (2.00 - 6.60) | 1.660 (0.540 - 2.320)               | 7.36                | 98               |
| 25+42                    | 2.31                  | 3.89   | -      | -      | 6.20 (2.00 - 6.80) | 1.840 (0.540 - 2.550)               | 8.16                | 98               |
| 25+50                    | 2.17                  | 4.33   | -      | -      | 6.50 (2.00 - 7.00) | 2.000 (0.540 - 2.720)               | 8.87                | 98               |
| 25+60                    | 2.00                  | 4.80   | -      | -      | 6.80 (2.00 - 7.10) | 2.130 (0.540 - 2.830)               | 9.45                | 98               |
| 35+35                    | 3.20                  | 3.20   | -      | -      | 6.40 (2.00 - 6.90) | 1.920 (0.540 - 2.660)               | 8.52                | 98               |
| 35+42                    | 3.00                  | 3.60   | -      | -      | 6.60 (2.00 - 7.00) | 2.030 (0.540 - 2.740)               | 9.01                | 98               |
| 35+50                    | 2.80                  | 4.00   | -      | -      | 6.80 (2.00 - 7.10) | 2.130 (0.540 - 2.830)               | 9.45                | 98               |
| 35+60                    | 2.51                  | 4.29   | -      | -      | 6.80 (2.10 - 7.10) | 2.060 (0.550 - 2.850)               | 9.14                | 98               |
| 42+42                    | 3.40                  | 3.40   | -      | -      | 6.80 (2.00 - 7.10) | 2.140 (0.540 - 2.830)               | 9.49                | 98               |
| 42+50                    | 3.10                  | 3.70   | -      | -      | 6.80 (2.10 - 7.10) | 2.080 (0.550 - 2.850)               | 9.23                | 98               |
| 42+60                    | 2.80                  | 4.00   | -      | -      | 6.80 (2.10 - 7.10) | 2.000 (0.560 - 2.870)               | 8.87                | 98               |
| 50+50                    | 3.40                  | 3.40   | -      | -      | 6.80 (2.10 - 7.10) | 2.020 (0.560 - 2.860)               | 8.96                | 98               |
| 50+60                    | 3.09                  | 3.71   | -      | -      | 6.80 (2.10 - 7.10) | 1.940 (0.570 - 2.890)               | 8.61                | 98               |
| 60+60                    | 3.40                  | 3.40   | -      | -      | 6.80 (2.10 - 7.10) | 1.860 (0.580 - 2.920)               | 8.25                | 98               |
| 15+15+15                 | 1.50                  | 1.50   | 1.50   | -      | 4.50 (2.90 - 7.30) | 0.940 (0.780 - 2.310)               | 4.17                | 98               |
| 15+15+22                 | 1.50                  | 1.50   | 2.20   | -      | 5.20 (2.90 - 7.70) | 1.240 (0.780 - 3.050)               | 5.50                | 98               |
| 15+15+25                 | 1.50                  | 1.50   | 2.50   | -      | 5.50 (2.90 - 7.80) | 1.370 (0.770 - 3.370)               | 6.08                | 98               |
| 15+15+35                 | 1.50                  | 1.50   | 3.50   | -      | 6.50 (2.90 - 8.10) | 1.510 (0.690 - 3.060)               | 6.70                | 98               |
| 15+15+42                 | 1.44                  | 1.44   | 4.03*  | -      | 6.90 (2.90 - 8.40) | 1.720 (0.670 - 2.630)               | 7.63                | 98               |
| 15+15+50                 | 1.33                  | 1.33   | 4.44*  | -      | 7.10 (2.90 - 8.50) | 1.800 (0.670 - 2.500)               | 7.99                | 98               |
| 15+15+60                 | 1.18                  | 1.18   | 4.73   | -      | 7.10 (2.90 - 8.50) | 1.740 (0.670 - 2.490)               | 7.72                | 98               |

Combination table for MXZ-4F71VGD continues on the next page.

# MXZ-4F71VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 15+20+20                 | 1.50                  | 2.00   | 2.00   | -      | 5.50 (2.90 - 7.80) | 1.370 (0.770 - 3.370)               | 6.08                | 98               |
| 15+20+22                 | 1.50                  | 2.00   | 2.20   | -      | 5.70 (2.90 - 7.90) | 1.450 (0.770 - 3.580)               | 6.43                | 98               |
| 15+20+25                 | 1.50                  | 2.00   | 2.50   | -      | 6.00 (2.90 - 8.10) | 1.580 (0.770 - 3.900)               | 7.01                | 98               |
| 15+20+35                 | 1.46                  | 1.94   | 3.40   | -      | 6.80 (2.90 - 8.30) | 1.640 (0.670 - 2.720)               | 7.28                | 98               |
| 15+20+42                 | 1.38                  | 1.84   | 3.87*  | -      | 7.10 (2.90 - 8.50) | 1.820 (0.670 - 2.500)               | 8.07                | 98               |
| 15+20+50                 | 1.25                  | 1.67   | 4.18*  | -      | 7.10 (2.90 - 8.50) | 1.770 (0.670 - 2.490)               | 7.85                | 98               |
| 15+20+60                 | 1.12                  | 1.49   | 4.48   | -      | 7.10 (2.90 - 8.50) | 1.700 (0.670 - 2.480)               | 7.54                | 98               |
| 15+22+22                 | 1.50                  | 2.20   | 2.20   | -      | 5.90 (2.90 - 8.00) | 1.540 (0.770 - 3.790)               | 6.83                | 98               |
| 15+22+25                 | 1.50                  | 2.20   | 2.50   | -      | 6.20 (2.90 - 8.10) | 1.550 (0.740 - 3.560)               | 6.88                | 98               |
| 15+22+35                 | 1.44                  | 2.11   | 3.35   | -      | 6.90 (2.90 - 8.40) | 1.720 (0.670 - 2.630)               | 7.63                | 98               |
| 15+22+42                 | 1.35                  | 1.98   | 3.77*  | -      | 7.10 (2.90 - 8.50) | 1.810 (0.670 - 2.500)               | 8.03                | 98               |
| 15+22+50                 | 1.22                  | 1.80   | 4.08*  | -      | 7.10 (2.90 - 8.50) | 1.760 (0.670 - 2.490)               | 7.81                | 98               |
| 15+22+60                 | 1.10                  | 1.61   | 4.39   | -      | 7.10 (2.90 - 8.50) | 1.690 (0.670 - 2.480)               | 7.50                | 98               |
| 15+25+25                 | 1.50                  | 2.50   | 2.50   | -      | 6.50 (2.90 - 8.10) | 1.510 (0.690 - 3.060)               | 6.70                | 98               |
| 15+25+35                 | 1.42                  | 2.37   | 3.31   | -      | 7.10 (2.90 - 8.50) | 1.830 (0.670 - 2.500)               | 8.12                | 98               |
| 15+25+42                 | 1.30                  | 2.16   | 3.64*  | -      | 7.10 (2.90 - 8.50) | 1.790 (0.670 - 2.490)               | 7.94                | 98               |
| 15+25+50                 | 1.18                  | 1.97   | 3.94*  | -      | 7.10 (2.90 - 8.50) | 1.740 (0.670 - 2.490)               | 7.72                | 98               |
| 15+25+60                 | 1.07                  | 1.78   | 4.26   | -      | 7.10 (2.90 - 8.50) | 1.670 (0.670 - 2.480)               | 7.41                | 98               |
| 15+35+35                 | 1.25                  | 2.92   | 2.92   | -      | 7.10 (2.90 - 8.50) | 1.770 (0.670 - 2.490)               | 7.85                | 98               |
| 15+35+42                 | 1.16                  | 2.70   | 3.24*  | -      | 7.10 (2.90 - 8.50) | 1.720 (0.670 - 2.480)               | 7.63                | 98               |
| 15+35+50                 | 1.07                  | 2.49   | 3.55*  | -      | 7.10 (2.90 - 8.50) | 1.670 (0.670 - 2.480)               | 7.41                | 98               |
| 15+35+60                 | 0.97                  | 2.26   | 3.87   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 15+42+42                 | 1.08                  | 3.01*  | 3.01*  | -      | 7.10 (2.90 - 8.50) | 1.680 (0.670 - 2.480)               | 7.45                | 98               |
| 15+42+50                 | 1.00                  | 2.79*  | 3.32*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 15+42+60                 | 0.91                  | 2.55*  | 3.64   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 15+50+50                 | 0.93                  | 3.09*  | 3.09*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 15+50+60                 | 0.85                  | 2.84*  | 3.41   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 20+20+20                 | 2.00                  | 2.00   | 2.00   | -      | 6.00 (2.90 - 8.10) | 1.580 (0.770 - 3.900)               | 7.01                | 98               |
| 20+20+22                 | 2.00                  | 2.00   | 2.20   | -      | 6.20 (2.90 - 8.10) | 1.550 (0.740 - 3.560)               | 6.88                | 98               |
| 20+20+25                 | 2.00                  | 2.00   | 2.50   | -      | 6.50 (2.90 - 8.10) | 1.510 (0.690 - 3.060)               | 6.70                | 98               |
| 20+20+35                 | 1.89                  | 1.89   | 3.31   | -      | 7.10 (2.90 - 8.50) | 1.830 (0.670 - 2.500)               | 8.12                | 98               |
| 20+20+42                 | 1.73                  | 1.73   | 3.64*  | -      | 7.10 (2.90 - 8.50) | 1.790 (0.670 - 2.490)               | 7.94                | 98               |
| 20+20+50                 | 1.58                  | 1.58   | 3.94*  | -      | 7.10 (2.90 - 8.50) | 1.740 (0.670 - 2.490)               | 7.72                | 98               |
| 20+20+60                 | 1.42                  | 1.42   | 4.26   | -      | 7.10 (2.90 - 8.50) | 1.670 (0.670 - 2.480)               | 7.41                | 98               |
| 20+22+35                 | 1.84                  | 2.03   | 3.23   | -      | 7.10 (2.90 - 8.50) | 1.820 (0.670 - 2.500)               | 8.07                | 98               |
| 20+22+42                 | 1.69                  | 1.86   | 3.55*  | -      | 7.10 (2.90 - 8.50) | 1.770 (0.670 - 2.490)               | 7.85                | 98               |
| 20+22+50                 | 1.54                  | 1.70   | 3.86*  | -      | 7.10 (2.90 - 8.50) | 1.720 (0.670 - 2.480)               | 7.63                | 98               |
| 20+22+60                 | 1.39                  | 1.53   | 4.18   | -      | 7.10 (2.90 - 8.50) | 1.660 (0.670 - 2.470)               | 7.36                | 98               |
| 20+25+25                 | 1.94                  | 2.43   | 2.43   | -      | 6.80 (2.90 - 8.30) | 1.640 (0.670 - 2.720)               | 7.28                | 98               |
| 20+25+35                 | 1.78                  | 2.22   | 3.11   | -      | 7.10 (2.90 - 8.50) | 1.800 (0.670 - 2.500)               | 7.99                | 98               |
| 20+25+42                 | 1.63                  | 2.04   | 3.43*  | -      | 7.10 (2.90 - 8.50) | 1.760 (0.670 - 2.490)               | 7.81                | 98               |
| 20+25+50                 | 1.49                  | 1.87   | 3.74*  | -      | 7.10 (2.90 - 8.50) | 1.700 (0.670 - 2.480)               | 7.54                | 98               |
| 20+25+60                 | 1.35                  | 1.69   | 4.06   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 20+35+35                 | 1.58                  | 2.76   | 2.76   | -      | 7.10 (2.90 - 8.50) | 1.740 (0.670 - 2.490)               | 7.72                | 98               |
| 20+35+42                 | 1.46                  | 2.56   | 3.07*  | -      | 7.10 (2.90 - 8.50) | 1.690 (0.670 - 2.480)               | 7.50                | 98               |
| 20+35+50                 | 1.35                  | 2.37   | 3.38*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 20+35+60                 | 1.23                  | 2.16   | 3.70   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 20+42+42                 | 1.37                  | 2.87*  | 2.87*  | -      | 7.10 (2.90 - 8.50) | 1.650 (0.670 - 2.470)               | 7.32                | 98               |
| 20+42+50                 | 1.27                  | 2.66*  | 3.17*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 20+42+60                 | 1.16                  | 2.44*  | 3.49   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |

Combination table for MXZ-4F71VGD continues on the next page.

# MXZ-4F71VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 20+50+50                 | 1.18                  | 2.96*  | 2.96*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 22+22+22                 | 2.20                  | 2.20   | 2.20   | -      | 6.60 (2.90 - 8.10) | 1.490 (0.670 - 2.890)               | 6.61                | 98               |
| 22+22+25                 | 2.17                  | 2.17   | 2.46   | -      | 6.80 (2.90 - 8.20) | 1.610 (0.670 - 2.760)               | 7.14                | 98               |
| 22+22+35                 | 1.98                  | 1.98   | 3.15   | -      | 7.10 (2.90 - 8.50) | 1.810 (0.670 - 2.500)               | 8.03                | 98               |
| 22+22+42                 | 1.82                  | 1.82   | 3.47*  | -      | 7.10 (2.90 - 8.50) | 1.760 (0.670 - 2.490)               | 7.81                | 98               |
| 22+22+50                 | 1.66                  | 1.66   | 3.78*  | -      | 7.10 (2.90 - 8.50) | 1.710 (0.670 - 2.480)               | 7.59                | 98               |
| 22+22+60                 | 1.50                  | 1.50   | 4.10   | -      | 7.10 (2.90 - 8.50) | 1.650 (0.670 - 2.470)               | 7.32                | 98               |
| 22+25+25                 | 2.11                  | 2.40   | 2.40   | -      | 6.90 (2.90 - 8.40) | 1.720 (0.670 - 2.630)               | 7.63                | 98               |
| 22+25+35                 | 1.90                  | 2.16   | 3.03   | -      | 7.10 (2.90 - 8.50) | 1.790 (0.670 - 2.490)               | 7.94                | 98               |
| 22+25+42                 | 1.76                  | 1.99   | 3.35*  | -      | 7.10 (2.90 - 8.50) | 1.740 (0.670 - 2.490)               | 7.72                | 98               |
| 22+25+50                 | 1.61                  | 1.83   | 3.66*  | -      | 7.10 (2.90 - 8.50) | 1.690 (0.670 - 2.480)               | 7.50                | 98               |
| 22+25+60                 | 1.46                  | 1.66   | 3.98   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 22+35+35                 | 1.70                  | 2.70   | 2.70   | -      | 7.10 (2.90 - 8.50) | 1.720 (0.670 - 2.480)               | 7.63                | 98               |
| 22+35+42                 | 1.58                  | 2.51   | 3.01*  | -      | 7.10 (2.90 - 8.50) | 1.680 (0.670 - 2.480)               | 7.45                | 98               |
| 22+35+50                 | 1.46                  | 2.32   | 3.32*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 22+35+60                 | 1.34                  | 2.12   | 3.64   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 22+42+60                 | 1.26                  | 2.40*  | 3.44   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 22+50+50                 | 1.28                  | 2.91*  | 2.91*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 25+25+25                 | 2.37                  | 2.37   | 2.37   | -      | 7.10 (2.90 - 8.50) | 1.830 (0.670 - 2.500)               | 8.12                | 98               |
| 25+25+35                 | 2.09                  | 2.09   | 2.92   | -      | 7.10 (2.90 - 8.50) | 1.770 (0.670 - 2.490)               | 7.85                | 98               |
| 25+25+42                 | 1.93                  | 1.93   | 3.24*  | -      | 7.10 (2.90 - 8.50) | 1.720 (0.670 - 2.480)               | 7.63                | 98               |
| 25+25+50                 | 1.78                  | 1.78   | 3.55*  | -      | 7.10 (2.90 - 8.50) | 1.670 (0.670 - 2.480)               | 7.41                | 98               |
| 25+25+60                 | 1.61                  | 1.61   | 3.87   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 25+35+35                 | 1.87                  | 2.62   | 2.62   | -      | 7.10 (2.90 - 8.50) | 1.700 (0.670 - 2.480)               | 7.54                | 98               |
| 25+35+42                 | 1.74                  | 2.44   | 2.92*  | -      | 7.10 (2.90 - 8.50) | 1.660 (0.670 - 2.470)               | 7.36                | 98               |
| 25+35+50                 | 1.61                  | 2.26   | 3.23*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 25+35+60                 | 1.48                  | 2.07   | 3.55   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 25+42+42                 | 1.63                  | 2.74*  | 2.74*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 25+42+50                 | 1.52                  | 2.55*  | 3.03*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 25+50+50                 | 1.42                  | 2.84*  | 2.84*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 35+35+35                 | 2.37                  | 2.37   | 2.37   | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 35+35+42                 | 2.22                  | 2.22   | 2.66*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 35+35+50                 | 2.07                  | 2.07   | 2.96*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 35+42+42                 | 2.09                  | 2.51*  | 2.51*  | -      | 7.10 (2.90 - 8.50) | 1.640 (0.670 - 2.470)               | 7.28                | 98               |
| 15+15+15+15              | 1.50                  | 1.50   | 1.50   | 1.50   | 6.00 (3.70 - 8.00) | 1.732 (0.800 - 3.192)               | 7.68                | 98               |
| 15+15+15+20              | 1.41                  | 1.41   | 1.41   | 1.88   | 6.10 (3.70 - 8.10) | 1.810 (0.800 - 3.190)               | 8.03                | 98               |
| 15+15+15+22              | 1.40                  | 1.40   | 1.40   | 2.05   | 6.25 (3.70 - 8.20) | 1.833 (0.800 - 3.193)               | 8.13                | 98               |
| 15+15+15+25              | 1.37                  | 1.37   | 1.37   | 2.29   | 6.40 (3.70 - 8.30) | 1.883 (0.800 - 3.193)               | 8.35                | 98               |
| 15+15+15+35              | 1.24                  | 1.24   | 1.24   | 2.89   | 6.60 (3.70 - 8.60) | 2.033 (0.800 - 3.203)               | 9.02                | 98               |
| 15+15+15+42              | 1.17                  | 1.17   | 1.17   | 3.28*  | 6.80 (3.70 - 8.80) | 2.137 (0.800 - 3.207)               | 9.48                | 98               |
| 15+15+15+50              | 1.07                  | 1.07   | 1.07   | 3.58*  | 6.80 (3.70 - 8.80) | 1.887 (0.800 - 3.207)               | 8.37                | 98               |
| 15+15+15+60              | 0.97                  | 0.97   | 0.97   | 3.89   | 6.80 (3.70 - 8.80) | 1.690 (0.800 - 3.190)               | 7.50                | 98               |
| 15+15+20+20              | 1.35                  | 1.35   | 1.80   | 1.80   | 6.30 (3.70 - 8.30) | 1.888 (0.800 - 3.198)               | 8.38                | 98               |
| 15+15+20+22              | 1.32                  | 1.32   | 1.76   | 1.94   | 6.35 (3.70 - 8.30) | 1.911 (0.800 - 3.191)               | 8.48                | 98               |
| 15+15+20+25              | 1.30                  | 1.30   | 1.73   | 2.17   | 6.50 (3.70 - 8.40) | 1.951 (0.800 - 3.201)               | 8.66                | 98               |
| 15+15+20+35              | 1.18                  | 1.18   | 1.58   | 2.76   | 6.70 (3.70 - 8.70) | 2.111 (0.800 - 3.211)               | 9.37                | 98               |
| 15+15+20+42              | 1.11                  | 1.11   | 1.48   | 3.10*  | 6.80 (3.70 - 8.80) | 1.995 (0.800 - 3.205)               | 8.85                | 98               |
| 15+15+20+50              | 1.02                  | 1.02   | 1.36   | 3.40*  | 6.80 (3.70 - 8.80) | 1.705 (0.800 - 3.205)               | 7.56                | 98               |
| 15+15+20+60              | 0.93                  | 0.93   | 1.24   | 3.71   | 6.80 (3.70 - 8.80) | 1.688 (0.800 - 3.188)               | 7.49                | 98               |
| 15+15+22+22              | 1.32                  | 1.32   | 1.93   | 1.93   | 6.50 (3.70 - 8.40) | 1.934 (0.800 - 3.194)               | 8.58                | 98               |

Combination table for MXZ-4F71VGD continues on the next page.

# MXZ-4F71VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 15+15+22+25              | 1.28                  | 1.28   | 1.87   | 2.13   | 6.55 (3.70 - 8.50) | 1.974 (0.800 - 3.194)               | 8.76                | 98               |
| 15+15+22+35              | 1.18                  | 1.18   | 1.73   | 2.76   | 6.85 (3.70 - 8.80) | 2.134 (0.800 - 3.204)               | 9.47                | 98               |
| 15+15+22+42              | 1.09                  | 1.09   | 1.60   | 3.06*  | 6.85 (3.70 - 8.80) | 1.918 (0.800 - 3.198)               | 8.51                | 98               |
| 15+15+22+50              | 1.01                  | 1.01   | 1.48   | 3.36*  | 6.85 (3.70 - 8.80) | 1.698 (0.800 - 3.198)               | 7.53                | 98               |
| 15+15+22+60              | 0.92                  | 0.92   | 1.35   | 3.67   | 6.85 (3.70 - 8.80) | 1.681 (0.800 - 3.181)               | 7.46                | 98               |
| 15+15+25+25              | 1.26                  | 1.26   | 2.09   | 2.09   | 6.70 (3.70 - 8.60) | 2.024 (0.800 - 3.194)               | 8.98                | 98               |
| 15+15+25+35              | 1.15                  | 1.15   | 1.92   | 2.68   | 6.90 (3.70 - 8.80) | 2.074 (0.800 - 3.204)               | 9.20                | 98               |
| 15+15+25+42              | 1.07                  | 1.07   | 1.78   | 2.99*  | 6.90 (3.70 - 8.80) | 1.808 (0.800 - 3.198)               | 8.02                | 98               |
| 15+15+25+50              | 0.99                  | 0.99   | 1.64   | 3.29*  | 6.90 (3.70 - 8.80) | 1.698 (0.800 - 3.198)               | 7.53                | 98               |
| 15+15+25+60              | 0.90                  | 0.90   | 1.50   | 3.60   | 6.90 (3.70 - 8.80) | 1.681 (0.800 - 3.181)               | 7.46                | 98               |
| 15+15+35+35              | 1.04                  | 1.04   | 2.42   | 2.42   | 6.90 (3.70 - 8.80) | 1.704 (0.800 - 3.204)               | 7.56                | 98               |
| 15+15+35+42              | 0.97                  | 0.97   | 2.26   | 2.71*  | 6.90 (3.70 - 8.80) | 1.698 (0.800 - 3.198)               | 7.53                | 98               |
| 15+15+35+50              | 0.90                  | 0.90   | 2.10   | 3.00*  | 6.90 (3.70 - 8.80) | 1.698 (0.800 - 3.198)               | 7.53                | 98               |
| 15+15+35+60              | 0.83                  | 0.83   | 1.93   | 3.31   | 6.90 (3.70 - 8.80) | 1.681 (0.800 - 3.181)               | 7.46                | 98               |
| 15+15+42+42              | 0.91                  | 0.91   | 2.54*  | 2.54*  | 6.90 (3.70 - 8.80) | 1.692 (0.800 - 3.192)               | 7.51                | 98               |
| 15+15+42+50              | 0.85                  | 0.85   | 2.38*  | 2.83*  | 6.90 (3.70 - 8.80) | 1.692 (0.800 - 3.192)               | 7.51                | 98               |
| 15+20+20+20              | 1.28                  | 1.71   | 1.71   | 1.71   | 6.40 (3.70 - 8.40) | 1.956 (0.800 - 3.206)               | 8.68                | 98               |
| 15+20+20+22              | 1.26                  | 1.68   | 1.68   | 1.84   | 6.45 (3.70 - 8.50) | 1.979 (0.800 - 3.199)               | 8.78                | 98               |
| 15+20+20+25              | 1.24                  | 1.65   | 1.65   | 2.06   | 6.60 (3.70 - 8.60) | 2.029 (0.800 - 3.199)               | 9.00                | 98               |
| 15+20+20+35              | 1.13                  | 1.51   | 1.51   | 2.64   | 6.80 (3.70 - 8.80) | 2.079 (0.800 - 3.209)               | 9.22                | 98               |
| 15+20+20+42              | 1.05                  | 1.40   | 1.40   | 2.94*  | 6.80 (3.70 - 8.80) | 1.813 (0.800 - 3.203)               | 8.04                | 98               |
| 15+20+20+50              | 0.97                  | 1.30   | 1.30   | 3.24*  | 6.80 (3.70 - 8.80) | 1.703 (0.800 - 3.203)               | 7.56                | 98               |
| 15+20+20+60              | 0.89                  | 1.18   | 1.18   | 3.55   | 6.80 (3.70 - 8.80) | 1.686 (0.800 - 3.186)               | 7.48                | 98               |
| 15+20+22+22              | 1.25                  | 1.67   | 1.84   | 1.84   | 6.60 (3.70 - 8.50) | 2.002 (0.800 - 3.192)               | 8.88                | 98               |
| 15+20+22+25              | 1.23                  | 1.65   | 1.81   | 2.06   | 6.75 (3.70 - 8.60) | 2.052 (0.800 - 3.202)               | 9.10                | 98               |
| 15+20+22+35              | 1.12                  | 1.49   | 1.64   | 2.61   | 6.85 (3.70 - 8.80) | 1.992 (0.800 - 3.202)               | 8.84                | 98               |
| 15+20+22+42              | 1.04                  | 1.38   | 1.52   | 2.91*  | 6.85 (3.70 - 8.80) | 1.736 (0.800 - 3.196)               | 7.70                | 98               |
| 15+20+22+50              | 0.96                  | 1.28   | 1.41   | 3.20*  | 6.85 (3.70 - 8.80) | 1.696 (0.800 - 3.196)               | 7.52                | 98               |
| 15+20+22+60              | 0.88                  | 1.17   | 1.29   | 3.51   | 6.85 (3.70 - 8.80) | 1.679 (0.800 - 3.179)               | 7.45                | 98               |
| 15+20+25+25              | 1.20                  | 1.60   | 2.00   | 2.00   | 6.80 (3.70 - 8.70) | 2.102 (0.800 - 3.202)               | 9.33                | 98               |
| 15+20+25+35              | 1.09                  | 1.45   | 1.82   | 2.54   | 6.90 (3.70 - 8.80) | 1.882 (0.800 - 3.202)               | 8.35                | 98               |
| 15+20+25+42              | 1.01                  | 1.35   | 1.69   | 2.84*  | 6.90 (3.70 - 8.80) | 1.696 (0.800 - 3.196)               | 7.52                | 98               |
| 15+20+25+50              | 0.94                  | 1.25   | 1.57   | 3.14*  | 6.90 (3.70 - 8.80) | 1.696 (0.800 - 3.196)               | 7.52                | 98               |
| 15+20+25+60              | 0.86                  | 1.15   | 1.44   | 3.45   | 6.90 (3.70 - 8.80) | 1.679 (0.800 - 3.179)               | 7.45                | 98               |
| 15+20+35+35              | 0.99                  | 1.31   | 2.30   | 2.30   | 6.90 (3.70 - 8.80) | 1.702 (0.800 - 3.202)               | 7.55                | 98               |
| 15+20+35+42              | 0.92                  | 1.23   | 2.16   | 2.59*  | 6.90 (3.70 - 8.80) | 1.696 (0.800 - 3.196)               | 7.52                | 98               |
| 15+20+35+50              | 0.86                  | 1.15   | 2.01   | 2.88*  | 6.90 (3.70 - 8.80) | 1.696 (0.800 - 3.196)               | 7.52                | 98               |
| 15+20+42+42              | 0.87                  | 1.16   | 2.44*  | 2.44*  | 6.90 (3.70 - 8.80) | 1.690 (0.800 - 3.190)               | 7.50                | 98               |
| 15+22+22+22              | 1.23                  | 1.81   | 1.81   | 1.81   | 6.65 (3.70 - 8.60) | 2.025 (0.800 - 3.195)               | 8.98                | 98               |
| 15+22+22+25              | 1.21                  | 1.78   | 1.78   | 2.02   | 6.80 (3.70 - 8.70) | 2.075 (0.800 - 3.195)               | 9.21                | 98               |
| 15+22+22+35              | 1.10                  | 1.61   | 1.61   | 2.57   | 6.90 (3.70 - 8.80) | 1.915 (0.800 - 3.195)               | 8.50                | 98               |
| 15+22+22+42              | 1.02                  | 1.50   | 1.50   | 2.87*  | 6.90 (3.70 - 8.80) | 1.689 (0.800 - 3.189)               | 7.49                | 98               |
| 15+22+22+50              | 0.95                  | 1.39   | 1.39   | 3.17*  | 6.90 (3.70 - 8.80) | 1.689 (0.800 - 3.189)               | 7.49                | 98               |
| 15+22+22+60              | 0.87                  | 1.28   | 1.28   | 3.48   | 6.90 (3.70 - 8.80) | 1.672 (0.800 - 3.172)               | 7.42                | 98               |
| 15+22+25+25              | 1.20                  | 1.76   | 2.00   | 2.00   | 6.95 (3.70 - 8.80) | 2.125 (0.800 - 3.195)               | 9.43                | 98               |
| 15+22+25+35              | 1.07                  | 1.58   | 1.79   | 2.51   | 6.95 (3.70 - 8.80) | 1.805 (0.800 - 3.195)               | 8.01                | 98               |
| 15+22+25+42              | 1.00                  | 1.47   | 1.67   | 2.81*  | 6.95 (3.70 - 8.80) | 1.689 (0.800 - 3.189)               | 7.49                | 98               |
| 15+22+25+50              | 0.93                  | 1.37   | 1.55   | 3.10*  | 6.95 (3.70 - 8.80) | 1.689 (0.800 - 3.189)               | 7.49                | 98               |
| 15+22+25+60              | 0.85                  | 1.25   | 1.42   | 3.42   | 6.95 (3.70 - 8.80) | 1.672 (0.800 - 3.172)               | 7.42                | 98               |
| 15+22+35+35              | 0.97                  | 1.43   | 2.27   | 2.27   | 6.95 (3.70 - 8.80) | 1.695 (0.800 - 3.195)               | 7.52                | 98               |

Combination table for MXZ-4F71VGD continues on the next page.

# MXZ-4F71VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 15+22+35+42              | 0.91                  | 1.34   | 2.13   | 2.56*  | 6.95 (3.70 - 8.80) | 1.689 (0.800 - 3.189)               | 7.49                | 98               |
| 15+22+35+50              | 0.85                  | 1.25   | 1.99   | 2.85*  | 6.95 (3.70 - 8.80) | 1.689 (0.800 - 3.189)               | 7.49                | 98               |
| 15+22+42+42              | 0.86                  | 1.26   | 2.41*  | 2.41*  | 6.95 (3.70 - 8.80) | 1.683 (0.800 - 3.183)               | 7.47                | 98               |
| 15+25+25+25              | 1.17                  | 1.94   | 1.94   | 1.94   | 7.00 (3.70 - 8.80) | 2.065 (0.800 - 3.195)               | 9.16                | 98               |
| 15+25+25+35              | 1.05                  | 1.75   | 1.75   | 2.45   | 7.00 (3.70 - 8.80) | 1.695 (0.800 - 3.195)               | 7.52                | 98               |
| 15+25+25+42              | 0.98                  | 1.64   | 1.64   | 2.75*  | 7.00 (3.70 - 8.80) | 1.689 (0.800 - 3.189)               | 7.49                | 98               |
| 15+25+25+50              | 0.91                  | 1.52   | 1.52   | 3.04*  | 7.00 (3.70 - 8.80) | 1.689 (0.800 - 3.189)               | 7.49                | 98               |
| 15+25+25+60              | 0.84                  | 1.40   | 1.40   | 3.36   | 7.00 (3.70 - 8.80) | 1.672 (0.800 - 3.172)               | 7.42                | 98               |
| 15+25+35+35              | 0.95                  | 1.59   | 2.23   | 2.23   | 7.00 (3.70 - 8.80) | 1.695 (0.800 - 3.195)               | 7.52                | 98               |
| 15+25+35+42              | 0.90                  | 1.50   | 2.09   | 2.51*  | 7.00 (3.70 - 8.80) | 1.689 (0.800 - 3.189)               | 7.49                | 98               |
| 15+25+35+50              | 0.84                  | 1.40   | 1.96   | 2.80*  | 7.00 (3.70 - 8.80) | 1.689 (0.800 - 3.189)               | 7.49                | 98               |
| 15+25+42+42              | 0.85                  | 1.41   | 2.37*  | 2.37*  | 7.00 (3.70 - 8.80) | 1.683 (0.800 - 3.183)               | 7.47                | 98               |
| 15+35+35+35              | 0.88                  | 2.04   | 2.04   | 2.04   | 7.00 (3.70 - 8.80) | 1.695 (0.800 - 3.195)               | 7.52                | 98               |
| 20+20+20+20              | 1.63                  | 1.63   | 1.63   | 1.63   | 6.50 (3.70 - 8.60) | 2.034 (0.800 - 3.204)               | 9.02                | 98               |
| 20+20+20+22              | 1.62                  | 1.62   | 1.62   | 1.78   | 6.65 (3.70 - 8.60) | 2.057 (0.800 - 3.207)               | 9.13                | 98               |
| 20+20+20+25              | 1.58                  | 1.58   | 1.58   | 1.97   | 6.70 (3.70 - 8.70) | 2.107 (0.800 - 3.207)               | 9.35                | 98               |
| 20+20+20+35              | 1.43                  | 1.43   | 1.43   | 2.51   | 6.80 (3.70 - 8.80) | 1.887 (0.800 - 3.207)               | 8.37                | 98               |
| 20+20+20+42              | 1.33                  | 1.33   | 1.33   | 2.80*  | 6.80 (3.70 - 8.80) | 1.701 (0.800 - 3.201)               | 7.55                | 98               |
| 20+20+20+50              | 1.24                  | 1.24   | 1.24   | 3.09*  | 6.80 (3.70 - 8.80) | 1.701 (0.800 - 3.201)               | 7.55                | 98               |
| 20+20+20+60              | 1.13                  | 1.13   | 1.13   | 3.40   | 6.80 (3.70 - 8.80) | 1.684 (0.800 - 3.184)               | 7.47                | 98               |
| 20+20+22+22              | 1.60                  | 1.60   | 1.75   | 1.75   | 6.70 (3.70 - 8.70) | 2.080 (0.800 - 3.200)               | 9.23                | 98               |
| 20+20+22+25              | 1.57                  | 1.57   | 1.73   | 1.97   | 6.85 (3.70 - 8.80) | 2.130 (0.800 - 3.200)               | 9.45                | 98               |
| 20+20+22+35              | 1.41                  | 1.41   | 1.55   | 2.47   | 6.85 (3.70 - 8.80) | 1.810 (0.800 - 3.200)               | 8.03                | 98               |
| 20+20+22+42              | 1.32                  | 1.32   | 1.45   | 2.77*  | 6.85 (3.70 - 8.80) | 1.694 (0.800 - 3.194)               | 7.52                | 98               |
| 20+20+22+50              | 1.22                  | 1.22   | 1.35   | 3.06*  | 6.85 (3.70 - 8.80) | 1.694 (0.800 - 3.194)               | 7.52                | 98               |
| 20+20+22+60              | 1.12                  | 1.12   | 1.24   | 3.37   | 6.85 (3.70 - 8.80) | 1.677 (0.800 - 3.177)               | 7.44                | 98               |
| 20+20+25+25              | 1.53                  | 1.53   | 1.92   | 1.92   | 6.90 (3.70 - 8.80) | 2.070 (0.800 - 3.200)               | 9.18                | 98               |
| 20+20+25+35              | 1.38                  | 1.38   | 1.73   | 2.42   | 6.90 (3.70 - 8.80) | 1.700 (0.800 - 3.200)               | 7.54                | 98               |
| 20+20+25+42              | 1.29                  | 1.29   | 1.61   | 2.71*  | 6.90 (3.70 - 8.80) | 1.694 (0.800 - 3.194)               | 7.52                | 98               |
| 20+20+25+50              | 1.20                  | 1.20   | 1.50   | 3.00*  | 6.90 (3.70 - 8.80) | 1.694 (0.800 - 3.194)               | 7.52                | 98               |
| 20+20+25+60              | 1.10                  | 1.10   | 1.38   | 3.31   | 6.90 (3.70 - 8.80) | 1.677 (0.800 - 3.177)               | 7.44                | 98               |
| 20+20+35+35              | 1.25                  | 1.25   | 2.20   | 2.20   | 6.90 (3.70 - 8.80) | 1.700 (0.800 - 3.200)               | 7.54                | 98               |
| 20+20+35+42              | 1.18                  | 1.18   | 2.06   | 2.48*  | 6.90 (3.70 - 8.80) | 1.694 (0.800 - 3.194)               | 7.52                | 98               |
| 20+20+35+50              | 1.10                  | 1.10   | 1.93   | 2.76*  | 6.90 (3.70 - 8.80) | 1.694 (0.800 - 3.194)               | 7.52                | 98               |
| 20+20+42+42              | 1.11                  | 1.11   | 2.34*  | 2.34*  | 6.90 (3.70 - 8.80) | 1.688 (0.800 - 3.188)               | 7.49                | 98               |
| 20+22+22+22              | 1.59                  | 1.75   | 1.75   | 1.75   | 6.85 (3.70 - 8.70) | 2.103 (0.800 - 3.193)               | 9.33                | 98               |
| 20+22+22+25              | 1.55                  | 1.71   | 1.71   | 1.94   | 6.90 (3.70 - 8.80) | 2.103 (0.800 - 3.193)               | 9.33                | 98               |
| 20+22+22+35              | 1.39                  | 1.53   | 1.53   | 2.44   | 6.90 (3.70 - 8.80) | 1.733 (0.800 - 3.193)               | 7.69                | 98               |
| 20+22+22+42              | 1.30                  | 1.43   | 1.43   | 2.73*  | 6.90 (3.70 - 8.80) | 1.687 (0.800 - 3.187)               | 7.48                | 98               |
| 20+22+22+50              | 1.21                  | 1.33   | 1.33   | 3.03*  | 6.90 (3.70 - 8.80) | 1.687 (0.800 - 3.187)               | 7.48                | 98               |
| 20+22+22+60              | 1.11                  | 1.22   | 1.22   | 3.34   | 6.90 (3.70 - 8.80) | 1.670 (0.800 - 3.170)               | 7.41                | 98               |
| 20+22+25+25              | 1.51                  | 1.66   | 1.89   | 1.89   | 6.95 (3.70 - 8.80) | 1.983 (0.800 - 3.193)               | 8.80                | 98               |
| 20+22+25+35              | 1.36                  | 1.50   | 1.70   | 2.38   | 6.95 (3.70 - 8.80) | 1.693 (0.800 - 3.193)               | 7.51                | 98               |
| 20+22+25+42              | 1.28                  | 1.40   | 1.59   | 2.68*  | 6.95 (3.70 - 8.80) | 1.687 (0.800 - 3.187)               | 7.48                | 98               |
| 20+22+25+50              | 1.19                  | 1.31   | 1.49   | 2.97*  | 6.95 (3.70 - 8.80) | 1.687 (0.800 - 3.187)               | 7.48                | 98               |
| 20+22+35+35              | 1.24                  | 1.37   | 2.17   | 2.17   | 6.95 (3.70 - 8.80) | 1.693 (0.800 - 3.193)               | 7.51                | 98               |
| 20+22+35+42              | 1.17                  | 1.28   | 2.04   | 2.45*  | 6.95 (3.70 - 8.80) | 1.687 (0.800 - 3.187)               | 7.48                | 98               |
| 20+25+25+25              | 1.47                  | 1.84   | 1.84   | 1.84   | 7.00 (3.70 - 8.80) | 1.873 (0.800 - 3.193)               | 8.31                | 98               |
| 20+25+25+35              | 1.33                  | 1.67   | 1.67   | 2.33   | 7.00 (3.70 - 8.80) | 1.693 (0.800 - 3.193)               | 7.51                | 98               |
| 20+25+25+42              | 1.25                  | 1.56   | 1.56   | 2.63*  | 7.00 (3.70 - 8.80) | 1.687 (0.800 - 3.187)               | 7.48                | 98               |

Combination table for MXZ-4F71VGD continues on the next page.

# MXZ-4F71VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 20+25+25+50              | 1.17                  | 1.46   | 1.46   | 2.92*  | 7.00 (3.70 - 8.80) | 1.687 (0.800 - 3.187)               | 7.48                | 98               |
| 20+25+35+35              | 1.22                  | 1.52   | 2.13   | 2.13   | 7.00 (3.70 - 8.80) | 1.693 (0.800 - 3.193)               | 7.51                | 98               |
| 20+25+35+42              | 1.15                  | 1.43   | 2.01   | 2.41*  | 7.00 (3.70 - 8.80) | 1.687 (0.800 - 3.187)               | 7.48                | 98               |
| 20+35+35+35              | 1.12                  | 1.96   | 1.96   | 1.96   | 7.00 (3.70 - 8.80) | 1.693 (0.800 - 3.193)               | 7.51                | 98               |
| 22+22+22+22              | 1.73                  | 1.73   | 1.73   | 1.73   | 6.90 (3.70 - 8.80) | 2.126 (0.800 - 3.186)               | 9.43                | 98               |
| 22+22+22+25              | 1.68                  | 1.68   | 1.68   | 1.91   | 6.95 (3.70 - 8.80) | 2.016 (0.800 - 3.186)               | 8.94                | 98               |
| 22+22+22+35              | 1.51                  | 1.51   | 1.51   | 2.41   | 6.95 (3.70 - 8.80) | 1.686 (0.800 - 3.186)               | 7.48                | 98               |
| 22+22+22+42              | 1.42                  | 1.42   | 1.42   | 2.70*  | 6.95 (3.70 - 8.80) | 1.680 (0.800 - 3.180)               | 7.45                | 98               |
| 22+22+22+50              | 1.32                  | 1.32   | 1.32   | 3.00*  | 6.95 (3.70 - 8.80) | 1.680 (0.800 - 3.180)               | 7.45                | 98               |
| 22+22+25+25              | 1.64                  | 1.64   | 1.86   | 1.86   | 7.00 (3.70 - 8.80) | 1.906 (0.800 - 3.186)               | 8.46                | 98               |
| 22+22+25+35              | 1.48                  | 1.48   | 1.68   | 2.36   | 7.00 (3.70 - 8.80) | 1.686 (0.800 - 3.186)               | 7.48                | 98               |
| 22+22+25+42              | 1.39                  | 1.39   | 1.58   | 2.65*  | 7.00 (3.70 - 8.80) | 1.680 (0.800 - 3.180)               | 7.45                | 98               |
| 22+22+25+50              | 1.29                  | 1.29   | 1.47   | 2.94*  | 7.00 (3.70 - 8.80) | 1.680 (0.800 - 3.180)               | 7.45                | 98               |
| 22+22+35+35              | 1.35                  | 1.35   | 2.15   | 2.15   | 7.00 (3.70 - 8.80) | 1.686 (0.800 - 3.186)               | 7.48                | 98               |
| 22+22+35+42              | 1.27                  | 1.27   | 2.02   | 2.43*  | 7.00 (3.70 - 8.80) | 1.680 (0.800 - 3.180)               | 7.45                | 98               |
| 22+25+25+25              | 1.60                  | 1.82   | 1.82   | 1.82   | 7.05 (3.70 - 8.80) | 1.796 (0.800 - 3.186)               | 7.97                | 98               |
| 22+25+25+35              | 1.45                  | 1.65   | 1.65   | 2.31   | 7.05 (3.70 - 8.80) | 1.686 (0.800 - 3.186)               | 7.48                | 98               |
| 22+25+25+42              | 1.36                  | 1.55   | 1.55   | 2.60*  | 7.05 (3.70 - 8.80) | 1.680 (0.800 - 3.180)               | 7.45                | 98               |
| 22+25+25+50              | 1.27                  | 1.44   | 1.44   | 2.89*  | 7.05 (3.70 - 8.80) | 1.680 (0.800 - 3.180)               | 7.45                | 98               |
| 22+25+35+35              | 1.33                  | 1.51   | 2.11   | 2.11   | 7.05 (3.70 - 8.80) | 1.686 (0.800 - 3.186)               | 7.48                | 98               |
| 22+25+35+42              | 1.25                  | 1.42   | 1.99   | 2.39*  | 7.05 (3.70 - 8.80) | 1.680 (0.800 - 3.180)               | 7.45                | 98               |
| 25+25+25+25              | 1.78                  | 1.78   | 1.78   | 1.78   | 7.10 (3.70 - 8.80) | 1.686 (0.800 - 3.186)               | 7.48                | 98               |
| 25+25+25+35              | 1.61                  | 1.61   | 1.61   | 2.26   | 7.10 (3.70 - 8.80) | 1.686 (0.800 - 3.186)               | 7.48                | 98               |
| 25+25+25+42              | 1.52                  | 1.52   | 1.52   | 2.55*  | 7.10 (3.70 - 8.80) | 1.680 (0.800 - 3.180)               | 7.45                | 98               |
| 25+25+25+50              | 1.42                  | 1.42   | 1.42   | 2.84*  | 7.10 (3.70 - 8.80) | 1.680 (0.800 - 3.180)               | 7.45                | 98               |
| 25+25+35+35              | 1.48                  | 1.48   | 2.07   | 2.07   | 7.10 (3.70 - 8.80) | 1.686 (0.800 - 3.186)               | 7.48                | 98               |

\*In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

| Model Name  | Total connected indoor unit | Rated capacity     |
|-------------|-----------------------------|--------------------|
|             | 3 units                     |                    |
| MSZ-AP42VGD | 90%                         | 1.93kW             |
| MSZ-AP50VGD | 80%                         | 1.93kW             |
| SLZ-M50FA   | 70%                         | 2.92kW (=3.24*0.9) |

# MXZ-4F71VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 15                       | 1.70                  | -      | -      | -      | 1.70 (1.70 - 2.80)  | 0.502 (0.502 - 0.780)               | 2.23                | 98               |
| 20                       | 2.20                  | -      | -      | -      | 2.20 (2.00 - 2.50)  | 0.630 (0.590 - 0.780)               | 2.80                | 98               |
| 22                       | 3.30                  | -      | -      | -      | 3.30 (2.00 - 4.50)  | 0.780 (0.480 - 1.250)               | 3.46                | 98               |
| 25                       | 3.60                  | -      | -      | -      | 3.60 (2.00 - 5.30)  | 0.830 (0.460 - 1.480)               | 3.68                | 98               |
| 35                       | 4.00                  | -      | -      | -      | 4.00 (2.00 - 5.30)  | 0.960 (0.460 - 1.480)               | 4.26                | 98               |
| 42                       | 5.40                  | -      | -      | -      | 5.40 (2.00 - 5.60)  | 1.508 (0.460 - 1.564)               | 6.69                | 98               |
| 50                       | 5.80                  | -      | -      | -      | 5.80 (2.00 - 6.80)  | 1.620 (0.460 - 2.431)               | 7.19                | 98               |
| 60                       | 7.90                  | -      | -      | -      | 7.90 (2.00 - 8.60)  | 2.778 (0.440 - 3.295)               | 12.32               | 98               |
| 15+15                    | 1.70                  | 1.70   | -      | -      | 3.40 (1.80 - 5.00)  | 0.780 (0.670 - 1.300)               | 3.46                | 98               |
| 15+22                    | 1.66                  | 2.44   | -      | -      | 4.10 (1.80 - 6.10)  | 1.010 (0.640 - 1.760)               | 4.48                | 98               |
| 15+25                    | 1.65                  | 2.75   | -      | -      | 4.40 (1.80 - 6.60)  | 1.110 (0.630 - 1.950)               | 4.92                | 98               |
| 15+35                    | 2.16                  | 5.04   | -      | -      | 7.20 (1.80 - 9.00)  | 1.650 (0.410 - 2.430)               | 7.32                | 98               |
| 15+42                    | 1.97                  | 5.53   | -      | -      | 7.50 (1.80 - 9.00)  | 1.760 (0.410 - 2.420)               | 7.81                | 98               |
| 15+50                    | 1.80                  | 6.00   | -      | -      | 7.80 (1.80 - 9.00)  | 1.890 (0.410 - 2.420)               | 8.39                | 98               |
| 15+60                    | 1.64                  | 6.56   | -      | -      | 8.20 (1.80 - 9.00)  | 1.990 (0.410 - 2.390)               | 8.83                | 98               |
| 20+20                    | 2.20                  | 2.20   | -      | -      | 4.40 (1.80 - 6.60)  | 1.110 (0.630 - 1.950)               | 4.92                | 98               |
| 20+22                    | 2.62                  | 2.88   | -      | -      | 5.50 (1.80 - 6.90)  | 1.290 (0.520 - 1.860)               | 5.72                | 98               |
| 20+25                    | 2.98                  | 3.72   | -      | -      | 6.70 (1.80 - 7.50)  | 1.500 (0.410 - 1.870)               | 6.65                | 98               |
| 20+35                    | 2.69                  | 4.71   | -      | -      | 7.40 (1.80 - 9.00)  | 1.730 (0.410 - 2.430)               | 7.68                | 98               |
| 20+42                    | 2.48                  | 5.22   | -      | -      | 7.70 (1.80 - 9.00)  | 1.840 (0.410 - 2.420)               | 8.16                | 98               |
| 20+50                    | 2.29                  | 5.71   | -      | -      | 8.00 (1.80 - 9.00)  | 1.970 (0.410 - 2.410)               | 8.74                | 98               |
| 20+60                    | 2.10                  | 6.30   | -      | -      | 8.40 (1.80 - 9.00)  | 2.010 (0.400 - 2.370)               | 8.92                | 98               |
| 22+22                    | 3.30                  | 3.30   | -      | -      | 6.60 (1.80 - 7.20)  | 1.470 (0.410 - 1.760)               | 6.52                | 98               |
| 22+25                    | 3.23                  | 3.67   | -      | -      | 6.90 (1.80 - 8.10)  | 1.560 (0.410 - 2.100)               | 6.92                | 98               |
| 22+35                    | 2.89                  | 4.61   | -      | -      | 7.50 (1.80 - 9.00)  | 1.760 (0.410 - 2.420)               | 7.81                | 98               |
| 22+42                    | 2.68                  | 5.12   | -      | -      | 7.80 (1.80 - 9.00)  | 1.870 (0.410 - 2.420)               | 8.30                | 98               |
| 22+50                    | 2.48                  | 5.63   | -      | -      | 8.10 (1.80 - 9.00)  | 1.980 (0.410 - 2.400)               | 8.78                | 98               |
| 22+60                    | 2.28                  | 6.22   | -      | -      | 8.50 (1.80 - 9.00)  | 2.020 (0.400 - 2.360)               | 8.96                | 98               |
| 25+25                    | 3.60                  | 3.60   | -      | -      | 7.20 (1.80 - 9.00)  | 1.650 (0.410 - 2.430)               | 7.32                | 98               |
| 25+35                    | 3.17                  | 4.43   | -      | -      | 7.60 (1.80 - 9.00)  | 1.810 (0.410 - 2.420)               | 8.03                | 98               |
| 25+42                    | 2.95                  | 4.95   | -      | -      | 7.90 (1.80 - 9.00)  | 1.920 (0.410 - 2.410)               | 8.52                | 98               |
| 25+50                    | 2.73                  | 5.47   | -      | -      | 8.20 (1.80 - 9.00)  | 1.990 (0.410 - 2.390)               | 8.83                | 98               |
| 25+60                    | 2.53                  | 6.07   | -      | -      | 8.60 (1.80 - 9.00)  | 2.010 (0.400 - 2.340)               | 8.92                | 98               |
| 35+35                    | 4.00                  | 4.00   | -      | -      | 8.00 (1.80 - 9.00)  | 1.970 (0.410 - 2.410)               | 8.74                | 98               |
| 35+42                    | 3.77                  | 4.53   | -      | -      | 8.30 (1.80 - 9.00)  | 2.000 (0.410 - 2.380)               | 8.87                | 98               |
| 35+50                    | 3.54                  | 5.06   | -      | -      | 8.60 (1.80 - 9.00)  | 2.010 (0.400 - 2.340)               | 8.92                | 98               |
| 35+60                    | 3.17                  | 5.43   | -      | -      | 8.60 (1.90 - 9.00)  | 1.830 (0.370 - 2.280)               | 8.12                | 98               |
| 42+42                    | 4.30                  | 4.30   | -      | -      | 8.60 (1.80 - 9.00)  | 2.030 (0.400 - 2.350)               | 9.01                | 98               |
| 42+50                    | 3.93                  | 4.67   | -      | -      | 8.60 (1.90 - 9.00)  | 1.890 (0.380 - 2.300)               | 8.39                | 98               |
| 42+60                    | 3.54                  | 5.06   | -      | -      | 8.60 (1.90 - 9.00)  | 1.740 (0.360 - 2.230)               | 7.72                | 98               |
| 50+50                    | 4.30                  | 4.30   | -      | -      | 8.60 (1.90 - 9.00)  | 1.740 (0.360 - 2.250)               | 7.72                | 98               |
| 50+60                    | 3.91                  | 4.69   | -      | -      | 8.60 (1.90 - 9.00)  | 1.720 (0.360 - 2.160)               | 7.63                | 98               |
| 60+60                    | 4.30                  | 4.30   | -      | -      | 8.60 (1.90 - 9.00)  | 1.710 (0.360 - 2.070)               | 7.59                | 98               |
| 15+15+15                 | 1.70                  | 1.70   | 1.70   | -      | 5.10 (2.60 - 8.50)  | 1.110 (0.890 - 2.430)               | 4.92                | 98               |
| 15+15+22                 | 1.67                  | 1.67   | 2.45   | -      | 5.80 (2.60 - 9.20)  | 1.300 (0.890 - 2.730)               | 5.77                | 98               |
| 15+15+25                 | 1.66                  | 1.66   | 2.77   | -      | 6.10 (2.60 - 9.50)  | 1.380 (0.890 - 2.870)               | 6.12                | 98               |
| 15+15+35                 | 1.80                  | 1.80   | 4.20   | -      | 7.80 (2.60 - 10.50) | 2.000 (0.590 - 3.410)               | 8.87                | 98               |
| 15+15+42                 | 1.67                  | 1.67   | 4.67   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.480)               | 9.32                | 98               |
| 15+15+50                 | 1.50                  | 1.50   | 5.00   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.470)               | 9.32                | 98               |
| 15+15+60                 | 1.33                  | 1.33   | 5.33   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.460)               | 9.27                | 98               |

Combination table for MXZ-4F71VGD continues on the next page.

# MXZ-4F71VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 15+20+20                 | 1.66                  | 2.22   | 2.22   | -      | 6.10 (2.60 - 9.50)  | 1.380 (0.890 - 2.870)               | 6.12                | 98               |
| 15+20+22                 | 1.66                  | 2.21   | 2.43   | -      | 6.30 (2.60 - 9.70)  | 1.440 (0.890 - 2.950)               | 6.39                | 98               |
| 15+20+25                 | 1.65                  | 2.20   | 2.75   | -      | 6.60 (2.60 - 10.00) | 1.520 (0.890 - 3.090)               | 6.74                | 98               |
| 15+20+35                 | 1.71                  | 2.29   | 4.00   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.480)               | 9.32                | 98               |
| 15+20+42                 | 1.56                  | 2.08   | 4.36   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.470)               | 9.32                | 98               |
| 15+20+50                 | 1.41                  | 1.88   | 4.71   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.470)               | 9.27                | 98               |
| 15+20+60                 | 1.26                  | 1.68   | 5.05   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.460)               | 9.23                | 98               |
| 15+22+22                 | 1.65                  | 2.42   | 2.42   | -      | 6.50 (2.60 - 9.90)  | 1.490 (0.890 - 3.040)               | 6.61                | 98               |
| 15+22+25                 | 1.72                  | 2.52   | 2.86   | -      | 7.10 (2.60 - 10.20) | 1.710 (0.770 - 3.220)               | 7.59                | 98               |
| 15+22+35                 | 1.67                  | 2.44   | 3.89   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.480)               | 9.32                | 98               |
| 15+22+42                 | 1.52                  | 2.23   | 4.25   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.470)               | 9.32                | 98               |
| 15+22+50                 | 1.38                  | 2.02   | 4.60   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.460)               | 9.27                | 98               |
| 15+22+60                 | 1.24                  | 1.81   | 4.95   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.450)               | 9.23                | 98               |
| 15+25+25                 | 1.80                  | 3.00   | 3.00   | -      | 7.80 (2.60 - 10.50) | 2.000 (0.590 - 3.410)               | 8.87                | 98               |
| 15+25+35                 | 1.60                  | 2.67   | 3.73   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.480)               | 9.32                | 98               |
| 15+25+42                 | 1.46                  | 2.44   | 4.10   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.470)               | 9.27                | 98               |
| 15+25+50                 | 1.33                  | 2.22   | 4.44   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.460)               | 9.27                | 98               |
| 15+25+60                 | 1.20                  | 2.00   | 4.80   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.450)               | 9.23                | 98               |
| 15+35+35                 | 1.41                  | 3.29   | 3.29   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.470)               | 9.27                | 98               |
| 15+35+42                 | 1.30                  | 3.04   | 3.65   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.460)               | 9.23                | 98               |
| 15+35+50                 | 1.20                  | 2.80   | 4.00   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.450)               | 9.23                | 98               |
| 15+35+60                 | 1.09                  | 2.55   | 4.36   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 15+42+42                 | 1.21                  | 3.39   | 3.39   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.450)               | 9.23                | 98               |
| 15+42+50                 | 1.12                  | 3.14   | 3.74   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 15+42+60                 | 1.03                  | 2.87   | 4.10   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 15+50+50                 | 1.04                  | 3.48   | 3.48   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 15+50+60                 | 0.96                  | 3.20   | 3.84   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 20+20+20                 | 2.20                  | 2.20   | 2.20   | -      | 6.60 (2.60 - 10.00) | 1.520 (0.890 - 3.090)               | 6.74                | 98               |
| 20+20+22                 | 2.29                  | 2.29   | 2.52   | -      | 7.10 (2.60 - 10.20) | 1.710 (0.770 - 3.220)               | 7.59                | 98               |
| 20+20+25                 | 2.40                  | 2.40   | 3.00   | -      | 7.80 (2.60 - 10.50) | 2.000 (0.590 - 3.410)               | 8.87                | 98               |
| 20+20+35                 | 2.13                  | 2.13   | 3.73   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.480)               | 9.32                | 98               |
| 20+20+42                 | 1.95                  | 1.95   | 4.10   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.470)               | 9.27                | 98               |
| 20+20+50                 | 1.78                  | 1.78   | 4.44   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.460)               | 9.27                | 98               |
| 20+20+60                 | 1.60                  | 1.60   | 4.80   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.450)               | 9.23                | 98               |
| 20+22+35                 | 2.08                  | 2.29   | 3.64   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.470)               | 9.32                | 98               |
| 20+22+42                 | 1.90                  | 2.10   | 4.00   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.470)               | 9.27                | 98               |
| 20+22+50                 | 1.74                  | 1.91   | 4.35   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.460)               | 9.23                | 98               |
| 20+22+60                 | 1.57                  | 1.73   | 4.71   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 20+25+25                 | 2.29                  | 2.86   | 2.86   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.480)               | 9.32                | 98               |
| 20+25+35                 | 2.00                  | 2.50   | 3.50   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.470)               | 9.32                | 98               |
| 20+25+42                 | 1.84                  | 2.30   | 3.86   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.460)               | 9.27                | 98               |
| 20+25+50                 | 1.68                  | 2.11   | 4.21   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.460)               | 9.23                | 98               |
| 20+25+60                 | 1.52                  | 1.90   | 4.57   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 20+35+35                 | 1.78                  | 3.11   | 3.11   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.460)               | 9.27                | 98               |
| 20+35+42                 | 1.65                  | 2.89   | 3.46   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.450)               | 9.23                | 98               |
| 20+35+50                 | 1.52                  | 2.67   | 3.81   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 20+35+60                 | 1.39                  | 2.43   | 4.17   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 20+42+42                 | 1.54                  | 3.23   | 3.23   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 20+42+50                 | 1.43                  | 3.00   | 3.57   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 20+42+60                 | 1.31                  | 2.75   | 3.93   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |

Combination table for MXZ-4F71VGD continues on the next page.

# MXZ-4F71VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 20+50+50                 | 1.33                  | 3.33   | 3.33   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 22+22+22                 | 2.67                  | 2.67   | 2.67   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.480)               | 9.32                | 98               |
| 22+22+25                 | 2.55                  | 2.55   | 2.90   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.480)               | 9.32                | 98               |
| 22+22+35                 | 2.23                  | 2.23   | 3.54   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.470)               | 9.32                | 98               |
| 22+22+42                 | 2.05                  | 2.05   | 3.91   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.460)               | 9.27                | 98               |
| 22+22+50                 | 1.87                  | 1.87   | 4.26   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.460)               | 9.23                | 98               |
| 22+22+60                 | 1.69                  | 1.69   | 4.62   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 22+25+25                 | 2.44                  | 2.78   | 2.78   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.480)               | 9.32                | 98               |
| 22+25+35                 | 2.15                  | 2.44   | 3.41   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.470)               | 9.27                | 98               |
| 22+25+42                 | 1.98                  | 2.25   | 3.78   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.460)               | 9.27                | 98               |
| 22+25+50                 | 1.81                  | 2.06   | 4.12   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.450)               | 9.23                | 98               |
| 22+25+60                 | 1.64                  | 1.87   | 4.49   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 22+35+35                 | 1.91                  | 3.04   | 3.04   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.460)               | 9.23                | 98               |
| 22+35+42                 | 1.78                  | 2.83   | 3.39   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.450)               | 9.23                | 98               |
| 22+35+50                 | 1.64                  | 2.62   | 3.74   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 22+35+60                 | 1.50                  | 2.39   | 4.10   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 22+42+60                 | 1.42                  | 2.71   | 3.87   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 22+50+50                 | 1.44                  | 3.28   | 3.28   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 25+25+25                 | 2.67                  | 2.67   | 2.67   | -      | 8.00 (2.60 - 10.60) | 2.100 (0.530 - 3.480)               | 9.32                | 98               |
| 25+25+35                 | 2.35                  | 2.35   | 3.29   | -      | 8.00 (2.60 - 10.60) | 2.090 (0.530 - 3.470)               | 9.27                | 98               |
| 25+25+42                 | 2.17                  | 2.17   | 3.65   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.460)               | 9.23                | 98               |
| 25+25+50                 | 2.00                  | 2.00   | 4.00   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.450)               | 9.23                | 98               |
| 25+25+60                 | 1.82                  | 1.82   | 4.36   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 25+35+35                 | 2.11                  | 2.95   | 2.95   | -      | 8.00 (2.60 - 10.60) | 2.080 (0.530 - 3.460)               | 9.23                | 98               |
| 25+35+42                 | 1.96                  | 2.75   | 3.29   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 25+35+50                 | 1.82                  | 2.55   | 3.64   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 25+35+60                 | 1.67                  | 2.33   | 4.00   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 25+42+42                 | 1.83                  | 3.08   | 3.08   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 25+42+50                 | 1.71                  | 2.87   | 3.42   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 25+50+50                 | 1.60                  | 3.20   | 3.20   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 35+35+35                 | 2.67                  | 2.67   | 2.67   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 35+35+42                 | 2.50                  | 2.50   | 3.00   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 35+35+50                 | 2.33                  | 2.33   | 3.33   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 35+42+42                 | 2.35                  | 2.82   | 2.82   | -      | 8.00 (2.60 - 10.60) | 2.070 (0.530 - 3.450)               | 9.18                | 98               |
| 15+15+15+15              | 1.70                  | 1.70   | 1.70   | 1.70   | 6.80 (3.40 - 9.50)  | 1.462 (0.590 - 2.472)               | 6.49                | 98               |
| 15+15+15+20              | 1.59                  | 1.59   | 1.59   | 2.12   | 6.90 (3.40 - 9.70)  | 1.560 (0.590 - 2.560)               | 6.92                | 98               |
| 15+15+15+22              | 1.58                  | 1.58   | 1.58   | 2.31   | 7.05 (3.40 - 9.80)  | 1.593 (0.590 - 2.593)               | 7.07                | 98               |
| 15+15+15+25              | 1.54                  | 1.54   | 1.54   | 2.57   | 7.20 (3.40 - 9.90)  | 1.653 (0.590 - 2.653)               | 7.33                | 98               |
| 15+15+15+35              | 1.41                  | 1.41   | 1.41   | 3.28   | 7.50 (3.40 - 10.40) | 1.853 (0.600 - 2.843)               | 8.22                | 98               |
| 15+15+15+42              | 1.33                  | 1.33   | 1.33   | 3.72   | 7.70 (3.40 - 10.70) | 1.977 (0.600 - 2.967)               | 8.77                | 98               |
| 15+15+15+50              | 1.22                  | 1.22   | 1.22   | 4.05   | 7.70 (3.40 - 10.70) | 1.757 (0.600 - 2.987)               | 7.80                | 98               |
| 15+15+15+60              | 1.10                  | 1.10   | 1.10   | 4.40   | 7.70 (3.40 - 10.70) | 1.570 (0.600 - 2.970)               | 6.97                | 98               |
| 15+15+20+20              | 1.52                  | 1.52   | 2.03   | 2.03   | 7.10 (3.40 - 9.90)  | 1.658 (0.590 - 2.658)               | 7.36                | 98               |
| 15+15+20+22              | 1.49                  | 1.49   | 1.99   | 2.18   | 7.15 (3.40 - 10.00) | 1.691 (0.590 - 2.691)               | 7.50                | 98               |
| 15+15+20+25              | 1.46                  | 1.46   | 1.95   | 2.43   | 7.30 (3.40 - 10.10) | 1.751 (0.600 - 2.751)               | 7.77                | 98               |
| 15+15+20+35              | 1.34                  | 1.34   | 1.79   | 3.13   | 7.60 (3.40 - 10.60) | 1.941 (0.600 - 2.941)               | 8.61                | 98               |
| 15+15+20+42              | 1.26                  | 1.26   | 1.67   | 3.52   | 7.70 (3.40 - 10.70) | 1.865 (0.600 - 2.985)               | 8.27                | 98               |
| 15+15+20+50              | 1.16                  | 1.16   | 1.54   | 3.85   | 7.70 (3.40 - 10.70) | 1.585 (0.600 - 2.985)               | 7.03                | 98               |
| 15+15+20+60              | 1.05                  | 1.05   | 1.40   | 4.20   | 7.70 (3.40 - 10.70) | 1.568 (0.600 - 2.968)               | 6.96                | 98               |
| 15+15+22+22              | 1.48                  | 1.48   | 2.17   | 2.17   | 7.30 (3.40 - 10.10) | 1.724 (0.600 - 2.724)               | 7.65                | 98               |

Combination table for MXZ-4F71VGD continues on the next page.

# MXZ-4F71VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 15+15+22+25              | 1.45                  | 1.45   | 2.13   | 2.42   | 7.45 (3.40 - 10.20) | 1.784 (0.600 - 2.774)               | 7.91                | 98               |
| 15+15+22+35              | 1.34                  | 1.34   | 1.96   | 3.12   | 7.75 (3.40 - 10.70) | 1.974 (0.600 - 2.964)               | 8.76                | 98               |
| 15+15+22+42              | 1.24                  | 1.24   | 1.81   | 3.46   | 7.75 (3.40 - 10.70) | 1.788 (0.600 - 2.978)               | 7.93                | 98               |
| 15+15+22+50              | 1.14                  | 1.14   | 1.67   | 3.80   | 7.75 (3.40 - 10.70) | 1.578 (0.600 - 2.978)               | 7.00                | 98               |
| 15+15+22+60              | 1.04                  | 1.04   | 1.52   | 4.15   | 7.75 (3.40 - 10.70) | 1.561 (0.600 - 2.961)               | 6.93                | 98               |
| 15+15+25+25              | 1.43                  | 1.43   | 2.38   | 2.38   | 7.60 (3.40 - 10.40) | 1.844 (0.600 - 2.834)               | 8.18                | 98               |
| 15+15+25+35              | 1.30                  | 1.30   | 2.17   | 3.03   | 7.80 (3.40 - 10.70) | 1.934 (0.600 - 2.984)               | 8.58                | 98               |
| 15+15+25+42              | 1.21                  | 1.21   | 2.01   | 3.38   | 7.80 (3.40 - 10.70) | 1.678 (0.600 - 2.978)               | 7.44                | 98               |
| 15+15+25+50              | 1.11                  | 1.11   | 1.86   | 3.71   | 7.80 (3.40 - 10.70) | 1.578 (0.600 - 2.978)               | 7.00                | 98               |
| 15+15+25+60              | 1.02                  | 1.02   | 1.70   | 4.07   | 7.80 (3.40 - 10.70) | 1.561 (0.600 - 2.961)               | 6.93                | 98               |
| 15+15+35+35              | 1.17                  | 1.17   | 2.73   | 2.73   | 7.80 (3.40 - 10.70) | 1.584 (0.600 - 2.984)               | 7.03                | 98               |
| 15+15+35+42              | 1.09                  | 1.09   | 2.55   | 3.06   | 7.80 (3.40 - 10.70) | 1.578 (0.600 - 2.978)               | 7.00                | 98               |
| 15+15+35+50              | 1.02                  | 1.02   | 2.37   | 3.39   | 7.80 (3.40 - 10.70) | 1.578 (0.600 - 2.978)               | 7.00                | 98               |
| 15+15+35+60              | 0.94                  | 0.94   | 2.18   | 3.74   | 7.80 (3.40 - 10.70) | 1.561 (0.600 - 2.961)               | 6.93                | 98               |
| 15+15+42+42              | 1.03                  | 1.03   | 2.87   | 2.87   | 7.80 (3.40 - 10.70) | 1.572 (0.600 - 2.972)               | 6.97                | 98               |
| 15+15+42+50              | 0.96                  | 0.96   | 2.69   | 3.20   | 7.80 (3.40 - 10.70) | 1.572 (0.600 - 2.972)               | 6.97                | 98               |
| 15+20+20+20              | 1.44                  | 1.92   | 1.92   | 1.92   | 7.20 (3.40 - 10.10) | 1.756 (0.600 - 2.756)               | 7.79                | 98               |
| 15+20+20+22              | 1.43                  | 1.91   | 1.91   | 2.10   | 7.35 (3.40 - 10.20) | 1.789 (0.600 - 2.779)               | 7.94                | 98               |
| 15+20+20+25              | 1.41                  | 1.88   | 1.88   | 2.34   | 7.50 (3.40 - 10.40) | 1.849 (0.600 - 2.839)               | 8.20                | 98               |
| 15+20+20+35              | 1.28                  | 1.71   | 1.71   | 2.99   | 7.70 (3.40 - 10.70) | 1.939 (0.600 - 2.989)               | 8.60                | 98               |
| 15+20+20+42              | 1.19                  | 1.59   | 1.59   | 3.33   | 7.70 (3.40 - 10.70) | 1.683 (0.600 - 2.983)               | 7.47                | 98               |
| 15+20+20+50              | 1.10                  | 1.47   | 1.47   | 3.67   | 7.70 (3.40 - 10.70) | 1.583 (0.600 - 2.983)               | 7.02                | 98               |
| 15+20+20+60              | 1.00                  | 1.34   | 1.34   | 4.02   | 7.70 (3.40 - 10.70) | 1.566 (0.600 - 2.966)               | 6.95                | 98               |
| 15+20+22+22              | 1.41                  | 1.87   | 2.06   | 2.06   | 7.40 (3.40 - 10.30) | 1.822 (0.600 - 2.812)               | 8.08                | 98               |
| 15+20+22+25              | 1.38                  | 1.84   | 2.03   | 2.30   | 7.55 (3.40 - 10.40) | 1.882 (0.600 - 2.872)               | 8.35                | 98               |
| 15+20+22+35              | 1.26                  | 1.68   | 1.85   | 2.95   | 7.75 (3.40 - 10.70) | 1.862 (0.600 - 2.982)               | 8.26                | 98               |
| 15+20+22+42              | 1.17                  | 1.57   | 1.72   | 3.29   | 7.75 (3.40 - 10.70) | 1.606 (0.600 - 2.976)               | 7.13                | 98               |
| 15+20+22+50              | 1.09                  | 1.45   | 1.59   | 3.62   | 7.75 (3.40 - 10.70) | 1.576 (0.600 - 2.976)               | 6.99                | 98               |
| 15+20+22+60              | 0.99                  | 1.32   | 1.46   | 3.97   | 7.75 (3.40 - 10.70) | 1.559 (0.600 - 2.959)               | 6.92                | 98               |
| 15+20+25+25              | 1.36                  | 1.81   | 2.26   | 2.26   | 7.70 (3.40 - 10.60) | 1.932 (0.600 - 2.932)               | 8.57                | 98               |
| 15+20+25+35              | 1.23                  | 1.64   | 2.05   | 2.87   | 7.80 (3.40 - 10.70) | 1.752 (0.600 - 2.982)               | 7.77                | 98               |
| 15+20+25+42              | 1.15                  | 1.53   | 1.91   | 3.21   | 7.80 (3.40 - 10.70) | 1.576 (0.600 - 2.976)               | 6.99                | 98               |
| 15+20+25+50              | 1.06                  | 1.42   | 1.77   | 3.55   | 7.80 (3.40 - 10.70) | 1.576 (0.600 - 2.976)               | 6.99                | 98               |
| 15+20+25+60              | 0.98                  | 1.30   | 1.63   | 3.90   | 7.80 (3.40 - 10.70) | 1.559 (0.600 - 2.959)               | 6.92                | 98               |
| 15+20+35+35              | 1.11                  | 1.49   | 2.60   | 2.60   | 7.80 (3.40 - 10.70) | 1.582 (0.600 - 2.982)               | 7.02                | 98               |
| 15+20+35+42              | 1.04                  | 1.39   | 2.44   | 2.93   | 7.80 (3.40 - 10.70) | 1.576 (0.600 - 2.976)               | 6.99                | 98               |
| 15+20+35+50              | 0.98                  | 1.30   | 2.28   | 3.25   | 7.80 (3.40 - 10.70) | 1.576 (0.600 - 2.976)               | 6.99                | 98               |
| 15+20+42+42              | 0.98                  | 1.31   | 2.75   | 2.75   | 7.80 (3.40 - 10.70) | 1.570 (0.600 - 2.970)               | 6.97                | 98               |
| 15+22+22+22              | 1.40                  | 2.05   | 2.05   | 2.05   | 7.55 (3.40 - 10.40) | 1.855 (0.600 - 2.845)               | 8.23                | 98               |
| 15+22+22+25              | 1.38                  | 2.02   | 2.02   | 2.29   | 7.70 (3.40 - 10.50) | 1.905 (0.600 - 2.905)               | 8.45                | 98               |
| 15+22+22+35              | 1.24                  | 1.83   | 1.83   | 2.90   | 7.80 (3.40 - 10.70) | 1.785 (0.600 - 2.975)               | 7.92                | 98               |
| 15+22+22+42              | 1.16                  | 1.70   | 1.70   | 3.24   | 7.80 (3.40 - 10.70) | 1.569 (0.600 - 2.969)               | 6.96                | 98               |
| 15+22+22+50              | 1.07                  | 1.57   | 1.57   | 3.58   | 7.80 (3.40 - 10.70) | 1.569 (0.600 - 2.969)               | 6.96                | 98               |
| 15+22+22+60              | 0.98                  | 1.44   | 1.44   | 3.93   | 7.80 (3.40 - 10.70) | 1.552 (0.600 - 2.952)               | 6.89                | 98               |
| 15+22+25+25              | 1.35                  | 1.99   | 2.26   | 2.26   | 7.85 (3.40 - 10.70) | 1.965 (0.600 - 2.955)               | 8.72                | 98               |
| 15+22+25+35              | 1.21                  | 1.78   | 2.02   | 2.83   | 7.85 (3.40 - 10.70) | 1.675 (0.600 - 2.975)               | 7.43                | 98               |
| 15+22+25+42              | 1.13                  | 1.66   | 1.89   | 3.17   | 7.85 (3.40 - 10.70) | 1.569 (0.600 - 2.969)               | 6.96                | 98               |
| 15+22+25+50              | 1.05                  | 1.54   | 1.75   | 3.50   | 7.85 (3.40 - 10.70) | 1.569 (0.600 - 2.969)               | 6.96                | 98               |
| 15+22+25+60              | 0.97                  | 1.42   | 1.61   | 3.86   | 7.85 (3.40 - 10.70) | 1.552 (0.600 - 2.952)               | 6.89                | 98               |
| 15+22+35+35              | 1.10                  | 1.61   | 2.57   | 2.57   | 7.85 (3.40 - 10.70) | 1.575 (0.600 - 2.975)               | 6.99                | 98               |

Combination table for MXZ-4F71VGD continues on the next page.

# MXZ-4F71VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 15+22+35+42              | 1.03                  | 1.51   | 2.41   | 2.89   | 7.85 (3.40 - 10.70) | 1.569 (0.600 - 2.969)               | 6.96                | 98               |
| 15+22+35+50              | 0.97                  | 1.42   | 2.25   | 3.22   | 7.85 (3.40 - 10.70) | 1.569 (0.600 - 2.969)               | 6.96                | 98               |
| 15+22+42+42              | 0.97                  | 1.43   | 2.72   | 2.72   | 7.85 (3.40 - 10.70) | 1.563 (0.600 - 2.963)               | 6.93                | 98               |
| 15+25+25+25              | 1.32                  | 2.19   | 2.19   | 2.19   | 7.90 (3.40 - 10.70) | 1.925 (0.600 - 2.975)               | 8.54                | 98               |
| 15+25+25+35              | 1.19                  | 1.98   | 1.98   | 2.77   | 7.90 (3.40 - 10.70) | 1.575 (0.600 - 2.975)               | 6.99                | 98               |
| 15+25+25+42              | 1.11                  | 1.85   | 1.85   | 3.10   | 7.90 (3.40 - 10.70) | 1.569 (0.600 - 2.969)               | 6.96                | 98               |
| 15+25+25+50              | 1.03                  | 1.72   | 1.72   | 3.43   | 7.90 (3.40 - 10.70) | 1.569 (0.600 - 2.969)               | 6.96                | 98               |
| 15+25+25+60              | 0.95                  | 1.58   | 1.58   | 3.79   | 7.90 (3.40 - 10.70) | 1.552 (0.600 - 2.952)               | 6.89                | 98               |
| 15+25+35+35              | 1.08                  | 1.80   | 2.51   | 2.51   | 7.90 (3.40 - 10.70) | 1.575 (0.600 - 2.975)               | 6.99                | 98               |
| 15+25+35+42              | 1.01                  | 1.69   | 2.36   | 2.84   | 7.90 (3.40 - 10.70) | 1.569 (0.600 - 2.969)               | 6.96                | 98               |
| 15+25+35+50              | 0.95                  | 1.58   | 2.21   | 3.16   | 7.90 (3.40 - 10.70) | 1.569 (0.600 - 2.969)               | 6.96                | 98               |
| 15+25+42+42              | 0.96                  | 1.59   | 2.68   | 2.68   | 7.90 (3.40 - 10.70) | 1.563 (0.600 - 2.963)               | 6.93                | 98               |
| 15+35+35+35              | 0.99                  | 2.30   | 2.30   | 2.30   | 7.90 (3.40 - 10.70) | 1.575 (0.600 - 2.975)               | 6.99                | 98               |
| 20+20+20+20              | 1.85                  | 1.85   | 1.85   | 1.85   | 7.40 (3.40 - 10.40) | 1.854 (0.600 - 2.844)               | 8.23                | 98               |
| 20+20+20+22              | 1.82                  | 1.82   | 1.82   | 2.00   | 7.45 (3.40 - 10.40) | 1.887 (0.600 - 2.877)               | 8.37                | 98               |
| 20+20+20+25              | 1.79                  | 1.79   | 1.79   | 2.24   | 7.60 (3.40 - 10.60) | 1.937 (0.600 - 2.937)               | 8.59                | 98               |
| 20+20+20+35              | 1.62                  | 1.62   | 1.62   | 2.84   | 7.70 (3.40 - 10.70) | 1.757 (0.600 - 2.987)               | 7.80                | 98               |
| 20+20+20+42              | 1.51                  | 1.51   | 1.51   | 3.17   | 7.70 (3.40 - 10.70) | 1.581 (0.600 - 2.981)               | 7.01                | 98               |
| 20+20+20+50              | 1.40                  | 1.40   | 1.40   | 3.50   | 7.70 (3.40 - 10.70) | 1.581 (0.600 - 2.981)               | 7.01                | 98               |
| 20+20+20+60              | 1.28                  | 1.28   | 1.28   | 3.85   | 7.70 (3.40 - 10.70) | 1.564 (0.600 - 2.964)               | 6.94                | 98               |
| 20+20+22+22              | 1.81                  | 1.81   | 1.99   | 1.99   | 7.60 (3.40 - 10.50) | 1.910 (0.600 - 2.910)               | 8.47                | 98               |
| 20+20+22+25              | 1.78                  | 1.78   | 1.96   | 2.23   | 7.75 (3.40 - 10.70) | 1.970 (0.600 - 2.960)               | 8.74                | 98               |
| 20+20+22+35              | 1.60                  | 1.60   | 1.76   | 2.80   | 7.75 (3.40 - 10.70) | 1.680 (0.600 - 2.980)               | 7.45                | 98               |
| 20+20+22+42              | 1.49                  | 1.49   | 1.64   | 3.13   | 7.75 (3.40 - 10.70) | 1.574 (0.600 - 2.974)               | 6.98                | 98               |
| 20+20+22+50              | 1.38                  | 1.38   | 1.52   | 3.46   | 7.75 (3.40 - 10.70) | 1.574 (0.600 - 2.974)               | 6.98                | 98               |
| 20+20+22+60              | 1.27                  | 1.27   | 1.40   | 3.81   | 7.75 (3.40 - 10.70) | 1.557 (0.600 - 2.957)               | 6.91                | 98               |
| 20+20+25+25              | 1.73                  | 1.73   | 2.17   | 2.17   | 7.80 (3.40 - 10.70) | 1.930 (0.600 - 2.980)               | 8.56                | 98               |
| 20+20+25+35              | 1.56                  | 1.56   | 1.95   | 2.73   | 7.80 (3.40 - 10.70) | 1.580 (0.600 - 2.980)               | 7.01                | 98               |
| 20+20+25+42              | 1.46                  | 1.46   | 1.82   | 3.06   | 7.80 (3.40 - 10.70) | 1.574 (0.600 - 2.974)               | 6.98                | 98               |
| 20+20+25+50              | 1.36                  | 1.36   | 1.70   | 3.39   | 7.80 (3.40 - 10.70) | 1.574 (0.600 - 2.974)               | 6.98                | 98               |
| 20+20+25+60              | 1.25                  | 1.25   | 1.56   | 3.74   | 7.80 (3.40 - 10.70) | 1.557 (0.600 - 2.957)               | 6.91                | 98               |
| 20+20+35+35              | 1.42                  | 1.42   | 2.48   | 2.48   | 7.80 (3.40 - 10.70) | 1.580 (0.600 - 2.980)               | 7.01                | 98               |
| 20+20+35+42              | 1.33                  | 1.33   | 2.33   | 2.80   | 7.80 (3.40 - 10.70) | 1.574 (0.600 - 2.974)               | 6.98                | 98               |
| 20+20+35+50              | 1.25                  | 1.25   | 2.18   | 3.12   | 7.80 (3.40 - 10.70) | 1.574 (0.600 - 2.974)               | 6.98                | 98               |
| 20+20+42+42              | 1.26                  | 1.26   | 2.64   | 2.64   | 7.80 (3.40 - 10.70) | 1.568 (0.600 - 2.968)               | 6.96                | 98               |
| 20+22+22+22              | 1.78                  | 1.96   | 1.96   | 1.96   | 7.65 (3.40 - 10.60) | 1.943 (0.600 - 2.943)               | 8.62                | 98               |
| 20+22+22+25              | 1.75                  | 1.93   | 1.93   | 2.19   | 7.80 (3.40 - 10.70) | 1.953 (0.600 - 2.973)               | 8.66                | 98               |
| 20+22+22+35              | 1.58                  | 1.73   | 1.73   | 2.76   | 7.80 (3.40 - 10.70) | 1.603 (0.600 - 2.973)               | 7.11                | 98               |
| 20+22+22+42              | 1.47                  | 1.62   | 1.62   | 3.09   | 7.80 (3.40 - 10.70) | 1.567 (0.600 - 2.967)               | 6.95                | 98               |
| 20+22+22+50              | 1.37                  | 1.51   | 1.51   | 3.42   | 7.80 (3.40 - 10.70) | 1.567 (0.600 - 2.967)               | 6.95                | 98               |
| 20+22+22+60              | 1.26                  | 1.38   | 1.38   | 3.77   | 7.80 (3.40 - 10.70) | 1.550 (0.600 - 2.950)               | 6.88                | 98               |
| 20+22+25+25              | 1.71                  | 1.88   | 2.13   | 2.13   | 7.85 (3.40 - 10.70) | 1.853 (0.600 - 2.973)               | 8.22                | 98               |
| 20+22+25+35              | 1.54                  | 1.69   | 1.92   | 2.69   | 7.85 (3.40 - 10.70) | 1.573 (0.600 - 2.973)               | 6.98                | 98               |
| 20+22+25+42              | 1.44                  | 1.58   | 1.80   | 3.02   | 7.85 (3.40 - 10.70) | 1.567 (0.600 - 2.967)               | 6.95                | 98               |
| 20+22+25+50              | 1.34                  | 1.48   | 1.68   | 3.35   | 7.85 (3.40 - 10.70) | 1.567 (0.600 - 2.967)               | 6.95                | 98               |
| 20+22+35+35              | 1.40                  | 1.54   | 2.45   | 2.45   | 7.85 (3.40 - 10.70) | 1.573 (0.600 - 2.973)               | 6.98                | 98               |
| 20+22+35+42              | 1.32                  | 1.45   | 2.31   | 2.77   | 7.85 (3.40 - 10.70) | 1.567 (0.600 - 2.967)               | 6.95                | 98               |
| 20+25+25+25              | 1.66                  | 2.08   | 2.08   | 2.08   | 7.90 (3.40 - 10.70) | 1.743 (0.600 - 2.973)               | 7.73                | 98               |
| 20+25+25+35              | 1.50                  | 1.88   | 1.88   | 2.63   | 7.90 (3.40 - 10.70) | 1.573 (0.600 - 2.973)               | 6.98                | 98               |
| 20+25+25+42              | 1.41                  | 1.76   | 1.76   | 2.96   | 7.90 (3.40 - 10.70) | 1.567 (0.600 - 2.967)               | 6.95                | 98               |

Combination table for MXZ-4F71VGD continues on the next page.

# MXZ-4F71VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 20+25+25+50              | 1.32                  | 1.65   | 1.65   | 3.29   | 7.90 (3.40 - 10.70) | 1.567 (0.600 - 2.967)               | 6.95                | 98               |
| 20+25+35+35              | 1.37                  | 1.72   | 2.40   | 2.40   | 7.90 (3.40 - 10.70) | 1.573 (0.600 - 2.973)               | 6.98                | 98               |
| 20+25+35+42              | 1.30                  | 1.62   | 2.27   | 2.72   | 7.90 (3.40 - 10.70) | 1.567 (0.600 - 2.967)               | 6.95                | 98               |
| 20+35+35+35              | 1.26                  | 2.21   | 2.21   | 2.21   | 7.90 (3.40 - 10.70) | 1.573 (0.600 - 2.973)               | 6.98                | 98               |
| 22+22+22+22              | 1.95                  | 1.95   | 1.95   | 1.95   | 7.80 (3.40 - 10.70) | 1.976 (0.600 - 2.966)               | 8.77                | 98               |
| 22+22+22+25              | 1.90                  | 1.90   | 1.90   | 2.16   | 7.85 (3.40 - 10.70) | 1.876 (0.600 - 2.966)               | 8.32                | 98               |
| 22+22+22+35              | 1.71                  | 1.71   | 1.71   | 2.72   | 7.85 (3.40 - 10.70) | 1.566 (0.600 - 2.966)               | 6.95                | 98               |
| 22+22+22+42              | 1.60                  | 1.60   | 1.60   | 3.05   | 7.85 (3.40 - 10.70) | 1.560 (0.600 - 2.960)               | 6.92                | 98               |
| 22+22+22+50              | 1.49                  | 1.49   | 1.49   | 3.38   | 7.85 (3.40 - 10.70) | 1.560 (0.600 - 2.960)               | 6.92                | 98               |
| 22+22+25+25              | 1.85                  | 1.85   | 2.10   | 2.10   | 7.90 (3.40 - 10.70) | 1.776 (0.600 - 2.966)               | 7.88                | 98               |
| 22+22+25+35              | 1.67                  | 1.67   | 1.90   | 2.66   | 7.90 (3.40 - 10.70) | 1.566 (0.600 - 2.966)               | 6.95                | 98               |
| 22+22+25+42              | 1.57                  | 1.57   | 1.78   | 2.99   | 7.90 (3.40 - 10.70) | 1.560 (0.600 - 2.960)               | 6.92                | 98               |
| 22+22+25+50              | 1.46                  | 1.46   | 1.66   | 3.32   | 7.90 (3.40 - 10.70) | 1.560 (0.600 - 2.960)               | 6.92                | 98               |
| 22+22+35+35              | 1.52                  | 1.52   | 2.43   | 2.43   | 7.90 (3.40 - 10.70) | 1.566 (0.600 - 2.966)               | 6.95                | 98               |
| 22+22+35+42              | 1.44                  | 1.44   | 2.29   | 2.74   | 7.90 (3.40 - 10.70) | 1.560 (0.600 - 2.960)               | 6.92                | 98               |
| 22+25+25+25              | 1.80                  | 2.05   | 2.05   | 2.05   | 7.95 (3.40 - 10.70) | 1.666 (0.600 - 2.966)               | 7.39                | 98               |
| 22+25+25+35              | 1.63                  | 1.86   | 1.86   | 2.60   | 7.95 (3.40 - 10.70) | 1.566 (0.600 - 2.966)               | 6.95                | 98               |
| 22+25+25+42              | 1.53                  | 1.74   | 1.74   | 2.93   | 7.95 (3.40 - 10.70) | 1.560 (0.600 - 2.960)               | 6.92                | 98               |
| 22+25+25+50              | 1.43                  | 1.63   | 1.63   | 3.26   | 7.95 (3.40 - 10.70) | 1.560 (0.600 - 2.960)               | 6.92                | 98               |
| 22+25+35+35              | 1.49                  | 1.70   | 2.38   | 2.38   | 7.95 (3.40 - 10.70) | 1.566 (0.600 - 2.966)               | 6.95                | 98               |
| 22+25+35+42              | 1.41                  | 1.60   | 2.24   | 2.69   | 7.95 (3.40 - 10.70) | 1.560 (0.600 - 2.960)               | 6.92                | 98               |
| 25+25+25+25              | 2.00                  | 2.00   | 2.00   | 2.00   | 8.00 (3.40 - 10.70) | 1.566 (0.600 - 2.966)               | 6.95                | 98               |
| 25+25+25+35              | 1.82                  | 1.82   | 1.82   | 2.55   | 8.00 (3.40 - 10.70) | 1.566 (0.600 - 2.966)               | 6.95                | 98               |
| 25+25+25+42              | 1.71                  | 1.71   | 1.71   | 2.87   | 8.00 (3.40 - 10.70) | 1.560 (0.600 - 2.960)               | 6.92                | 98               |
| 25+25+25+50              | 1.60                  | 1.60   | 1.60   | 3.20   | 8.00 (3.40 - 10.70) | 1.560 (0.600 - 2.960)               | 6.92                | 98               |
| 25+25+35+35              | 1.67                  | 1.67   | 2.33   | 2.33   | 8.00 (3.40 - 10.70) | 1.566 (0.600 - 2.966)               | 6.95                | 98               |

# MXZ-4F80VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 15                       | 1.50                  | -      | -      | -      | 1.50 (1.50 - 2.20) | 0.570 (0.570 - 0.870)               | 2.50                | 99               |
| 20                       | 2.00                  | -      | -      | -      | 2.00 (1.50 - 2.40) | 0.580 (0.570 - 0.870)               | 2.55                | 99               |
| 22                       | 2.20                  | -      | -      | -      | 2.20 (1.50 - 4.20) | 0.610 (0.580 - 1.060)               | 2.68                | 99               |
| 25                       | 2.50                  | -      | -      | -      | 2.50 (1.50 - 4.20) | 0.630 (0.580 - 1.060)               | 2.77                | 99               |
| 35                       | 3.50                  | -      | -      | -      | 3.50 (1.50 - 4.30) | 0.790 (0.580 - 1.120)               | 3.47                | 99               |
| 42                       | 4.20                  | -      | -      | -      | 4.20 (1.50 - 5.00) | 0.960 (0.580 - 1.740)               | 4.22                | 99               |
| 50                       | 5.00                  | -      | -      | -      | 5.00 (1.50 - 5.50) | 1.270 (0.620 - 1.780)               | 5.58                | 99               |
| 60                       | 6.00                  | -      | -      | -      | 6.00 (1.50 - 6.40) | 1.780 (0.620 - 1.950)               | 7.82                | 99               |
| 71                       | 7.10                  | -      | -      | -      | 7.10 (1.50 - 7.40) | 2.480 (0.650 - 2.930)               | 10.89               | 99               |
| 15+15                    | 1.50                  | 1.50   | -      | -      | 3.00 (2.00 - 4.40) | 0.606 (0.600 - 1.486)               | 2.66                | 99               |
| 15+20                    | 1.50                  | 2.00   | -      | -      | 3.50 (2.00 - 5.00) | 0.754 (0.600 - 1.484)               | 3.31                | 99               |
| 15+22                    | 1.50                  | 2.20   | -      | -      | 3.70 (2.00 - 5.20) | 0.797 (0.600 - 1.477)               | 3.50                | 99               |
| 15+25                    | 1.50                  | 2.50   | -      | -      | 4.00 (2.00 - 5.60) | 0.887 (0.600 - 1.477)               | 3.90                | 99               |
| 15+35                    | 1.50                  | 3.50   | -      | -      | 5.00 (2.00 - 6.20) | 1.197 (0.590 - 1.807)               | 5.26                | 99               |
| 15+42                    | 1.50                  | 4.20   | -      | -      | 5.70 (2.00 - 6.70) | 1.481 (0.590 - 2.151)               | 6.50                | 99               |
| 15+50                    | 1.50                  | 5.00   | -      | -      | 6.50 (2.00 - 7.30) | 1.811 (0.580 - 2.541)               | 7.95                | 99               |
| 15+60                    | 1.46                  | 5.84   | -      | -      | 7.30 (2.00 - 8.10) | 2.234 (0.580 - 2.854)               | 9.81                | 99               |
| 15+71                    | 1.36                  | 6.44   | -      | -      | 7.80 (2.00 - 8.80) | 2.678 (0.580 - 3.028)               | 11.76               | 99               |
| 20+20                    | 2.00                  | 2.00   | -      | -      | 4.00 (2.00 - 5.60) | 0.892 (0.600 - 1.482)               | 3.92                | 99               |
| 20+22                    | 2.00                  | 2.20   | -      | -      | 4.20 (2.00 - 5.60) | 0.935 (0.600 - 1.475)               | 4.11                | 99               |
| 20+25                    | 2.00                  | 2.50   | -      | -      | 4.50 (2.00 - 5.70) | 1.015 (0.600 - 1.535)               | 4.46                | 99               |
| 20+35                    | 2.00                  | 3.50   | -      | -      | 5.50 (2.00 - 6.60) | 1.405 (0.590 - 2.055)               | 6.17                | 99               |
| 20+42                    | 2.00                  | 4.20   | -      | -      | 6.20 (2.00 - 7.10) | 1.689 (0.580 - 2.389)               | 7.42                | 99               |
| 20+50                    | 2.00                  | 5.00   | -      | -      | 7.00 (2.00 - 7.70) | 2.019 (0.580 - 2.789)               | 8.87                | 99               |
| 20+60                    | 1.90                  | 5.70   | -      | -      | 7.60 (2.00 - 8.50) | 2.462 (0.580 - 2.932)               | 10.81               | 99               |
| 20+71                    | 1.74                  | 6.16   | -      | -      | 7.90 (2.00 - 8.90) | 2.736 (0.580 - 3.106)               | 12.02               | 99               |
| 22+22                    | 2.20                  | 2.20   | -      | -      | 4.40 (2.00 - 5.60) | 0.968 (0.600 - 1.468)               | 4.25                | 99               |
| 22+25                    | 2.20                  | 2.50   | -      | -      | 4.70 (2.00 - 5.90) | 1.078 (0.600 - 1.638)               | 4.73                | 99               |
| 22+35                    | 2.20                  | 3.50   | -      | -      | 5.70 (2.00 - 6.70) | 1.478 (0.590 - 2.148)               | 6.49                | 99               |
| 22+42                    | 2.20                  | 4.20   | -      | -      | 6.40 (2.00 - 7.30) | 1.762 (0.580 - 2.482)               | 7.74                | 99               |
| 22+50                    | 2.17                  | 4.93   | -      | -      | 7.10 (2.00 - 7.90) | 2.102 (0.580 - 2.812)               | 9.23                | 99               |
| 22+60                    | 2.07                  | 5.63   | -      | -      | 7.70 (2.00 - 8.60) | 2.545 (0.580 - 2.955)               | 11.18               | 99               |
| 22+71                    | 1.87                  | 6.03   | -      | -      | 7.90 (2.10 - 9.00) | 2.749 (0.580 - 3.129)               | 12.07               | 99               |
| 25+25                    | 2.50                  | 2.50   | -      | -      | 5.00 (2.00 - 6.20) | 1.188 (0.590 - 1.798)               | 5.22                | 99               |
| 25+35                    | 2.50                  | 3.50   | -      | -      | 6.00 (2.00 - 7.00) | 1.608 (0.590 - 2.298)               | 7.06                | 99               |
| 25+42                    | 2.50                  | 4.20   | -      | -      | 6.70 (2.00 - 7.50) | 1.892 (0.580 - 2.632)               | 8.31                | 99               |
| 25+50                    | 2.43                  | 4.87   | -      | -      | 7.30 (2.00 - 8.10) | 2.242 (0.580 - 2.862)               | 9.85                | 99               |
| 25+60                    | 2.29                  | 5.51   | -      | -      | 7.80 (2.00 - 8.80) | 2.645 (0.580 - 3.005)               | 11.62               | 99               |
| 25+71                    | 2.08                  | 5.92   | -      | -      | 8.00 (2.10 - 9.00) | 2.789 (0.580 - 3.179)               | 12.25               | 99               |
| 35+35                    | 3.50                  | 3.50   | -      | -      | 7.00 (2.00 - 7.70) | 2.018 (0.580 - 2.788)               | 8.86                | 99               |
| 35+42                    | 3.36                  | 4.04   | -      | -      | 7.40 (2.00 - 8.30) | 2.332 (0.580 - 2.892)               | 10.24               | 99               |
| 35+50                    | 3.21                  | 4.59   | -      | -      | 7.80 (2.00 - 8.80) | 2.662 (0.580 - 3.022)               | 11.69               | 99               |
| 35+60                    | 2.91                  | 4.99   | -      | -      | 7.90 (2.10 - 9.00) | 2.775 (0.580 - 3.155)               | 12.19               | 99               |
| 35+71                    | 2.64                  | 5.36   | -      | -      | 8.00 (2.10 - 9.10) | 2.839 (0.570 - 3.269)               | 12.47               | 99               |
| 42+42                    | 3.90                  | 3.90   | -      | -      | 7.80 (2.00 - 8.80) | 2.646 (0.580 - 2.996)               | 11.62               | 99               |
| 42+50                    | 3.61                  | 4.29   | -      | -      | 7.90 (2.10 - 9.00) | 2.746 (0.580 - 3.126)               | 12.06               | 99               |
| 42+60                    | 3.29                  | 4.71   | -      | -      | 8.00 (2.10 - 9.10) | 2.829 (0.580 - 3.239)               | 12.42               | 99               |
| 42+71                    | 2.97                  | 5.03   | -      | -      | 8.00 (2.10 - 9.20) | 2.833 (0.560 - 3.303)               | 12.44               | 99               |
| 50+50                    | 4.00                  | 4.00   | -      | -      | 8.00 (2.10 - 9.10) | 2.846 (0.580 - 3.246)               | 12.50               | 99               |
| 50+60                    | 3.64                  | 4.36   | -      | -      | 8.00 (2.10 - 9.20) | 2.829 (0.570 - 3.289)               | 12.42               | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 50+71                    | 3.31                  | 4.69   | -      | -      | 8.00 (2.10 - 9.20) | 2.833 (0.550 - 3.353)               | 12.44               | 99               |
| 60+60                    | 4.00                  | 4.00   | -      | -      | 8.00 (2.10 - 9.20) | 2.812 (0.550 - 3.322)               | 12.35               | 99               |
| 60+71                    | 3.66                  | 4.34   | -      | -      | 8.00 (2.10 - 9.20) | 2.816 (0.550 - 3.416)               | 12.37               | 99               |
| 71+71                    | 4.00                  | 4.00   | -      | -      | 8.00 (2.10 - 9.20) | 2.820 (0.550 - 3.510)               | 12.38               | 99               |
| 35+71                    | 2.64                  | 5.36   | -      | -      | 8.00 (2.10 - 9.10) | 2.839 (0.570 - 3.269)               | 12.47               | 99               |
| 42+42                    | 3.90                  | 3.90   | -      | -      | 7.80 (2.00 - 8.80) | 2.646 (0.580 - 2.996)               | 11.62               | 99               |
| 42+50                    | 3.61                  | 4.29   | -      | -      | 7.90 (2.10 - 9.00) | 2.746 (0.580 - 3.126)               | 12.06               | 99               |
| 42+71                    | 2.97                  | 5.03   | -      | -      | 8.00 (2.10 - 9.20) | 2.833 (0.560 - 3.303)               | 12.44               | 99               |
| 50+50                    | 4.00                  | 4.00   | -      | -      | 8.00 (2.10 - 9.10) | 2.846 (0.580 - 3.246)               | 12.50               | 99               |
| 50+60                    | 3.64                  | 4.36   | -      | -      | 8.00 (2.10 - 9.20) | 2.829 (0.570 - 3.289)               | 12.42               | 99               |
| 50+71                    | 3.31                  | 4.69   | -      | -      | 8.00 (2.10 - 9.20) | 2.833 (0.550 - 3.353)               | 12.44               | 99               |
| 60+60                    | 4.00                  | 4.00   | -      | -      | 8.00 (2.10 - 9.20) | 2.812 (0.550 - 3.322)               | 12.35               | 99               |
| 60+71                    | 3.66                  | 4.34   | -      | -      | 8.00 (2.10 - 9.20) | 2.816 (0.550 - 3.416)               | 12.37               | 99               |
| 71+71                    | 4.00                  | 4.00   | -      | -      | 8.00 (2.10 - 9.20) | 2.820 (0.550 - 3.510)               | 12.38               | 99               |
| 15+15+15                 | 1.50                  | 1.50   | 1.50   | -      | 4.50 (2.90 - 6.30) | 1.009 (0.690 - 2.359)               | 4.43                | 99               |
| 15+15+20                 | 1.50                  | 1.50   | 2.00   | -      | 5.00 (2.90 - 6.90) | 1.127 (0.690 - 2.357)               | 4.95                | 99               |
| 15+15+22                 | 1.50                  | 1.50   | 2.20   | -      | 5.20 (2.90 - 7.10) | 1.160 (0.690 - 2.350)               | 5.09                | 99               |
| 15+15+25                 | 1.50                  | 1.50   | 2.50   | -      | 5.50 (2.90 - 7.50) | 1.230 (0.690 - 2.350)               | 5.40                | 99               |
| 15+15+35                 | 1.50                  | 1.50   | 3.50   | -      | 6.50 (2.90 - 8.10) | 1.480 (0.690 - 2.350)               | 6.50                | 99               |
| 15+15+42                 | 1.50                  | 1.50   | 4.20*  | -      | 7.20 (2.90 - 8.70) | 1.654 (0.690 - 2.614)               | 7.26                | 99               |
| 15+15+50                 | 1.43                  | 1.43   | 4.75*  | -      | 7.60 (2.90 - 9.00) | 1.864 (0.690 - 2.774)               | 8.19                | 99               |
| 15+15+60                 | 1.30                  | 1.30   | 5.20   | -      | 7.80 (2.90 - 9.10) | 2.117 (0.690 - 2.787)               | 9.30                | 99               |
| 15+15+71                 | 1.17                  | 1.17   | 5.55   | -      | 7.90 (2.90 - 9.20) | 2.411 (0.690 - 2.821)               | 10.59               | 99               |
| 15+20+20                 | 1.50                  | 2.00   | 2.00   | -      | 5.50 (2.90 - 7.50) | 1.235 (0.690 - 2.355)               | 5.42                | 99               |
| 15+20+22                 | 1.50                  | 2.00   | 2.20   | -      | 5.70 (2.90 - 7.70) | 1.278 (0.690 - 2.348)               | 5.61                | 99               |
| 15+20+25                 | 1.50                  | 2.00   | 2.50   | -      | 6.00 (2.90 - 8.10) | 1.348 (0.690 - 2.348)               | 5.92                | 99               |
| 15+20+35                 | 1.50                  | 2.00   | 3.50   | -      | 7.00 (2.90 - 8.50) | 1.608 (0.690 - 2.528)               | 7.06                | 99               |
| 15+20+42                 | 1.46                  | 1.95   | 4.09*  | -      | 7.50 (2.90 - 9.00) | 1.782 (0.690 - 2.762)               | 7.83                | 99               |
| 15+20+50                 | 1.36                  | 1.81   | 4.53*  | -      | 7.70 (2.90 - 9.10) | 2.002 (0.690 - 2.782)               | 8.79                | 99               |
| 15+20+60                 | 1.23                  | 1.64   | 4.93   | -      | 7.80 (2.90 - 9.10) | 2.245 (0.690 - 2.795)               | 9.86                | 99               |
| 15+20+71                 | 1.13                  | 1.51   | 5.36   | -      | 8.00 (2.90 - 9.20) | 2.519 (0.690 - 2.829)               | 11.06               | 99               |
| 15+22+22                 | 1.50                  | 2.20   | 2.20   | -      | 5.90 (2.90 - 8.00) | 1.321 (0.690 - 2.341)               | 5.80                | 99               |
| 15+22+25                 | 1.50                  | 2.20   | 2.50   | -      | 6.20 (2.90 - 8.10) | 1.391 (0.690 - 2.341)               | 6.11                | 99               |
| 15+22+35                 | 1.50                  | 2.20   | 3.50   | -      | 7.20 (2.90 - 8.70) | 1.651 (0.690 - 2.611)               | 7.25                | 99               |
| 15+22+42                 | 1.44                  | 2.12   | 4.04*  | -      | 7.60 (2.90 - 9.00) | 1.835 (0.690 - 2.755)               | 8.06                | 99               |
| 15+22+50                 | 1.33                  | 1.95   | 4.43*  | -      | 7.70 (2.90 - 9.10) | 2.045 (0.690 - 2.785)               | 8.98                | 99               |
| 15+22+60                 | 1.22                  | 1.79   | 4.89   | -      | 7.90 (2.90 - 9.10) | 2.298 (0.690 - 2.798)               | 10.09               | 99               |
| 15+22+71                 | 1.11                  | 1.63   | 5.26   | -      | 8.00 (2.90 - 9.20) | 2.512 (0.690 - 2.832)               | 11.03               | 99               |
| 15+25+25                 | 1.50                  | 2.50   | 2.50   | -      | 6.50 (2.90 - 8.10) | 1.471 (0.690 - 2.341)               | 6.46                | 99               |
| 15+25+35                 | 1.50                  | 2.50   | 3.50   | -      | 7.50 (2.90 - 9.00) | 1.731 (0.690 - 2.751)               | 7.60                | 99               |
| 15+25+42                 | 1.39                  | 2.32   | 3.89*  | -      | 7.60 (2.90 - 9.00) | 1.915 (0.690 - 2.765)               | 8.41                | 99               |
| 15+25+50                 | 1.30                  | 2.17   | 4.33*  | -      | 7.80 (2.90 - 9.10) | 2.125 (0.690 - 2.795)               | 9.33                | 99               |
| 15+25+60                 | 1.19                  | 1.98   | 4.74   | -      | 7.90 (2.90 - 9.20) | 2.378 (0.690 - 2.808)               | 10.44               | 99               |
| 15+25+71                 | 1.08                  | 1.80   | 5.12   | -      | 8.00 (2.90 - 9.20) | 2.512 (0.690 - 2.842)               | 11.03               | 99               |
| 15+35+35                 | 1.36                  | 3.17   | 3.17   | -      | 7.70 (2.90 - 9.10) | 2.001 (0.690 - 2.781)               | 8.79                | 99               |
| 15+35+42                 | 1.27                  | 2.97   | 3.56*  | -      | 7.80 (2.90 - 9.10) | 2.175 (0.690 - 2.795)               | 9.55                | 99               |
| 15+35+50                 | 1.19                  | 2.77   | 3.95*  | -      | 7.90 (2.90 - 9.20) | 2.395 (0.690 - 2.825)               | 10.52               | 99               |
| 15+35+60                 | 1.09                  | 2.55   | 4.36   | -      | 8.00 (2.90 - 9.20) | 2.508 (0.690 - 2.838)               | 11.01               | 99               |
| 15+35+71                 | 0.99                  | 2.31   | 4.69   | -      | 8.00 (2.90 - 9.20) | 2.512 (0.690 - 2.882)               | 11.03               | 99               |
| 15+42+42                 | 1.20                  | 3.35*  | 3.35*  | -      | 7.90 (2.90 - 9.20) | 2.359 (0.690 - 2.809)               | 10.36               | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 15+42+50                 | 1.12                  | 3.14*  | 3.74*  | -      | 8.00 (2.90 - 9.20) | 2.519 (0.690 - 2.839)               | 11.06               | 99               |
| 15+42+60                 | 1.03                  | 2.87*  | 4.10   | -      | 8.00 (2.90 - 9.20) | 2.502 (0.690 - 2.862)               | 10.99               | 99               |
| 15+42+71                 | 0.94                  | 2.63*  | 4.44   | -      | 8.00 (2.90 - 9.20) | 2.506 (0.690 - 2.906)               | 11.01               | 99               |
| 15+50+50                 | 1.04                  | 3.48*  | 3.48*  | -      | 8.00 (2.90 - 9.20) | 2.519 (0.690 - 2.869)               | 11.06               | 99               |
| 15+50+60                 | 0.96                  | 3.20*  | 3.84   | -      | 8.00 (2.90 - 9.20) | 2.502 (0.690 - 2.892)               | 10.99               | 99               |
| 15+50+71                 | 0.88                  | 2.94*  | 4.18   | -      | 8.00 (2.90 - 9.20) | 2.506 (0.690 - 2.966)               | 11.01               | 99               |
| 15+60+60                 | 0.89                  | 3.56   | 3.56   | -      | 8.00 (2.90 - 9.20) | 2.485 (0.690 - 2.945)               | 10.91               | 99               |
| 20+20+20                 | 2.00                  | 2.00   | 2.00   | -      | 6.00 (2.90 - 8.10) | 1.353 (0.690 - 2.353)               | 5.94                | 99               |
| 20+20+22                 | 2.00                  | 2.00   | 2.20   | -      | 6.20 (2.90 - 8.10) | 1.396 (0.690 - 2.346)               | 6.13                | 99               |
| 20+20+25                 | 2.00                  | 2.00   | 2.50   | -      | 6.50 (2.90 - 8.10) | 1.476 (0.690 - 2.346)               | 6.48                | 99               |
| 20+20+35                 | 2.00                  | 2.00   | 3.50   | -      | 7.50 (2.90 - 9.00) | 1.736 (0.690 - 2.756)               | 7.62                | 99               |
| 20+20+42                 | 1.85                  | 1.85   | 3.89*  | -      | 7.60 (2.90 - 9.00) | 1.920 (0.690 - 2.770)               | 8.43                | 99               |
| 20+20+50                 | 1.73                  | 1.73   | 4.33*  | -      | 7.80 (2.90 - 9.10) | 2.130 (0.690 - 2.800)               | 9.35                | 99               |
| 20+20+60                 | 1.58                  | 1.58   | 4.74   | -      | 7.90 (2.90 - 9.20) | 2.383 (0.690 - 2.813)               | 10.47               | 99               |
| 20+20+71                 | 1.44                  | 1.44   | 5.12   | -      | 8.00 (2.90 - 9.20) | 2.517 (0.690 - 2.847)               | 11.05               | 99               |
| 20+22+22                 | 2.00                  | 2.20   | 2.20   | -      | 6.40 (2.90 - 8.10) | 1.439 (0.690 - 2.339)               | 6.32                | 99               |
| 20+22+25                 | 2.00                  | 2.20   | 2.50   | -      | 6.70 (2.90 - 8.20) | 1.519 (0.690 - 2.389)               | 6.67                | 99               |
| 20+22+35                 | 1.95                  | 2.14   | 3.41   | -      | 7.50 (2.90 - 9.00) | 1.779 (0.690 - 2.759)               | 7.81                | 99               |
| 20+22+42                 | 1.83                  | 2.02   | 3.85*  | -      | 7.70 (2.90 - 9.10) | 1.963 (0.690 - 2.773)               | 8.62                | 99               |
| 20+22+50                 | 1.70                  | 1.87   | 4.24*  | -      | 7.80 (2.90 - 9.10) | 2.173 (0.690 - 2.793)               | 9.54                | 99               |
| 20+22+60                 | 1.57                  | 1.73   | 4.71   | -      | 8.00 (2.90 - 9.20) | 2.426 (0.690 - 2.806)               | 10.65               | 99               |
| 20+22+71                 | 1.42                  | 1.56   | 5.03   | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.850)               | 11.02               | 99               |
| 20+25+25                 | 2.00                  | 2.50   | 2.50   | -      | 7.00 (2.90 - 8.50) | 1.599 (0.690 - 2.519)               | 7.02                | 99               |
| 20+25+35                 | 1.90                  | 2.38   | 3.33   | -      | 7.60 (2.90 - 9.00) | 1.859 (0.690 - 2.769)               | 8.16                | 99               |
| 20+25+42                 | 1.77                  | 2.21   | 3.72*  | -      | 7.70 (2.90 - 9.10) | 2.043 (0.690 - 2.783)               | 8.97                | 99               |
| 20+25+50                 | 1.64                  | 2.05   | 4.11*  | -      | 7.80 (2.90 - 9.10) | 2.253 (0.690 - 2.803)               | 9.89                | 99               |
| 20+25+60                 | 1.52                  | 1.90   | 4.57   | -      | 8.00 (2.90 - 9.20) | 2.506 (0.690 - 2.816)               | 11.01               | 99               |
| 20+25+71                 | 1.38                  | 1.72   | 4.90   | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.860)               | 11.02               | 99               |
| 20+35+35                 | 1.73                  | 3.03   | 3.03   | -      | 7.80 (2.90 - 9.10) | 2.129 (0.690 - 2.799)               | 9.35                | 99               |
| 20+35+42                 | 1.63                  | 2.85   | 3.42*  | -      | 7.90 (2.90 - 9.10) | 2.313 (0.690 - 2.813)               | 10.16               | 99               |
| 20+35+50                 | 1.52                  | 2.67   | 3.81*  | -      | 8.00 (2.90 - 9.20) | 2.523 (0.690 - 2.833)               | 11.08               | 99               |
| 20+35+60                 | 1.39                  | 2.43   | 4.17   | -      | 8.00 (2.90 - 9.20) | 2.506 (0.690 - 2.856)               | 11.01               | 99               |
| 20+35+71                 | 1.27                  | 2.22   | 4.51   | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.900)               | 11.02               | 99               |
| 20+42+42                 | 1.54                  | 3.23*  | 3.23*  | -      | 8.00 (2.90 - 9.20) | 2.487 (0.690 - 2.827)               | 10.92               | 99               |
| 20+42+50                 | 1.43                  | 3.00*  | 3.57*  | -      | 8.00 (2.90 - 9.20) | 2.517 (0.690 - 2.857)               | 11.05               | 99               |
| 20+42+60                 | 1.31                  | 2.75*  | 3.93   | -      | 8.00 (2.90 - 9.20) | 2.500 (0.690 - 2.870)               | 10.98               | 99               |
| 20+42+71                 | 1.20                  | 2.53*  | 4.27   | -      | 8.00 (2.90 - 9.20) | 2.504 (0.690 - 2.944)               | 11.00               | 99               |
| 20+50+50                 | 1.33                  | 3.33*  | 3.33*  | -      | 8.00 (2.90 - 9.20) | 2.517 (0.690 - 2.887)               | 11.05               | 99               |
| 20+50+60                 | 1.23                  | 3.08*  | 3.69   | -      | 8.00 (2.90 - 9.20) | 2.500 (0.690 - 2.920)               | 10.98               | 99               |
| 20+50+71                 | 1.13                  | 2.84*  | 4.03   | -      | 8.00 (2.90 - 9.20) | 2.504 (0.690 - 3.004)               | 11.00               | 99               |
| 20+60+60                 | 1.14                  | 3.43   | 3.43   | -      | 8.00 (2.90 - 9.20) | 2.483 (0.690 - 2.973)               | 10.90               | 99               |
| 22+22+22                 | 2.20                  | 2.20   | 2.20   | -      | 6.60 (2.90 - 8.10) | 1.482 (0.690 - 2.332)               | 6.51                | 99               |
| 22+22+25                 | 2.20                  | 2.20   | 2.50   | -      | 6.90 (2.90 - 8.40) | 1.562 (0.690 - 2.472)               | 6.86                | 99               |
| 22+22+35                 | 2.12                  | 2.12   | 3.37   | -      | 7.60 (2.90 - 9.00) | 1.832 (0.690 - 2.752)               | 8.05                | 99               |
| 22+22+42                 | 1.97                  | 1.97   | 3.76*  | -      | 7.70 (2.90 - 9.10) | 2.006 (0.690 - 2.766)               | 8.81                | 99               |
| 22+22+50                 | 1.83                  | 1.83   | 4.15*  | -      | 7.80 (2.90 - 9.10) | 2.226 (0.690 - 2.796)               | 9.78                | 99               |
| 22+22+60                 | 1.69                  | 1.69   | 4.62   | -      | 8.00 (2.90 - 9.20) | 2.469 (0.690 - 2.809)               | 10.84               | 99               |
| 22+22+71                 | 1.53                  | 1.53   | 4.94   | -      | 8.00 (2.90 - 9.20) | 2.503 (0.690 - 2.853)               | 10.99               | 99               |
| 22+25+25                 | 2.20                  | 2.50   | 2.50   | -      | 7.20 (2.90 - 8.70) | 1.642 (0.690 - 2.602)               | 7.21                | 99               |
| 22+25+35                 | 2.04                  | 2.32   | 3.24   | -      | 7.60 (2.90 - 9.00) | 1.912 (0.690 - 2.762)               | 8.40                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 22+25+42                 | 1.90                  | 2.16   | 3.63*  | -      | 7.70 (2.90 - 9.10) | 2.086 (0.690 - 2.776)               | 9.16                | 99               |
| 22+25+50                 | 1.79                  | 2.04   | 4.07*  | -      | 7.90 (2.90 - 9.10) | 2.306 (0.690 - 2.806)               | 10.13               | 99               |
| 22+25+60                 | 1.64                  | 1.87   | 4.49   | -      | 8.00 (2.90 - 9.20) | 2.499 (0.690 - 2.819)               | 10.97               | 99               |
| 22+25+71                 | 1.49                  | 1.69   | 4.81   | -      | 8.00 (2.90 - 9.20) | 2.503 (0.690 - 2.863)               | 10.99               | 99               |
| 22+35+35                 | 1.87                  | 2.97   | 2.97   | -      | 7.80 (2.90 - 9.10) | 2.172 (0.690 - 2.792)               | 9.54                | 99               |
| 22+35+42                 | 1.76                  | 2.79   | 3.35*  | -      | 7.90 (2.90 - 9.20) | 2.356 (0.690 - 2.806)               | 10.35               | 99               |
| 22+35+50                 | 1.64                  | 2.62   | 3.74*  | -      | 8.00 (2.90 - 9.20) | 2.516 (0.690 - 2.836)               | 11.05               | 99               |
| 22+35+60                 | 1.50                  | 2.39   | 4.10   | -      | 8.00 (2.90 - 9.20) | 2.499 (0.690 - 2.859)               | 10.97               | 99               |
| 22+35+71                 | 1.38                  | 2.19   | 4.44   | -      | 8.00 (2.90 - 9.20) | 2.503 (0.690 - 2.903)               | 10.99               | 99               |
| 22+42+42                 | 1.66                  | 3.17*  | 3.17*  | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.820)               | 11.02               | 99               |
| 22+42+50                 | 1.54                  | 2.95*  | 3.51*  | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.850)               | 11.02               | 99               |
| 22+42+60                 | 1.42                  | 2.71*  | 3.87   | -      | 8.00 (2.90 - 9.20) | 2.493 (0.690 - 2.873)               | 10.95               | 99               |
| 22+42+71                 | 1.30                  | 2.49*  | 4.21   | -      | 8.00 (2.90 - 9.20) | 2.497 (0.690 - 2.957)               | 10.97               | 99               |
| 22+50+50                 | 1.44                  | 3.28*  | 3.28*  | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.880)               | 11.02               | 99               |
| 22+50+60                 | 1.33                  | 3.03*  | 3.64   | -      | 8.00 (2.90 - 9.20) | 2.493 (0.690 - 2.923)               | 10.95               | 99               |
| 22+50+71                 | 1.23                  | 2.80*  | 3.97   | -      | 8.00 (2.90 - 9.20) | 2.497 (0.690 - 3.017)               | 10.97               | 99               |
| 22+60+60                 | 1.24                  | 3.38   | 3.38   | -      | 8.00 (2.90 - 9.20) | 2.476 (0.690 - 2.986)               | 10.87               | 99               |
| 25+25+25                 | 2.50                  | 2.50   | 2.50   | -      | 7.50 (2.90 - 9.00) | 1.722 (0.690 - 2.742)               | 7.56                | 99               |
| 25+25+35                 | 2.26                  | 2.26   | 3.17   | -      | 7.70 (2.90 - 9.10) | 1.992 (0.690 - 2.772)               | 8.75                | 99               |
| 25+25+42                 | 2.12                  | 2.12   | 3.56*  | -      | 7.80 (2.90 - 9.10) | 2.166 (0.690 - 2.786)               | 9.51                | 99               |
| 25+25+50                 | 1.98                  | 1.98   | 3.95*  | -      | 7.90 (2.90 - 9.20) | 2.386 (0.690 - 2.816)               | 10.48               | 99               |
| 25+25+60                 | 1.82                  | 1.82   | 4.36   | -      | 8.00 (2.90 - 9.20) | 2.499 (0.690 - 2.829)               | 10.97               | 99               |
| 25+25+71                 | 1.65                  | 1.65   | 4.69   | -      | 8.00 (2.90 - 9.20) | 2.503 (0.690 - 2.873)               | 10.99               | 99               |
| 25+35+35                 | 2.05                  | 2.87   | 2.87   | -      | 7.80 (2.90 - 9.10) | 2.252 (0.690 - 2.802)               | 9.89                | 99               |
| 25+35+42                 | 1.96                  | 2.75   | 3.29*  | -      | 8.00 (2.90 - 9.20) | 2.436 (0.690 - 2.816)               | 10.70               | 99               |
| 25+35+50                 | 1.82                  | 2.55   | 3.64*  | -      | 8.00 (2.90 - 9.20) | 2.516 (0.690 - 2.846)               | 11.05               | 99               |
| 25+35+60                 | 1.67                  | 2.33   | 4.00   | -      | 8.00 (2.90 - 9.20) | 2.499 (0.690 - 2.869)               | 10.97               | 99               |
| 25+35+71                 | 1.53                  | 2.14   | 4.34   | -      | 8.00 (2.90 - 9.20) | 2.503 (0.690 - 2.933)               | 10.99               | 99               |
| 25+42+42                 | 1.83                  | 3.08*  | 3.08*  | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.840)               | 11.02               | 99               |
| 25+42+50                 | 1.71                  | 2.87*  | 3.42*  | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.870)               | 11.02               | 99               |
| 25+42+60                 | 1.57                  | 2.65*  | 3.78   | -      | 8.00 (2.90 - 9.20) | 2.493 (0.690 - 2.893)               | 10.95               | 99               |
| 25+42+71                 | 1.45                  | 2.43*  | 4.12   | -      | 8.00 (2.90 - 9.20) | 2.497 (0.690 - 2.977)               | 10.97               | 99               |
| 25+50+50                 | 1.60                  | 3.20*  | 3.20*  | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.900)               | 11.02               | 99               |
| 25+50+60                 | 1.48                  | 2.96*  | 3.56   | -      | 8.00 (2.90 - 9.20) | 2.493 (0.690 - 2.953)               | 10.95               | 99               |
| 25+60+60                 | 1.38                  | 3.31   | 3.31   | -      | 8.00 (2.90 - 9.20) | 2.476 (0.690 - 3.006)               | 10.87               | 99               |
| 35+35+35                 | 2.67                  | 2.67   | 2.67   | -      | 8.00 (2.90 - 9.20) | 2.522 (0.690 - 2.832)               | 11.08               | 99               |
| 35+35+42                 | 2.50                  | 2.50   | 3.00*  | -      | 8.00 (2.90 - 9.20) | 2.516 (0.690 - 2.856)               | 11.05               | 99               |
| 35+35+50                 | 2.33                  | 2.33   | 3.33*  | -      | 8.00 (2.90 - 9.20) | 2.516 (0.690 - 2.886)               | 11.05               | 99               |
| 35+35+60                 | 2.15                  | 2.15   | 3.69   | -      | 8.00 (2.90 - 9.20) | 2.499 (0.690 - 2.919)               | 10.97               | 99               |
| 35+35+71                 | 1.99                  | 1.99   | 4.03   | -      | 8.00 (2.90 - 9.20) | 2.503 (0.690 - 3.003)               | 10.99               | 99               |
| 35+42+42                 | 2.35                  | 2.82*  | 2.82*  | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.870)               | 11.02               | 99               |
| 35+42+50                 | 2.20                  | 2.65*  | 3.15*  | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.910)               | 11.02               | 99               |
| 35+42+60                 | 2.04                  | 2.45*  | 3.50   | -      | 8.00 (2.90 - 9.20) | 2.493 (0.690 - 2.963)               | 10.95               | 99               |
| 35+50+50                 | 2.07                  | 2.96*  | 2.96*  | -      | 8.00 (2.90 - 9.20) | 2.510 (0.690 - 2.970)               | 11.02               | 99               |
| 35+50+60                 | 1.93                  | 2.76*  | 3.31   | -      | 8.00 (2.90 - 9.20) | 2.493 (0.690 - 3.023)               | 10.95               | 99               |
| 42+42+42                 | 2.67*                 | 2.67*  | 2.67*  | -      | 8.00 (2.90 - 9.20) | 2.504 (0.690 - 2.894)               | 11.00               | 99               |
| 42+42+50                 | 2.51*                 | 2.51*  | 2.99*  | -      | 8.00 (2.90 - 9.20) | 2.504 (0.690 - 2.954)               | 11.00               | 99               |
| 42+42+60                 | 2.33*                 | 2.33*  | 3.33   | -      | 8.00 (2.90 - 9.20) | 2.487 (0.690 - 3.007)               | 10.92               | 99               |
| 42+50+50                 | 2.37*                 | 2.82*  | 2.82*  | -      | 8.00 (2.90 - 9.20) | 2.504 (0.690 - 3.014)               | 11.00               | 99               |
| 15+15+15+15              | 1.40                  | 1.40   | 1.40   | 1.40   | 5.60 (3.70 - 7.20) | 1.352 (0.660 - 2.972)               | 5.94                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 15+15+15+20              | 1.38                  | 1.38   | 1.38   | 1.85   | 6.00 (3.70 - 7.60) | 1.450 (0.660 - 3.160)               | 6.37                | 99               |
| 15+15+15+22              | 1.38                  | 1.38   | 1.38   | 2.02   | 6.15 (3.70 - 7.70) | 1.483 (0.660 - 3.233)               | 6.51                | 99               |
| 15+15+15+25              | 1.37                  | 1.37   | 1.37   | 2.29   | 6.40 (3.70 - 7.90) | 1.543 (0.660 - 3.353)               | 6.78                | 99               |
| 15+15+15+35              | 1.33                  | 1.33   | 1.33   | 3.11   | 7.10 (3.70 - 8.60) | 1.743 (0.660 - 3.733)               | 7.65                | 99               |
| 15+15+15+42              | 1.31                  | 1.31   | 1.31   | 3.67*  | 7.60 (3.70 - 9.10) | 1.877 (0.660 - 3.997)               | 8.24                | 99               |
| 15+15+15+50              | 1.22                  | 1.22   | 1.22   | 4.05*  | 7.70 (3.70 - 9.20) | 1.897 (0.660 - 4.037)               | 8.33                | 99               |
| 15+15+15+60              | 1.10                  | 1.10   | 1.10   | 4.40   | 7.70 (3.70 - 9.20) | 1.880 (0.660 - 4.020)               | 8.26                | 99               |
| 15+15+15+71              | 1.00                  | 1.00   | 1.00   | 4.71   | 7.70 (3.70 - 9.20) | 1.884 (0.660 - 4.024)               | 8.27                | 99               |
| 15+15+20+20              | 1.35                  | 1.35   | 1.80   | 1.80   | 6.30 (3.70 - 7.90) | 1.548 (0.660 - 3.358)               | 6.80                | 99               |
| 15+15+20+22              | 1.36                  | 1.36   | 1.82   | 2.00   | 6.55 (3.70 - 8.10) | 1.581 (0.660 - 3.421)               | 6.94                | 99               |
| 15+15+20+25              | 1.36                  | 1.36   | 1.81   | 2.27   | 6.80 (3.70 - 8.30) | 1.641 (0.660 - 3.541)               | 7.21                | 99               |
| 15+15+20+35              | 1.32                  | 1.32   | 1.76   | 3.09   | 7.50 (3.70 - 9.00) | 1.841 (0.660 - 3.921)               | 8.09                | 99               |
| 15+15+20+42              | 1.26                  | 1.26   | 1.67   | 3.52*  | 7.70 (3.70 - 9.20) | 1.895 (0.660 - 4.035)               | 8.32                | 99               |
| 15+15+20+50              | 1.16                  | 1.16   | 1.54   | 3.85*  | 7.70 (3.70 - 9.20) | 1.895 (0.660 - 4.035)               | 8.32                | 99               |
| 15+15+20+60              | 1.05                  | 1.05   | 1.40   | 4.20   | 7.70 (3.70 - 9.20) | 1.878 (0.660 - 4.018)               | 8.25                | 99               |
| 15+15+20+71              | 0.95                  | 0.95   | 1.27   | 4.52   | 7.70 (3.70 - 9.20) | 1.882 (0.660 - 4.022)               | 8.27                | 99               |
| 15+15+22+22              | 1.36                  | 1.36   | 1.99   | 1.99   | 6.70 (3.70 - 8.20) | 1.614 (0.660 - 3.494)               | 7.09                | 99               |
| 15+15+22+25              | 1.35                  | 1.35   | 1.99   | 2.26   | 6.95 (3.70 - 8.40) | 1.674 (0.660 - 3.614)               | 7.35                | 99               |
| 15+15+22+35              | 1.32                  | 1.32   | 1.93   | 3.08   | 7.65 (3.70 - 9.10) | 1.874 (0.660 - 3.994)               | 8.23                | 99               |
| 15+15+22+42              | 1.24                  | 1.24   | 1.81   | 3.46*  | 7.75 (3.70 - 9.20) | 1.888 (0.660 - 4.028)               | 8.29                | 99               |
| 15+15+22+50              | 1.14                  | 1.14   | 1.67   | 3.80*  | 7.75 (3.70 - 9.20) | 1.888 (0.660 - 4.028)               | 8.29                | 99               |
| 15+15+22+60              | 1.04                  | 1.04   | 1.52   | 4.15   | 7.75 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 15+15+22+71              | 0.95                  | 0.95   | 1.39   | 4.47   | 7.75 (3.70 - 9.20) | 1.875 (0.660 - 4.015)               | 8.23                | 99               |
| 15+15+25+25              | 1.35                  | 1.35   | 2.25   | 2.25   | 7.20 (3.70 - 8.60) | 1.734 (0.660 - 3.724)               | 7.62                | 99               |
| 15+15+25+35              | 1.30                  | 1.30   | 2.17   | 3.03   | 7.80 (3.70 - 9.20) | 1.894 (0.660 - 4.034)               | 8.32                | 99               |
| 15+15+25+42              | 1.21                  | 1.21   | 2.01   | 3.38*  | 7.80 (3.70 - 9.20) | 1.888 (0.660 - 4.028)               | 8.29                | 99               |
| 15+15+25+50              | 1.11                  | 1.11   | 1.86   | 3.71*  | 7.80 (3.70 - 9.20) | 1.888 (0.660 - 4.028)               | 8.29                | 99               |
| 15+15+25+60              | 1.02                  | 1.02   | 1.70   | 4.07   | 7.80 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 15+15+25+71              | 0.93                  | 0.93   | 1.55   | 4.40   | 7.80 (3.70 - 9.20) | 1.875 (0.660 - 4.015)               | 8.23                | 99               |
| 15+15+35+35              | 1.17                  | 1.17   | 2.73   | 2.73   | 7.80 (3.70 - 9.20) | 1.894 (0.660 - 4.034)               | 8.32                | 99               |
| 15+15+35+42              | 1.09                  | 1.09   | 2.55   | 3.06*  | 7.80 (3.70 - 9.20) | 1.888 (0.660 - 4.028)               | 8.29                | 99               |
| 15+15+35+50              | 1.02                  | 1.02   | 2.37   | 3.39*  | 7.80 (3.70 - 9.20) | 1.888 (0.660 - 4.028)               | 8.29                | 99               |
| 15+15+35+60              | 0.94                  | 0.94   | 2.18   | 3.74   | 7.80 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 15+15+35+71              | 0.86                  | 0.86   | 2.01   | 4.07   | 7.80 (3.70 - 9.20) | 1.875 (0.660 - 4.015)               | 8.23                | 99               |
| 15+15+42+42              | 1.03                  | 1.03   | 2.87*  | 2.87*  | 7.80 (3.70 - 9.20) | 1.882 (0.660 - 4.022)               | 8.27                | 99               |
| 15+15+42+50              | 0.96                  | 0.96   | 2.69*  | 3.20*  | 7.80 (3.70 - 9.20) | 1.882 (0.660 - 4.022)               | 8.27                | 99               |
| 15+15+42+60              | 0.89                  | 0.89   | 2.48*  | 3.55   | 7.80 (3.70 - 9.20) | 1.865 (0.660 - 4.005)               | 8.19                | 99               |
| 15+15+42+71              | 0.82                  | 0.82   | 2.29*  | 3.87   | 7.80 (3.70 - 9.20) | 1.869 (0.660 - 4.009)               | 8.21                | 99               |
| 15+15+50+50              | 0.90                  | 0.90   | 3.00*  | 3.00*  | 7.80 (3.70 - 9.20) | 1.882 (0.660 - 4.022)               | 8.27                | 99               |
| 15+15+50+60              | 0.84                  | 0.84   | 2.79*  | 3.34   | 7.80 (3.70 - 9.20) | 1.865 (0.660 - 4.005)               | 8.19                | 99               |
| 15+20+20+20              | 1.34                  | 1.79   | 1.79   | 1.79   | 6.70 (3.70 - 8.30) | 1.646 (0.660 - 3.546)               | 7.23                | 99               |
| 15+20+20+22              | 1.33                  | 1.78   | 1.78   | 1.96   | 6.85 (3.70 - 8.40) | 1.679 (0.660 - 3.619)               | 7.37                | 99               |
| 15+20+20+25              | 1.33                  | 1.78   | 1.78   | 2.22   | 7.10 (3.70 - 8.60) | 1.739 (0.660 - 3.729)               | 7.64                | 99               |
| 15+20+20+35              | 1.28                  | 1.71   | 1.71   | 2.99   | 7.70 (3.70 - 9.20) | 1.899 (0.660 - 4.039)               | 8.34                | 99               |
| 15+20+20+42              | 1.19                  | 1.59   | 1.59   | 3.33*  | 7.70 (3.70 - 9.20) | 1.893 (0.660 - 4.033)               | 8.31                | 99               |
| 15+20+20+50              | 1.10                  | 1.47   | 1.47   | 3.67*  | 7.70 (3.70 - 9.20) | 1.893 (0.660 - 4.033)               | 8.31                | 99               |
| 15+20+20+60              | 1.00                  | 1.34   | 1.34   | 4.02   | 7.70 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 15+20+20+71              | 0.92                  | 1.22   | 1.22   | 4.34   | 7.70 (3.70 - 9.20) | 1.880 (0.660 - 4.020)               | 8.26                | 99               |
| 15+20+22+22              | 1.35                  | 1.80   | 1.98   | 1.98   | 7.10 (3.70 - 8.60) | 1.712 (0.660 - 3.682)               | 7.52                | 99               |
| 15+20+22+25              | 1.34                  | 1.79   | 1.97   | 2.24   | 7.35 (3.70 - 8.80) | 1.772 (0.660 - 3.802)               | 7.78                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 15+20+22+35              | 1.26                  | 1.68   | 1.85   | 2.95   | 7.75 (3.70 - 9.20) | 1.892 (0.660 - 4.032)               | 8.31                | 99               |
| 15+20+22+42              | 1.17                  | 1.57   | 1.72   | 3.29*  | 7.75 (3.70 - 9.20) | 1.886 (0.660 - 4.026)               | 8.28                | 99               |
| 15+20+22+50              | 1.09                  | 1.45   | 1.59   | 3.62*  | 7.75 (3.70 - 9.20) | 1.886 (0.660 - 4.026)               | 8.28                | 99               |
| 15+20+22+60              | 0.99                  | 1.32   | 1.46   | 3.97   | 7.75 (3.70 - 9.20) | 1.869 (0.660 - 4.009)               | 8.21                | 99               |
| 15+20+22+71              | 0.91                  | 1.21   | 1.33   | 4.30   | 7.75 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+20+25+25              | 1.34                  | 1.79   | 2.24   | 2.24   | 7.60 (3.70 - 9.00) | 1.832 (0.660 - 3.912)               | 8.05                | 99               |
| 15+20+25+35              | 1.23                  | 1.64   | 2.05   | 2.87   | 7.80 (3.70 - 9.20) | 1.892 (0.660 - 4.032)               | 8.31                | 99               |
| 15+20+25+42              | 1.15                  | 1.53   | 1.91   | 3.21*  | 7.80 (3.70 - 9.20) | 1.886 (0.660 - 4.026)               | 8.28                | 99               |
| 15+20+25+50              | 1.06                  | 1.42   | 1.77   | 3.55*  | 7.80 (3.70 - 9.20) | 1.886 (0.660 - 4.026)               | 8.28                | 99               |
| 15+20+25+60              | 0.98                  | 1.30   | 1.63   | 3.90   | 7.80 (3.70 - 9.20) | 1.869 (0.660 - 4.009)               | 8.21                | 99               |
| 15+20+25+71              | 0.89                  | 1.19   | 1.49   | 4.23   | 7.80 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+20+35+35              | 1.11                  | 1.49   | 2.60   | 2.60   | 7.80 (3.70 - 9.20) | 1.892 (0.660 - 4.032)               | 8.31                | 99               |
| 15+20+35+42              | 1.04                  | 1.39   | 2.44   | 2.93*  | 7.80 (3.70 - 9.20) | 1.886 (0.660 - 4.026)               | 8.28                | 99               |
| 15+20+35+50              | 0.98                  | 1.30   | 2.28   | 3.25*  | 7.80 (3.70 - 9.20) | 1.886 (0.660 - 4.026)               | 8.28                | 99               |
| 15+20+35+60              | 0.90                  | 1.20   | 2.10   | 3.60   | 7.80 (3.70 - 9.20) | 1.869 (0.660 - 4.009)               | 8.21                | 99               |
| 15+20+35+71              | 0.83                  | 1.11   | 1.94   | 3.93   | 7.80 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+20+42+42              | 0.98                  | 1.31   | 2.75*  | 2.75*  | 7.80 (3.70 - 9.20) | 1.880 (0.660 - 4.020)               | 8.26                | 99               |
| 15+20+42+50              | 0.92                  | 1.23   | 2.58*  | 3.07*  | 7.80 (3.70 - 9.20) | 1.880 (0.660 - 4.020)               | 8.26                | 99               |
| 15+20+42+60              | 0.85                  | 1.14   | 2.39*  | 3.42   | 7.80 (3.70 - 9.20) | 1.863 (0.660 - 4.003)               | 8.18                | 99               |
| 15+20+50+50              | 0.87                  | 1.16   | 2.89*  | 2.89*  | 7.80 (3.70 - 9.20) | 1.880 (0.660 - 4.020)               | 8.26                | 99               |
| 15+20+50+60              | 0.81                  | 1.08   | 2.69*  | 3.23   | 7.80 (3.70 - 9.20) | 1.863 (0.660 - 4.003)               | 8.18                | 99               |
| 15+22+22+22              | 1.34                  | 1.97   | 1.97   | 1.97   | 7.25 (3.70 - 8.70) | 1.745 (0.660 - 3.755)               | 7.66                | 99               |
| 15+22+22+25              | 1.34                  | 1.96   | 1.96   | 2.23   | 7.50 (3.70 - 8.90) | 1.805 (0.660 - 3.875)               | 7.93                | 99               |
| 15+22+22+35              | 1.24                  | 1.83   | 1.83   | 2.90   | 7.80 (3.70 - 9.20) | 1.885 (0.660 - 4.025)               | 8.28                | 99               |
| 15+22+22+42              | 1.16                  | 1.70   | 1.70   | 3.24*  | 7.80 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+22+22+50              | 1.07                  | 1.57   | 1.57   | 3.58*  | 7.80 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+22+22+60              | 0.98                  | 1.44   | 1.44   | 3.93   | 7.80 (3.70 - 9.20) | 1.862 (0.660 - 4.002)               | 8.18                | 99               |
| 15+22+22+71              | 0.90                  | 1.32   | 1.32   | 4.26   | 7.80 (3.70 - 9.20) | 1.866 (0.660 - 4.006)               | 8.19                | 99               |
| 15+22+25+25              | 1.34                  | 1.96   | 2.23   | 2.23   | 7.75 (3.70 - 9.10) | 1.865 (0.660 - 3.985)               | 8.19                | 99               |
| 15+22+25+35              | 1.21                  | 1.78   | 2.02   | 2.83   | 7.85 (3.70 - 9.20) | 1.885 (0.660 - 4.025)               | 8.28                | 99               |
| 15+22+25+42              | 1.13                  | 1.66   | 1.89   | 3.17*  | 7.85 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+22+25+50              | 1.05                  | 1.54   | 1.75   | 3.50*  | 7.85 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+22+25+60              | 0.97                  | 1.42   | 1.61   | 3.86   | 7.85 (3.70 - 9.20) | 1.862 (0.660 - 4.002)               | 8.18                | 99               |
| 15+22+25+71              | 0.89                  | 1.30   | 1.48   | 4.19   | 7.85 (3.70 - 9.20) | 1.866 (0.660 - 4.006)               | 8.19                | 99               |
| 15+22+35+35              | 1.10                  | 1.61   | 2.57   | 2.57   | 7.85 (3.70 - 9.20) | 1.885 (0.660 - 4.025)               | 8.28                | 99               |
| 15+22+35+42              | 1.03                  | 1.51   | 2.41   | 2.89*  | 7.85 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+22+35+50              | 0.97                  | 1.42   | 2.25   | 3.22*  | 7.85 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+22+35+60              | 0.89                  | 1.31   | 2.08   | 3.57   | 7.85 (3.70 - 9.20) | 1.862 (0.660 - 4.002)               | 8.18                | 99               |
| 15+22+35+71              | 0.82                  | 1.21   | 1.92   | 3.90   | 7.85 (3.70 - 9.20) | 1.866 (0.660 - 4.006)               | 8.19                | 99               |
| 15+22+42+42              | 0.97                  | 1.43   | 2.72*  | 2.72*  | 7.85 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+22+42+50              | 0.91                  | 1.34   | 2.56*  | 3.04*  | 7.85 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+22+42+60              | 0.85                  | 1.24   | 2.37*  | 3.39   | 7.85 (3.70 - 9.20) | 1.856 (0.660 - 3.996)               | 8.15                | 99               |
| 15+22+50+50              | 0.86                  | 1.26   | 2.86*  | 2.86*  | 7.85 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+25+25+25              | 1.32                  | 2.19   | 2.19   | 2.19   | 7.90 (3.70 - 9.20) | 1.885 (0.660 - 4.025)               | 8.28                | 99               |
| 15+25+25+35              | 1.19                  | 1.98   | 1.98   | 2.77   | 7.90 (3.70 - 9.20) | 1.885 (0.660 - 4.025)               | 8.28                | 99               |
| 15+25+25+42              | 1.11                  | 1.85   | 1.85   | 3.10*  | 7.90 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+25+25+50              | 1.03                  | 1.72   | 1.72   | 3.43*  | 7.90 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+25+25+60              | 0.95                  | 1.58   | 1.58   | 3.79   | 7.90 (3.70 - 9.20) | 1.862 (0.660 - 4.002)               | 8.18                | 99               |
| 15+25+25+71              | 0.87                  | 1.45   | 1.45   | 4.12   | 7.90 (3.70 - 9.20) | 1.866 (0.660 - 4.006)               | 8.19                | 99               |
| 15+25+35+35              | 1.08                  | 1.80   | 2.51   | 2.51   | 7.90 (3.70 - 9.20) | 1.885 (0.660 - 4.025)               | 8.28                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 15+25+35+42              | 1.01                  | 1.69   | 2.36   | 2.84*  | 7.90 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+25+35+50              | 0.95                  | 1.58   | 2.21   | 3.16*  | 7.90 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+25+35+60              | 0.88                  | 1.46   | 2.05   | 3.51   | 7.90 (3.70 - 9.20) | 1.862 (0.660 - 4.002)               | 8.18                | 99               |
| 15+25+42+42              | 0.96                  | 1.59   | 2.68*  | 2.68*  | 7.90 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+25+42+50              | 0.90                  | 1.50   | 2.51*  | 2.99*  | 7.90 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+25+42+60              | 0.83                  | 1.39   | 2.34*  | 3.34   | 7.90 (3.70 - 9.20) | 1.856 (0.660 - 3.996)               | 8.15                | 99               |
| 15+25+50+50              | 0.85                  | 1.41   | 2.82*  | 2.82*  | 7.90 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+35+35+35              | 0.99                  | 2.30   | 2.30   | 2.30   | 7.90 (3.70 - 9.20) | 1.885 (0.660 - 4.025)               | 8.28                | 99               |
| 15+35+35+42              | 0.93                  | 2.18   | 2.18   | 2.61*  | 7.90 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+35+35+50              | 0.88                  | 2.05   | 2.05   | 2.93*  | 7.90 (3.70 - 9.20) | 1.879 (0.660 - 4.019)               | 8.25                | 99               |
| 15+35+35+60              | 0.82                  | 1.91   | 1.91   | 3.27   | 7.90 (3.70 - 9.20) | 1.862 (0.660 - 4.002)               | 8.18                | 99               |
| 15+35+42+42              | 0.88                  | 2.06   | 2.48*  | 2.48*  | 7.90 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+35+42+50              | 0.83                  | 1.95   | 2.34*  | 2.78*  | 7.90 (3.70 - 9.20) | 1.873 (0.660 - 4.013)               | 8.23                | 99               |
| 15+42+42+42              | 0.84                  | 2.35*  | 2.35*  | 2.35*  | 7.90 (3.70 - 9.20) | 1.867 (0.660 - 4.007)               | 8.20                | 99               |
| 20+20+20+20              | 1.75                  | 1.75   | 1.75   | 1.75   | 7.00 (3.70 - 8.60) | 1.744 (0.660 - 3.734)               | 7.66                | 99               |
| 20+20+20+22              | 1.77                  | 1.77   | 1.77   | 1.95   | 7.25 (3.70 - 8.80) | 1.777 (0.660 - 3.807)               | 7.80                | 99               |
| 20+20+20+25              | 1.76                  | 1.76   | 1.76   | 2.21   | 7.50 (3.70 - 9.00) | 1.837 (0.660 - 3.917)               | 8.07                | 99               |
| 20+20+20+35              | 1.62                  | 1.62   | 1.62   | 2.84   | 7.70 (3.70 - 9.20) | 1.897 (0.660 - 4.037)               | 8.33                | 99               |
| 20+20+20+42              | 1.51                  | 1.51   | 1.51   | 3.17*  | 7.70 (3.70 - 9.20) | 1.891 (0.660 - 4.031)               | 8.30                | 99               |
| 20+20+20+50              | 1.40                  | 1.40   | 1.40   | 3.50*  | 7.70 (3.70 - 9.20) | 1.891 (0.660 - 4.031)               | 8.30                | 99               |
| 20+20+20+60              | 1.28                  | 1.28   | 1.28   | 3.85   | 7.70 (3.70 - 9.20) | 1.874 (0.660 - 4.014)               | 8.23                | 99               |
| 20+20+20+71              | 1.18                  | 1.18   | 1.18   | 4.17   | 7.70 (3.70 - 9.20) | 1.878 (0.660 - 4.018)               | 8.25                | 99               |
| 20+20+22+22              | 1.76                  | 1.76   | 1.94   | 1.94   | 7.40 (3.70 - 8.90) | 1.810 (0.660 - 3.880)               | 7.95                | 99               |
| 20+20+22+25              | 1.76                  | 1.76   | 1.93   | 2.20   | 7.65 (3.70 - 9.10) | 1.870 (0.660 - 3.990)               | 8.21                | 99               |
| 20+20+22+35              | 1.60                  | 1.60   | 1.76   | 2.80   | 7.75 (3.70 - 9.20) | 1.890 (0.660 - 4.030)               | 8.30                | 99               |
| 20+20+22+42              | 1.49                  | 1.49   | 1.64   | 3.13*  | 7.75 (3.70 - 9.20) | 1.884 (0.660 - 4.024)               | 8.27                | 99               |
| 20+20+22+50              | 1.38                  | 1.38   | 1.52   | 3.46*  | 7.75 (3.70 - 9.20) | 1.884 (0.660 - 4.024)               | 8.27                | 99               |
| 20+20+22+60              | 1.27                  | 1.27   | 1.40   | 3.81   | 7.75 (3.70 - 9.20) | 1.867 (0.660 - 4.007)               | 8.20                | 99               |
| 20+20+22+71              | 1.17                  | 1.17   | 1.28   | 4.14   | 7.75 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 20+20+25+25              | 1.73                  | 1.73   | 2.17   | 2.17   | 7.80 (3.70 - 9.20) | 1.890 (0.660 - 4.030)               | 8.30                | 99               |
| 20+20+25+35              | 1.56                  | 1.56   | 1.95   | 2.73   | 7.80 (3.70 - 9.20) | 1.890 (0.660 - 4.030)               | 8.30                | 99               |
| 20+20+25+42              | 1.46                  | 1.46   | 1.82   | 3.06*  | 7.80 (3.70 - 9.20) | 1.884 (0.660 - 4.024)               | 8.27                | 99               |
| 20+20+25+50              | 1.36                  | 1.36   | 1.70   | 3.39*  | 7.80 (3.70 - 9.20) | 1.884 (0.660 - 4.024)               | 8.27                | 99               |
| 20+20+25+60              | 1.25                  | 1.25   | 1.56   | 3.74   | 7.80 (3.70 - 9.20) | 1.867 (0.660 - 4.007)               | 8.20                | 99               |
| 20+20+25+71              | 1.15                  | 1.15   | 1.43   | 4.07   | 7.80 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 20+20+35+35              | 1.42                  | 1.42   | 2.48   | 2.48   | 7.80 (3.70 - 9.20) | 1.890 (0.660 - 4.030)               | 8.30                | 99               |
| 20+20+35+42              | 1.33                  | 1.33   | 2.33   | 2.80*  | 7.80 (3.70 - 9.20) | 1.884 (0.660 - 4.024)               | 8.27                | 99               |
| 20+20+35+50              | 1.25                  | 1.25   | 2.18   | 3.12*  | 7.80 (3.70 - 9.20) | 1.884 (0.660 - 4.024)               | 8.27                | 99               |
| 20+20+35+60              | 1.16                  | 1.16   | 2.02   | 3.47   | 7.80 (3.70 - 9.20) | 1.867 (0.660 - 4.007)               | 8.20                | 99               |
| 20+20+42+42              | 1.26                  | 1.26   | 2.64*  | 2.64*  | 7.80 (3.70 - 9.20) | 1.878 (0.660 - 4.018)               | 8.25                | 99               |
| 20+20+42+50              | 1.18                  | 1.18   | 2.48*  | 2.95*  | 7.80 (3.70 - 9.20) | 1.878 (0.660 - 4.018)               | 8.25                | 99               |
| 20+20+42+60              | 1.10                  | 1.10   | 2.31*  | 3.30   | 7.80 (3.70 - 9.20) | 1.861 (0.660 - 4.001)               | 8.17                | 99               |
| 20+20+50+50              | 1.11                  | 1.11   | 2.79*  | 2.79*  | 7.80 (3.70 - 9.20) | 1.878 (0.660 - 4.018)               | 8.25                | 99               |
| 20+22+22+22              | 1.78                  | 1.96   | 1.96   | 1.96   | 7.65 (3.70 - 9.10) | 1.843 (0.660 - 3.943)               | 8.09                | 99               |
| 20+22+22+25              | 1.75                  | 1.93   | 1.93   | 2.19   | 7.80 (3.70 - 9.20) | 1.883 (0.660 - 4.023)               | 8.27                | 99               |
| 20+22+22+35              | 1.58                  | 1.73   | 1.73   | 2.76   | 7.80 (3.70 - 9.20) | 1.883 (0.660 - 4.023)               | 8.27                | 99               |
| 20+22+22+42              | 1.47                  | 1.62   | 1.62   | 3.09*  | 7.80 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+22+22+50              | 1.37                  | 1.51   | 1.51   | 3.42*  | 7.80 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+22+22+60              | 1.26                  | 1.38   | 1.38   | 3.77   | 7.80 (3.70 - 9.20) | 1.860 (0.660 - 4.000)               | 8.17                | 99               |
| 20+22+22+71              | 1.16                  | 1.27   | 1.27   | 4.10   | 7.80 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 20+22+25+25              | 1.71                  | 1.88   | 2.13   | 2.13   | 7.85 (3.70 - 9.20) | 1.883 (0.660 - 4.023)               | 8.27                | 99               |
| 20+22+25+35              | 1.54                  | 1.69   | 1.92   | 2.69   | 7.85 (3.70 - 9.20) | 1.883 (0.660 - 4.023)               | 8.27                | 99               |
| 20+22+25+42              | 1.44                  | 1.58   | 1.80   | 3.02*  | 7.85 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+22+25+50              | 1.34                  | 1.48   | 1.68   | 3.35*  | 7.85 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+22+25+60              | 1.24                  | 1.36   | 1.55   | 3.71   | 7.85 (3.70 - 9.20) | 1.860 (0.660 - 4.000)               | 8.17                | 99               |
| 20+22+25+71              | 1.14                  | 1.25   | 1.42   | 4.04   | 7.85 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |
| 20+22+35+35              | 1.40                  | 1.54   | 2.45   | 2.45   | 7.85 (3.70 - 9.20) | 1.883 (0.660 - 4.023)               | 8.27                | 99               |
| 20+22+35+42              | 1.32                  | 1.45   | 2.31   | 2.77*  | 7.85 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+22+35+50              | 1.24                  | 1.36   | 2.16   | 3.09*  | 7.85 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+22+35+60              | 1.15                  | 1.26   | 2.01   | 3.44   | 7.85 (3.70 - 9.20) | 1.860 (0.660 - 4.000)               | 8.17                | 99               |
| 20+22+42+42              | 1.25                  | 1.37   | 2.62*  | 2.62*  | 7.85 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 20+22+42+50              | 1.17                  | 1.29   | 2.46*  | 2.93*  | 7.85 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 20+22+42+60              | 1.09                  | 1.20   | 2.29*  | 3.27   | 7.85 (3.70 - 9.20) | 1.854 (0.660 - 3.994)               | 8.14                | 99               |
| 20+22+50+50              | 1.11                  | 1.22   | 2.76*  | 2.76*  | 7.85 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 20+25+25+25              | 1.66                  | 2.08   | 2.08   | 2.08   | 7.90 (3.70 - 9.20) | 1.883 (0.660 - 4.023)               | 8.27                | 99               |
| 20+25+25+35              | 1.50                  | 1.88   | 1.88   | 2.63   | 7.90 (3.70 - 9.20) | 1.883 (0.660 - 4.023)               | 8.27                | 99               |
| 20+25+25+42              | 1.41                  | 1.76   | 1.76   | 2.96*  | 7.90 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+25+25+50              | 1.32                  | 1.65   | 1.65   | 3.29*  | 7.90 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+25+25+60              | 1.22                  | 1.52   | 1.52   | 3.65   | 7.90 (3.70 - 9.20) | 1.860 (0.660 - 4.000)               | 8.17                | 99               |
| 20+25+25+71              | 1.12                  | 1.40   | 1.40   | 3.98   | 7.90 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |
| 20+25+35+35              | 1.37                  | 1.72   | 2.40   | 2.40   | 7.90 (3.70 - 9.20) | 1.883 (0.660 - 4.023)               | 8.27                | 99               |
| 20+25+35+42              | 1.30                  | 1.62   | 2.27   | 2.72*  | 7.90 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+25+35+50              | 1.22                  | 1.52   | 2.13   | 3.04*  | 7.90 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+25+35+60              | 1.13                  | 1.41   | 1.98   | 3.39   | 7.90 (3.70 - 9.20) | 1.860 (0.660 - 4.000)               | 8.17                | 99               |
| 20+25+42+42              | 1.22                  | 1.53   | 2.57*  | 2.57*  | 7.90 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 20+25+42+50              | 1.15                  | 1.44   | 2.42*  | 2.88*  | 7.90 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 20+25+50+50              | 1.09                  | 1.36   | 2.72*  | 2.72*  | 7.90 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 20+35+35+35              | 1.26                  | 2.21   | 2.21   | 2.21   | 7.90 (3.70 - 9.20) | 1.883 (0.660 - 4.023)               | 8.27                | 99               |
| 20+35+35+42              | 1.20                  | 2.09   | 2.09   | 2.51*  | 7.90 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+35+35+50              | 1.13                  | 1.98   | 1.98   | 2.82*  | 7.90 (3.70 - 9.20) | 1.877 (0.660 - 4.017)               | 8.24                | 99               |
| 20+35+42+42              | 1.14                  | 1.99   | 2.39*  | 2.39*  | 7.90 (3.70 - 9.20) | 1.871 (0.660 - 4.011)               | 8.22                | 99               |
| 22+22+22+22              | 1.95                  | 1.95   | 1.95   | 1.95   | 7.80 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 22+22+22+25              | 1.90                  | 1.90   | 1.90   | 2.16   | 7.85 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 22+22+22+35              | 1.71                  | 1.71   | 1.71   | 2.72   | 7.85 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 22+22+22+42              | 1.60                  | 1.60   | 1.60   | 3.05*  | 7.85 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+22+22+50              | 1.49                  | 1.49   | 1.49   | 3.38*  | 7.85 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+22+22+60              | 1.37                  | 1.37   | 1.37   | 3.74   | 7.85 (3.70 - 9.20) | 1.853 (0.660 - 3.993)               | 8.14                | 99               |
| 22+22+22+71              | 1.26                  | 1.26   | 1.26   | 4.07   | 7.85 (3.70 - 9.20) | 1.857 (0.660 - 3.997)               | 8.16                | 99               |
| 22+22+25+25              | 1.85                  | 1.85   | 2.10   | 2.10   | 7.90 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 22+22+25+35              | 1.67                  | 1.67   | 1.90   | 2.66   | 7.90 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 22+22+25+42              | 1.57                  | 1.57   | 1.78   | 2.99*  | 7.90 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+22+25+50              | 1.46                  | 1.46   | 1.66   | 3.32*  | 7.90 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+22+25+60              | 1.35                  | 1.35   | 1.53   | 3.67   | 7.90 (3.70 - 9.20) | 1.853 (0.660 - 3.993)               | 8.14                | 99               |
| 22+22+25+71              | 1.24                  | 1.24   | 1.41   | 4.01   | 7.90 (3.70 - 9.20) | 1.857 (0.660 - 3.997)               | 8.16                | 99               |
| 22+22+35+35              | 1.52                  | 1.52   | 2.43   | 2.43   | 7.90 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 22+22+35+42              | 1.44                  | 1.44   | 2.29   | 2.74*  | 7.90 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+22+35+50              | 1.35                  | 1.35   | 2.14   | 3.06*  | 7.90 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+22+35+60              | 1.25                  | 1.25   | 1.99   | 3.41   | 7.90 (3.70 - 9.20) | 1.853 (0.660 - 3.993)               | 8.14                | 99               |
| 22+22+42+42              | 1.36                  | 1.36   | 2.59*  | 2.59*  | 7.90 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |
| 22+22+42+50              | 1.28                  | 1.28   | 2.44*  | 2.90*  | 7.90 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)      |                                     |                     |                  |
| 22+22+50+50              | 1.21                  | 1.21   | 2.74*  | 2.74*  | 7.90 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |
| 22+25+25+25              | 1.80                  | 2.05   | 2.05   | 2.05   | 7.95 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 22+25+25+35              | 1.63                  | 1.86   | 1.86   | 2.60   | 7.95 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 22+25+25+42              | 1.53                  | 1.74   | 1.74   | 2.93*  | 7.95 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+25+25+50              | 1.43                  | 1.63   | 1.63   | 3.26*  | 7.95 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+25+25+60              | 1.33                  | 1.51   | 1.51   | 3.61   | 7.95 (3.70 - 9.20) | 1.853 (0.660 - 3.993)               | 8.14                | 99               |
| 22+25+25+71              | 1.22                  | 1.39   | 1.39   | 3.95   | 7.95 (3.70 - 9.20) | 1.857 (0.660 - 3.997)               | 8.16                | 99               |
| 22+25+35+35              | 1.49                  | 1.70   | 2.38   | 2.38   | 7.95 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 22+25+35+42              | 1.41                  | 1.60   | 2.24   | 2.69*  | 7.95 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+25+35+50              | 1.33                  | 1.51   | 2.11   | 3.01*  | 7.95 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+25+35+60              | 1.23                  | 1.40   | 1.96   | 3.36   | 7.95 (3.70 - 9.20) | 1.853 (0.660 - 3.993)               | 8.14                | 99               |
| 22+25+42+42              | 1.34                  | 1.52   | 2.55*  | 2.55*  | 7.95 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |
| 22+25+42+50              | 1.26                  | 1.43   | 2.40*  | 2.86*  | 7.95 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |
| 22+35+35+35              | 1.38                  | 2.19   | 2.19   | 2.19   | 7.95 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 22+35+35+42              | 1.31                  | 2.08   | 2.08   | 2.49*  | 7.95 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+35+35+50              | 1.23                  | 1.96   | 1.96   | 2.80*  | 7.95 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 22+35+42+42              | 1.24                  | 1.97   | 2.37*  | 2.37*  | 7.95 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |
| 25+25+25+25              | 2.00                  | 2.00   | 2.00   | 2.00   | 8.00 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 25+25+25+35              | 1.82                  | 1.82   | 1.82   | 2.55   | 8.00 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 25+25+25+42              | 1.71                  | 1.71   | 1.71   | 2.87*  | 8.00 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 25+25+25+50              | 1.60                  | 1.60   | 1.60   | 3.20*  | 8.00 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 25+25+25+60              | 1.48                  | 1.48   | 1.48   | 3.56   | 8.00 (3.70 - 9.20) | 1.853 (0.660 - 3.993)               | 8.14                | 99               |
| 25+25+35+35              | 1.67                  | 1.67   | 2.33   | 2.33   | 8.00 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 25+25+35+42              | 1.57                  | 1.57   | 2.20   | 2.65*  | 8.00 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 25+25+35+50              | 1.48                  | 1.48   | 2.07   | 2.96*  | 8.00 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 25+25+35+60              | 1.38                  | 1.38   | 1.93   | 3.31   | 8.00 (3.70 - 9.20) | 1.853 (0.660 - 3.993)               | 8.14                | 99               |
| 25+25+42+42              | 1.49                  | 1.49   | 2.51*  | 2.51*  | 8.00 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |
| 25+25+42+50              | 1.41                  | 1.41   | 2.37*  | 2.82*  | 8.00 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |
| 25+35+35+35              | 1.54                  | 2.15   | 2.15   | 2.15   | 8.00 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |
| 25+35+35+42              | 1.46                  | 2.04   | 2.04   | 2.45*  | 8.00 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 25+35+35+50              | 1.38                  | 1.93   | 1.93   | 2.76*  | 8.00 (3.70 - 9.20) | 1.870 (0.660 - 4.010)               | 8.21                | 99               |
| 25+35+42+42              | 1.39                  | 1.94   | 2.33*  | 2.33*  | 8.00 (3.70 - 9.20) | 1.864 (0.660 - 4.004)               | 8.19                | 99               |
| 35+35+35+35              | 2.00                  | 2.00   | 2.00   | 2.00   | 8.00 (3.70 - 9.20) | 1.876 (0.660 - 4.016)               | 8.24                | 99               |

\*In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

| Model Name  | Total connected indoor unit | Rated capacity     |
|-------------|-----------------------------|--------------------|
|             | 3 units                     |                    |
| MSZ-AP42VGD | 90%                         | 2.12kW             |
| MSZ-AP50VGD | 80%                         | 2.12kW             |
| SLZ-M50FA   | 70%                         | 3.20kW (=3.56*0.9) |

# MXZ-4F80VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 15                       | 1.70                  | -      | -      | -      | 1.70 (1.50 - 3.20)  | 0.590 (0.590 - 1.300)               | 2.59                | 99               |
| 20                       | 2.20                  | -      | -      | -      | 2.20 (1.50 - 3.40)  | 0.620 (0.590 - 1.380)               | 2.72                | 99               |
| 22                       | 3.30                  | -      | -      | -      | 3.30 (1.50 - 4.80)  | 0.750 (0.600 - 1.670)               | 3.29                | 99               |
| 25                       | 3.60                  | -      | -      | -      | 3.60 (1.50 - 5.10)  | 0.800 (0.600 - 1.720)               | 3.51                | 99               |
| 35                       | 4.00                  | -      | -      | -      | 4.00 (1.50 - 5.60)  | 0.890 (0.600 - 1.890)               | 3.91                | 99               |
| 42                       | 5.40                  | -      | -      | -      | 5.40 (1.50 - 6.50)  | 1.250 (0.600 - 2.180)               | 5.49                | 99               |
| 50                       | 7.20                  | -      | -      | -      | 7.20 (1.50 - 7.50)  | 1.930 (0.700 - 2.520)               | 8.48                | 99               |
| 60                       | 7.90                  | -      | -      | -      | 7.90 (1.50 - 8.60)  | 2.200 (0.700 - 2.970)               | 9.66                | 99               |
| 71                       | 8.60                  | -      | -      | -      | 8.60 (1.50 - 9.20)  | 2.560 (0.730 - 3.400)               | 11.24               | 99               |
| 15+15                    | 1.70                  | 1.70   | -      | -      | 3.40 (3.00 - 5.00)  | 0.786 (0.780 - 2.466)               | 3.45                | 99               |
| 15+20                    | 1.67                  | 2.23   | -      | -      | 3.90 (3.00 - 5.80)  | 0.854 (0.780 - 2.554)               | 3.75                | 99               |
| 15+22                    | 1.66                  | 2.44   | -      | -      | 4.10 (3.00 - 6.10)  | 0.877 (0.780 - 2.587)               | 3.85                | 99               |
| 15+25                    | 1.65                  | 2.75   | -      | -      | 4.40 (3.00 - 6.60)  | 0.917 (0.780 - 2.637)               | 4.03                | 99               |
| 15+35                    | 2.16                  | 5.04   | -      | -      | 7.20 (3.00 - 8.80)  | 1.547 (0.720 - 2.787)               | 6.79                | 99               |
| 15+42                    | 1.97                  | 5.53   | -      | -      | 7.50 (3.00 - 9.20)  | 1.651 (0.720 - 2.841)               | 7.25                | 99               |
| 15+50                    | 1.80                  | 6.00   | -      | -      | 7.80 (3.00 - 9.60)  | 1.771 (0.720 - 2.921)               | 7.78                | 99               |
| 15+60                    | 1.66                  | 6.64   | -      | -      | 8.30 (3.00 - 10.20) | 1.984 (0.710 - 3.024)               | 8.71                | 99               |
| 15+71                    | 1.53                  | 7.27   | -      | -      | 8.80 (3.00 - 11.00) | 2.258 (0.690 - 3.158)               | 9.92                | 99               |
| 20+20                    | 2.20                  | 2.20   | -      | -      | 4.40 (3.00 - 6.60)  | 0.922 (0.780 - 2.642)               | 4.05                | 99               |
| 20+22                    | 2.62                  | 2.88   | -      | -      | 5.50 (3.00 - 6.90)  | 1.145 (0.750 - 2.635)               | 5.03                | 99               |
| 20+25                    | 2.98                  | 3.72   | -      | -      | 6.70 (3.00 - 7.50)  | 1.405 (0.720 - 2.665)               | 6.17                | 99               |
| 20+35                    | 2.69                  | 4.71   | -      | -      | 7.40 (3.00 - 9.10)  | 1.625 (0.720 - 2.835)               | 7.14                | 99               |
| 20+42                    | 2.48                  | 5.22   | -      | -      | 7.70 (3.00 - 9.40)  | 1.729 (0.720 - 2.889)               | 7.59                | 99               |
| 20+50                    | 2.29                  | 5.71   | -      | -      | 8.00 (3.00 - 9.80)  | 1.849 (0.720 - 2.959)               | 8.12                | 99               |
| 20+60                    | 2.15                  | 6.45   | -      | -      | 8.60 (3.00 - 10.70) | 2.132 (0.700 - 3.092)               | 9.36                | 99               |
| 20+71                    | 1.93                  | 6.87   | -      | -      | 8.80 (3.00 - 11.00) | 2.256 (0.690 - 3.156)               | 9.91                | 99               |
| 22+22                    | 3.30                  | 3.30   | -      | -      | 6.60 (3.00 - 7.20)  | 1.368 (0.720 - 2.628)               | 6.01                | 99               |
| 22+25                    | 3.23                  | 3.67   | -      | -      | 6.90 (3.00 - 8.00)  | 1.458 (0.720 - 2.708)               | 6.40                | 99               |
| 22+35                    | 2.89                  | 4.61   | -      | -      | 7.50 (3.00 - 9.20)  | 1.648 (0.720 - 2.838)               | 7.24                | 99               |
| 22+42                    | 2.68                  | 5.12   | -      | -      | 7.80 (3.00 - 9.50)  | 1.752 (0.720 - 2.902)               | 7.69                | 99               |
| 22+50                    | 2.48                  | 5.63   | -      | -      | 8.10 (3.00 - 10.00) | 1.902 (0.720 - 2.982)               | 8.35                | 99               |
| 22+60                    | 2.33                  | 6.37   | -      | -      | 8.70 (3.00 - 10.80) | 2.185 (0.690 - 3.115)               | 9.60                | 99               |
| 22+71                    | 2.08                  | 6.72   | -      | -      | 8.80 (3.00 - 11.00) | 2.249 (0.690 - 3.149)               | 9.88                | 99               |
| 25+25                    | 3.60                  | 3.60   | -      | -      | 7.20 (3.00 - 8.80)  | 1.538 (0.720 - 2.778)               | 6.75                | 99               |
| 25+35                    | 3.17                  | 4.43   | -      | -      | 7.60 (3.00 - 9.30)  | 1.698 (0.720 - 2.868)               | 7.46                | 99               |
| 25+42                    | 2.95                  | 4.95   | -      | -      | 7.90 (3.00 - 9.70)  | 1.792 (0.720 - 2.922)               | 7.87                | 99               |
| 25+50                    | 2.77                  | 5.53   | -      | -      | 8.30 (3.00 - 10.20) | 1.992 (0.710 - 3.032)               | 8.75                | 99               |
| 25+60                    | 2.59                  | 6.21   | -      | -      | 8.80 (3.00 - 11.00) | 2.245 (0.690 - 3.145)               | 9.86                | 99               |
| 25+71                    | 2.29                  | 6.51   | -      | -      | 8.80 (3.00 - 11.00) | 2.249 (0.690 - 3.149)               | 9.88                | 99               |
| 35+35                    | 4.00                  | 4.00   | -      | -      | 8.00 (3.00 - 9.80)  | 1.848 (0.720 - 2.958)               | 8.12                | 99               |
| 35+42                    | 3.82                  | 4.58   | -      | -      | 8.40 (3.00 - 10.40) | 2.052 (0.710 - 3.062)               | 9.01                | 99               |
| 35+50                    | 3.62                  | 5.18   | -      | -      | 8.80 (3.00 - 11.00) | 2.262 (0.690 - 3.162)               | 9.93                | 99               |
| 35+60                    | 3.24                  | 5.56   | -      | -      | 8.80 (3.00 - 11.00) | 2.245 (0.690 - 3.145)               | 9.86                | 99               |
| 35+71                    | 2.91                  | 5.89   | -      | -      | 8.80 (3.00 - 11.00) | 2.249 (0.690 - 3.149)               | 9.88                | 99               |
| 42+42                    | 4.40                  | 4.40   | -      | -      | 8.80 (3.00 - 11.00) | 2.256 (0.690 - 3.156)               | 9.91                | 99               |
| 42+50                    | 4.02                  | 4.78   | -      | -      | 8.80 (3.00 - 11.00) | 2.256 (0.690 - 3.156)               | 9.91                | 99               |
| 42+60                    | 3.62                  | 5.18   | -      | -      | 8.80 (3.00 - 11.00) | 2.239 (0.690 - 3.139)               | 9.83                | 99               |
| 42+71                    | 3.27                  | 5.53   | -      | -      | 8.80 (3.00 - 11.00) | 2.243 (0.690 - 3.143)               | 9.85                | 99               |
| 50+50                    | 4.40                  | 4.40   | -      | -      | 8.80 (3.00 - 11.00) | 2.256 (0.690 - 3.156)               | 9.91                | 99               |
| 50+60                    | 4.00                  | 4.80   | -      | -      | 8.80 (3.00 - 11.00) | 2.239 (0.690 - 3.139)               | 9.83                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 50+71                    | 3.64                  | 5.16   | -      | -      | 8.80 (3.00 - 11.00) | 2.243 (0.690 - 3.143)               | 9.85                | 99               |
| 60+60                    | 4.40                  | 4.40   | -      | -      | 8.80 (3.00 - 11.00) | 2.222 (0.690 - 3.122)               | 9.76                | 99               |
| 60+71                    | 4.03                  | 4.77   | -      | -      | 8.80 (3.00 - 11.00) | 2.226 (0.690 - 3.126)               | 9.78                | 99               |
| 71+71                    | 4.40                  | 4.40   | -      | -      | 8.80 (3.00 - 11.00) | 2.230 (0.690 - 3.130)               | 9.79                | 99               |
| 35+71                    | 2.91                  | 5.89   | -      | -      | 8.80 (3.00 - 11.00) | 2.249 (0.690 - 3.149)               | 9.88                | 99               |
| 42+42                    | 4.40                  | 4.40   | -      | -      | 8.80 (3.00 - 11.00) | 2.256 (0.690 - 3.156)               | 9.91                | 99               |
| 42+50                    | 4.02                  | 4.78   | -      | -      | 8.80 (3.00 - 11.00) | 2.256 (0.690 - 3.156)               | 9.91                | 99               |
| 42+71                    | 3.27                  | 5.53   | -      | -      | 8.80 (3.00 - 11.00) | 2.243 (0.690 - 3.143)               | 9.85                | 99               |
| 50+50                    | 4.40                  | 4.40   | -      | -      | 8.80 (3.00 - 11.00) | 2.256 (0.690 - 3.156)               | 9.91                | 99               |
| 50+60                    | 4.00                  | 4.80   | -      | -      | 8.80 (3.00 - 11.00) | 2.239 (0.690 - 3.139)               | 9.83                | 99               |
| 50+71                    | 3.64                  | 5.16   | -      | -      | 8.80 (3.00 - 11.00) | 2.243 (0.690 - 3.143)               | 9.85                | 99               |
| 60+60                    | 4.40                  | 4.40   | -      | -      | 8.80 (3.00 - 11.00) | 2.222 (0.690 - 3.122)               | 9.76                | 99               |
| 60+71                    | 4.03                  | 4.77   | -      | -      | 8.80 (3.00 - 11.00) | 2.226 (0.690 - 3.126)               | 9.78                | 99               |
| 71+71                    | 4.40                  | 4.40   | -      | -      | 8.80 (3.00 - 11.00) | 2.230 (0.690 - 3.130)               | 9.79                | 99               |
| 15+15+15                 | 1.70                  | 1.70   | 1.70   | -      | 5.10 (3.20 - 8.50)  | 0.909 (0.530 - 3.879)               | 3.99                | 99               |
| 15+15+20                 | 1.68                  | 1.68   | 2.24   | -      | 5.60 (3.20 - 8.90)  | 1.067 (0.530 - 3.877)               | 4.69                | 99               |
| 15+15+22                 | 1.67                  | 1.67   | 2.45   | -      | 5.80 (3.20 - 9.10)  | 1.120 (0.530 - 3.870)               | 4.92                | 99               |
| 15+15+25                 | 1.66                  | 1.66   | 2.77   | -      | 6.10 (3.20 - 9.30)  | 1.220 (0.530 - 3.870)               | 5.36                | 99               |
| 15+15+35                 | 1.94                  | 1.94   | 4.52   | -      | 8.40 (3.20 - 10.50) | 1.660 (0.530 - 3.870)               | 7.29                | 99               |
| 15+15+42                 | 1.83                  | 1.83   | 5.13   | -      | 8.80 (3.20 - 11.30) | 1.794 (0.530 - 3.864)               | 7.88                | 99               |
| 15+15+50                 | 1.65                  | 1.65   | 5.50   | -      | 8.80 (3.20 - 11.60) | 1.834 (0.530 - 3.864)               | 8.05                | 99               |
| 15+15+60                 | 1.47                  | 1.47   | 5.87   | -      | 8.80 (3.20 - 11.60) | 1.817 (0.530 - 3.847)               | 7.98                | 99               |
| 15+15+71                 | 1.31                  | 1.31   | 6.19   | -      | 8.80 (3.20 - 11.60) | 1.821 (0.530 - 3.851)               | 8.00                | 99               |
| 15+20+20                 | 1.66                  | 2.22   | 2.22   | -      | 6.10 (3.20 - 9.30)  | 1.225 (0.530 - 3.875)               | 5.38                | 99               |
| 15+20+22                 | 1.66                  | 2.21   | 2.43   | -      | 6.30 (3.20 - 9.50)  | 1.278 (0.530 - 3.868)               | 5.61                | 99               |
| 15+20+25                 | 1.65                  | 2.20   | 2.75   | -      | 6.60 (3.20 - 9.70)  | 1.378 (0.530 - 3.868)               | 6.05                | 99               |
| 15+20+35                 | 1.86                  | 2.49   | 4.35   | -      | 8.70 (3.20 - 11.00) | 1.768 (0.530 - 3.868)               | 7.76                | 99               |
| 15+20+42                 | 1.71                  | 2.29   | 4.80   | -      | 8.80 (3.20 - 11.60) | 1.832 (0.530 - 3.862)               | 8.05                | 99               |
| 15+20+50                 | 1.55                  | 2.07   | 5.18   | -      | 8.80 (3.20 - 11.60) | 1.832 (0.530 - 3.862)               | 8.05                | 99               |
| 15+20+60                 | 1.39                  | 1.85   | 5.56   | -      | 8.80 (3.20 - 11.60) | 1.815 (0.530 - 3.845)               | 7.97                | 99               |
| 15+20+71                 | 1.25                  | 1.66   | 5.89   | -      | 8.80 (3.20 - 11.60) | 1.819 (0.530 - 3.849)               | 7.99                | 99               |
| 15+22+22                 | 1.65                  | 2.42   | 2.42   | -      | 6.50 (3.20 - 9.60)  | 1.341 (0.530 - 3.861)               | 5.89                | 99               |
| 15+22+25                 | 1.77                  | 2.59   | 2.94   | -      | 7.30 (3.20 - 10.00) | 1.481 (0.530 - 3.861)               | 6.50                | 99               |
| 15+22+35                 | 1.83                  | 2.69   | 4.28   | -      | 8.80 (3.20 - 11.30) | 1.791 (0.530 - 3.861)               | 7.87                | 99               |
| 15+22+42                 | 1.67                  | 2.45   | 4.68   | -      | 8.80 (3.20 - 11.60) | 1.825 (0.530 - 3.855)               | 8.01                | 99               |
| 15+22+50                 | 1.52                  | 2.23   | 5.06   | -      | 8.80 (3.20 - 11.60) | 1.825 (0.530 - 3.855)               | 8.01                | 99               |
| 15+22+60                 | 1.36                  | 2.00   | 5.44   | -      | 8.80 (3.20 - 11.60) | 1.808 (0.530 - 3.838)               | 7.94                | 99               |
| 15+22+71                 | 1.22                  | 1.79   | 5.79   | -      | 8.80 (3.20 - 11.60) | 1.812 (0.530 - 3.842)               | 7.96                | 99               |
| 15+25+25                 | 1.94                  | 3.23   | 3.23   | -      | 8.40 (3.20 - 10.50) | 1.651 (0.530 - 3.861)               | 7.25                | 99               |
| 15+25+35                 | 1.76                  | 2.93   | 4.11   | -      | 8.80 (3.20 - 11.60) | 1.831 (0.530 - 3.861)               | 8.04                | 99               |
| 15+25+42                 | 1.61                  | 2.68   | 4.51   | -      | 8.80 (3.20 - 11.60) | 1.825 (0.530 - 3.855)               | 8.01                | 99               |
| 15+25+50                 | 1.47                  | 2.44   | 4.89   | -      | 8.80 (3.20 - 11.60) | 1.825 (0.530 - 3.855)               | 8.01                | 99               |
| 15+25+60                 | 1.32                  | 2.20   | 5.28   | -      | 8.80 (3.20 - 11.60) | 1.808 (0.530 - 3.838)               | 7.94                | 99               |
| 15+25+71                 | 1.19                  | 1.98   | 5.63   | -      | 8.80 (3.20 - 11.60) | 1.812 (0.530 - 3.842)               | 7.96                | 99               |
| 15+35+35                 | 1.55                  | 3.62   | 3.62   | -      | 8.80 (3.20 - 11.60) | 1.831 (0.530 - 3.861)               | 8.04                | 99               |
| 15+35+42                 | 1.43                  | 3.35   | 4.02   | -      | 8.80 (3.20 - 11.60) | 1.825 (0.530 - 3.855)               | 8.01                | 99               |
| 15+35+50                 | 1.32                  | 3.08   | 4.40   | -      | 8.80 (3.20 - 11.60) | 1.825 (0.530 - 3.855)               | 8.01                | 99               |
| 15+35+60                 | 1.20                  | 2.80   | 4.80   | -      | 8.80 (3.20 - 11.60) | 1.808 (0.530 - 3.838)               | 7.94                | 99               |
| 15+35+71                 | 1.09                  | 2.55   | 5.16   | -      | 8.80 (3.20 - 11.60) | 1.812 (0.530 - 3.842)               | 7.96                | 99               |
| 15+42+42                 | 1.33                  | 3.73   | 3.73   | -      | 8.80 (3.20 - 11.60) | 1.819 (0.530 - 3.849)               | 7.99                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 15+42+50                 | 1.23                  | 3.45   | 4.11   | -      | 8.80 (3.20 - 11.60) | 1.819 (0.530 - 3.849)               | 7.99                | 99               |
| 15+42+60                 | 1.13                  | 3.16   | 4.51   | -      | 8.80 (3.20 - 11.60) | 1.802 (0.530 - 3.832)               | 7.91                | 99               |
| 15+42+71                 | 1.03                  | 2.89   | 4.88   | -      | 8.80 (3.20 - 11.60) | 1.806 (0.530 - 3.836)               | 7.93                | 99               |
| 15+50+50                 | 1.15                  | 3.83   | 3.83   | -      | 8.80 (3.20 - 11.60) | 1.819 (0.530 - 3.849)               | 7.99                | 99               |
| 15+50+60                 | 1.06                  | 3.52   | 4.22   | -      | 8.80 (3.20 - 11.60) | 1.802 (0.530 - 3.832)               | 7.91                | 99               |
| 15+50+71                 | 0.97                  | 3.24   | 4.59   | -      | 8.80 (3.20 - 11.60) | 1.806 (0.530 - 3.836)               | 7.93                | 99               |
| 15+60+60                 | 0.98                  | 3.91   | 3.91   | -      | 8.80 (3.20 - 11.60) | 1.785 (0.530 - 3.815)               | 7.84                | 99               |
| 20+20+20                 | 2.20                  | 2.20   | 2.20   | -      | 6.60 (3.20 - 9.70)  | 1.383 (0.530 - 3.873)               | 6.07                | 99               |
| 20+20+22                 | 2.35                  | 2.35   | 2.59   | -      | 7.30 (3.20 - 10.00) | 1.486 (0.530 - 3.866)               | 6.53                | 99               |
| 20+20+25                 | 2.58                  | 2.58   | 3.23   | -      | 8.40 (3.20 - 10.50) | 1.656 (0.530 - 3.866)               | 7.27                | 99               |
| 20+20+35                 | 2.35                  | 2.35   | 4.11   | -      | 8.80 (3.20 - 11.60) | 1.836 (0.530 - 3.866)               | 8.06                | 99               |
| 20+20+42                 | 2.15                  | 2.15   | 4.51   | -      | 8.80 (3.20 - 11.60) | 1.830 (0.530 - 3.860)               | 8.04                | 99               |
| 20+20+50                 | 1.96                  | 1.96   | 4.89   | -      | 8.80 (3.20 - 11.60) | 1.830 (0.530 - 3.860)               | 8.04                | 99               |
| 20+20+60                 | 1.76                  | 1.76   | 5.28   | -      | 8.80 (3.20 - 11.60) | 1.813 (0.530 - 3.843)               | 7.96                | 99               |
| 20+20+71                 | 1.59                  | 1.59   | 5.63   | -      | 8.80 (3.20 - 11.60) | 1.817 (0.530 - 3.847)               | 7.98                | 99               |
| 20+22+22                 | 2.50                  | 2.75   | 2.75   | -      | 8.00 (3.20 - 10.30) | 1.589 (0.530 - 3.859)               | 6.98                | 99               |
| 20+22+25                 | 2.60                  | 2.86   | 3.25   | -      | 8.70 (3.20 - 10.70) | 1.709 (0.530 - 3.859)               | 7.51                | 99               |
| 20+22+35                 | 2.29                  | 2.51   | 4.00   | -      | 8.80 (3.20 - 11.60) | 1.829 (0.530 - 3.859)               | 8.03                | 99               |
| 20+22+42                 | 2.10                  | 2.30   | 4.40   | -      | 8.80 (3.20 - 11.60) | 1.823 (0.530 - 3.853)               | 8.01                | 99               |
| 20+22+50                 | 1.91                  | 2.10   | 4.78   | -      | 8.80 (3.20 - 11.60) | 1.823 (0.530 - 3.853)               | 8.01                | 99               |
| 20+22+60                 | 1.73                  | 1.90   | 5.18   | -      | 8.80 (3.20 - 11.60) | 1.806 (0.530 - 3.836)               | 7.93                | 99               |
| 20+22+71                 | 1.56                  | 1.71   | 5.53   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 20+25+25                 | 2.49                  | 3.11   | 3.11   | -      | 8.70 (3.20 - 11.00) | 1.759 (0.530 - 3.859)               | 7.73                | 99               |
| 20+25+35                 | 2.20                  | 2.75   | 3.85   | -      | 8.80 (3.20 - 11.60) | 1.829 (0.530 - 3.859)               | 8.03                | 99               |
| 20+25+42                 | 2.02                  | 2.53   | 4.25   | -      | 8.80 (3.20 - 11.60) | 1.823 (0.530 - 3.853)               | 8.01                | 99               |
| 20+25+50                 | 1.85                  | 2.32   | 4.63   | -      | 8.80 (3.20 - 11.60) | 1.823 (0.530 - 3.853)               | 8.01                | 99               |
| 20+25+60                 | 1.68                  | 2.10   | 5.03   | -      | 8.80 (3.20 - 11.60) | 1.806 (0.530 - 3.836)               | 7.93                | 99               |
| 20+25+71                 | 1.52                  | 1.90   | 5.39   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 20+35+35                 | 1.96                  | 3.42   | 3.42   | -      | 8.80 (3.20 - 11.60) | 1.829 (0.530 - 3.859)               | 8.03                | 99               |
| 20+35+42                 | 1.81                  | 3.18   | 3.81   | -      | 8.80 (3.20 - 11.60) | 1.823 (0.530 - 3.853)               | 8.01                | 99               |
| 20+35+50                 | 1.68                  | 2.93   | 4.19   | -      | 8.80 (3.20 - 11.60) | 1.823 (0.530 - 3.853)               | 8.01                | 99               |
| 20+35+60                 | 1.53                  | 2.68   | 4.59   | -      | 8.80 (3.20 - 11.60) | 1.806 (0.530 - 3.836)               | 7.93                | 99               |
| 20+35+71                 | 1.40                  | 2.44   | 4.96   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 20+42+42                 | 1.69                  | 3.55   | 3.55   | -      | 8.80 (3.20 - 11.60) | 1.817 (0.530 - 3.847)               | 7.98                | 99               |
| 20+42+50                 | 1.57                  | 3.30   | 3.93   | -      | 8.80 (3.20 - 11.60) | 1.817 (0.530 - 3.847)               | 7.98                | 99               |
| 20+42+60                 | 1.44                  | 3.03   | 4.33   | -      | 8.80 (3.20 - 11.60) | 1.800 (0.530 - 3.830)               | 7.91                | 99               |
| 20+42+71                 | 1.32                  | 2.78   | 4.70   | -      | 8.80 (3.20 - 11.60) | 1.804 (0.530 - 3.834)               | 7.92                | 99               |
| 20+50+50                 | 1.47                  | 3.67   | 3.67   | -      | 8.80 (3.20 - 11.60) | 1.817 (0.530 - 3.847)               | 7.98                | 99               |
| 20+50+60                 | 1.35                  | 3.38   | 4.06   | -      | 8.80 (3.20 - 11.60) | 1.800 (0.530 - 3.830)               | 7.91                | 99               |
| 20+50+71                 | 1.25                  | 3.12   | 4.43   | -      | 8.80 (3.20 - 11.60) | 1.804 (0.530 - 3.834)               | 7.92                | 99               |
| 20+60+60                 | 1.26                  | 3.77   | 3.77   | -      | 8.80 (3.20 - 11.60) | 1.783 (0.530 - 3.813)               | 7.83                | 99               |
| 22+22+22                 | 2.90                  | 2.90   | 2.90   | -      | 8.70 (3.20 - 10.60) | 1.692 (0.530 - 3.852)               | 7.43                | 99               |
| 22+22+25                 | 2.77                  | 2.77   | 3.15   | -      | 8.70 (3.20 - 10.90) | 1.732 (0.530 - 3.852)               | 7.61                | 99               |
| 22+22+35                 | 2.45                  | 2.45   | 3.90   | -      | 8.80 (3.20 - 11.60) | 1.822 (0.530 - 3.852)               | 8.00                | 99               |
| 22+22+42                 | 2.25                  | 2.25   | 4.30   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 22+22+50                 | 2.06                  | 2.06   | 4.68   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 22+22+60                 | 1.86                  | 1.86   | 5.08   | -      | 8.80 (3.20 - 11.60) | 1.799 (0.530 - 3.829)               | 7.90                | 99               |
| 22+22+71                 | 1.68                  | 1.68   | 5.43   | -      | 8.80 (3.20 - 11.60) | 1.803 (0.530 - 3.833)               | 7.92                | 99               |
| 22+25+25                 | 2.69                  | 3.06   | 3.06   | -      | 8.80 (3.20 - 11.30) | 1.782 (0.530 - 3.852)               | 7.83                | 99               |
| 22+25+35                 | 2.36                  | 2.68   | 3.76   | -      | 8.80 (3.20 - 11.60) | 1.822 (0.530 - 3.852)               | 8.00                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 22+25+42                 | 2.18                  | 2.47   | 4.15   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 22+25+50                 | 2.00                  | 2.27   | 4.54   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 22+25+60                 | 1.81                  | 2.06   | 4.93   | -      | 8.80 (3.20 - 11.60) | 1.799 (0.530 - 3.829)               | 7.90                | 99               |
| 22+25+71                 | 1.64                  | 1.86   | 5.29   | -      | 8.80 (3.20 - 11.60) | 1.803 (0.530 - 3.833)               | 7.92                | 99               |
| 22+35+35                 | 2.10                  | 3.35   | 3.35   | -      | 8.80 (3.20 - 11.60) | 1.822 (0.530 - 3.852)               | 8.00                | 99               |
| 22+35+42                 | 1.96                  | 3.11   | 3.73   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 22+35+50                 | 1.81                  | 2.88   | 4.11   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 22+35+60                 | 1.65                  | 2.63   | 4.51   | -      | 8.80 (3.20 - 11.60) | 1.799 (0.530 - 3.829)               | 7.90                | 99               |
| 22+35+71                 | 1.51                  | 2.41   | 4.88   | -      | 8.80 (3.20 - 11.60) | 1.803 (0.530 - 3.833)               | 7.92                | 99               |
| 22+42+42                 | 1.83                  | 3.49   | 3.49   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 22+42+50                 | 1.70                  | 3.24   | 3.86   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 22+42+60                 | 1.56                  | 2.98   | 4.26   | -      | 8.80 (3.20 - 11.60) | 1.793 (0.530 - 3.823)               | 7.87                | 99               |
| 22+42+71                 | 1.43                  | 2.74   | 4.63   | -      | 8.80 (3.20 - 11.60) | 1.797 (0.530 - 3.827)               | 7.89                | 99               |
| 22+50+50                 | 1.59                  | 3.61   | 3.61   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 22+50+60                 | 1.47                  | 3.33   | 4.00   | -      | 8.80 (3.20 - 11.60) | 1.793 (0.530 - 3.823)               | 7.87                | 99               |
| 22+50+71                 | 1.35                  | 3.08   | 4.37   | -      | 8.80 (3.20 - 11.60) | 1.797 (0.530 - 3.827)               | 7.89                | 99               |
| 22+60+60                 | 1.36                  | 3.72   | 3.72   | -      | 8.80 (3.20 - 11.60) | 1.776 (0.530 - 3.806)               | 7.80                | 99               |
| 25+25+25                 | 2.93                  | 2.93   | 2.93   | -      | 8.80 (3.20 - 11.60) | 1.822 (0.530 - 3.852)               | 8.00                | 99               |
| 25+25+35                 | 2.59                  | 2.59   | 3.62   | -      | 8.80 (3.20 - 11.60) | 1.822 (0.530 - 3.852)               | 8.00                | 99               |
| 25+25+42                 | 2.39                  | 2.39   | 4.02   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 25+25+50                 | 2.20                  | 2.20   | 4.40   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 25+25+60                 | 2.00                  | 2.00   | 4.80   | -      | 8.80 (3.20 - 11.60) | 1.799 (0.530 - 3.829)               | 7.90                | 99               |
| 25+25+71                 | 1.82                  | 1.82   | 5.16   | -      | 8.80 (3.20 - 11.60) | 1.803 (0.530 - 3.833)               | 7.92                | 99               |
| 25+35+35                 | 2.32                  | 3.24   | 3.24   | -      | 8.80 (3.20 - 11.60) | 1.822 (0.530 - 3.852)               | 8.00                | 99               |
| 25+35+42                 | 2.16                  | 3.02   | 3.62   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 25+35+50                 | 2.00                  | 2.80   | 4.00   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 25+35+60                 | 1.83                  | 2.57   | 4.40   | -      | 8.80 (3.20 - 11.60) | 1.799 (0.530 - 3.829)               | 7.90                | 99               |
| 25+35+71                 | 1.68                  | 2.35   | 4.77   | -      | 8.80 (3.20 - 11.60) | 1.803 (0.530 - 3.833)               | 7.92                | 99               |
| 25+42+42                 | 2.02                  | 3.39   | 3.39   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 25+42+50                 | 1.88                  | 3.16   | 3.76   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 25+42+60                 | 1.73                  | 2.91   | 4.16   | -      | 8.80 (3.20 - 11.60) | 1.793 (0.530 - 3.823)               | 7.87                | 99               |
| 25+42+71                 | 1.59                  | 2.68   | 4.53   | -      | 8.80 (3.20 - 11.60) | 1.797 (0.530 - 3.827)               | 7.89                | 99               |
| 25+50+50                 | 1.76                  | 3.52   | 3.52   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 25+50+60                 | 1.63                  | 3.26   | 3.91   | -      | 8.80 (3.20 - 11.60) | 1.793 (0.530 - 3.823)               | 7.87                | 99               |
| 25+60+60                 | 1.52                  | 3.64   | 3.64   | -      | 8.80 (3.20 - 11.60) | 1.776 (0.530 - 3.806)               | 7.80                | 99               |
| 35+35+35                 | 2.93                  | 2.93   | 2.93   | -      | 8.80 (3.20 - 11.60) | 1.822 (0.530 - 3.852)               | 8.00                | 99               |
| 35+35+42                 | 2.75                  | 2.75   | 3.30   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 35+35+50                 | 2.57                  | 2.57   | 3.67   | -      | 8.80 (3.20 - 11.60) | 1.816 (0.530 - 3.846)               | 7.98                | 99               |
| 35+35+60                 | 2.37                  | 2.37   | 4.06   | -      | 8.80 (3.20 - 11.60) | 1.799 (0.530 - 3.829)               | 7.90                | 99               |
| 35+35+71                 | 2.18                  | 2.18   | 4.43   | -      | 8.80 (3.20 - 11.60) | 1.803 (0.530 - 3.833)               | 7.92                | 99               |
| 35+42+42                 | 2.59                  | 3.11   | 3.11   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 35+42+50                 | 2.43                  | 2.91   | 3.46   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 35+42+60                 | 2.25                  | 2.70   | 3.85   | -      | 8.80 (3.20 - 11.60) | 1.793 (0.530 - 3.823)               | 7.87                | 99               |
| 35+50+50                 | 2.28                  | 3.26   | 3.26   | -      | 8.80 (3.20 - 11.60) | 1.810 (0.530 - 3.840)               | 7.95                | 99               |
| 35+50+60                 | 2.12                  | 3.03   | 3.64   | -      | 8.80 (3.20 - 11.60) | 1.793 (0.530 - 3.823)               | 7.87                | 99               |
| 42+42+42                 | 2.93                  | 2.93   | 2.93   | -      | 8.80 (3.20 - 11.60) | 1.804 (0.530 - 3.834)               | 7.92                | 99               |
| 42+42+50                 | 2.76                  | 2.76   | 3.28   | -      | 8.80 (3.20 - 11.60) | 1.804 (0.530 - 3.834)               | 7.92                | 99               |
| 42+42+60                 | 2.57                  | 2.57   | 3.67   | -      | 8.80 (3.20 - 11.60) | 1.787 (0.530 - 3.817)               | 7.85                | 99               |
| 42+50+50                 | 2.60                  | 3.10   | 3.10   | -      | 8.80 (3.20 - 11.60) | 1.804 (0.530 - 3.834)               | 7.92                | 99               |
| 15+15+15+15              | 2.10                  | 2.10   | 2.10   | 2.10   | 8.40 (3.40 - 11.60) | 1.652 (0.590 - 3.862)               | 7.26                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 15+15+15+20              | 1.94                  | 1.94   | 1.94   | 2.58   | 8.40 (3.40 - 11.60) | 1.680 (0.590 - 3.860)               | 7.38                | 99               |
| 15+15+15+22              | 1.89                  | 1.89   | 1.89   | 2.77   | 8.45 (3.40 - 11.60) | 1.683 (0.590 - 3.853)               | 7.39                | 99               |
| 15+15+15+25              | 1.82                  | 1.82   | 1.82   | 3.04   | 8.50 (3.40 - 11.60) | 1.703 (0.590 - 3.853)               | 7.48                | 99               |
| 15+15+15+35              | 1.59                  | 1.59   | 1.59   | 3.72   | 8.50 (3.40 - 11.60) | 1.763 (0.590 - 3.853)               | 7.74                | 99               |
| 15+15+15+42              | 1.47                  | 1.47   | 1.47   | 4.10   | 8.50 (3.40 - 11.60) | 1.797 (0.590 - 3.847)               | 7.89                | 99               |
| 15+15+15+50              | 1.34                  | 1.34   | 1.34   | 4.47   | 8.50 (3.40 - 11.60) | 1.687 (0.590 - 3.847)               | 7.41                | 99               |
| 15+15+15+60              | 1.21                  | 1.21   | 1.21   | 4.86   | 8.50 (3.40 - 11.60) | 1.580 (0.590 - 3.830)               | 6.94                | 99               |
| 15+15+15+71              | 1.10                  | 1.10   | 1.10   | 5.20   | 8.50 (3.40 - 11.60) | 1.584 (0.590 - 3.834)               | 6.96                | 99               |
| 15+15+20+20              | 1.80                  | 1.80   | 2.40   | 2.40   | 8.40 (3.40 - 11.60) | 1.708 (0.590 - 3.858)               | 7.50                | 99               |
| 15+15+20+22              | 1.76                  | 1.76   | 2.35   | 2.58   | 8.45 (3.40 - 11.60) | 1.711 (0.590 - 3.851)               | 7.51                | 99               |
| 15+15+20+25              | 1.70                  | 1.70   | 2.27   | 2.83   | 8.50 (3.40 - 11.60) | 1.731 (0.590 - 3.851)               | 7.60                | 99               |
| 15+15+20+35              | 1.50                  | 1.50   | 2.00   | 3.50   | 8.50 (3.40 - 11.60) | 1.791 (0.590 - 3.851)               | 7.87                | 99               |
| 15+15+20+42              | 1.39                  | 1.39   | 1.85   | 3.88   | 8.50 (3.40 - 11.60) | 1.735 (0.590 - 3.845)               | 7.62                | 99               |
| 15+15+20+50              | 1.28                  | 1.28   | 1.70   | 4.25   | 8.50 (3.40 - 11.60) | 1.595 (0.590 - 3.845)               | 7.00                | 99               |
| 15+15+20+60              | 1.16                  | 1.16   | 1.55   | 4.64   | 8.50 (3.40 - 11.60) | 1.578 (0.590 - 3.828)               | 6.93                | 99               |
| 15+15+20+71              | 1.05                  | 1.05   | 1.40   | 4.99   | 8.50 (3.40 - 11.60) | 1.582 (0.590 - 3.832)               | 6.95                | 99               |
| 15+15+22+22              | 1.72                  | 1.72   | 2.53   | 2.53   | 8.50 (3.40 - 11.60) | 1.724 (0.590 - 3.844)               | 7.57                | 99               |
| 15+15+22+25              | 1.67                  | 1.67   | 2.44   | 2.78   | 8.55 (3.40 - 11.60) | 1.734 (0.590 - 3.844)               | 7.62                | 99               |
| 15+15+22+35              | 1.47                  | 1.47   | 2.16   | 3.44   | 8.55 (3.40 - 11.60) | 1.794 (0.590 - 3.844)               | 7.88                | 99               |
| 15+15+22+42              | 1.36                  | 1.36   | 2.00   | 3.82   | 8.55 (3.40 - 11.60) | 1.698 (0.590 - 3.838)               | 7.46                | 99               |
| 15+15+22+50              | 1.26                  | 1.26   | 1.84   | 4.19   | 8.55 (3.40 - 11.60) | 1.588 (0.590 - 3.838)               | 6.97                | 99               |
| 15+15+22+60              | 1.15                  | 1.15   | 1.68   | 4.58   | 8.55 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 15+15+22+71              | 1.04                  | 1.04   | 1.53   | 4.94   | 8.55 (3.40 - 11.60) | 1.575 (0.590 - 3.825)               | 6.92                | 99               |
| 15+15+25+25              | 1.61                  | 1.61   | 2.69   | 2.69   | 8.60 (3.40 - 11.60) | 1.754 (0.590 - 3.844)               | 7.70                | 99               |
| 15+15+25+35              | 1.43                  | 1.43   | 2.39   | 3.34   | 8.60 (3.40 - 11.60) | 1.774 (0.590 - 3.844)               | 7.79                | 99               |
| 15+15+25+42              | 1.33                  | 1.33   | 2.22   | 3.72   | 8.60 (3.40 - 11.60) | 1.638 (0.590 - 3.838)               | 7.19                | 99               |
| 15+15+25+50              | 1.23                  | 1.23   | 2.05   | 4.10   | 8.60 (3.40 - 11.60) | 1.588 (0.590 - 3.838)               | 6.97                | 99               |
| 15+15+25+60              | 1.12                  | 1.12   | 1.87   | 4.49   | 8.60 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 15+15+25+71              | 1.02                  | 1.02   | 1.71   | 4.85   | 8.60 (3.40 - 11.60) | 1.575 (0.590 - 3.825)               | 6.92                | 99               |
| 15+15+35+35              | 1.29                  | 1.29   | 3.01   | 3.01   | 8.60 (3.40 - 11.60) | 1.594 (0.590 - 3.844)               | 7.00                | 99               |
| 15+15+35+42              | 1.21                  | 1.21   | 2.81   | 3.38   | 8.60 (3.40 - 11.60) | 1.588 (0.590 - 3.838)               | 6.97                | 99               |
| 15+15+35+50              | 1.12                  | 1.12   | 2.62   | 3.74   | 8.60 (3.40 - 11.60) | 1.588 (0.590 - 3.838)               | 6.97                | 99               |
| 15+15+35+60              | 1.03                  | 1.03   | 2.41   | 4.13   | 8.60 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 15+15+35+71              | 0.95                  | 0.95   | 2.21   | 4.49   | 8.60 (3.40 - 11.60) | 1.575 (0.590 - 3.825)               | 6.92                | 99               |
| 15+15+42+42              | 1.13                  | 1.13   | 3.17   | 3.17   | 8.60 (3.40 - 11.60) | 1.582 (0.590 - 3.832)               | 6.95                | 99               |
| 15+15+42+50              | 1.06                  | 1.06   | 2.96   | 3.52   | 8.60 (3.40 - 11.60) | 1.582 (0.590 - 3.832)               | 6.95                | 99               |
| 15+15+42+60              | 0.98                  | 0.98   | 2.74   | 3.91   | 8.60 (3.40 - 11.60) | 1.565 (0.590 - 3.815)               | 6.87                | 99               |
| 15+15+42+71              | 0.90                  | 0.90   | 2.53   | 4.27   | 8.60 (3.40 - 11.60) | 1.569 (0.590 - 3.819)               | 6.89                | 99               |
| 15+15+50+50              | 0.99                  | 0.99   | 3.31   | 3.31   | 8.60 (3.40 - 11.60) | 1.582 (0.590 - 3.832)               | 6.95                | 99               |
| 15+15+50+60              | 0.92                  | 0.92   | 3.07   | 3.69   | 8.60 (3.40 - 11.60) | 1.565 (0.590 - 3.815)               | 6.87                | 99               |
| 15+20+20+20              | 1.68                  | 2.24   | 2.24   | 2.24   | 8.40 (3.40 - 11.60) | 1.736 (0.590 - 3.856)               | 7.62                | 99               |
| 15+20+20+22              | 1.65                  | 2.19   | 2.19   | 2.41   | 8.45 (3.40 - 11.60) | 1.739 (0.590 - 3.849)               | 7.64                | 99               |
| 15+20+20+25              | 1.59                  | 2.13   | 2.13   | 2.66   | 8.50 (3.40 - 11.60) | 1.759 (0.590 - 3.849)               | 7.73                | 99               |
| 15+20+20+35              | 1.42                  | 1.89   | 1.89   | 3.31   | 8.50 (3.40 - 11.60) | 1.779 (0.590 - 3.849)               | 7.81                | 99               |
| 15+20+20+42              | 1.31                  | 1.75   | 1.75   | 3.68   | 8.50 (3.40 - 11.60) | 1.643 (0.590 - 3.843)               | 7.22                | 99               |
| 15+20+20+50              | 1.21                  | 1.62   | 1.62   | 4.05   | 8.50 (3.40 - 11.60) | 1.593 (0.590 - 3.843)               | 7.00                | 99               |
| 15+20+20+60              | 1.11                  | 1.48   | 1.48   | 4.43   | 8.50 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 15+20+20+71              | 1.01                  | 1.35   | 1.35   | 4.79   | 8.50 (3.40 - 11.60) | 1.580 (0.590 - 3.830)               | 6.94                | 99               |
| 15+20+22+22              | 1.61                  | 2.15   | 2.37   | 2.37   | 8.50 (3.40 - 11.60) | 1.752 (0.590 - 3.842)               | 7.69                | 99               |
| 15+20+22+25              | 1.56                  | 2.09   | 2.29   | 2.61   | 8.55 (3.40 - 11.60) | 1.762 (0.590 - 3.842)               | 7.74                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 15+20+22+35              | 1.39                  | 1.86   | 2.04   | 3.25   | 8.55 (3.40 - 11.60) | 1.732 (0.590 - 3.842)               | 7.61                | 99               |
| 15+20+22+42              | 1.30                  | 1.73   | 1.90   | 3.63   | 8.55 (3.40 - 11.60) | 1.606 (0.590 - 3.836)               | 7.05                | 99               |
| 15+20+22+50              | 1.20                  | 1.60   | 1.76   | 4.00   | 8.55 (3.40 - 11.60) | 1.586 (0.590 - 3.836)               | 6.97                | 99               |
| 15+20+22+60              | 1.10                  | 1.46   | 1.61   | 4.38   | 8.55 (3.40 - 11.60) | 1.569 (0.590 - 3.819)               | 6.89                | 99               |
| 15+20+22+71              | 1.00                  | 1.34   | 1.47   | 4.74   | 8.55 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+20+25+25              | 1.52                  | 2.02   | 2.53   | 2.53   | 8.60 (3.40 - 11.60) | 1.782 (0.590 - 3.842)               | 7.83                | 99               |
| 15+20+25+35              | 1.36                  | 1.81   | 2.26   | 3.17   | 8.60 (3.40 - 11.60) | 1.682 (0.590 - 3.842)               | 7.39                | 99               |
| 15+20+25+42              | 1.26                  | 1.69   | 2.11   | 3.54   | 8.60 (3.40 - 11.60) | 1.586 (0.590 - 3.836)               | 6.97                | 99               |
| 15+20+25+50              | 1.17                  | 1.56   | 1.95   | 3.91   | 8.60 (3.40 - 11.60) | 1.586 (0.590 - 3.836)               | 6.97                | 99               |
| 15+20+25+60              | 1.08                  | 1.43   | 1.79   | 4.30   | 8.60 (3.40 - 11.60) | 1.569 (0.590 - 3.819)               | 6.89                | 99               |
| 15+20+25+71              | 0.98                  | 1.31   | 1.64   | 4.66   | 8.60 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+20+35+35              | 1.23                  | 1.64   | 2.87   | 2.87   | 8.60 (3.40 - 11.60) | 1.592 (0.590 - 3.842)               | 6.99                | 99               |
| 15+20+35+42              | 1.15                  | 1.54   | 2.69   | 3.23   | 8.60 (3.40 - 11.60) | 1.586 (0.590 - 3.836)               | 6.97                | 99               |
| 15+20+35+50              | 1.08                  | 1.43   | 2.51   | 3.58   | 8.60 (3.40 - 11.60) | 1.586 (0.590 - 3.836)               | 6.97                | 99               |
| 15+20+35+60              | 0.99                  | 1.32   | 2.32   | 3.97   | 8.60 (3.40 - 11.60) | 1.569 (0.590 - 3.819)               | 6.89                | 99               |
| 15+20+35+71              | 0.91                  | 1.22   | 2.13   | 4.33   | 8.60 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+20+42+42              | 1.08                  | 1.45   | 3.04   | 3.04   | 8.60 (3.40 - 11.60) | 1.580 (0.590 - 3.830)               | 6.94                | 99               |
| 15+20+42+50              | 1.02                  | 1.35   | 2.84   | 3.39   | 8.60 (3.40 - 11.60) | 1.580 (0.590 - 3.830)               | 6.94                | 99               |
| 15+20+42+60              | 0.94                  | 1.26   | 2.64   | 3.77   | 8.60 (3.40 - 11.60) | 1.563 (0.590 - 3.813)               | 6.86                | 99               |
| 15+20+50+50              | 0.96                  | 1.27   | 3.19   | 3.19   | 8.60 (3.40 - 11.60) | 1.580 (0.590 - 3.830)               | 6.94                | 99               |
| 15+20+50+60              | 0.89                  | 1.19   | 2.97   | 3.56   | 8.60 (3.40 - 11.60) | 1.563 (0.590 - 3.813)               | 6.86                | 99               |
| 15+22+22+22              | 1.58                  | 2.32   | 2.32   | 2.32   | 8.55 (3.40 - 11.60) | 1.755 (0.590 - 3.835)               | 7.71                | 99               |
| 15+22+22+25              | 1.54                  | 2.25   | 2.25   | 2.56   | 8.60 (3.40 - 11.60) | 1.775 (0.590 - 3.835)               | 7.80                | 99               |
| 15+22+22+35              | 1.37                  | 2.01   | 2.01   | 3.20   | 8.60 (3.40 - 11.60) | 1.695 (0.590 - 3.835)               | 7.44                | 99               |
| 15+22+22+42              | 1.28                  | 1.87   | 1.87   | 3.58   | 8.60 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+22+22+50              | 1.18                  | 1.74   | 1.74   | 3.94   | 8.60 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+22+22+60              | 1.08                  | 1.59   | 1.59   | 4.34   | 8.60 (3.40 - 11.60) | 1.562 (0.590 - 3.812)               | 6.86                | 99               |
| 15+22+22+71              | 0.99                  | 1.46   | 1.46   | 4.70   | 8.60 (3.40 - 11.60) | 1.566 (0.590 - 3.816)               | 6.88                | 99               |
| 15+22+25+25              | 1.49                  | 2.19   | 2.49   | 2.49   | 8.65 (3.40 - 11.60) | 1.785 (0.590 - 3.835)               | 7.84                | 99               |
| 15+22+25+35              | 1.34                  | 1.96   | 2.23   | 3.12   | 8.65 (3.40 - 11.60) | 1.635 (0.590 - 3.835)               | 7.18                | 99               |
| 15+22+25+42              | 1.25                  | 1.83   | 2.08   | 3.49   | 8.65 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+22+25+50              | 1.16                  | 1.70   | 1.93   | 3.86   | 8.65 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+22+25+60              | 1.06                  | 1.56   | 1.77   | 4.25   | 8.65 (3.40 - 11.60) | 1.562 (0.590 - 3.812)               | 6.86                | 99               |
| 15+22+25+71              | 0.98                  | 1.43   | 1.63   | 4.62   | 8.65 (3.40 - 11.60) | 1.566 (0.590 - 3.816)               | 6.88                | 99               |
| 15+22+35+35              | 1.21                  | 1.78   | 2.83   | 2.83   | 8.65 (3.40 - 11.60) | 1.585 (0.590 - 3.835)               | 6.96                | 99               |
| 15+22+35+42              | 1.14                  | 1.67   | 2.66   | 3.19   | 8.65 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+22+35+50              | 1.06                  | 1.56   | 2.48   | 3.55   | 8.65 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+22+35+60              | 0.98                  | 1.44   | 2.29   | 3.93   | 8.65 (3.40 - 11.60) | 1.562 (0.590 - 3.812)               | 6.86                | 99               |
| 15+22+35+71              | 0.91                  | 1.33   | 2.12   | 4.29   | 8.65 (3.40 - 11.60) | 1.566 (0.590 - 3.816)               | 6.88                | 99               |
| 15+22+42+42              | 1.07                  | 1.57   | 3.00   | 3.00   | 8.65 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+22+42+50              | 1.01                  | 1.48   | 2.82   | 3.35   | 8.65 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+22+42+60              | 0.93                  | 1.37   | 2.61   | 3.73   | 8.65 (3.40 - 11.60) | 1.556 (0.590 - 3.806)               | 6.83                | 99               |
| 15+22+50+50              | 0.95                  | 1.39   | 3.16   | 3.16   | 8.65 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+25+25+25              | 1.45                  | 2.42   | 2.42   | 2.42   | 8.70 (3.40 - 11.60) | 1.765 (0.590 - 3.835)               | 7.75                | 99               |
| 15+25+25+35              | 1.31                  | 2.18   | 2.18   | 3.05   | 8.70 (3.40 - 11.60) | 1.585 (0.590 - 3.835)               | 6.96                | 99               |
| 15+25+25+42              | 1.22                  | 2.03   | 2.03   | 3.41   | 8.70 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+25+25+50              | 1.13                  | 1.89   | 1.89   | 3.78   | 8.70 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+25+25+60              | 1.04                  | 1.74   | 1.74   | 4.18   | 8.70 (3.40 - 11.60) | 1.562 (0.590 - 3.812)               | 6.86                | 99               |
| 15+25+25+71              | 0.96                  | 1.60   | 1.60   | 4.54   | 8.70 (3.40 - 11.60) | 1.566 (0.590 - 3.816)               | 6.88                | 99               |
| 15+25+35+35              | 1.19                  | 1.98   | 2.77   | 2.77   | 8.70 (3.40 - 11.60) | 1.585 (0.590 - 3.835)               | 6.96                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 15+25+35+42              | 1.12                  | 1.86   | 2.60   | 3.12   | 8.70 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+25+35+50              | 1.04                  | 1.74   | 2.44   | 3.48   | 8.70 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+25+35+60              | 0.97                  | 1.61   | 2.26   | 3.87   | 8.70 (3.40 - 11.60) | 1.562 (0.590 - 3.812)               | 6.86                | 99               |
| 15+25+42+42              | 1.05                  | 1.75   | 2.95   | 2.95   | 8.70 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+25+42+50              | 0.99                  | 1.65   | 2.77   | 3.30   | 8.70 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+25+42+60              | 0.92                  | 1.53   | 2.57   | 3.68   | 8.70 (3.40 - 11.60) | 1.556 (0.590 - 3.806)               | 6.83                | 99               |
| 15+25+50+50              | 0.93                  | 1.55   | 3.11   | 3.11   | 8.70 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+35+35+35              | 1.09                  | 2.54   | 2.54   | 2.54   | 8.70 (3.40 - 11.60) | 1.585 (0.590 - 3.835)               | 6.96                | 99               |
| 15+35+35+42              | 1.03                  | 2.40   | 2.40   | 2.88   | 8.70 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+35+35+50              | 0.97                  | 2.26   | 2.26   | 3.22   | 8.70 (3.40 - 11.60) | 1.579 (0.590 - 3.829)               | 6.93                | 99               |
| 15+35+35+60              | 0.90                  | 2.10   | 2.10   | 3.60   | 8.70 (3.40 - 11.60) | 1.562 (0.590 - 3.812)               | 6.86                | 99               |
| 15+35+42+42              | 0.97                  | 2.27   | 2.73   | 2.73   | 8.70 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+35+42+50              | 0.92                  | 2.14   | 2.57   | 3.06   | 8.70 (3.40 - 11.60) | 1.573 (0.590 - 3.823)               | 6.91                | 99               |
| 15+42+42+42              | 0.93                  | 2.59   | 2.59   | 2.59   | 8.70 (3.40 - 11.60) | 1.567 (0.590 - 3.817)               | 6.88                | 99               |
| 20+20+20+20              | 2.10                  | 2.10   | 2.10   | 2.10   | 8.40 (3.40 - 11.60) | 1.764 (0.590 - 3.854)               | 7.75                | 99               |
| 20+20+20+22              | 2.06                  | 2.06   | 2.06   | 2.27   | 8.45 (3.40 - 11.60) | 1.767 (0.590 - 3.847)               | 7.76                | 99               |
| 20+20+20+25              | 2.00                  | 2.00   | 2.00   | 2.50   | 8.50 (3.40 - 11.60) | 1.787 (0.590 - 3.847)               | 7.85                | 99               |
| 20+20+20+35              | 1.79                  | 1.79   | 1.79   | 3.13   | 8.50 (3.40 - 11.60) | 1.687 (0.590 - 3.847)               | 7.41                | 99               |
| 20+20+20+42              | 1.67                  | 1.67   | 1.67   | 3.50   | 8.50 (3.40 - 11.60) | 1.591 (0.590 - 3.841)               | 6.99                | 99               |
| 20+20+20+50              | 1.55                  | 1.55   | 1.55   | 3.86   | 8.50 (3.40 - 11.60) | 1.591 (0.590 - 3.841)               | 6.99                | 99               |
| 20+20+20+60              | 1.42                  | 1.42   | 1.42   | 4.25   | 8.50 (3.40 - 11.60) | 1.574 (0.590 - 3.824)               | 6.91                | 99               |
| 20+20+20+71              | 1.30                  | 1.30   | 1.30   | 4.61   | 8.50 (3.40 - 11.60) | 1.578 (0.590 - 3.828)               | 6.93                | 99               |
| 20+20+22+22              | 2.02                  | 2.02   | 2.23   | 2.23   | 8.50 (3.40 - 11.60) | 1.780 (0.590 - 3.840)               | 7.82                | 99               |
| 20+20+22+25              | 1.97                  | 1.97   | 2.16   | 2.46   | 8.55 (3.40 - 11.60) | 1.790 (0.590 - 3.840)               | 7.86                | 99               |
| 20+20+22+35              | 1.76                  | 1.76   | 1.94   | 3.09   | 8.55 (3.40 - 11.60) | 1.640 (0.590 - 3.840)               | 7.20                | 99               |
| 20+20+22+42              | 1.64                  | 1.64   | 1.81   | 3.45   | 8.55 (3.40 - 11.60) | 1.584 (0.590 - 3.834)               | 6.96                | 99               |
| 20+20+22+50              | 1.53                  | 1.53   | 1.68   | 3.82   | 8.55 (3.40 - 11.60) | 1.584 (0.590 - 3.834)               | 6.96                | 99               |
| 20+20+22+60              | 1.40                  | 1.40   | 1.54   | 4.20   | 8.55 (3.40 - 11.60) | 1.567 (0.590 - 3.817)               | 6.88                | 99               |
| 20+20+22+71              | 1.29                  | 1.29   | 1.41   | 4.56   | 8.55 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 20+20+25+25              | 1.91                  | 1.91   | 2.39   | 2.39   | 8.60 (3.40 - 11.60) | 1.770 (0.590 - 3.840)               | 7.77                | 99               |
| 20+20+25+35              | 1.72                  | 1.72   | 2.15   | 3.01   | 8.60 (3.40 - 11.60) | 1.590 (0.590 - 3.840)               | 6.98                | 99               |
| 20+20+25+42              | 1.61                  | 1.61   | 2.01   | 3.38   | 8.60 (3.40 - 11.60) | 1.584 (0.590 - 3.834)               | 6.96                | 99               |
| 20+20+25+50              | 1.50                  | 1.50   | 1.87   | 3.74   | 8.60 (3.40 - 11.60) | 1.584 (0.590 - 3.834)               | 6.96                | 99               |
| 20+20+25+60              | 1.38                  | 1.38   | 1.72   | 4.13   | 8.60 (3.40 - 11.60) | 1.567 (0.590 - 3.817)               | 6.88                | 99               |
| 20+20+25+71              | 1.26                  | 1.26   | 1.58   | 4.49   | 8.60 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 20+20+35+35              | 1.56                  | 1.56   | 2.74   | 2.74   | 8.60 (3.40 - 11.60) | 1.590 (0.590 - 3.840)               | 6.98                | 99               |
| 20+20+35+42              | 1.47                  | 1.47   | 2.57   | 3.09   | 8.60 (3.40 - 11.60) | 1.584 (0.590 - 3.834)               | 6.96                | 99               |
| 20+20+35+50              | 1.38                  | 1.38   | 2.41   | 3.44   | 8.60 (3.40 - 11.60) | 1.584 (0.590 - 3.834)               | 6.96                | 99               |
| 20+20+35+60              | 1.27                  | 1.27   | 2.23   | 3.82   | 8.60 (3.40 - 11.60) | 1.567 (0.590 - 3.817)               | 6.88                | 99               |
| 20+20+42+42              | 1.39                  | 1.39   | 2.91   | 2.91   | 8.60 (3.40 - 11.60) | 1.578 (0.590 - 3.828)               | 6.93                | 99               |
| 20+20+42+50              | 1.30                  | 1.30   | 2.74   | 3.26   | 8.60 (3.40 - 11.60) | 1.578 (0.590 - 3.828)               | 6.93                | 99               |
| 20+20+42+60              | 1.21                  | 1.21   | 2.54   | 3.63   | 8.60 (3.40 - 11.60) | 1.561 (0.590 - 3.811)               | 6.86                | 99               |
| 20+20+50+50              | 1.23                  | 1.23   | 3.07   | 3.07   | 8.60 (3.40 - 11.60) | 1.578 (0.590 - 3.828)               | 6.93                | 99               |
| 20+22+22+22              | 1.99                  | 2.19   | 2.19   | 2.19   | 8.55 (3.40 - 11.60) | 1.783 (0.590 - 3.833)               | 7.83                | 99               |
| 20+22+22+25              | 1.93                  | 2.13   | 2.13   | 2.42   | 8.60 (3.40 - 11.60) | 1.773 (0.590 - 3.833)               | 7.79                | 99               |
| 20+22+22+35              | 1.74                  | 1.91   | 1.91   | 3.04   | 8.60 (3.40 - 11.60) | 1.603 (0.590 - 3.833)               | 7.04                | 99               |
| 20+22+22+42              | 1.62                  | 1.78   | 1.78   | 3.41   | 8.60 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+22+22+50              | 1.51                  | 1.66   | 1.66   | 3.77   | 8.60 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+22+22+60              | 1.39                  | 1.53   | 1.53   | 4.16   | 8.60 (3.40 - 11.60) | 1.560 (0.590 - 3.810)               | 6.85                | 99               |
| 20+22+22+71              | 1.27                  | 1.40   | 1.40   | 4.52   | 8.60 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 20+22+25+25              | 1.88                  | 2.07   | 2.35   | 2.35   | 8.65 (3.40 - 11.60) | 1.723 (0.590 - 3.833)               | 7.57                | 99               |
| 20+22+25+35              | 1.70                  | 1.87   | 2.12   | 2.97   | 8.65 (3.40 - 11.60) | 1.583 (0.590 - 3.833)               | 6.95                | 99               |
| 20+22+25+42              | 1.59                  | 1.75   | 1.98   | 3.33   | 8.65 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+22+25+50              | 1.48                  | 1.63   | 1.85   | 3.70   | 8.65 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+22+25+60              | 1.36                  | 1.50   | 1.70   | 4.09   | 8.65 (3.40 - 11.60) | 1.560 (0.590 - 3.810)               | 6.85                | 99               |
| 20+22+25+71              | 1.25                  | 1.38   | 1.57   | 4.45   | 8.65 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |
| 20+22+35+35              | 1.54                  | 1.70   | 2.70   | 2.70   | 8.65 (3.40 - 11.60) | 1.583 (0.590 - 3.833)               | 6.95                | 99               |
| 20+22+35+42              | 1.45                  | 1.60   | 2.54   | 3.05   | 8.65 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+22+35+50              | 1.36                  | 1.50   | 2.38   | 3.41   | 8.65 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+22+35+60              | 1.26                  | 1.39   | 2.21   | 3.79   | 8.65 (3.40 - 11.60) | 1.560 (0.590 - 3.810)               | 6.85                | 99               |
| 20+22+42+42              | 1.37                  | 1.51   | 2.88   | 2.88   | 8.65 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 20+22+42+50              | 1.29                  | 1.42   | 2.71   | 3.23   | 8.65 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 20+22+42+60              | 1.20                  | 1.32   | 2.52   | 3.60   | 8.65 (3.40 - 11.60) | 1.554 (0.590 - 3.804)               | 6.82                | 99               |
| 20+22+50+50              | 1.22                  | 1.34   | 3.05   | 3.05   | 8.65 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 20+25+25+25              | 1.83                  | 2.29   | 2.29   | 2.29   | 8.70 (3.40 - 11.60) | 1.673 (0.590 - 3.833)               | 7.35                | 99               |
| 20+25+25+35              | 1.66                  | 2.07   | 2.07   | 2.90   | 8.70 (3.40 - 11.60) | 1.583 (0.590 - 3.833)               | 6.95                | 99               |
| 20+25+25+42              | 1.55                  | 1.94   | 1.94   | 3.26   | 8.70 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+25+25+50              | 1.45                  | 1.81   | 1.81   | 3.63   | 8.70 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+25+25+60              | 1.34                  | 1.67   | 1.67   | 4.02   | 8.70 (3.40 - 11.60) | 1.560 (0.590 - 3.810)               | 6.85                | 99               |
| 20+25+25+71              | 1.23                  | 1.54   | 1.54   | 4.38   | 8.70 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |
| 20+25+35+35              | 1.51                  | 1.89   | 2.65   | 2.65   | 8.70 (3.40 - 11.60) | 1.583 (0.590 - 3.833)               | 6.95                | 99               |
| 20+25+35+42              | 1.43                  | 1.78   | 2.50   | 3.00   | 8.70 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+25+35+50              | 1.34                  | 1.67   | 2.34   | 3.35   | 8.70 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+25+35+60              | 1.24                  | 1.55   | 2.18   | 3.73   | 8.70 (3.40 - 11.60) | 1.560 (0.590 - 3.810)               | 6.85                | 99               |
| 20+25+42+42              | 1.35                  | 1.69   | 2.83   | 2.83   | 8.70 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 20+25+42+50              | 1.27                  | 1.59   | 2.67   | 3.18   | 8.70 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 20+25+50+50              | 1.20                  | 1.50   | 3.00   | 3.00   | 8.70 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 20+35+35+35              | 1.39                  | 2.44   | 2.44   | 2.44   | 8.70 (3.40 - 11.60) | 1.583 (0.590 - 3.833)               | 6.95                | 99               |
| 20+35+35+42              | 1.32                  | 2.31   | 2.31   | 2.77   | 8.70 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+35+35+50              | 1.24                  | 2.18   | 2.18   | 3.11   | 8.70 (3.40 - 11.60) | 1.577 (0.590 - 3.827)               | 6.93                | 99               |
| 20+35+42+42              | 1.25                  | 2.19   | 2.63   | 2.63   | 8.70 (3.40 - 11.60) | 1.571 (0.590 - 3.821)               | 6.90                | 99               |
| 22+22+22+22              | 2.15                  | 2.15   | 2.15   | 2.15   | 8.60 (3.40 - 11.60) | 1.786 (0.590 - 3.826)               | 7.84                | 99               |
| 22+22+22+25              | 2.09                  | 2.09   | 2.09   | 2.38   | 8.65 (3.40 - 11.60) | 1.736 (0.590 - 3.826)               | 7.62                | 99               |
| 22+22+22+35              | 1.88                  | 1.88   | 1.88   | 3.00   | 8.65 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 22+22+22+42              | 1.76                  | 1.76   | 1.76   | 3.36   | 8.65 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+22+22+50              | 1.64                  | 1.64   | 1.64   | 3.73   | 8.65 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+22+22+60              | 1.51                  | 1.51   | 1.51   | 4.12   | 8.65 (3.40 - 11.60) | 1.553 (0.590 - 3.803)               | 6.82                | 99               |
| 22+22+22+71              | 1.39                  | 1.39   | 1.39   | 4.48   | 8.65 (3.40 - 11.60) | 1.557 (0.590 - 3.807)               | 6.84                | 99               |
| 22+22+25+25              | 2.04                  | 2.04   | 2.31   | 2.31   | 8.70 (3.40 - 11.60) | 1.686 (0.590 - 3.826)               | 7.40                | 99               |
| 22+22+25+35              | 1.84                  | 1.84   | 2.09   | 2.93   | 8.70 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 22+22+25+42              | 1.72                  | 1.72   | 1.96   | 3.29   | 8.70 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+22+25+50              | 1.61                  | 1.61   | 1.83   | 3.66   | 8.70 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+22+25+60              | 1.48                  | 1.48   | 1.69   | 4.05   | 8.70 (3.40 - 11.60) | 1.553 (0.590 - 3.803)               | 6.82                | 99               |
| 22+22+25+71              | 1.37                  | 1.37   | 1.55   | 4.41   | 8.70 (3.40 - 11.60) | 1.557 (0.590 - 3.807)               | 6.84                | 99               |
| 22+22+35+35              | 1.68                  | 1.68   | 2.67   | 2.67   | 8.70 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 22+22+35+42              | 1.58                  | 1.58   | 2.52   | 3.02   | 8.70 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+22+35+50              | 1.48                  | 1.48   | 2.36   | 3.37   | 8.70 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+22+35+60              | 1.38                  | 1.38   | 2.19   | 3.76   | 8.70 (3.40 - 11.60) | 1.553 (0.590 - 3.803)               | 6.82                | 99               |
| 22+22+42+42              | 1.50                  | 1.50   | 2.85   | 2.85   | 8.70 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |
| 22+22+42+50              | 1.41                  | 1.41   | 2.69   | 3.20   | 8.70 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |

Combination table for MXZ-4F80VGD continues on the next page.

# MXZ-4F80VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Total (Range)       |                                     |                     |                  |
| 22+22+50+50              | 1.33                  | 1.33   | 3.02   | 3.02   | 8.70 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |
| 22+25+25+25              | 1.98                  | 2.26   | 2.26   | 2.26   | 8.75 (3.40 - 11.60) | 1.626 (0.590 - 3.826)               | 7.14                | 99               |
| 22+25+25+35              | 1.80                  | 2.04   | 2.04   | 2.86   | 8.75 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 22+25+25+42              | 1.69                  | 1.92   | 1.92   | 3.22   | 8.75 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+25+25+50              | 1.58                  | 1.79   | 1.79   | 3.59   | 8.75 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+25+25+60              | 1.46                  | 1.66   | 1.66   | 3.98   | 8.75 (3.40 - 11.60) | 1.553 (0.590 - 3.803)               | 6.82                | 99               |
| 22+25+25+71              | 1.35                  | 1.53   | 1.53   | 4.34   | 8.75 (3.40 - 11.60) | 1.557 (0.590 - 3.807)               | 6.84                | 99               |
| 22+25+35+35              | 1.65                  | 1.87   | 2.62   | 2.62   | 8.75 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 22+25+35+42              | 1.55                  | 1.76   | 2.47   | 2.96   | 8.75 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+25+35+50              | 1.46                  | 1.66   | 2.32   | 3.31   | 8.75 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+25+35+60              | 1.36                  | 1.54   | 2.16   | 3.70   | 8.75 (3.40 - 11.60) | 1.553 (0.590 - 3.803)               | 6.82                | 99               |
| 22+25+42+42              | 1.47                  | 1.67   | 2.81   | 2.81   | 8.75 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |
| 22+25+42+50              | 1.38                  | 1.57   | 2.64   | 3.15   | 8.75 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |
| 22+35+35+35              | 1.52                  | 2.41   | 2.41   | 2.41   | 8.75 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 22+35+35+42              | 1.44                  | 2.29   | 2.29   | 2.74   | 8.75 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+35+35+50              | 1.36                  | 2.16   | 2.16   | 3.08   | 8.75 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 22+35+42+42              | 1.37                  | 2.17   | 2.61   | 2.61   | 8.75 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |
| 25+25+25+25              | 2.20                  | 2.20   | 2.20   | 2.20   | 8.80 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 25+25+25+35              | 2.00                  | 2.00   | 2.00   | 2.80   | 8.80 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 25+25+25+42              | 1.88                  | 1.88   | 1.88   | 3.16   | 8.80 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 25+25+25+50              | 1.76                  | 1.76   | 1.76   | 3.52   | 8.80 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 25+25+25+60              | 1.63                  | 1.63   | 1.63   | 3.91   | 8.80 (3.40 - 11.60) | 1.553 (0.590 - 3.803)               | 6.82                | 99               |
| 25+25+35+35              | 1.83                  | 1.83   | 2.57   | 2.57   | 8.80 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 25+25+35+42              | 1.73                  | 1.73   | 2.43   | 2.91   | 8.80 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 25+25+35+50              | 1.63                  | 1.63   | 2.28   | 3.26   | 8.80 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 25+25+35+60              | 1.52                  | 1.52   | 2.12   | 3.64   | 8.80 (3.40 - 11.60) | 1.553 (0.590 - 3.803)               | 6.82                | 99               |
| 25+25+42+42              | 1.64                  | 1.64   | 2.76   | 2.76   | 8.80 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |
| 25+25+42+50              | 1.55                  | 1.55   | 2.60   | 3.10   | 8.80 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |
| 25+35+35+35              | 1.69                  | 2.37   | 2.37   | 2.37   | 8.80 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |
| 25+35+35+42              | 1.61                  | 2.25   | 2.25   | 2.70   | 8.80 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 25+35+35+50              | 1.52                  | 2.12   | 2.12   | 3.03   | 8.80 (3.40 - 11.60) | 1.570 (0.590 - 3.820)               | 6.90                | 99               |
| 25+35+42+42              | 1.53                  | 2.14   | 2.57   | 2.57   | 8.80 (3.40 - 11.60) | 1.564 (0.590 - 3.814)               | 6.87                | 99               |
| 35+35+35+35              | 2.20                  | 2.20   | 2.20   | 2.20   | 8.80 (3.40 - 11.60) | 1.576 (0.590 - 3.826)               | 6.92                | 99               |

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)      |                                     |                     |                  |
| 15                       | 1.50                  | -      | -      | -      | -      | 1.50 (1.50 - 2.20) | 0.570 (0.570 - 0.870)               | 2.50                | 99               |
| 20                       | 2.00                  | -      | -      | -      | -      | 2.00 (1.50 - 2.40) | 0.580 (0.570 - 0.870)               | 2.55                | 99               |
| 22                       | 2.20                  | -      | -      | -      | -      | 2.20 (1.50 - 4.20) | 0.610 (0.580 - 1.060)               | 2.68                | 99               |
| 25                       | 2.50                  | -      | -      | -      | -      | 2.50 (1.50 - 4.20) | 0.630 (0.580 - 1.060)               | 2.77                | 99               |
| 35                       | 3.50                  | -      | -      | -      | -      | 3.50 (1.50 - 4.30) | 0.790 (0.580 - 1.120)               | 3.47                | 99               |
| 42                       | 4.20                  | -      | -      | -      | -      | 4.20 (1.50 - 5.00) | 0.960 (0.580 - 1.740)               | 4.22                | 99               |
| 50                       | 5.00                  | -      | -      | -      | -      | 5.00 (1.50 - 5.50) | 1.270 (0.620 - 1.780)               | 5.58                | 99               |
| 60                       | 6.00                  | -      | -      | -      | -      | 6.00 (1.50 - 6.40) | 1.780 (0.620 - 1.950)               | 7.82                | 99               |
| 71                       | 7.10                  | -      | -      | -      | -      | 7.10 (1.50 - 7.40) | 2.480 (0.650 - 2.930)               | 10.89               | 99               |
| 15+15                    | 1.50                  | 1.50   | -      | -      | -      | 3.00 (2.00 - 4.40) | 0.606 (0.600 - 1.486)               | 2.66                | 99               |
| 15+20                    | 1.50                  | 2.00   | -      | -      | -      | 3.50 (2.00 - 5.00) | 0.754 (0.600 - 1.484)               | 3.31                | 99               |
| 15+22                    | 1.50                  | 2.20   | -      | -      | -      | 3.70 (2.00 - 5.20) | 0.797 (0.600 - 1.477)               | 3.50                | 99               |
| 15+25                    | 1.50                  | 2.50   | -      | -      | -      | 4.00 (2.00 - 5.60) | 0.887 (0.600 - 1.477)               | 3.90                | 99               |
| 15+35                    | 1.50                  | 3.50   | -      | -      | -      | 5.00 (2.00 - 6.20) | 1.197 (0.590 - 1.807)               | 5.26                | 99               |
| 15+42                    | 1.50                  | 4.20   | -      | -      | -      | 5.70 (2.00 - 6.70) | 1.481 (0.590 - 2.151)               | 6.50                | 99               |
| 15+50                    | 1.50                  | 5.00   | -      | -      | -      | 6.50 (2.00 - 7.30) | 1.811 (0.580 - 2.541)               | 7.95                | 99               |
| 15+60                    | 1.46                  | 5.84   | -      | -      | -      | 7.30 (2.00 - 8.10) | 2.234 (0.580 - 2.854)               | 9.81                | 99               |
| 15+71                    | 1.38                  | 6.52   | -      | -      | -      | 7.90 (2.00 - 8.80) | 2.688 (0.580 - 3.028)               | 11.81               | 99               |
| 20+20                    | 2.00                  | 2.00   | -      | -      | -      | 4.00 (2.00 - 5.60) | 0.892 (0.600 - 1.482)               | 3.92                | 99               |
| 20+22                    | 2.00                  | 2.20   | -      | -      | -      | 4.20 (2.00 - 5.60) | 0.935 (0.600 - 1.475)               | 4.11                | 99               |
| 20+25                    | 2.00                  | 2.50   | -      | -      | -      | 4.50 (2.00 - 5.70) | 1.015 (0.600 - 1.535)               | 4.46                | 99               |
| 20+35                    | 2.00                  | 3.50   | -      | -      | -      | 5.50 (2.00 - 6.60) | 1.405 (0.590 - 2.055)               | 6.17                | 99               |
| 20+42                    | 2.00                  | 4.20   | -      | -      | -      | 6.20 (2.00 - 7.10) | 1.689 (0.580 - 2.389)               | 7.42                | 99               |
| 20+50                    | 2.00                  | 5.00   | -      | -      | -      | 7.00 (2.00 - 7.70) | 2.019 (0.580 - 2.789)               | 8.87                | 99               |
| 20+60                    | 1.90                  | 5.70   | -      | -      | -      | 7.60 (2.00 - 8.50) | 2.462 (0.580 - 2.932)               | 10.81               | 99               |
| 20+71                    | 1.76                  | 6.24   | -      | -      | -      | 8.00 (2.00 - 8.90) | 2.786 (0.580 - 3.106)               | 12.24               | 99               |
| 22+22                    | 2.20                  | 2.20   | -      | -      | -      | 4.40 (2.00 - 5.60) | 0.968 (0.600 - 1.468)               | 4.25                | 99               |
| 22+25                    | 2.20                  | 2.50   | -      | -      | -      | 4.70 (2.00 - 5.90) | 1.078 (0.600 - 1.638)               | 4.73                | 99               |
| 22+35                    | 2.20                  | 3.50   | -      | -      | -      | 5.70 (2.00 - 6.70) | 1.478 (0.590 - 2.148)               | 6.49                | 99               |
| 22+42                    | 2.20                  | 4.20   | -      | -      | -      | 6.40 (2.00 - 7.30) | 1.762 (0.580 - 2.482)               | 7.74                | 99               |
| 22+50                    | 2.17                  | 4.93   | -      | -      | -      | 7.10 (2.00 - 7.90) | 2.102 (0.580 - 2.812)               | 9.23                | 99               |
| 22+60                    | 2.07                  | 5.63   | -      | -      | -      | 7.70 (2.00 - 8.60) | 2.545 (0.580 - 2.955)               | 11.18               | 99               |
| 22+71                    | 1.92                  | 6.18   | -      | -      | -      | 8.10 (2.10 - 9.00) | 2.809 (0.580 - 3.129)               | 12.34               | 99               |
| 25+25                    | 2.50                  | 2.50   | -      | -      | -      | 5.00 (2.00 - 6.20) | 1.188 (0.590 - 1.798)               | 5.22                | 99               |
| 25+35                    | 2.50                  | 3.50   | -      | -      | -      | 6.00 (2.00 - 7.00) | 1.608 (0.590 - 2.298)               | 7.06                | 99               |
| 25+42                    | 2.50                  | 4.20   | -      | -      | -      | 6.70 (2.00 - 7.50) | 1.892 (0.580 - 2.632)               | 8.31                | 99               |
| 25+50                    | 2.43                  | 4.87   | -      | -      | -      | 7.30 (2.00 - 8.10) | 2.242 (0.580 - 2.862)               | 9.85                | 99               |
| 25+60                    | 2.29                  | 5.51   | -      | -      | -      | 7.80 (2.00 - 8.80) | 2.655 (0.580 - 3.005)               | 11.66               | 99               |
| 25+71                    | 2.14                  | 6.06   | -      | -      | -      | 8.20 (2.10 - 9.00) | 2.869 (0.580 - 3.179)               | 12.60               | 99               |
| 35+35                    | 3.50                  | 3.50   | -      | -      | -      | 7.00 (2.00 - 7.70) | 2.018 (0.580 - 2.788)               | 8.86                | 99               |
| 35+42                    | 3.36                  | 4.04   | -      | -      | -      | 7.40 (2.00 - 8.30) | 2.332 (0.580 - 2.892)               | 10.24               | 99               |
| 35+50                    | 3.21                  | 4.59   | -      | -      | -      | 7.80 (2.00 - 8.80) | 2.672 (0.580 - 3.022)               | 11.73               | 99               |
| 35+60                    | 2.98                  | 5.12   | -      | -      | -      | 8.10 (2.10 - 9.00) | 2.845 (0.580 - 3.155)               | 12.49               | 99               |
| 35+71                    | 2.81                  | 5.69   | -      | -      | -      | 8.50 (2.10 - 9.10) | 3.039 (0.570 - 3.269)               | 13.35               | 99               |
| 42+42                    | 3.90                  | 3.90   | -      | -      | -      | 7.80 (2.00 - 8.80) | 2.646 (0.580 - 2.996)               | 11.62               | 99               |
| 42+50                    | 3.70                  | 4.40   | -      | -      | -      | 8.10 (2.10 - 9.00) | 2.806 (0.580 - 3.126)               | 12.32               | 99               |
| 42+60                    | 3.46                  | 4.94   | -      | -      | -      | 8.40 (2.10 - 9.10) | 2.969 (0.580 - 3.239)               | 13.04               | 99               |
| 42+71                    | 3.23                  | 5.47   | -      | -      | -      | 8.70 (2.10 - 9.20) | 3.133 (0.560 - 3.303)               | 13.76               | 99               |
| 50+50                    | 4.15                  | 4.15   | -      | -      | -      | 8.30 (2.10 - 9.10) | 2.956 (0.580 - 3.246)               | 12.98               | 99               |
| 50+60                    | 3.91                  | 4.69   | -      | -      | -      | 8.60 (2.10 - 9.20) | 3.089 (0.570 - 3.289)               | 13.57               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)      |                                     |                     |                  |
| 50+71                    | 3.68                  | 5.22   | -      | -      | -      | 8.90 (2.10 - 9.20) | 3.243 (0.550 - 3.353)               | 14.24               | 99               |
| 60+60                    | 4.45                  | 4.45   | -      | -      | -      | 8.90 (2.10 - 9.20) | 3.212 (0.550 - 3.322)               | 14.11               | 99               |
| 60+71                    | 4.12                  | 4.88   | -      | -      | -      | 9.00 (2.10 - 9.20) | 3.346 (0.550 - 3.416)               | 14.69               | 99               |
| 71+71                    | 4.55                  | 4.55   | -      | -      | -      | 9.10 (2.10 - 9.20) | 3.470 (0.550 - 3.510)               | 15.24               | 99               |
| 15+15+15                 | 1.50                  | 1.50   | 1.50   | -      | -      | 4.50 (2.90 - 6.30) | 1.009 (0.690 - 2.359)               | 4.43                | 99               |
| 15+15+20                 | 1.50                  | 1.50   | 2.00   | -      | -      | 5.00 (2.90 - 6.90) | 1.127 (0.690 - 2.357)               | 4.95                | 99               |
| 15+15+22                 | 1.50                  | 1.50   | 2.20   | -      | -      | 5.20 (2.90 - 7.10) | 1.160 (0.690 - 2.350)               | 5.09                | 99               |
| 15+15+25                 | 1.50                  | 1.50   | 2.50   | -      | -      | 5.50 (2.90 - 7.50) | 1.230 (0.690 - 2.350)               | 5.40                | 99               |
| 15+15+35                 | 1.50                  | 1.50   | 3.50   | -      | -      | 6.50 (2.90 - 8.10) | 1.480 (0.690 - 2.350)               | 6.50                | 99               |
| 15+15+42                 | 1.50                  | 1.50   | 4.20*  | -      | -      | 7.20 (2.90 - 8.70) | 1.654 (0.690 - 2.614)               | 7.26                | 99               |
| 15+15+50                 | 1.44                  | 1.44   | 4.81*  | -      | -      | 7.70 (2.90 - 9.00) | 1.884 (0.690 - 2.774)               | 8.27                | 99               |
| 15+15+60                 | 1.35                  | 1.35   | 5.40   | -      | -      | 8.10 (2.90 - 9.10) | 2.177 (0.690 - 2.787)               | 9.56                | 99               |
| 15+15+71                 | 1.26                  | 1.26   | 5.98   | -      | -      | 8.50 (2.90 - 9.20) | 2.521 (0.690 - 2.821)               | 11.07               | 99               |
| 15+20+20                 | 1.50                  | 2.00   | 2.00   | -      | -      | 5.50 (2.90 - 7.50) | 1.235 (0.690 - 2.355)               | 5.42                | 99               |
| 15+20+22                 | 1.50                  | 2.00   | 2.20   | -      | -      | 5.70 (2.90 - 7.70) | 1.278 (0.690 - 2.348)               | 5.61                | 99               |
| 15+20+25                 | 1.50                  | 2.00   | 2.50   | -      | -      | 6.00 (2.90 - 8.10) | 1.348 (0.690 - 2.348)               | 5.92                | 99               |
| 15+20+35                 | 1.50                  | 2.00   | 3.50   | -      | -      | 7.00 (2.90 - 8.50) | 1.608 (0.690 - 2.528)               | 7.06                | 99               |
| 15+20+42                 | 1.48                  | 1.97   | 4.15*  | -      | -      | 7.60 (2.90 - 9.00) | 1.792 (0.690 - 2.762)               | 7.87                | 99               |
| 15+20+50                 | 1.39                  | 1.86   | 4.65*  | -      | -      | 7.90 (2.90 - 9.10) | 2.042 (0.690 - 2.782)               | 8.97                | 99               |
| 15+20+60                 | 1.29                  | 1.73   | 5.18   | -      | -      | 8.20 (2.90 - 9.10) | 2.325 (0.690 - 2.795)               | 10.21               | 99               |
| 15+20+71                 | 1.22                  | 1.62   | 5.76   | -      | -      | 8.60 (2.90 - 9.20) | 2.649 (0.690 - 2.829)               | 11.63               | 99               |
| 15+22+22                 | 1.50                  | 2.20   | 2.20   | -      | -      | 5.90 (2.90 - 8.00) | 1.321 (0.690 - 2.341)               | 5.80                | 99               |
| 15+22+25                 | 1.50                  | 2.20   | 2.50   | -      | -      | 6.20 (2.90 - 8.10) | 1.391 (0.690 - 2.341)               | 6.11                | 99               |
| 15+22+35                 | 1.50                  | 2.20   | 3.50   | -      | -      | 7.20 (2.90 - 8.70) | 1.651 (0.690 - 2.611)               | 7.25                | 99               |
| 15+22+42                 | 1.44                  | 2.12   | 4.04*  | -      | -      | 7.60 (2.90 - 9.00) | 1.845 (0.690 - 2.755)               | 8.10                | 99               |
| 15+22+50                 | 1.36                  | 2.00   | 4.54*  | -      | -      | 7.90 (2.90 - 9.10) | 2.095 (0.690 - 2.785)               | 9.20                | 99               |
| 15+22+60                 | 1.28                  | 1.88   | 5.13   | -      | -      | 8.30 (2.90 - 9.10) | 2.378 (0.690 - 2.798)               | 10.44               | 99               |
| 15+22+71                 | 1.21                  | 1.77   | 5.72   | -      | -      | 8.70 (2.90 - 9.20) | 2.652 (0.690 - 2.832)               | 11.65               | 99               |
| 15+25+25                 | 1.50                  | 2.50   | 2.50   | -      | -      | 6.50 (2.90 - 8.10) | 1.471 (0.690 - 2.341)               | 6.46                | 99               |
| 15+25+35                 | 1.50                  | 2.50   | 3.50   | -      | -      | 7.50 (2.90 - 9.00) | 1.731 (0.690 - 2.751)               | 7.60                | 99               |
| 15+25+42                 | 1.43                  | 2.38   | 4.00*  | -      | -      | 7.80 (2.90 - 9.00) | 1.935 (0.690 - 2.765)               | 8.50                | 99               |
| 15+25+50                 | 1.35                  | 2.25   | 4.50*  | -      | -      | 8.10 (2.90 - 9.10) | 2.185 (0.690 - 2.795)               | 9.60                | 99               |
| 15+25+60                 | 1.26                  | 2.10   | 5.04   | -      | -      | 8.40 (2.90 - 9.20) | 2.478 (0.690 - 2.808)               | 10.88               | 99               |
| 15+25+71                 | 1.18                  | 1.96   | 5.56   | -      | -      | 8.70 (2.90 - 9.20) | 2.672 (0.690 - 2.842)               | 11.73               | 99               |
| 15+35+35                 | 1.39                  | 3.25   | 3.25   | -      | -      | 7.90 (2.90 - 9.10) | 2.041 (0.690 - 2.781)               | 8.96                | 99               |
| 15+35+42                 | 1.32                  | 3.08   | 3.70*  | -      | -      | 8.10 (2.90 - 9.10) | 2.245 (0.690 - 2.795)               | 9.86                | 99               |
| 15+35+50                 | 1.26                  | 2.94   | 4.20*  | -      | -      | 8.40 (2.90 - 9.20) | 2.495 (0.690 - 2.825)               | 10.96               | 99               |
| 15+35+60                 | 1.19                  | 2.77   | 4.75   | -      | -      | 8.70 (2.90 - 9.20) | 2.668 (0.690 - 2.838)               | 11.72               | 99               |
| 15+35+71                 | 1.10                  | 2.57   | 5.22   | -      | -      | 8.90 (2.90 - 9.20) | 2.742 (0.690 - 2.882)               | 12.04               | 99               |
| 15+42+42                 | 1.27                  | 3.56*  | 3.56*  | -      | -      | 8.40 (2.90 - 9.20) | 2.459 (0.690 - 2.809)               | 10.80               | 99               |
| 15+42+50                 | 1.21                  | 3.38*  | 4.02*  | -      | -      | 8.60 (2.90 - 9.20) | 2.649 (0.690 - 2.839)               | 11.63               | 99               |
| 15+42+60                 | 1.13                  | 3.16*  | 4.51   | -      | -      | 8.80 (2.90 - 9.20) | 2.712 (0.690 - 2.862)               | 11.91               | 99               |
| 15+42+71                 | 1.05                  | 2.95*  | 4.99   | -      | -      | 9.00 (2.90 - 9.20) | 2.796 (0.690 - 2.906)               | 12.28               | 99               |
| 15+50+50                 | 1.15                  | 3.83*  | 3.83*  | -      | -      | 8.80 (2.90 - 9.20) | 2.709 (0.690 - 2.869)               | 11.90               | 99               |
| 15+50+60                 | 1.08                  | 3.60*  | 4.32   | -      | -      | 9.00 (2.90 - 9.20) | 2.762 (0.690 - 2.892)               | 12.13               | 99               |
| 15+50+71                 | 0.99                  | 3.31*  | 4.70   | -      | -      | 9.00 (2.90 - 9.20) | 2.876 (0.690 - 2.966)               | 12.63               | 99               |
| 15+60+60                 | 1.00                  | 4.00   | 4.00   | -      | -      | 9.00 (2.90 - 9.20) | 2.845 (0.690 - 2.945)               | 12.49               | 99               |
| 15+60+71                 | 0.93                  | 3.74   | 4.43   | -      | -      | 9.10 (2.90 - 9.30) | 2.979 (0.690 - 3.049)               | 13.08               | 99               |
| 15+71+71                 | 0.90                  | 4.25   | 4.25   | -      | -      | 9.40 (2.90 - 9.60) | 3.093 (0.690 - 3.163)               | 13.58               | 99               |
| 20+20+20                 | 2.00                  | 2.00   | 2.00   | -      | -      | 6.00 (2.90 - 8.10) | 1.353 (0.690 - 2.353)               | 5.94                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)      |                                     |                     |                  |
| 20+20+22                 | 2.00                  | 2.00   | 2.20   | -      | -      | 6.20 (2.90 - 8.10) | 1.396 (0.690 - 2.346)               | 6.13                | 99               |
| 20+20+25                 | 2.00                  | 2.00   | 2.50   | -      | -      | 6.50 (2.90 - 8.10) | 1.476 (0.690 - 2.346)               | 6.48                | 99               |
| 20+20+35                 | 2.00                  | 2.00   | 3.50   | -      | -      | 7.50 (2.90 - 9.00) | 1.736 (0.690 - 2.756)               | 7.62                | 99               |
| 20+20+42                 | 1.90                  | 1.90   | 4.00*  | -      | -      | 7.80 (2.90 - 9.00) | 1.940 (0.690 - 2.770)               | 8.52                | 99               |
| 20+20+50                 | 1.80                  | 1.80   | 4.50*  | -      | -      | 8.10 (2.90 - 9.10) | 2.190 (0.690 - 2.800)               | 9.62                | 99               |
| 20+20+60                 | 1.68                  | 1.68   | 5.04   | -      | -      | 8.40 (2.90 - 9.20) | 2.483 (0.690 - 2.813)               | 10.90               | 99               |
| 20+20+71                 | 1.57                  | 1.57   | 5.56   | -      | -      | 8.70 (2.90 - 9.20) | 2.677 (0.690 - 2.847)               | 11.76               | 99               |
| 20+22+22                 | 2.00                  | 2.20   | 2.20   | -      | -      | 6.40 (2.90 - 8.10) | 1.439 (0.690 - 2.339)               | 6.32                | 99               |
| 20+22+25                 | 2.00                  | 2.20   | 2.50   | -      | -      | 6.70 (2.90 - 8.20) | 1.519 (0.690 - 2.389)               | 6.67                | 99               |
| 20+22+35                 | 1.97                  | 2.17   | 3.45   | -      | -      | 7.60 (2.90 - 9.00) | 1.789 (0.690 - 2.759)               | 7.86                | 99               |
| 20+22+42                 | 1.86                  | 2.04   | 3.90*  | -      | -      | 7.80 (2.90 - 9.10) | 2.003 (0.690 - 2.773)               | 8.80                | 99               |
| 20+22+50                 | 1.76                  | 1.94   | 4.40*  | -      | -      | 8.10 (2.90 - 9.10) | 2.243 (0.690 - 2.793)               | 9.85                | 99               |
| 20+22+60                 | 1.67                  | 1.83   | 5.00   | -      | -      | 8.50 (2.90 - 9.20) | 2.536 (0.690 - 2.806)               | 11.14               | 99               |
| 20+22+71                 | 1.56                  | 1.71   | 5.53   | -      | -      | 8.80 (2.90 - 9.20) | 2.690 (0.690 - 2.850)               | 11.81               | 99               |
| 20+25+25                 | 2.00                  | 2.50   | 2.50   | -      | -      | 7.00 (2.90 - 8.50) | 1.599 (0.690 - 2.519)               | 7.02                | 99               |
| 20+25+35                 | 1.93                  | 2.41   | 3.37   | -      | -      | 7.70 (2.90 - 9.00) | 1.879 (0.690 - 2.769)               | 8.25                | 99               |
| 20+25+42                 | 1.82                  | 2.27   | 3.81*  | -      | -      | 7.90 (2.90 - 9.10) | 2.093 (0.690 - 2.783)               | 9.19                | 99               |
| 20+25+50                 | 1.73                  | 2.16   | 4.32*  | -      | -      | 8.20 (2.90 - 9.10) | 2.333 (0.690 - 2.803)               | 10.25               | 99               |
| 20+25+60                 | 1.64                  | 2.05   | 4.91   | -      | -      | 8.60 (2.90 - 9.20) | 2.626 (0.690 - 2.816)               | 11.53               | 99               |
| 20+25+71                 | 1.52                  | 1.90   | 5.39   | -      | -      | 8.80 (2.90 - 9.20) | 2.710 (0.690 - 2.860)               | 11.90               | 99               |
| 20+35+35                 | 1.80                  | 3.15   | 3.15   | -      | -      | 8.10 (2.90 - 9.10) | 2.189 (0.690 - 2.799)               | 9.61                | 99               |
| 20+35+42                 | 1.71                  | 2.99   | 3.59*  | -      | -      | 8.30 (2.90 - 9.10) | 2.393 (0.690 - 2.813)               | 10.51               | 99               |
| 20+35+50                 | 1.64                  | 2.87   | 4.10*  | -      | -      | 8.60 (2.90 - 9.20) | 2.643 (0.690 - 2.833)               | 11.61               | 99               |
| 20+35+60                 | 1.53                  | 2.68   | 4.59   | -      | -      | 8.80 (2.90 - 9.20) | 2.696 (0.690 - 2.856)               | 11.84               | 99               |
| 20+35+71                 | 1.43                  | 2.50   | 5.07   | -      | -      | 9.00 (2.90 - 9.20) | 2.780 (0.690 - 2.900)               | 12.21               | 99               |
| 20+42+42                 | 1.65                  | 3.47*  | 3.47*  | -      | -      | 8.60 (2.90 - 9.20) | 2.607 (0.690 - 2.827)               | 11.45               | 99               |
| 20+42+50                 | 1.55                  | 3.26*  | 3.88*  | -      | -      | 8.70 (2.90 - 9.20) | 2.687 (0.690 - 2.857)               | 11.80               | 99               |
| 20+42+60                 | 1.46                  | 3.06*  | 4.38   | -      | -      | 8.90 (2.90 - 9.20) | 2.740 (0.690 - 2.870)               | 12.03               | 99               |
| 20+42+71                 | 1.35                  | 2.84*  | 4.80   | -      | -      | 9.00 (2.90 - 9.20) | 2.844 (0.690 - 2.944)               | 12.49               | 99               |
| 20+50+50                 | 1.48                  | 3.71*  | 3.71*  | -      | -      | 8.90 (2.90 - 9.20) | 2.747 (0.690 - 2.887)               | 12.06               | 99               |
| 20+50+60                 | 1.38                  | 3.46*  | 4.15   | -      | -      | 9.00 (2.90 - 9.20) | 2.810 (0.690 - 2.920)               | 12.34               | 99               |
| 20+50+71                 | 1.28                  | 3.19*  | 4.53   | -      | -      | 9.00 (2.90 - 9.20) | 2.924 (0.690 - 3.004)               | 12.84               | 99               |
| 20+60+60                 | 1.29                  | 3.86   | 3.86   | -      | -      | 9.00 (2.90 - 9.20) | 2.893 (0.690 - 2.973)               | 12.71               | 99               |
| 20+60+71                 | 1.25                  | 3.74   | 4.42   | -      | -      | 9.40 (2.90 - 9.60) | 3.087 (0.690 - 3.157)               | 13.56               | 99               |
| 20+71+71                 | 1.16                  | 4.12   | 4.12   | -      | -      | 9.40 (2.90 - 9.60) | 3.091 (0.690 - 3.161)               | 13.57               | 99               |
| 22+22+22                 | 2.20                  | 2.20   | 2.20   | -      | -      | 6.60 (2.90 - 8.10) | 1.482 (0.690 - 2.332)               | 6.51                | 99               |
| 22+22+25                 | 2.20                  | 2.20   | 2.50   | -      | -      | 6.90 (2.90 - 8.40) | 1.562 (0.690 - 2.472)               | 6.86                | 99               |
| 22+22+35                 | 2.12                  | 2.12   | 3.37   | -      | -      | 7.60 (2.90 - 9.00) | 1.842 (0.690 - 2.752)               | 8.09                | 99               |
| 22+22+42                 | 2.02                  | 2.02   | 3.86*  | -      | -      | 7.90 (2.90 - 9.10) | 2.056 (0.690 - 2.766)               | 9.03                | 99               |
| 22+22+50                 | 1.92                  | 1.92   | 4.36*  | -      | -      | 8.20 (2.90 - 9.10) | 2.296 (0.690 - 2.796)               | 10.08               | 99               |
| 22+22+60                 | 1.82                  | 1.82   | 4.96   | -      | -      | 8.60 (2.90 - 9.20) | 2.589 (0.690 - 2.809)               | 11.37               | 99               |
| 22+22+71                 | 1.68                  | 1.68   | 5.43   | -      | -      | 8.80 (2.90 - 9.20) | 2.693 (0.690 - 2.853)               | 11.83               | 99               |
| 22+25+25                 | 2.20                  | 2.50   | 2.50   | -      | -      | 7.20 (2.90 - 8.70) | 1.642 (0.690 - 2.602)               | 7.21                | 99               |
| 22+25+35                 | 2.09                  | 2.38   | 3.33   | -      | -      | 7.80 (2.90 - 9.00) | 1.932 (0.690 - 2.762)               | 8.48                | 99               |
| 22+25+42                 | 1.98                  | 2.25   | 3.78*  | -      | -      | 8.00 (2.90 - 9.10) | 2.146 (0.690 - 2.776)               | 9.42                | 99               |
| 22+25+50                 | 1.88                  | 2.14   | 4.28*  | -      | -      | 8.30 (2.90 - 9.10) | 2.386 (0.690 - 2.806)               | 10.48               | 99               |
| 22+25+60                 | 1.77                  | 2.01   | 4.82   | -      | -      | 8.60 (2.90 - 9.20) | 2.629 (0.690 - 2.819)               | 11.55               | 99               |
| 22+25+71                 | 1.64                  | 1.86   | 5.29   | -      | -      | 8.80 (2.90 - 9.20) | 2.713 (0.690 - 2.863)               | 11.91               | 99               |
| 22+35+35                 | 1.94                  | 3.08   | 3.08   | -      | -      | 8.10 (2.90 - 9.10) | 2.242 (0.690 - 2.792)               | 9.85                | 99               |
| 22+35+42                 | 1.87                  | 2.97   | 3.56*  | -      | -      | 8.40 (2.90 - 9.20) | 2.456 (0.690 - 2.806)               | 10.79               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                    | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)      |                                     |                     |                  |
| 22+35+50                 | 1.77                  | 2.81   | 4.02*  | -      | -      | 8.60 (2.90 - 9.20) | 2.646 (0.690 - 2.836)               | 11.62               | 99               |
| 22+35+60                 | 1.65                  | 2.63   | 4.51   | -      | -      | 8.80 (2.90 - 9.20) | 2.709 (0.690 - 2.859)               | 11.90               | 99               |
| 22+35+71                 | 1.55                  | 2.46   | 4.99   | -      | -      | 9.00 (2.90 - 9.20) | 2.793 (0.690 - 2.903)               | 12.27               | 99               |
| 22+42+42                 | 1.78                  | 3.41*  | 3.41*  | -      | -      | 8.60 (2.90 - 9.20) | 2.640 (0.690 - 2.820)               | 11.59               | 99               |
| 22+42+50                 | 1.70                  | 3.24*  | 3.86*  | -      | -      | 8.80 (2.90 - 9.20) | 2.690 (0.690 - 2.850)               | 11.81               | 99               |
| 22+42+60                 | 1.60                  | 3.05*  | 4.35   | -      | -      | 9.00 (2.90 - 9.20) | 2.753 (0.690 - 2.873)               | 12.09               | 99               |
| 22+42+71                 | 1.47                  | 2.80*  | 4.73   | -      | -      | 9.00 (2.90 - 9.20) | 2.857 (0.690 - 2.957)               | 12.55               | 99               |
| 22+50+50                 | 1.60                  | 3.65*  | 3.65*  | -      | -      | 8.90 (2.90 - 9.20) | 2.750 (0.690 - 2.880)               | 12.08               | 99               |
| 22+50+60                 | 1.50                  | 3.41*  | 4.09   | -      | -      | 9.00 (2.90 - 9.20) | 2.823 (0.690 - 2.923)               | 12.40               | 99               |
| 22+50+71                 | 1.38                  | 3.15*  | 4.47   | -      | -      | 9.00 (2.90 - 9.20) | 2.937 (0.690 - 3.017)               | 12.90               | 99               |
| 22+60+60                 | 1.39                  | 3.80   | 3.80   | -      | -      | 9.00 (2.90 - 9.20) | 2.906 (0.690 - 2.986)               | 12.76               | 99               |
| 22+60+71                 | 1.35                  | 3.69   | 4.36   | -      | -      | 9.40 (2.90 - 9.60) | 3.080 (0.690 - 3.150)               | 13.53               | 99               |
| 22+71+71                 | 1.26                  | 4.07   | 4.07   | -      | -      | 9.40 (2.90 - 9.60) | 3.084 (0.690 - 3.154)               | 13.54               | 99               |
| 25+25+25                 | 2.50                  | 2.50   | 2.50   | -      | -      | 7.50 (2.90 - 9.00) | 1.722 (0.690 - 2.742)               | 7.56                | 99               |
| 25+25+35                 | 2.32                  | 2.32   | 3.25   | -      | -      | 7.90 (2.90 - 9.10) | 2.032 (0.690 - 2.772)               | 8.92                | 99               |
| 25+25+42                 | 2.20                  | 2.20   | 3.70*  | -      | -      | 8.10 (2.90 - 9.10) | 2.236 (0.690 - 2.786)               | 9.82                | 99               |
| 25+25+50                 | 2.10                  | 2.10   | 4.20*  | -      | -      | 8.40 (2.90 - 9.20) | 2.486 (0.690 - 2.816)               | 10.92               | 99               |
| 25+25+60                 | 1.98                  | 1.98   | 4.75   | -      | -      | 8.70 (2.90 - 9.20) | 2.659 (0.690 - 2.829)               | 11.68               | 99               |
| 25+25+71                 | 1.84                  | 1.84   | 5.22   | -      | -      | 8.90 (2.90 - 9.20) | 2.733 (0.690 - 2.873)               | 12.00               | 99               |
| 25+35+35                 | 2.16                  | 3.02   | 3.02   | -      | -      | 8.20 (2.90 - 9.10) | 2.332 (0.690 - 2.802)               | 10.24               | 99               |
| 25+35+42                 | 2.08                  | 2.92   | 3.50*  | -      | -      | 8.50 (2.90 - 9.20) | 2.546 (0.690 - 2.816)               | 11.18               | 99               |
| 25+35+50                 | 1.98                  | 2.77   | 3.95*  | -      | -      | 8.70 (2.90 - 9.20) | 2.676 (0.690 - 2.846)               | 11.75               | 99               |
| 25+35+60                 | 1.85                  | 2.60   | 4.45   | -      | -      | 8.90 (2.90 - 9.20) | 2.729 (0.690 - 2.869)               | 11.99               | 99               |
| 25+35+71                 | 1.72                  | 2.40   | 4.88   | -      | -      | 9.00 (2.90 - 9.20) | 2.823 (0.690 - 2.933)               | 12.40               | 99               |
| 25+42+42                 | 2.00                  | 3.35*  | 3.35*  | -      | -      | 8.70 (2.90 - 9.20) | 2.660 (0.690 - 2.840)               | 11.68               | 99               |
| 25+42+50                 | 1.88                  | 3.16*  | 3.76*  | -      | -      | 8.80 (2.90 - 9.20) | 2.720 (0.690 - 2.870)               | 11.95               | 99               |
| 25+42+60                 | 1.77                  | 2.98*  | 4.25   | -      | -      | 9.00 (2.90 - 9.20) | 2.773 (0.690 - 2.893)               | 12.18               | 99               |
| 25+42+71                 | 1.63                  | 2.74*  | 4.63   | -      | -      | 9.00 (2.90 - 9.20) | 2.887 (0.690 - 2.977)               | 12.68               | 99               |
| 25+50+50                 | 1.80                  | 3.60*  | 3.60*  | -      | -      | 9.00 (2.90 - 9.20) | 2.770 (0.690 - 2.900)               | 12.17               | 99               |
| 25+50+60                 | 1.67                  | 3.33*  | 4.00   | -      | -      | 9.00 (2.90 - 9.20) | 2.853 (0.690 - 2.953)               | 12.53               | 99               |
| 25+50+71                 | 1.56                  | 3.12*  | 4.43   | -      | -      | 9.10 (2.90 - 9.30) | 2.987 (0.690 - 3.057)               | 13.12               | 99               |
| 25+60+60                 | 1.55                  | 3.72   | 3.72   | -      | -      | 9.00 (2.90 - 9.20) | 2.936 (0.690 - 3.006)               | 12.89               | 99               |
| 25+60+71                 | 1.51                  | 3.62   | 4.28   | -      | -      | 9.40 (2.90 - 9.60) | 3.080 (0.690 - 3.150)               | 13.53               | 99               |
| 25+71+71                 | 1.41                  | 4.00   | 4.00   | -      | -      | 9.40 (2.90 - 9.60) | 3.084 (0.690 - 3.154)               | 13.54               | 99               |
| 35+35+35                 | 2.87                  | 2.87   | 2.87   | -      | -      | 8.60 (2.90 - 9.20) | 2.642 (0.690 - 2.832)               | 11.60               | 99               |
| 35+35+42                 | 2.72                  | 2.72   | 3.26*  | -      | -      | 8.70 (2.90 - 9.20) | 2.686 (0.690 - 2.856)               | 11.80               | 99               |
| 35+35+50                 | 2.60                  | 2.60   | 3.71*  | -      | -      | 8.90 (2.90 - 9.20) | 2.746 (0.690 - 2.886)               | 12.06               | 99               |
| 35+35+60                 | 2.42                  | 2.42   | 4.15   | -      | -      | 9.00 (2.90 - 9.20) | 2.809 (0.690 - 2.919)               | 12.34               | 99               |
| 35+35+71                 | 2.23                  | 2.23   | 4.53   | -      | -      | 9.00 (2.90 - 9.20) | 2.923 (0.690 - 3.003)               | 12.84               | 99               |
| 35+42+42                 | 2.62                  | 3.14*  | 3.14*  | -      | -      | 8.90 (2.90 - 9.20) | 2.730 (0.690 - 2.870)               | 11.99               | 99               |
| 35+42+50                 | 2.48                  | 2.98*  | 3.54*  | -      | -      | 9.00 (2.90 - 9.20) | 2.790 (0.690 - 2.910)               | 12.25               | 99               |
| 35+42+60                 | 2.30                  | 2.76*  | 3.94   | -      | -      | 9.00 (2.90 - 9.20) | 2.873 (0.690 - 2.963)               | 12.62               | 99               |
| 35+42+71                 | 2.18                  | 2.61*  | 4.41   | -      | -      | 9.20 (2.90 - 9.40) | 3.037 (0.690 - 3.107)               | 13.34               | 99               |
| 35+50+50                 | 2.33                  | 3.33*  | 3.33*  | -      | -      | 9.00 (2.90 - 9.20) | 2.870 (0.690 - 2.970)               | 12.60               | 99               |
| 35+50+60                 | 2.17                  | 3.10*  | 3.72   | -      | -      | 9.00 (2.90 - 9.20) | 2.953 (0.690 - 3.023)               | 12.97               | 99               |
| 35+50+71                 | 2.11                  | 3.01*  | 4.28   | -      | -      | 9.40 (2.90 - 9.60) | 3.097 (0.690 - 3.167)               | 13.60               | 99               |
| 35+60+60                 | 2.12                  | 3.64   | 3.64   | -      | -      | 9.40 (2.90 - 9.60) | 3.076 (0.690 - 3.146)               | 13.51               | 99               |
| 35+60+71                 | 1.98                  | 3.40   | 4.02   | -      | -      | 9.40 (2.90 - 9.60) | 3.080 (0.690 - 3.150)               | 13.53               | 99               |
| 42+42+42                 | 3.00*                 | 3.00*  | 3.00*  | -      | -      | 9.00 (2.90 - 9.20) | 2.774 (0.690 - 2.894)               | 12.18               | 99               |
| 42+42+50                 | 2.82*                 | 2.82*  | 3.36*  | -      | -      | 9.00 (2.90 - 9.20) | 2.854 (0.690 - 2.954)               | 12.53               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 42+42+60                 | 2.63*                 | 2.63*  | 3.75   | -      | -      | 9.00 (2.90 - 9.20)  | 2.937 (0.690 - 3.007)               | 12.90               | 99               |
| 42+42+71                 | 2.55*                 | 2.55*  | 4.31   | -      | -      | 9.40 (2.90 - 9.60)  | 3.091 (0.690 - 3.161)               | 13.57               | 99               |
| 42+50+50                 | 2.66*                 | 3.17*  | 3.17*  | -      | -      | 9.00 (2.90 - 9.20)  | 2.934 (0.690 - 3.014)               | 12.89               | 99               |
| 42+50+60                 | 2.60*                 | 3.09*  | 3.71   | -      | -      | 9.40 (2.90 - 9.60)  | 3.087 (0.690 - 3.157)               | 13.56               | 99               |
| 42+50+71                 | 2.42*                 | 2.88*  | 4.09   | -      | -      | 9.40 (2.90 - 9.60)  | 3.091 (0.690 - 3.161)               | 13.57               | 99               |
| 42+60+60                 | 2.44*                 | 3.48   | 3.48   | -      | -      | 9.40 (2.90 - 9.60)  | 3.070 (0.690 - 3.140)               | 13.48               | 99               |
| 50+50+50                 | 3.13*                 | 3.13*  | 3.13*  | -      | -      | 9.40 (2.90 - 9.60)  | 3.104 (0.690 - 3.174)               | 13.63               | 99               |
| 50+50+60                 | 2.94*                 | 2.94*  | 3.53   | -      | -      | 9.40 (2.90 - 9.60)  | 3.087 (0.690 - 3.157)               | 13.56               | 99               |
| 50+50+71                 | 2.75*                 | 2.75*  | 3.90   | -      | -      | 9.40 (2.90 - 9.60)  | 3.091 (0.690 - 3.161)               | 13.57               | 99               |
| 50+60+60                 | 2.76*                 | 3.32   | 3.32   | -      | -      | 9.40 (2.90 - 9.60)  | 3.070 (0.690 - 3.140)               | 13.48               | 99               |
| 15+15+15+15              | 1.50                  | 1.50   | 1.50   | 1.50   | -      | 6.00 (3.70 - 7.20)  | 1.352 (0.660 - 2.972)               | 5.94                | 99               |
| 15+15+15+20              | 1.48                  | 1.48   | 1.48   | 1.97   | -      | 6.40 (3.70 - 7.60)  | 1.470 (0.660 - 3.160)               | 6.46                | 99               |
| 15+15+15+22              | 1.46                  | 1.46   | 1.46   | 2.13   | -      | 6.50 (3.70 - 7.70)  | 1.513 (0.660 - 3.233)               | 6.64                | 99               |
| 15+15+15+25              | 1.44                  | 1.44   | 1.44   | 2.39   | -      | 6.70 (3.70 - 7.90)  | 1.583 (0.660 - 3.353)               | 6.95                | 99               |
| 15+15+15+35              | 1.39                  | 1.39   | 1.39   | 3.24   | -      | 7.40 (3.70 - 8.60)  | 1.823 (0.660 - 3.733)               | 8.01                | 99               |
| 15+15+15+42              | 1.36                  | 1.36   | 1.36   | 3.81*  | -      | 7.90 (3.70 - 9.10)  | 1.987 (0.660 - 3.997)               | 8.73                | 99               |
| 15+15+15+50              | 1.33                  | 1.33   | 1.33   | 4.42*  | -      | 8.40 (3.70 - 9.60)  | 1.597 (0.660 - 3.417)               | 7.01                | 99               |
| 15+15+15+60              | 1.24                  | 1.24   | 1.24   | 4.97   | -      | 8.70 (3.70 - 9.90)  | 2.050 (0.660 - 4.020)               | 9.00                | 99               |
| 15+15+15+71              | 1.14                  | 1.14   | 1.14   | 5.39   | -      | 8.80 (3.70 - 10.00) | 2.294 (0.660 - 4.024)               | 10.07               | 99               |
| 15+15+20+20              | 1.44                  | 1.44   | 1.91   | 1.91   | -      | 6.70 (3.70 - 7.90)  | 1.588 (0.660 - 3.358)               | 6.97                | 99               |
| 15+15+20+22              | 1.44                  | 1.44   | 1.92   | 2.11   | -      | 6.90 (3.70 - 8.10)  | 1.631 (0.660 - 3.421)               | 7.16                | 99               |
| 15+15+20+25              | 1.42                  | 1.42   | 1.89   | 2.37   | -      | 7.10 (3.70 - 8.30)  | 1.701 (0.660 - 3.541)               | 7.47                | 99               |
| 15+15+20+35              | 1.38                  | 1.38   | 1.84   | 3.21   | -      | 7.80 (3.70 - 9.00)  | 1.941 (0.660 - 3.921)               | 8.52                | 99               |
| 15+15+20+42              | 1.34                  | 1.34   | 1.78   | 3.74*  | -      | 8.20 (3.70 - 9.40)  | 1.605 (0.660 - 3.415)               | 7.05                | 99               |
| 15+15+20+50              | 1.29                  | 1.29   | 1.72   | 4.30*  | -      | 8.60 (3.70 - 9.90)  | 1.955 (0.660 - 4.035)               | 8.59                | 99               |
| 15+15+20+60              | 1.19                  | 1.19   | 1.58   | 4.75   | -      | 8.70 (3.70 - 10.00) | 2.158 (0.660 - 4.018)               | 9.48                | 99               |
| 15+15+20+71              | 1.09                  | 1.09   | 1.45   | 5.16   | -      | 8.80 (3.70 - 10.10) | 2.402 (0.660 - 4.022)               | 10.55               | 99               |
| 15+15+22+22              | 1.42                  | 1.42   | 2.08   | 2.08   | -      | 7.00 (3.70 - 8.20)  | 1.674 (0.660 - 3.494)               | 7.35                | 99               |
| 15+15+22+25              | 1.40                  | 1.40   | 2.06   | 2.34   | -      | 7.20 (3.70 - 8.40)  | 1.744 (0.660 - 3.614)               | 7.66                | 99               |
| 15+15+22+35              | 1.36                  | 1.36   | 2.00   | 3.18   | -      | 7.90 (3.70 - 9.10)  | 1.984 (0.660 - 3.994)               | 8.71                | 99               |
| 15+15+22+42              | 1.32                  | 1.32   | 1.94   | 3.71*  | -      | 8.30 (3.70 - 9.60)  | 1.598 (0.660 - 3.408)               | 7.02                | 99               |
| 15+15+22+50              | 1.26                  | 1.26   | 1.85   | 4.22*  | -      | 8.60 (3.70 - 9.90)  | 1.988 (0.660 - 4.028)               | 8.73                | 99               |
| 15+15+22+60              | 1.17                  | 1.17   | 1.71   | 4.66   | -      | 8.70 (3.70 - 10.00) | 2.191 (0.660 - 4.011)               | 9.62                | 99               |
| 15+15+22+71              | 1.07                  | 1.07   | 1.57   | 5.08   | -      | 8.80 (3.70 - 10.10) | 2.435 (0.660 - 4.015)               | 10.69               | 99               |
| 15+15+25+25              | 1.39                  | 1.39   | 2.31   | 2.31   | -      | 7.40 (3.70 - 8.60)  | 1.814 (0.660 - 3.724)               | 7.97                | 99               |
| 15+15+25+35              | 1.35                  | 1.35   | 2.25   | 3.15   | -      | 8.10 (3.70 - 9.30)  | 1.614 (0.660 - 3.414)               | 7.09                | 99               |
| 15+15+25+42              | 1.31                  | 1.31   | 2.19   | 3.68*  | -      | 8.50 (3.70 - 9.70)  | 1.578 (0.660 - 3.408)               | 6.93                | 99               |
| 15+15+25+50              | 1.24                  | 1.24   | 2.07   | 4.14*  | -      | 8.70 (3.70 - 9.90)  | 2.058 (0.660 - 4.028)               | 9.04                | 99               |
| 15+15+25+60              | 1.15                  | 1.15   | 1.91   | 4.59   | -      | 8.80 (3.70 - 10.00) | 2.261 (0.660 - 4.011)               | 9.93                | 99               |
| 15+15+25+71              | 1.06                  | 1.06   | 1.77   | 5.02   | -      | 8.90 (3.70 - 10.10) | 2.505 (0.660 - 4.015)               | 11.00               | 99               |
| 15+15+35+35              | 1.29                  | 1.29   | 3.01   | 3.01   | -      | 8.60 (3.70 - 9.90)  | 1.954 (0.660 - 4.034)               | 8.58                | 99               |
| 15+15+35+42              | 1.22                  | 1.22   | 2.85   | 3.41*  | -      | 8.70 (3.70 - 10.00) | 2.098 (0.660 - 4.028)               | 9.21                | 99               |
| 15+15+35+50              | 1.15                  | 1.15   | 2.68   | 3.83*  | -      | 8.80 (3.70 - 10.00) | 2.278 (0.660 - 4.028)               | 10.00               | 99               |
| 15+15+35+60              | 1.07                  | 1.07   | 2.49   | 4.27   | -      | 8.90 (3.70 - 10.10) | 2.471 (0.660 - 4.011)               | 10.85               | 99               |
| 15+15+35+71              | 0.99                  | 0.99   | 2.32   | 4.70   | -      | 9.00 (3.70 - 10.20) | 2.715 (0.660 - 4.015)               | 11.92               | 99               |
| 15+15+42+42              | 1.14                  | 1.14   | 3.21*  | 3.21*  | -      | 8.70 (3.70 - 10.00) | 2.242 (0.660 - 4.022)               | 9.85                | 99               |
| 15+15+42+50              | 1.08                  | 1.08   | 3.03*  | 3.61*  | -      | 8.80 (3.70 - 10.10) | 2.422 (0.660 - 4.022)               | 10.64               | 99               |
| 15+15+42+60              | 1.01                  | 1.01   | 2.83*  | 4.05   | -      | 8.90 (3.70 - 10.10) | 2.625 (0.660 - 4.005)               | 11.53               | 99               |
| 15+15+42+71              | 0.94                  | 0.94   | 2.64*  | 4.47   | -      | 9.00 (3.70 - 10.20) | 2.799 (0.660 - 4.009)               | 12.29               | 99               |
| 15+15+50+50              | 1.03                  | 1.03   | 3.42*  | 3.42*  | -      | 8.90 (3.70 - 10.10) | 2.592 (0.660 - 4.022)               | 11.38               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+15+50+60              | 0.96                  | 0.96   | 3.21*  | 3.86   | -      | 9.00 (3.70 - 10.20) | 2.795 (0.660 - 4.005)               | 12.27               | 99               |
| 15+15+50+71              | 0.90                  | 0.90   | 3.01*  | 4.28   | -      | 9.10 (3.70 - 10.20) | 2.879 (0.660 - 4.009)               | 12.64               | 99               |
| 15+15+60+60              | 0.91                  | 0.91   | 3.64   | 3.64   | -      | 9.10 (3.70 - 10.20) | 2.838 (0.660 - 3.988)               | 12.46               | 99               |
| 15+15+60+71              | 0.87                  | 0.87   | 3.47   | 4.10   | -      | 9.30 (3.70 - 10.20) | 2.982 (0.660 - 3.992)               | 13.10               | 99               |
| 15+15+71+71              | 0.82                  | 0.82   | 3.88   | 3.88   | -      | 9.40 (3.70 - 10.20) | 3.076 (0.660 - 3.996)               | 13.51               | 99               |
| 15+20+20+20              | 1.42                  | 1.89   | 1.89   | 1.89   | -      | 7.10 (3.70 - 8.30)  | 1.706 (0.660 - 3.546)               | 7.49                | 99               |
| 15+20+20+22              | 1.40                  | 1.87   | 1.87   | 2.06   | -      | 7.20 (3.70 - 8.40)  | 1.749 (0.660 - 3.619)               | 7.68                | 99               |
| 15+20+20+25              | 1.39                  | 1.85   | 1.85   | 2.31   | -      | 7.40 (3.70 - 8.60)  | 1.819 (0.660 - 3.729)               | 7.99                | 99               |
| 15+20+20+35              | 1.35                  | 1.80   | 1.80   | 3.15   | -      | 8.10 (3.70 - 9.30)  | 1.619 (0.660 - 3.419)               | 7.11                | 99               |
| 15+20+20+42              | 1.31                  | 1.75   | 1.75   | 3.68*  | -      | 8.50 (3.70 - 9.70)  | 1.583 (0.660 - 3.413)               | 6.95                | 99               |
| 15+20+20+50              | 1.24                  | 1.66   | 1.66   | 4.14*  | -      | 8.70 (3.70 - 9.90)  | 2.063 (0.660 - 4.033)               | 9.06                | 99               |
| 15+20+20+60              | 1.15                  | 1.53   | 1.53   | 4.59   | -      | 8.80 (3.70 - 10.00) | 2.266 (0.660 - 4.016)               | 9.95                | 99               |
| 15+20+20+71              | 1.06                  | 1.41   | 1.41   | 5.02   | -      | 8.90 (3.70 - 10.10) | 2.510 (0.660 - 4.020)               | 11.02               | 99               |
| 15+20+22+22              | 1.41                  | 1.87   | 2.06   | 2.06   | -      | 7.40 (3.70 - 8.60)  | 1.782 (0.660 - 3.682)               | 7.83                | 99               |
| 15+20+22+25              | 1.39                  | 1.85   | 2.04   | 2.32   | -      | 7.60 (3.70 - 8.80)  | 1.862 (0.660 - 3.802)               | 8.18                | 99               |
| 15+20+22+35              | 1.34                  | 1.78   | 1.96   | 3.12   | -      | 8.20 (3.70 - 9.40)  | 1.602 (0.660 - 3.412)               | 7.04                | 99               |
| 15+20+22+42              | 1.30                  | 1.74   | 1.91   | 3.65*  | -      | 8.60 (3.70 - 9.80)  | 1.566 (0.660 - 3.406)               | 6.88                | 99               |
| 15+20+22+50              | 1.22                  | 1.63   | 1.79   | 4.07*  | -      | 8.70 (3.70 - 10.00) | 2.096 (0.660 - 4.026)               | 9.21                | 99               |
| 15+20+22+60              | 1.13                  | 1.50   | 1.65   | 4.51   | -      | 8.80 (3.70 - 10.00) | 2.299 (0.660 - 4.009)               | 10.10               | 99               |
| 15+20+22+71              | 1.04                  | 1.39   | 1.53   | 4.94   | -      | 8.90 (3.70 - 10.10) | 2.543 (0.660 - 4.013)               | 11.17               | 99               |
| 15+20+25+25              | 1.38                  | 1.84   | 2.29   | 2.29   | -      | 7.80 (3.70 - 9.00)  | 1.932 (0.660 - 3.912)               | 8.48                | 99               |
| 15+20+25+35              | 1.33                  | 1.77   | 2.21   | 3.09   | -      | 8.40 (3.70 - 9.60)  | 1.592 (0.660 - 3.412)               | 6.99                | 99               |
| 15+20+25+42              | 1.26                  | 1.69   | 2.11   | 3.54*  | -      | 8.60 (3.70 - 9.90)  | 1.986 (0.660 - 4.026)               | 8.72                | 99               |
| 15+20+25+50              | 1.19                  | 1.58   | 1.98   | 3.95*  | -      | 8.70 (3.70 - 10.00) | 2.166 (0.660 - 4.026)               | 9.51                | 99               |
| 15+20+25+60              | 1.10                  | 1.47   | 1.83   | 4.40   | -      | 8.80 (3.70 - 10.10) | 2.369 (0.660 - 4.009)               | 10.40               | 99               |
| 15+20+25+71              | 1.02                  | 1.36   | 1.70   | 4.82   | -      | 8.90 (3.70 - 10.10) | 2.603 (0.660 - 4.013)               | 11.43               | 99               |
| 15+20+35+35              | 1.24                  | 1.66   | 2.90   | 2.90   | -      | 8.70 (3.70 - 9.90)  | 2.062 (0.660 - 4.032)               | 9.06                | 99               |
| 15+20+35+42              | 1.17                  | 1.55   | 2.72   | 3.26*  | -      | 8.70 (3.70 - 10.00) | 2.206 (0.660 - 4.026)               | 9.69                | 99               |
| 15+20+35+50              | 1.10                  | 1.47   | 2.57   | 3.67*  | -      | 8.80 (3.70 - 10.10) | 2.386 (0.660 - 4.026)               | 10.48               | 99               |
| 15+20+35+60              | 1.03                  | 1.37   | 2.40   | 4.11   | -      | 8.90 (3.70 - 10.10) | 2.579 (0.660 - 4.009)               | 11.33               | 99               |
| 15+20+35+71              | 0.96                  | 1.28   | 2.23   | 4.53   | -      | 9.00 (3.70 - 10.20) | 2.803 (0.660 - 4.013)               | 12.31               | 99               |
| 15+20+42+42              | 1.11                  | 1.48   | 3.11*  | 3.11*  | -      | 8.80 (3.70 - 10.00) | 2.350 (0.660 - 4.020)               | 10.32               | 99               |
| 15+20+42+50              | 1.05                  | 1.40   | 2.94*  | 3.50*  | -      | 8.90 (3.70 - 10.10) | 2.530 (0.660 - 4.020)               | 11.11               | 99               |
| 15+20+42+60              | 0.99                  | 1.31   | 2.76*  | 3.94   | -      | 9.00 (3.70 - 10.20) | 2.723 (0.660 - 4.003)               | 11.96               | 99               |
| 15+20+42+71              | 0.92                  | 1.23   | 2.58*  | 4.37   | -      | 9.10 (3.70 - 10.20) | 2.837 (0.660 - 4.007)               | 12.46               | 99               |
| 15+20+50+50              | 1.00                  | 1.33   | 3.33*  | 3.33*  | -      | 9.00 (3.70 - 10.20) | 2.700 (0.660 - 4.020)               | 11.86               | 99               |
| 15+20+50+60              | 0.93                  | 1.24   | 3.10*  | 3.72   | -      | 9.00 (3.70 - 10.20) | 2.793 (0.660 - 4.003)               | 12.27               | 99               |
| 15+20+50+71              | 0.88                  | 1.18   | 2.95*  | 4.19   | -      | 9.20 (3.70 - 10.20) | 2.937 (0.660 - 4.007)               | 12.90               | 99               |
| 15+20+60+60              | 0.89                  | 1.19   | 3.56   | 3.56   | -      | 9.20 (3.70 - 10.20) | 2.906 (0.660 - 3.986)               | 12.76               | 99               |
| 15+20+60+71              | 0.85                  | 1.13   | 3.40   | 4.02   | -      | 9.40 (3.70 - 10.20) | 3.040 (0.660 - 3.990)               | 13.35               | 99               |
| 15+22+22+22              | 1.39                  | 2.04   | 2.04   | 2.04   | -      | 7.50 (3.70 - 8.70)  | 1.825 (0.660 - 3.755)               | 8.01                | 99               |
| 15+22+22+25              | 1.38                  | 2.02   | 2.02   | 2.29   | -      | 7.70 (3.70 - 8.90)  | 1.895 (0.660 - 3.875)               | 8.32                | 99               |
| 15+22+22+35              | 1.32                  | 1.94   | 1.94   | 3.09   | -      | 8.30 (3.70 - 9.60)  | 1.595 (0.660 - 3.405)               | 7.00                | 99               |
| 15+22+22+42              | 1.28                  | 1.87   | 1.87   | 3.58*  | -      | 8.60 (3.70 - 9.90)  | 1.959 (0.660 - 4.019)               | 8.60                | 99               |
| 15+22+22+50              | 1.20                  | 1.76   | 1.76   | 3.99*  | -      | 8.70 (3.70 - 10.00) | 2.139 (0.660 - 4.019)               | 9.39                | 99               |
| 15+22+22+60              | 1.11                  | 1.63   | 1.63   | 4.44   | -      | 8.80 (3.70 - 10.00) | 2.332 (0.660 - 4.002)               | 10.24               | 99               |
| 15+22+22+71              | 1.03                  | 1.51   | 1.51   | 4.86   | -      | 8.90 (3.70 - 10.10) | 2.576 (0.660 - 4.006)               | 11.31               | 99               |
| 15+22+25+25              | 1.36                  | 2.00   | 2.27   | 2.27   | -      | 7.90 (3.70 - 9.10)  | 1.975 (0.660 - 3.985)               | 8.67                | 99               |
| 15+22+25+35              | 1.31                  | 1.93   | 2.19   | 3.07   | -      | 8.50 (3.70 - 9.70)  | 1.575 (0.660 - 3.405)               | 6.92                | 99               |
| 15+22+25+42              | 1.24                  | 1.82   | 2.07   | 3.47*  | -      | 8.60 (3.70 - 9.90)  | 2.029 (0.660 - 4.019)               | 8.91                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+22+25+50              | 1.17                  | 1.71   | 1.94   | 3.88*  | -      | 8.70 (3.70 - 10.00) | 2.199 (0.660 - 4.019)               | 9.66                | 99               |
| 15+22+25+60              | 1.08                  | 1.59   | 1.80   | 4.33   | -      | 8.80 (3.70 - 10.10) | 2.402 (0.660 - 4.002)               | 10.55               | 99               |
| 15+22+25+71              | 1.00                  | 1.47   | 1.67   | 4.75   | -      | 8.90 (3.70 - 10.10) | 2.646 (0.660 - 4.006)               | 11.62               | 99               |
| 15+22+35+35              | 1.22                  | 1.79   | 2.85   | 2.85   | -      | 8.70 (3.70 - 10.00) | 2.095 (0.660 - 4.025)               | 9.20                | 99               |
| 15+22+35+42              | 1.14                  | 1.68   | 2.67   | 3.21*  | -      | 8.70 (3.70 - 10.00) | 2.239 (0.660 - 4.019)               | 9.83                | 99               |
| 15+22+35+50              | 1.08                  | 1.59   | 2.52   | 3.61*  | -      | 8.80 (3.70 - 10.10) | 2.419 (0.660 - 4.019)               | 10.62               | 99               |
| 15+22+35+60              | 1.01                  | 1.48   | 2.36   | 4.05   | -      | 8.90 (3.70 - 10.10) | 2.622 (0.660 - 4.002)               | 11.52               | 99               |
| 15+22+35+71              | 0.94                  | 1.38   | 2.20   | 4.47   | -      | 9.00 (3.70 - 10.20) | 2.796 (0.660 - 4.006)               | 12.28               | 99               |
| 15+22+42+42              | 1.09                  | 1.60   | 3.05*  | 3.05*  | -      | 8.80 (3.70 - 10.10) | 2.393 (0.660 - 4.013)               | 10.51               | 99               |
| 15+22+42+50              | 1.03                  | 1.52   | 2.90*  | 3.45*  | -      | 8.90 (3.70 - 10.10) | 2.563 (0.660 - 4.013)               | 11.26               | 99               |
| 15+22+42+60              | 0.97                  | 1.42   | 2.72*  | 3.88   | -      | 9.00 (3.70 - 10.20) | 2.766 (0.660 - 3.996)               | 12.15               | 99               |
| 15+22+42+71              | 0.91                  | 1.33   | 2.55*  | 4.31   | -      | 9.10 (3.70 - 10.20) | 2.850 (0.660 - 4.000)               | 12.52               | 99               |
| 15+22+50+50              | 0.99                  | 1.45   | 3.28*  | 3.28*  | -      | 9.00 (3.70 - 10.20) | 2.733 (0.660 - 4.013)               | 12.00               | 99               |
| 15+22+50+60              | 0.92                  | 1.35   | 3.06*  | 3.67   | -      | 9.00 (3.70 - 10.20) | 2.816 (0.660 - 3.996)               | 12.37               | 99               |
| 15+22+50+71              | 0.87                  | 1.28   | 2.91*  | 4.13   | -      | 9.20 (3.70 - 10.20) | 2.950 (0.660 - 4.000)               | 12.96               | 99               |
| 15+22+60+60              | 0.88                  | 1.29   | 3.52   | 3.52   | -      | 9.20 (3.70 - 10.20) | 2.919 (0.660 - 3.979)               | 12.82               | 99               |
| 15+22+60+71              | 0.84                  | 1.23   | 3.36   | 3.97   | -      | 9.40 (3.70 - 10.20) | 3.063 (0.660 - 3.983)               | 13.45               | 99               |
| 15+25+25+25              | 1.35                  | 2.25   | 2.25   | 2.25   | -      | 8.10 (3.70 - 9.30)  | 1.605 (0.660 - 3.405)               | 7.05                | 99               |
| 15+25+25+35              | 1.29                  | 2.15   | 2.15   | 3.01   | -      | 8.60 (3.70 - 9.90)  | 1.945 (0.660 - 4.025)               | 8.54                | 99               |
| 15+25+25+42              | 1.22                  | 2.03   | 2.03   | 3.41*  | -      | 8.70 (3.70 - 10.00) | 2.089 (0.660 - 4.019)               | 9.17                | 99               |
| 15+25+25+50              | 1.15                  | 1.91   | 1.91   | 3.83*  | -      | 8.80 (3.70 - 10.00) | 2.269 (0.660 - 4.019)               | 9.96                | 99               |
| 15+25+25+60              | 1.07                  | 1.78   | 1.78   | 4.27   | -      | 8.90 (3.70 - 10.10) | 2.462 (0.660 - 4.002)               | 10.81               | 99               |
| 15+25+25+71              | 0.99                  | 1.65   | 1.65   | 4.70   | -      | 9.00 (3.70 - 10.20) | 2.706 (0.660 - 4.006)               | 11.88               | 99               |
| 15+25+35+35              | 1.19                  | 1.98   | 2.77   | 2.77   | -      | 8.70 (3.70 - 10.00) | 2.165 (0.660 - 4.025)               | 9.51                | 99               |
| 15+25+35+42              | 1.13                  | 1.88   | 2.63   | 3.16*  | -      | 8.80 (3.70 - 10.00) | 2.309 (0.660 - 4.019)               | 10.14               | 99               |
| 15+25+35+50              | 1.07                  | 1.78   | 2.49   | 3.56*  | -      | 8.90 (3.70 - 10.10) | 2.479 (0.660 - 4.019)               | 10.89               | 99               |
| 15+25+35+60              | 1.00                  | 1.67   | 2.33   | 4.00   | -      | 9.00 (3.70 - 10.20) | 2.682 (0.660 - 4.002)               | 11.78               | 99               |
| 15+25+35+71              | 0.92                  | 1.54   | 2.16   | 4.38   | -      | 9.00 (3.70 - 10.20) | 2.806 (0.660 - 4.006)               | 12.32               | 99               |
| 15+25+42+42              | 1.06                  | 1.77   | 2.98*  | 2.98*  | -      | 8.80 (3.70 - 10.10) | 2.453 (0.660 - 4.013)               | 10.77               | 99               |
| 15+25+42+50              | 1.01                  | 1.69   | 2.83*  | 3.37*  | -      | 8.90 (3.70 - 10.10) | 2.633 (0.660 - 4.013)               | 11.56               | 99               |
| 15+25+42+60              | 0.95                  | 1.58   | 2.66*  | 3.80   | -      | 9.00 (3.70 - 10.20) | 2.786 (0.660 - 3.996)               | 12.24               | 99               |
| 15+25+42+71              | 0.89                  | 1.49   | 2.50*  | 4.22   | -      | 9.10 (3.70 - 10.20) | 2.890 (0.660 - 4.000)               | 12.69               | 99               |
| 15+25+50+50              | 0.96                  | 1.61   | 3.21*  | 3.21*  | -      | 9.00 (3.70 - 10.20) | 2.803 (0.660 - 4.013)               | 12.31               | 99               |
| 15+25+50+60              | 0.91                  | 1.52   | 3.03*  | 3.64   | -      | 9.10 (3.70 - 10.20) | 2.846 (0.660 - 3.996)               | 12.50               | 99               |
| 15+25+50+71              | 0.87                  | 1.44   | 2.89*  | 4.10   | -      | 9.30 (3.70 - 10.20) | 2.990 (0.660 - 4.000)               | 13.13               | 99               |
| 15+25+60+60              | 0.87                  | 1.45   | 3.49   | 3.49   | -      | 9.30 (3.70 - 10.20) | 2.959 (0.660 - 3.979)               | 13.00               | 99               |
| 15+25+60+71              | 0.82                  | 1.37   | 3.30   | 3.90   | -      | 9.40 (3.70 - 10.20) | 3.063 (0.660 - 3.983)               | 13.45               | 99               |
| 15+35+35+35              | 1.10                  | 2.57   | 2.57   | 2.57   | -      | 8.80 (3.70 - 10.10) | 2.385 (0.660 - 4.025)               | 10.47               | 99               |
| 15+35+35+42              | 1.05                  | 2.45   | 2.45   | 2.94*  | -      | 8.90 (3.70 - 10.10) | 2.529 (0.660 - 4.019)               | 11.11               | 99               |
| 15+35+35+50              | 1.00                  | 2.33   | 2.33   | 3.33*  | -      | 9.00 (3.70 - 10.20) | 2.699 (0.660 - 4.019)               | 11.85               | 99               |
| 15+35+35+60              | 0.93                  | 2.17   | 2.17   | 3.72   | -      | 9.00 (3.70 - 10.20) | 2.792 (0.660 - 4.002)               | 12.26               | 99               |
| 15+35+35+71              | 0.88                  | 2.06   | 2.06   | 4.19   | -      | 9.20 (3.70 - 10.20) | 2.936 (0.660 - 4.006)               | 12.89               | 99               |
| 15+35+42+42              | 1.00                  | 2.32   | 2.79*  | 2.79*  | -      | 8.90 (3.70 - 10.20) | 2.673 (0.660 - 4.013)               | 11.74               | 99               |
| 15+35+42+50              | 0.95                  | 2.22   | 2.66*  | 3.17*  | -      | 9.00 (3.70 - 10.20) | 2.803 (0.660 - 4.013)               | 12.31               | 99               |
| 15+35+42+60              | 0.90                  | 2.10   | 2.51*  | 3.59   | -      | 9.10 (3.70 - 10.20) | 2.876 (0.660 - 3.996)               | 12.63               | 99               |
| 15+35+42+71              | 0.86                  | 2.00   | 2.40*  | 4.05   | -      | 9.30 (3.70 - 10.20) | 3.020 (0.660 - 4.000)               | 13.26               | 99               |
| 15+35+50+50              | 0.91                  | 2.12   | 3.03*  | 3.03*  | -      | 9.10 (3.70 - 10.20) | 2.863 (0.660 - 4.013)               | 12.57               | 99               |
| 15+35+50+60              | 0.87                  | 2.03   | 2.91*  | 3.49   | -      | 9.30 (3.70 - 10.20) | 2.976 (0.660 - 3.996)               | 13.07               | 99               |
| 15+35+50+71              | 0.82                  | 1.92   | 2.75*  | 3.90   | -      | 9.40 (3.70 - 10.20) | 3.080 (0.660 - 4.000)               | 13.53               | 99               |
| 15+35+60+60              | 0.83                  | 1.94   | 3.32   | 3.32   | -      | 9.40 (3.70 - 10.20) | 3.059 (0.660 - 3.979)               | 13.43               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+42+42+42              | 0.96                  | 2.68*  | 2.68*  | 2.68*  | -      | 9.00 (3.70 - 10.20) | 2.797 (0.660 - 4.007)               | 12.28               | 99               |
| 15+42+42+50              | 0.92                  | 2.57*  | 2.57*  | 3.05*  | -      | 9.10 (3.70 - 10.20) | 2.847 (0.660 - 4.007)               | 12.50               | 99               |
| 15+42+42+60              | 0.87                  | 2.43*  | 2.43*  | 3.47   | -      | 9.20 (3.70 - 10.20) | 2.960 (0.660 - 3.990)               | 13.00               | 99               |
| 15+42+42+71              | 0.83                  | 2.32*  | 2.32*  | 3.93   | -      | 9.40 (3.70 - 10.20) | 3.074 (0.660 - 3.994)               | 13.50               | 99               |
| 15+42+50+50              | 0.88                  | 2.46*  | 2.93*  | 2.93*  | -      | 9.20 (3.70 - 10.20) | 2.947 (0.660 - 4.007)               | 12.94               | 99               |
| 15+42+50+60              | 0.84                  | 2.36*  | 2.81*  | 3.38   | -      | 9.40 (3.70 - 10.20) | 3.060 (0.660 - 3.990)               | 13.44               | 99               |
| 15+50+50+50              | 0.85                  | 2.82*  | 2.82*  | 2.82*  | -      | 9.30 (3.70 - 10.20) | 3.047 (0.660 - 4.007)               | 13.38               | 99               |
| 20+20+20+20              | 1.85                  | 1.85   | 1.85   | 1.85   | -      | 7.40 (3.70 - 8.60)  | 1.824 (0.660 - 3.734)               | 8.01                | 99               |
| 20+20+20+22              | 1.85                  | 1.85   | 1.85   | 2.04   | -      | 7.60 (3.70 - 8.80)  | 1.867 (0.660 - 3.807)               | 8.20                | 99               |
| 20+20+20+25              | 1.84                  | 1.84   | 1.84   | 2.29   | -      | 7.80 (3.70 - 9.00)  | 1.937 (0.660 - 3.917)               | 8.51                | 99               |
| 20+20+20+35              | 1.77                  | 1.77   | 1.77   | 3.09   | -      | 8.40 (3.70 - 9.60)  | 1.597 (0.660 - 3.417)               | 7.01                | 99               |
| 20+20+20+42              | 1.69                  | 1.69   | 1.69   | 3.54*  | -      | 8.60 (3.70 - 9.90)  | 1.991 (0.660 - 4.031)               | 8.74                | 99               |
| 20+20+20+50              | 1.58                  | 1.58   | 1.58   | 3.95*  | -      | 8.70 (3.70 - 10.00) | 2.171 (0.660 - 4.031)               | 9.53                | 99               |
| 20+20+20+60              | 1.47                  | 1.47   | 1.47   | 4.40   | -      | 8.80 (3.70 - 10.10) | 2.374 (0.660 - 4.014)               | 10.43               | 99               |
| 20+20+20+71              | 1.36                  | 1.36   | 1.36   | 4.82   | -      | 8.90 (3.70 - 10.10) | 2.608 (0.660 - 4.018)               | 11.45               | 99               |
| 20+20+22+22              | 1.83                  | 1.83   | 2.02   | 2.02   | -      | 7.70 (3.70 - 8.90)  | 1.900 (0.660 - 3.880)               | 8.34                | 99               |
| 20+20+22+25              | 1.82                  | 1.82   | 2.00   | 2.27   | -      | 7.90 (3.70 - 9.10)  | 1.980 (0.660 - 3.990)               | 8.70                | 99               |
| 20+20+22+35              | 1.75                  | 1.75   | 1.93   | 3.07   | -      | 8.50 (3.70 - 9.70)  | 1.580 (0.660 - 3.410)               | 6.94                | 99               |
| 20+20+22+42              | 1.65                  | 1.65   | 1.82   | 3.47*  | -      | 8.60 (3.70 - 9.90)  | 2.034 (0.660 - 4.024)               | 8.93                | 99               |
| 20+20+22+50              | 1.55                  | 1.55   | 1.71   | 3.88*  | -      | 8.70 (3.70 - 10.00) | 2.204 (0.660 - 4.024)               | 9.68                | 99               |
| 20+20+22+60              | 1.44                  | 1.44   | 1.59   | 4.33   | -      | 8.80 (3.70 - 10.10) | 2.407 (0.660 - 4.007)               | 10.57               | 99               |
| 20+20+22+71              | 1.34                  | 1.34   | 1.47   | 4.75   | -      | 8.90 (3.70 - 10.10) | 2.651 (0.660 - 4.011)               | 11.64               | 99               |
| 20+20+25+25              | 1.80                  | 1.80   | 2.25   | 2.25   | -      | 8.10 (3.70 - 9.30)  | 1.610 (0.660 - 3.410)               | 7.07                | 99               |
| 20+20+25+35              | 1.72                  | 1.72   | 2.15   | 3.01   | -      | 8.60 (3.70 - 9.90)  | 1.950 (0.660 - 4.030)               | 8.56                | 99               |
| 20+20+25+42              | 1.63                  | 1.63   | 2.03   | 3.41*  | -      | 8.70 (3.70 - 10.00) | 2.094 (0.660 - 4.024)               | 9.20                | 99               |
| 20+20+25+50              | 1.53                  | 1.53   | 1.91   | 3.83*  | -      | 8.80 (3.70 - 10.00) | 2.274 (0.660 - 4.024)               | 9.99                | 99               |
| 20+20+25+60              | 1.42                  | 1.42   | 1.78   | 4.27   | -      | 8.90 (3.70 - 10.10) | 2.467 (0.660 - 4.007)               | 10.83               | 99               |
| 20+20+25+71              | 1.32                  | 1.32   | 1.65   | 4.70   | -      | 9.00 (3.70 - 10.20) | 2.711 (0.660 - 4.011)               | 11.91               | 99               |
| 20+20+35+35              | 1.58                  | 1.58   | 2.77   | 2.77   | -      | 8.70 (3.70 - 10.00) | 2.170 (0.660 - 4.030)               | 9.53                | 99               |
| 20+20+35+42              | 1.50                  | 1.50   | 2.63   | 3.16*  | -      | 8.80 (3.70 - 10.00) | 2.314 (0.660 - 4.024)               | 10.16               | 99               |
| 20+20+35+50              | 1.42                  | 1.42   | 2.49   | 3.56*  | -      | 8.90 (3.70 - 10.10) | 2.484 (0.660 - 4.024)               | 10.91               | 99               |
| 20+20+35+60              | 1.33                  | 1.33   | 2.33   | 4.00   | -      | 9.00 (3.70 - 10.20) | 2.687 (0.660 - 4.007)               | 11.80               | 99               |
| 20+20+35+71              | 1.23                  | 1.23   | 2.16   | 4.38   | -      | 9.00 (3.70 - 10.20) | 2.811 (0.660 - 4.011)               | 12.35               | 99               |
| 20+20+42+42              | 1.42                  | 1.42   | 2.98*  | 2.98*  | -      | 8.80 (3.70 - 10.10) | 2.458 (0.660 - 4.018)               | 10.79               | 99               |
| 20+20+42+50              | 1.35                  | 1.35   | 2.83*  | 3.37*  | -      | 8.90 (3.70 - 10.10) | 2.638 (0.660 - 4.018)               | 11.59               | 99               |
| 20+20+42+60              | 1.27                  | 1.27   | 2.66*  | 3.80   | -      | 9.00 (3.70 - 10.20) | 2.791 (0.660 - 4.001)               | 12.26               | 99               |
| 20+20+42+71              | 1.19                  | 1.19   | 2.50*  | 4.22   | -      | 9.10 (3.70 - 10.20) | 2.895 (0.660 - 4.005)               | 12.71               | 99               |
| 20+20+50+50              | 1.29                  | 1.29   | 3.21*  | 3.21*  | -      | 9.00 (3.70 - 10.20) | 2.808 (0.660 - 4.018)               | 12.33               | 99               |
| 20+20+50+60              | 1.21                  | 1.21   | 3.03*  | 3.64   | -      | 9.10 (3.70 - 10.20) | 2.851 (0.660 - 4.001)               | 12.52               | 99               |
| 20+20+50+71              | 1.16                  | 1.16   | 2.89*  | 4.10   | -      | 9.30 (3.70 - 10.20) | 2.995 (0.660 - 4.005)               | 13.15               | 99               |
| 20+20+60+60              | 1.16                  | 1.16   | 3.49   | 3.49   | -      | 9.30 (3.70 - 10.20) | 2.964 (0.660 - 3.984)               | 13.02               | 99               |
| 20+20+60+71              | 1.10                  | 1.10   | 3.30   | 3.90   | -      | 9.40 (3.70 - 10.20) | 3.068 (0.660 - 3.988)               | 13.47               | 99               |
| 20+22+22+22              | 1.84                  | 2.02   | 2.02   | 2.02   | -      | 7.90 (3.70 - 9.10)  | 1.943 (0.660 - 3.943)               | 8.53                | 99               |
| 20+22+22+25              | 1.82                  | 2.00   | 2.00   | 2.28   | -      | 8.10 (3.70 - 9.30)  | 1.613 (0.660 - 3.403)               | 7.08                | 99               |
| 20+22+22+35              | 1.74                  | 1.91   | 1.91   | 3.04   | -      | 8.60 (3.70 - 9.80)  | 1.563 (0.660 - 3.403)               | 6.86                | 99               |
| 20+22+22+42              | 1.64                  | 1.81   | 1.81   | 3.45*  | -      | 8.70 (3.70 - 9.90)  | 2.067 (0.660 - 4.017)               | 9.08                | 99               |
| 20+22+22+50              | 1.53                  | 1.68   | 1.68   | 3.82*  | -      | 8.70 (3.70 - 10.00) | 2.237 (0.660 - 4.017)               | 9.82                | 99               |
| 20+22+22+60              | 1.42                  | 1.56   | 1.56   | 4.26   | -      | 8.80 (3.70 - 10.10) | 2.440 (0.660 - 4.000)               | 10.72               | 99               |
| 20+22+22+71              | 1.33                  | 1.47   | 1.47   | 4.73   | -      | 9.00 (3.70 - 10.20) | 2.684 (0.660 - 4.004)               | 11.79               | 99               |
| 20+22+25+25              | 1.78                  | 1.96   | 2.23   | 2.23   | -      | 8.20 (3.70 - 9.40)  | 1.593 (0.660 - 3.403)               | 7.00                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 20+22+25+35              | 1.69                  | 1.85   | 2.11   | 2.95   | -      | 8.60 (3.70 - 9.90)  | 1.983 (0.660 - 4.023)               | 8.71                | 99               |
| 20+22+25+42              | 1.60                  | 1.76   | 2.00   | 3.35*  | -      | 8.70 (3.70 - 10.00) | 2.137 (0.660 - 4.017)               | 9.39                | 99               |
| 20+22+25+50              | 1.50                  | 1.65   | 1.88   | 3.76*  | -      | 8.80 (3.70 - 10.00) | 2.307 (0.660 - 4.017)               | 10.13               | 99               |
| 20+22+25+60              | 1.40                  | 1.54   | 1.75   | 4.20   | -      | 8.90 (3.70 - 10.10) | 2.510 (0.660 - 4.000)               | 11.02               | 99               |
| 20+22+25+71              | 1.30                  | 1.43   | 1.63   | 4.63   | -      | 9.00 (3.70 - 10.20) | 2.754 (0.660 - 4.004)               | 12.09               | 99               |
| 20+22+35+35              | 1.55                  | 1.71   | 2.72   | 2.72   | -      | 8.70 (3.70 - 10.00) | 2.203 (0.660 - 4.023)               | 9.68                | 99               |
| 20+22+35+42              | 1.48                  | 1.63   | 2.59   | 3.11*  | -      | 8.80 (3.70 - 10.00) | 2.347 (0.660 - 4.017)               | 10.31               | 99               |
| 20+22+35+50              | 1.40                  | 1.54   | 2.45   | 3.50*  | -      | 8.90 (3.70 - 10.10) | 2.527 (0.660 - 4.017)               | 11.10               | 99               |
| 20+22+35+60              | 1.31                  | 1.45   | 2.30   | 3.94   | -      | 9.00 (3.70 - 10.20) | 2.720 (0.660 - 4.000)               | 11.95               | 99               |
| 20+22+35+71              | 1.23                  | 1.35   | 2.15   | 4.37   | -      | 9.10 (3.70 - 10.20) | 2.834 (0.660 - 4.004)               | 12.45               | 99               |
| 20+22+42+42              | 1.41                  | 1.55   | 2.97*  | 2.97*  | -      | 8.90 (3.70 - 10.10) | 2.501 (0.660 - 4.011)               | 10.98               | 99               |
| 20+22+42+50              | 1.33                  | 1.46   | 2.79*  | 3.32*  | -      | 8.90 (3.70 - 10.20) | 2.671 (0.660 - 4.011)               | 11.73               | 99               |
| 20+22+42+60              | 1.25                  | 1.38   | 2.63*  | 3.75   | -      | 9.00 (3.70 - 10.20) | 2.784 (0.660 - 3.994)               | 12.23               | 99               |
| 20+22+42+71              | 1.19                  | 1.31   | 2.49*  | 4.21   | -      | 9.20 (3.70 - 10.20) | 2.918 (0.660 - 3.998)               | 12.82               | 99               |
| 20+22+50+50              | 1.27                  | 1.39   | 3.17*  | 3.17*  | -      | 9.00 (3.70 - 10.20) | 2.801 (0.660 - 4.011)               | 12.30               | 99               |
| 20+22+50+60              | 1.20                  | 1.32   | 2.99*  | 3.59   | -      | 9.10 (3.70 - 10.20) | 2.874 (0.660 - 3.994)               | 12.62               | 99               |
| 20+22+50+71              | 1.14                  | 1.26   | 2.85*  | 4.05   | -      | 9.30 (3.70 - 10.20) | 3.018 (0.660 - 3.998)               | 13.25               | 99               |
| 20+22+60+60              | 1.15                  | 1.26   | 3.44   | 3.44   | -      | 9.30 (3.70 - 10.20) | 2.977 (0.660 - 3.977)               | 13.07               | 99               |
| 20+25+25+25              | 1.77                  | 2.21   | 2.21   | 2.21   | -      | 8.40 (3.70 - 9.60)  | 1.583 (0.660 - 3.403)               | 6.95                | 99               |
| 20+25+25+35              | 1.66                  | 2.07   | 2.07   | 2.90   | -      | 8.70 (3.70 - 9.90)  | 2.053 (0.660 - 4.023)               | 9.02                | 99               |
| 20+25+25+42              | 1.55                  | 1.94   | 1.94   | 3.26*  | -      | 8.70 (3.70 - 10.00) | 2.197 (0.660 - 4.017)               | 9.65                | 99               |
| 20+25+25+50              | 1.47                  | 1.83   | 1.83   | 3.67*  | -      | 8.80 (3.70 - 10.10) | 2.377 (0.660 - 4.017)               | 10.44               | 99               |
| 20+25+25+60              | 1.37                  | 1.71   | 1.71   | 4.11   | -      | 8.90 (3.70 - 10.10) | 2.570 (0.660 - 4.000)               | 11.29               | 99               |
| 20+25+25+71              | 1.28                  | 1.60   | 1.60   | 4.53   | -      | 9.00 (3.70 - 10.20) | 2.794 (0.660 - 4.004)               | 12.27               | 99               |
| 20+25+35+35              | 1.53                  | 1.91   | 2.68   | 2.68   | -      | 8.80 (3.70 - 10.00) | 2.273 (0.660 - 4.023)               | 9.98                | 99               |
| 20+25+35+42              | 1.44                  | 1.80   | 2.52   | 3.03*  | -      | 8.80 (3.70 - 10.10) | 2.417 (0.660 - 4.017)               | 10.61               | 99               |
| 20+25+35+50              | 1.37                  | 1.71   | 2.40   | 3.42*  | -      | 8.90 (3.70 - 10.10) | 2.587 (0.660 - 4.017)               | 11.36               | 99               |
| 20+25+35+60              | 1.29                  | 1.61   | 2.25   | 3.86   | -      | 9.00 (3.70 - 10.20) | 2.790 (0.660 - 4.000)               | 12.25               | 99               |
| 20+25+35+71              | 1.21                  | 1.51   | 2.11   | 4.28   | -      | 9.10 (3.70 - 10.20) | 2.874 (0.660 - 4.004)               | 12.62               | 99               |
| 20+25+42+42              | 1.38                  | 1.72   | 2.90*  | 2.90*  | -      | 8.90 (3.70 - 10.10) | 2.561 (0.660 - 4.011)               | 11.25               | 99               |
| 20+25+42+50              | 1.31                  | 1.64   | 2.76*  | 3.28*  | -      | 9.00 (3.70 - 10.20) | 2.731 (0.660 - 4.011)               | 11.99               | 99               |
| 20+25+42+60              | 1.22                  | 1.53   | 2.57*  | 3.67   | -      | 9.00 (3.70 - 10.20) | 2.814 (0.660 - 3.994)               | 12.36               | 99               |
| 20+25+42+71              | 1.16                  | 1.46   | 2.45*  | 4.13   | -      | 9.20 (3.70 - 10.20) | 2.948 (0.660 - 3.998)               | 12.95               | 99               |
| 20+25+50+50              | 1.24                  | 1.55   | 3.10*  | 3.10*  | -      | 9.00 (3.70 - 10.20) | 2.801 (0.660 - 4.011)               | 12.30               | 99               |
| 20+25+50+60              | 1.19                  | 1.48   | 2.97*  | 3.56   | -      | 9.20 (3.70 - 10.20) | 2.914 (0.660 - 3.994)               | 12.80               | 99               |
| 20+25+50+71              | 1.13                  | 1.42   | 2.83*  | 4.02   | -      | 9.40 (3.70 - 10.20) | 3.048 (0.660 - 3.998)               | 13.39               | 99               |
| 20+25+60+60              | 1.13                  | 1.41   | 3.38   | 3.38   | -      | 9.30 (3.70 - 10.20) | 3.017 (0.660 - 3.977)               | 13.25               | 99               |
| 20+35+35+35              | 1.42                  | 2.49   | 2.49   | 2.49   | -      | 8.90 (3.70 - 10.10) | 2.483 (0.660 - 4.023)               | 10.90               | 99               |
| 20+35+35+42              | 1.35                  | 2.36   | 2.36   | 2.83*  | -      | 8.90 (3.70 - 10.10) | 2.637 (0.660 - 4.017)               | 11.58               | 99               |
| 20+35+35+50              | 1.29                  | 2.25   | 2.25   | 3.21*  | -      | 9.00 (3.70 - 10.20) | 2.807 (0.660 - 4.017)               | 12.33               | 99               |
| 20+35+35+60              | 1.21                  | 2.12   | 2.12   | 3.64   | -      | 9.10 (3.70 - 10.20) | 2.850 (0.660 - 4.000)               | 12.52               | 99               |
| 20+35+35+71              | 1.16                  | 2.02   | 2.02   | 4.10   | -      | 9.30 (3.70 - 10.20) | 2.994 (0.660 - 4.004)               | 13.15               | 99               |
| 20+35+42+42              | 1.29                  | 2.27   | 2.72*  | 2.72*  | -      | 9.00 (3.70 - 10.20) | 2.781 (0.660 - 4.011)               | 12.21               | 99               |
| 20+35+42+50              | 1.22                  | 2.14   | 2.57*  | 3.06*  | -      | 9.00 (3.70 - 10.20) | 2.831 (0.660 - 4.011)               | 12.43               | 99               |
| 20+35+42+60              | 1.17                  | 2.05   | 2.46*  | 3.52   | -      | 9.20 (3.70 - 10.20) | 2.934 (0.660 - 3.994)               | 12.89               | 99               |
| 20+35+42+71              | 1.12                  | 1.96   | 2.35*  | 3.97   | -      | 9.40 (3.70 - 10.20) | 3.078 (0.660 - 3.998)               | 13.52               | 99               |
| 20+35+50+50              | 1.19                  | 2.08   | 2.97*  | 2.97*  | -      | 9.20 (3.70 - 10.20) | 2.931 (0.660 - 4.011)               | 12.87               | 99               |
| 20+35+50+60              | 1.13                  | 1.97   | 2.82*  | 3.38   | -      | 9.30 (3.70 - 10.20) | 3.034 (0.660 - 3.994)               | 13.32               | 99               |
| 20+42+42+42              | 1.23                  | 2.59*  | 2.59*  | 2.59*  | -      | 9.00 (3.70 - 10.20) | 2.805 (0.660 - 4.005)               | 12.32               | 99               |
| 20+42+42+50              | 1.19                  | 2.51*  | 2.51*  | 2.99*  | -      | 9.20 (3.70 - 10.20) | 2.905 (0.660 - 4.005)               | 12.76               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 20+42+42+60              | 1.13                  | 2.38*  | 2.38*  | 3.40   | -      | 9.30 (3.70 - 10.20) | 3.018 (0.660 - 3.988)               | 13.25               | 99               |
| 20+42+50+50              | 1.15                  | 2.41*  | 2.87*  | 2.87*  | -      | 9.30 (3.70 - 10.20) | 3.005 (0.660 - 4.005)               | 13.20               | 99               |
| 20+42+50+60              | 1.09                  | 2.30*  | 2.73*  | 3.28   | -      | 9.40 (3.70 - 10.20) | 3.068 (0.660 - 3.988)               | 13.47               | 99               |
| 20+50+50+50              | 1.11                  | 2.76*  | 2.76*  | 2.76*  | -      | 9.40 (3.70 - 10.20) | 3.085 (0.660 - 4.005)               | 13.55               | 99               |
| 22+22+22+22              | 2.00                  | 2.00   | 2.00   | 2.00   | -      | 8.00 (3.70 - 9.20)  | 1.986 (0.660 - 4.016)               | 8.72                | 99               |
| 22+22+22+25              | 1.98                  | 1.98   | 1.98   | 2.25   | -      | 8.20 (3.70 - 9.40)  | 1.596 (0.660 - 3.396)               | 7.01                | 99               |
| 22+22+22+35              | 1.87                  | 1.87   | 1.87   | 2.98   | -      | 8.60 (3.70 - 9.90)  | 1.956 (0.660 - 4.016)               | 8.59                | 99               |
| 22+22+22+42              | 1.77                  | 1.77   | 1.77   | 3.38*  | -      | 8.70 (3.70 - 10.00) | 2.100 (0.660 - 4.010)               | 9.22                | 99               |
| 22+22+22+50              | 1.67                  | 1.67   | 1.67   | 3.79*  | -      | 8.80 (3.70 - 10.00) | 2.280 (0.660 - 4.010)               | 10.01               | 99               |
| 22+22+22+60              | 1.55                  | 1.55   | 1.55   | 4.24   | -      | 8.90 (3.70 - 10.10) | 2.483 (0.660 - 3.993)               | 10.90               | 99               |
| 22+22+22+71              | 1.45                  | 1.45   | 1.45   | 4.66   | -      | 9.00 (3.70 - 10.20) | 2.717 (0.660 - 3.997)               | 11.93               | 99               |
| 22+22+25+25              | 1.94                  | 1.94   | 2.21   | 2.21   | -      | 8.30 (3.70 - 9.60)  | 1.586 (0.660 - 3.396)               | 6.97                | 99               |
| 22+22+25+35              | 1.82                  | 1.82   | 2.07   | 2.89   | -      | 8.60 (3.70 - 9.90)  | 2.026 (0.660 - 4.016)               | 8.90                | 99               |
| 22+22+25+42              | 1.72                  | 1.72   | 1.96   | 3.29*  | -      | 8.70 (3.70 - 10.00) | 2.170 (0.660 - 4.010)               | 9.53                | 99               |
| 22+22+25+50              | 1.63                  | 1.63   | 1.85   | 3.70*  | -      | 8.80 (3.70 - 10.00) | 2.340 (0.660 - 4.010)               | 10.28               | 99               |
| 22+22+25+60              | 1.52                  | 1.52   | 1.72   | 4.14   | -      | 8.90 (3.70 - 10.10) | 2.543 (0.660 - 3.993)               | 11.17               | 99               |
| 22+22+25+71              | 1.41                  | 1.41   | 1.61   | 4.56   | -      | 9.00 (3.70 - 10.20) | 2.787 (0.660 - 3.997)               | 12.24               | 99               |
| 22+22+35+35              | 1.68                  | 1.68   | 2.67   | 2.67   | -      | 8.70 (3.70 - 10.00) | 2.236 (0.660 - 4.016)               | 9.82                | 99               |
| 22+22+35+42              | 1.60                  | 1.60   | 2.55   | 3.05*  | -      | 8.80 (3.70 - 10.10) | 2.390 (0.660 - 4.010)               | 10.50               | 99               |
| 22+22+35+50              | 1.52                  | 1.52   | 2.41   | 3.45*  | -      | 8.90 (3.70 - 10.10) | 2.560 (0.660 - 4.010)               | 11.24               | 99               |
| 22+22+35+60              | 1.42                  | 1.42   | 2.27   | 3.88   | -      | 9.00 (3.70 - 10.20) | 2.763 (0.660 - 3.993)               | 12.13               | 99               |
| 22+22+35+71              | 1.33                  | 1.33   | 2.12   | 4.31   | -      | 9.10 (3.70 - 10.20) | 2.847 (0.660 - 3.997)               | 12.50               | 99               |
| 22+22+42+42              | 1.53                  | 1.53   | 2.92*  | 2.92*  | -      | 8.90 (3.70 - 10.10) | 2.534 (0.660 - 4.004)               | 11.13               | 99               |
| 22+22+42+50              | 1.46                  | 1.46   | 2.78*  | 3.31*  | -      | 9.00 (3.70 - 10.20) | 2.704 (0.660 - 4.004)               | 11.88               | 99               |
| 22+22+42+60              | 1.36                  | 1.36   | 2.59*  | 3.70   | -      | 9.00 (3.70 - 10.20) | 2.787 (0.660 - 3.987)               | 12.24               | 99               |
| 22+22+42+71              | 1.29                  | 1.29   | 2.46*  | 4.16   | -      | 9.20 (3.70 - 10.20) | 2.931 (0.660 - 3.991)               | 12.87               | 99               |
| 22+22+50+50              | 1.38                  | 1.38   | 3.13*  | 3.13*  | -      | 9.00 (3.70 - 10.20) | 2.794 (0.660 - 4.004)               | 12.27               | 99               |
| 22+22+50+60              | 1.31                  | 1.31   | 2.99*  | 3.58   | -      | 9.20 (3.70 - 10.20) | 2.887 (0.660 - 3.987)               | 12.68               | 99               |
| 22+22+50+71              | 1.24                  | 1.24   | 2.82*  | 4.00   | -      | 9.30 (3.70 - 10.20) | 3.031 (0.660 - 3.991)               | 13.31               | 99               |
| 22+22+60+60              | 1.25                  | 1.25   | 3.40   | 3.40   | -      | 9.30 (3.70 - 10.20) | 3.000 (0.660 - 3.970)               | 13.18               | 99               |
| 22+25+25+25              | 1.93                  | 2.19   | 2.19   | 2.19   | -      | 8.50 (3.70 - 9.70)  | 1.566 (0.660 - 3.396)               | 6.88                | 99               |
| 22+25+25+35              | 1.79                  | 2.03   | 2.03   | 2.85   | -      | 8.70 (3.70 - 10.00) | 2.086 (0.660 - 4.016)               | 9.16                | 99               |
| 22+25+25+42              | 1.68                  | 1.91   | 1.91   | 3.21*  | -      | 8.70 (3.70 - 10.00) | 2.230 (0.660 - 4.010)               | 9.79                | 99               |
| 22+25+25+50              | 1.59                  | 1.80   | 1.80   | 3.61*  | -      | 8.80 (3.70 - 10.10) | 2.410 (0.660 - 4.010)               | 10.58               | 99               |
| 22+25+25+60              | 1.48                  | 1.69   | 1.69   | 4.05   | -      | 8.90 (3.70 - 10.10) | 2.613 (0.660 - 3.993)               | 11.48               | 99               |
| 22+25+25+71              | 1.38                  | 1.57   | 1.57   | 4.47   | -      | 9.00 (3.70 - 10.20) | 2.787 (0.660 - 3.997)               | 12.24               | 99               |
| 22+25+35+35              | 1.65                  | 1.88   | 2.63   | 2.63   | -      | 8.80 (3.70 - 10.00) | 2.306 (0.660 - 4.016)               | 10.13               | 99               |
| 22+25+35+42              | 1.56                  | 1.77   | 2.48   | 2.98*  | -      | 8.80 (3.70 - 10.10) | 2.450 (0.660 - 4.010)               | 10.76               | 99               |
| 22+25+35+50              | 1.48                  | 1.69   | 2.36   | 3.37*  | -      | 8.90 (3.70 - 10.10) | 2.630 (0.660 - 4.010)               | 11.55               | 99               |
| 22+25+35+60              | 1.39                  | 1.58   | 2.22   | 3.80   | -      | 9.00 (3.70 - 10.20) | 2.783 (0.660 - 3.993)               | 12.22               | 99               |
| 22+25+35+71              | 1.31                  | 1.49   | 2.08   | 4.22   | -      | 9.10 (3.70 - 10.20) | 2.887 (0.660 - 3.997)               | 12.68               | 99               |
| 22+25+42+42              | 1.49                  | 1.70   | 2.85*  | 2.85*  | -      | 8.90 (3.70 - 10.10) | 2.594 (0.660 - 4.004)               | 11.39               | 99               |
| 22+25+42+50              | 1.42                  | 1.62   | 2.72*  | 3.24*  | -      | 9.00 (3.70 - 10.20) | 2.774 (0.660 - 4.004)               | 12.18               | 99               |
| 22+25+42+60              | 1.34                  | 1.53   | 2.57*  | 3.66   | -      | 9.10 (3.70 - 10.20) | 2.827 (0.660 - 3.987)               | 12.42               | 99               |
| 22+25+42+71              | 1.28                  | 1.45   | 2.44*  | 4.13   | -      | 9.30 (3.70 - 10.20) | 2.971 (0.660 - 3.991)               | 13.05               | 99               |
| 22+25+50+50              | 1.35                  | 1.53   | 3.06*  | 3.06*  | -      | 9.00 (3.70 - 10.20) | 2.824 (0.660 - 4.004)               | 12.40               | 99               |
| 22+25+50+60              | 1.29                  | 1.46   | 2.93*  | 3.52   | -      | 9.20 (3.70 - 10.20) | 2.927 (0.660 - 3.987)               | 12.85               | 99               |
| 22+25+50+71              | 1.23                  | 1.40   | 2.80*  | 3.97   | -      | 9.40 (3.70 - 10.20) | 3.071 (0.660 - 3.991)               | 13.49               | 99               |
| 22+25+60+60              | 1.24                  | 1.41   | 3.38   | 3.38   | -      | 9.40 (3.70 - 10.20) | 3.040 (0.660 - 3.970)               | 13.35               | 99               |
| 22+35+35+35              | 1.54                  | 2.45   | 2.45   | 2.45   | -      | 8.90 (3.70 - 10.10) | 2.526 (0.660 - 4.016)               | 11.09               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 22+35+35+42              | 1.46                  | 2.32   | 2.32   | 2.79*  | -      | 8.90 (3.70 - 10.20) | 2.670 (0.660 - 4.010)               | 11.73               | 99               |
| 22+35+35+50              | 1.39                  | 2.22   | 2.22   | 3.17*  | -      | 9.00 (3.70 - 10.20) | 2.800 (0.660 - 4.010)               | 12.30               | 99               |
| 22+35+35+60              | 1.32                  | 2.10   | 2.10   | 3.59   | -      | 9.10 (3.70 - 10.20) | 2.873 (0.660 - 3.993)               | 12.62               | 99               |
| 22+35+35+71              | 1.26                  | 2.00   | 2.00   | 4.05   | -      | 9.30 (3.70 - 10.20) | 3.017 (0.660 - 3.997)               | 13.25               | 99               |
| 22+35+42+42              | 1.40                  | 2.23   | 2.68*  | 2.68*  | -      | 9.00 (3.70 - 10.20) | 2.794 (0.660 - 4.004)               | 12.27               | 99               |
| 22+35+42+50              | 1.34                  | 2.14   | 2.57*  | 3.05*  | -      | 9.10 (3.70 - 10.20) | 2.844 (0.660 - 4.004)               | 12.49               | 99               |
| 22+35+42+60              | 1.27                  | 2.03   | 2.43*  | 3.47   | -      | 9.20 (3.70 - 10.20) | 2.957 (0.660 - 3.987)               | 12.99               | 99               |
| 22+35+42+71              | 1.22                  | 1.94   | 2.32*  | 3.93   | -      | 9.40 (3.70 - 10.20) | 3.071 (0.660 - 3.991)               | 13.49               | 99               |
| 22+35+50+50              | 1.29                  | 2.05   | 2.93*  | 2.93*  | -      | 9.20 (3.70 - 10.20) | 2.944 (0.660 - 4.004)               | 12.93               | 99               |
| 22+35+50+60              | 1.24                  | 1.97   | 2.81*  | 3.38   | -      | 9.40 (3.70 - 10.20) | 3.057 (0.660 - 3.987)               | 13.43               | 99               |
| 22+42+42+42              | 1.35                  | 2.58*  | 2.58*  | 2.58*  | -      | 9.10 (3.70 - 10.20) | 2.828 (0.660 - 3.998)               | 12.42               | 99               |
| 22+42+42+50              | 1.30                  | 2.48*  | 2.48*  | 2.95*  | -      | 9.20 (3.70 - 10.20) | 2.928 (0.660 - 3.998)               | 12.86               | 99               |
| 22+42+42+60              | 1.25                  | 2.38*  | 2.38*  | 3.40   | -      | 9.40 (3.70 - 10.20) | 3.031 (0.660 - 3.981)               | 13.31               | 99               |
| 22+42+50+50              | 1.25                  | 2.38*  | 2.84*  | 2.84*  | -      | 9.30 (3.70 - 10.20) | 3.028 (0.660 - 3.998)               | 13.30               | 99               |
| 22+50+50+50              | 1.20                  | 2.73*  | 2.73*  | 2.73*  | -      | 9.40 (3.70 - 10.20) | 3.078 (0.660 - 3.998)               | 13.52               | 99               |
| 25+25+25+25              | 2.15                  | 2.15   | 2.15   | 2.15   | -      | 8.60 (3.70 - 9.90)  | 1.936 (0.660 - 4.016)               | 8.50                | 99               |
| 25+25+25+35              | 1.98                  | 1.98   | 1.98   | 2.77   | -      | 8.70 (3.70 - 10.00) | 2.156 (0.660 - 4.016)               | 9.47                | 99               |
| 25+25+25+42              | 1.88                  | 1.88   | 1.88   | 3.16*  | -      | 8.80 (3.70 - 10.00) | 2.300 (0.660 - 4.010)               | 10.10               | 99               |
| 25+25+25+50              | 1.78                  | 1.78   | 1.78   | 3.56*  | -      | 8.90 (3.70 - 10.10) | 2.470 (0.660 - 4.010)               | 10.85               | 99               |
| 25+25+25+60              | 1.67                  | 1.67   | 1.67   | 4.00   | -      | 9.00 (3.70 - 10.20) | 2.673 (0.660 - 3.993)               | 11.74               | 99               |
| 25+25+25+71              | 1.54                  | 1.54   | 1.54   | 4.38   | -      | 9.00 (3.70 - 10.20) | 2.797 (0.660 - 3.997)               | 12.28               | 99               |
| 25+25+35+35              | 1.83                  | 1.83   | 2.57   | 2.57   | -      | 8.80 (3.70 - 10.10) | 2.376 (0.660 - 4.016)               | 10.43               | 99               |
| 25+25+35+42              | 1.75                  | 1.75   | 2.45   | 2.94*  | -      | 8.90 (3.70 - 10.10) | 2.520 (0.660 - 4.010)               | 11.07               | 99               |
| 25+25+35+50              | 1.67                  | 1.67   | 2.33   | 3.33*  | -      | 9.00 (3.70 - 10.20) | 2.690 (0.660 - 4.010)               | 11.81               | 99               |
| 25+25+35+60              | 1.55                  | 1.55   | 2.17   | 3.72   | -      | 9.00 (3.70 - 10.20) | 2.783 (0.660 - 3.993)               | 12.22               | 99               |
| 25+25+35+71              | 1.47                  | 1.47   | 2.06   | 4.19   | -      | 9.20 (3.70 - 10.20) | 2.927 (0.660 - 3.997)               | 12.85               | 99               |
| 25+25+42+42              | 1.66                  | 1.66   | 2.79*  | 2.79*  | -      | 8.90 (3.70 - 10.20) | 2.664 (0.660 - 4.004)               | 11.70               | 99               |
| 25+25+42+50              | 1.58                  | 1.58   | 2.66*  | 3.17*  | -      | 9.00 (3.70 - 10.20) | 2.794 (0.660 - 4.004)               | 12.27               | 99               |
| 25+25+42+60              | 1.50                  | 1.50   | 2.51*  | 3.59   | -      | 9.10 (3.70 - 10.20) | 2.867 (0.660 - 3.987)               | 12.59               | 99               |
| 25+25+42+71              | 1.43                  | 1.43   | 2.40*  | 4.05   | -      | 9.30 (3.70 - 10.20) | 3.011 (0.660 - 3.991)               | 13.22               | 99               |
| 25+25+50+50              | 1.52                  | 1.52   | 3.03*  | 3.03*  | -      | 9.10 (3.70 - 10.20) | 2.854 (0.660 - 4.004)               | 12.53               | 99               |
| 25+25+50+60              | 1.45                  | 1.45   | 2.91*  | 3.49   | -      | 9.30 (3.70 - 10.20) | 2.967 (0.660 - 3.987)               | 13.03               | 99               |
| 25+25+50+71              | 1.37                  | 1.37   | 2.75*  | 3.90   | -      | 9.40 (3.70 - 10.20) | 3.071 (0.660 - 3.991)               | 13.49               | 99               |
| 25+25+60+60              | 1.38                  | 1.38   | 3.32   | 3.32   | -      | 9.40 (3.70 - 10.20) | 3.050 (0.660 - 3.970)               | 13.39               | 99               |
| 25+35+35+35              | 1.71                  | 2.40   | 2.40   | 2.40   | -      | 8.90 (3.70 - 10.10) | 2.586 (0.660 - 4.016)               | 11.36               | 99               |
| 25+35+35+42              | 1.64                  | 2.30   | 2.30   | 2.76*  | -      | 9.00 (3.70 - 10.20) | 2.730 (0.660 - 4.010)               | 11.99               | 99               |
| 25+35+35+50              | 1.55                  | 2.17   | 2.17   | 3.10*  | -      | 9.00 (3.70 - 10.20) | 2.800 (0.660 - 4.010)               | 12.30               | 99               |
| 25+35+35+60              | 1.48                  | 2.08   | 2.08   | 3.56   | -      | 9.20 (3.70 - 10.20) | 2.913 (0.660 - 3.993)               | 12.79               | 99               |
| 25+35+35+71              | 1.42                  | 1.98   | 1.98   | 4.02   | -      | 9.40 (3.70 - 10.20) | 3.047 (0.660 - 3.997)               | 13.38               | 99               |
| 25+35+42+42              | 1.56                  | 2.19   | 2.63*  | 2.63*  | -      | 9.00 (3.70 - 10.20) | 2.794 (0.660 - 4.004)               | 12.27               | 99               |
| 25+35+42+50              | 1.50                  | 2.10   | 2.51*  | 2.99*  | -      | 9.10 (3.70 - 10.20) | 2.884 (0.660 - 4.004)               | 12.67               | 99               |
| 25+35+42+60              | 1.44                  | 2.01   | 2.41*  | 3.44   | -      | 9.30 (3.70 - 10.20) | 2.987 (0.660 - 3.987)               | 13.12               | 99               |
| 25+35+50+50              | 1.45                  | 2.03   | 2.91*  | 2.91*  | -      | 9.30 (3.70 - 10.20) | 2.984 (0.660 - 4.004)               | 13.10               | 99               |
| 25+35+50+60              | 1.38                  | 1.94   | 2.76*  | 3.32   | -      | 9.40 (3.70 - 10.20) | 3.067 (0.660 - 3.987)               | 13.47               | 99               |
| 25+42+42+42              | 1.51                  | 2.53*  | 2.53*  | 2.53*  | -      | 9.10 (3.70 - 10.20) | 2.868 (0.660 - 3.998)               | 12.60               | 99               |
| 25+42+42+50              | 1.45                  | 2.43*  | 2.43*  | 2.89*  | -      | 9.20 (3.70 - 10.20) | 2.968 (0.660 - 3.998)               | 13.03               | 99               |
| 25+42+42+60              | 1.39                  | 2.34*  | 2.34*  | 3.34   | -      | 9.40 (3.70 - 10.20) | 3.061 (0.660 - 3.981)               | 13.44               | 99               |
| 25+42+50+50              | 1.41                  | 2.36*  | 2.81*  | 2.81*  | -      | 9.40 (3.70 - 10.20) | 3.068 (0.660 - 3.998)               | 13.47               | 99               |
| 35+35+35+35              | 2.25                  | 2.25   | 2.25   | 2.25   | -      | 9.00 (3.70 - 10.20) | 2.806 (0.660 - 4.016)               | 12.32               | 99               |
| 35+35+35+42              | 2.14                  | 2.14   | 2.14   | 2.57*  | -      | 9.00 (3.70 - 10.20) | 2.830 (0.660 - 4.010)               | 12.43               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 35+35+35+50              | 2.08                  | 2.08   | 2.08   | 2.97*  | -      | 9.20 (3.70 - 10.20) | 2.930 (0.660 - 4.010)               | 12.87               | 99               |
| 35+35+35+60              | 1.97                  | 1.97   | 1.97   | 3.38   | -      | 9.30 (3.70 - 10.20) | 3.033 (0.660 - 3.993)               | 13.32               | 99               |
| 35+35+42+42              | 2.09                  | 2.09   | 2.51*  | 2.51*  | -      | 9.20 (3.70 - 10.20) | 2.904 (0.660 - 4.004)               | 12.75               | 99               |
| 35+35+42+50              | 2.01                  | 2.01   | 2.41*  | 2.87*  | -      | 9.30 (3.70 - 10.20) | 3.004 (0.660 - 4.004)               | 13.19               | 99               |
| 35+35+42+60              | 1.91                  | 1.91   | 2.30*  | 3.28   | -      | 9.40 (3.70 - 10.20) | 3.067 (0.660 - 3.987)               | 13.47               | 99               |
| 35+35+50+50              | 1.94                  | 1.94   | 2.76*  | 2.76*  | -      | 9.40 (3.70 - 10.20) | 3.084 (0.660 - 4.004)               | 13.54               | 99               |
| 35+42+42+42              | 2.02                  | 2.43*  | 2.43*  | 2.43*  | -      | 9.30 (3.70 - 10.20) | 2.988 (0.660 - 3.998)               | 13.12               | 99               |
| 35+42+42+50              | 1.95                  | 2.34*  | 2.34*  | 2.78*  | -      | 9.40 (3.70 - 10.20) | 3.078 (0.660 - 3.998)               | 13.52               | 99               |
| 42+42+42+42              | 2.35*                 | 2.35*  | 2.35*  | 2.35*  | -      | 9.40 (3.70 - 10.20) | 3.072 (0.660 - 3.992)               | 13.49               | 99               |
| 15+15+15+15+15           | 1.40                  | 1.40   | 1.40   | 1.40   | 1.40   | 7.00 (3.90 - 8.90)  | 1.975 (0.640 - 4.035)               | 8.67                | 99               |
| 15+15+15+15+22           | 1.35                  | 1.35   | 1.35   | 1.35   | 1.99   | 7.40 (3.90 - 9.19)  | 2.076 (0.640 - 4.046)               | 9.12                | 99               |
| 15+15+15+15+25           | 1.34                  | 1.34   | 1.34   | 1.34   | 2.24   | 7.60 (3.90 - 9.32)  | 2.126 (0.640 - 4.056)               | 9.34                | 99               |
| 15+15+15+15+35           | 1.28                  | 1.28   | 1.28   | 1.28   | 2.98   | 8.10 (3.90 - 9.74)  | 2.276 (0.640 - 4.086)               | 10.00               | 99               |
| 15+15+15+15+42           | 1.24                  | 1.24   | 1.24   | 1.24   | 3.48*  | 8.45 (3.90 - 10.03) | 2.380 (0.640 - 4.100)               | 10.45               | 99               |
| 15+15+15+15+50           | 1.21                  | 1.21   | 1.21   | 1.21   | 4.02*  | 8.85 (3.90 - 10.37) | 2.510 (0.640 - 4.130)               | 11.02               | 99               |
| 15+15+15+15+60           | 1.17                  | 1.17   | 1.17   | 1.17   | 4.68   | 9.35 (3.90 - 10.79) | 2.643 (0.640 - 4.143)               | 11.61               | 99               |
| 15+15+15+15+71           | 1.10                  | 1.10   | 1.10   | 1.10   | 5.20   | 9.60 (3.90 - 11.00) | 2.727 (0.640 - 4.157)               | 11.98               | 99               |
| 15+15+15+20+20           | 1.32                  | 1.32   | 1.32   | 1.76   | 1.76   | 7.50 (3.90 - 9.32)  | 2.131 (0.640 - 4.061)               | 9.36                | 99               |
| 15+15+15+20+22           | 1.32                  | 1.32   | 1.32   | 1.76   | 1.93   | 7.65 (3.90 - 9.40)  | 2.154 (0.640 - 4.064)               | 9.46                | 99               |
| 15+15+15+20+25           | 1.31                  | 1.31   | 1.31   | 1.74   | 2.18   | 7.85 (3.90 - 9.53)  | 2.194 (0.640 - 4.074)               | 9.64                | 99               |
| 15+15+15+20+35           | 1.25                  | 1.25   | 1.25   | 1.67   | 2.92   | 8.35 (3.90 - 9.95)  | 2.354 (0.640 - 4.104)               | 10.34               | 99               |
| 15+15+15+20+42           | 1.22                  | 1.22   | 1.22   | 1.63   | 3.41*  | 8.70 (3.90 - 10.24) | 2.458 (0.640 - 4.118)               | 10.79               | 99               |
| 15+15+15+20+50           | 1.19                  | 1.19   | 1.19   | 1.58   | 3.96*  | 9.10 (3.90 - 10.58) | 2.578 (0.640 - 4.138)               | 11.32               | 99               |
| 15+15+15+20+60           | 1.15                  | 1.15   | 1.15   | 1.54   | 4.61   | 9.60 (3.90 - 11.00) | 2.721 (0.640 - 4.151)               | 11.95               | 99               |
| 15+15+15+20+71           | 1.06                  | 1.06   | 1.06   | 1.41   | 5.01   | 9.60 (3.90 - 11.00) | 2.725 (0.640 - 4.155)               | 11.97               | 99               |
| 15+15+15+22+22           | 1.31                  | 1.31   | 1.31   | 1.93   | 1.93   | 7.80 (3.90 - 9.49)  | 2.177 (0.640 - 4.057)               | 9.56                | 99               |
| 15+15+15+22+25           | 1.30                  | 1.30   | 1.30   | 1.91   | 2.17   | 8.00 (3.90 - 9.61)  | 2.227 (0.640 - 4.067)               | 9.78                | 99               |
| 15+15+15+22+35           | 1.25                  | 1.25   | 1.25   | 1.83   | 2.92   | 8.50 (3.90 - 10.03) | 2.377 (0.640 - 4.097)               | 10.44               | 99               |
| 15+15+15+22+42           | 1.22                  | 1.22   | 1.22   | 1.79   | 3.41*  | 8.85 (3.90 - 10.33) | 2.481 (0.640 - 4.111)               | 10.90               | 99               |
| 15+15+15+22+50           | 1.19                  | 1.19   | 1.19   | 1.74   | 3.95*  | 9.25 (3.90 - 10.66) | 2.611 (0.640 - 4.141)               | 11.47               | 99               |
| 15+15+15+22+60           | 1.14                  | 1.14   | 1.14   | 1.67   | 4.56   | 9.65 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+15+15+22+71           | 1.05                  | 1.05   | 1.05   | 1.54   | 4.96   | 9.65 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 15+15+15+25+25           | 1.29                  | 1.29   | 1.29   | 2.16   | 2.16   | 8.20 (3.90 - 9.74)  | 2.267 (0.640 - 4.077)               | 9.96                | 99               |
| 15+15+15+25+35           | 1.24                  | 1.24   | 1.24   | 2.07   | 2.90   | 8.70 (3.90 - 10.16) | 2.427 (0.640 - 4.107)               | 10.66               | 99               |
| 15+15+15+25+42           | 1.21                  | 1.21   | 1.21   | 2.02   | 3.39*  | 9.05 (3.90 - 10.45) | 2.531 (0.640 - 4.121)               | 11.12               | 99               |
| 15+15+15+25+50           | 1.18                  | 1.18   | 1.18   | 1.97   | 3.94*  | 9.45 (3.90 - 10.79) | 2.651 (0.640 - 4.151)               | 11.64               | 99               |
| 15+15+15+25+60           | 1.12                  | 1.12   | 1.12   | 1.87   | 4.48   | 9.70 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+15+15+25+71           | 1.03                  | 1.03   | 1.03   | 1.72   | 4.88   | 9.70 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 15+15+15+35+35           | 1.20                  | 1.20   | 1.20   | 2.80   | 2.80   | 9.20 (3.90 - 10.58) | 2.577 (0.640 - 4.137)               | 11.32               | 99               |
| 15+15+15+35+42           | 1.17                  | 1.17   | 1.17   | 2.74   | 3.29*  | 9.55 (3.90 - 10.87) | 2.681 (0.640 - 4.151)               | 11.77               | 99               |
| 15+15+15+35+50           | 1.12                  | 1.12   | 1.12   | 2.61   | 3.73*  | 9.70 (3.90 - 11.00) | 2.731 (0.640 - 4.161)               | 11.99               | 99               |
| 15+15+15+35+60           | 1.04                  | 1.04   | 1.04   | 2.43   | 4.16   | 9.70 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+15+15+35+71           | 0.96                  | 0.96   | 0.96   | 2.25   | 4.56   | 9.70 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 15+15+15+42+42           | 1.13                  | 1.13   | 1.13   | 3.16*  | 3.16*  | 9.70 (3.90 - 11.00) | 2.725 (0.640 - 4.155)               | 11.97               | 99               |
| 15+15+15+42+50           | 1.06                  | 1.06   | 1.06   | 2.97*  | 3.54*  | 9.70 (3.90 - 11.00) | 2.725 (0.640 - 4.155)               | 11.97               | 99               |
| 15+15+15+42+60           | 0.99                  | 0.99   | 0.99   | 2.77*  | 3.96   | 9.70 (3.90 - 11.00) | 2.708 (0.640 - 4.138)               | 11.89               | 99               |
| 15+15+15+42+71           | 0.92                  | 0.92   | 0.92   | 2.58*  | 4.36   | 9.70 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 15+15+15+50+50           | 1.00                  | 1.00   | 1.00   | 3.34*  | 3.34*  | 9.70 (3.90 - 11.00) | 2.725 (0.640 - 4.155)               | 11.97               | 99               |
| 15+15+15+50+60           | 0.94                  | 0.94   | 0.94   | 3.13*  | 3.75   | 9.70 (3.90 - 11.00) | 2.708 (0.640 - 4.138)               | 11.89               | 99               |
| 15+15+15+50+71           | 0.88                  | 0.88   | 0.88   | 2.92*  | 4.15   | 9.70 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+15+15+60+60           | 0.88                  | 0.88   | 0.88   | 3.53   | 3.53   | 9.70 (3.90 - 11.00) | 2.691 (0.640 - 4.121)               | 11.82               | 99               |
| 15+15+20+20+20           | 1.29                  | 1.29   | 1.72   | 1.72   | 1.72   | 7.75 (3.90 - 9.53)  | 2.199 (0.640 - 4.079)               | 9.66                | 99               |
| 15+15+20+20+22           | 1.29                  | 1.29   | 1.72   | 1.72   | 1.89   | 7.90 (3.90 - 9.61)  | 2.232 (0.640 - 4.072)               | 9.80                | 99               |
| 15+15+20+20+25           | 1.28                  | 1.28   | 1.71   | 1.71   | 2.13   | 8.10 (3.90 - 9.74)  | 2.272 (0.640 - 4.082)               | 9.98                | 99               |
| 15+15+20+20+35           | 1.23                  | 1.23   | 1.64   | 1.64   | 2.87   | 8.60 (3.90 - 10.16) | 2.432 (0.640 - 4.112)               | 10.68               | 99               |
| 15+15+20+20+42           | 1.20                  | 1.20   | 1.60   | 1.60   | 3.36*  | 8.95 (3.90 - 10.45) | 2.536 (0.640 - 4.126)               | 11.14               | 99               |
| 15+15+20+20+50           | 1.17                  | 1.17   | 1.56   | 1.56   | 3.90*  | 9.35 (3.90 - 10.79) | 2.656 (0.640 - 4.156)               | 11.66               | 99               |
| 15+15+20+20+60           | 1.11                  | 1.11   | 1.48   | 1.48   | 4.43   | 9.60 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 15+15+20+20+71           | 1.02                  | 1.02   | 1.36   | 1.36   | 4.83   | 9.60 (3.90 - 11.00) | 2.723 (0.640 - 4.153)               | 11.96               | 99               |
| 15+15+20+22+22           | 1.28                  | 1.28   | 1.71   | 1.88   | 1.88   | 8.05 (3.90 - 9.70)  | 2.255 (0.640 - 4.075)               | 9.90                | 99               |
| 15+15+20+22+25           | 1.28                  | 1.28   | 1.70   | 1.87   | 2.13   | 8.25 (3.90 - 9.82)  | 2.295 (0.640 - 4.085)               | 10.08               | 99               |
| 15+15+20+22+35           | 1.23                  | 1.23   | 1.64   | 1.80   | 2.86   | 8.75 (3.90 - 10.24) | 2.455 (0.640 - 4.115)               | 10.78               | 99               |
| 15+15+20+22+42           | 1.20                  | 1.20   | 1.60   | 1.76   | 3.35*  | 9.10 (3.90 - 10.54) | 2.559 (0.640 - 4.129)               | 11.24               | 99               |
| 15+15+20+22+50           | 1.17                  | 1.17   | 1.56   | 1.71   | 3.89*  | 9.50 (3.90 - 10.87) | 2.679 (0.640 - 4.149)               | 11.77               | 99               |
| 15+15+20+22+60           | 1.10                  | 1.10   | 1.46   | 1.61   | 4.39   | 9.65 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 15+15+20+22+71           | 1.01                  | 1.01   | 1.35   | 1.48   | 4.79   | 9.65 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+20+25+25           | 1.27                  | 1.27   | 1.69   | 2.11   | 2.11   | 8.45 (3.90 - 9.95)  | 2.345 (0.640 - 4.095)               | 10.30               | 99               |
| 15+15+20+25+35           | 1.22                  | 1.22   | 1.63   | 2.03   | 2.85   | 8.95 (3.90 - 10.37) | 2.505 (0.640 - 4.125)               | 11.00               | 99               |
| 15+15+20+25+42           | 1.19                  | 1.19   | 1.59   | 1.99   | 3.34*  | 9.30 (3.90 - 10.66) | 2.609 (0.640 - 4.139)               | 11.46               | 99               |
| 15+15+20+25+50           | 1.16                  | 1.16   | 1.55   | 1.94   | 3.88*  | 9.70 (3.90 - 11.00) | 2.729 (0.640 - 4.159)               | 11.99               | 99               |
| 15+15+20+25+60           | 1.08                  | 1.08   | 1.44   | 1.80   | 4.31   | 9.70 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 15+15+20+25+71           | 1.00                  | 1.00   | 1.33   | 1.66   | 4.72   | 9.70 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+20+35+35           | 1.18                  | 1.18   | 1.58   | 2.76   | 2.76   | 9.45 (3.90 - 10.79) | 2.655 (0.640 - 4.155)               | 11.66               | 99               |
| 15+15+20+35+42           | 1.15                  | 1.15   | 1.53   | 2.67   | 3.21*  | 9.70 (3.90 - 11.00) | 2.729 (0.640 - 4.159)               | 11.99               | 99               |
| 15+15+20+35+50           | 1.08                  | 1.08   | 1.44   | 2.51   | 3.59*  | 9.70 (3.90 - 11.00) | 2.729 (0.640 - 4.159)               | 11.99               | 99               |
| 15+15+20+35+60           | 1.00                  | 1.00   | 1.34   | 2.34   | 4.01   | 9.70 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 15+15+20+35+71           | 0.93                  | 0.93   | 1.24   | 2.18   | 4.41   | 9.70 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+20+42+42           | 1.09                  | 1.09   | 1.45   | 3.04*  | 3.04*  | 9.70 (3.90 - 11.00) | 2.723 (0.640 - 4.153)               | 11.96               | 99               |
| 15+15+20+42+50           | 1.02                  | 1.02   | 1.37   | 2.87*  | 3.42*  | 9.70 (3.90 - 11.00) | 2.723 (0.640 - 4.153)               | 11.96               | 99               |
| 15+15+20+42+60           | 0.96                  | 0.96   | 1.28   | 2.68*  | 3.83   | 9.70 (3.90 - 11.00) | 2.706 (0.640 - 4.136)               | 11.88               | 99               |
| 15+15+20+42+71           | 0.89                  | 0.89   | 1.19   | 2.50*  | 4.23   | 9.70 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 15+15+20+50+50           | 0.97                  | 0.97   | 1.29   | 3.23*  | 3.23*  | 9.70 (3.90 - 11.00) | 2.723 (0.640 - 4.153)               | 11.96               | 99               |
| 15+15+20+50+60           | 0.91                  | 0.91   | 1.21   | 3.03*  | 3.64   | 9.70 (3.90 - 11.00) | 2.706 (0.640 - 4.136)               | 11.88               | 99               |
| 15+15+20+50+71           | 0.85                  | 0.85   | 1.13   | 2.84*  | 4.03   | 9.70 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 15+15+20+60+60           | 0.86                  | 0.86   | 1.14   | 3.42   | 3.42   | 9.70 (3.90 - 11.00) | 2.689 (0.640 - 4.119)               | 11.81               | 99               |
| 15+15+22+22+22           | 1.28                  | 1.28   | 1.88   | 1.88   | 1.88   | 8.20 (3.90 - 9.78)  | 2.278 (0.640 - 4.068)               | 10.00               | 99               |
| 15+15+22+22+25           | 1.27                  | 1.27   | 1.87   | 1.87   | 2.12   | 8.40 (3.90 - 9.91)  | 2.318 (0.640 - 4.078)               | 10.18               | 99               |
| 15+15+22+22+35           | 1.22                  | 1.22   | 1.80   | 1.80   | 2.86   | 8.90 (3.90 - 10.33) | 2.478 (0.640 - 4.108)               | 10.88               | 99               |
| 15+15+22+22+42           | 1.20                  | 1.20   | 1.75   | 1.75   | 3.35*  | 9.25 (3.90 - 10.62) | 2.582 (0.640 - 4.122)               | 11.34               | 99               |
| 15+15+22+22+50           | 1.17                  | 1.17   | 1.71   | 1.71   | 3.89*  | 9.65 (3.90 - 10.96) | 2.702 (0.640 - 4.152)               | 11.87               | 99               |
| 15+15+22+22+60           | 1.09                  | 1.09   | 1.59   | 1.59   | 4.34   | 9.70 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 15+15+22+22+71           | 1.00                  | 1.00   | 1.47   | 1.47   | 4.75   | 9.70 (3.90 - 11.00) | 2.709 (0.640 - 4.139)               | 11.90               | 99               |
| 15+15+22+25+25           | 1.26                  | 1.26   | 1.85   | 2.11   | 2.11   | 8.60 (3.90 - 10.03) | 2.368 (0.640 - 4.088)               | 10.40               | 99               |
| 15+15+22+25+35           | 1.22                  | 1.22   | 1.79   | 2.03   | 2.84   | 9.10 (3.90 - 10.45) | 2.528 (0.640 - 4.118)               | 11.10               | 99               |
| 15+15+22+25+42           | 1.19                  | 1.19   | 1.75   | 1.99   | 3.34*  | 9.45 (3.90 - 10.75) | 2.632 (0.640 - 4.132)               | 11.56               | 99               |
| 15+15+22+25+50           | 1.15                  | 1.15   | 1.69   | 1.92   | 3.84*  | 9.75 (3.90 - 11.00) | 2.722 (0.640 - 4.152)               | 11.95               | 99               |
| 15+15+22+25+60           | 1.07                  | 1.07   | 1.57   | 1.78   | 4.27   | 9.75 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 15+15+22+25+71           | 0.99                  | 0.99   | 1.45   | 1.65   | 4.68   | 9.75 (3.90 - 11.00) | 2.709 (0.640 - 4.139)               | 11.90               | 99               |
| 15+15+22+35+35           | 1.18                  | 1.18   | 1.73   | 2.75   | 2.75   | 9.60 (3.90 - 10.87) | 2.678 (0.640 - 4.148)               | 11.76               | 99               |
| 15+15+22+35+42           | 1.13                  | 1.13   | 1.66   | 2.65   | 3.17*  | 9.75 (3.90 - 11.00) | 2.722 (0.640 - 4.152)               | 11.95               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+15+22+35+50           | 1.07                  | 1.07   | 1.57   | 2.49   | 3.56*  | 9.75 (3.90 - 11.00) | 2.722 (0.640 - 4.152)               | 11.95               | 99               |
| 15+15+22+35+60           | 0.99                  | 0.99   | 1.46   | 2.32   | 3.98   | 9.75 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 15+15+22+35+71           | 0.93                  | 0.93   | 1.36   | 2.16   | 4.38   | 9.75 (3.90 - 11.00) | 2.709 (0.640 - 4.139)               | 11.90               | 99               |
| 15+15+22+42+42           | 1.08                  | 1.08   | 1.58   | 3.01*  | 3.01*  | 9.75 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+22+42+50           | 1.02                  | 1.02   | 1.49   | 2.84*  | 3.39*  | 9.75 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+22+42+60           | 0.95                  | 0.95   | 1.39   | 2.66*  | 3.80   | 9.75 (3.90 - 11.00) | 2.699 (0.640 - 4.129)               | 11.85               | 99               |
| 15+15+22+42+71           | 0.89                  | 0.89   | 1.30   | 2.48*  | 4.20   | 9.75 (3.90 - 11.00) | 2.703 (0.640 - 4.133)               | 11.87               | 99               |
| 15+15+22+50+50           | 0.96                  | 0.96   | 1.41   | 3.21*  | 3.21*  | 9.75 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+22+50+60           | 0.90                  | 0.90   | 1.32   | 3.01*  | 3.61   | 9.75 (3.90 - 11.00) | 2.699 (0.640 - 4.129)               | 11.85               | 99               |
| 15+15+22+60+60           | 0.85                  | 0.85   | 1.25   | 3.40   | 3.40   | 9.75 (3.90 - 11.00) | 2.682 (0.640 - 4.112)               | 11.78               | 99               |
| 15+15+25+25+25           | 1.26                  | 1.26   | 2.10   | 2.10   | 2.10   | 8.80 (3.90 - 10.16) | 2.418 (0.640 - 4.098)               | 10.62               | 99               |
| 15+15+25+25+35           | 1.21                  | 1.21   | 2.02   | 2.02   | 2.83   | 9.30 (3.90 - 10.58) | 2.568 (0.640 - 4.128)               | 11.28               | 99               |
| 15+15+25+25+42           | 1.19                  | 1.19   | 1.98   | 1.98   | 3.32*  | 9.65 (3.90 - 10.87) | 2.672 (0.640 - 4.142)               | 11.73               | 99               |
| 15+15+25+25+50           | 1.13                  | 1.13   | 1.88   | 1.88   | 3.77*  | 9.80 (3.90 - 11.00) | 2.722 (0.640 - 4.152)               | 11.95               | 99               |
| 15+15+25+25+60           | 1.05                  | 1.05   | 1.75   | 1.75   | 4.20   | 9.80 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 15+15+25+25+71           | 0.97                  | 0.97   | 1.62   | 1.62   | 4.61   | 9.80 (3.90 - 11.00) | 2.709 (0.640 - 4.139)               | 11.90               | 99               |
| 15+15+25+35+35           | 1.18                  | 1.18   | 1.96   | 2.74   | 2.74   | 9.80 (3.90 - 11.00) | 2.728 (0.640 - 4.158)               | 11.98               | 99               |
| 15+15+25+35+42           | 1.11                  | 1.11   | 1.86   | 2.60   | 3.12*  | 9.80 (3.90 - 11.00) | 2.722 (0.640 - 4.152)               | 11.95               | 99               |
| 15+15+25+35+50           | 1.05                  | 1.05   | 1.75   | 2.45   | 3.50*  | 9.80 (3.90 - 11.00) | 2.722 (0.640 - 4.152)               | 11.95               | 99               |
| 15+15+25+35+60           | 0.98                  | 0.98   | 1.63   | 2.29   | 3.92   | 9.80 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 15+15+25+35+71           | 0.91                  | 0.91   | 1.52   | 2.13   | 4.32   | 9.80 (3.90 - 11.00) | 2.709 (0.640 - 4.139)               | 11.90               | 99               |
| 15+15+25+42+42           | 1.06                  | 1.06   | 1.76   | 2.96*  | 2.96*  | 9.80 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+25+42+50           | 1.00                  | 1.00   | 1.67   | 2.80*  | 3.33*  | 9.80 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+25+42+60           | 0.94                  | 0.94   | 1.56   | 2.62*  | 3.75   | 9.80 (3.90 - 11.00) | 2.699 (0.640 - 4.129)               | 11.85               | 99               |
| 15+15+25+42+71           | 0.88                  | 0.88   | 1.46   | 2.45*  | 4.14   | 9.80 (3.90 - 11.00) | 2.703 (0.640 - 4.133)               | 11.87               | 99               |
| 15+15+25+50+50           | 0.95                  | 0.95   | 1.58   | 3.16*  | 3.16*  | 9.80 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+25+50+60           | 0.89                  | 0.89   | 1.48   | 2.97*  | 3.56   | 9.80 (3.90 - 11.00) | 2.699 (0.640 - 4.129)               | 11.85               | 99               |
| 15+15+35+35+35           | 1.09                  | 1.09   | 2.54   | 2.54   | 2.54   | 9.80 (3.90 - 11.00) | 2.728 (0.640 - 4.158)               | 11.98               | 99               |
| 15+15+35+35+42           | 1.04                  | 1.04   | 2.42   | 2.42   | 2.90*  | 9.80 (3.90 - 11.00) | 2.722 (0.640 - 4.152)               | 11.95               | 99               |
| 15+15+35+35+50           | 0.98                  | 0.98   | 2.29   | 2.29   | 3.27*  | 9.80 (3.90 - 11.00) | 2.722 (0.640 - 4.152)               | 11.95               | 99               |
| 15+15+35+35+60           | 0.92                  | 0.92   | 2.14   | 2.14   | 3.68   | 9.80 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 15+15+35+35+71           | 0.86                  | 0.86   | 2.01   | 2.01   | 4.07   | 9.80 (3.90 - 11.00) | 2.709 (0.640 - 4.139)               | 11.90               | 99               |
| 15+15+35+42+42           | 0.99                  | 0.99   | 2.30   | 2.76*  | 2.76*  | 9.80 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+35+42+50           | 0.94                  | 0.94   | 2.18   | 2.62*  | 3.12*  | 9.80 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+35+42+60           | 0.88                  | 0.88   | 2.05   | 2.46*  | 3.52   | 9.80 (3.90 - 11.00) | 2.699 (0.640 - 4.129)               | 11.85               | 99               |
| 15+15+35+50+50           | 0.89                  | 0.89   | 2.08   | 2.97*  | 2.97*  | 9.80 (3.90 - 11.00) | 2.716 (0.640 - 4.146)               | 11.93               | 99               |
| 15+15+42+42+42           | 0.94                  | 0.94   | 2.64*  | 2.64*  | 2.64*  | 9.80 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 15+15+42+42+50           | 0.90                  | 0.90   | 2.51*  | 2.51*  | 2.99*  | 9.80 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 15+15+42+50+50           | 0.85                  | 0.85   | 2.39*  | 2.85*  | 2.85*  | 9.80 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 15+20+20+20+20           | 1.26                  | 1.68   | 1.68   | 1.68   | 1.68   | 8.00 (3.90 - 9.74)  | 2.277 (0.640 - 4.087)               | 10.00               | 99               |
| 15+20+20+20+22           | 1.26                  | 1.68   | 1.68   | 1.68   | 1.85   | 8.15 (3.90 - 9.82)  | 2.300 (0.640 - 4.090)               | 10.10               | 99               |
| 15+20+20+20+25           | 1.25                  | 1.67   | 1.67   | 1.67   | 2.09   | 8.35 (3.90 - 9.95)  | 2.350 (0.640 - 4.100)               | 10.32               | 99               |
| 15+20+20+20+35           | 1.21                  | 1.61   | 1.61   | 1.61   | 2.82   | 8.85 (3.90 - 10.37) | 2.510 (0.640 - 4.130)               | 11.02               | 99               |
| 15+20+20+20+42           | 1.18                  | 1.57   | 1.57   | 1.57   | 3.30*  | 9.20 (3.90 - 10.66) | 2.614 (0.640 - 4.144)               | 11.48               | 99               |
| 15+20+20+20+50           | 1.15                  | 1.54   | 1.54   | 1.54   | 3.84*  | 9.60 (3.90 - 11.00) | 2.734 (0.640 - 4.164)               | 12.01               | 99               |
| 15+20+20+20+60           | 1.07                  | 1.42   | 1.42   | 1.42   | 4.27   | 9.60 (3.90 - 11.00) | 2.717 (0.640 - 4.147)               | 11.93               | 99               |
| 15+20+20+20+71           | 0.99                  | 1.32   | 1.32   | 1.32   | 4.67   | 9.60 (3.90 - 11.00) | 2.721 (0.640 - 4.151)               | 11.95               | 99               |
| 15+20+20+22+22           | 1.26                  | 1.68   | 1.68   | 1.84   | 1.84   | 8.30 (3.90 - 9.91)  | 2.323 (0.640 - 4.083)               | 10.20               | 99               |
| 15+20+20+22+25           | 1.25                  | 1.67   | 1.67   | 1.83   | 2.08   | 8.50 (3.90 - 10.03) | 2.373 (0.640 - 4.093)               | 10.42               | 99               |
| 15+20+20+22+35           | 1.21                  | 1.61   | 1.61   | 1.77   | 2.81   | 9.00 (3.90 - 10.45) | 2.533 (0.640 - 4.123)               | 11.12               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+20+20+22+42           | 1.18                  | 1.57   | 1.57   | 1.73   | 3.30*  | 9.35 (3.90 - 10.75) | 2.637 (0.640 - 4.137)               | 11.58               | 99               |
| 15+20+20+22+50           | 1.14                  | 1.52   | 1.52   | 1.67   | 3.80*  | 9.65 (3.90 - 11.00) | 2.727 (0.640 - 4.157)               | 11.98               | 99               |
| 15+20+20+22+60           | 1.06                  | 1.41   | 1.41   | 1.55   | 4.23   | 9.65 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 15+20+20+22+71           | 0.98                  | 1.30   | 1.30   | 1.43   | 4.63   | 9.65 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+20+25+25           | 1.24                  | 1.66   | 1.66   | 2.07   | 2.07   | 8.70 (3.90 - 10.16) | 2.423 (0.640 - 4.103)               | 10.64               | 99               |
| 15+20+20+25+35           | 1.20                  | 1.60   | 1.60   | 2.00   | 2.80   | 9.20 (3.90 - 10.58) | 2.573 (0.640 - 4.133)               | 11.30               | 99               |
| 15+20+20+25+42           | 1.17                  | 1.57   | 1.57   | 1.96   | 3.29*  | 9.55 (3.90 - 10.87) | 2.677 (0.640 - 4.147)               | 11.76               | 99               |
| 15+20+20+25+50           | 1.12                  | 1.49   | 1.49   | 1.87   | 3.73*  | 9.70 (3.90 - 11.00) | 2.727 (0.640 - 4.157)               | 11.98               | 99               |
| 15+20+20+25+60           | 1.04                  | 1.39   | 1.39   | 1.73   | 4.16   | 9.70 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 15+20+20+25+71           | 0.96                  | 1.28   | 1.28   | 1.61   | 4.56   | 9.70 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+20+35+35           | 1.16                  | 1.55   | 1.55   | 2.72   | 2.72   | 9.70 (3.90 - 11.00) | 2.733 (0.640 - 4.163)               | 12.00               | 99               |
| 15+20+20+35+42           | 1.10                  | 1.47   | 1.47   | 2.57   | 3.09*  | 9.70 (3.90 - 11.00) | 2.727 (0.640 - 4.157)               | 11.98               | 99               |
| 15+20+20+35+50           | 1.04                  | 1.39   | 1.39   | 2.43   | 3.46*  | 9.70 (3.90 - 11.00) | 2.727 (0.640 - 4.157)               | 11.98               | 99               |
| 15+20+20+35+60           | 0.97                  | 1.29   | 1.29   | 2.26   | 3.88   | 9.70 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 15+20+20+35+71           | 0.90                  | 1.20   | 1.20   | 2.11   | 4.28   | 9.70 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+20+42+42           | 1.05                  | 1.40   | 1.40   | 2.93*  | 2.93*  | 9.70 (3.90 - 11.00) | 2.721 (0.640 - 4.151)               | 11.95               | 99               |
| 15+20+20+42+50           | 0.99                  | 1.32   | 1.32   | 2.77*  | 3.30*  | 9.70 (3.90 - 11.00) | 2.721 (0.640 - 4.151)               | 11.95               | 99               |
| 15+20+20+42+60           | 0.93                  | 1.24   | 1.24   | 2.59*  | 3.71   | 9.70 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 15+20+20+42+71           | 0.87                  | 1.15   | 1.15   | 2.43*  | 4.10   | 9.70 (3.90 - 11.00) | 2.708 (0.640 - 4.138)               | 11.89               | 99               |
| 15+20+20+50+50           | 0.94                  | 1.25   | 1.25   | 3.13*  | 3.13*  | 9.70 (3.90 - 11.00) | 2.721 (0.640 - 4.151)               | 11.95               | 99               |
| 15+20+20+50+60           | 0.88                  | 1.18   | 1.18   | 2.94*  | 3.53   | 9.70 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 15+20+22+22+22           | 1.25                  | 1.67   | 1.84   | 1.84   | 1.84   | 8.45 (3.90 - 9.99)  | 2.356 (0.640 - 4.086)               | 10.35               | 99               |
| 15+20+22+22+25           | 1.25                  | 1.66   | 1.83   | 1.83   | 2.08   | 8.65 (3.90 - 10.12) | 2.396 (0.640 - 4.096)               | 10.52               | 99               |
| 15+20+22+22+35           | 1.20                  | 1.61   | 1.77   | 1.77   | 2.81   | 9.15 (3.90 - 10.54) | 2.556 (0.640 - 4.126)               | 11.23               | 99               |
| 15+20+22+22+42           | 1.18                  | 1.57   | 1.73   | 1.73   | 3.30*  | 9.50 (3.90 - 10.83) | 2.660 (0.640 - 4.140)               | 11.68               | 99               |
| 15+20+22+22+50           | 1.13                  | 1.50   | 1.65   | 1.65   | 3.76*  | 9.70 (3.90 - 11.00) | 2.720 (0.640 - 4.150)               | 11.95               | 99               |
| 15+20+22+22+60           | 1.05                  | 1.40   | 1.54   | 1.54   | 4.19   | 9.70 (3.90 - 11.00) | 2.703 (0.640 - 4.133)               | 11.87               | 99               |
| 15+20+22+22+71           | 0.97                  | 1.29   | 1.42   | 1.42   | 4.59   | 9.70 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+20+22+25+25           | 1.24                  | 1.65   | 1.82   | 2.07   | 2.07   | 8.85 (3.90 - 10.24) | 2.446 (0.640 - 4.106)               | 10.74               | 99               |
| 15+20+22+25+35           | 1.20                  | 1.60   | 1.76   | 2.00   | 2.80   | 9.35 (3.90 - 10.66) | 2.606 (0.640 - 4.136)               | 11.44               | 99               |
| 15+20+22+25+42           | 1.17                  | 1.56   | 1.72   | 1.96   | 3.29*  | 9.70 (3.90 - 10.96) | 2.700 (0.640 - 4.150)               | 11.86               | 99               |
| 15+20+22+25+50           | 1.11                  | 1.48   | 1.63   | 1.85   | 3.69*  | 9.75 (3.90 - 11.00) | 2.720 (0.640 - 4.150)               | 11.95               | 99               |
| 15+20+22+25+60           | 1.03                  | 1.37   | 1.51   | 1.72   | 4.12   | 9.75 (3.90 - 11.00) | 2.703 (0.640 - 4.133)               | 11.87               | 99               |
| 15+20+22+25+71           | 0.96                  | 1.27   | 1.40   | 1.59   | 4.52   | 9.75 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+20+22+35+35           | 1.15                  | 1.54   | 1.69   | 2.69   | 2.69   | 9.75 (3.90 - 11.00) | 2.726 (0.640 - 4.156)               | 11.97               | 99               |
| 15+20+22+35+42           | 1.09                  | 1.46   | 1.60   | 2.55   | 3.06*  | 9.75 (3.90 - 11.00) | 2.720 (0.640 - 4.150)               | 11.95               | 99               |
| 15+20+22+35+50           | 1.03                  | 1.37   | 1.51   | 2.40   | 3.43*  | 9.75 (3.90 - 11.00) | 2.720 (0.640 - 4.150)               | 11.95               | 99               |
| 15+20+22+35+60           | 0.96                  | 1.28   | 1.41   | 2.25   | 3.85   | 9.75 (3.90 - 11.00) | 2.703 (0.640 - 4.133)               | 11.87               | 99               |
| 15+20+22+35+71           | 0.90                  | 1.20   | 1.32   | 2.09   | 4.25   | 9.75 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+20+22+42+42           | 1.04                  | 1.38   | 1.52   | 2.90*  | 2.90*  | 9.75 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+22+42+50           | 0.98                  | 1.31   | 1.44   | 2.75*  | 3.27*  | 9.75 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+22+42+60           | 0.92                  | 1.23   | 1.35   | 2.58*  | 3.68   | 9.75 (3.90 - 11.00) | 2.697 (0.640 - 4.127)               | 11.84               | 99               |
| 15+20+22+42+71           | 0.86                  | 1.15   | 1.26   | 2.41*  | 4.07   | 9.75 (3.90 - 11.00) | 2.701 (0.640 - 4.131)               | 11.86               | 99               |
| 15+20+22+50+50           | 0.93                  | 1.24   | 1.37   | 3.11*  | 3.11*  | 9.75 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+22+50+60           | 0.88                  | 1.17   | 1.28   | 2.92*  | 3.50   | 9.75 (3.90 - 11.00) | 2.697 (0.640 - 4.127)               | 11.84               | 99               |
| 15+20+25+25+25           | 1.23                  | 1.65   | 2.06   | 2.06   | 2.06   | 9.05 (3.90 - 10.37) | 2.496 (0.640 - 4.116)               | 10.96               | 99               |
| 15+20+25+25+35           | 1.19                  | 1.59   | 1.99   | 1.99   | 2.79   | 9.55 (3.90 - 10.79) | 2.646 (0.640 - 4.146)               | 11.62               | 99               |
| 15+20+25+25+42           | 1.16                  | 1.54   | 1.93   | 1.93   | 3.24*  | 9.80 (3.90 - 11.00) | 2.720 (0.640 - 4.150)               | 11.95               | 99               |
| 15+20+25+25+50           | 1.09                  | 1.45   | 1.81   | 1.81   | 3.63*  | 9.80 (3.90 - 11.00) | 2.720 (0.640 - 4.150)               | 11.95               | 99               |
| 15+20+25+25+60           | 1.01                  | 1.35   | 1.69   | 1.69   | 4.06   | 9.80 (3.90 - 11.00) | 2.703 (0.640 - 4.133)               | 11.87               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+20+25+25+71           | 0.94                  | 1.26   | 1.57   | 1.57   | 4.46   | 9.80 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+20+25+35+35           | 1.13                  | 1.51   | 1.88   | 2.64   | 2.64   | 9.80 (3.90 - 11.00) | 2.726 (0.640 - 4.156)               | 11.97               | 99               |
| 15+20+25+35+42           | 1.07                  | 1.43   | 1.79   | 2.50   | 3.00*  | 9.80 (3.90 - 11.00) | 2.720 (0.640 - 4.150)               | 11.95               | 99               |
| 15+20+25+35+50           | 1.01                  | 1.35   | 1.69   | 2.37   | 3.38*  | 9.80 (3.90 - 11.00) | 2.720 (0.640 - 4.150)               | 11.95               | 99               |
| 15+20+25+35+60           | 0.95                  | 1.26   | 1.58   | 2.21   | 3.79   | 9.80 (3.90 - 11.00) | 2.703 (0.640 - 4.133)               | 11.87               | 99               |
| 15+20+25+35+71           | 0.89                  | 1.18   | 1.48   | 2.07   | 4.19   | 9.80 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+20+25+42+42           | 1.02                  | 1.36   | 1.70   | 2.86*  | 2.86*  | 9.80 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+25+42+50           | 0.97                  | 1.29   | 1.61   | 2.71*  | 3.22*  | 9.80 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+25+42+60           | 0.91                  | 1.21   | 1.51   | 2.54*  | 3.63   | 9.80 (3.90 - 11.00) | 2.697 (0.640 - 4.127)               | 11.84               | 99               |
| 15+20+25+50+50           | 0.92                  | 1.23   | 1.53   | 3.06*  | 3.06*  | 9.80 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+25+50+60           | 0.86                  | 1.15   | 1.44   | 2.88*  | 3.46   | 9.80 (3.90 - 11.00) | 2.697 (0.640 - 4.127)               | 11.84               | 99               |
| 15+20+35+35+35           | 1.05                  | 1.40   | 2.45   | 2.45   | 2.45   | 9.80 (3.90 - 11.00) | 2.726 (0.640 - 4.156)               | 11.97               | 99               |
| 15+20+35+35+42           | 1.00                  | 1.33   | 2.33   | 2.33   | 2.80*  | 9.80 (3.90 - 11.00) | 2.720 (0.640 - 4.150)               | 11.95               | 99               |
| 15+20+35+35+50           | 0.95                  | 1.26   | 2.21   | 2.21   | 3.16*  | 9.80 (3.90 - 11.00) | 2.720 (0.640 - 4.150)               | 11.95               | 99               |
| 15+20+35+35+60           | 0.89                  | 1.19   | 2.08   | 2.08   | 3.56   | 9.80 (3.90 - 11.00) | 2.703 (0.640 - 4.133)               | 11.87               | 99               |
| 15+20+35+42+42           | 0.95                  | 1.27   | 2.23   | 2.67*  | 2.67*  | 9.80 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+35+42+50           | 0.91                  | 1.21   | 2.12   | 2.54*  | 3.02*  | 9.80 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+35+42+60           | 0.85                  | 1.14   | 1.99   | 2.39*  | 3.42   | 9.80 (3.90 - 11.00) | 2.697 (0.640 - 4.127)               | 11.84               | 99               |
| 15+20+35+50+50           | 0.86                  | 1.15   | 2.02   | 2.88*  | 2.88*  | 9.80 (3.90 - 11.00) | 2.714 (0.640 - 4.144)               | 11.92               | 99               |
| 15+20+42+42+42           | 0.91                  | 1.22   | 2.56*  | 2.56*  | 2.56*  | 9.80 (3.90 - 11.00) | 2.708 (0.640 - 4.138)               | 11.89               | 99               |
| 15+20+42+42+50           | 0.87                  | 1.16   | 2.44*  | 2.44*  | 2.90*  | 9.80 (3.90 - 11.00) | 2.708 (0.640 - 4.138)               | 11.89               | 99               |
| 15+22+22+22+22           | 1.25                  | 1.84   | 1.84   | 1.84   | 1.84   | 8.60 (3.90 - 10.08) | 2.379 (0.640 - 4.079)               | 10.45               | 99               |
| 15+22+22+22+25           | 1.25                  | 1.83   | 1.83   | 1.83   | 2.08   | 8.80 (3.90 - 10.20) | 2.419 (0.640 - 4.089)               | 10.62               | 99               |
| 15+22+22+22+35           | 1.20                  | 1.76   | 1.76   | 1.76   | 2.81   | 9.30 (3.90 - 10.62) | 2.579 (0.640 - 4.119)               | 11.33               | 99               |
| 15+22+22+22+42           | 1.18                  | 1.73   | 1.73   | 1.73   | 3.30*  | 9.65 (3.90 - 10.92) | 2.683 (0.640 - 4.133)               | 11.78               | 99               |
| 15+22+22+22+50           | 1.12                  | 1.64   | 1.64   | 1.64   | 3.72*  | 9.75 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+22+22+60           | 1.04                  | 1.52   | 1.52   | 1.52   | 4.15   | 9.75 (3.90 - 11.00) | 2.696 (0.640 - 4.126)               | 11.84               | 99               |
| 15+22+22+22+71           | 0.96                  | 1.41   | 1.41   | 1.41   | 4.55   | 9.75 (3.90 - 11.00) | 2.700 (0.640 - 4.130)               | 11.86               | 99               |
| 15+22+22+25+25           | 1.24                  | 1.82   | 1.82   | 2.06   | 2.06   | 9.00 (3.90 - 10.33) | 2.469 (0.640 - 4.099)               | 10.84               | 99               |
| 15+22+22+25+35           | 1.20                  | 1.76   | 1.76   | 2.00   | 2.79   | 9.50 (3.90 - 10.75) | 2.629 (0.640 - 4.129)               | 11.55               | 99               |
| 15+22+22+25+42           | 1.17                  | 1.71   | 1.71   | 1.94   | 3.27*  | 9.80 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+22+25+50           | 1.10                  | 1.61   | 1.61   | 1.83   | 3.66*  | 9.80 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+22+25+60           | 1.02                  | 1.50   | 1.50   | 1.70   | 4.08   | 9.80 (3.90 - 11.00) | 2.696 (0.640 - 4.126)               | 11.84               | 99               |
| 15+22+22+25+71           | 0.95                  | 1.39   | 1.39   | 1.58   | 4.49   | 9.80 (3.90 - 11.00) | 2.700 (0.640 - 4.130)               | 11.86               | 99               |
| 15+22+22+35+35           | 1.14                  | 1.67   | 1.67   | 2.66   | 2.66   | 9.80 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 15+22+22+35+42           | 1.08                  | 1.59   | 1.59   | 2.52   | 3.03*  | 9.80 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+22+35+50           | 1.02                  | 1.50   | 1.50   | 2.38   | 3.40*  | 9.80 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+22+35+60           | 0.95                  | 1.40   | 1.40   | 2.23   | 3.82   | 9.80 (3.90 - 11.00) | 2.696 (0.640 - 4.126)               | 11.84               | 99               |
| 15+22+22+35+71           | 0.89                  | 1.31   | 1.31   | 2.08   | 4.22   | 9.80 (3.90 - 11.00) | 2.700 (0.640 - 4.130)               | 11.86               | 99               |
| 15+22+22+42+42           | 1.03                  | 1.51   | 1.51   | 2.88*  | 2.88*  | 9.80 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+22+22+42+50           | 0.97                  | 1.43   | 1.43   | 2.73*  | 3.25*  | 9.80 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+22+22+42+60           | 0.91                  | 1.34   | 1.34   | 2.56*  | 3.65   | 9.80 (3.90 - 11.00) | 2.690 (0.640 - 4.120)               | 11.81               | 99               |
| 15+22+22+42+71           | 0.85                  | 1.25   | 1.25   | 2.39*  | 4.05   | 9.80 (3.90 - 11.00) | 2.694 (0.640 - 4.124)               | 11.83               | 99               |
| 15+22+22+50+50           | 0.92                  | 1.36   | 1.36   | 3.08*  | 3.08*  | 9.80 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+22+22+50+60           | 0.87                  | 1.28   | 1.28   | 2.90*  | 3.48   | 9.80 (3.90 - 11.00) | 2.690 (0.640 - 4.120)               | 11.81               | 99               |
| 15+22+25+25+25           | 1.23                  | 1.81   | 2.05   | 2.05   | 2.05   | 9.20 (3.90 - 10.45) | 2.519 (0.640 - 4.109)               | 11.06               | 99               |
| 15+22+25+25+35           | 1.19                  | 1.75   | 1.99   | 1.99   | 2.78   | 9.70 (3.90 - 10.87) | 2.669 (0.640 - 4.139)               | 11.72               | 99               |
| 15+22+25+25+42           | 1.15                  | 1.68   | 1.91   | 1.91   | 3.21*  | 9.85 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+25+25+50           | 1.08                  | 1.58   | 1.80   | 1.80   | 3.59*  | 9.85 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+25+25+60           | 1.01                  | 1.47   | 1.68   | 1.68   | 4.02   | 9.85 (3.90 - 11.00) | 2.696 (0.640 - 4.126)               | 11.84               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+22+25+25+71           | 0.94                  | 1.37   | 1.56   | 1.56   | 4.43   | 9.85 (3.90 - 11.00) | 2.700 (0.640 - 4.130)               | 11.86               | 99               |
| 15+22+25+35+35           | 1.12                  | 1.64   | 1.87   | 2.61   | 2.61   | 9.85 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 15+22+25+35+42           | 1.06                  | 1.56   | 1.77   | 2.48   | 2.98*  | 9.85 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+25+35+50           | 1.01                  | 1.47   | 1.68   | 2.35   | 3.35*  | 9.85 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+25+35+60           | 0.94                  | 1.38   | 1.57   | 2.20   | 3.76   | 9.85 (3.90 - 11.00) | 2.696 (0.640 - 4.126)               | 11.84               | 99               |
| 15+22+25+35+71           | 0.88                  | 1.29   | 1.47   | 2.05   | 4.16   | 9.85 (3.90 - 11.00) | 2.700 (0.640 - 4.130)               | 11.86               | 99               |
| 15+22+25+42+42           | 1.01                  | 1.48   | 1.69   | 2.83*  | 2.83*  | 9.85 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+22+25+42+50           | 0.96                  | 1.41   | 1.60   | 2.69*  | 3.20*  | 9.85 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+22+25+42+60           | 0.90                  | 1.32   | 1.50   | 2.52*  | 3.60   | 9.85 (3.90 - 11.00) | 2.690 (0.640 - 4.120)               | 11.81               | 99               |
| 15+22+25+50+50           | 0.91                  | 1.34   | 1.52   | 3.04*  | 3.04*  | 9.85 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+22+25+50+60           | 0.86                  | 1.26   | 1.43   | 2.86*  | 3.44   | 9.85 (3.90 - 11.00) | 2.690 (0.640 - 4.120)               | 11.81               | 99               |
| 15+22+35+35+35           | 1.04                  | 1.53   | 2.43   | 2.43   | 2.43   | 9.85 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 15+22+35+35+42           | 0.99                  | 1.45   | 2.31   | 2.31   | 2.78*  | 9.85 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+35+35+50           | 0.94                  | 1.38   | 2.20   | 2.20   | 3.14*  | 9.85 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+22+35+35+60           | 0.88                  | 1.30   | 2.06   | 2.06   | 3.54   | 9.85 (3.90 - 11.00) | 2.696 (0.640 - 4.126)               | 11.84               | 99               |
| 15+22+35+42+42           | 0.95                  | 1.39   | 2.21   | 2.65*  | 2.65*  | 9.85 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+22+35+42+50           | 0.90                  | 1.32   | 2.10   | 2.52*  | 3.00*  | 9.85 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+22+35+50+50           | 0.86                  | 1.26   | 2.00   | 2.86*  | 2.86*  | 9.85 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+22+42+42+42           | 0.91                  | 1.33   | 2.54*  | 2.54*  | 2.54*  | 9.85 (3.90 - 11.00) | 2.701 (0.640 - 4.131)               | 11.86               | 99               |
| 15+22+42+42+50           | 0.86                  | 1.27   | 2.42*  | 2.42*  | 2.88*  | 9.85 (3.90 - 11.00) | 2.701 (0.640 - 4.131)               | 11.86               | 99               |
| 15+25+25+25+25           | 1.23                  | 2.04   | 2.04   | 2.04   | 2.04   | 9.40 (3.90 - 10.58) | 2.559 (0.640 - 4.119)               | 11.24               | 99               |
| 15+25+25+25+35           | 1.19                  | 1.98   | 1.98   | 1.98   | 2.77   | 9.90 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 15+25+25+25+42           | 1.13                  | 1.88   | 1.88   | 1.88   | 3.15*  | 9.90 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+25+25+25+50           | 1.06                  | 1.77   | 1.77   | 1.77   | 3.54*  | 9.90 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+25+25+25+60           | 0.99                  | 1.65   | 1.65   | 1.65   | 3.96   | 9.90 (3.90 - 11.00) | 2.696 (0.640 - 4.126)               | 11.84               | 99               |
| 15+25+25+25+71           | 0.92                  | 1.54   | 1.54   | 1.54   | 4.37   | 9.90 (3.90 - 11.00) | 2.700 (0.640 - 4.130)               | 11.86               | 99               |
| 15+25+25+35+35           | 1.10                  | 1.83   | 1.83   | 2.57   | 2.57   | 9.90 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 15+25+25+35+42           | 1.05                  | 1.74   | 1.74   | 2.44   | 2.93*  | 9.90 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+25+25+35+50           | 0.99                  | 1.65   | 1.65   | 2.31   | 3.30*  | 9.90 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+25+25+35+60           | 0.93                  | 1.55   | 1.55   | 2.17   | 3.71   | 9.90 (3.90 - 11.00) | 2.696 (0.640 - 4.126)               | 11.84               | 99               |
| 15+25+25+35+71           | 0.87                  | 1.45   | 1.45   | 2.03   | 4.11   | 9.90 (3.90 - 11.00) | 2.700 (0.640 - 4.130)               | 11.86               | 99               |
| 15+25+25+42+42           | 1.00                  | 1.66   | 1.66   | 2.79*  | 2.79*  | 9.90 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+25+25+42+50           | 0.95                  | 1.58   | 1.58   | 2.65*  | 3.15*  | 9.90 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+25+25+42+60           | 0.89                  | 1.48   | 1.48   | 2.49*  | 3.56   | 9.90 (3.90 - 11.00) | 2.690 (0.640 - 4.120)               | 11.81               | 99               |
| 15+25+25+50+50           | 0.90                  | 1.50   | 1.50   | 3.00*  | 3.00*  | 9.90 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+25+35+35+35           | 1.02                  | 1.71   | 2.39   | 2.39   | 2.39   | 9.90 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 15+25+35+35+42           | 0.98                  | 1.63   | 2.28   | 2.28   | 2.74*  | 9.90 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+25+35+35+50           | 0.93                  | 1.55   | 2.17   | 2.17   | 3.09*  | 9.90 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+25+35+35+60           | 0.87                  | 1.46   | 2.04   | 2.04   | 3.49   | 9.90 (3.90 - 11.00) | 2.696 (0.640 - 4.126)               | 11.84               | 99               |
| 15+25+35+42+42           | 0.93                  | 1.56   | 2.18   | 2.62*  | 2.62*  | 9.90 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+25+35+42+50           | 0.89                  | 1.48   | 2.07   | 2.49*  | 2.96*  | 9.90 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 15+25+42+42+42           | 0.89                  | 1.49   | 2.50*  | 2.50*  | 2.50*  | 9.90 (3.90 - 11.00) | 2.701 (0.640 - 4.131)               | 11.86               | 99               |
| 15+35+35+35+35           | 0.96                  | 2.24   | 2.24   | 2.24   | 2.24   | 9.90 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 15+35+35+35+42           | 0.92                  | 2.14   | 2.14   | 2.14   | 2.57*  | 9.90 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+35+35+35+50           | 0.87                  | 2.04   | 2.04   | 2.04   | 2.91*  | 9.90 (3.90 - 11.00) | 2.713 (0.640 - 4.143)               | 11.91               | 99               |
| 15+35+35+42+42           | 0.88                  | 2.05   | 2.05   | 2.46*  | 2.46*  | 9.90 (3.90 - 11.00) | 2.707 (0.640 - 4.137)               | 11.89               | 99               |
| 20+20+20+20+20           | 1.65                  | 1.65   | 1.65   | 1.65   | 1.65   | 8.25 (3.90 - 9.95)  | 2.355 (0.640 - 4.105)               | 10.34               | 99               |
| 20+20+20+20+22           | 1.65                  | 1.65   | 1.65   | 1.65   | 1.81   | 8.40 (3.90 - 10.03) | 2.378 (0.640 - 4.098)               | 10.44               | 99               |
| 20+20+20+20+25           | 1.64                  | 1.64   | 1.64   | 1.64   | 2.05   | 8.60 (3.90 - 10.16) | 2.428 (0.640 - 4.108)               | 10.66               | 99               |
| 20+20+20+20+35           | 1.58                  | 1.58   | 1.58   | 1.58   | 2.77   | 9.10 (3.90 - 10.58) | 2.578 (0.640 - 4.138)               | 11.32               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 20+20+20+20+42           | 1.55                  | 1.55   | 1.55   | 1.55   | 3.25*  | 9.45 (3.90 - 10.87) | 2.682 (0.640 - 4.152)               | 11.78               | 99               |
| 20+20+20+20+50           | 1.48                  | 1.48   | 1.48   | 1.48   | 3.69*  | 9.60 (3.90 - 11.00) | 2.732 (0.640 - 4.162)               | 12.00               | 99               |
| 20+20+20+20+60           | 1.37                  | 1.37   | 1.37   | 1.37   | 4.11   | 9.60 (3.90 - 11.00) | 2.715 (0.640 - 4.145)               | 11.92               | 99               |
| 20+20+20+20+71           | 1.27                  | 1.27   | 1.27   | 1.27   | 4.51   | 9.60 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 20+20+20+22+22           | 1.64                  | 1.64   | 1.64   | 1.81   | 1.81   | 8.55 (3.90 - 10.12) | 2.401 (0.640 - 4.101)               | 10.54               | 99               |
| 20+20+20+22+25           | 1.64                  | 1.64   | 1.64   | 1.80   | 2.04   | 8.75 (3.90 - 10.24) | 2.451 (0.640 - 4.111)               | 10.76               | 99               |
| 20+20+20+22+35           | 1.58                  | 1.58   | 1.58   | 1.74   | 2.77   | 9.25 (3.90 - 10.66) | 2.611 (0.640 - 4.141)               | 11.47               | 99               |
| 20+20+20+22+42           | 1.55                  | 1.55   | 1.55   | 1.70   | 3.25*  | 9.60 (3.90 - 10.96) | 2.705 (0.640 - 4.155)               | 11.88               | 99               |
| 20+20+20+22+50           | 1.46                  | 1.46   | 1.46   | 1.61   | 3.66*  | 9.65 (3.90 - 11.00) | 2.725 (0.640 - 4.155)               | 11.97               | 99               |
| 20+20+20+22+60           | 1.36                  | 1.36   | 1.36   | 1.50   | 4.08   | 9.65 (3.90 - 11.00) | 2.708 (0.640 - 4.138)               | 11.89               | 99               |
| 20+20+20+22+71           | 1.26                  | 1.26   | 1.26   | 1.39   | 4.48   | 9.65 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+20+25+25           | 1.63                  | 1.63   | 1.63   | 2.03   | 2.03   | 8.95 (3.90 - 10.37) | 2.501 (0.640 - 4.121)               | 10.98               | 99               |
| 20+20+20+25+35           | 1.58                  | 1.58   | 1.58   | 1.97   | 2.76   | 9.45 (3.90 - 10.79) | 2.651 (0.640 - 4.151)               | 11.64               | 99               |
| 20+20+20+25+42           | 1.53                  | 1.53   | 1.53   | 1.91   | 3.21*  | 9.70 (3.90 - 11.00) | 2.725 (0.640 - 4.155)               | 11.97               | 99               |
| 20+20+20+25+50           | 1.44                  | 1.44   | 1.44   | 1.80   | 3.59*  | 9.70 (3.90 - 11.00) | 2.725 (0.640 - 4.155)               | 11.97               | 99               |
| 20+20+20+25+60           | 1.34                  | 1.34   | 1.34   | 1.67   | 4.01   | 9.70 (3.90 - 11.00) | 2.708 (0.640 - 4.138)               | 11.89               | 99               |
| 20+20+20+25+71           | 1.24                  | 1.24   | 1.24   | 1.55   | 4.41   | 9.70 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+20+35+35           | 1.49                  | 1.49   | 1.49   | 2.61   | 2.61   | 9.70 (3.90 - 11.00) | 2.731 (0.640 - 4.161)               | 11.99               | 99               |
| 20+20+20+35+42           | 1.42                  | 1.42   | 1.42   | 2.48   | 2.97*  | 9.70 (3.90 - 11.00) | 2.725 (0.640 - 4.155)               | 11.97               | 99               |
| 20+20+20+35+50           | 1.34                  | 1.34   | 1.34   | 2.34   | 3.34*  | 9.70 (3.90 - 11.00) | 2.725 (0.640 - 4.155)               | 11.97               | 99               |
| 20+20+20+35+60           | 1.25                  | 1.25   | 1.25   | 2.19   | 3.75   | 9.70 (3.90 - 11.00) | 2.708 (0.640 - 4.138)               | 11.89               | 99               |
| 20+20+20+35+71           | 1.17                  | 1.17   | 1.17   | 2.05   | 4.15   | 9.70 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+20+42+42           | 1.35                  | 1.35   | 1.35   | 2.83*  | 2.83*  | 9.70 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 20+20+20+42+50           | 1.28                  | 1.28   | 1.28   | 2.68*  | 3.19*  | 9.70 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 20+20+20+42+60           | 1.20                  | 1.20   | 1.20   | 2.51*  | 3.59   | 9.70 (3.90 - 11.00) | 2.702 (0.640 - 4.132)               | 11.87               | 99               |
| 20+20+20+50+50           | 1.21                  | 1.21   | 1.21   | 3.03*  | 3.03*  | 9.70 (3.90 - 11.00) | 2.719 (0.640 - 4.149)               | 11.94               | 99               |
| 20+20+20+50+60           | 1.14                  | 1.14   | 1.14   | 2.85*  | 3.42   | 9.70 (3.90 - 11.00) | 2.702 (0.640 - 4.132)               | 11.87               | 99               |
| 20+20+22+22+22           | 1.64                  | 1.64   | 1.81   | 1.81   | 1.81   | 8.70 (3.90 - 10.20) | 2.424 (0.640 - 4.094)               | 10.65               | 99               |
| 20+20+22+22+25           | 1.63                  | 1.63   | 1.80   | 1.80   | 2.04   | 8.90 (3.90 - 10.33) | 2.474 (0.640 - 4.104)               | 10.87               | 99               |
| 20+20+22+22+35           | 1.58                  | 1.58   | 1.74   | 1.74   | 2.76   | 9.40 (3.90 - 10.75) | 2.634 (0.640 - 4.134)               | 11.57               | 99               |
| 20+20+22+22+42           | 1.54                  | 1.54   | 1.69   | 1.69   | 3.23*  | 9.70 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+22+22+50           | 1.45                  | 1.45   | 1.59   | 1.59   | 3.62*  | 9.70 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+22+22+60           | 1.35                  | 1.35   | 1.48   | 1.48   | 4.04   | 9.70 (3.90 - 11.00) | 2.701 (0.640 - 4.131)               | 11.86               | 99               |
| 20+20+22+22+71           | 1.25                  | 1.25   | 1.38   | 1.38   | 4.44   | 9.70 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+20+22+25+25           | 1.63                  | 1.63   | 1.79   | 2.03   | 2.03   | 9.10 (3.90 - 10.45) | 2.524 (0.640 - 4.114)               | 11.08               | 99               |
| 20+20+22+25+35           | 1.57                  | 1.57   | 1.73   | 1.97   | 2.75   | 9.60 (3.90 - 10.87) | 2.674 (0.640 - 4.144)               | 11.74               | 99               |
| 20+20+22+25+42           | 1.51                  | 1.51   | 1.66   | 1.89   | 3.17*  | 9.75 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+22+25+50           | 1.42                  | 1.42   | 1.57   | 1.78   | 3.56*  | 9.75 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+22+25+60           | 1.33                  | 1.33   | 1.46   | 1.66   | 3.98   | 9.75 (3.90 - 11.00) | 2.701 (0.640 - 4.131)               | 11.86               | 99               |
| 20+20+22+25+71           | 1.23                  | 1.23   | 1.36   | 1.54   | 4.38   | 9.75 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+20+22+35+35           | 1.48                  | 1.48   | 1.63   | 2.59   | 2.59   | 9.75 (3.90 - 11.00) | 2.724 (0.640 - 4.154)               | 11.96               | 99               |
| 20+20+22+35+42           | 1.40                  | 1.40   | 1.54   | 2.46   | 2.95*  | 9.75 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+22+35+50           | 1.33                  | 1.33   | 1.46   | 2.32   | 3.32*  | 9.75 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+22+35+60           | 1.24                  | 1.24   | 1.37   | 2.17   | 3.73   | 9.75 (3.90 - 11.00) | 2.701 (0.640 - 4.131)               | 11.86               | 99               |
| 20+20+22+35+71           | 1.16                  | 1.16   | 1.28   | 2.03   | 4.12   | 9.75 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+20+22+42+42           | 1.34                  | 1.34   | 1.47   | 2.80*  | 2.80*  | 9.75 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+22+42+50           | 1.27                  | 1.27   | 1.39   | 2.66*  | 3.17*  | 9.75 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+22+42+60           | 1.19                  | 1.19   | 1.31   | 2.50*  | 3.57   | 9.75 (3.90 - 11.00) | 2.695 (0.640 - 4.125)               | 11.84               | 99               |
| 20+20+22+50+50           | 1.20                  | 1.20   | 1.32   | 3.01*  | 3.01*  | 9.75 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+22+50+60           | 1.13                  | 1.13   | 1.25   | 2.83*  | 3.40   | 9.75 (3.90 - 11.00) | 2.695 (0.640 - 4.125)               | 11.84               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 20+20+25+25+25           | 1.62                  | 1.62   | 2.02   | 2.02   | 2.02   | 9.30 (3.90 - 10.58) | 2.564 (0.640 - 4.124)               | 11.26               | 99               |
| 20+20+25+25+35           | 1.57                  | 1.57   | 1.96   | 1.96   | 2.74   | 9.80 (3.90 - 11.00) | 2.724 (0.640 - 4.154)               | 11.96               | 99               |
| 20+20+25+25+42           | 1.48                  | 1.48   | 1.86   | 1.86   | 3.12*  | 9.80 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+25+25+50           | 1.40                  | 1.40   | 1.75   | 1.75   | 3.50*  | 9.80 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+25+25+60           | 1.31                  | 1.31   | 1.63   | 1.63   | 3.92   | 9.80 (3.90 - 11.00) | 2.701 (0.640 - 4.131)               | 11.86               | 99               |
| 20+20+25+25+71           | 1.22                  | 1.22   | 1.52   | 1.52   | 4.32   | 9.80 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+20+25+35+35           | 1.45                  | 1.45   | 1.81   | 2.54   | 2.54   | 9.80 (3.90 - 11.00) | 2.724 (0.640 - 4.154)               | 11.96               | 99               |
| 20+20+25+35+42           | 1.38                  | 1.38   | 1.73   | 2.42   | 2.90*  | 9.80 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+25+35+50           | 1.31                  | 1.31   | 1.63   | 2.29   | 3.27*  | 9.80 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+25+35+60           | 1.23                  | 1.23   | 1.53   | 2.14   | 3.68   | 9.80 (3.90 - 11.00) | 2.701 (0.640 - 4.131)               | 11.86               | 99               |
| 20+20+25+35+71           | 1.15                  | 1.15   | 1.43   | 2.01   | 4.07   | 9.80 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+20+25+42+42           | 1.32                  | 1.32   | 1.64   | 2.76*  | 2.76*  | 9.80 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+25+42+50           | 1.25                  | 1.25   | 1.56   | 2.62*  | 3.12*  | 9.80 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+25+42+60           | 1.17                  | 1.17   | 1.47   | 2.46*  | 3.52   | 9.80 (3.90 - 11.00) | 2.695 (0.640 - 4.125)               | 11.84               | 99               |
| 20+20+25+50+50           | 1.19                  | 1.19   | 1.48   | 2.97*  | 2.97*  | 9.80 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+35+35+35           | 1.35                  | 1.35   | 2.37   | 2.37   | 2.37   | 9.80 (3.90 - 11.00) | 2.724 (0.640 - 4.154)               | 11.96               | 99               |
| 20+20+35+35+42           | 1.29                  | 1.29   | 2.26   | 2.26   | 2.71*  | 9.80 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+35+35+50           | 1.23                  | 1.23   | 2.14   | 2.14   | 3.06*  | 9.80 (3.90 - 11.00) | 2.718 (0.640 - 4.148)               | 11.94               | 99               |
| 20+20+35+35+60           | 1.15                  | 1.15   | 2.02   | 2.02   | 3.46   | 9.80 (3.90 - 11.00) | 2.701 (0.640 - 4.131)               | 11.86               | 99               |
| 20+20+35+42+42           | 1.23                  | 1.23   | 2.16   | 2.59*  | 2.59*  | 9.80 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+35+42+50           | 1.17                  | 1.17   | 2.05   | 2.46*  | 2.93*  | 9.80 (3.90 - 11.00) | 2.712 (0.640 - 4.142)               | 11.91               | 99               |
| 20+20+42+42+42           | 1.18                  | 1.18   | 2.48*  | 2.48*  | 2.48*  | 9.80 (3.90 - 11.00) | 2.706 (0.640 - 4.136)               | 11.88               | 99               |
| 20+22+22+22+22           | 1.64                  | 1.80   | 1.80   | 1.80   | 1.80   | 8.85 (3.90 - 10.29) | 2.447 (0.640 - 4.097)               | 10.75               | 99               |
| 20+22+22+22+25           | 1.63                  | 1.79   | 1.79   | 1.79   | 2.04   | 9.05 (3.90 - 10.41) | 2.497 (0.640 - 4.107)               | 10.97               | 99               |
| 20+22+22+22+35           | 1.58                  | 1.74   | 1.74   | 1.74   | 2.76   | 9.55 (3.90 - 10.83) | 2.657 (0.640 - 4.137)               | 11.67               | 99               |
| 20+22+22+22+42           | 1.52                  | 1.68   | 1.68   | 1.68   | 3.20*  | 9.75 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+22+22+50           | 1.43                  | 1.58   | 1.58   | 1.58   | 3.58*  | 9.75 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+22+22+60           | 1.34                  | 1.47   | 1.47   | 1.47   | 4.01   | 9.75 (3.90 - 11.00) | 2.694 (0.640 - 4.124)               | 11.83               | 99               |
| 20+22+22+22+71           | 1.24                  | 1.37   | 1.37   | 1.37   | 4.41   | 9.75 (3.90 - 11.00) | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 20+22+22+25+25           | 1.62                  | 1.79   | 1.79   | 2.03   | 2.03   | 9.25 (3.90 - 10.54) | 2.547 (0.640 - 4.117)               | 11.19               | 99               |
| 20+22+22+25+35           | 1.57                  | 1.73   | 1.73   | 1.97   | 2.75   | 9.75 (3.90 - 10.96) | 2.697 (0.640 - 4.147)               | 11.84               | 99               |
| 20+22+22+25+42           | 1.50                  | 1.65   | 1.65   | 1.87   | 3.14*  | 9.80 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+22+25+50           | 1.41                  | 1.55   | 1.55   | 1.76   | 3.53*  | 9.80 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+22+25+60           | 1.32                  | 1.45   | 1.45   | 1.64   | 3.95   | 9.80 (3.90 - 11.00) | 2.694 (0.640 - 4.124)               | 11.83               | 99               |
| 20+22+22+25+71           | 1.23                  | 1.35   | 1.35   | 1.53   | 4.35   | 9.80 (3.90 - 11.00) | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 20+22+22+35+35           | 1.46                  | 1.61   | 1.61   | 2.56   | 2.56   | 9.80 (3.90 - 11.00) | 2.717 (0.640 - 4.147)               | 11.93               | 99               |
| 20+22+22+35+42           | 1.39                  | 1.53   | 1.53   | 2.43   | 2.92*  | 9.80 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+22+35+50           | 1.32                  | 1.45   | 1.45   | 2.30   | 3.29*  | 9.80 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+22+35+60           | 1.23                  | 1.36   | 1.36   | 2.16   | 3.70   | 9.80 (3.90 - 11.00) | 2.694 (0.640 - 4.124)               | 11.83               | 99               |
| 20+22+22+35+71           | 1.15                  | 1.27   | 1.27   | 2.02   | 4.09   | 9.80 (3.90 - 11.00) | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 20+22+22+42+42           | 1.32                  | 1.46   | 1.46   | 2.78*  | 2.78*  | 9.80 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+22+22+42+50           | 1.26                  | 1.38   | 1.38   | 2.64*  | 3.14*  | 9.80 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+22+22+42+60           | 1.18                  | 1.30   | 1.30   | 2.48*  | 3.54   | 9.80 (3.90 - 11.00) | 2.688 (0.640 - 4.118)               | 11.81               | 99               |
| 20+22+22+50+50           | 1.20                  | 1.31   | 1.31   | 2.99*  | 2.99*  | 9.80 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+22+25+25+25           | 1.62                  | 1.78   | 2.02   | 2.02   | 2.02   | 9.45 (3.90 - 10.66) | 2.597 (0.640 - 4.127)               | 11.41               | 99               |
| 20+22+25+25+35           | 1.55                  | 1.71   | 1.94   | 1.94   | 2.71   | 9.85 (3.90 - 11.00) | 2.717 (0.640 - 4.147)               | 11.93               | 99               |
| 20+22+25+25+42           | 1.47                  | 1.62   | 1.84   | 1.84   | 3.09*  | 9.85 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+25+25+50           | 1.39                  | 1.53   | 1.73   | 1.73   | 3.47*  | 9.85 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+25+25+60           | 1.30                  | 1.43   | 1.62   | 1.62   | 3.89   | 9.85 (3.90 - 11.00) | 2.694 (0.640 - 4.124)               | 11.83               | 99               |
| 20+22+25+25+71           | 1.21                  | 1.33   | 1.51   | 1.51   | 4.29   | 9.85 (3.90 - 11.00) | 2.698 (0.640 - 4.128)               | 11.85               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 20+22+25+35+35           | 1.44                  | 1.58   | 1.80   | 2.52   | 2.52   | 9.85 (3.90 - 11.00) | 2.717 (0.640 - 4.147)               | 11.93               | 99               |
| 20+22+25+35+42           | 1.37                  | 1.50   | 1.71   | 2.39   | 2.87*  | 9.85 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+25+35+50           | 1.30                  | 1.43   | 1.62   | 2.27   | 3.24*  | 9.85 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+25+35+60           | 1.22                  | 1.34   | 1.52   | 2.13   | 3.65   | 9.85 (3.90 - 11.00) | 2.694 (0.640 - 4.124)               | 11.83               | 99               |
| 20+22+25+42+42           | 1.30                  | 1.44   | 1.63   | 2.74*  | 2.74*  | 9.85 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+22+25+42+50           | 1.24                  | 1.36   | 1.55   | 2.60*  | 3.10*  | 9.85 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+22+25+42+60           | 1.17                  | 1.28   | 1.46   | 2.45*  | 3.50   | 9.85 (3.90 - 11.00) | 2.688 (0.640 - 4.118)               | 11.81               | 99               |
| 20+22+25+50+50           | 1.18                  | 1.30   | 1.47   | 2.95*  | 2.95*  | 9.85 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+22+35+35+35           | 1.34                  | 1.47   | 2.35   | 2.35   | 2.35   | 9.85 (3.90 - 11.00) | 2.717 (0.640 - 4.147)               | 11.93               | 99               |
| 20+22+35+35+42           | 1.28                  | 1.41   | 2.24   | 2.24   | 2.69*  | 9.85 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+35+35+50           | 1.22                  | 1.34   | 2.13   | 2.13   | 3.04*  | 9.85 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+22+35+35+60           | 1.15                  | 1.26   | 2.00   | 2.00   | 3.44   | 9.85 (3.90 - 11.00) | 2.694 (0.640 - 4.124)               | 11.83               | 99               |
| 20+22+35+42+42           | 1.22                  | 1.35   | 2.14   | 2.57*  | 2.57*  | 9.85 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+22+35+42+50           | 1.17                  | 1.28   | 2.04   | 2.45*  | 2.91*  | 9.85 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+22+42+42+42           | 1.17                  | 1.29   | 2.46*  | 2.46*  | 2.46*  | 9.85 (3.90 - 11.00) | 2.699 (0.640 - 4.129)               | 11.85               | 99               |
| 20+25+25+25+25           | 1.61                  | 2.01   | 2.01   | 2.01   | 2.01   | 9.65 (3.90 - 10.79) | 2.637 (0.640 - 4.137)               | 11.58               | 99               |
| 20+25+25+25+35           | 1.52                  | 1.90   | 1.90   | 1.90   | 2.67   | 9.90 (3.90 - 11.00) | 2.717 (0.640 - 4.147)               | 11.93               | 99               |
| 20+25+25+25+42           | 1.45                  | 1.81   | 1.81   | 1.81   | 3.04*  | 9.90 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+25+25+25+50           | 1.37                  | 1.71   | 1.71   | 1.71   | 3.41*  | 9.90 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+25+25+25+60           | 1.28                  | 1.60   | 1.60   | 1.60   | 3.83   | 9.90 (3.90 - 11.00) | 2.694 (0.640 - 4.124)               | 11.83               | 99               |
| 20+25+25+25+71           | 1.19                  | 1.49   | 1.49   | 1.49   | 4.23   | 9.90 (3.90 - 11.00) | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 20+25+25+35+35           | 1.41                  | 1.77   | 1.77   | 2.48   | 2.48   | 9.90 (3.90 - 11.00) | 2.717 (0.640 - 4.147)               | 11.93               | 99               |
| 20+25+25+35+42           | 1.35                  | 1.68   | 1.68   | 2.36   | 2.83*  | 9.90 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+25+25+35+50           | 1.28                  | 1.60   | 1.60   | 2.24   | 3.19*  | 9.90 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+25+25+35+60           | 1.20                  | 1.50   | 1.50   | 2.10   | 3.60   | 9.90 (3.90 - 11.00) | 2.694 (0.640 - 4.124)               | 11.83               | 99               |
| 20+25+25+42+42           | 1.29                  | 1.61   | 1.61   | 2.70*  | 2.70*  | 9.90 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+25+25+42+50           | 1.22                  | 1.53   | 1.53   | 2.57*  | 3.06*  | 9.90 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+25+25+42+60           | 1.15                  | 1.44   | 1.44   | 2.42*  | 3.45   | 9.90 (3.90 - 11.00) | 2.688 (0.640 - 4.118)               | 11.81               | 99               |
| 20+25+25+50+50           | 1.16                  | 1.46   | 1.46   | 2.91*  | 2.91*  | 9.90 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+25+35+35+35           | 1.32                  | 1.65   | 2.31   | 2.31   | 2.31   | 9.90 (3.90 - 11.00) | 2.717 (0.640 - 4.147)               | 11.93               | 99               |
| 20+25+35+35+42           | 1.26                  | 1.58   | 2.21   | 2.21   | 2.65*  | 9.90 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+25+35+35+50           | 1.20                  | 1.50   | 2.10   | 2.10   | 3.00*  | 9.90 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 20+25+35+42+42           | 1.21                  | 1.51   | 2.11   | 2.54*  | 2.54*  | 9.90 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+25+35+42+50           | 1.15                  | 1.44   | 2.01   | 2.42*  | 2.88*  | 9.90 (3.90 - 11.00) | 2.705 (0.640 - 4.135)               | 11.88               | 99               |
| 20+25+42+42+42           | 1.16                  | 1.45   | 2.43*  | 2.43*  | 2.43*  | 9.90 (3.90 - 11.00) | 2.699 (0.640 - 4.129)               | 11.85               | 99               |
| 20+35+35+35+35           | 1.24                  | 2.17   | 2.17   | 2.17   | 2.17   | 9.90 (3.90 - 11.00) | 2.717 (0.640 - 4.147)               | 11.93               | 99               |
| 20+35+35+35+42           | 1.19                  | 2.07   | 2.07   | 2.07   | 2.49*  | 9.90 (3.90 - 11.00) | 2.711 (0.640 - 4.141)               | 11.91               | 99               |
| 22+22+22+22+22           | 1.80                  | 1.80   | 1.80   | 1.80   | 1.80   | 9.00 (3.90 - 10.37) | 2.480 (0.640 - 4.100)               | 10.89               | 99               |
| 22+22+22+22+25           | 1.79                  | 1.79   | 1.79   | 1.79   | 2.04   | 9.20 (3.90 - 10.50) | 2.520 (0.640 - 4.100)               | 11.07               | 99               |
| 22+22+22+22+35           | 1.73                  | 1.73   | 1.73   | 1.73   | 2.76   | 9.70 (3.90 - 10.92) | 2.680 (0.640 - 4.130)               | 11.77               | 99               |
| 22+22+22+22+42           | 1.66                  | 1.66   | 1.66   | 1.66   | 3.17*  | 9.80 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+22+22+50           | 1.56                  | 1.56   | 1.56   | 1.56   | 3.55*  | 9.80 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+22+22+60           | 1.46                  | 1.46   | 1.46   | 1.46   | 3.97   | 9.80 (3.90 - 11.00) | 2.687 (0.640 - 4.117)               | 11.80               | 99               |
| 22+22+22+22+71           | 1.36                  | 1.36   | 1.36   | 1.36   | 4.38   | 9.80 (3.90 - 11.00) | 2.691 (0.640 - 4.121)               | 11.82               | 99               |
| 22+22+22+25+25           | 1.78                  | 1.78   | 1.78   | 2.03   | 2.03   | 9.40 (3.90 - 10.62) | 2.570 (0.640 - 4.110)               | 11.29               | 99               |
| 22+22+22+25+35           | 1.72                  | 1.72   | 1.72   | 1.95   | 2.74   | 9.85 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 22+22+22+25+42           | 1.63                  | 1.63   | 1.63   | 1.85   | 3.11*  | 9.85 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+22+25+50           | 1.54                  | 1.54   | 1.54   | 1.75   | 3.49*  | 9.85 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+22+25+60           | 1.44                  | 1.44   | 1.44   | 1.63   | 3.91   | 9.85 (3.90 - 11.00) | 2.687 (0.640 - 4.117)               | 11.80               | 99               |
| 22+22+22+25+71           | 1.34                  | 1.34   | 1.34   | 1.52   | 4.32   | 9.85 (3.90 - 11.00) | 2.691 (0.640 - 4.121)               | 11.82               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 22+22+22+35+35           | 1.59                  | 1.59   | 1.59   | 2.53   | 2.53   | 9.85 (3.90 - 11.00)  | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 22+22+22+35+42           | 1.52                  | 1.52   | 1.52   | 2.41   | 2.89*  | 9.85 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+22+35+50           | 1.44                  | 1.44   | 1.44   | 2.28   | 3.26*  | 9.85 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+22+35+60           | 1.35                  | 1.35   | 1.35   | 2.14   | 3.67   | 9.85 (3.90 - 11.00)  | 2.687 (0.640 - 4.117)               | 11.80               | 99               |
| 22+22+22+35+71           | 1.26                  | 1.26   | 1.26   | 2.00   | 4.07   | 9.85 (3.90 - 11.00)  | 2.691 (0.640 - 4.121)               | 11.82               | 99               |
| 22+22+22+42+42           | 1.44                  | 1.44   | 1.44   | 2.76*  | 2.76*  | 9.85 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+22+22+42+50           | 1.37                  | 1.37   | 1.37   | 2.62*  | 3.12*  | 9.85 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+22+22+42+60           | 1.29                  | 1.29   | 1.29   | 2.46*  | 3.52   | 9.85 (3.90 - 11.00)  | 2.681 (0.640 - 4.111)               | 11.77               | 99               |
| 22+22+22+50+50           | 1.31                  | 1.31   | 1.31   | 2.97*  | 2.97*  | 9.85 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+22+25+25+25           | 1.77                  | 1.77   | 2.02   | 2.02   | 2.02   | 9.60 (3.90 - 10.75)  | 2.620 (0.640 - 4.120)               | 11.51               | 99               |
| 22+22+25+25+35           | 1.69                  | 1.69   | 1.92   | 1.92   | 2.69   | 9.90 (3.90 - 11.00)  | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 22+22+25+25+42           | 1.60                  | 1.60   | 1.82   | 1.82   | 3.06*  | 9.90 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+25+25+50           | 1.51                  | 1.51   | 1.72   | 1.72   | 3.44*  | 9.90 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+25+25+60           | 1.41                  | 1.41   | 1.61   | 1.61   | 3.86   | 9.90 (3.90 - 11.00)  | 2.687 (0.640 - 4.117)               | 11.80               | 99               |
| 22+22+25+25+71           | 1.32                  | 1.32   | 1.50   | 1.50   | 4.26   | 9.90 (3.90 - 11.00)  | 2.691 (0.640 - 4.121)               | 11.82               | 99               |
| 22+22+25+35+35           | 1.57                  | 1.57   | 1.78   | 2.49   | 2.49   | 9.90 (3.90 - 11.00)  | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 22+22+25+35+42           | 1.49                  | 1.49   | 1.70   | 2.37   | 2.85*  | 9.90 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+25+35+50           | 1.41                  | 1.41   | 1.61   | 2.25   | 3.21*  | 9.90 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+25+35+60           | 1.33                  | 1.33   | 1.51   | 2.11   | 3.62   | 9.90 (3.90 - 11.00)  | 2.687 (0.640 - 4.117)               | 11.80               | 99               |
| 22+22+25+42+42           | 1.42                  | 1.42   | 1.62   | 2.72*  | 2.72*  | 9.90 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+22+25+42+50           | 1.35                  | 1.35   | 1.54   | 2.58*  | 3.07*  | 9.90 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+22+25+42+60           | 1.27                  | 1.27   | 1.45   | 2.43*  | 3.47   | 9.90 (3.90 - 11.00)  | 2.681 (0.640 - 4.111)               | 11.77               | 99               |
| 22+22+25+50+50           | 1.29                  | 1.29   | 1.46   | 2.93*  | 2.93*  | 9.90 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+22+35+35+35           | 1.46                  | 1.46   | 2.33   | 2.33   | 2.33   | 9.90 (3.90 - 11.00)  | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 22+22+35+35+42           | 1.40                  | 1.40   | 2.22   | 2.22   | 2.67*  | 9.90 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+35+35+50           | 1.33                  | 1.33   | 2.11   | 2.11   | 3.02*  | 9.90 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+22+35+42+42           | 1.34                  | 1.34   | 2.13   | 2.55*  | 2.55*  | 9.90 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+22+35+42+50           | 1.27                  | 1.27   | 2.03   | 2.43*  | 2.89*  | 9.90 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+22+42+42+42           | 1.28                  | 1.28   | 2.45*  | 2.45*  | 2.45*  | 9.90 (3.90 - 11.00)  | 2.692 (0.640 - 4.122)               | 11.82               | 99               |
| 22+25+25+25+25           | 1.77                  | 2.01   | 2.01   | 2.01   | 2.01   | 9.80 (3.90 - 10.87)  | 2.660 (0.640 - 4.130)               | 11.68               | 99               |
| 22+25+25+25+35           | 1.66                  | 1.88   | 1.88   | 1.88   | 2.64   | 9.95 (3.90 - 11.00)  | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 22+25+25+25+42           | 1.57                  | 1.79   | 1.79   | 1.79   | 3.01*  | 9.95 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+25+25+25+50           | 1.49                  | 1.69   | 1.69   | 1.69   | 3.38*  | 9.95 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+25+25+25+60           | 1.39                  | 1.58   | 1.58   | 1.58   | 3.80   | 9.95 (3.90 - 11.00)  | 2.687 (0.640 - 4.117)               | 11.80               | 99               |
| 22+25+25+25+71           | 1.30                  | 1.48   | 1.48   | 1.48   | 4.21   | 9.95 (3.90 - 11.00)  | 2.691 (0.640 - 4.121)               | 11.82               | 99               |
| 22+25+25+35+35           | 1.54                  | 1.75   | 1.75   | 2.45   | 2.45   | 9.95 (3.90 - 11.00)  | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 22+25+25+35+42           | 1.47                  | 1.67   | 1.67   | 2.34   | 2.80*  | 9.95 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+25+25+35+50           | 1.39                  | 1.58   | 1.58   | 2.22   | 3.17*  | 9.95 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+25+25+35+60           | 1.31                  | 1.49   | 1.49   | 2.09   | 3.57   | 9.95 (3.90 - 11.00)  | 2.687 (0.640 - 4.117)               | 11.80               | 99               |
| 22+25+25+42+42           | 1.40                  | 1.59   | 1.59   | 2.68*  | 2.68*  | 9.95 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+25+25+42+50           | 1.33                  | 1.52   | 1.52   | 2.55*  | 3.03*  | 9.95 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+25+25+50+50           | 1.27                  | 1.45   | 1.45   | 2.89*  | 2.89*  | 9.95 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+25+35+35+35           | 1.44                  | 1.64   | 2.29   | 2.29   | 2.29   | 9.95 (3.90 - 11.00)  | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 22+25+35+35+42           | 1.38                  | 1.56   | 2.19   | 2.19   | 2.63*  | 9.95 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+25+35+35+50           | 1.31                  | 1.49   | 2.09   | 2.09   | 2.98*  | 9.95 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 22+25+35+42+42           | 1.32                  | 1.50   | 2.10   | 2.52*  | 2.52*  | 9.95 (3.90 - 11.00)  | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 22+35+35+35+35           | 1.35                  | 2.15   | 2.15   | 2.15   | 2.15   | 9.95 (3.90 - 11.00)  | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 22+35+35+35+42           | 1.30                  | 2.06   | 2.06   | 2.06   | 2.47*  | 9.95 (3.90 - 11.00)  | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 25+25+25+25+25           | 2.00                  | 2.00   | 2.00   | 2.00   | 2.00   | 10.00 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 25+25+25+25+35           | 1.85                  | 1.85   | 1.85   | 1.85   | 2.59   | 10.00 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 25+25+25+25+42           | 1.76                  | 1.76   | 1.76   | 1.76   | 2.96*  | 10.00 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 25+25+25+25+50           | 1.67                  | 1.67   | 1.67   | 1.67   | 3.33*  | 10.00 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 25+25+25+25+60           | 1.56                  | 1.56   | 1.56   | 1.56   | 3.75   | 10.00 (3.90 - 11.00) | 2.687 (0.640 - 4.117)               | 11.80               | 99               |
| 25+25+25+25+71           | 1.46                  | 1.46   | 1.46   | 1.46   | 4.15   | 10.00 (3.90 - 11.00) | 2.691 (0.640 - 4.121)               | 11.82               | 99               |
| 25+25+25+35+35           | 1.72                  | 1.72   | 1.72   | 2.41   | 2.41   | 10.00 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 25+25+25+35+42           | 1.64                  | 1.64   | 1.64   | 2.30   | 2.76*  | 10.00 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 25+25+25+35+50           | 1.56                  | 1.56   | 1.56   | 2.19   | 3.13*  | 10.00 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 25+25+25+35+60           | 1.47                  | 1.47   | 1.47   | 2.06   | 3.53   | 10.00 (3.90 - 11.00) | 2.687 (0.640 - 4.117)               | 11.80               | 99               |
| 25+25+25+42+42           | 1.57                  | 1.57   | 1.57   | 2.64*  | 2.64*  | 10.00 (3.90 - 11.00) | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 25+25+25+42+50           | 1.50                  | 1.50   | 1.50   | 2.51*  | 2.99*  | 10.00 (3.90 - 11.00) | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 25+25+35+35+35           | 1.61                  | 1.61   | 2.26   | 2.26   | 2.26   | 10.00 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 25+25+35+35+42           | 1.54                  | 1.54   | 2.16   | 2.16   | 2.59*  | 10.00 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 25+25+35+35+50           | 1.47                  | 1.47   | 2.06   | 2.06   | 2.94*  | 10.00 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |
| 25+25+35+42+42           | 1.48                  | 1.48   | 2.07   | 2.49*  | 2.49*  | 10.00 (3.90 - 11.00) | 2.698 (0.640 - 4.128)               | 11.85               | 99               |
| 25+35+35+35+35           | 1.52                  | 2.12   | 2.12   | 2.12   | 2.12   | 10.00 (3.90 - 11.00) | 2.710 (0.640 - 4.140)               | 11.90               | 99               |
| 25+35+35+35+42           | 1.45                  | 2.03   | 2.03   | 2.03   | 2.44*  | 10.00 (3.90 - 11.00) | 2.704 (0.640 - 4.134)               | 11.88               | 99               |

\*In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

| Model Name  | Total connected indoor unit | Rated capacity     |
|-------------|-----------------------------|--------------------|
|             | 3 units                     |                    |
| MSZ-AP42VGD | 90%                         | 2.20kW             |
| MSZ-AP50VGD | 80%                         | 2.20kW             |
| SLZ-M50FA   | 70%                         | 3.33kW (=3.70*0.9) |

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 15                       | 1.70                  | -      | -      | -      | -      | 1.70 (1.50 - 3.20)   | 0.590 (0.590 - 1.300)               | 2.59                | 99               |
| 20                       | 2.20                  | -      | -      | -      | -      | 2.20 (1.50 - 3.40)   | 0.620 (0.590 - 1.380)               | 2.72                | 99               |
| 22                       | 3.30                  | -      | -      | -      | -      | 3.30 (1.50 - 4.80)   | 0.750 (0.600 - 1.670)               | 3.29                | 99               |
| 25                       | 3.60                  | -      | -      | -      | -      | 3.60 (1.50 - 5.10)   | 0.800 (0.600 - 1.720)               | 3.51                | 99               |
| 35                       | 4.00                  | -      | -      | -      | -      | 4.00 (1.50 - 5.60)   | 0.890 (0.600 - 1.890)               | 3.91                | 99               |
| 42                       | 5.40                  | -      | -      | -      | -      | 5.40 (1.50 - 6.50)   | 1.250 (0.600 - 2.180)               | 5.49                | 99               |
| 50                       | 7.20                  | -      | -      | -      | -      | 7.20 (1.50 - 7.50)   | 1.930 (0.700 - 2.520)               | 8.48                | 99               |
| 60                       | 7.90                  | -      | -      | -      | -      | 7.90 (1.50 - 8.60)   | 2.200 (0.700 - 2.970)               | 9.66                | 99               |
| 71                       | 8.60                  | -      | -      | -      | -      | 8.60 (1.50 - 9.20)   | 2.560 (0.730 - 3.400)               | 11.24               | 99               |
| 15+15                    | 3.30                  | 3.30   | -      | -      | -      | 6.60 (3.00 - 7.20)   | 1.386 (0.780 - 2.466)               | 6.09                | 99               |
| 15+20                    | 2.83                  | 3.77   | -      | -      | -      | 6.60 (3.00 - 7.20)   | 1.384 (0.780 - 2.554)               | 6.08                | 99               |
| 15+22                    | 2.68                  | 3.92   | -      | -      | -      | 6.60 (3.00 - 7.20)   | 1.377 (0.780 - 2.587)               | 6.05                | 99               |
| 15+25                    | 2.48                  | 4.13   | -      | -      | -      | 6.60 (3.00 - 7.20)   | 1.377 (0.780 - 2.637)               | 6.05                | 99               |
| 15+35                    | 2.16                  | 5.04   | -      | -      | -      | 7.20 (3.00 - 8.80)   | 1.547 (0.720 - 2.787)               | 6.79                | 99               |
| 15+42                    | 1.97                  | 5.53   | -      | -      | -      | 7.50 (3.00 - 9.20)   | 1.651 (0.720 - 2.841)               | 7.25                | 99               |
| 15+50                    | 1.80                  | 6.00   | -      | -      | -      | 7.80 (3.00 - 9.60)   | 1.771 (0.720 - 2.921)               | 7.78                | 99               |
| 15+60                    | 1.68                  | 6.72   | -      | -      | -      | 8.40 (3.00 - 10.20)  | 2.004 (0.710 - 3.024)               | 8.80                | 99               |
| 15+71                    | 1.59                  | 7.51   | -      | -      | -      | 9.10 (3.00 - 11.00)  | 2.338 (0.690 - 3.158)               | 10.27               | 99               |
| 20+20                    | 3.30                  | 3.30   | -      | -      | -      | 6.60 (3.00 - 7.20)   | 1.382 (0.780 - 2.642)               | 6.07                | 99               |
| 20+22                    | 3.14                  | 3.46   | -      | -      | -      | 6.60 (3.00 - 7.20)   | 1.375 (0.750 - 2.635)               | 6.04                | 99               |
| 20+25                    | 2.98                  | 3.72   | -      | -      | -      | 6.70 (3.00 - 7.50)   | 1.405 (0.720 - 2.665)               | 6.17                | 99               |
| 20+35                    | 2.69                  | 4.71   | -      | -      | -      | 7.40 (3.00 - 9.10)   | 1.625 (0.720 - 2.835)               | 7.14                | 99               |
| 20+42                    | 2.48                  | 5.22   | -      | -      | -      | 7.70 (3.00 - 9.40)   | 1.729 (0.720 - 2.889)               | 7.59                | 99               |
| 20+50                    | 2.29                  | 5.71   | -      | -      | -      | 8.00 (3.00 - 9.80)   | 1.849 (0.720 - 2.959)               | 8.12                | 99               |
| 20+60                    | 2.18                  | 6.53   | -      | -      | -      | 8.70 (3.00 - 10.70)  | 2.172 (0.700 - 3.092)               | 9.54                | 99               |
| 20+71                    | 2.07                  | 7.33   | -      | -      | -      | 9.40 (3.00 - 11.00)  | 2.426 (0.690 - 3.156)               | 10.65               | 99               |
| 22+22                    | 3.30                  | 3.30   | -      | -      | -      | 6.60 (3.00 - 7.20)   | 1.368 (0.720 - 2.628)               | 6.01                | 99               |
| 22+25                    | 3.23                  | 3.67   | -      | -      | -      | 6.90 (3.00 - 8.00)   | 1.458 (0.720 - 2.708)               | 6.40                | 99               |
| 22+35                    | 2.89                  | 4.61   | -      | -      | -      | 7.50 (3.00 - 9.20)   | 1.648 (0.720 - 2.838)               | 7.24                | 99               |
| 22+42                    | 2.68                  | 5.12   | -      | -      | -      | 7.80 (3.00 - 9.50)   | 1.752 (0.720 - 2.902)               | 7.69                | 99               |
| 22+50                    | 2.48                  | 5.63   | -      | -      | -      | 8.10 (3.00 - 10.00)  | 1.912 (0.720 - 2.982)               | 8.40                | 99               |
| 22+60                    | 2.39                  | 6.51   | -      | -      | -      | 8.90 (3.00 - 10.80)  | 2.225 (0.690 - 3.115)               | 9.77                | 99               |
| 22+71                    | 2.27                  | 7.33   | -      | -      | -      | 9.60 (3.00 - 11.00)  | 2.449 (0.690 - 3.149)               | 10.76               | 99               |
| 25+25                    | 3.60                  | 3.60   | -      | -      | -      | 7.20 (3.00 - 8.80)   | 1.538 (0.720 - 2.778)               | 6.75                | 99               |
| 25+35                    | 3.17                  | 4.43   | -      | -      | -      | 7.60 (3.00 - 9.30)   | 1.698 (0.720 - 2.868)               | 7.46                | 99               |
| 25+42                    | 2.95                  | 4.95   | -      | -      | -      | 7.90 (3.00 - 9.70)   | 1.792 (0.720 - 2.922)               | 7.87                | 99               |
| 25+50                    | 2.80                  | 5.60   | -      | -      | -      | 8.40 (3.00 - 10.20)  | 2.012 (0.710 - 3.032)               | 8.84                | 99               |
| 25+60                    | 2.68                  | 6.42   | -      | -      | -      | 9.10 (3.00 - 11.00)  | 2.315 (0.690 - 3.145)               | 10.17               | 99               |
| 25+71                    | 2.55                  | 7.25   | -      | -      | -      | 9.80 (3.00 - 11.00)  | 2.499 (0.690 - 3.149)               | 10.97               | 99               |
| 35+35                    | 4.00                  | 4.00   | -      | -      | -      | 8.00 (3.00 - 9.80)   | 1.848 (0.720 - 2.958)               | 8.12                | 99               |
| 35+42                    | 3.86                  | 4.64   | -      | -      | -      | 8.50 (3.00 - 10.40)  | 2.082 (0.710 - 3.062)               | 9.14                | 99               |
| 35+50                    | 3.75                  | 5.35   | -      | -      | -      | 9.10 (3.00 - 11.00)  | 2.332 (0.690 - 3.162)               | 10.24               | 99               |
| 35+60                    | 3.57                  | 6.13   | -      | -      | -      | 9.70 (3.00 - 11.00)  | 2.485 (0.690 - 3.145)               | 10.91               | 99               |
| 35+71                    | 3.30                  | 6.70   | -      | -      | -      | 10.00 (3.00 - 11.00) | 2.569 (0.690 - 3.149)               | 11.28               | 99               |
| 42+42                    | 4.50                  | 4.50   | -      | -      | -      | 9.00 (3.00 - 11.00)  | 2.306 (0.690 - 3.156)               | 10.13               | 99               |
| 42+50                    | 4.34                  | 5.16   | -      | -      | -      | 9.50 (3.00 - 11.00)  | 2.446 (0.690 - 3.156)               | 10.74               | 99               |
| 42+60                    | 4.12                  | 5.88   | -      | -      | -      | 10.00 (3.00 - 11.00) | 2.559 (0.690 - 3.139)               | 11.24               | 99               |
| 42+71                    | 3.72                  | 6.28   | -      | -      | -      | 10.00 (3.00 - 11.00) | 2.563 (0.690 - 3.143)               | 11.26               | 99               |
| 50+50                    | 5.00                  | 5.00   | -      | -      | -      | 10.00 (3.00 - 11.00) | 2.576 (0.690 - 3.156)               | 11.31               | 99               |
| 50+60                    | 4.55                  | 5.45   | -      | -      | -      | 10.00 (3.00 - 11.00) | 2.559 (0.690 - 3.139)               | 11.24               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        | Outdoor unit power consumption (kW) | Current (A) at 230V   | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|-------------------------------------|-----------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)                       |                       |                  |
| 50+71                    | 4.13                  | 5.87   | -      | -      | -      | 10.00 (3.00 - 11.00)                | 2.563 (0.690 - 3.143) | 11.26            |
| 60+60                    | 5.00                  | 5.00   | -      | -      | -      | 10.00 (3.00 - 11.00)                | 2.542 (0.690 - 3.122) | 11.16            |
| 60+71                    | 4.58                  | 5.42   | -      | -      | -      | 10.00 (3.00 - 11.00)                | 2.546 (0.690 - 3.126) | 11.18            |
| 71+71                    | 5.00                  | 5.00   | -      | -      | -      | 10.00 (3.00 - 11.00)                | 2.550 (0.690 - 3.130) | 11.20            |
| 15+15+15                 | 2.90                  | 2.90   | 2.90   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.719 (0.530 - 3.879) | 7.55             |
| 15+15+20                 | 2.61                  | 2.61   | 3.48   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.717 (0.530 - 3.877) | 7.54             |
| 15+15+22                 | 2.51                  | 2.51   | 3.68   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.710 (0.530 - 3.870) | 7.51             |
| 15+15+25                 | 2.37                  | 2.37   | 3.95   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.710 (0.530 - 3.870) | 7.51             |
| 15+15+35                 | 2.01                  | 2.01   | 4.68   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.710 (0.530 - 3.870) | 7.51             |
| 15+15+42                 | 1.85                  | 1.85   | 5.19   | -      | -      | 8.90 (3.20 - 11.30)                 | 1.814 (0.530 - 3.864) | 7.97             |
| 15+15+50                 | 1.73                  | 1.73   | 5.75   | -      | -      | 9.20 (3.20 - 11.80)                 | 2.034 (0.560 - 3.864) | 8.93             |
| 15+15+60                 | 1.58                  | 1.58   | 6.33   | -      | -      | 9.50 (3.20 - 12.10)                 | 2.327 (0.610 - 3.847) | 10.22            |
| 15+15+71                 | 1.47                  | 1.47   | 6.96   | -      | -      | 9.90 (3.20 - 12.50)                 | 2.671 (0.660 - 3.851) | 11.73            |
| 15+20+20                 | 2.37                  | 3.16   | 3.16   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.715 (0.530 - 3.875) | 7.53             |
| 15+20+22                 | 2.29                  | 3.05   | 3.36   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.708 (0.530 - 3.868) | 7.50             |
| 15+20+25                 | 2.18                  | 2.90   | 3.63   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.708 (0.530 - 3.868) | 7.50             |
| 15+20+35                 | 1.89                  | 2.51   | 4.40   | -      | -      | 8.80 (3.20 - 11.00)                 | 1.788 (0.530 - 3.868) | 7.85             |
| 15+20+42                 | 1.77                  | 2.36   | 4.96   | -      | -      | 9.10 (3.20 - 11.70)                 | 1.932 (0.540 - 3.862) | 8.48             |
| 15+20+50                 | 1.64                  | 2.19   | 5.47   | -      | -      | 9.30 (3.20 - 11.90)                 | 2.182 (0.580 - 3.862) | 9.58             |
| 15+20+60                 | 1.53                  | 2.04   | 6.13   | -      | -      | 9.70 (3.20 - 12.30)                 | 2.485 (0.630 - 3.845) | 10.91            |
| 15+20+71                 | 1.42                  | 1.89   | 6.70   | -      | -      | 10.00 (3.20 - 12.60)                | 2.799 (0.680 - 3.849) | 12.29            |
| 15+22+22                 | 2.21                  | 3.24   | 3.24   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.701 (0.530 - 3.861) | 7.47             |
| 15+22+25                 | 2.10                  | 3.09   | 3.51   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.701 (0.530 - 3.861) | 7.47             |
| 15+22+35                 | 1.85                  | 2.72   | 4.33   | -      | -      | 8.90 (3.20 - 11.30)                 | 1.811 (0.530 - 3.861) | 7.95             |
| 15+22+42                 | 1.73                  | 2.53   | 4.84   | -      | -      | 9.10 (3.20 - 11.70)                 | 1.995 (0.550 - 3.855) | 8.76             |
| 15+22+50                 | 1.62                  | 2.38   | 5.40   | -      | -      | 9.40 (3.20 - 12.00)                 | 2.245 (0.590 - 3.855) | 9.86             |
| 15+22+60                 | 1.50                  | 2.20   | 6.00   | -      | -      | 9.70 (3.20 - 12.30)                 | 2.538 (0.640 - 3.838) | 11.15            |
| 15+22+71                 | 1.39                  | 2.04   | 6.57   | -      | -      | 10.00 (3.20 - 12.60)                | 2.792 (0.680 - 3.842) | 12.26            |
| 15+25+25                 | 2.01                  | 3.35   | 3.35   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.701 (0.530 - 3.861) | 7.47             |
| 15+25+35                 | 1.80                  | 3.00   | 4.20   | -      | -      | 9.00 (3.20 - 11.60)                 | 1.871 (0.530 - 3.861) | 8.22             |
| 15+25+42                 | 1.68                  | 2.80   | 4.71   | -      | -      | 9.20 (3.20 - 11.80)                 | 2.085 (0.570 - 3.855) | 9.16             |
| 15+25+50                 | 1.58                  | 2.64   | 5.28   | -      | -      | 9.50 (3.20 - 12.10)                 | 2.335 (0.610 - 3.855) | 10.25            |
| 15+25+60                 | 1.47                  | 2.45   | 5.88   | -      | -      | 9.80 (3.20 - 12.40)                 | 2.628 (0.660 - 3.838) | 11.54            |
| 15+25+71                 | 1.35                  | 2.25   | 6.40   | -      | -      | 10.00 (3.20 - 12.60)                | 2.792 (0.680 - 3.842) | 12.26            |
| 15+35+35                 | 1.64                  | 3.83   | 3.83   | -      | -      | 9.30 (3.20 - 11.90)                 | 2.181 (0.580 - 3.861) | 9.58             |
| 15+35+42                 | 1.57                  | 3.65   | 4.38   | -      | -      | 9.60 (3.20 - 12.20)                 | 2.395 (0.620 - 3.855) | 10.52            |
| 15+35+50                 | 1.47                  | 3.43   | 4.90   | -      | -      | 9.80 (3.20 - 12.40)                 | 2.645 (0.660 - 3.855) | 11.62            |
| 15+35+60                 | 1.36                  | 3.18   | 5.45   | -      | -      | 10.00 (3.20 - 12.60)                | 2.788 (0.680 - 3.838) | 12.24            |
| 15+35+71                 | 1.24                  | 2.89   | 5.87   | -      | -      | 10.00 (3.20 - 12.60)                | 2.792 (0.680 - 3.842) | 12.26            |
| 15+42+42                 | 1.48                  | 4.16   | 4.16   | -      | -      | 9.80 (3.20 - 12.40)                 | 2.609 (0.650 - 3.849) | 11.46            |
| 15+42+50                 | 1.40                  | 3.93   | 4.67   | -      | -      | 10.00 (3.20 - 12.60)                | 2.799 (0.680 - 3.849) | 12.29            |
| 15+42+60                 | 1.28                  | 3.59   | 5.13   | -      | -      | 10.00 (3.20 - 12.60)                | 2.782 (0.680 - 3.832) | 12.22            |
| 15+42+71                 | 1.17                  | 3.28   | 5.55   | -      | -      | 10.00 (3.20 - 12.60)                | 2.786 (0.680 - 3.836) | 12.24            |
| 15+50+50                 | 1.30                  | 4.35   | 4.35   | -      | -      | 10.00 (3.20 - 12.60)                | 2.799 (0.680 - 3.849) | 12.29            |
| 15+50+60                 | 1.20                  | 4.00   | 4.80   | -      | -      | 10.00 (3.20 - 12.60)                | 2.782 (0.680 - 3.832) | 12.22            |
| 15+50+71                 | 1.10                  | 3.68   | 5.22   | -      | -      | 10.00 (3.20 - 12.60)                | 2.786 (0.680 - 3.836) | 12.24            |
| 15+60+60                 | 1.11                  | 4.44   | 4.44   | -      | -      | 10.00 (3.20 - 12.60)                | 2.765 (0.680 - 3.815) | 12.14            |
| 15+60+71                 | 1.03                  | 4.11   | 4.86   | -      | -      | 10.00 (3.20 - 12.60)                | 2.769 (0.680 - 3.819) | 12.16            |
| 15+71+71                 | 0.96                  | 4.52   | 4.52   | -      | -      | 10.00 (3.20 - 12.60)                | 2.773 (0.680 - 3.823) | 12.18            |
| 20+20+20                 | 2.90                  | 2.90   | 2.90   | -      | -      | 8.70 (3.20 - 10.60)                 | 1.713 (0.530 - 3.873) | 7.52             |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 20+20+22                 | 2.81                  | 2.81   | 3.09   | -      | -      | 8.70 (3.20 - 10.60)  | 1.706 (0.530 - 3.866)               | 7.49                | 99               |
| 20+20+25                 | 2.68                  | 2.68   | 3.35   | -      | -      | 8.70 (3.20 - 10.60)  | 1.706 (0.530 - 3.866)               | 7.49                | 99               |
| 20+20+35                 | 2.40                  | 2.40   | 4.20   | -      | -      | 9.00 (3.20 - 11.60)  | 1.876 (0.530 - 3.866)               | 8.24                | 99               |
| 20+20+42                 | 2.24                  | 2.24   | 4.71   | -      | -      | 9.20 (3.20 - 11.80)  | 2.090 (0.570 - 3.860)               | 9.18                | 99               |
| 20+20+50                 | 2.11                  | 2.11   | 5.28   | -      | -      | 9.50 (3.20 - 12.10)  | 2.340 (0.610 - 3.860)               | 10.28               | 99               |
| 20+20+60                 | 1.96                  | 1.96   | 5.88   | -      | -      | 9.80 (3.20 - 12.40)  | 2.633 (0.660 - 3.843)               | 11.56               | 99               |
| 20+20+71                 | 1.80                  | 1.80   | 6.40   | -      | -      | 10.00 (3.20 - 12.60) | 2.797 (0.680 - 3.847)               | 12.28               | 99               |
| 20+22+22                 | 2.72                  | 2.99   | 2.99   | -      | -      | 8.70 (3.20 - 10.60)  | 1.699 (0.530 - 3.859)               | 7.46                | 99               |
| 20+22+25                 | 2.60                  | 2.86   | 3.25   | -      | -      | 8.70 (3.20 - 10.70)  | 1.719 (0.530 - 3.859)               | 7.55                | 99               |
| 20+22+35                 | 2.36                  | 2.60   | 4.14   | -      | -      | 9.10 (3.20 - 11.70)  | 1.929 (0.540 - 3.859)               | 8.47                | 99               |
| 20+22+42                 | 2.21                  | 2.44   | 4.65   | -      | -      | 9.30 (3.20 - 11.90)  | 2.143 (0.580 - 3.853)               | 9.41                | 99               |
| 20+22+50                 | 2.09                  | 2.30   | 5.22   | -      | -      | 9.60 (3.20 - 12.20)  | 2.393 (0.620 - 3.853)               | 10.51               | 99               |
| 20+22+60                 | 1.94                  | 2.14   | 5.82   | -      | -      | 9.90 (3.20 - 12.50)  | 2.696 (0.670 - 3.836)               | 11.84               | 99               |
| 20+22+71                 | 1.77                  | 1.95   | 6.28   | -      | -      | 10.00 (3.20 - 12.60) | 2.790 (0.680 - 3.840)               | 12.25               | 99               |
| 20+25+25                 | 2.51                  | 3.14   | 3.14   | -      | -      | 8.80 (3.20 - 11.00)  | 1.779 (0.530 - 3.859)               | 7.81                | 99               |
| 20+25+35                 | 2.30                  | 2.88   | 4.03   | -      | -      | 9.20 (3.20 - 11.80)  | 2.029 (0.560 - 3.859)               | 8.91                | 99               |
| 20+25+42                 | 2.16                  | 2.70   | 4.54   | -      | -      | 9.40 (3.20 - 12.00)  | 2.243 (0.590 - 3.853)               | 9.85                | 99               |
| 20+25+50                 | 2.04                  | 2.55   | 5.11   | -      | -      | 9.70 (3.20 - 12.30)  | 2.493 (0.630 - 3.853)               | 10.95               | 99               |
| 20+25+60                 | 1.90                  | 2.38   | 5.71   | -      | -      | 10.00 (3.20 - 12.60) | 2.786 (0.680 - 3.836)               | 12.24               | 99               |
| 20+25+71                 | 1.72                  | 2.16   | 6.12   | -      | -      | 10.00 (3.20 - 12.60) | 2.790 (0.680 - 3.840)               | 12.25               | 99               |
| 20+35+35                 | 2.11                  | 3.69   | 3.69   | -      | -      | 9.50 (3.20 - 12.10)  | 2.339 (0.610 - 3.859)               | 10.27               | 99               |
| 20+35+42                 | 2.00                  | 3.50   | 4.20   | -      | -      | 9.70 (3.20 - 12.30)  | 2.553 (0.640 - 3.853)               | 11.21               | 99               |
| 20+35+50                 | 1.90                  | 3.33   | 4.76   | -      | -      | 10.00 (3.20 - 12.60) | 2.803 (0.680 - 3.853)               | 12.31               | 99               |
| 20+35+60                 | 1.74                  | 3.04   | 5.22   | -      | -      | 10.00 (3.20 - 12.60) | 2.786 (0.680 - 3.836)               | 12.24               | 99               |
| 20+35+71                 | 1.59                  | 2.78   | 5.63   | -      | -      | 10.00 (3.20 - 12.60) | 2.790 (0.680 - 3.840)               | 12.25               | 99               |
| 20+42+42                 | 1.92                  | 4.04   | 4.04   | -      | -      | 10.00 (3.20 - 12.60) | 2.767 (0.680 - 3.847)               | 12.15               | 99               |
| 20+42+50                 | 1.79                  | 3.75   | 4.46   | -      | -      | 10.00 (3.20 - 12.60) | 2.797 (0.680 - 3.847)               | 12.28               | 99               |
| 20+42+60                 | 1.64                  | 3.44   | 4.92   | -      | -      | 10.00 (3.20 - 12.60) | 2.780 (0.680 - 3.830)               | 12.21               | 99               |
| 20+42+71                 | 1.50                  | 3.16   | 5.34   | -      | -      | 10.00 (3.20 - 12.60) | 2.784 (0.680 - 3.834)               | 12.23               | 99               |
| 20+50+50                 | 1.67                  | 4.17   | 4.17   | -      | -      | 10.00 (3.20 - 12.60) | 2.797 (0.680 - 3.847)               | 12.28               | 99               |
| 20+50+60                 | 1.54                  | 3.85   | 4.62   | -      | -      | 10.00 (3.20 - 12.60) | 2.780 (0.680 - 3.830)               | 12.21               | 99               |
| 20+50+71                 | 1.42                  | 3.55   | 5.04   | -      | -      | 10.00 (3.20 - 12.60) | 2.784 (0.680 - 3.834)               | 12.23               | 99               |
| 20+60+60                 | 1.43                  | 4.29   | 4.29   | -      | -      | 10.00 (3.20 - 12.60) | 2.763 (0.680 - 3.813)               | 12.13               | 99               |
| 20+60+71                 | 1.32                  | 3.97   | 4.70   | -      | -      | 10.00 (3.20 - 12.60) | 2.767 (0.680 - 3.817)               | 12.15               | 99               |
| 20+71+71                 | 1.23                  | 4.38   | 4.38   | -      | -      | 10.00 (3.20 - 12.60) | 2.771 (0.680 - 3.821)               | 12.17               | 99               |
| 22+22+22                 | 2.90                  | 2.90   | 2.90   | -      | -      | 8.70 (3.20 - 10.60)  | 1.692 (0.530 - 3.852)               | 7.43                | 99               |
| 22+22+25                 | 2.81                  | 2.81   | 3.19   | -      | -      | 8.80 (3.20 - 10.90)  | 1.752 (0.530 - 3.852)               | 7.69                | 99               |
| 22+22+35                 | 2.53                  | 2.53   | 4.03   | -      | -      | 9.10 (3.20 - 11.70)  | 1.992 (0.550 - 3.852)               | 8.75                | 99               |
| 22+22+42                 | 2.40                  | 2.40   | 4.59   | -      | -      | 9.40 (3.20 - 12.00)  | 2.196 (0.590 - 3.846)               | 9.64                | 99               |
| 22+22+50                 | 2.25                  | 2.25   | 5.11   | -      | -      | 9.60 (3.20 - 12.20)  | 2.456 (0.630 - 3.846)               | 10.79               | 99               |
| 22+22+60                 | 2.12                  | 2.12   | 5.77   | -      | -      | 10.00 (3.20 - 12.60) | 2.749 (0.680 - 3.829)               | 12.07               | 99               |
| 22+22+71                 | 1.91                  | 1.91   | 6.17   | -      | -      | 10.00 (3.20 - 12.60) | 2.783 (0.680 - 3.833)               | 12.22               | 99               |
| 22+25+25                 | 2.72                  | 3.09   | 3.09   | -      | -      | 8.90 (3.20 - 11.30)  | 1.802 (0.530 - 3.852)               | 7.91                | 99               |
| 22+25+35                 | 2.47                  | 2.80   | 3.93   | -      | -      | 9.20 (3.20 - 11.80)  | 2.082 (0.570 - 3.852)               | 9.14                | 99               |
| 22+25+42                 | 2.35                  | 2.67   | 4.48   | -      | -      | 9.50 (3.20 - 12.10)  | 2.296 (0.600 - 3.846)               | 10.08               | 99               |
| 22+25+50                 | 2.20                  | 2.50   | 5.00   | -      | -      | 9.70 (3.20 - 12.30)  | 2.546 (0.640 - 3.846)               | 11.18               | 99               |
| 22+25+60                 | 2.06                  | 2.34   | 5.61   | -      | -      | 10.00 (3.20 - 12.60) | 2.779 (0.680 - 3.829)               | 12.20               | 99               |
| 22+25+71                 | 1.86                  | 2.12   | 6.02   | -      | -      | 10.00 (3.20 - 12.60) | 2.783 (0.680 - 3.833)               | 12.22               | 99               |
| 22+35+35                 | 2.30                  | 3.65   | 3.65   | -      | -      | 9.60 (3.20 - 12.20)  | 2.392 (0.620 - 3.852)               | 10.51               | 99               |
| 22+35+42                 | 2.18                  | 3.46   | 4.16   | -      | -      | 9.80 (3.20 - 12.40)  | 2.606 (0.650 - 3.846)               | 11.44               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        | Outdoor unit power consumption (kW) | Current (A) at 230V   | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|-------------------------------------|-----------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)                       |                       |                  |
| 22+35+50                 | 2.06                  | 3.27   | 4.67   | -      | -      | 10.00 (3.20 - 12.60)                | 2.796 (0.680 - 3.846) | 12.28            |
| 22+35+60                 | 1.88                  | 2.99   | 5.13   | -      | -      | 10.00 (3.20 - 12.60)                | 2.779 (0.680 - 3.829) | 12.20            |
| 22+35+71                 | 1.72                  | 2.73   | 5.55   | -      | -      | 10.00 (3.20 - 12.60)                | 2.783 (0.680 - 3.833) | 12.22            |
| 22+42+42                 | 2.08                  | 3.96   | 3.96   | -      | -      | 10.00 (3.20 - 12.60)                | 2.790 (0.680 - 3.840) | 12.25            |
| 22+42+50                 | 1.93                  | 3.68   | 4.39   | -      | -      | 10.00 (3.20 - 12.60)                | 2.790 (0.680 - 3.840) | 12.25            |
| 22+42+60                 | 1.77                  | 3.39   | 4.84   | -      | -      | 10.00 (3.20 - 12.60)                | 2.773 (0.680 - 3.823) | 12.18            |
| 22+42+71                 | 1.63                  | 3.11   | 5.26   | -      | -      | 10.00 (3.20 - 12.60)                | 2.777 (0.680 - 3.827) | 12.20            |
| 22+50+50                 | 1.80                  | 4.10   | 4.10   | -      | -      | 10.00 (3.20 - 12.60)                | 2.790 (0.680 - 3.840) | 12.25            |
| 22+50+60                 | 1.67                  | 3.79   | 4.55   | -      | -      | 10.00 (3.20 - 12.60)                | 2.773 (0.680 - 3.823) | 12.18            |
| 22+50+71                 | 1.54                  | 3.50   | 4.97   | -      | -      | 10.00 (3.20 - 12.60)                | 2.777 (0.680 - 3.827) | 12.20            |
| 22+60+60                 | 1.55                  | 4.23   | 4.23   | -      | -      | 10.00 (3.20 - 12.60)                | 2.756 (0.680 - 3.806) | 12.10            |
| 22+60+71                 | 1.44                  | 3.92   | 4.64   | -      | -      | 10.00 (3.20 - 12.60)                | 2.760 (0.680 - 3.810) | 12.12            |
| 22+71+71                 | 1.34                  | 4.33   | 4.33   | -      | -      | 10.00 (3.20 - 12.60)                | 2.764 (0.680 - 3.814) | 12.14            |
| 25+25+25                 | 3.00                  | 3.00   | 3.00   | -      | -      | 9.00 (3.20 - 11.60)                 | 1.862 (0.530 - 3.852) | 8.18             |
| 25+25+35                 | 2.74                  | 2.74   | 3.83   | -      | -      | 9.30 (3.20 - 11.90)                 | 2.172 (0.580 - 3.852) | 9.54             |
| 25+25+42                 | 2.61                  | 2.61   | 4.38   | -      | -      | 9.60 (3.20 - 12.20)                 | 2.386 (0.620 - 3.846) | 10.48            |
| 25+25+50                 | 2.45                  | 2.45   | 4.90   | -      | -      | 9.80 (3.20 - 12.40)                 | 2.636 (0.660 - 3.846) | 11.58            |
| 25+25+60                 | 2.27                  | 2.27   | 5.45   | -      | -      | 10.00 (3.20 - 12.60)                | 2.779 (0.680 - 3.829) | 12.20            |
| 25+25+71                 | 2.07                  | 2.07   | 5.87   | -      | -      | 10.00 (3.20 - 12.60)                | 2.783 (0.680 - 3.833) | 12.22            |
| 25+35+35                 | 2.55                  | 3.57   | 3.57   | -      | -      | 9.70 (3.20 - 12.30)                 | 2.492 (0.630 - 3.852) | 10.94            |
| 25+35+42                 | 2.43                  | 3.40   | 4.08   | -      | -      | 9.90 (3.20 - 12.50)                 | 2.706 (0.670 - 3.846) | 11.88            |
| 25+35+50                 | 2.27                  | 3.18   | 4.55   | -      | -      | 10.00 (3.20 - 12.60)                | 2.796 (0.680 - 3.846) | 12.28            |
| 25+35+60                 | 2.08                  | 2.92   | 5.00   | -      | -      | 10.00 (3.20 - 12.60)                | 2.779 (0.680 - 3.829) | 12.20            |
| 25+35+71                 | 1.91                  | 2.67   | 5.42   | -      | -      | 10.00 (3.20 - 12.60)                | 2.783 (0.680 - 3.833) | 12.22            |
| 25+42+42                 | 2.29                  | 3.85   | 3.85   | -      | -      | 10.00 (3.20 - 12.60)                | 2.790 (0.680 - 3.840) | 12.25            |
| 25+42+50                 | 2.14                  | 3.59   | 4.27   | -      | -      | 10.00 (3.20 - 12.60)                | 2.790 (0.680 - 3.840) | 12.25            |
| 25+42+60                 | 1.97                  | 3.31   | 4.72   | -      | -      | 10.00 (3.20 - 12.60)                | 2.773 (0.680 - 3.823) | 12.18            |
| 25+42+71                 | 1.81                  | 3.04   | 5.14   | -      | -      | 10.00 (3.20 - 12.60)                | 2.777 (0.680 - 3.827) | 12.20            |
| 25+50+50                 | 2.00                  | 4.00   | 4.00   | -      | -      | 10.00 (3.20 - 12.60)                | 2.790 (0.680 - 3.840) | 12.25            |
| 25+50+60                 | 1.85                  | 3.70   | 4.44   | -      | -      | 10.00 (3.20 - 12.60)                | 2.773 (0.680 - 3.823) | 12.18            |
| 25+50+71                 | 1.71                  | 3.42   | 4.86   | -      | -      | 10.00 (3.20 - 12.60)                | 2.777 (0.680 - 3.827) | 12.20            |
| 25+60+60                 | 1.72                  | 4.14   | 4.14   | -      | -      | 10.00 (3.20 - 12.60)                | 2.756 (0.680 - 3.806) | 12.10            |
| 25+60+71                 | 1.60                  | 3.85   | 4.55   | -      | -      | 10.00 (3.20 - 12.60)                | 2.760 (0.680 - 3.810) | 12.12            |
| 25+71+71                 | 1.50                  | 4.25   | 4.25   | -      | -      | 10.00 (3.20 - 12.60)                | 2.764 (0.680 - 3.814) | 12.14            |
| 35+35+35                 | 3.33                  | 3.33   | 3.33   | -      | -      | 10.00 (3.20 - 12.60)                | 2.802 (0.680 - 3.852) | 12.31            |
| 35+35+42                 | 3.13                  | 3.13   | 3.75   | -      | -      | 10.00 (3.20 - 12.60)                | 2.796 (0.680 - 3.846) | 12.28            |
| 35+35+50                 | 2.92                  | 2.92   | 4.17   | -      | -      | 10.00 (3.20 - 12.60)                | 2.796 (0.680 - 3.846) | 12.28            |
| 35+35+60                 | 2.69                  | 2.69   | 4.62   | -      | -      | 10.00 (3.20 - 12.60)                | 2.779 (0.680 - 3.829) | 12.20            |
| 35+35+71                 | 2.48                  | 2.48   | 5.04   | -      | -      | 10.00 (3.20 - 12.60)                | 2.783 (0.680 - 3.833) | 12.22            |
| 35+42+42                 | 2.94                  | 3.53   | 3.53   | -      | -      | 10.00 (3.20 - 12.60)                | 2.790 (0.680 - 3.840) | 12.25            |
| 35+42+50                 | 2.76                  | 3.31   | 3.94   | -      | -      | 10.00 (3.20 - 12.60)                | 2.790 (0.680 - 3.840) | 12.25            |
| 35+42+60                 | 2.55                  | 3.07   | 4.38   | -      | -      | 10.00 (3.20 - 12.60)                | 2.773 (0.680 - 3.823) | 12.18            |
| 35+42+71                 | 2.36                  | 2.84   | 4.80   | -      | -      | 10.00 (3.20 - 12.60)                | 2.777 (0.680 - 3.827) | 12.20            |
| 35+50+50                 | 2.59                  | 3.70   | 3.70   | -      | -      | 10.00 (3.20 - 12.60)                | 2.790 (0.680 - 3.840) | 12.25            |
| 35+50+60                 | 2.41                  | 3.45   | 4.14   | -      | -      | 10.00 (3.20 - 12.60)                | 2.773 (0.680 - 3.823) | 12.18            |
| 35+50+71                 | 2.24                  | 3.21   | 4.55   | -      | -      | 10.00 (3.20 - 12.60)                | 2.777 (0.680 - 3.827) | 12.20            |
| 35+60+60                 | 2.26                  | 3.87   | 3.87   | -      | -      | 10.00 (3.20 - 12.60)                | 2.756 (0.680 - 3.806) | 12.10            |
| 35+60+71                 | 2.11                  | 3.61   | 4.28   | -      | -      | 10.00 (3.20 - 12.60)                | 2.760 (0.680 - 3.810) | 12.12            |
| 42+42+42                 | 3.33                  | 3.33   | 3.33   | -      | -      | 10.00 (3.20 - 12.60)                | 2.784 (0.680 - 3.834) | 12.23            |
| 42+42+50                 | 3.13                  | 3.13   | 3.73   | -      | -      | 10.00 (3.20 - 12.60)                | 2.784 (0.680 - 3.834) | 12.23            |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        | Outdoor unit power consumption (kW) | Current (A) at 230V   | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|-------------------------------------|-----------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)                       |                       |                  |
| 42+42+60                 | 2.92                  | 2.92   | 4.17   | -      | -      | 10.00 (3.20 - 12.60)                | 2.767 (0.680 - 3.817) | 12.15            |
| 42+42+71                 | 2.71                  | 2.71   | 4.58   | -      | -      | 10.00 (3.20 - 12.60)                | 2.771 (0.680 - 3.821) | 12.17            |
| 42+50+50                 | 2.96                  | 3.52   | 3.52   | -      | -      | 10.00 (3.20 - 12.60)                | 2.784 (0.680 - 3.834) | 12.23            |
| 42+50+60                 | 2.76                  | 3.29   | 3.95   | -      | -      | 10.00 (3.20 - 12.60)                | 2.767 (0.680 - 3.817) | 12.15            |
| 42+50+71                 | 2.58                  | 3.07   | 4.36   | -      | -      | 10.00 (3.20 - 12.60)                | 2.771 (0.680 - 3.821) | 12.17            |
| 42+60+60                 | 2.59                  | 3.70   | 3.70   | -      | -      | 10.00 (3.20 - 12.60)                | 2.750 (0.680 - 3.800) | 12.08            |
| 50+50+50                 | 3.33                  | 3.33   | 3.33   | -      | -      | 10.00 (3.20 - 12.60)                | 2.784 (0.680 - 3.834) | 12.23            |
| 50+50+60                 | 3.13                  | 3.13   | 3.75   | -      | -      | 10.00 (3.20 - 12.60)                | 2.767 (0.680 - 3.817) | 12.15            |
| 50+50+71                 | 2.92                  | 2.92   | 4.15   | -      | -      | 10.00 (3.20 - 12.60)                | 2.771 (0.680 - 3.821) | 12.17            |
| 50+60+60                 | 2.94                  | 3.53   | 3.53   | -      | -      | 10.00 (3.20 - 12.60)                | 2.750 (0.680 - 3.800) | 12.08            |
| 15+15+15+15              | 2.25                  | 2.25   | 2.25   | 2.25   | -      | 9.00 (3.40 - 11.60)                 | 1.872 (0.590 - 3.862) | 8.22             |
| 15+15+15+20              | 2.10                  | 2.10   | 2.10   | 2.80   | -      | 9.10 (3.40 - 11.60)                 | 1.880 (0.590 - 3.860) | 8.26             |
| 15+15+15+22              | 2.04                  | 2.04   | 2.04   | 2.99   | -      | 9.10 (3.40 - 11.60)                 | 1.883 (0.590 - 3.853) | 8.27             |
| 15+15+15+25              | 1.95                  | 1.95   | 1.95   | 3.25   | -      | 9.10 (3.40 - 11.60)                 | 1.883 (0.590 - 3.853) | 8.27             |
| 15+15+15+35              | 1.73                  | 1.73   | 1.73   | 4.03   | -      | 9.20 (3.40 - 11.60)                 | 1.903 (0.590 - 3.853) | 8.36             |
| 15+15+15+42              | 1.60                  | 1.60   | 1.60   | 4.49   | -      | 9.30 (3.40 - 11.60)                 | 1.917 (0.590 - 3.847) | 8.42             |
| 15+15+15+50              | 1.44                  | 1.44   | 1.44   | 4.79   | -      | 9.10 (3.40 - 11.60)                 | 1.887 (0.590 - 3.847) | 8.29             |
| 15+15+15+60              | 1.34                  | 1.34   | 1.34   | 5.37   | -      | 9.40 (3.40 - 11.80)                 | 1.950 (0.590 - 3.830) | 8.56             |
| 15+15+15+71              | 1.24                  | 1.24   | 1.24   | 5.88   | -      | 9.60 (3.40 - 12.30)                 | 2.064 (0.590 - 3.834) | 9.06             |
| 15+15+20+20              | 1.95                  | 1.95   | 2.60   | 2.60   | -      | 9.10 (3.40 - 11.60)                 | 1.888 (0.590 - 3.858) | 8.29             |
| 15+15+20+22              | 1.90                  | 1.90   | 2.53   | 2.78   | -      | 9.10 (3.40 - 11.60)                 | 1.891 (0.590 - 3.851) | 8.30             |
| 15+15+20+25              | 1.84                  | 1.84   | 2.45   | 3.07   | -      | 9.20 (3.40 - 11.60)                 | 1.891 (0.590 - 3.851) | 8.30             |
| 15+15+20+35              | 1.64                  | 1.64   | 2.19   | 3.83   | -      | 9.30 (3.40 - 11.60)                 | 1.911 (0.590 - 3.851) | 8.39             |
| 15+15+20+42              | 1.48                  | 1.48   | 1.98   | 4.15   | -      | 9.10 (3.40 - 11.60)                 | 1.885 (0.590 - 3.845) | 8.28             |
| 15+15+20+50              | 1.40                  | 1.40   | 1.86   | 4.65   | -      | 9.30 (3.40 - 11.60)                 | 1.915 (0.590 - 3.845) | 8.41             |
| 15+15+20+60              | 1.30                  | 1.30   | 1.73   | 5.18   | -      | 9.50 (3.40 - 12.00)                 | 1.998 (0.590 - 3.828) | 8.77             |
| 15+15+20+71              | 1.20                  | 1.20   | 1.60   | 5.69   | -      | 9.70 (3.40 - 12.50)                 | 2.102 (0.590 - 3.832) | 9.23             |
| 15+15+22+22              | 1.86                  | 1.86   | 2.74   | 2.74   | -      | 9.20 (3.40 - 11.60)                 | 1.884 (0.590 - 3.844) | 8.27             |
| 15+15+22+25              | 1.79                  | 1.79   | 2.63   | 2.99   | -      | 9.20 (3.40 - 11.60)                 | 1.894 (0.590 - 3.844) | 8.32             |
| 15+15+22+35              | 1.60                  | 1.60   | 2.35   | 3.74   | -      | 9.30 (3.40 - 11.60)                 | 1.914 (0.590 - 3.844) | 8.41             |
| 15+15+22+42              | 1.45                  | 1.45   | 2.13   | 4.07   | -      | 9.10 (3.40 - 11.60)                 | 1.878 (0.590 - 3.838) | 8.25             |
| 15+15+22+50              | 1.37                  | 1.37   | 2.01   | 4.56   | -      | 9.30 (3.40 - 11.70)                 | 1.928 (0.590 - 3.838) | 8.47             |
| 15+15+22+60              | 1.27                  | 1.27   | 1.87   | 5.09   | -      | 9.50 (3.40 - 12.10)                 | 2.011 (0.590 - 3.821) | 8.83             |
| 15+15+22+71              | 1.18                  | 1.18   | 1.73   | 5.60   | -      | 9.70 (3.40 - 12.60)                 | 2.115 (0.590 - 3.825) | 9.29             |
| 15+15+25+25              | 1.73                  | 1.73   | 2.88   | 2.88   | -      | 9.20 (3.40 - 11.60)                 | 1.894 (0.590 - 3.844) | 8.32             |
| 15+15+25+35              | 1.52                  | 1.52   | 2.53   | 3.54   | -      | 9.10 (3.40 - 11.60)                 | 1.884 (0.590 - 3.844) | 8.27             |
| 15+15+25+42              | 1.41                  | 1.41   | 2.35   | 3.94   | -      | 9.10 (3.40 - 11.60)                 | 1.878 (0.590 - 3.838) | 8.25             |
| 15+15+25+50              | 1.34                  | 1.34   | 2.24   | 4.48   | -      | 9.40 (3.40 - 11.80)                 | 1.958 (0.590 - 3.838) | 8.60             |
| 15+15+25+60              | 1.25                  | 1.25   | 2.09   | 5.01   | -      | 9.60 (3.40 - 12.20)                 | 2.041 (0.590 - 3.821) | 8.96             |
| 15+15+25+71              | 1.17                  | 1.17   | 1.94   | 5.52   | -      | 9.80 (3.40 - 12.70)                 | 2.145 (0.590 - 3.825) | 9.42             |
| 15+15+35+35              | 1.40                  | 1.40   | 3.26   | 3.26   | -      | 9.30 (3.40 - 11.60)                 | 1.914 (0.590 - 3.844) | 8.41             |
| 15+15+35+42              | 1.32                  | 1.32   | 3.07   | 3.69   | -      | 9.40 (3.40 - 11.90)                 | 1.978 (0.590 - 3.838) | 8.69             |
| 15+15+35+50              | 1.25                  | 1.25   | 2.92   | 4.17   | -      | 9.60 (3.40 - 12.20)                 | 2.058 (0.590 - 3.838) | 9.04             |
| 15+15+35+60              | 1.16                  | 1.16   | 2.72   | 4.66   | -      | 9.70 (3.40 - 12.70)                 | 2.131 (0.590 - 3.821) | 9.36             |
| 15+15+35+71              | 1.09                  | 1.09   | 2.55   | 5.17   | -      | 9.90 (3.40 - 13.10)                 | 2.245 (0.590 - 3.825) | 9.86             |
| 15+15+42+42              | 1.25                  | 1.25   | 3.50   | 3.50   | -      | 9.50 (3.40 - 12.20)                 | 2.042 (0.590 - 3.832) | 8.97             |
| 15+15+42+50              | 1.19                  | 1.19   | 3.34   | 3.98   | -      | 9.70 (3.40 - 12.50)                 | 2.112 (0.590 - 3.832) | 9.28             |
| 15+15+42+60              | 1.13                  | 1.13   | 3.15   | 4.50   | -      | 9.90 (3.40 - 13.00)                 | 2.195 (0.590 - 3.815) | 9.64             |
| 15+15+42+71              | 1.05                  | 1.05   | 2.94   | 4.97   | -      | 10.00 (3.40 - 13.30)                | 2.279 (0.590 - 3.819) | 10.01            |
| 15+15+50+50              | 1.13                  | 1.13   | 3.77   | 3.77   | -      | 9.80 (3.40 - 12.90)                 | 2.192 (0.590 - 3.832) | 9.63             |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 15+15+50+60              | 1.07                  | 1.07   | 3.57   | 4.29   | -      | 10.00 (3.40 - 13.30) | 2.275 (0.590 - 3.815)               | 9.99                | 99               |
| 15+15+50+71              | 0.99                  | 0.99   | 3.31   | 4.70   | -      | 10.00 (3.40 - 13.30) | 2.279 (0.590 - 3.819)               | 10.01               | 99               |
| 15+15+60+60              | 1.00                  | 1.00   | 4.00   | 4.00   | -      | 10.00 (3.40 - 13.30) | 2.258 (0.590 - 3.798)               | 9.92                | 99               |
| 15+15+60+71              | 0.93                  | 0.93   | 3.73   | 4.41   | -      | 10.00 (3.50 - 13.30) | 2.262 (0.590 - 3.802)               | 9.93                | 99               |
| 15+15+71+71              | 0.87                  | 0.87   | 4.13   | 4.13   | -      | 10.00 (3.50 - 13.30) | 2.266 (0.590 - 3.806)               | 9.95                | 99               |
| 15+20+20+20              | 1.84                  | 2.45   | 2.45   | 2.45   | -      | 9.20 (3.40 - 11.60)  | 1.896 (0.590 - 3.856)               | 8.33                | 99               |
| 15+20+20+22              | 1.79                  | 2.39   | 2.39   | 2.63   | -      | 9.20 (3.40 - 11.60)  | 1.899 (0.590 - 3.849)               | 8.34                | 99               |
| 15+20+20+25              | 1.73                  | 2.30   | 2.30   | 2.88   | -      | 9.20 (3.40 - 11.60)  | 1.899 (0.590 - 3.849)               | 8.34                | 99               |
| 15+20+20+35              | 1.52                  | 2.02   | 2.02   | 3.54   | -      | 9.10 (3.40 - 11.60)  | 1.889 (0.590 - 3.849)               | 8.30                | 99               |
| 15+20+20+42              | 1.41                  | 1.88   | 1.88   | 3.94   | -      | 9.10 (3.40 - 11.60)  | 1.883 (0.590 - 3.843)               | 8.27                | 99               |
| 15+20+20+50              | 1.34                  | 1.79   | 1.79   | 4.48   | -      | 9.40 (3.40 - 11.80)  | 1.963 (0.590 - 3.843)               | 8.62                | 99               |
| 15+20+20+60              | 1.25                  | 1.67   | 1.67   | 5.01   | -      | 9.60 (3.40 - 12.20)  | 2.046 (0.590 - 3.826)               | 8.99                | 99               |
| 15+20+20+71              | 1.17                  | 1.56   | 1.56   | 5.52   | -      | 9.80 (3.40 - 12.70)  | 2.150 (0.590 - 3.830)               | 9.44                | 99               |
| 15+20+22+22              | 1.75                  | 2.33   | 2.56   | 2.56   | -      | 9.20 (3.40 - 11.60)  | 1.892 (0.590 - 3.842)               | 8.31                | 99               |
| 15+20+22+25              | 1.68                  | 2.24   | 2.47   | 2.80   | -      | 9.20 (3.40 - 11.60)  | 1.902 (0.590 - 3.842)               | 8.35                | 99               |
| 15+20+22+35              | 1.48                  | 1.98   | 2.18   | 3.46   | -      | 9.10 (3.40 - 11.60)  | 1.882 (0.590 - 3.842)               | 8.27                | 99               |
| 15+20+22+42              | 1.38                  | 1.84   | 2.02   | 3.86   | -      | 9.10 (3.40 - 11.60)  | 1.876 (0.590 - 3.836)               | 8.24                | 99               |
| 15+20+22+50              | 1.32                  | 1.76   | 1.93   | 4.39   | -      | 9.40 (3.40 - 11.90)  | 1.976 (0.590 - 3.836)               | 8.68                | 99               |
| 15+20+22+60              | 1.23                  | 1.64   | 1.81   | 4.92   | -      | 9.60 (3.40 - 12.30)  | 2.059 (0.590 - 3.819)               | 9.04                | 99               |
| 15+20+22+71              | 1.15                  | 1.53   | 1.68   | 5.44   | -      | 9.80 (3.40 - 12.80)  | 2.163 (0.590 - 3.823)               | 9.50                | 99               |
| 15+20+25+25              | 1.64                  | 2.19   | 2.74   | 2.74   | -      | 9.30 (3.40 - 11.60)  | 1.902 (0.590 - 3.842)               | 8.35                | 99               |
| 15+20+25+35              | 1.44                  | 1.92   | 2.39   | 3.35   | -      | 9.10 (3.40 - 11.60)  | 1.882 (0.590 - 3.842)               | 8.27                | 99               |
| 15+20+25+42              | 1.37                  | 1.82   | 2.28   | 3.83   | -      | 9.30 (3.40 - 11.70)  | 1.926 (0.590 - 3.836)               | 8.46                | 99               |
| 15+20+25+50              | 1.30                  | 1.73   | 2.16   | 4.32   | -      | 9.50 (3.40 - 12.00)  | 2.006 (0.590 - 3.836)               | 8.81                | 99               |
| 15+20+25+60              | 1.21                  | 1.62   | 2.02   | 4.85   | -      | 9.70 (3.40 - 12.50)  | 2.089 (0.590 - 3.819)               | 9.17                | 99               |
| 15+20+25+71              | 1.12                  | 1.50   | 1.87   | 5.31   | -      | 9.80 (3.40 - 12.90)  | 2.193 (0.590 - 3.823)               | 9.63                | 99               |
| 15+20+35+35              | 1.34                  | 1.79   | 3.13   | 3.13   | -      | 9.40 (3.40 - 11.80)  | 1.962 (0.590 - 3.842)               | 8.62                | 99               |
| 15+20+35+42              | 1.27                  | 1.70   | 2.97   | 3.56   | -      | 9.50 (3.40 - 12.10)  | 2.026 (0.590 - 3.836)               | 8.90                | 99               |
| 15+20+35+50              | 1.21                  | 1.62   | 2.83   | 4.04   | -      | 9.70 (3.40 - 12.50)  | 2.106 (0.590 - 3.836)               | 9.25                | 99               |
| 15+20+35+60              | 1.13                  | 1.51   | 2.64   | 4.52   | -      | 9.80 (3.40 - 12.90)  | 2.179 (0.590 - 3.819)               | 9.57                | 99               |
| 15+20+35+71              | 1.06                  | 1.42   | 2.48   | 5.04   | -      | 10.00 (3.40 - 13.30) | 2.283 (0.590 - 3.823)               | 10.03               | 99               |
| 15+20+42+42              | 1.21                  | 1.61   | 3.39   | 3.39   | -      | 9.60 (3.40 - 12.40)  | 2.090 (0.590 - 3.830)               | 9.18                | 99               |
| 15+20+42+50              | 1.16                  | 1.54   | 3.24   | 3.86   | -      | 9.80 (3.40 - 12.70)  | 2.160 (0.590 - 3.830)               | 9.49                | 99               |
| 15+20+42+60              | 1.08                  | 1.45   | 3.04   | 4.34   | -      | 9.90 (3.40 - 13.20)  | 2.243 (0.590 - 3.813)               | 9.85                | 99               |
| 15+20+42+71              | 1.01                  | 1.35   | 2.84   | 4.80   | -      | 10.00 (3.40 - 13.30) | 2.277 (0.590 - 3.817)               | 10.00               | 99               |
| 15+20+50+50              | 1.10                  | 1.47   | 3.67   | 3.67   | -      | 9.90 (3.40 - 13.10)  | 2.240 (0.590 - 3.830)               | 9.84                | 99               |
| 15+20+50+60              | 1.03                  | 1.38   | 3.45   | 4.14   | -      | 10.00 (3.40 - 13.30) | 2.273 (0.590 - 3.813)               | 9.98                | 99               |
| 15+20+50+71              | 0.96                  | 1.28   | 3.21   | 4.55   | -      | 10.00 (3.50 - 13.30) | 2.277 (0.590 - 3.817)               | 10.00               | 99               |
| 15+20+60+60              | 0.97                  | 1.29   | 3.87   | 3.87   | -      | 10.00 (3.50 - 13.30) | 2.256 (0.590 - 3.796)               | 9.91                | 99               |
| 15+20+60+71              | 0.90                  | 1.20   | 3.61   | 4.28   | -      | 10.00 (3.50 - 13.30) | 2.260 (0.590 - 3.800)               | 9.93                | 99               |
| 15+22+22+22              | 1.70                  | 2.50   | 2.50   | 2.50   | -      | 9.20 (3.40 - 11.60)  | 1.895 (0.590 - 3.835)               | 8.32                | 99               |
| 15+22+22+25              | 1.66                  | 2.44   | 2.44   | 2.77   | -      | 9.30 (3.40 - 11.60)  | 1.895 (0.590 - 3.835)               | 8.32                | 99               |
| 15+22+22+35              | 1.45                  | 2.13   | 2.13   | 3.39   | -      | 9.10 (3.40 - 11.60)  | 1.875 (0.590 - 3.835)               | 8.23                | 99               |
| 15+22+22+42              | 1.38                  | 2.03   | 2.03   | 3.87   | -      | 9.30 (3.40 - 11.60)  | 1.909 (0.590 - 3.829)               | 8.38                | 99               |
| 15+22+22+50              | 1.31                  | 1.92   | 1.92   | 4.36   | -      | 9.50 (3.40 - 12.00)  | 1.989 (0.590 - 3.829)               | 8.74                | 99               |
| 15+22+22+60              | 1.21                  | 1.77   | 1.77   | 4.84   | -      | 9.60 (3.40 - 12.40)  | 2.072 (0.590 - 3.812)               | 9.10                | 99               |
| 15+22+22+71              | 1.13                  | 1.66   | 1.66   | 5.35   | -      | 9.80 (3.40 - 12.90)  | 2.176 (0.590 - 3.816)               | 9.56                | 99               |
| 15+22+25+25              | 1.60                  | 2.35   | 2.67   | 2.67   | -      | 9.30 (3.40 - 11.60)  | 1.905 (0.590 - 3.835)               | 8.37                | 99               |
| 15+22+25+35              | 1.41                  | 2.06   | 2.35   | 3.28   | -      | 9.10 (3.40 - 11.60)  | 1.875 (0.590 - 3.835)               | 8.23                | 99               |
| 15+22+25+42              | 1.36                  | 1.99   | 2.26   | 3.80   | -      | 9.40 (3.40 - 11.80)  | 1.939 (0.590 - 3.829)               | 8.52                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 15+22+25+50              | 1.27                  | 1.87   | 2.12   | 4.24   | -      | 9.50 (3.40 - 12.10)  | 2.019 (0.590 - 3.829)               | 8.87                | 99               |
| 15+22+25+60              | 1.19                  | 1.75   | 1.99   | 4.77   | -      | 9.70 (3.40 - 12.50)  | 2.092 (0.590 - 3.812)               | 9.19                | 99               |
| 15+22+25+71              | 1.12                  | 1.64   | 1.86   | 5.28   | -      | 9.90 (3.40 - 13.00)  | 2.206 (0.590 - 3.816)               | 9.69                | 99               |
| 15+22+35+35              | 1.32                  | 1.93   | 3.07   | 3.07   | -      | 9.40 (3.40 - 11.90)  | 1.975 (0.590 - 3.835)               | 8.67                | 99               |
| 15+22+35+42              | 1.25                  | 1.83   | 2.92   | 3.50   | -      | 9.50 (3.40 - 12.20)  | 2.039 (0.590 - 3.829)               | 8.95                | 99               |
| 15+22+35+50              | 1.19                  | 1.75   | 2.78   | 3.98   | -      | 9.70 (3.40 - 12.50)  | 2.109 (0.590 - 3.829)               | 9.26                | 99               |
| 15+22+35+60              | 1.13                  | 1.65   | 2.63   | 4.50   | -      | 9.90 (3.40 - 13.00)  | 2.192 (0.590 - 3.812)               | 9.63                | 99               |
| 15+22+35+71              | 1.05                  | 1.54   | 2.45   | 4.97   | -      | 10.00 (3.40 - 13.30) | 2.276 (0.590 - 3.816)               | 10.00               | 99               |
| 15+22+42+42              | 1.20                  | 1.76   | 3.37   | 3.37   | -      | 9.70 (3.40 - 12.50)  | 2.093 (0.590 - 3.823)               | 9.19                | 99               |
| 15+22+42+50              | 1.14                  | 1.67   | 3.19   | 3.80   | -      | 9.80 (3.40 - 12.80)  | 2.173 (0.590 - 3.823)               | 9.54                | 99               |
| 15+22+42+60              | 1.08                  | 1.58   | 3.02   | 4.32   | -      | 10.00 (3.40 - 13.30) | 2.256 (0.590 - 3.806)               | 9.91                | 99               |
| 15+22+42+71              | 1.00                  | 1.47   | 2.80   | 4.73   | -      | 10.00 (3.40 - 13.30) | 2.270 (0.590 - 3.810)               | 9.97                | 99               |
| 15+22+50+50              | 1.08                  | 1.59   | 3.61   | 3.61   | -      | 9.90 (3.40 - 13.20)  | 2.253 (0.590 - 3.823)               | 9.89                | 99               |
| 15+22+50+60              | 1.02                  | 1.50   | 3.40   | 4.08   | -      | 10.00 (3.40 - 13.30) | 2.266 (0.590 - 3.806)               | 9.95                | 99               |
| 15+22+50+71              | 0.95                  | 1.39   | 3.16   | 4.49   | -      | 10.00 (3.50 - 13.30) | 2.270 (0.590 - 3.810)               | 9.97                | 99               |
| 15+22+60+60              | 0.96                  | 1.40   | 3.82   | 3.82   | -      | 10.00 (3.50 - 13.30) | 2.249 (0.590 - 3.789)               | 9.88                | 99               |
| 15+22+60+71              | 0.89                  | 1.31   | 3.57   | 4.23   | -      | 10.00 (3.50 - 13.30) | 2.253 (0.590 - 3.793)               | 9.89                | 99               |
| 15+25+25+25              | 1.52                  | 2.53   | 2.53   | 2.53   | -      | 9.10 (3.40 - 11.60)  | 1.875 (0.590 - 3.835)               | 8.23                | 99               |
| 15+25+25+35              | 1.40                  | 2.33   | 2.33   | 3.26   | -      | 9.30 (3.40 - 11.60)  | 1.905 (0.590 - 3.835)               | 8.37                | 99               |
| 15+25+25+42              | 1.32                  | 2.20   | 2.20   | 3.69   | -      | 9.40 (3.40 - 11.90)  | 1.969 (0.590 - 3.829)               | 8.65                | 99               |
| 15+25+25+50              | 1.25                  | 2.09   | 2.09   | 4.17   | -      | 9.60 (3.40 - 12.20)  | 2.049 (0.590 - 3.829)               | 9.00                | 99               |
| 15+25+25+60              | 1.16                  | 1.94   | 1.94   | 4.66   | -      | 9.70 (3.40 - 12.70)  | 2.122 (0.590 - 3.812)               | 9.32                | 99               |
| 15+25+25+71              | 1.09                  | 1.82   | 1.82   | 5.17   | -      | 9.90 (3.40 - 13.10)  | 2.236 (0.590 - 3.816)               | 9.82                | 99               |
| 15+25+35+35              | 1.30                  | 2.16   | 3.02   | 3.02   | -      | 9.50 (3.40 - 12.00)  | 2.005 (0.590 - 3.835)               | 8.81                | 99               |
| 15+25+35+42              | 1.23                  | 2.05   | 2.87   | 3.45   | -      | 9.60 (3.40 - 12.30)  | 2.069 (0.590 - 3.829)               | 9.09                | 99               |
| 15+25+35+50              | 1.16                  | 1.94   | 2.72   | 3.88   | -      | 9.70 (3.40 - 12.70)  | 2.139 (0.590 - 3.829)               | 9.39                | 99               |
| 15+25+35+60              | 1.10                  | 1.83   | 2.57   | 4.40   | -      | 9.90 (3.40 - 13.10)  | 2.222 (0.590 - 3.812)               | 9.76                | 99               |
| 15+25+35+71              | 1.03                  | 1.71   | 2.40   | 4.86   | -      | 10.00 (3.40 - 13.30) | 2.276 (0.590 - 3.816)               | 10.00               | 99               |
| 15+25+42+42              | 1.17                  | 1.96   | 3.29   | 3.29   | -      | 9.70 (3.40 - 12.60)  | 2.123 (0.590 - 3.823)               | 9.32                | 99               |
| 15+25+42+50              | 1.13                  | 1.88   | 3.15   | 3.75   | -      | 9.90 (3.40 - 13.00)  | 2.203 (0.590 - 3.823)               | 9.68                | 99               |
| 15+25+42+60              | 1.06                  | 1.76   | 2.96   | 4.23   | -      | 10.00 (3.40 - 13.30) | 2.266 (0.590 - 3.806)               | 9.95                | 99               |
| 15+25+42+71              | 0.98                  | 1.63   | 2.75   | 4.64   | -      | 10.00 (3.40 - 13.30) | 2.270 (0.590 - 3.810)               | 9.97                | 99               |
| 15+25+50+50              | 1.07                  | 1.79   | 3.57   | 3.57   | -      | 10.00 (3.40 - 13.30) | 2.283 (0.590 - 3.823)               | 10.03               | 99               |
| 15+25+50+60              | 1.00                  | 1.67   | 3.33   | 4.00   | -      | 10.00 (3.40 - 13.30) | 2.266 (0.590 - 3.806)               | 9.95                | 99               |
| 15+25+50+71              | 0.93                  | 1.55   | 3.11   | 4.41   | -      | 10.00 (3.50 - 13.30) | 2.270 (0.590 - 3.810)               | 9.97                | 99               |
| 15+25+60+60              | 0.94                  | 1.56   | 3.75   | 3.75   | -      | 10.00 (3.50 - 13.30) | 2.249 (0.590 - 3.789)               | 9.88                | 99               |
| 15+25+60+71              | 0.88                  | 1.46   | 3.51   | 4.15   | -      | 10.00 (3.50 - 13.30) | 2.253 (0.590 - 3.793)               | 9.89                | 99               |
| 15+35+35+35              | 1.21                  | 2.83   | 2.83   | 2.83   | -      | 9.70 (3.40 - 12.50)  | 2.105 (0.590 - 3.835)               | 9.24                | 99               |
| 15+35+35+42              | 1.16                  | 2.70   | 2.70   | 3.24   | -      | 9.80 (3.40 - 12.70)  | 2.159 (0.590 - 3.829)               | 9.48                | 99               |
| 15+35+35+50              | 1.10                  | 2.57   | 2.57   | 3.67   | -      | 9.90 (3.40 - 13.10)  | 2.239 (0.590 - 3.829)               | 9.83                | 99               |
| 15+35+35+60              | 1.03                  | 2.41   | 2.41   | 4.14   | -      | 10.00 (3.40 - 13.30) | 2.272 (0.590 - 3.812)               | 9.98                | 99               |
| 15+35+35+71              | 0.96                  | 2.24   | 2.24   | 4.55   | -      | 10.00 (3.50 - 13.30) | 2.276 (0.590 - 3.816)               | 10.00               | 99               |
| 15+35+42+42              | 1.11                  | 2.59   | 3.10   | 3.10   | -      | 9.90 (3.40 - 13.00)  | 2.223 (0.590 - 3.823)               | 9.76                | 99               |
| 15+35+42+50              | 1.06                  | 2.46   | 2.96   | 3.52   | -      | 10.00 (3.40 - 13.30) | 2.283 (0.590 - 3.823)               | 10.03               | 99               |
| 15+35+42+60              | 0.99                  | 2.30   | 2.76   | 3.95   | -      | 10.00 (3.40 - 13.30) | 2.266 (0.590 - 3.806)               | 9.95                | 99               |
| 15+35+42+71              | 0.92                  | 2.15   | 2.58   | 4.36   | -      | 10.00 (3.50 - 13.30) | 2.270 (0.590 - 3.810)               | 9.97                | 99               |
| 15+35+50+50              | 1.00                  | 2.33   | 3.33   | 3.33   | -      | 10.00 (3.40 - 13.30) | 2.283 (0.590 - 3.823)               | 10.03               | 99               |
| 15+35+50+60              | 0.94                  | 2.19   | 3.13   | 3.75   | -      | 10.00 (3.50 - 13.30) | 2.266 (0.590 - 3.806)               | 9.95                | 99               |
| 15+35+50+71              | 0.88                  | 2.05   | 2.92   | 4.15   | -      | 10.00 (3.50 - 13.30) | 2.270 (0.590 - 3.810)               | 9.97                | 99               |
| 15+35+60+60              | 0.88                  | 2.06   | 3.53   | 3.53   | -      | 10.00 (3.50 - 13.30) | 2.249 (0.590 - 3.789)               | 9.88                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 15+42+42+42              | 1.06                  | 2.98   | 2.98   | 2.98   | -      | 10.00 (3.40 - 13.30) | 2.277 (0.590 - 3.817)               | 10.00               | 99               |
| 15+42+42+50              | 1.01                  | 2.82   | 2.82   | 3.36   | -      | 10.00 (3.40 - 13.30) | 2.277 (0.590 - 3.817)               | 10.00               | 99               |
| 15+42+42+60              | 0.94                  | 2.64   | 2.64   | 3.77   | -      | 10.00 (3.50 - 13.30) | 2.260 (0.590 - 3.800)               | 9.93                | 99               |
| 15+42+42+71              | 0.88                  | 2.47   | 2.47   | 4.18   | -      | 10.00 (3.50 - 13.30) | 2.264 (0.590 - 3.804)               | 9.94                | 99               |
| 15+42+50+50              | 0.96                  | 2.68   | 3.18   | 3.18   | -      | 10.00 (3.50 - 13.30) | 2.277 (0.590 - 3.817)               | 10.00               | 99               |
| 15+42+50+60              | 0.90                  | 2.51   | 2.99   | 3.59   | -      | 10.00 (3.50 - 13.30) | 2.260 (0.590 - 3.800)               | 9.93                | 99               |
| 15+50+50+50              | 0.91                  | 3.03   | 3.03   | 3.03   | -      | 10.00 (3.50 - 13.30) | 2.277 (0.590 - 3.817)               | 10.00               | 99               |
| 20+20+20+20              | 2.30                  | 2.30   | 2.30   | 2.30   | -      | 9.20 (3.40 - 11.60)  | 1.904 (0.590 - 3.854)               | 8.36                | 99               |
| 20+20+20+22              | 2.24                  | 2.24   | 2.24   | 2.47   | -      | 9.20 (3.40 - 11.60)  | 1.907 (0.590 - 3.847)               | 8.38                | 99               |
| 20+20+20+25              | 2.19                  | 2.19   | 2.19   | 2.74   | -      | 9.30 (3.40 - 11.60)  | 1.907 (0.590 - 3.847)               | 8.38                | 99               |
| 20+20+20+35              | 1.92                  | 1.92   | 1.92   | 3.35   | -      | 9.10 (3.40 - 11.60)  | 1.887 (0.590 - 3.847)               | 8.29                | 99               |
| 20+20+20+42              | 1.82                  | 1.82   | 1.82   | 3.83   | -      | 9.30 (3.40 - 11.70)  | 1.931 (0.590 - 3.841)               | 8.48                | 99               |
| 20+20+20+50              | 1.73                  | 1.73   | 1.73   | 4.32   | -      | 9.50 (3.40 - 12.00)  | 2.011 (0.590 - 3.841)               | 8.83                | 99               |
| 20+20+20+60              | 1.62                  | 1.62   | 1.62   | 4.85   | -      | 9.70 (3.40 - 12.50)  | 2.094 (0.590 - 3.824)               | 9.20                | 99               |
| 20+20+20+71              | 1.50                  | 1.50   | 1.50   | 5.31   | -      | 9.80 (3.40 - 12.90)  | 2.198 (0.590 - 3.828)               | 9.65                | 99               |
| 20+20+22+22              | 2.21                  | 2.21   | 2.44   | 2.44   | -      | 9.30 (3.40 - 11.60)  | 1.900 (0.590 - 3.840)               | 8.34                | 99               |
| 20+20+22+25              | 2.14                  | 2.14   | 2.35   | 2.67   | -      | 9.30 (3.40 - 11.60)  | 1.910 (0.590 - 3.840)               | 8.39                | 99               |
| 20+20+22+35              | 1.88                  | 1.88   | 2.06   | 3.28   | -      | 9.10 (3.40 - 11.60)  | 1.880 (0.590 - 3.840)               | 8.26                | 99               |
| 20+20+22+42              | 1.81                  | 1.81   | 1.99   | 3.80   | -      | 9.40 (3.40 - 11.80)  | 1.944 (0.590 - 3.834)               | 8.54                | 99               |
| 20+20+22+50              | 1.70                  | 1.70   | 1.87   | 4.24   | -      | 9.50 (3.40 - 12.10)  | 2.024 (0.590 - 3.834)               | 8.89                | 99               |
| 20+20+22+60              | 1.59                  | 1.59   | 1.75   | 4.77   | -      | 9.70 (3.40 - 12.50)  | 2.097 (0.590 - 3.817)               | 9.21                | 99               |
| 20+20+22+71              | 1.49                  | 1.49   | 1.64   | 5.28   | -      | 9.90 (3.40 - 13.00)  | 2.211 (0.590 - 3.821)               | 9.71                | 99               |
| 20+20+25+25              | 2.02                  | 2.02   | 2.53   | 2.53   | -      | 9.10 (3.40 - 11.60)  | 1.880 (0.590 - 3.840)               | 8.26                | 99               |
| 20+20+25+35              | 1.86                  | 1.86   | 2.33   | 3.26   | -      | 9.30 (3.40 - 11.60)  | 1.910 (0.590 - 3.840)               | 8.39                | 99               |
| 20+20+25+42              | 1.76                  | 1.76   | 2.20   | 3.69   | -      | 9.40 (3.40 - 11.90)  | 1.974 (0.590 - 3.834)               | 8.67                | 99               |
| 20+20+25+50              | 1.67                  | 1.67   | 2.09   | 4.17   | -      | 9.60 (3.40 - 12.20)  | 2.054 (0.590 - 3.834)               | 9.02                | 99               |
| 20+20+25+60              | 1.55                  | 1.55   | 1.94   | 4.66   | -      | 9.70 (3.40 - 12.70)  | 2.127 (0.590 - 3.817)               | 9.34                | 99               |
| 20+20+25+71              | 1.46                  | 1.46   | 1.82   | 5.17   | -      | 9.90 (3.40 - 13.10)  | 2.241 (0.590 - 3.821)               | 9.84                | 99               |
| 20+20+35+35              | 1.73                  | 1.73   | 3.02   | 3.02   | -      | 9.50 (3.40 - 12.00)  | 2.010 (0.590 - 3.840)               | 8.83                | 99               |
| 20+20+35+42              | 1.64                  | 1.64   | 2.87   | 3.45   | -      | 9.60 (3.40 - 12.30)  | 2.074 (0.590 - 3.834)               | 9.11                | 99               |
| 20+20+35+50              | 1.55                  | 1.55   | 2.72   | 3.88   | -      | 9.70 (3.40 - 12.70)  | 2.144 (0.590 - 3.834)               | 9.42                | 99               |
| 20+20+35+60              | 1.47                  | 1.47   | 2.57   | 4.40   | -      | 9.90 (3.40 - 13.10)  | 2.227 (0.590 - 3.817)               | 9.78                | 99               |
| 20+20+35+71              | 1.37                  | 1.37   | 2.40   | 4.86   | -      | 10.00 (3.40 - 13.30) | 2.281 (0.590 - 3.821)               | 10.02               | 99               |
| 20+20+42+42              | 1.56                  | 1.56   | 3.29   | 3.29   | -      | 9.70 (3.40 - 12.60)  | 2.128 (0.590 - 3.828)               | 9.35                | 99               |
| 20+20+42+50              | 1.50                  | 1.50   | 3.15   | 3.75   | -      | 9.90 (3.40 - 13.00)  | 2.208 (0.590 - 3.828)               | 9.70                | 99               |
| 20+20+42+60              | 1.41                  | 1.41   | 2.96   | 4.23   | -      | 10.00 (3.40 - 13.30) | 2.271 (0.590 - 3.811)               | 9.97                | 99               |
| 20+20+42+71              | 1.31                  | 1.31   | 2.75   | 4.64   | -      | 10.00 (3.40 - 13.30) | 2.275 (0.590 - 3.815)               | 9.99                | 99               |
| 20+20+50+50              | 1.43                  | 1.43   | 3.57   | 3.57   | -      | 10.00 (3.40 - 13.30) | 2.288 (0.590 - 3.828)               | 10.05               | 99               |
| 20+20+50+60              | 1.33                  | 1.33   | 3.33   | 4.00   | -      | 10.00 (3.40 - 13.30) | 2.271 (0.590 - 3.811)               | 9.97                | 99               |
| 20+20+50+71              | 1.24                  | 1.24   | 3.11   | 4.41   | -      | 10.00 (3.50 - 13.30) | 2.275 (0.590 - 3.815)               | 9.99                | 99               |
| 20+20+60+60              | 1.25                  | 1.25   | 3.75   | 3.75   | -      | 10.00 (3.50 - 13.30) | 2.254 (0.590 - 3.794)               | 9.90                | 99               |
| 20+20+60+71              | 1.17                  | 1.17   | 3.51   | 4.15   | -      | 10.00 (3.50 - 13.30) | 2.258 (0.590 - 3.798)               | 9.92                | 99               |
| 20+22+22+22              | 2.16                  | 2.38   | 2.38   | 2.38   | -      | 9.30 (3.40 - 11.60)  | 1.903 (0.590 - 3.833)               | 8.36                | 99               |
| 20+22+22+25              | 2.04                  | 2.25   | 2.25   | 2.56   | -      | 9.10 (3.40 - 11.60)  | 1.873 (0.590 - 3.833)               | 8.23                | 99               |
| 20+22+22+35              | 1.84                  | 2.02   | 2.02   | 3.22   | -      | 9.10 (3.40 - 11.60)  | 1.873 (0.590 - 3.833)               | 8.23                | 99               |
| 20+22+22+42              | 1.77                  | 1.95   | 1.95   | 3.72   | -      | 9.40 (3.40 - 11.90)  | 1.957 (0.590 - 3.827)               | 8.59                | 99               |
| 20+22+22+50              | 1.67                  | 1.83   | 1.83   | 4.17   | -      | 9.50 (3.40 - 12.20)  | 2.037 (0.590 - 3.827)               | 8.95                | 99               |
| 20+22+22+60              | 1.56                  | 1.72   | 1.72   | 4.69   | -      | 9.70 (3.40 - 12.60)  | 2.110 (0.590 - 3.810)               | 9.27                | 99               |
| 20+22+22+71              | 1.47                  | 1.61   | 1.61   | 5.21   | -      | 9.90 (3.40 - 13.10)  | 2.224 (0.590 - 3.814)               | 9.77                | 99               |
| 20+22+25+25              | 1.98                  | 2.18   | 2.47   | 2.47   | -      | 9.10 (3.40 - 11.60)  | 1.873 (0.590 - 3.833)               | 8.23                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 20+22+25+35              | 1.82                  | 2.01   | 2.28   | 3.19   | -      | 9.30 (3.40 - 11.70)  | 1.923 (0.590 - 3.833)               | 8.45                | 99               |
| 20+22+25+42              | 1.74                  | 1.92   | 2.18   | 3.66   | -      | 9.50 (3.40 - 12.00)  | 1.987 (0.590 - 3.827)               | 8.73                | 99               |
| 20+22+25+50              | 1.64                  | 1.81   | 2.05   | 4.10   | -      | 9.60 (3.40 - 12.30)  | 2.067 (0.590 - 3.827)               | 9.08                | 99               |
| 20+22+25+60              | 1.54                  | 1.70   | 1.93   | 4.63   | -      | 9.80 (3.40 - 12.70)  | 2.140 (0.590 - 3.810)               | 9.40                | 99               |
| 20+22+25+71              | 1.45                  | 1.59   | 1.81   | 5.14   | -      | 10.00 (3.40 - 13.20) | 2.254 (0.590 - 3.814)               | 9.90                | 99               |
| 20+22+35+35              | 1.70                  | 1.87   | 2.97   | 2.97   | -      | 9.50 (3.40 - 12.10)  | 2.023 (0.590 - 3.833)               | 8.88                | 99               |
| 20+22+35+42              | 1.61                  | 1.77   | 2.82   | 3.39   | -      | 9.60 (3.40 - 12.40)  | 2.087 (0.590 - 3.827)               | 9.17                | 99               |
| 20+22+35+50              | 1.54                  | 1.70   | 2.70   | 3.86   | -      | 9.80 (3.40 - 12.70)  | 2.157 (0.590 - 3.827)               | 9.47                | 99               |
| 20+22+35+60              | 1.45                  | 1.59   | 2.53   | 4.34   | -      | 9.90 (3.40 - 13.20)  | 2.240 (0.590 - 3.810)               | 9.84                | 99               |
| 20+22+35+71              | 1.35                  | 1.49   | 2.36   | 4.80   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 20+22+42+42              | 1.56                  | 1.71   | 3.27   | 3.27   | -      | 9.80 (3.40 - 12.70)  | 2.141 (0.590 - 3.821)               | 9.40                | 99               |
| 20+22+42+50              | 1.48                  | 1.63   | 3.10   | 3.69   | -      | 9.90 (3.40 - 13.00)  | 2.221 (0.590 - 3.821)               | 9.75                | 99               |
| 20+22+42+60              | 1.39                  | 1.53   | 2.92   | 4.17   | -      | 10.00 (3.40 - 13.30) | 2.264 (0.590 - 3.804)               | 9.94                | 99               |
| 20+22+42+71              | 1.29                  | 1.42   | 2.71   | 4.58   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 20+22+50+50              | 1.41                  | 1.55   | 3.52   | 3.52   | -      | 10.00 (3.40 - 13.30) | 2.281 (0.590 - 3.821)               | 10.02               | 99               |
| 20+22+50+60              | 1.32                  | 1.45   | 3.29   | 3.95   | -      | 10.00 (3.40 - 13.30) | 2.264 (0.590 - 3.804)               | 9.94                | 99               |
| 20+22+50+71              | 1.23                  | 1.35   | 3.07   | 4.36   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 20+22+60+60              | 1.23                  | 1.36   | 3.70   | 3.70   | -      | 10.00 (3.50 - 13.30) | 2.247 (0.590 - 3.787)               | 9.87                | 99               |
| 20+25+25+25              | 1.92                  | 2.39   | 2.39   | 2.39   | -      | 9.10 (3.40 - 11.60)  | 1.873 (0.590 - 3.833)               | 8.23                | 99               |
| 20+25+25+35              | 1.79                  | 2.24   | 2.24   | 3.13   | -      | 9.40 (3.40 - 11.80)  | 1.953 (0.590 - 3.833)               | 8.58                | 99               |
| 20+25+25+42              | 1.70                  | 2.12   | 2.12   | 3.56   | -      | 9.50 (3.40 - 12.10)  | 2.017 (0.590 - 3.827)               | 8.86                | 99               |
| 20+25+25+50              | 1.62                  | 2.02   | 2.02   | 4.04   | -      | 9.70 (3.40 - 12.50)  | 2.097 (0.590 - 3.827)               | 9.21                | 99               |
| 20+25+25+60              | 1.51                  | 1.88   | 1.88   | 4.52   | -      | 9.80 (3.40 - 12.90)  | 2.170 (0.590 - 3.810)               | 9.53                | 99               |
| 20+25+25+71              | 1.42                  | 1.77   | 1.77   | 5.04   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 20+25+35+35              | 1.67                  | 2.09   | 2.92   | 2.92   | -      | 9.60 (3.40 - 12.20)  | 2.053 (0.590 - 3.833)               | 9.02                | 99               |
| 20+25+35+42              | 1.59                  | 1.99   | 2.78   | 3.34   | -      | 9.70 (3.40 - 12.50)  | 2.107 (0.590 - 3.827)               | 9.25                | 99               |
| 20+25+35+50              | 1.51                  | 1.88   | 2.64   | 3.77   | -      | 9.80 (3.40 - 12.90)  | 2.187 (0.590 - 3.827)               | 9.60                | 99               |
| 20+25+35+60              | 1.43                  | 1.79   | 2.50   | 4.29   | -      | 10.00 (3.40 - 13.30) | 2.270 (0.590 - 3.810)               | 9.97                | 99               |
| 20+25+35+71              | 1.32                  | 1.66   | 2.32   | 4.70   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 20+25+42+42              | 1.52                  | 1.90   | 3.19   | 3.19   | -      | 9.80 (3.40 - 12.80)  | 2.171 (0.590 - 3.821)               | 9.53                | 99               |
| 20+25+42+50              | 1.45                  | 1.81   | 3.04   | 3.61   | -      | 9.90 (3.40 - 13.20)  | 2.251 (0.590 - 3.821)               | 9.89                | 99               |
| 20+25+42+60              | 1.36                  | 1.70   | 2.86   | 4.08   | -      | 10.00 (3.40 - 13.30) | 2.264 (0.590 - 3.804)               | 9.94                | 99               |
| 20+25+42+71              | 1.27                  | 1.58   | 2.66   | 4.49   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 20+25+50+50              | 1.38                  | 1.72   | 3.45   | 3.45   | -      | 10.00 (3.40 - 13.30) | 2.281 (0.590 - 3.821)               | 10.02               | 99               |
| 20+25+50+60              | 1.29                  | 1.61   | 3.23   | 3.87   | -      | 10.00 (3.50 - 13.30) | 2.264 (0.590 - 3.804)               | 9.94                | 99               |
| 20+25+50+71              | 1.20                  | 1.51   | 3.01   | 4.28   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 20+25+60+60              | 1.21                  | 1.52   | 3.64   | 3.64   | -      | 10.00 (3.50 - 13.30) | 2.247 (0.590 - 3.787)               | 9.87                | 99               |
| 20+35+35+35              | 1.55                  | 2.72   | 2.72   | 2.72   | -      | 9.70 (3.40 - 12.70)  | 2.143 (0.590 - 3.833)               | 9.41                | 99               |
| 20+35+35+42              | 1.50                  | 2.63   | 2.63   | 3.15   | -      | 9.90 (3.40 - 13.00)  | 2.207 (0.590 - 3.827)               | 9.69                | 99               |
| 20+35+35+50              | 1.43                  | 2.50   | 2.50   | 3.57   | -      | 10.00 (3.40 - 13.30) | 2.287 (0.590 - 3.827)               | 10.04               | 99               |
| 20+35+35+60              | 1.33                  | 2.33   | 2.33   | 4.00   | -      | 10.00 (3.40 - 13.30) | 2.270 (0.590 - 3.810)               | 9.97                | 99               |
| 20+35+35+71              | 1.24                  | 2.17   | 2.17   | 4.41   | -      | 10.00 (3.50 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 20+35+42+42              | 1.44                  | 2.52   | 3.02   | 3.02   | -      | 10.00 (3.40 - 13.30) | 2.271 (0.590 - 3.821)               | 9.97                | 99               |
| 20+35+42+50              | 1.36                  | 2.38   | 2.86   | 3.40   | -      | 10.00 (3.40 - 13.30) | 2.281 (0.590 - 3.821)               | 10.02               | 99               |
| 20+35+42+60              | 1.27                  | 2.23   | 2.68   | 3.82   | -      | 10.00 (3.50 - 13.30) | 2.264 (0.590 - 3.804)               | 9.94                | 99               |
| 20+35+42+71              | 1.19                  | 2.08   | 2.50   | 4.23   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 20+35+50+50              | 1.29                  | 2.26   | 3.23   | 3.23   | -      | 10.00 (3.50 - 13.30) | 2.281 (0.590 - 3.821)               | 10.02               | 99               |
| 20+35+50+60              | 1.21                  | 2.12   | 3.03   | 3.64   | -      | 10.00 (3.50 - 13.30) | 2.264 (0.590 - 3.804)               | 9.94                | 99               |
| 20+42+42+42              | 1.37                  | 2.88   | 2.88   | 2.88   | -      | 10.00 (3.40 - 13.30) | 2.275 (0.590 - 3.815)               | 9.99                | 99               |
| 20+42+42+50              | 1.30                  | 2.73   | 2.73   | 3.25   | -      | 10.00 (3.50 - 13.30) | 2.275 (0.590 - 3.815)               | 9.99                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 20+42+42+60              | 1.22                  | 2.56   | 2.56   | 3.66   | -      | 10.00 (3.50 - 13.30) | 2.258 (0.590 - 3.798)               | 9.92                | 99               |
| 20+42+50+50              | 1.23                  | 2.59   | 3.09   | 3.09   | -      | 10.00 (3.50 - 13.30) | 2.275 (0.590 - 3.815)               | 9.99                | 99               |
| 20+42+50+60              | 1.16                  | 2.44   | 2.91   | 3.49   | -      | 10.00 (3.50 - 13.30) | 2.258 (0.590 - 3.798)               | 9.92                | 99               |
| 20+50+50+50              | 1.18                  | 2.94   | 2.94   | 2.94   | -      | 10.00 (3.50 - 13.30) | 2.275 (0.590 - 3.815)               | 9.99                | 99               |
| 22+22+22+22              | 2.33                  | 2.33   | 2.33   | 2.33   | -      | 9.30 (3.40 - 11.60)  | 1.896 (0.590 - 3.826)               | 8.33                | 99               |
| 22+22+22+25              | 2.20                  | 2.20   | 2.20   | 2.50   | -      | 9.10 (3.40 - 11.60)  | 1.866 (0.590 - 3.826)               | 8.19                | 99               |
| 22+22+22+35              | 2.03                  | 2.03   | 2.03   | 3.22   | -      | 9.30 (3.40 - 11.60)  | 1.906 (0.590 - 3.826)               | 8.37                | 99               |
| 22+22+22+42              | 1.91                  | 1.91   | 1.91   | 3.66   | -      | 9.40 (3.40 - 11.90)  | 1.970 (0.590 - 3.820)               | 8.65                | 99               |
| 22+22+22+50              | 1.82                  | 1.82   | 1.82   | 4.14   | -      | 9.60 (3.40 - 12.30)  | 2.050 (0.590 - 3.820)               | 9.00                | 99               |
| 22+22+22+60              | 1.71                  | 1.71   | 1.71   | 4.67   | -      | 9.80 (3.40 - 12.70)  | 2.123 (0.590 - 3.803)               | 9.32                | 99               |
| 22+22+22+71              | 1.59                  | 1.59   | 1.59   | 5.13   | -      | 9.90 (3.40 - 13.20)  | 2.237 (0.590 - 3.807)               | 9.82                | 99               |
| 22+22+25+25              | 2.13                  | 2.13   | 2.42   | 2.42   | -      | 9.10 (3.40 - 11.60)  | 1.866 (0.590 - 3.826)               | 8.19                | 99               |
| 22+22+25+35              | 1.99                  | 1.99   | 2.26   | 3.16   | -      | 9.40 (3.40 - 11.80)  | 1.936 (0.590 - 3.826)               | 8.50                | 99               |
| 22+22+25+42              | 1.88                  | 1.88   | 2.14   | 3.59   | -      | 9.50 (3.40 - 12.10)  | 2.000 (0.590 - 3.820)               | 8.78                | 99               |
| 22+22+25+50              | 1.77                  | 1.77   | 2.02   | 4.03   | -      | 9.60 (3.40 - 12.40)  | 2.080 (0.590 - 3.820)               | 9.13                | 99               |
| 22+22+25+60              | 1.67                  | 1.67   | 1.90   | 4.56   | -      | 9.80 (3.40 - 12.80)  | 2.153 (0.590 - 3.803)               | 9.46                | 99               |
| 22+22+25+71              | 1.57                  | 1.57   | 1.79   | 5.07   | -      | 10.00 (3.40 - 13.30) | 2.267 (0.590 - 3.807)               | 9.96                | 99               |
| 22+22+35+35              | 1.83                  | 1.83   | 2.92   | 2.92   | -      | 9.50 (3.40 - 12.20)  | 2.036 (0.590 - 3.826)               | 8.94                | 99               |
| 22+22+35+42              | 1.76                  | 1.76   | 2.81   | 3.37   | -      | 9.70 (3.40 - 12.50)  | 2.090 (0.590 - 3.820)               | 9.18                | 99               |
| 22+22+35+50              | 1.67                  | 1.67   | 2.66   | 3.80   | -      | 9.80 (3.40 - 12.80)  | 2.170 (0.590 - 3.820)               | 9.53                | 99               |
| 22+22+35+60              | 1.58                  | 1.58   | 2.52   | 4.32   | -      | 10.00 (3.40 - 13.30) | 2.253 (0.590 - 3.803)               | 9.89                | 99               |
| 22+22+35+71              | 1.47                  | 1.47   | 2.33   | 4.73   | -      | 10.00 (3.40 - 13.30) | 2.267 (0.590 - 3.807)               | 9.96                | 99               |
| 22+22+42+42              | 1.68                  | 1.68   | 3.22   | 3.22   | -      | 9.80 (3.40 - 12.80)  | 2.154 (0.590 - 3.814)               | 9.46                | 99               |
| 22+22+42+50              | 1.60                  | 1.60   | 3.06   | 3.64   | -      | 9.90 (3.40 - 13.10)  | 2.234 (0.590 - 3.814)               | 9.81                | 99               |
| 22+22+42+60              | 1.51                  | 1.51   | 2.88   | 4.11   | -      | 10.00 (3.40 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 22+22+42+71              | 1.40                  | 1.40   | 2.68   | 4.52   | -      | 10.00 (3.50 - 13.30) | 2.261 (0.590 - 3.801)               | 9.93                | 99               |
| 22+22+50+50              | 1.53                  | 1.53   | 3.47   | 3.47   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 22+22+50+60              | 1.43                  | 1.43   | 3.25   | 3.90   | -      | 10.00 (3.50 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 22+22+50+71              | 1.33                  | 1.33   | 3.03   | 4.30   | -      | 10.00 (3.50 - 13.30) | 2.261 (0.590 - 3.801)               | 9.93                | 99               |
| 22+22+60+60              | 1.34                  | 1.34   | 3.66   | 3.66   | -      | 10.00 (3.50 - 13.30) | 2.240 (0.590 - 3.780)               | 9.84                | 99               |
| 22+25+25+25              | 2.06                  | 2.35   | 2.35   | 2.35   | -      | 9.10 (3.40 - 11.60)  | 1.866 (0.590 - 3.826)               | 8.19                | 99               |
| 22+25+25+35              | 1.93                  | 2.20   | 2.20   | 3.07   | -      | 9.40 (3.40 - 11.90)  | 1.966 (0.590 - 3.826)               | 8.63                | 99               |
| 22+25+25+42              | 1.83                  | 2.08   | 2.08   | 3.50   | -      | 9.50 (3.40 - 12.20)  | 2.030 (0.590 - 3.820)               | 8.92                | 99               |
| 22+25+25+50              | 1.75                  | 1.99   | 1.99   | 3.98   | -      | 9.70 (3.40 - 12.50)  | 2.100 (0.590 - 3.820)               | 9.22                | 99               |
| 22+25+25+60              | 1.65                  | 1.88   | 1.88   | 4.50   | -      | 9.90 (3.40 - 13.00)  | 2.183 (0.590 - 3.803)               | 9.59                | 99               |
| 22+25+25+71              | 1.54                  | 1.75   | 1.75   | 4.97   | -      | 10.00 (3.40 - 13.30) | 2.267 (0.590 - 3.807)               | 9.96                | 99               |
| 22+25+35+35              | 1.81                  | 2.05   | 2.87   | 2.87   | -      | 9.60 (3.40 - 12.30)  | 2.066 (0.590 - 3.826)               | 9.07                | 99               |
| 22+25+35+42              | 1.72                  | 1.96   | 2.74   | 3.29   | -      | 9.70 (3.40 - 12.60)  | 2.120 (0.590 - 3.820)               | 9.31                | 99               |
| 22+25+35+50              | 1.65                  | 1.88   | 2.63   | 3.75   | -      | 9.90 (3.40 - 13.00)  | 2.200 (0.590 - 3.820)               | 9.66                | 99               |
| 22+25+35+60              | 1.55                  | 1.76   | 2.46   | 4.23   | -      | 10.00 (3.40 - 13.30) | 2.263 (0.590 - 3.803)               | 9.94                | 99               |
| 22+25+35+71              | 1.44                  | 1.63   | 2.29   | 4.64   | -      | 10.00 (3.40 - 13.30) | 2.267 (0.590 - 3.807)               | 9.96                | 99               |
| 22+25+42+42              | 1.65                  | 1.87   | 3.14   | 3.14   | -      | 9.80 (3.40 - 12.90)  | 2.184 (0.590 - 3.814)               | 9.59                | 99               |
| 22+25+42+50              | 1.58                  | 1.80   | 3.02   | 3.60   | -      | 10.00 (3.40 - 13.30) | 2.264 (0.590 - 3.814)               | 9.94                | 99               |
| 22+25+42+60              | 1.48                  | 1.68   | 2.82   | 4.03   | -      | 10.00 (3.40 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 22+25+42+71              | 1.38                  | 1.56   | 2.63   | 4.44   | -      | 10.00 (3.50 - 13.30) | 2.261 (0.590 - 3.801)               | 9.93                | 99               |
| 22+25+50+50              | 1.50                  | 1.70   | 3.40   | 3.40   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 22+25+50+60              | 1.40                  | 1.59   | 3.18   | 3.82   | -      | 10.00 (3.50 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 22+25+50+71              | 1.31                  | 1.49   | 2.98   | 4.23   | -      | 10.00 (3.50 - 13.30) | 2.261 (0.590 - 3.801)               | 9.93                | 99               |
| 22+25+60+60              | 1.32                  | 1.50   | 3.59   | 3.59   | -      | 10.00 (3.50 - 13.30) | 2.240 (0.590 - 3.780)               | 9.84                | 99               |
| 22+35+35+35              | 1.70                  | 2.70   | 2.70   | 2.70   | -      | 9.80 (3.40 - 12.70)  | 2.156 (0.590 - 3.826)               | 9.47                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 22+35+35+42              | 1.63                  | 2.59   | 2.59   | 3.10   | -      | 9.90 (3.40 - 13.00)  | 2.220 (0.590 - 3.820)               | 9.75                | 99               |
| 22+35+35+50              | 1.55                  | 2.46   | 2.46   | 3.52   | -      | 10.00 (3.40 - 13.30) | 2.280 (0.590 - 3.820)               | 10.01               | 99               |
| 22+35+35+60              | 1.45                  | 2.30   | 2.30   | 3.95   | -      | 10.00 (3.40 - 13.30) | 2.263 (0.590 - 3.803)               | 9.94                | 99               |
| 22+35+35+71              | 1.35                  | 2.15   | 2.15   | 4.36   | -      | 10.00 (3.50 - 13.30) | 2.267 (0.590 - 3.807)               | 9.96                | 99               |
| 22+35+42+42              | 1.56                  | 2.48   | 2.98   | 2.98   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 22+35+42+50              | 1.48                  | 2.35   | 2.82   | 3.36   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 22+35+42+60              | 1.38                  | 2.20   | 2.64   | 3.77   | -      | 10.00 (3.50 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 22+35+42+71              | 1.29                  | 2.06   | 2.47   | 4.18   | -      | 10.00 (3.50 - 13.30) | 2.261 (0.590 - 3.801)               | 9.93                | 99               |
| 22+35+50+50              | 1.40                  | 2.23   | 3.18   | 3.18   | -      | 10.00 (3.50 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 22+35+50+60              | 1.32                  | 2.10   | 2.99   | 3.59   | -      | 10.00 (3.50 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 22+42+42+42              | 1.49                  | 2.84   | 2.84   | 2.84   | -      | 10.00 (3.40 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 22+42+42+50              | 1.41                  | 2.69   | 2.69   | 3.21   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 22+42+42+60              | 1.33                  | 2.53   | 2.53   | 3.61   | -      | 10.00 (3.50 - 13.30) | 2.251 (0.590 - 3.791)               | 9.89                | 99               |
| 22+42+50+50              | 1.34                  | 2.56   | 3.05   | 3.05   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 22+50+50+50              | 1.28                  | 2.91   | 2.91   | 2.91   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 25+25+25+25              | 2.33                  | 2.33   | 2.33   | 2.33   | -      | 9.30 (3.40 - 11.60)  | 1.896 (0.590 - 3.826)               | 8.33                | 99               |
| 25+25+25+35              | 2.16                  | 2.16   | 2.16   | 3.02   | -      | 9.50 (3.40 - 12.00)  | 1.996 (0.590 - 3.826)               | 8.77                | 99               |
| 25+25+25+42              | 2.05                  | 2.05   | 2.05   | 3.45   | -      | 9.60 (3.40 - 12.30)  | 2.060 (0.590 - 3.820)               | 9.05                | 99               |
| 25+25+25+50              | 1.94                  | 1.94   | 1.94   | 3.88   | -      | 9.70 (3.40 - 12.70)  | 2.130 (0.590 - 3.820)               | 9.35                | 99               |
| 25+25+25+60              | 1.83                  | 1.83   | 1.83   | 4.40   | -      | 9.90 (3.40 - 13.10)  | 2.213 (0.590 - 3.803)               | 9.72                | 99               |
| 25+25+25+71              | 1.71                  | 1.71   | 1.71   | 4.86   | -      | 10.00 (3.40 - 13.30) | 2.267 (0.590 - 3.807)               | 9.96                | 99               |
| 25+25+35+35              | 2.02                  | 2.02   | 2.83   | 2.83   | -      | 9.70 (3.40 - 12.50)  | 2.096 (0.590 - 3.826)               | 9.21                | 99               |
| 25+25+35+42              | 1.93                  | 1.93   | 2.70   | 3.24   | -      | 9.80 (3.40 - 12.70)  | 2.150 (0.590 - 3.820)               | 9.44                | 99               |
| 25+25+35+50              | 1.83                  | 1.83   | 2.57   | 3.67   | -      | 9.90 (3.40 - 13.10)  | 2.230 (0.590 - 3.820)               | 9.79                | 99               |
| 25+25+35+60              | 1.72                  | 1.72   | 2.41   | 4.14   | -      | 10.00 (3.40 - 13.30) | 2.263 (0.590 - 3.803)               | 9.94                | 99               |
| 25+25+35+71              | 1.60                  | 1.60   | 2.24   | 4.55   | -      | 10.00 (3.50 - 13.30) | 2.267 (0.590 - 3.807)               | 9.96                | 99               |
| 25+25+42+42              | 1.85                  | 1.85   | 3.10   | 3.10   | -      | 9.90 (3.40 - 13.00)  | 2.214 (0.590 - 3.814)               | 9.72                | 99               |
| 25+25+42+50              | 1.76                  | 1.76   | 2.96   | 3.52   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 25+25+42+60              | 1.64                  | 1.64   | 2.76   | 3.95   | -      | 10.00 (3.40 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 25+25+42+71              | 1.53                  | 1.53   | 2.58   | 4.36   | -      | 10.00 (3.50 - 13.30) | 2.261 (0.590 - 3.801)               | 9.93                | 99               |
| 25+25+50+50              | 1.67                  | 1.67   | 3.33   | 3.33   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 25+25+50+60              | 1.56                  | 1.56   | 3.13   | 3.75   | -      | 10.00 (3.50 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 25+25+50+71              | 1.46                  | 1.46   | 2.92   | 4.15   | -      | 10.00 (3.50 - 13.30) | 2.261 (0.590 - 3.801)               | 9.93                | 99               |
| 25+25+60+60              | 1.47                  | 1.47   | 3.53   | 3.53   | -      | 10.00 (3.50 - 13.30) | 2.240 (0.590 - 3.780)               | 9.84                | 99               |
| 25+35+35+35              | 1.88                  | 2.64   | 2.64   | 2.64   | -      | 9.80 (3.40 - 12.90)  | 2.186 (0.590 - 3.826)               | 9.60                | 99               |
| 25+35+35+42              | 1.81                  | 2.53   | 2.53   | 3.04   | -      | 9.90 (3.40 - 13.20)  | 2.250 (0.590 - 3.820)               | 9.88                | 99               |
| 25+35+35+50              | 1.72                  | 2.41   | 2.41   | 3.45   | -      | 10.00 (3.40 - 13.30) | 2.280 (0.590 - 3.820)               | 10.01               | 99               |
| 25+35+35+60              | 1.61                  | 2.26   | 2.26   | 3.87   | -      | 10.00 (3.50 - 13.30) | 2.263 (0.590 - 3.803)               | 9.94                | 99               |
| 25+35+35+71              | 1.51                  | 2.11   | 2.11   | 4.28   | -      | 10.00 (3.50 - 13.30) | 2.267 (0.590 - 3.807)               | 9.96                | 99               |
| 25+35+42+42              | 1.74                  | 2.43   | 2.92   | 2.92   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 25+35+42+50              | 1.64                  | 2.30   | 2.76   | 3.29   | -      | 10.00 (3.40 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 25+35+42+60              | 1.54                  | 2.16   | 2.59   | 3.70   | -      | 10.00 (3.50 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 25+35+50+50              | 1.56                  | 2.19   | 3.13   | 3.13   | -      | 10.00 (3.50 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 25+35+50+60              | 1.47                  | 2.06   | 2.94   | 3.53   | -      | 10.00 (3.50 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 25+42+42+42              | 1.66                  | 2.78   | 2.78   | 2.78   | -      | 10.00 (3.40 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 25+42+42+50              | 1.57                  | 2.64   | 2.64   | 3.14   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 25+42+42+60              | 1.48                  | 2.49   | 2.49   | 3.55   | -      | 10.00 (3.50 - 13.30) | 2.251 (0.590 - 3.791)               | 9.89                | 99               |
| 25+42+50+50              | 1.50                  | 2.51   | 2.99   | 2.99   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 35+35+35+35              | 2.50                  | 2.50   | 2.50   | 2.50   | -      | 10.00 (3.40 - 13.30) | 2.286 (0.590 - 3.826)               | 10.04               | 99               |
| 35+35+35+42              | 2.38                  | 2.38   | 2.38   | 2.86   | -      | 10.00 (3.40 - 13.30) | 2.280 (0.590 - 3.820)               | 10.01               | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 35+35+35+50              | 2.26                  | 2.26   | 2.26   | 3.23   | -      | 10.00 (3.50 - 13.30) | 2.280 (0.590 - 3.820)               | 10.01               | 99               |
| 35+35+35+60              | 2.12                  | 2.12   | 2.12   | 3.64   | -      | 10.00 (3.50 - 13.30) | 2.263 (0.590 - 3.803)               | 9.94                | 99               |
| 35+35+42+42              | 2.27                  | 2.27   | 2.73   | 2.73   | -      | 10.00 (3.50 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 35+35+42+50              | 2.16                  | 2.16   | 2.59   | 3.09   | -      | 10.00 (3.50 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 35+35+42+60              | 2.03                  | 2.03   | 2.44   | 3.49   | -      | 10.00 (3.50 - 13.30) | 2.257 (0.590 - 3.797)               | 9.91                | 99               |
| 35+35+50+50              | 2.06                  | 2.06   | 2.94   | 2.94   | -      | 10.00 (3.50 - 13.30) | 2.274 (0.590 - 3.814)               | 9.99                | 99               |
| 35+42+42+42              | 2.17                  | 2.61   | 2.61   | 2.61   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 35+42+42+50              | 2.07                  | 2.49   | 2.49   | 2.96   | -      | 10.00 (3.50 - 13.30) | 2.268 (0.590 - 3.808)               | 9.96                | 99               |
| 42+42+42+42              | 2.50                  | 2.50   | 2.50   | 2.50   | -      | 10.00 (3.50 - 13.30) | 2.262 (0.590 - 3.802)               | 9.93                | 99               |
| 15+15+15+15+15           | 1.90                  | 1.90   | 1.90   | 1.90   | 1.90   | 9.50 (4.10 - 13.00)  | 2.225 (0.640 - 3.945)               | 9.77                | 99               |
| 15+15+15+15+22           | 1.75                  | 1.75   | 1.75   | 1.75   | 2.56   | 9.55 (4.10 - 13.14)  | 2.186 (0.640 - 3.936)               | 9.60                | 99               |
| 15+15+15+15+25           | 1.69                  | 1.69   | 1.69   | 1.69   | 2.82   | 9.60 (4.10 - 13.20)  | 2.166 (0.640 - 3.936)               | 9.51                | 99               |
| 15+15+15+15+35           | 1.52                  | 1.52   | 1.52   | 1.52   | 3.54   | 9.60 (4.10 - 13.40)  | 2.116 (0.640 - 3.936)               | 9.29                | 99               |
| 15+15+15+15+42           | 1.41                  | 1.41   | 1.41   | 1.41   | 3.95   | 9.60 (4.10 - 13.54)  | 2.080 (0.640 - 3.930)               | 9.13                | 99               |
| 15+15+15+15+50           | 1.31                  | 1.31   | 1.31   | 1.31   | 4.36   | 9.60 (4.10 - 13.70)  | 2.040 (0.640 - 3.930)               | 8.96                | 99               |
| 15+15+15+15+60           | 1.20                  | 1.20   | 1.20   | 1.20   | 4.80   | 9.60 (4.10 - 13.90)  | 1.973 (0.640 - 3.913)               | 8.66                | 99               |
| 15+15+15+15+71           | 1.10                  | 1.10   | 1.10   | 1.10   | 5.20   | 9.60 (4.10 - 14.00)  | 1.957 (0.640 - 3.917)               | 8.59                | 99               |
| 15+15+15+20+20           | 1.68                  | 1.68   | 1.68   | 2.24   | 2.24   | 9.50 (4.10 - 13.20)  | 2.171 (0.640 - 3.941)               | 9.53                | 99               |
| 15+15+15+20+22           | 1.65                  | 1.65   | 1.65   | 2.20   | 2.41   | 9.55 (4.10 - 13.24)  | 2.154 (0.640 - 3.934)               | 9.46                | 99               |
| 15+15+15+20+25           | 1.60                  | 1.60   | 1.60   | 2.13   | 2.67   | 9.60 (4.10 - 13.30)  | 2.144 (0.640 - 3.934)               | 9.42                | 99               |
| 15+15+15+20+35           | 1.44                  | 1.44   | 1.44   | 1.92   | 3.36   | 9.60 (4.10 - 13.50)  | 2.094 (0.640 - 3.934)               | 9.20                | 99               |
| 15+15+15+20+42           | 1.35                  | 1.35   | 1.35   | 1.79   | 3.77   | 9.60 (4.10 - 13.64)  | 2.058 (0.640 - 3.928)               | 9.04                | 99               |
| 15+15+15+20+50           | 1.25                  | 1.25   | 1.25   | 1.67   | 4.17   | 9.60 (4.10 - 13.80)  | 2.018 (0.640 - 3.928)               | 8.86                | 99               |
| 15+15+15+20+60           | 1.15                  | 1.15   | 1.15   | 1.54   | 4.61   | 9.60 (4.10 - 14.00)  | 1.951 (0.640 - 3.911)               | 8.57                | 99               |
| 15+15+15+20+71           | 1.06                  | 1.06   | 1.06   | 1.41   | 5.01   | 9.60 (4.10 - 14.00)  | 1.955 (0.640 - 3.915)               | 8.59                | 99               |
| 15+15+15+22+22           | 1.62                  | 1.62   | 1.62   | 2.37   | 2.37   | 9.60 (4.10 - 13.28)  | 2.137 (0.640 - 3.927)               | 9.39                | 99               |
| 15+15+15+22+25           | 1.57                  | 1.57   | 1.57   | 2.31   | 2.62   | 9.65 (4.10 - 13.34)  | 2.127 (0.640 - 3.927)               | 9.34                | 99               |
| 15+15+15+22+35           | 1.42                  | 1.42   | 1.42   | 2.08   | 3.31   | 9.65 (4.10 - 13.54)  | 2.077 (0.640 - 3.927)               | 9.12                | 99               |
| 15+15+15+22+42           | 1.33                  | 1.33   | 1.33   | 1.95   | 3.72   | 9.65 (4.10 - 13.68)  | 2.041 (0.640 - 3.921)               | 8.96                | 99               |
| 15+15+15+22+50           | 1.24                  | 1.24   | 1.24   | 1.81   | 4.12   | 9.65 (4.10 - 13.84)  | 2.001 (0.640 - 3.921)               | 8.79                | 99               |
| 15+15+15+22+60           | 1.14                  | 1.14   | 1.14   | 1.67   | 4.56   | 9.65 (4.10 - 14.00)  | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+15+15+22+71           | 1.05                  | 1.05   | 1.05   | 1.54   | 4.96   | 9.65 (4.10 - 14.00)  | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 15+15+15+25+25           | 1.53                  | 1.53   | 1.53   | 2.55   | 2.55   | 9.70 (4.10 - 13.40)  | 2.107 (0.640 - 3.927)               | 9.25                | 99               |
| 15+15+15+25+35           | 1.39                  | 1.39   | 1.39   | 2.31   | 3.23   | 9.70 (4.10 - 13.60)  | 2.067 (0.640 - 3.927)               | 9.08                | 99               |
| 15+15+15+25+42           | 1.30                  | 1.30   | 1.30   | 2.17   | 3.64   | 9.70 (4.10 - 13.74)  | 2.021 (0.640 - 3.921)               | 8.88                | 99               |
| 15+15+15+25+50           | 1.21                  | 1.21   | 1.21   | 2.02   | 4.04   | 9.70 (4.10 - 13.90)  | 1.981 (0.640 - 3.921)               | 8.70                | 99               |
| 15+15+15+25+60           | 1.12                  | 1.12   | 1.12   | 1.87   | 4.48   | 9.70 (4.10 - 14.00)  | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+15+15+25+71           | 1.03                  | 1.03   | 1.03   | 1.72   | 4.88   | 9.70 (4.10 - 14.00)  | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 15+15+15+35+35           | 1.27                  | 1.27   | 1.27   | 2.95   | 2.95   | 9.70 (4.10 - 13.80)  | 2.017 (0.640 - 3.927)               | 8.86                | 99               |
| 15+15+15+35+42           | 1.19                  | 1.19   | 1.19   | 2.78   | 3.34   | 9.70 (4.10 - 13.94)  | 1.971 (0.640 - 3.921)               | 8.66                | 99               |
| 15+15+15+35+50           | 1.12                  | 1.12   | 1.12   | 2.61   | 3.73   | 9.70 (4.10 - 14.00)  | 1.961 (0.640 - 3.921)               | 8.61                | 99               |
| 15+15+15+35+60           | 1.04                  | 1.04   | 1.04   | 2.43   | 4.16   | 9.70 (4.10 - 14.00)  | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+15+15+35+71           | 0.96                  | 0.96   | 0.96   | 2.25   | 4.56   | 9.70 (4.10 - 14.00)  | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 15+15+15+42+42           | 1.13                  | 1.13   | 1.13   | 3.16   | 3.16   | 9.70 (4.10 - 14.00)  | 1.955 (0.640 - 3.915)               | 8.59                | 99               |
| 15+15+15+42+50           | 1.06                  | 1.06   | 1.06   | 2.97   | 3.54   | 9.70 (4.10 - 14.00)  | 1.955 (0.640 - 3.915)               | 8.59                | 99               |
| 15+15+15+42+60           | 0.99                  | 0.99   | 0.99   | 2.77   | 3.96   | 9.70 (4.10 - 14.00)  | 1.938 (0.640 - 3.898)               | 8.51                | 99               |
| 15+15+15+42+71           | 0.92                  | 0.92   | 0.92   | 2.58   | 4.36   | 9.70 (4.10 - 14.00)  | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 15+15+15+50+50           | 1.00                  | 1.00   | 1.00   | 3.34   | 3.34   | 9.70 (4.10 - 14.00)  | 1.955 (0.640 - 3.915)               | 8.59                | 99               |
| 15+15+15+50+60           | 0.94                  | 0.94   | 0.94   | 3.13   | 3.75   | 9.70 (4.10 - 14.00)  | 1.938 (0.640 - 3.898)               | 8.51                | 99               |
| 15+15+15+50+71           | 0.88                  | 0.88   | 0.88   | 2.92   | 4.15   | 9.70 (4.10 - 14.00)  | 1.942 (0.640 - 3.902)               | 8.53                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+15+15+60+60           | 0.88                  | 0.88   | 0.88   | 3.53   | 3.53   | 9.70 (4.10 - 14.00) | 1.921 (0.640 - 3.881)               | 8.44                | 99               |
| 15+15+20+20+20           | 1.58                  | 1.58   | 2.11   | 2.11   | 2.11   | 9.50 (4.10 - 13.30) | 2.149 (0.640 - 3.939)               | 9.44                | 99               |
| 15+15+20+20+22           | 1.56                  | 1.56   | 2.08   | 2.08   | 2.28   | 9.55 (4.10 - 13.34) | 2.132 (0.640 - 3.932)               | 9.36                | 99               |
| 15+15+20+20+25           | 1.52                  | 1.52   | 2.02   | 2.02   | 2.53   | 9.60 (4.10 - 13.40) | 2.112 (0.640 - 3.932)               | 9.28                | 99               |
| 15+15+20+20+35           | 1.37                  | 1.37   | 1.83   | 1.83   | 3.20   | 9.60 (4.10 - 13.60) | 2.072 (0.640 - 3.932)               | 9.10                | 99               |
| 15+15+20+20+42           | 1.29                  | 1.29   | 1.71   | 1.71   | 3.60   | 9.60 (4.10 - 13.74) | 2.026 (0.640 - 3.926)               | 8.90                | 99               |
| 15+15+20+20+50           | 1.20                  | 1.20   | 1.60   | 1.60   | 4.00   | 9.60 (4.10 - 13.90) | 1.986 (0.640 - 3.926)               | 8.72                | 99               |
| 15+15+20+20+60           | 1.11                  | 1.11   | 1.48   | 1.48   | 4.43   | 9.60 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 15+15+20+20+71           | 1.02                  | 1.02   | 1.36   | 1.36   | 4.83   | 9.60 (4.10 - 14.00) | 1.953 (0.640 - 3.913)               | 8.58                | 99               |
| 15+15+20+22+22           | 1.53                  | 1.53   | 2.04   | 2.25   | 2.25   | 9.60 (4.10 - 13.38) | 2.115 (0.640 - 3.925)               | 9.29                | 99               |
| 15+15+20+22+25           | 1.49                  | 1.49   | 1.99   | 2.19   | 2.49   | 9.65 (4.10 - 13.44) | 2.095 (0.640 - 3.925)               | 9.20                | 99               |
| 15+15+20+22+35           | 1.35                  | 1.35   | 1.80   | 1.98   | 3.16   | 9.65 (4.10 - 13.64) | 2.055 (0.640 - 3.925)               | 9.03                | 99               |
| 15+15+20+22+42           | 1.27                  | 1.27   | 1.69   | 1.86   | 3.56   | 9.65 (4.10 - 13.78) | 2.009 (0.640 - 3.919)               | 8.82                | 99               |
| 15+15+20+22+50           | 1.19                  | 1.19   | 1.58   | 1.74   | 3.95   | 9.65 (4.10 - 13.94) | 1.969 (0.640 - 3.919)               | 8.65                | 99               |
| 15+15+20+22+60           | 1.10                  | 1.10   | 1.46   | 1.61   | 4.39   | 9.65 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 15+15+20+22+71           | 1.01                  | 1.01   | 1.35   | 1.48   | 4.79   | 9.65 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+20+25+25           | 1.46                  | 1.46   | 1.94   | 2.43   | 2.43   | 9.70 (4.10 - 13.50) | 2.085 (0.640 - 3.925)               | 9.16                | 99               |
| 15+15+20+25+35           | 1.32                  | 1.32   | 1.76   | 2.20   | 3.09   | 9.70 (4.10 - 13.70) | 2.035 (0.640 - 3.925)               | 8.94                | 99               |
| 15+15+20+25+42           | 1.24                  | 1.24   | 1.66   | 2.07   | 3.48   | 9.70 (4.10 - 13.84) | 1.999 (0.640 - 3.919)               | 8.78                | 99               |
| 15+15+20+25+50           | 1.16                  | 1.16   | 1.55   | 1.94   | 3.88   | 9.70 (4.10 - 14.00) | 1.959 (0.640 - 3.919)               | 8.60                | 99               |
| 15+15+20+25+60           | 1.08                  | 1.08   | 1.44   | 1.80   | 4.31   | 9.70 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 15+15+20+25+71           | 1.00                  | 1.00   | 1.33   | 1.66   | 4.72   | 9.70 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+20+35+35           | 1.21                  | 1.21   | 1.62   | 2.83   | 2.83   | 9.70 (4.10 - 13.90) | 1.985 (0.640 - 3.925)               | 8.72                | 99               |
| 15+15+20+35+42           | 1.15                  | 1.15   | 1.53   | 2.67   | 3.21   | 9.70 (4.10 - 14.00) | 1.959 (0.640 - 3.919)               | 8.60                | 99               |
| 15+15+20+35+50           | 1.08                  | 1.08   | 1.44   | 2.51   | 3.59   | 9.70 (4.10 - 14.00) | 1.959 (0.640 - 3.919)               | 8.60                | 99               |
| 15+15+20+35+60           | 1.00                  | 1.00   | 1.34   | 2.34   | 4.01   | 9.70 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 15+15+20+35+71           | 0.93                  | 0.93   | 1.24   | 2.18   | 4.41   | 9.70 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+20+42+42           | 1.09                  | 1.09   | 1.45   | 3.04   | 3.04   | 9.70 (4.10 - 14.00) | 1.953 (0.640 - 3.913)               | 8.58                | 99               |
| 15+15+20+42+50           | 1.02                  | 1.02   | 1.37   | 2.87   | 3.42   | 9.70 (4.10 - 14.00) | 1.953 (0.640 - 3.913)               | 8.58                | 99               |
| 15+15+20+42+60           | 0.96                  | 0.96   | 1.28   | 2.68   | 3.83   | 9.70 (4.10 - 14.00) | 1.936 (0.640 - 3.896)               | 8.50                | 99               |
| 15+15+20+42+71           | 0.89                  | 0.89   | 1.19   | 2.50   | 4.23   | 9.70 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 15+15+20+50+50           | 0.97                  | 0.97   | 1.29   | 3.23   | 3.23   | 9.70 (4.10 - 14.00) | 1.953 (0.640 - 3.913)               | 8.58                | 99               |
| 15+15+20+50+60           | 0.91                  | 0.91   | 1.21   | 3.03   | 3.64   | 9.70 (4.10 - 14.00) | 1.936 (0.640 - 3.896)               | 8.50                | 99               |
| 15+15+20+50+71           | 0.85                  | 0.85   | 1.13   | 2.84   | 4.03   | 9.70 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 15+15+20+60+60           | 0.86                  | 0.86   | 1.14   | 3.42   | 3.42   | 9.70 (4.10 - 14.00) | 1.919 (0.640 - 3.879)               | 8.43                | 99               |
| 15+15+22+22+22           | 1.51                  | 1.51   | 2.21   | 2.21   | 2.21   | 9.65 (4.10 - 13.42) | 2.098 (0.640 - 3.918)               | 9.21                | 99               |
| 15+15+22+22+25           | 1.47                  | 1.47   | 2.16   | 2.16   | 2.45   | 9.70 (4.10 - 13.48) | 2.078 (0.640 - 3.918)               | 9.13                | 99               |
| 15+15+22+22+35           | 1.33                  | 1.33   | 1.96   | 1.96   | 3.11   | 9.70 (4.10 - 13.68) | 2.038 (0.640 - 3.918)               | 8.95                | 99               |
| 15+15+22+22+42           | 1.25                  | 1.25   | 1.84   | 1.84   | 3.51   | 9.70 (4.10 - 13.82) | 1.992 (0.640 - 3.912)               | 8.75                | 99               |
| 15+15+22+22+50           | 1.17                  | 1.17   | 1.72   | 1.72   | 3.91   | 9.70 (4.10 - 13.98) | 1.952 (0.640 - 3.912)               | 8.57                | 99               |
| 15+15+22+22+60           | 1.09                  | 1.09   | 1.59   | 1.59   | 4.34   | 9.70 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 15+15+22+22+71           | 1.00                  | 1.00   | 1.47   | 1.47   | 4.75   | 9.70 (4.10 - 14.00) | 1.939 (0.640 - 3.899)               | 8.52                | 99               |
| 15+15+22+25+25           | 1.43                  | 1.43   | 2.10   | 2.39   | 2.39   | 9.75 (4.10 - 13.54) | 2.068 (0.640 - 3.918)               | 9.08                | 99               |
| 15+15+22+25+35           | 1.31                  | 1.31   | 1.92   | 2.18   | 3.05   | 9.75 (4.10 - 13.74) | 2.018 (0.640 - 3.918)               | 8.86                | 99               |
| 15+15+22+25+42           | 1.23                  | 1.23   | 1.80   | 2.05   | 3.44   | 9.75 (4.10 - 13.88) | 1.982 (0.640 - 3.912)               | 8.70                | 99               |
| 15+15+22+25+50           | 1.15                  | 1.15   | 1.69   | 1.92   | 3.84   | 9.75 (4.10 - 14.00) | 1.952 (0.640 - 3.912)               | 8.57                | 99               |
| 15+15+22+25+60           | 1.07                  | 1.07   | 1.57   | 1.78   | 4.27   | 9.75 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 15+15+22+25+71           | 0.99                  | 0.99   | 1.45   | 1.65   | 4.68   | 9.75 (4.10 - 14.00) | 1.939 (0.640 - 3.899)               | 8.52                | 99               |
| 15+15+22+35+35           | 1.20                  | 1.20   | 1.76   | 2.80   | 2.80   | 9.75 (4.10 - 13.94) | 1.968 (0.640 - 3.918)               | 8.64                | 99               |
| 15+15+22+35+42           | 1.13                  | 1.13   | 1.66   | 2.65   | 3.17   | 9.75 (4.10 - 14.00) | 1.952 (0.640 - 3.912)               | 8.57                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+15+22+35+50           | 1.07                  | 1.07   | 1.57   | 2.49   | 3.56   | 9.75 (4.10 - 14.00) | 1.952 (0.640 - 3.912)               | 8.57                | 99               |
| 15+15+22+35+60           | 0.99                  | 0.99   | 1.46   | 2.32   | 3.98   | 9.75 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 15+15+22+35+71           | 0.93                  | 0.93   | 1.36   | 2.16   | 4.38   | 9.75 (4.10 - 14.00) | 1.939 (0.640 - 3.899)               | 8.52                | 99               |
| 15+15+22+42+42           | 1.08                  | 1.08   | 1.58   | 3.01   | 3.01   | 9.75 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+22+42+50           | 1.02                  | 1.02   | 1.49   | 2.84   | 3.39   | 9.75 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+22+42+60           | 0.95                  | 0.95   | 1.39   | 2.66   | 3.80   | 9.75 (4.10 - 14.00) | 1.929 (0.640 - 3.889)               | 8.47                | 99               |
| 15+15+22+42+71           | 0.89                  | 0.89   | 1.30   | 2.48   | 4.20   | 9.75 (4.10 - 14.00) | 1.933 (0.640 - 3.893)               | 8.49                | 99               |
| 15+15+22+50+50           | 0.96                  | 0.96   | 1.41   | 3.21   | 3.21   | 9.75 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+22+50+60           | 0.90                  | 0.90   | 1.32   | 3.01   | 3.61   | 9.75 (4.10 - 14.00) | 1.929 (0.640 - 3.889)               | 8.47                | 99               |
| 15+15+22+60+60           | 0.85                  | 0.85   | 1.25   | 3.40   | 3.40   | 9.75 (4.10 - 14.00) | 1.912 (0.640 - 3.872)               | 8.40                | 99               |
| 15+15+25+25+25           | 1.40                  | 1.40   | 2.33   | 2.33   | 2.33   | 9.80 (4.10 - 13.60) | 2.058 (0.640 - 3.918)               | 9.04                | 99               |
| 15+15+25+25+35           | 1.28                  | 1.28   | 2.13   | 2.13   | 2.98   | 9.80 (4.10 - 13.80) | 2.008 (0.640 - 3.918)               | 8.82                | 99               |
| 15+15+25+25+42           | 1.20                  | 1.20   | 2.01   | 2.01   | 3.37   | 9.80 (4.10 - 13.94) | 1.962 (0.640 - 3.912)               | 8.62                | 99               |
| 15+15+25+25+50           | 1.13                  | 1.13   | 1.88   | 1.88   | 3.77   | 9.80 (4.10 - 14.00) | 1.952 (0.640 - 3.912)               | 8.57                | 99               |
| 15+15+25+25+60           | 1.05                  | 1.05   | 1.75   | 1.75   | 4.20   | 9.80 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 15+15+25+25+71           | 0.97                  | 0.97   | 1.62   | 1.62   | 4.61   | 9.80 (4.10 - 14.00) | 1.939 (0.640 - 3.899)               | 8.52                | 99               |
| 15+15+25+35+35           | 1.18                  | 1.18   | 1.96   | 2.74   | 2.74   | 9.80 (4.10 - 14.00) | 1.958 (0.640 - 3.918)               | 8.60                | 99               |
| 15+15+25+35+42           | 1.11                  | 1.11   | 1.86   | 2.60   | 3.12   | 9.80 (4.10 - 14.00) | 1.952 (0.640 - 3.912)               | 8.57                | 99               |
| 15+15+25+35+50           | 1.05                  | 1.05   | 1.75   | 2.45   | 3.50   | 9.80 (4.10 - 14.00) | 1.952 (0.640 - 3.912)               | 8.57                | 99               |
| 15+15+25+35+60           | 0.98                  | 0.98   | 1.63   | 2.29   | 3.92   | 9.80 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 15+15+25+35+71           | 0.91                  | 0.91   | 1.52   | 2.13   | 4.32   | 9.80 (4.10 - 14.00) | 1.939 (0.640 - 3.899)               | 8.52                | 99               |
| 15+15+25+42+42           | 1.06                  | 1.06   | 1.76   | 2.96   | 2.96   | 9.80 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+25+42+50           | 1.00                  | 1.00   | 1.67   | 2.80   | 3.33   | 9.80 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+25+42+60           | 0.94                  | 0.94   | 1.56   | 2.62   | 3.75   | 9.80 (4.10 - 14.00) | 1.929 (0.640 - 3.889)               | 8.47                | 99               |
| 15+15+25+42+71           | 0.88                  | 0.88   | 1.46   | 2.45   | 4.14   | 9.80 (4.10 - 14.00) | 1.933 (0.640 - 3.893)               | 8.49                | 99               |
| 15+15+25+50+50           | 0.95                  | 0.95   | 1.58   | 3.16   | 3.16   | 9.80 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+25+50+60           | 0.89                  | 0.89   | 1.48   | 2.97   | 3.56   | 9.80 (4.10 - 14.00) | 1.929 (0.640 - 3.889)               | 8.47                | 99               |
| 15+15+35+35+35           | 1.09                  | 1.09   | 2.54   | 2.54   | 2.54   | 9.80 (4.10 - 14.00) | 1.958 (0.640 - 3.918)               | 8.60                | 99               |
| 15+15+35+35+42           | 1.04                  | 1.04   | 2.42   | 2.42   | 2.90   | 9.80 (4.10 - 14.00) | 1.952 (0.640 - 3.912)               | 8.57                | 99               |
| 15+15+35+35+50           | 0.98                  | 0.98   | 2.29   | 2.29   | 3.27   | 9.80 (4.10 - 14.00) | 1.952 (0.640 - 3.912)               | 8.57                | 99               |
| 15+15+35+35+60           | 0.92                  | 0.92   | 2.14   | 2.14   | 3.68   | 9.80 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 15+15+35+35+71           | 0.86                  | 0.86   | 2.01   | 2.01   | 4.07   | 9.80 (4.10 - 14.00) | 1.939 (0.640 - 3.899)               | 8.52                | 99               |
| 15+15+35+42+42           | 0.99                  | 0.99   | 2.30   | 2.76   | 2.76   | 9.80 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+35+42+50           | 0.94                  | 0.94   | 2.18   | 2.62   | 3.12   | 9.80 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+35+42+60           | 0.88                  | 0.88   | 2.05   | 2.46   | 3.52   | 9.80 (4.10 - 14.00) | 1.929 (0.640 - 3.889)               | 8.47                | 99               |
| 15+15+35+50+50           | 0.89                  | 0.89   | 2.08   | 2.97   | 2.97   | 9.80 (4.10 - 14.00) | 1.946 (0.640 - 3.906)               | 8.55                | 99               |
| 15+15+42+42+42           | 0.94                  | 0.94   | 2.64   | 2.64   | 2.64   | 9.80 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 15+15+42+42+50           | 0.90                  | 0.90   | 2.51   | 2.51   | 2.99   | 9.80 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 15+15+42+50+50           | 0.85                  | 0.85   | 2.39   | 2.85   | 2.85   | 9.80 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 15+20+20+20+20           | 1.50                  | 2.00   | 2.00   | 2.00   | 2.00   | 9.50 (4.10 - 13.40) | 2.117 (0.640 - 3.937)               | 9.30                | 99               |
| 15+20+20+20+22           | 1.48                  | 1.97   | 1.97   | 1.97   | 2.17   | 9.55 (4.10 - 13.44) | 2.100 (0.640 - 3.930)               | 9.22                | 99               |
| 15+20+20+20+25           | 1.44                  | 1.92   | 1.92   | 1.92   | 2.40   | 9.60 (4.10 - 13.50) | 2.090 (0.640 - 3.930)               | 9.18                | 99               |
| 15+20+20+20+35           | 1.31                  | 1.75   | 1.75   | 1.75   | 3.05   | 9.60 (4.10 - 13.70) | 2.040 (0.640 - 3.930)               | 8.96                | 99               |
| 15+20+20+20+42           | 1.23                  | 1.64   | 1.64   | 1.64   | 3.45   | 9.60 (4.10 - 13.84) | 2.004 (0.640 - 3.924)               | 8.80                | 99               |
| 15+20+20+20+50           | 1.15                  | 1.54   | 1.54   | 1.54   | 3.84   | 9.60 (4.10 - 14.00) | 1.964 (0.640 - 3.924)               | 8.63                | 99               |
| 15+20+20+20+60           | 1.07                  | 1.42   | 1.42   | 1.42   | 4.27   | 9.60 (4.10 - 14.00) | 1.947 (0.640 - 3.907)               | 8.55                | 99               |
| 15+20+20+20+71           | 0.99                  | 1.32   | 1.32   | 1.32   | 4.67   | 9.60 (4.10 - 14.00) | 1.951 (0.640 - 3.911)               | 8.57                | 99               |
| 15+20+20+22+22           | 1.45                  | 1.94   | 1.94   | 2.13   | 2.13   | 9.60 (4.10 - 13.48) | 2.083 (0.640 - 3.923)               | 9.15                | 99               |
| 15+20+20+22+25           | 1.42                  | 1.89   | 1.89   | 2.08   | 2.37   | 9.65 (4.10 - 13.54) | 2.073 (0.640 - 3.923)               | 9.10                | 99               |
| 15+20+20+22+35           | 1.29                  | 1.72   | 1.72   | 1.90   | 3.02   | 9.65 (4.10 - 13.74) | 2.023 (0.640 - 3.923)               | 8.88                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+20+20+22+42           | 1.22                  | 1.62   | 1.62   | 1.78   | 3.41   | 9.65 (4.10 - 13.88) | 1.987 (0.640 - 3.917)               | 8.73                | 99               |
| 15+20+20+22+50           | 1.14                  | 1.52   | 1.52   | 1.67   | 3.80   | 9.65 (4.10 - 14.00) | 1.957 (0.640 - 3.917)               | 8.59                | 99               |
| 15+20+20+22+60           | 1.06                  | 1.41   | 1.41   | 1.55   | 4.23   | 9.65 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 15+20+20+22+71           | 0.98                  | 1.30   | 1.30   | 1.43   | 4.63   | 9.65 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+20+25+25           | 1.39                  | 1.85   | 1.85   | 2.31   | 2.31   | 9.70 (4.10 - 13.60) | 2.063 (0.640 - 3.923)               | 9.06                | 99               |
| 15+20+20+25+35           | 1.27                  | 1.69   | 1.69   | 2.11   | 2.95   | 9.70 (4.10 - 13.80) | 2.013 (0.640 - 3.923)               | 8.84                | 99               |
| 15+20+20+25+42           | 1.19                  | 1.59   | 1.59   | 1.99   | 3.34   | 9.70 (4.10 - 13.94) | 1.967 (0.640 - 3.917)               | 8.64                | 99               |
| 15+20+20+25+50           | 1.12                  | 1.49   | 1.49   | 1.87   | 3.73   | 9.70 (4.10 - 14.00) | 1.957 (0.640 - 3.917)               | 8.59                | 99               |
| 15+20+20+25+60           | 1.04                  | 1.39   | 1.39   | 1.73   | 4.16   | 9.70 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 15+20+20+25+71           | 0.96                  | 1.28   | 1.28   | 1.61   | 4.56   | 9.70 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+20+35+35           | 1.16                  | 1.55   | 1.55   | 2.72   | 2.72   | 9.70 (4.10 - 14.00) | 1.963 (0.640 - 3.923)               | 8.62                | 99               |
| 15+20+20+35+42           | 1.10                  | 1.47   | 1.47   | 2.57   | 3.09   | 9.70 (4.10 - 14.00) | 1.957 (0.640 - 3.917)               | 8.59                | 99               |
| 15+20+20+35+50           | 1.04                  | 1.39   | 1.39   | 2.43   | 3.46   | 9.70 (4.10 - 14.00) | 1.957 (0.640 - 3.917)               | 8.59                | 99               |
| 15+20+20+35+60           | 0.97                  | 1.29   | 1.29   | 2.26   | 3.88   | 9.70 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 15+20+20+35+71           | 0.90                  | 1.20   | 1.20   | 2.11   | 4.28   | 9.70 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+20+42+42           | 1.05                  | 1.40   | 1.40   | 2.93   | 2.93   | 9.70 (4.10 - 14.00) | 1.951 (0.640 - 3.911)               | 8.57                | 99               |
| 15+20+20+42+50           | 0.99                  | 1.32   | 1.32   | 2.77   | 3.30   | 9.70 (4.10 - 14.00) | 1.951 (0.640 - 3.911)               | 8.57                | 99               |
| 15+20+20+42+60           | 0.93                  | 1.24   | 1.24   | 2.59   | 3.71   | 9.70 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 15+20+20+42+71           | 0.87                  | 1.15   | 1.15   | 2.43   | 4.10   | 9.70 (4.10 - 14.00) | 1.938 (0.640 - 3.898)               | 8.51                | 99               |
| 15+20+20+50+50           | 0.94                  | 1.25   | 1.25   | 3.13   | 3.13   | 9.70 (4.10 - 14.00) | 1.951 (0.640 - 3.911)               | 8.57                | 99               |
| 15+20+20+50+60           | 0.88                  | 1.18   | 1.18   | 2.94   | 3.53   | 9.70 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 15+20+22+22+22           | 1.43                  | 1.91   | 2.10   | 2.10   | 2.10   | 9.65 (4.10 - 13.52) | 2.076 (0.640 - 3.916)               | 9.12                | 99               |
| 15+20+22+22+25           | 1.40                  | 1.87   | 2.05   | 2.05   | 2.33   | 9.70 (4.10 - 13.58) | 2.056 (0.640 - 3.916)               | 9.03                | 99               |
| 15+20+22+22+35           | 1.28                  | 1.70   | 1.87   | 1.87   | 2.98   | 9.70 (4.10 - 13.78) | 2.006 (0.640 - 3.916)               | 8.81                | 99               |
| 15+20+22+22+42           | 1.20                  | 1.60   | 1.76   | 1.76   | 3.37   | 9.70 (4.10 - 13.92) | 1.970 (0.640 - 3.910)               | 8.65                | 99               |
| 15+20+22+22+50           | 1.13                  | 1.50   | 1.65   | 1.65   | 3.76   | 9.70 (4.10 - 14.00) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+22+22+60           | 1.05                  | 1.40   | 1.54   | 1.54   | 4.19   | 9.70 (4.10 - 14.00) | 1.933 (0.640 - 3.893)               | 8.49                | 99               |
| 15+20+22+22+71           | 0.97                  | 1.29   | 1.42   | 1.42   | 4.59   | 9.70 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+20+22+25+25           | 1.37                  | 1.82   | 2.00   | 2.28   | 2.28   | 9.75 (4.10 - 13.64) | 2.046 (0.640 - 3.916)               | 8.99                | 99               |
| 15+20+22+25+35           | 1.25                  | 1.67   | 1.83   | 2.08   | 2.92   | 9.75 (4.10 - 13.84) | 1.996 (0.640 - 3.916)               | 8.77                | 99               |
| 15+20+22+25+42           | 1.18                  | 1.57   | 1.73   | 1.97   | 3.30   | 9.75 (4.10 - 13.98) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+22+25+50           | 1.11                  | 1.48   | 1.63   | 1.85   | 3.69   | 9.75 (4.10 - 14.00) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+22+25+60           | 1.03                  | 1.37   | 1.51   | 1.72   | 4.12   | 9.75 (4.10 - 14.00) | 1.933 (0.640 - 3.893)               | 8.49                | 99               |
| 15+20+22+25+71           | 0.96                  | 1.27   | 1.40   | 1.59   | 4.52   | 9.75 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+20+22+35+35           | 1.15                  | 1.54   | 1.69   | 2.69   | 2.69   | 9.75 (4.10 - 14.00) | 1.956 (0.640 - 3.916)               | 8.59                | 99               |
| 15+20+22+35+42           | 1.09                  | 1.46   | 1.60   | 2.55   | 3.06   | 9.75 (4.10 - 14.00) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+22+35+50           | 1.03                  | 1.37   | 1.51   | 2.40   | 3.43   | 9.75 (4.10 - 14.00) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+22+35+60           | 0.96                  | 1.28   | 1.41   | 2.25   | 3.85   | 9.75 (4.10 - 14.00) | 1.933 (0.640 - 3.893)               | 8.49                | 99               |
| 15+20+22+35+71           | 0.90                  | 1.20   | 1.32   | 2.09   | 4.25   | 9.75 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+20+22+42+42           | 1.04                  | 1.38   | 1.52   | 2.90   | 2.90   | 9.75 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+22+42+50           | 0.98                  | 1.31   | 1.44   | 2.75   | 3.27   | 9.75 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+22+42+60           | 0.92                  | 1.23   | 1.35   | 2.58   | 3.68   | 9.75 (4.10 - 14.00) | 1.927 (0.640 - 3.887)               | 8.46                | 99               |
| 15+20+22+42+71           | 0.86                  | 1.15   | 1.26   | 2.41   | 4.07   | 9.75 (4.10 - 14.00) | 1.931 (0.640 - 3.891)               | 8.48                | 99               |
| 15+20+22+50+50           | 0.93                  | 1.24   | 1.37   | 3.11   | 3.11   | 9.75 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+22+50+60           | 0.88                  | 1.17   | 1.28   | 2.92   | 3.50   | 9.75 (4.10 - 14.00) | 1.927 (0.640 - 3.887)               | 8.46                | 99               |
| 15+20+25+25+25           | 1.34                  | 1.78   | 2.23   | 2.23   | 2.23   | 9.80 (4.10 - 13.70) | 2.026 (0.640 - 3.916)               | 8.90                | 99               |
| 15+20+25+25+35           | 1.23                  | 1.63   | 2.04   | 2.04   | 2.86   | 9.80 (4.10 - 13.90) | 1.976 (0.640 - 3.916)               | 8.68                | 99               |
| 15+20+25+25+42           | 1.16                  | 1.54   | 1.93   | 1.93   | 3.24   | 9.80 (4.10 - 14.00) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+25+25+50           | 1.09                  | 1.45   | 1.81   | 1.81   | 3.63   | 9.80 (4.10 - 14.00) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+25+25+60           | 1.01                  | 1.35   | 1.69   | 1.69   | 4.06   | 9.80 (4.10 - 14.00) | 1.933 (0.640 - 3.893)               | 8.49                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+20+25+25+71           | 0.94                  | 1.26   | 1.57   | 1.57   | 4.46   | 9.80 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+20+25+35+35           | 1.13                  | 1.51   | 1.88   | 2.64   | 2.64   | 9.80 (4.10 - 14.00) | 1.956 (0.640 - 3.916)               | 8.59                | 99               |
| 15+20+25+35+42           | 1.07                  | 1.43   | 1.79   | 2.50   | 3.00   | 9.80 (4.10 - 14.00) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+25+35+50           | 1.01                  | 1.35   | 1.69   | 2.37   | 3.38   | 9.80 (4.10 - 14.00) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+25+35+60           | 0.95                  | 1.26   | 1.58   | 2.21   | 3.79   | 9.80 (4.10 - 14.00) | 1.933 (0.640 - 3.893)               | 8.49                | 99               |
| 15+20+25+35+71           | 0.89                  | 1.18   | 1.48   | 2.07   | 4.19   | 9.80 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+20+25+42+42           | 1.02                  | 1.36   | 1.70   | 2.86   | 2.86   | 9.80 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+25+42+50           | 0.97                  | 1.29   | 1.61   | 2.71   | 3.22   | 9.80 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+25+42+60           | 0.91                  | 1.21   | 1.51   | 2.54   | 3.63   | 9.80 (4.10 - 14.00) | 1.927 (0.640 - 3.887)               | 8.46                | 99               |
| 15+20+25+50+50           | 0.92                  | 1.23   | 1.53   | 3.06   | 3.06   | 9.80 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+25+50+60           | 0.86                  | 1.15   | 1.44   | 2.88   | 3.46   | 9.80 (4.10 - 14.00) | 1.927 (0.640 - 3.887)               | 8.46                | 99               |
| 15+20+35+35+35           | 1.05                  | 1.40   | 2.45   | 2.45   | 2.45   | 9.80 (4.10 - 14.00) | 1.956 (0.640 - 3.916)               | 8.59                | 99               |
| 15+20+35+35+42           | 1.00                  | 1.33   | 2.33   | 2.33   | 2.80   | 9.80 (4.10 - 14.00) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+35+35+50           | 0.95                  | 1.26   | 2.21   | 2.21   | 3.16   | 9.80 (4.10 - 14.00) | 1.950 (0.640 - 3.910)               | 8.56                | 99               |
| 15+20+35+35+60           | 0.89                  | 1.19   | 2.08   | 2.08   | 3.56   | 9.80 (4.10 - 14.00) | 1.933 (0.640 - 3.893)               | 8.49                | 99               |
| 15+20+35+42+42           | 0.95                  | 1.27   | 2.23   | 2.67   | 2.67   | 9.80 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+35+42+50           | 0.91                  | 1.21   | 2.12   | 2.54   | 3.02   | 9.80 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+35+42+60           | 0.85                  | 1.14   | 1.99   | 2.39   | 3.42   | 9.80 (4.10 - 14.00) | 1.927 (0.640 - 3.887)               | 8.46                | 99               |
| 15+20+35+50+50           | 0.86                  | 1.15   | 2.02   | 2.88   | 2.88   | 9.80 (4.10 - 14.00) | 1.944 (0.640 - 3.904)               | 8.54                | 99               |
| 15+20+42+42+42           | 0.91                  | 1.22   | 2.56   | 2.56   | 2.56   | 9.80 (4.10 - 14.00) | 1.938 (0.640 - 3.898)               | 8.51                | 99               |
| 15+20+42+42+50           | 0.87                  | 1.16   | 2.44   | 2.44   | 2.90   | 9.80 (4.10 - 14.00) | 1.938 (0.640 - 3.898)               | 8.51                | 99               |
| 15+22+22+22+22           | 1.41                  | 2.07   | 2.07   | 2.07   | 2.07   | 9.70 (4.10 - 13.56) | 2.059 (0.640 - 3.909)               | 9.04                | 99               |
| 15+22+22+22+25           | 1.38                  | 2.02   | 2.02   | 2.02   | 2.30   | 9.75 (4.10 - 13.62) | 2.039 (0.640 - 3.909)               | 8.95                | 99               |
| 15+22+22+22+35           | 1.26                  | 1.85   | 1.85   | 1.85   | 2.94   | 9.75 (4.10 - 13.82) | 1.989 (0.640 - 3.909)               | 8.74                | 99               |
| 15+22+22+22+42           | 1.19                  | 1.74   | 1.74   | 1.74   | 3.33   | 9.75 (4.10 - 13.96) | 1.953 (0.640 - 3.903)               | 8.58                | 99               |
| 15+22+22+22+50           | 1.12                  | 1.64   | 1.64   | 1.64   | 3.72   | 9.75 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+22+22+60           | 1.04                  | 1.52   | 1.52   | 1.52   | 4.15   | 9.75 (4.10 - 14.00) | 1.926 (0.640 - 3.886)               | 8.46                | 99               |
| 15+22+22+22+71           | 0.96                  | 1.41   | 1.41   | 1.41   | 4.55   | 9.75 (4.10 - 14.00) | 1.930 (0.640 - 3.890)               | 8.48                | 99               |
| 15+22+22+25+25           | 1.35                  | 1.98   | 1.98   | 2.25   | 2.25   | 9.80 (4.10 - 13.68) | 2.029 (0.640 - 3.909)               | 8.91                | 99               |
| 15+22+22+25+35           | 1.24                  | 1.81   | 1.81   | 2.06   | 2.88   | 9.80 (4.10 - 13.88) | 1.979 (0.640 - 3.909)               | 8.69                | 99               |
| 15+22+22+25+42           | 1.17                  | 1.71   | 1.71   | 1.94   | 3.27   | 9.80 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+22+25+50           | 1.10                  | 1.61   | 1.61   | 1.83   | 3.66   | 9.80 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+22+25+60           | 1.02                  | 1.50   | 1.50   | 1.70   | 4.08   | 9.80 (4.10 - 14.00) | 1.926 (0.640 - 3.886)               | 8.46                | 99               |
| 15+22+22+25+71           | 0.95                  | 1.39   | 1.39   | 1.58   | 4.49   | 9.80 (4.10 - 14.00) | 1.930 (0.640 - 3.890)               | 8.48                | 99               |
| 15+22+22+35+35           | 1.14                  | 1.67   | 1.67   | 2.66   | 2.66   | 9.80 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 15+22+22+35+42           | 1.08                  | 1.59   | 1.59   | 2.52   | 3.03   | 9.80 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+22+35+50           | 1.02                  | 1.50   | 1.50   | 2.38   | 3.40   | 9.80 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+22+35+60           | 0.95                  | 1.40   | 1.40   | 2.23   | 3.82   | 9.80 (4.10 - 14.00) | 1.926 (0.640 - 3.886)               | 8.46                | 99               |
| 15+22+22+35+71           | 0.89                  | 1.31   | 1.31   | 2.08   | 4.22   | 9.80 (4.10 - 14.00) | 1.930 (0.640 - 3.890)               | 8.48                | 99               |
| 15+22+22+42+42           | 1.03                  | 1.51   | 1.51   | 2.88   | 2.88   | 9.80 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+22+22+42+50           | 0.97                  | 1.43   | 1.43   | 2.73   | 3.25   | 9.80 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+22+22+42+60           | 0.91                  | 1.34   | 1.34   | 2.56   | 3.65   | 9.80 (4.10 - 14.00) | 1.920 (0.640 - 3.880)               | 8.43                | 99               |
| 15+22+22+42+71           | 0.85                  | 1.25   | 1.25   | 2.39   | 4.05   | 9.80 (4.10 - 14.00) | 1.924 (0.640 - 3.884)               | 8.45                | 99               |
| 15+22+22+50+50           | 0.92                  | 1.36   | 1.36   | 3.08   | 3.08   | 9.80 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+22+22+50+60           | 0.87                  | 1.28   | 1.28   | 2.90   | 3.48   | 9.80 (4.10 - 14.00) | 1.920 (0.640 - 3.880)               | 8.43                | 99               |
| 15+22+25+25+25           | 1.32                  | 1.93   | 2.20   | 2.20   | 2.20   | 9.85 (4.10 - 13.74) | 2.009 (0.640 - 3.909)               | 8.82                | 99               |
| 15+22+25+25+35           | 1.21                  | 1.78   | 2.02   | 2.02   | 2.83   | 9.85 (4.10 - 13.94) | 1.959 (0.640 - 3.909)               | 8.60                | 99               |
| 15+22+25+25+42           | 1.15                  | 1.68   | 1.91   | 1.91   | 3.21   | 9.85 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+25+25+50           | 1.08                  | 1.58   | 1.80   | 1.80   | 3.59   | 9.85 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+25+25+60           | 1.01                  | 1.47   | 1.68   | 1.68   | 4.02   | 9.85 (4.10 - 14.00) | 1.926 (0.640 - 3.886)               | 8.46                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 15+22+25+25+71           | 0.94                  | 1.37   | 1.56   | 1.56   | 4.43   | 9.85 (4.10 - 14.00) | 1.930 (0.640 - 3.890)               | 8.48                | 99               |
| 15+22+25+35+35           | 1.12                  | 1.64   | 1.87   | 2.61   | 2.61   | 9.85 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 15+22+25+35+42           | 1.06                  | 1.56   | 1.77   | 2.48   | 2.98   | 9.85 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+25+35+50           | 1.01                  | 1.47   | 1.68   | 2.35   | 3.35   | 9.85 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+25+35+60           | 0.94                  | 1.38   | 1.57   | 2.20   | 3.76   | 9.85 (4.10 - 14.00) | 1.926 (0.640 - 3.886)               | 8.46                | 99               |
| 15+22+25+35+71           | 0.88                  | 1.29   | 1.47   | 2.05   | 4.16   | 9.85 (4.10 - 14.00) | 1.930 (0.640 - 3.890)               | 8.48                | 99               |
| 15+22+25+42+42           | 1.01                  | 1.48   | 1.69   | 2.83   | 2.83   | 9.85 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+22+25+42+50           | 0.96                  | 1.41   | 1.60   | 2.69   | 3.20   | 9.85 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+22+25+42+60           | 0.90                  | 1.32   | 1.50   | 2.52   | 3.60   | 9.85 (4.10 - 14.00) | 1.920 (0.640 - 3.880)               | 8.43                | 99               |
| 15+22+25+50+50           | 0.91                  | 1.34   | 1.52   | 3.04   | 3.04   | 9.85 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+22+25+50+60           | 0.86                  | 1.26   | 1.43   | 2.86   | 3.44   | 9.85 (4.10 - 14.00) | 1.920 (0.640 - 3.880)               | 8.43                | 99               |
| 15+22+35+35+35           | 1.04                  | 1.53   | 2.43   | 2.43   | 2.43   | 9.85 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 15+22+35+35+42           | 0.99                  | 1.45   | 2.31   | 2.31   | 2.78   | 9.85 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+35+35+50           | 0.94                  | 1.38   | 2.20   | 2.20   | 3.14   | 9.85 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+22+35+35+60           | 0.88                  | 1.30   | 2.06   | 2.06   | 3.54   | 9.85 (4.10 - 14.00) | 1.926 (0.640 - 3.886)               | 8.46                | 99               |
| 15+22+35+42+42           | 0.95                  | 1.39   | 2.21   | 2.65   | 2.65   | 9.85 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+22+35+42+50           | 0.90                  | 1.32   | 2.10   | 2.52   | 3.00   | 9.85 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+22+35+50+50           | 0.86                  | 1.26   | 2.00   | 2.86   | 2.86   | 9.85 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+22+42+42+42           | 0.91                  | 1.33   | 2.54   | 2.54   | 2.54   | 9.85 (4.10 - 14.00) | 1.931 (0.640 - 3.891)               | 8.48                | 99               |
| 15+22+42+42+50           | 0.86                  | 1.27   | 2.42   | 2.42   | 2.88   | 9.85 (4.10 - 14.00) | 1.931 (0.640 - 3.891)               | 8.48                | 99               |
| 15+25+25+25+25           | 1.29                  | 2.15   | 2.15   | 2.15   | 2.15   | 9.90 (4.10 - 13.80) | 1.999 (0.640 - 3.909)               | 8.78                | 99               |
| 15+25+25+25+35           | 1.19                  | 1.98   | 1.98   | 1.98   | 2.77   | 9.90 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 15+25+25+25+42           | 1.13                  | 1.88   | 1.88   | 1.88   | 3.15   | 9.90 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+25+25+25+50           | 1.06                  | 1.77   | 1.77   | 1.77   | 3.54   | 9.90 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+25+25+25+60           | 0.99                  | 1.65   | 1.65   | 1.65   | 3.96   | 9.90 (4.10 - 14.00) | 1.926 (0.640 - 3.886)               | 8.46                | 99               |
| 15+25+25+25+71           | 0.92                  | 1.54   | 1.54   | 1.54   | 4.37   | 9.90 (4.10 - 14.00) | 1.930 (0.640 - 3.890)               | 8.48                | 99               |
| 15+25+25+35+35           | 1.10                  | 1.83   | 1.83   | 2.57   | 2.57   | 9.90 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 15+25+25+35+42           | 1.05                  | 1.74   | 1.74   | 2.44   | 2.93   | 9.90 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+25+25+35+50           | 0.99                  | 1.65   | 1.65   | 2.31   | 3.30   | 9.90 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+25+25+35+60           | 0.93                  | 1.55   | 1.55   | 2.17   | 3.71   | 9.90 (4.10 - 14.00) | 1.926 (0.640 - 3.886)               | 8.46                | 99               |
| 15+25+25+35+71           | 0.87                  | 1.45   | 1.45   | 2.03   | 4.11   | 9.90 (4.10 - 14.00) | 1.930 (0.640 - 3.890)               | 8.48                | 99               |
| 15+25+25+42+42           | 1.00                  | 1.66   | 1.66   | 2.79   | 2.79   | 9.90 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+25+25+42+50           | 0.95                  | 1.58   | 1.58   | 2.65   | 3.15   | 9.90 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+25+25+42+60           | 0.89                  | 1.48   | 1.48   | 2.49   | 3.56   | 9.90 (4.10 - 14.00) | 1.920 (0.640 - 3.880)               | 8.43                | 99               |
| 15+25+25+50+50           | 0.90                  | 1.50   | 1.50   | 3.00   | 3.00   | 9.90 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+25+35+35+35           | 1.02                  | 1.71   | 2.39   | 2.39   | 2.39   | 9.90 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 15+25+35+35+42           | 0.98                  | 1.63   | 2.28   | 2.28   | 2.74   | 9.90 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+25+35+35+50           | 0.93                  | 1.55   | 2.17   | 2.17   | 3.09   | 9.90 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+25+35+35+60           | 0.87                  | 1.46   | 2.04   | 2.04   | 3.49   | 9.90 (4.10 - 14.00) | 1.926 (0.640 - 3.886)               | 8.46                | 99               |
| 15+25+35+42+42           | 0.93                  | 1.56   | 2.18   | 2.62   | 2.62   | 9.90 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+25+35+42+50           | 0.89                  | 1.48   | 2.07   | 2.49   | 2.96   | 9.90 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 15+25+42+42+42           | 0.89                  | 1.49   | 2.50   | 2.50   | 2.50   | 9.90 (4.10 - 14.00) | 1.931 (0.640 - 3.891)               | 8.48                | 99               |
| 15+35+35+35+35           | 0.96                  | 2.24   | 2.24   | 2.24   | 2.24   | 9.90 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 15+35+35+35+42           | 0.92                  | 2.14   | 2.14   | 2.14   | 2.57   | 9.90 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+35+35+35+50           | 0.87                  | 2.04   | 2.04   | 2.04   | 2.91   | 9.90 (4.10 - 14.00) | 1.943 (0.640 - 3.903)               | 8.53                | 99               |
| 15+35+35+42+42           | 0.88                  | 2.05   | 2.05   | 2.46   | 2.46   | 9.90 (4.10 - 14.00) | 1.937 (0.640 - 3.897)               | 8.51                | 99               |
| 20+20+20+20+20           | 1.90                  | 1.90   | 1.90   | 1.90   | 1.90   | 9.50 (4.10 - 13.50) | 2.095 (0.640 - 3.935)               | 9.20                | 99               |
| 20+20+20+20+22           | 1.87                  | 1.87   | 1.87   | 1.87   | 2.06   | 9.55 (4.10 - 13.54) | 2.078 (0.640 - 3.928)               | 9.13                | 99               |
| 20+20+20+20+25           | 1.83                  | 1.83   | 1.83   | 1.83   | 2.29   | 9.60 (4.10 - 13.60) | 2.068 (0.640 - 3.928)               | 9.08                | 99               |
| 20+20+20+20+35           | 1.67                  | 1.67   | 1.67   | 1.67   | 2.92   | 9.60 (4.10 - 13.80) | 2.018 (0.640 - 3.928)               | 8.86                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 20+20+20+20+42           | 1.57                  | 1.57   | 1.57   | 1.57   | 3.30   | 9.60 (4.10 - 13.94) | 1.972 (0.640 - 3.922)               | 8.66                | 99               |
| 20+20+20+20+50           | 1.48                  | 1.48   | 1.48   | 1.48   | 3.69   | 9.60 (4.10 - 14.00) | 1.962 (0.640 - 3.922)               | 8.62                | 99               |
| 20+20+20+20+60           | 1.37                  | 1.37   | 1.37   | 1.37   | 4.11   | 9.60 (4.10 - 14.00) | 1.945 (0.640 - 3.905)               | 8.54                | 99               |
| 20+20+20+20+71           | 1.27                  | 1.27   | 1.27   | 1.27   | 4.51   | 9.60 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 20+20+20+22+22           | 1.85                  | 1.85   | 1.85   | 2.03   | 2.03   | 9.60 (4.10 - 13.58) | 2.061 (0.640 - 3.921)               | 9.05                | 99               |
| 20+20+20+22+25           | 1.80                  | 1.80   | 1.80   | 1.98   | 2.25   | 9.65 (4.10 - 13.64) | 2.051 (0.640 - 3.921)               | 9.01                | 99               |
| 20+20+20+22+35           | 1.65                  | 1.65   | 1.65   | 1.81   | 2.89   | 9.65 (4.10 - 13.84) | 2.001 (0.640 - 3.921)               | 8.79                | 99               |
| 20+20+20+22+42           | 1.56                  | 1.56   | 1.56   | 1.71   | 3.27   | 9.65 (4.10 - 13.98) | 1.955 (0.640 - 3.915)               | 8.59                | 99               |
| 20+20+20+22+50           | 1.46                  | 1.46   | 1.46   | 1.61   | 3.66   | 9.65 (4.10 - 14.00) | 1.955 (0.640 - 3.915)               | 8.59                | 99               |
| 20+20+20+22+60           | 1.36                  | 1.36   | 1.36   | 1.50   | 4.08   | 9.65 (4.10 - 14.00) | 1.938 (0.640 - 3.898)               | 8.51                | 99               |
| 20+20+20+22+71           | 1.26                  | 1.26   | 1.26   | 1.39   | 4.48   | 9.65 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+20+25+25           | 1.76                  | 1.76   | 1.76   | 2.20   | 2.20   | 9.70 (4.10 - 13.70) | 2.031 (0.640 - 3.921)               | 8.92                | 99               |
| 20+20+20+25+35           | 1.62                  | 1.62   | 1.62   | 2.02   | 2.83   | 9.70 (4.10 - 13.90) | 1.981 (0.640 - 3.921)               | 8.70                | 99               |
| 20+20+20+25+42           | 1.53                  | 1.53   | 1.53   | 1.91   | 3.21   | 9.70 (4.10 - 14.00) | 1.955 (0.640 - 3.915)               | 8.59                | 99               |
| 20+20+20+25+50           | 1.44                  | 1.44   | 1.44   | 1.80   | 3.59   | 9.70 (4.10 - 14.00) | 1.955 (0.640 - 3.915)               | 8.59                | 99               |
| 20+20+20+25+60           | 1.34                  | 1.34   | 1.34   | 1.67   | 4.01   | 9.70 (4.10 - 14.00) | 1.938 (0.640 - 3.898)               | 8.51                | 99               |
| 20+20+20+25+71           | 1.24                  | 1.24   | 1.24   | 1.55   | 4.41   | 9.70 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+20+35+35           | 1.49                  | 1.49   | 1.49   | 2.61   | 2.61   | 9.70 (4.10 - 14.00) | 1.961 (0.640 - 3.921)               | 8.61                | 99               |
| 20+20+20+35+42           | 1.42                  | 1.42   | 1.42   | 2.48   | 2.97   | 9.70 (4.10 - 14.00) | 1.955 (0.640 - 3.915)               | 8.59                | 99               |
| 20+20+20+35+50           | 1.34                  | 1.34   | 1.34   | 2.34   | 3.34   | 9.70 (4.10 - 14.00) | 1.955 (0.640 - 3.915)               | 8.59                | 99               |
| 20+20+20+35+60           | 1.25                  | 1.25   | 1.25   | 2.19   | 3.75   | 9.70 (4.10 - 14.00) | 1.938 (0.640 - 3.898)               | 8.51                | 99               |
| 20+20+20+35+71           | 1.17                  | 1.17   | 1.17   | 2.05   | 4.15   | 9.70 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+20+42+42           | 1.35                  | 1.35   | 1.35   | 2.83   | 2.83   | 9.70 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 20+20+20+42+50           | 1.28                  | 1.28   | 1.28   | 2.68   | 3.19   | 9.70 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 20+20+20+42+60           | 1.20                  | 1.20   | 1.20   | 2.51   | 3.59   | 9.70 (4.10 - 14.00) | 1.932 (0.640 - 3.892)               | 8.48                | 99               |
| 20+20+20+50+50           | 1.21                  | 1.21   | 1.21   | 3.03   | 3.03   | 9.70 (4.10 - 14.00) | 1.949 (0.640 - 3.909)               | 8.56                | 99               |
| 20+20+20+50+60           | 1.14                  | 1.14   | 1.14   | 2.85   | 3.42   | 9.70 (4.10 - 14.00) | 1.932 (0.640 - 3.892)               | 8.48                | 99               |
| 20+20+22+22+22           | 1.82                  | 1.82   | 2.00   | 2.00   | 2.00   | 9.65 (4.10 - 13.62) | 2.044 (0.640 - 3.914)               | 8.98                | 99               |
| 20+20+22+22+25           | 1.78                  | 1.78   | 1.96   | 1.96   | 2.22   | 9.70 (4.10 - 13.68) | 2.034 (0.640 - 3.914)               | 8.93                | 99               |
| 20+20+22+22+35           | 1.63                  | 1.63   | 1.79   | 1.79   | 2.85   | 9.70 (4.10 - 13.88) | 1.984 (0.640 - 3.914)               | 8.71                | 99               |
| 20+20+22+22+42           | 1.54                  | 1.54   | 1.69   | 1.69   | 3.23   | 9.70 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+22+22+50           | 1.45                  | 1.45   | 1.59   | 1.59   | 3.62   | 9.70 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+22+22+60           | 1.35                  | 1.35   | 1.48   | 1.48   | 4.04   | 9.70 (4.10 - 14.00) | 1.931 (0.640 - 3.891)               | 8.48                | 99               |
| 20+20+22+22+71           | 1.25                  | 1.25   | 1.38   | 1.38   | 4.44   | 9.70 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+20+22+25+25           | 1.74                  | 1.74   | 1.92   | 2.18   | 2.18   | 9.75 (4.10 - 13.74) | 2.014 (0.640 - 3.914)               | 8.84                | 99               |
| 20+20+22+25+35           | 1.60                  | 1.60   | 1.76   | 2.00   | 2.80   | 9.75 (4.10 - 13.94) | 1.964 (0.640 - 3.914)               | 8.63                | 99               |
| 20+20+22+25+42           | 1.51                  | 1.51   | 1.66   | 1.89   | 3.17   | 9.75 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+22+25+50           | 1.42                  | 1.42   | 1.57   | 1.78   | 3.56   | 9.75 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+22+25+60           | 1.33                  | 1.33   | 1.46   | 1.66   | 3.98   | 9.75 (4.10 - 14.00) | 1.931 (0.640 - 3.891)               | 8.48                | 99               |
| 20+20+22+25+71           | 1.23                  | 1.23   | 1.36   | 1.54   | 4.38   | 9.75 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+20+22+35+35           | 1.48                  | 1.48   | 1.63   | 2.59   | 2.59   | 9.75 (4.10 - 14.00) | 1.954 (0.640 - 3.914)               | 8.58                | 99               |
| 20+20+22+35+42           | 1.40                  | 1.40   | 1.54   | 2.46   | 2.95   | 9.75 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+22+35+50           | 1.33                  | 1.33   | 1.46   | 2.32   | 3.32   | 9.75 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+22+35+60           | 1.24                  | 1.24   | 1.37   | 2.17   | 3.73   | 9.75 (4.10 - 14.00) | 1.931 (0.640 - 3.891)               | 8.48                | 99               |
| 20+20+22+35+71           | 1.16                  | 1.16   | 1.28   | 2.03   | 4.12   | 9.75 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+20+22+42+42           | 1.34                  | 1.34   | 1.47   | 2.80   | 2.80   | 9.75 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+22+42+50           | 1.27                  | 1.27   | 1.39   | 2.66   | 3.17   | 9.75 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+22+42+60           | 1.19                  | 1.19   | 1.31   | 2.50   | 3.57   | 9.75 (4.10 - 14.00) | 1.925 (0.640 - 3.885)               | 8.45                | 99               |
| 20+20+22+50+50           | 1.20                  | 1.20   | 1.32   | 3.01   | 3.01   | 9.75 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+22+50+60           | 1.13                  | 1.13   | 1.25   | 2.83   | 3.40   | 9.75 (4.10 - 14.00) | 1.925 (0.640 - 3.885)               | 8.45                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 20+20+25+25+25           | 1.70                  | 1.70   | 2.13   | 2.13   | 2.13   | 9.80 (4.10 - 13.80) | 2.004 (0.640 - 3.914)               | 8.80                | 99               |
| 20+20+25+25+35           | 1.57                  | 1.57   | 1.96   | 1.96   | 2.74   | 9.80 (4.10 - 14.00) | 1.954 (0.640 - 3.914)               | 8.58                | 99               |
| 20+20+25+25+42           | 1.48                  | 1.48   | 1.86   | 1.86   | 3.12   | 9.80 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+25+25+50           | 1.40                  | 1.40   | 1.75   | 1.75   | 3.50   | 9.80 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+25+25+60           | 1.31                  | 1.31   | 1.63   | 1.63   | 3.92   | 9.80 (4.10 - 14.00) | 1.931 (0.640 - 3.891)               | 8.48                | 99               |
| 20+20+25+25+71           | 1.22                  | 1.22   | 1.52   | 1.52   | 4.32   | 9.80 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+20+25+35+35           | 1.45                  | 1.45   | 1.81   | 2.54   | 2.54   | 9.80 (4.10 - 14.00) | 1.954 (0.640 - 3.914)               | 8.58                | 99               |
| 20+20+25+35+42           | 1.38                  | 1.38   | 1.73   | 2.42   | 2.90   | 9.80 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+25+35+50           | 1.31                  | 1.31   | 1.63   | 2.29   | 3.27   | 9.80 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+25+35+60           | 1.23                  | 1.23   | 1.53   | 2.14   | 3.68   | 9.80 (4.10 - 14.00) | 1.931 (0.640 - 3.891)               | 8.48                | 99               |
| 20+20+25+35+71           | 1.15                  | 1.15   | 1.43   | 2.01   | 4.07   | 9.80 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+20+25+42+42           | 1.32                  | 1.32   | 1.64   | 2.76   | 2.76   | 9.80 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+25+42+50           | 1.25                  | 1.25   | 1.56   | 2.62   | 3.12   | 9.80 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+25+42+60           | 1.17                  | 1.17   | 1.47   | 2.46   | 3.52   | 9.80 (4.10 - 14.00) | 1.925 (0.640 - 3.885)               | 8.45                | 99               |
| 20+20+25+50+50           | 1.19                  | 1.19   | 1.48   | 2.97   | 2.97   | 9.80 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+35+35+35           | 1.35                  | 1.35   | 2.37   | 2.37   | 2.37   | 9.80 (4.10 - 14.00) | 1.954 (0.640 - 3.914)               | 8.58                | 99               |
| 20+20+35+35+42           | 1.29                  | 1.29   | 2.26   | 2.26   | 2.71   | 9.80 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+35+35+50           | 1.23                  | 1.23   | 2.14   | 2.14   | 3.06   | 9.80 (4.10 - 14.00) | 1.948 (0.640 - 3.908)               | 8.56                | 99               |
| 20+20+35+35+60           | 1.15                  | 1.15   | 2.02   | 2.02   | 3.46   | 9.80 (4.10 - 14.00) | 1.931 (0.640 - 3.891)               | 8.48                | 99               |
| 20+20+35+42+42           | 1.23                  | 1.23   | 2.16   | 2.59   | 2.59   | 9.80 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+35+42+50           | 1.17                  | 1.17   | 2.05   | 2.46   | 2.93   | 9.80 (4.10 - 14.00) | 1.942 (0.640 - 3.902)               | 8.53                | 99               |
| 20+20+42+42+42           | 1.18                  | 1.18   | 2.48   | 2.48   | 2.48   | 9.80 (4.10 - 14.00) | 1.936 (0.640 - 3.896)               | 8.50                | 99               |
| 20+22+22+22+22           | 1.80                  | 1.98   | 1.98   | 1.98   | 1.98   | 9.70 (4.10 - 13.66) | 2.027 (0.640 - 3.907)               | 8.90                | 99               |
| 20+22+22+22+25           | 1.76                  | 1.93   | 1.93   | 1.93   | 2.20   | 9.75 (4.10 - 13.72) | 2.017 (0.640 - 3.907)               | 8.86                | 99               |
| 20+22+22+22+35           | 1.61                  | 1.77   | 1.77   | 1.77   | 2.82   | 9.75 (4.10 - 13.92) | 1.967 (0.640 - 3.907)               | 8.64                | 99               |
| 20+22+22+22+42           | 1.52                  | 1.68   | 1.68   | 1.68   | 3.20   | 9.75 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+22+22+50           | 1.43                  | 1.58   | 1.58   | 1.58   | 3.58   | 9.75 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+22+22+60           | 1.34                  | 1.47   | 1.47   | 1.47   | 4.01   | 9.75 (4.10 - 14.00) | 1.924 (0.640 - 3.884)               | 8.45                | 99               |
| 20+22+22+22+71           | 1.24                  | 1.37   | 1.37   | 1.37   | 4.41   | 9.75 (4.10 - 14.00) | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 20+22+22+25+25           | 1.72                  | 1.89   | 1.89   | 2.15   | 2.15   | 9.80 (4.10 - 13.78) | 1.997 (0.640 - 3.907)               | 8.77                | 99               |
| 20+22+22+25+35           | 1.58                  | 1.74   | 1.74   | 1.98   | 2.77   | 9.80 (4.10 - 13.98) | 1.947 (0.640 - 3.907)               | 8.55                | 99               |
| 20+22+22+25+42           | 1.50                  | 1.65   | 1.65   | 1.87   | 3.14   | 9.80 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+22+25+50           | 1.41                  | 1.55   | 1.55   | 1.76   | 3.53   | 9.80 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+22+25+60           | 1.32                  | 1.45   | 1.45   | 1.64   | 3.95   | 9.80 (4.10 - 14.00) | 1.924 (0.640 - 3.884)               | 8.45                | 99               |
| 20+22+22+25+71           | 1.23                  | 1.35   | 1.35   | 1.53   | 4.35   | 9.80 (4.10 - 14.00) | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 20+22+22+35+35           | 1.46                  | 1.61   | 1.61   | 2.56   | 2.56   | 9.80 (4.10 - 14.00) | 1.947 (0.640 - 3.907)               | 8.55                | 99               |
| 20+22+22+35+42           | 1.39                  | 1.53   | 1.53   | 2.43   | 2.92   | 9.80 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+22+35+50           | 1.32                  | 1.45   | 1.45   | 2.30   | 3.29   | 9.80 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+22+35+60           | 1.23                  | 1.36   | 1.36   | 2.16   | 3.70   | 9.80 (4.10 - 14.00) | 1.924 (0.640 - 3.884)               | 8.45                | 99               |
| 20+22+22+35+71           | 1.15                  | 1.27   | 1.27   | 2.02   | 4.09   | 9.80 (4.10 - 14.00) | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 20+22+22+42+42           | 1.32                  | 1.46   | 1.46   | 2.78   | 2.78   | 9.80 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+22+22+42+50           | 1.26                  | 1.38   | 1.38   | 2.64   | 3.14   | 9.80 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+22+22+42+60           | 1.18                  | 1.30   | 1.30   | 2.48   | 3.54   | 9.80 (4.10 - 14.00) | 1.918 (0.640 - 3.878)               | 8.42                | 99               |
| 20+22+22+50+50           | 1.20                  | 1.31   | 1.31   | 2.99   | 2.99   | 9.80 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+22+25+25+25           | 1.68                  | 1.85   | 2.10   | 2.10   | 2.10   | 9.85 (4.10 - 13.84) | 1.987 (0.640 - 3.907)               | 8.73                | 99               |
| 20+22+25+25+35           | 1.55                  | 1.71   | 1.94   | 1.94   | 2.71   | 9.85 (4.10 - 14.00) | 1.947 (0.640 - 3.907)               | 8.55                | 99               |
| 20+22+25+25+42           | 1.47                  | 1.62   | 1.84   | 1.84   | 3.09   | 9.85 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+25+25+50           | 1.39                  | 1.53   | 1.73   | 1.73   | 3.47   | 9.85 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+25+25+60           | 1.30                  | 1.43   | 1.62   | 1.62   | 3.89   | 9.85 (4.10 - 14.00) | 1.924 (0.640 - 3.884)               | 8.45                | 99               |
| 20+22+25+25+71           | 1.21                  | 1.33   | 1.51   | 1.51   | 4.29   | 9.85 (4.10 - 14.00) | 1.928 (0.640 - 3.888)               | 8.47                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)       |                                     |                     |                  |
| 20+22+25+35+35           | 1.44                  | 1.58   | 1.80   | 2.52   | 2.52   | 9.85 (4.10 - 14.00) | 1.947 (0.640 - 3.907)               | 8.55                | 99               |
| 20+22+25+35+42           | 1.37                  | 1.50   | 1.71   | 2.39   | 2.87   | 9.85 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+25+35+50           | 1.30                  | 1.43   | 1.62   | 2.27   | 3.24   | 9.85 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+25+35+60           | 1.22                  | 1.34   | 1.52   | 2.13   | 3.65   | 9.85 (4.10 - 14.00) | 1.924 (0.640 - 3.884)               | 8.45                | 99               |
| 20+22+25+42+42           | 1.30                  | 1.44   | 1.63   | 2.74   | 2.74   | 9.85 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+22+25+42+50           | 1.24                  | 1.36   | 1.55   | 2.60   | 3.10   | 9.85 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+22+25+42+60           | 1.17                  | 1.28   | 1.46   | 2.45   | 3.50   | 9.85 (4.10 - 14.00) | 1.918 (0.640 - 3.878)               | 8.42                | 99               |
| 20+22+25+50+50           | 1.18                  | 1.30   | 1.47   | 2.95   | 2.95   | 9.85 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+22+35+35+35           | 1.34                  | 1.47   | 2.35   | 2.35   | 2.35   | 9.85 (4.10 - 14.00) | 1.947 (0.640 - 3.907)               | 8.55                | 99               |
| 20+22+35+35+42           | 1.28                  | 1.41   | 2.24   | 2.24   | 2.69   | 9.85 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+35+35+50           | 1.22                  | 1.34   | 2.13   | 2.13   | 3.04   | 9.85 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+22+35+35+60           | 1.15                  | 1.26   | 2.00   | 2.00   | 3.44   | 9.85 (4.10 - 14.00) | 1.924 (0.640 - 3.884)               | 8.45                | 99               |
| 20+22+35+42+42           | 1.22                  | 1.35   | 2.14   | 2.57   | 2.57   | 9.85 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+22+35+42+50           | 1.17                  | 1.28   | 2.04   | 2.45   | 2.91   | 9.85 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+22+42+42+42           | 1.17                  | 1.29   | 2.46   | 2.46   | 2.46   | 9.85 (4.10 - 14.00) | 1.929 (0.640 - 3.889)               | 8.47                | 99               |
| 20+25+25+25+25           | 1.65                  | 2.06   | 2.06   | 2.06   | 2.06   | 9.90 (4.10 - 13.90) | 1.967 (0.640 - 3.907)               | 8.64                | 99               |
| 20+25+25+25+35           | 1.52                  | 1.90   | 1.90   | 1.90   | 2.67   | 9.90 (4.10 - 14.00) | 1.947 (0.640 - 3.907)               | 8.55                | 99               |
| 20+25+25+25+42           | 1.45                  | 1.81   | 1.81   | 1.81   | 3.04   | 9.90 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+25+25+25+50           | 1.37                  | 1.71   | 1.71   | 1.71   | 3.41   | 9.90 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+25+25+25+60           | 1.28                  | 1.60   | 1.60   | 1.60   | 3.83   | 9.90 (4.10 - 14.00) | 1.924 (0.640 - 3.884)               | 8.45                | 99               |
| 20+25+25+25+71           | 1.19                  | 1.49   | 1.49   | 1.49   | 4.23   | 9.90 (4.10 - 14.00) | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 20+25+25+35+35           | 1.41                  | 1.77   | 1.77   | 2.48   | 2.48   | 9.90 (4.10 - 14.00) | 1.947 (0.640 - 3.907)               | 8.55                | 99               |
| 20+25+25+35+42           | 1.35                  | 1.68   | 1.68   | 2.36   | 2.83   | 9.90 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+25+25+35+50           | 1.28                  | 1.60   | 1.60   | 2.24   | 3.19   | 9.90 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+25+25+35+60           | 1.20                  | 1.50   | 1.50   | 2.10   | 3.60   | 9.90 (4.10 - 14.00) | 1.924 (0.640 - 3.884)               | 8.45                | 99               |
| 20+25+25+42+42           | 1.29                  | 1.61   | 1.61   | 2.70   | 2.70   | 9.90 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+25+25+42+50           | 1.22                  | 1.53   | 1.53   | 2.57   | 3.06   | 9.90 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+25+25+42+60           | 1.15                  | 1.44   | 1.44   | 2.42   | 3.45   | 9.90 (4.10 - 14.00) | 1.918 (0.640 - 3.878)               | 8.42                | 99               |
| 20+25+25+50+50           | 1.16                  | 1.46   | 1.46   | 2.91   | 2.91   | 9.90 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+25+35+35+35           | 1.32                  | 1.65   | 2.31   | 2.31   | 2.31   | 9.90 (4.10 - 14.00) | 1.947 (0.640 - 3.907)               | 8.55                | 99               |
| 20+25+35+35+42           | 1.26                  | 1.58   | 2.21   | 2.21   | 2.65   | 9.90 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+25+35+35+50           | 1.20                  | 1.50   | 2.10   | 2.10   | 3.00   | 9.90 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 20+25+35+42+42           | 1.21                  | 1.51   | 2.11   | 2.54   | 2.54   | 9.90 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+25+35+42+50           | 1.15                  | 1.44   | 2.01   | 2.42   | 2.88   | 9.90 (4.10 - 14.00) | 1.935 (0.640 - 3.895)               | 8.50                | 99               |
| 20+25+42+42+42           | 1.16                  | 1.45   | 2.43   | 2.43   | 2.43   | 9.90 (4.10 - 14.00) | 1.929 (0.640 - 3.889)               | 8.47                | 99               |
| 20+35+35+35+35           | 1.24                  | 2.17   | 2.17   | 2.17   | 2.17   | 9.90 (4.10 - 14.00) | 1.947 (0.640 - 3.907)               | 8.55                | 99               |
| 20+35+35+35+42           | 1.19                  | 2.07   | 2.07   | 2.07   | 2.49   | 9.90 (4.10 - 14.00) | 1.941 (0.640 - 3.901)               | 8.52                | 99               |
| 22+22+22+22+22           | 1.95                  | 1.95   | 1.95   | 1.95   | 1.95   | 9.75 (4.10 - 13.70) | 2.010 (0.640 - 3.900)               | 8.83                | 99               |
| 22+22+22+22+25           | 1.91                  | 1.91   | 1.91   | 1.91   | 2.17   | 9.80 (4.10 - 13.76) | 2.000 (0.640 - 3.900)               | 8.78                | 99               |
| 22+22+22+22+35           | 1.75                  | 1.75   | 1.75   | 1.75   | 2.79   | 9.80 (4.10 - 13.96) | 1.950 (0.640 - 3.900)               | 8.56                | 99               |
| 22+22+22+22+42           | 1.66                  | 1.66   | 1.66   | 1.66   | 3.17   | 9.80 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+22+22+50           | 1.56                  | 1.56   | 1.56   | 1.56   | 3.55   | 9.80 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+22+22+60           | 1.46                  | 1.46   | 1.46   | 1.46   | 3.97   | 9.80 (4.10 - 14.00) | 1.917 (0.640 - 3.877)               | 8.42                | 99               |
| 22+22+22+22+71           | 1.36                  | 1.36   | 1.36   | 1.36   | 4.38   | 9.80 (4.10 - 14.00) | 1.921 (0.640 - 3.881)               | 8.44                | 99               |
| 22+22+22+25+25           | 1.87                  | 1.87   | 1.87   | 2.12   | 2.12   | 9.85 (4.10 - 13.82) | 1.980 (0.640 - 3.900)               | 8.70                | 99               |
| 22+22+22+25+35           | 1.72                  | 1.72   | 1.72   | 1.95   | 2.74   | 9.85 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 22+22+22+25+42           | 1.63                  | 1.63   | 1.63   | 1.85   | 3.11   | 9.85 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+22+25+50           | 1.54                  | 1.54   | 1.54   | 1.75   | 3.49   | 9.85 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+22+25+60           | 1.44                  | 1.44   | 1.44   | 1.63   | 3.91   | 9.85 (4.10 - 14.00) | 1.917 (0.640 - 3.877)               | 8.42                | 99               |
| 22+22+22+25+71           | 1.34                  | 1.34   | 1.34   | 1.52   | 4.32   | 9.85 (4.10 - 14.00) | 1.921 (0.640 - 3.881)               | 8.44                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 22+22+22+35+35           | 1.59                  | 1.59   | 1.59   | 2.53   | 2.53   | 9.85 (4.10 - 14.00)  | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 22+22+22+35+42           | 1.52                  | 1.52   | 1.52   | 2.41   | 2.89   | 9.85 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+22+35+50           | 1.44                  | 1.44   | 1.44   | 2.28   | 3.26   | 9.85 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+22+35+60           | 1.35                  | 1.35   | 1.35   | 2.14   | 3.67   | 9.85 (4.10 - 14.00)  | 1.917 (0.640 - 3.877)               | 8.42                | 99               |
| 22+22+22+35+71           | 1.26                  | 1.26   | 1.26   | 2.00   | 4.07   | 9.85 (4.10 - 14.00)  | 1.921 (0.640 - 3.881)               | 8.44                | 99               |
| 22+22+22+42+42           | 1.44                  | 1.44   | 1.44   | 2.76   | 2.76   | 9.85 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+22+22+42+50           | 1.37                  | 1.37   | 1.37   | 2.62   | 3.12   | 9.85 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+22+22+42+60           | 1.29                  | 1.29   | 1.29   | 2.46   | 3.52   | 9.85 (4.10 - 14.00)  | 1.911 (0.640 - 3.871)               | 8.39                | 99               |
| 22+22+22+50+50           | 1.31                  | 1.31   | 1.31   | 2.97   | 2.97   | 9.85 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+22+25+25+25           | 1.83                  | 1.83   | 2.08   | 2.08   | 2.08   | 9.90 (4.10 - 13.88)  | 1.970 (0.640 - 3.900)               | 8.65                | 99               |
| 22+22+25+25+35           | 1.69                  | 1.69   | 1.92   | 1.92   | 2.69   | 9.90 (4.10 - 14.00)  | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 22+22+25+25+42           | 1.60                  | 1.60   | 1.82   | 1.82   | 3.06   | 9.90 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+25+25+50           | 1.51                  | 1.51   | 1.72   | 1.72   | 3.44   | 9.90 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+25+25+60           | 1.41                  | 1.41   | 1.61   | 1.61   | 3.86   | 9.90 (4.10 - 14.00)  | 1.917 (0.640 - 3.877)               | 8.42                | 99               |
| 22+22+25+25+71           | 1.32                  | 1.32   | 1.50   | 1.50   | 4.26   | 9.90 (4.10 - 14.00)  | 1.921 (0.640 - 3.881)               | 8.44                | 99               |
| 22+22+25+35+35           | 1.57                  | 1.57   | 1.78   | 2.49   | 2.49   | 9.90 (4.10 - 14.00)  | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 22+22+25+35+42           | 1.49                  | 1.49   | 1.70   | 2.37   | 2.85   | 9.90 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+25+35+50           | 1.41                  | 1.41   | 1.61   | 2.25   | 3.21   | 9.90 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+25+35+60           | 1.33                  | 1.33   | 1.51   | 2.11   | 3.62   | 9.90 (4.10 - 14.00)  | 1.917 (0.640 - 3.877)               | 8.42                | 99               |
| 22+22+25+42+42           | 1.42                  | 1.42   | 1.62   | 2.72   | 2.72   | 9.90 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+22+25+42+50           | 1.35                  | 1.35   | 1.54   | 2.58   | 3.07   | 9.90 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+22+25+42+60           | 1.27                  | 1.27   | 1.45   | 2.43   | 3.47   | 9.90 (4.10 - 14.00)  | 1.911 (0.640 - 3.871)               | 8.39                | 99               |
| 22+22+25+50+50           | 1.29                  | 1.29   | 1.46   | 2.93   | 2.93   | 9.90 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+22+35+35+35           | 1.46                  | 1.46   | 2.33   | 2.33   | 2.33   | 9.90 (4.10 - 14.00)  | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 22+22+35+35+42           | 1.40                  | 1.40   | 2.22   | 2.22   | 2.67   | 9.90 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+35+35+50           | 1.33                  | 1.33   | 2.11   | 2.11   | 3.02   | 9.90 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+22+35+42+42           | 1.34                  | 1.34   | 2.13   | 2.55   | 2.55   | 9.90 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+22+35+42+50           | 1.27                  | 1.27   | 2.03   | 2.43   | 2.89   | 9.90 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+22+42+42+42           | 1.28                  | 1.28   | 2.45   | 2.45   | 2.45   | 9.90 (4.10 - 14.00)  | 1.922 (0.640 - 3.882)               | 8.44                | 99               |
| 22+25+25+25+25           | 1.79                  | 2.04   | 2.04   | 2.04   | 2.04   | 9.95 (4.10 - 13.94)  | 1.950 (0.640 - 3.900)               | 8.56                | 99               |
| 22+25+25+25+35           | 1.66                  | 1.88   | 1.88   | 1.88   | 2.64   | 9.95 (4.10 - 14.00)  | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 22+25+25+25+42           | 1.57                  | 1.79   | 1.79   | 1.79   | 3.01   | 9.95 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+25+25+25+50           | 1.49                  | 1.69   | 1.69   | 1.69   | 3.38   | 9.95 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+25+25+25+60           | 1.39                  | 1.58   | 1.58   | 1.58   | 3.80   | 9.95 (4.10 - 14.00)  | 1.917 (0.640 - 3.877)               | 8.42                | 99               |
| 22+25+25+25+71           | 1.30                  | 1.48   | 1.48   | 1.48   | 4.21   | 9.95 (4.10 - 14.00)  | 1.921 (0.640 - 3.881)               | 8.44                | 99               |
| 22+25+25+35+35           | 1.54                  | 1.75   | 1.75   | 2.45   | 2.45   | 9.95 (4.10 - 14.00)  | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 22+25+25+35+42           | 1.47                  | 1.67   | 1.67   | 2.34   | 2.80   | 9.95 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+25+25+35+50           | 1.39                  | 1.58   | 1.58   | 2.22   | 3.17   | 9.95 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+25+25+35+60           | 1.31                  | 1.49   | 1.49   | 2.09   | 3.57   | 9.95 (4.10 - 14.00)  | 1.917 (0.640 - 3.877)               | 8.42                | 99               |
| 22+25+25+42+42           | 1.40                  | 1.59   | 1.59   | 2.68   | 2.68   | 9.95 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+25+25+42+50           | 1.33                  | 1.52   | 1.52   | 2.55   | 3.03   | 9.95 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+25+25+50+50           | 1.27                  | 1.45   | 1.45   | 2.89   | 2.89   | 9.95 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+25+35+35+35           | 1.44                  | 1.64   | 2.29   | 2.29   | 2.29   | 9.95 (4.10 - 14.00)  | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 22+25+35+35+42           | 1.38                  | 1.56   | 2.19   | 2.19   | 2.63   | 9.95 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+25+35+35+50           | 1.31                  | 1.49   | 2.09   | 2.09   | 2.98   | 9.95 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 22+25+35+42+42           | 1.32                  | 1.50   | 2.10   | 2.52   | 2.52   | 9.95 (4.10 - 14.00)  | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 22+35+35+35+35           | 1.35                  | 2.15   | 2.15   | 2.15   | 2.15   | 9.95 (4.10 - 14.00)  | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 22+35+35+35+42           | 1.30                  | 2.06   | 2.06   | 2.06   | 2.47   | 9.95 (4.10 - 14.00)  | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 25+25+25+25+25           | 2.00                  | 2.00   | 2.00   | 2.00   | 2.00   | 10.00 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 25+25+25+25+35           | 1.85                  | 1.85   | 1.85   | 1.85   | 2.59   | 10.00 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |

Combination table for MXZ-5F100VGD continues on the next page.

# MXZ-5F100VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Total (Range)        |                                     |                     |                  |
| 25+25+25+25+42           | 1.76                  | 1.76   | 1.76   | 1.76   | 2.96   | 10.00 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 25+25+25+25+50           | 1.67                  | 1.67   | 1.67   | 1.67   | 3.33   | 10.00 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 25+25+25+25+60           | 1.56                  | 1.56   | 1.56   | 1.56   | 3.75   | 10.00 (4.10 - 14.00) | 1.917 (0.640 - 3.877)               | 8.42                | 99               |
| 25+25+25+25+71           | 1.46                  | 1.46   | 1.46   | 1.46   | 4.15   | 10.00 (4.10 - 14.00) | 1.921 (0.640 - 3.881)               | 8.44                | 99               |
| 25+25+25+35+35           | 1.72                  | 1.72   | 1.72   | 2.41   | 2.41   | 10.00 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 25+25+25+35+42           | 1.64                  | 1.64   | 1.64   | 2.30   | 2.76   | 10.00 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 25+25+25+35+50           | 1.56                  | 1.56   | 1.56   | 2.19   | 3.13   | 10.00 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 25+25+25+35+60           | 1.47                  | 1.47   | 1.47   | 2.06   | 3.53   | 10.00 (4.10 - 14.00) | 1.917 (0.640 - 3.877)               | 8.42                | 99               |
| 25+25+25+42+42           | 1.57                  | 1.57   | 1.57   | 2.64   | 2.64   | 10.00 (4.10 - 14.00) | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 25+25+25+42+50           | 1.50                  | 1.50   | 1.50   | 2.51   | 2.99   | 10.00 (4.10 - 14.00) | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 25+25+35+35+35           | 1.61                  | 1.61   | 2.26   | 2.26   | 2.26   | 10.00 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 25+25+35+35+42           | 1.54                  | 1.54   | 2.16   | 2.16   | 2.59   | 10.00 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 25+25+35+35+50           | 1.47                  | 1.47   | 2.06   | 2.06   | 2.94   | 10.00 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |
| 25+25+35+42+42           | 1.48                  | 1.48   | 2.07   | 2.49   | 2.49   | 10.00 (4.10 - 14.00) | 1.928 (0.640 - 3.888)               | 8.47                | 99               |
| 25+35+35+35+35           | 1.52                  | 2.12   | 2.12   | 2.12   | 2.12   | 10.00 (4.10 - 14.00) | 1.940 (0.640 - 3.900)               | 8.52                | 99               |
| 25+35+35+35+42           | 1.45                  | 2.03   | 2.03   | 2.03   | 2.44   | 10.00 (4.10 - 14.00) | 1.934 (0.640 - 3.894)               | 8.49                | 99               |

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)       |                                     |                     |                  |
| 15                       | 1.50                  | -      | -      | -      | -      | -      | 1.50 (1.50 - 3.20)  | 0.530 (0.530 - 1.300)               | 2.33                | 99               |
| 20                       | 2.00                  | -      | -      | -      | -      | -      | 2.00 (1.50 - 3.20)  | 0.600 (0.530 - 1.310)               | 2.64                | 99               |
| 22                       | 2.20                  | -      | -      | -      | -      | -      | 2.20 (1.50 - 3.70)  | 0.710 (0.530 - 1.430)               | 3.12                | 99               |
| 25                       | 2.50                  | -      | -      | -      | -      | -      | 2.50 (1.50 - 3.70)  | 0.800 (0.530 - 1.500)               | 3.51                | 99               |
| 35                       | 3.50                  | -      | -      | -      | -      | -      | 3.50 (1.50 - 3.80)  | 1.100 (0.530 - 1.530)               | 4.83                | 99               |
| 42                       | 4.20                  | -      | -      | -      | -      | -      | 4.20 (1.50 - 5.00)  | 1.290 (0.530 - 1.650)               | 5.67                | 99               |
| 50                       | 5.00                  | -      | -      | -      | -      | -      | 5.00 (1.50 - 5.60)  | 1.610 (0.530 - 1.920)               | 7.07                | 99               |
| 60                       | 6.00                  | -      | -      | -      | -      | -      | 6.00 (1.50 - 7.50)  | 1.870 (0.530 - 2.220)               | 8.21                | 99               |
| 71                       | 7.10                  | -      | -      | -      | -      | -      | 7.10 (1.50 - 8.70)  | 2.240 (0.530 - 2.940)               | 9.84                | 99               |
| 80                       | 8.00                  | -      | -      | -      | -      | -      | 8.00 (1.50 - 9.20)  | 2.540 (0.530 - 3.220)               | 11.16               | 99               |
| 15+15                    | 1.50                  | 1.50   | -      | -      | -      | -      | 3.00 (2.50 - 4.20)  | 0.876 (0.530 - 2.266)               | 3.85                | 99               |
| 15+20                    | 1.50                  | 2.00   | -      | -      | -      | -      | 3.50 (2.50 - 4.90)  | 0.974 (0.530 - 2.624)               | 4.28                | 99               |
| 15+22                    | 1.50                  | 2.20   | -      | -      | -      | -      | 3.70 (2.50 - 5.10)  | 0.997 (0.530 - 2.757)               | 4.38                | 99               |
| 15+25                    | 1.50                  | 2.50   | -      | -      | -      | -      | 4.00 (2.50 - 5.50)  | 1.057 (0.530 - 2.977)               | 4.64                | 99               |
| 15+35                    | 1.50                  | 3.50   | -      | -      | -      | -      | 5.00 (2.70 - 6.50)  | 1.307 (0.530 - 2.237)               | 5.74                | 99               |
| 15+42                    | 1.50                  | 4.20   | -      | -      | -      | -      | 5.70 (2.70 - 7.20)  | 1.581 (0.530 - 2.451)               | 6.94                | 99               |
| 15+50                    | 1.50                  | 5.00   | -      | -      | -      | -      | 6.50 (2.80 - 7.90)  | 1.901 (0.530 - 2.711)               | 8.35                | 99               |
| 15+60                    | 1.50                  | 6.00   | -      | -      | -      | -      | 7.50 (2.80 - 8.70)  | 2.314 (0.530 - 2.934)               | 10.16               | 99               |
| 15+71                    | 1.48                  | 7.02   | -      | -      | -      | -      | 8.50 (2.80 - 9.20)  | 2.738 (0.530 - 3.068)               | 12.02               | 99               |
| 15+80                    | 1.37                  | 7.33   | -      | -      | -      | -      | 8.70 (2.80 - 9.40)  | 2.818 (0.530 - 3.058)               | 12.38               | 99               |
| 20+20                    | 2.00                  | 2.00   | -      | -      | -      | -      | 4.00 (2.50 - 5.50)  | 1.062 (0.530 - 2.982)               | 4.66                | 99               |
| 20+22                    | 2.00                  | 2.20   | -      | -      | -      | -      | 4.20 (2.60 - 5.70)  | 1.075 (0.530 - 2.565)               | 4.72                | 99               |
| 20+25                    | 2.00                  | 2.50   | -      | -      | -      | -      | 4.50 (2.70 - 6.00)  | 1.125 (0.530 - 2.165)               | 4.94                | 99               |
| 20+35                    | 2.00                  | 3.50   | -      | -      | -      | -      | 5.50 (2.70 - 7.00)  | 1.505 (0.530 - 2.395)               | 6.61                | 99               |
| 20+42                    | 2.00                  | 4.20   | -      | -      | -      | -      | 6.20 (2.80 - 7.60)  | 1.779 (0.530 - 2.609)               | 7.81                | 99               |
| 20+50                    | 2.00                  | 5.00   | -      | -      | -      | -      | 7.00 (2.80 - 8.40)  | 2.099 (0.530 - 2.869)               | 9.22                | 99               |
| 20+60                    | 2.00                  | 6.00   | -      | -      | -      | -      | 8.00 (2.80 - 9.00)  | 2.532 (0.530 - 3.002)               | 11.12               | 99               |
| 20+71                    | 1.89                  | 6.71   | -      | -      | -      | -      | 8.60 (2.80 - 9.30)  | 2.786 (0.530 - 3.066)               | 12.24               | 99               |
| 20+80                    | 1.78                  | 7.12   | -      | -      | -      | -      | 8.90 (2.80 - 9.50)  | 2.866 (0.530 - 3.056)               | 12.59               | 99               |
| 22+22                    | 2.20                  | 2.20   | -      | -      | -      | -      | 4.40 (2.70 - 5.85)  | 1.078 (0.530 - 2.148)               | 4.73                | 99               |
| 22+25                    | 2.20                  | 2.50   | -      | -      | -      | -      | 4.70 (2.70 - 6.20)  | 1.188 (0.530 - 2.188)               | 5.22                | 99               |
| 22+35                    | 2.20                  | 3.50   | -      | -      | -      | -      | 5.70 (2.70 - 7.20)  | 1.578 (0.530 - 2.448)               | 6.93                | 99               |
| 22+42                    | 2.20                  | 4.20   | -      | -      | -      | -      | 6.40 (2.80 - 7.80)  | 1.852 (0.530 - 2.672)               | 8.13                | 99               |
| 22+50                    | 2.20                  | 5.00   | -      | -      | -      | -      | 7.20 (2.80 - 8.50)  | 2.182 (0.530 - 2.892)               | 9.58                | 99               |
| 22+60                    | 2.20                  | 6.00   | -      | -      | -      | -      | 8.20 (2.80 - 9.10)  | 2.615 (0.530 - 3.025)               | 11.48               | 99               |
| 22+71                    | 2.06                  | 6.64   | -      | -      | -      | -      | 8.70 (2.80 - 9.40)  | 2.799 (0.530 - 3.059)               | 12.29               | 99               |
| 22+80                    | 1.94                  | 7.06   | -      | -      | -      | -      | 9.00 (2.80 - 9.60)  | 2.859 (0.530 - 3.059)               | 12.56               | 99               |
| 25+25                    | 2.50                  | 2.50   | -      | -      | -      | -      | 5.00 (2.70 - 6.50)  | 1.298 (0.530 - 2.228)               | 5.70                | 99               |
| 25+35                    | 2.50                  | 3.50   | -      | -      | -      | -      | 6.00 (2.80 - 7.50)  | 1.698 (0.530 - 2.548)               | 7.46                | 99               |
| 25+42                    | 2.50                  | 4.20   | -      | -      | -      | -      | 6.70 (2.80 - 8.10)  | 1.972 (0.530 - 2.762)               | 8.66                | 99               |
| 25+50                    | 2.50                  | 5.00   | -      | -      | -      | -      | 7.50 (2.80 - 8.70)  | 2.322 (0.530 - 2.942)               | 10.20               | 99               |
| 25+60                    | 2.47                  | 5.93   | -      | -      | -      | -      | 8.40 (2.80 - 9.20)  | 2.715 (0.530 - 3.055)               | 11.92               | 99               |
| 25+71                    | 2.29                  | 6.51   | -      | -      | -      | -      | 8.80 (2.80 - 9.40)  | 2.829 (0.530 - 3.059)               | 12.42               | 99               |
| 25+80                    | 2.17                  | 6.93   | -      | -      | -      | -      | 9.10 (2.80 - 9.70)  | 2.869 (0.530 - 3.079)               | 12.60               | 99               |
| 35+35                    | 3.50                  | 3.50   | -      | -      | -      | -      | 7.00 (2.80 - 8.40)  | 2.098 (0.530 - 2.868)               | 9.21                | 99               |
| 35+42                    | 3.50                  | 4.20   | -      | -      | -      | -      | 7.70 (2.80 - 8.80)  | 2.412 (0.530 - 2.972)               | 10.59               | 99               |
| 35+50                    | 3.46                  | 4.94   | -      | -      | -      | -      | 8.40 (2.80 - 9.20)  | 2.732 (0.530 - 3.072)               | 12.00               | 99               |
| 35+60                    | 3.21                  | 5.49   | -      | -      | -      | -      | 8.70 (2.80 - 9.40)  | 2.815 (0.530 - 3.055)               | 12.36               | 99               |
| 35+71                    | 3.00                  | 6.10   | -      | -      | -      | -      | 9.10 (2.80 - 9.70)  | 2.879 (0.530 - 3.089)               | 12.64               | 99               |
| 35+80                    | 2.86                  | 6.54   | -      | -      | -      | -      | 9.40 (2.90 - 10.00) | 2.879 (0.530 - 3.129)               | 12.64               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                     | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|---------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)       |                                     |                     |                  |
| 42+42                    | 4.20                  | 4.20   | -      | -      | -      | -      | 8.40 (2.80 - 9.20)  | 2.716 (0.530 - 3.066)               | 11.93               | 99               |
| 42+50                    | 3.97                  | 4.73   | -      | -      | -      | -      | 8.70 (2.80 - 9.40)  | 2.796 (0.530 - 3.066)               | 12.28               | 99               |
| 42+60                    | 3.71                  | 5.29   | -      | -      | -      | -      | 9.00 (2.80 - 9.60)  | 2.859 (0.530 - 3.059)               | 12.56               | 99               |
| 42+71                    | 3.49                  | 5.91   | -      | -      | -      | -      | 9.40 (2.90 - 10.00) | 2.873 (0.530 - 3.123)               | 12.62               | 99               |
| 42+80                    | 3.30                  | 6.30   | -      | -      | -      | -      | 9.60 (2.90 - 10.20) | 2.873 (0.530 - 3.143)               | 12.62               | 99               |
| 50+50                    | 4.45                  | 4.45   | -      | -      | -      | -      | 8.90 (2.80 - 9.50)  | 2.876 (0.530 - 3.066)               | 12.63               | 99               |
| 50+60                    | 4.23                  | 5.07   | -      | -      | -      | -      | 9.30 (2.90 - 9.90)  | 2.869 (0.530 - 3.099)               | 12.60               | 99               |
| 50+71                    | 3.97                  | 5.63   | -      | -      | -      | -      | 9.60 (2.90 - 10.20) | 2.883 (0.530 - 3.153)               | 12.66               | 99               |
| 50+80                    | 3.69                  | 5.91   | -      | -      | -      | -      | 9.60 (2.90 - 10.20) | 2.883 (0.530 - 3.143)               | 12.66               | 99               |
| 60+60                    | 4.80                  | 4.80   | -      | -      | -      | -      | 9.60 (2.90 - 10.20) | 2.862 (0.530 - 3.132)               | 12.57               | 99               |
| 60+71                    | 4.44                  | 5.26   | -      | -      | -      | -      | 9.70 (2.90 - 10.30) | 2.876 (0.530 - 3.146)               | 12.63               | 99               |
| 60+80                    | 4.16                  | 5.54   | -      | -      | -      | -      | 9.70 (2.90 - 10.30) | 2.876 (0.530 - 3.136)               | 12.63               | 99               |
| 71+71                    | 4.85                  | 4.85   | -      | -      | -      | -      | 9.70 (2.90 - 10.30) | 2.890 (0.530 - 3.150)               | 12.69               | 99               |
| 71+80                    | 4.61                  | 5.19   | -      | -      | -      | -      | 9.80 (2.90 - 10.50) | 2.910 (0.530 - 3.170)               | 12.78               | 99               |
| 80+80                    | 4.95                  | 4.95   | -      | -      | -      | -      | 9.90 (2.90 - 10.60) | 2.920 (0.530 - 3.180)               | 12.82               | 99               |
| 15+15+15                 | 1.50                  | 1.50   | 1.50   | -      | -      | -      | 4.50 (2.90 - 6.30)  | 1.009 (0.690 - 2.359)               | 4.43                | 99               |
| 15+15+20                 | 1.50                  | 1.50   | 2.00   | -      | -      | -      | 5.00 (2.90 - 7.00)  | 1.157 (0.640 - 2.687)               | 5.08                | 99               |
| 15+15+22                 | 1.50                  | 1.50   | 2.20   | -      | -      | -      | 5.20 (2.90 - 7.20)  | 1.210 (0.620 - 2.810)               | 5.31                | 99               |
| 15+15+25                 | 1.50                  | 1.50   | 2.50   | -      | -      | -      | 5.50 (3.00 - 7.60)  | 1.300 (0.580 - 3.010)               | 5.71                | 99               |
| 15+15+35                 | 1.50                  | 1.50   | 3.50   | -      | -      | -      | 6.50 (3.20 - 8.50)  | 1.570 (0.530 - 2.590)               | 6.90                | 99               |
| 15+15+42                 | 1.50                  | 1.50   | 4.20*  | -      | -      | -      | 7.20 (3.20 - 9.20)  | 1.814 (0.530 - 2.914)               | 7.97                | 99               |
| 15+15+50                 | 1.48                  | 1.48   | 4.94*  | -      | -      | -      | 7.90 (3.20 - 9.80)  | 2.114 (0.530 - 3.324)               | 9.28                | 99               |
| 15+15+60                 | 1.43                  | 1.43   | 5.73   | -      | -      | -      | 8.60 (3.30 - 10.40) | 2.467 (0.530 - 3.647)               | 10.83               | 99               |
| 15+15+71                 | 1.38                  | 1.38   | 6.54   | -      | -      | -      | 9.30 (3.30 - 11.00) | 2.871 (0.530 - 4.021)               | 12.61               | 99               |
| 15+15+80                 | 1.32                  | 1.32   | 7.05   | -      | -      | -      | 9.70 (3.30 - 11.30) | 3.071 (0.530 - 4.191)               | 13.49               | 99               |
| 15+20+20                 | 1.50                  | 2.00   | 2.00   | -      | -      | -      | 5.50 (3.00 - 7.60)  | 1.305 (0.580 - 3.015)               | 5.73                | 99               |
| 15+20+22                 | 1.50                  | 2.00   | 2.20   | -      | -      | -      | 5.70 (3.00 - 7.90)  | 1.358 (0.560 - 3.138)               | 5.96                | 99               |
| 15+20+25                 | 1.50                  | 2.00   | 2.50   | -      | -      | -      | 6.00 (3.00 - 8.30)  | 1.448 (0.530 - 3.338)               | 6.36                | 99               |
| 15+20+35                 | 1.50                  | 2.00   | 3.50   | -      | -      | -      | 7.00 (3.20 - 8.90)  | 1.748 (0.530 - 2.758)               | 7.68                | 99               |
| 15+20+42                 | 1.48                  | 1.97   | 4.15*  | -      | -      | -      | 7.60 (3.20 - 9.60)  | 2.002 (0.530 - 3.222)               | 8.79                | 99               |
| 15+20+50                 | 1.45                  | 1.93   | 4.82*  | -      | -      | -      | 8.20 (3.20 - 10.10) | 2.302 (0.530 - 3.492)               | 10.11               | 99               |
| 15+20+60                 | 1.41                  | 1.87   | 5.62   | -      | -      | -      | 8.90 (3.30 - 10.60) | 2.645 (0.530 - 3.805)               | 11.62               | 99               |
| 15+20+71                 | 1.36                  | 1.81   | 6.43   | -      | -      | -      | 9.60 (3.30 - 11.20) | 3.029 (0.530 - 4.159)               | 13.30               | 99               |
| 15+20+80                 | 1.27                  | 1.69   | 6.75   | -      | -      | -      | 9.70 (3.30 - 11.30) | 3.119 (0.530 - 4.229)               | 13.70               | 99               |
| 15+22+22                 | 1.50                  | 2.20   | 2.20   | -      | -      | -      | 5.90 (3.00 - 8.20)  | 1.411 (0.540 - 3.261)               | 6.20                | 99               |
| 15+22+25                 | 1.50                  | 2.20   | 2.50   | -      | -      | -      | 6.20 (3.10 - 8.40)  | 1.491 (0.530 - 3.031)               | 6.55                | 99               |
| 15+22+35                 | 1.50                  | 2.20   | 3.50   | -      | -      | -      | 7.20 (3.20 - 9.20)  | 1.811 (0.530 - 2.911)               | 7.95                | 99               |
| 15+22+42                 | 1.48                  | 2.17   | 4.15*  | -      | -      | -      | 7.80 (3.20 - 9.70)  | 2.075 (0.530 - 3.275)               | 9.11                | 99               |
| 15+22+50                 | 1.43                  | 2.10   | 4.77*  | -      | -      | -      | 8.30 (3.20 - 10.20) | 2.365 (0.530 - 3.545)               | 10.39               | 99               |
| 15+22+60                 | 1.39                  | 2.04   | 5.57   | -      | -      | -      | 9.00 (3.30 - 10.70) | 2.718 (0.530 - 3.868)               | 11.94               | 99               |
| 15+22+71                 | 1.33                  | 1.96   | 6.31   | -      | -      | -      | 9.60 (3.30 - 11.20) | 3.042 (0.530 - 4.172)               | 13.36               | 99               |
| 15+22+80                 | 1.26                  | 1.84   | 6.70   | -      | -      | -      | 9.80 (3.30 - 11.40) | 3.142 (0.530 - 4.242)               | 13.80               | 99               |
| 15+25+25                 | 1.50                  | 2.50   | 2.50   | -      | -      | -      | 6.50 (3.20 - 8.50)  | 1.561 (0.530 - 2.581)               | 6.86                | 99               |
| 15+25+35                 | 1.50                  | 2.50   | 3.50   | -      | -      | -      | 7.50 (3.20 - 9.50)  | 1.931 (0.530 - 3.151)               | 8.48                | 99               |
| 15+25+42                 | 1.46                  | 2.44   | 4.10*  | -      | -      | -      | 8.00 (3.20 - 9.90)  | 2.185 (0.530 - 3.385)               | 9.60                | 99               |
| 15+25+50                 | 1.43                  | 2.39   | 4.78*  | -      | -      | -      | 8.60 (3.30 - 10.40) | 2.475 (0.530 - 3.655)               | 10.87               | 99               |
| 15+25+60                 | 1.40                  | 2.33   | 5.58   | -      | -      | -      | 9.30 (3.30 - 10.90) | 2.828 (0.530 - 3.968)               | 12.42               | 99               |
| 15+25+71                 | 1.31                  | 2.18   | 6.20   | -      | -      | -      | 9.70 (3.30 - 11.30) | 3.082 (0.530 - 4.192)               | 13.54               | 99               |
| 15+25+80                 | 1.23                  | 2.04   | 6.53   | -      | -      | -      | 9.80 (3.30 - 11.40) | 3.172 (0.530 - 4.272)               | 13.93               | 99               |
| 15+35+35                 | 1.45                  | 3.38   | 3.38   | -      | -      | -      | 8.20 (3.20 - 10.10) | 2.301 (0.530 - 3.491)               | 10.11               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+35+42                 | 1.42                  | 3.31   | 3.97*  | -      | -      | -      | 8.70 (3.30 - 10.50)  | 2.545 (0.530 - 3.715)               | 11.18               | 99               |
| 15+35+50                 | 1.40                  | 3.26   | 4.65*  | -      | -      | -      | 9.30 (3.30 - 10.90)  | 2.845 (0.530 - 3.985)               | 12.49               | 99               |
| 15+35+60                 | 1.32                  | 3.09   | 5.29   | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.068 (0.530 - 4.188)               | 13.47               | 99               |
| 15+35+71                 | 1.21                  | 2.83   | 5.75   | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.192 (0.530 - 4.282)               | 14.02               | 99               |
| 15+35+80                 | 1.15                  | 2.69   | 6.15   | -      | -      | -      | 10.00 (3.30 - 11.60) | 3.312 (0.530 - 4.412)               | 14.55               | 99               |
| 15+42+42                 | 1.39                  | 3.90*  | 3.90*  | -      | -      | -      | 9.20 (3.30 - 10.90)  | 2.799 (0.530 - 3.949)               | 12.29               | 99               |
| 15+42+50                 | 1.35                  | 3.77*  | 4.49*  | -      | -      | -      | 9.60 (3.30 - 11.20)  | 3.039 (0.530 - 4.169)               | 13.35               | 99               |
| 15+42+60                 | 1.26                  | 3.52*  | 5.03   | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.142 (0.530 - 4.242)               | 13.80               | 99               |
| 15+42+71                 | 1.17                  | 3.28*  | 5.55   | -      | -      | -      | 10.00 (3.30 - 11.60) | 3.276 (0.530 - 4.366)               | 14.39               | 99               |
| 15+42+80                 | 1.12                  | 3.13*  | 5.96   | -      | -      | -      | 10.20 (3.30 - 11.80) | 3.416 (0.530 - 4.546)               | 15.00               | 99               |
| 15+50+50                 | 1.27                  | 4.22*  | 4.22*  | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.129 (0.530 - 4.239)               | 13.74               | 99               |
| 15+50+60                 | 1.19                  | 3.96*  | 4.75   | -      | -      | -      | 9.90 (3.30 - 11.50)  | 3.232 (0.530 - 4.312)               | 14.19               | 99               |
| 15+50+71                 | 1.13                  | 3.75*  | 5.33   | -      | -      | -      | 10.20 (3.30 - 11.80) | 3.416 (0.530 - 4.536)               | 15.00               | 99               |
| 15+50+80                 | 1.09                  | 3.62*  | 5.79   | -      | -      | -      | 10.50 (3.30 - 12.10) | 3.556 (0.530 - 4.716)               | 15.62               | 99               |
| 15+60+60                 | 1.13                  | 4.53   | 4.53   | -      | -      | -      | 10.20 (3.30 - 11.80) | 3.375 (0.530 - 4.495)               | 14.82               | 99               |
| 15+60+71                 | 1.08                  | 4.32   | 5.11   | -      | -      | -      | 10.50 (3.30 - 12.10) | 3.559 (0.530 - 4.739)               | 15.63               | 99               |
| 15+60+80                 | 1.03                  | 4.10   | 5.47   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.619 (0.530 - 4.809)               | 15.89               | 99               |
| 15+71+71                 | 1.01                  | 4.79   | 4.79   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.633 (0.530 - 4.823)               | 15.96               | 99               |
| 15+71+80                 | 0.96                  | 4.53   | 5.11   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.623 (0.530 - 4.813)               | 15.91               | 99               |
| 15+80+80                 | 0.91                  | 4.85   | 4.85   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.613 (0.530 - 4.803)               | 15.87               | 99               |
| 20+20+20                 | 2.00                  | 2.00   | 2.00   | -      | -      | -      | 6.00 (3.00 - 8.30)   | 1.453 (0.530 - 3.343)               | 6.38                | 99               |
| 20+20+22                 | 2.00                  | 2.00   | 2.20   | -      | -      | -      | 6.20 (3.10 - 8.40)   | 1.496 (0.530 - 3.036)               | 6.57                | 99               |
| 20+20+25                 | 2.00                  | 2.00   | 2.50   | -      | -      | -      | 6.50 (3.20 - 8.50)   | 1.566 (0.530 - 2.586)               | 6.88                | 99               |
| 20+20+35                 | 2.00                  | 2.00   | 3.50   | -      | -      | -      | 7.50 (3.20 - 9.50)   | 1.936 (0.530 - 3.156)               | 8.50                | 99               |
| 20+20+42                 | 1.95                  | 1.95   | 4.10*  | -      | -      | -      | 8.00 (3.20 - 9.90)   | 2.190 (0.530 - 3.390)               | 9.62                | 99               |
| 20+20+50                 | 1.91                  | 1.91   | 4.78*  | -      | -      | -      | 8.60 (3.30 - 10.40)  | 2.480 (0.530 - 3.660)               | 10.89               | 99               |
| 20+20+60                 | 1.86                  | 1.86   | 5.58   | -      | -      | -      | 9.30 (3.30 - 10.90)  | 2.833 (0.530 - 3.973)               | 12.44               | 99               |
| 20+20+71                 | 1.75                  | 1.75   | 6.20   | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.087 (0.530 - 4.197)               | 13.56               | 99               |
| 20+20+80                 | 1.63                  | 1.63   | 6.53   | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.177 (0.530 - 4.277)               | 13.95               | 99               |
| 20+22+22                 | 2.00                  | 2.20   | 2.20   | -      | -      | -      | 6.40 (3.10 - 8.40)   | 1.529 (0.530 - 2.729)               | 6.71                | 99               |
| 20+22+25                 | 2.00                  | 2.20   | 2.50   | -      | -      | -      | 6.70 (3.20 - 8.60)   | 1.619 (0.530 - 2.509)               | 7.11                | 99               |
| 20+22+35                 | 1.97                  | 2.17   | 3.45   | -      | -      | -      | 7.60 (3.20 - 9.60)   | 1.999 (0.530 - 3.219)               | 8.78                | 99               |
| 20+22+42                 | 1.93                  | 2.12   | 4.05*  | -      | -      | -      | 8.10 (3.20 - 10.00)  | 2.253 (0.530 - 3.443)               | 9.89                | 99               |
| 20+22+50                 | 1.89                  | 2.08   | 4.73*  | -      | -      | -      | 8.70 (3.30 - 10.50)  | 2.543 (0.530 - 3.713)               | 11.17               | 99               |
| 20+22+60                 | 1.84                  | 2.03   | 5.53   | -      | -      | -      | 9.40 (3.30 - 11.00)  | 2.896 (0.530 - 4.036)               | 12.72               | 99               |
| 20+22+71                 | 1.72                  | 1.89   | 6.09   | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.100 (0.530 - 4.210)               | 13.61               | 99               |
| 20+22+80                 | 1.61                  | 1.77   | 6.43   | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.190 (0.530 - 4.280)               | 14.01               | 99               |
| 20+25+25                 | 2.00                  | 2.50   | 2.50   | -      | -      | -      | 7.00 (3.20 - 8.90)   | 1.739 (0.530 - 2.749)               | 7.64                | 99               |
| 20+25+35                 | 1.98                  | 2.47   | 3.46   | -      | -      | -      | 7.90 (3.20 - 9.80)   | 2.109 (0.530 - 3.319)               | 9.26                | 99               |
| 20+25+42                 | 1.91                  | 2.39   | 4.01*  | -      | -      | -      | 8.30 (3.20 - 10.20)  | 2.363 (0.530 - 3.543)               | 10.38               | 99               |
| 20+25+50                 | 1.87                  | 2.34   | 4.68*  | -      | -      | -      | 8.90 (3.30 - 10.60)  | 2.653 (0.530 - 3.813)               | 11.65               | 99               |
| 20+25+60                 | 1.83                  | 2.29   | 5.49   | -      | -      | -      | 9.60 (3.30 - 11.20)  | 3.006 (0.530 - 4.136)               | 13.20               | 99               |
| 20+25+71                 | 1.69                  | 2.11   | 6.00   | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.140 (0.530 - 4.240)               | 13.79               | 99               |
| 20+25+80                 | 1.58                  | 1.98   | 6.34   | -      | -      | -      | 9.90 (3.30 - 11.50)  | 3.230 (0.530 - 4.310)               | 14.19               | 99               |
| 20+35+35                 | 1.91                  | 3.34   | 3.34   | -      | -      | -      | 8.60 (3.30 - 10.40)  | 2.479 (0.530 - 3.659)               | 10.89               | 99               |
| 20+35+42                 | 1.86                  | 3.25   | 3.90*  | -      | -      | -      | 9.00 (3.30 - 10.70)  | 2.733 (0.530 - 3.883)               | 12.00               | 99               |
| 20+35+50                 | 1.83                  | 3.20   | 4.57*  | -      | -      | -      | 9.60 (3.30 - 11.20)  | 3.023 (0.530 - 4.153)               | 13.28               | 99               |
| 20+35+60                 | 1.69                  | 2.95   | 5.06   | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.116 (0.530 - 4.226)               | 13.68               | 99               |
| 20+35+71                 | 1.57                  | 2.75   | 5.58   | -      | -      | -      | 9.90 (3.30 - 11.50)  | 3.250 (0.530 - 4.330)               | 14.27               | 99               |
| 20+35+80                 | 1.51                  | 2.64   | 6.04   | -      | -      | -      | 10.20 (3.30 - 11.80) | 3.390 (0.530 - 4.510)               | 14.89               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+42+42                 | 1.83                  | 3.84*  | 3.84*  | -      | -      | -      | 9.50 (3.30 - 11.10)  | 2.977 (0.530 - 4.117)               | 13.07               | 99               |
| 20+42+50                 | 1.73                  | 3.64*  | 4.33*  | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.097 (0.530 - 4.207)               | 13.60               | 99               |
| 20+42+60                 | 1.61                  | 3.37*  | 4.82   | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.190 (0.530 - 4.280)               | 14.01               | 99               |
| 20+42+71                 | 1.52                  | 3.19*  | 5.39   | -      | -      | -      | 10.10 (3.30 - 11.70) | 3.364 (0.530 - 4.474)               | 14.77               | 99               |
| 20+42+80                 | 1.46                  | 3.08*  | 5.86   | -      | -      | -      | 10.40 (3.30 - 12.00) | 3.504 (0.530 - 4.654)               | 15.39               | 99               |
| 20+50+50                 | 1.63                  | 4.08*  | 4.08*  | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.187 (0.530 - 4.287)               | 14.00               | 99               |
| 20+50+60                 | 1.54                  | 3.85*  | 4.62   | -      | -      | -      | 10.00 (3.30 - 11.60) | 3.310 (0.530 - 4.410)               | 14.54               | 99               |
| 20+50+71                 | 1.46                  | 3.65*  | 5.19   | -      | -      | -      | 10.30 (3.30 - 11.90) | 3.494 (0.530 - 4.644)               | 15.34               | 99               |
| 20+50+80                 | 1.41                  | 3.53*  | 5.65   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.634 (0.530 - 4.824)               | 15.96               | 99               |
| 20+60+60                 | 1.47                  | 4.41   | 4.41   | -      | -      | -      | 10.30 (3.30 - 11.90) | 3.453 (0.530 - 4.603)               | 15.16               | 99               |
| 20+60+71                 | 1.40                  | 4.21   | 4.98   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.627 (0.530 - 4.817)               | 15.93               | 99               |
| 20+60+80                 | 1.33                  | 3.98   | 5.30   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.617 (0.530 - 4.807)               | 15.88               | 99               |
| 20+71+71                 | 1.31                  | 4.65   | 4.65   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.631 (0.530 - 4.821)               | 15.95               | 99               |
| 20+71+80                 | 1.24                  | 4.40   | 4.96   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.621 (0.530 - 4.811)               | 15.90               | 99               |
| 20+80+80                 | 1.28                  | 5.11   | 5.11   | -      | -      | -      | 11.50 (3.40 - 13.00) | 3.481 (0.530 - 4.291)               | 15.29               | 99               |
| 22+22+22                 | 2.20                  | 2.20   | 2.20   | -      | -      | -      | 6.60 (3.20 - 8.50)   | 1.572 (0.530 - 2.422)               | 6.90                | 99               |
| 22+22+25                 | 2.20                  | 2.20   | 2.50   | -      | -      | -      | 6.90 (3.20 - 8.80)   | 1.692 (0.530 - 2.662)               | 7.43                | 99               |
| 22+22+35                 | 2.17                  | 2.17   | 3.46   | -      | -      | -      | 7.80 (3.20 - 9.70)   | 2.072 (0.530 - 3.272)               | 9.10                | 99               |
| 22+22+42                 | 2.12                  | 2.12   | 4.05*  | -      | -      | -      | 8.30 (3.20 - 10.10)  | 2.316 (0.530 - 3.506)               | 10.17               | 99               |
| 22+22+50                 | 2.06                  | 2.06   | 4.68*  | -      | -      | -      | 8.80 (3.30 - 10.60)  | 2.616 (0.530 - 3.776)               | 11.49               | 99               |
| 22+22+60                 | 2.01                  | 2.01   | 5.48   | -      | -      | -      | 9.50 (3.30 - 11.10)  | 2.959 (0.530 - 4.099)               | 13.00               | 99               |
| 22+22+71                 | 1.86                  | 1.86   | 5.99   | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.113 (0.530 - 4.223)               | 13.67               | 99               |
| 22+22+80                 | 1.76                  | 1.76   | 6.39   | -      | -      | -      | 9.90 (3.30 - 11.50)  | 3.213 (0.530 - 4.293)               | 14.11               | 99               |
| 22+25+25                 | 2.20                  | 2.50   | 2.50   | -      | -      | -      | 7.20 (3.20 - 9.20)   | 1.802 (0.530 - 2.902)               | 7.91                | 99               |
| 22+25+35                 | 2.15                  | 2.44   | 3.41   | -      | -      | -      | 8.00 (3.20 - 9.90)   | 2.182 (0.530 - 3.382)               | 9.58                | 99               |
| 22+25+42                 | 2.10                  | 2.39   | 4.01*  | -      | -      | -      | 8.50 (3.20 - 10.30)  | 2.426 (0.530 - 3.606)               | 10.65               | 99               |
| 22+25+50                 | 2.04                  | 2.32   | 4.64*  | -      | -      | -      | 9.00 (3.30 - 10.70)  | 2.726 (0.530 - 3.876)               | 11.97               | 99               |
| 22+25+60                 | 1.97                  | 2.24   | 5.38   | -      | -      | -      | 9.60 (3.30 - 11.20)  | 3.019 (0.530 - 4.149)               | 13.26               | 99               |
| 22+25+71                 | 1.83                  | 2.08   | 5.90   | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.153 (0.530 - 4.253)               | 13.85               | 99               |
| 22+25+80                 | 1.71                  | 1.95   | 6.24   | -      | -      | -      | 9.90 (3.30 - 11.50)  | 3.253 (0.530 - 4.333)               | 14.29               | 99               |
| 22+35+35                 | 2.08                  | 3.31   | 3.31   | -      | -      | -      | 8.70 (3.30 - 10.50)  | 2.542 (0.530 - 3.712)               | 11.16               | 99               |
| 22+35+42                 | 2.04                  | 3.25   | 3.90*  | -      | -      | -      | 9.20 (3.30 - 10.90)  | 2.796 (0.530 - 3.946)               | 12.28               | 99               |
| 22+35+50                 | 1.97                  | 3.14   | 4.49*  | -      | -      | -      | 9.60 (3.30 - 11.20)  | 3.036 (0.530 - 4.166)               | 13.33               | 99               |
| 22+35+60                 | 1.84                  | 2.93   | 5.03   | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.139 (0.530 - 4.239)               | 13.79               | 99               |
| 22+35+71                 | 1.72                  | 2.73   | 5.55   | -      | -      | -      | 10.00 (3.30 - 11.60) | 3.273 (0.530 - 4.363)               | 14.37               | 99               |
| 22+35+80                 | 1.64                  | 2.61   | 5.96   | -      | -      | -      | 10.20 (3.30 - 11.80) | 3.413 (0.530 - 4.543)               | 14.99               | 99               |
| 22+42+42                 | 1.99                  | 3.80*  | 3.80*  | -      | -      | -      | 9.60 (3.30 - 11.20)  | 3.020 (0.530 - 4.150)               | 13.26               | 99               |
| 22+42+50                 | 1.87                  | 3.57*  | 4.25*  | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.110 (0.530 - 4.220)               | 13.66               | 99               |
| 22+42+60                 | 1.76                  | 3.35*  | 4.79   | -      | -      | -      | 9.90 (3.30 - 11.50)  | 3.213 (0.530 - 4.293)               | 14.11               | 99               |
| 22+42+71                 | 1.66                  | 3.17*  | 5.36   | -      | -      | -      | 10.20 (3.30 - 11.80) | 3.387 (0.530 - 4.507)               | 14.87               | 99               |
| 22+42+80                 | 1.59                  | 3.03*  | 5.78   | -      | -      | -      | 10.40 (3.30 - 12.00) | 3.527 (0.530 - 4.687)               | 15.49               | 99               |
| 22+50+50                 | 1.77                  | 4.02*  | 4.02*  | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.200 (0.530 - 4.290)               | 14.05               | 99               |
| 22+50+60                 | 1.68                  | 3.83*  | 4.59   | -      | -      | -      | 10.10 (3.30 - 11.70) | 3.333 (0.530 - 4.443)               | 14.64               | 99               |
| 22+50+71                 | 1.60                  | 3.64*  | 5.16   | -      | -      | -      | 10.40 (3.30 - 12.00) | 3.517 (0.530 - 4.677)               | 15.45               | 99               |
| 22+50+80                 | 1.53                  | 3.49*  | 5.58   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.627 (0.530 - 4.817)               | 15.93               | 99               |
| 22+60+60                 | 1.61                  | 4.39   | 4.39   | -      | -      | -      | 10.40 (3.30 - 12.00) | 3.486 (0.530 - 4.636)               | 15.31               | 99               |
| 22+60+71                 | 1.52                  | 4.16   | 4.92   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.620 (0.530 - 4.810)               | 15.90               | 99               |
| 22+60+80                 | 1.44                  | 3.93   | 5.23   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.610 (0.530 - 4.800)               | 15.85               | 99               |
| 22+71+71                 | 1.42                  | 4.59   | 4.59   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.624 (0.530 - 4.814)               | 15.92               | 99               |
| 22+71+80                 | 1.35                  | 4.35   | 4.90   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.614 (0.530 - 4.804)               | 15.87               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 25+25+25                 | 2.50                  | 2.50   | 2.50   | -      | -      | -      | 7.50 (3.20 - 9.50)   | 1.922 (0.530 - 3.142)               | 8.44                | 99               |
| 25+25+35                 | 2.41                  | 2.41   | 3.38   | -      | -      | -      | 8.20 (3.20 - 10.10)  | 2.292 (0.530 - 3.482)               | 10.07               | 99               |
| 25+25+42                 | 2.36                  | 2.36   | 3.97*  | -      | -      | -      | 8.70 (3.30 - 10.50)  | 2.536 (0.530 - 3.706)               | 11.14               | 99               |
| 25+25+50                 | 2.33                  | 2.33   | 4.65*  | -      | -      | -      | 9.30 (3.30 - 10.90)  | 2.836 (0.530 - 3.976)               | 12.45               | 99               |
| 25+25+60                 | 2.20                  | 2.20   | 5.29   | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.059 (0.530 - 4.179)               | 13.43               | 99               |
| 25+25+71                 | 2.02                  | 2.02   | 5.75   | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.183 (0.530 - 4.273)               | 13.98               | 99               |
| 25+25+80                 | 1.92                  | 1.92   | 6.15   | -      | -      | -      | 10.00 (3.30 - 11.60) | 3.303 (0.530 - 4.403)               | 14.51               | 99               |
| 25+35+35                 | 2.34                  | 3.28   | 3.28   | -      | -      | -      | 8.90 (3.30 - 10.60)  | 2.652 (0.530 - 3.812)               | 11.65               | 99               |
| 25+35+42                 | 2.30                  | 3.23   | 3.87*  | -      | -      | -      | 9.40 (3.30 - 11.00)  | 2.906 (0.530 - 4.046)               | 12.76               | 99               |
| 25+35+50                 | 2.20                  | 3.09   | 4.41*  | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.076 (0.530 - 4.196)               | 13.51               | 99               |
| 25+35+60                 | 2.04                  | 2.86   | 4.90   | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.169 (0.530 - 4.269)               | 13.92               | 99               |
| 25+35+71                 | 1.91                  | 2.67   | 5.42   | -      | -      | -      | 10.00 (3.30 - 11.60) | 3.323 (0.530 - 4.433)               | 14.59               | 99               |
| 25+35+80                 | 1.84                  | 2.58   | 5.89   | -      | -      | -      | 10.30 (3.30 - 11.90) | 3.463 (0.530 - 4.613)               | 15.21               | 99               |
| 25+42+42                 | 2.22                  | 3.74*  | 3.74*  | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.060 (0.530 - 4.180)               | 13.44               | 99               |
| 25+42+50                 | 2.09                  | 3.52*  | 4.19*  | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.150 (0.530 - 4.250)               | 13.83               | 99               |
| 25+42+60                 | 1.95                  | 3.27*  | 4.68   | -      | -      | -      | 9.90 (3.30 - 11.50)  | 3.253 (0.530 - 4.333)               | 14.29               | 99               |
| 25+42+71                 | 1.87                  | 3.13*  | 5.30   | -      | -      | -      | 10.30 (3.30 - 11.90) | 3.437 (0.530 - 4.577)               | 15.09               | 99               |
| 25+42+80                 | 1.79                  | 3.00*  | 5.71   | -      | -      | -      | 10.50 (3.30 - 12.10) | 3.577 (0.530 - 4.757)               | 15.71               | 99               |
| 25+50+50                 | 1.98                  | 3.96*  | 3.96*  | -      | -      | -      | 9.90 (3.30 - 11.50)  | 3.240 (0.530 - 4.320)               | 14.23               | 99               |
| 25+50+60                 | 1.89                  | 3.78*  | 4.53   | -      | -      | -      | 10.20 (3.30 - 11.80) | 3.383 (0.530 - 4.503)               | 14.86               | 99               |
| 25+50+71                 | 1.80                  | 3.60*  | 5.11   | -      | -      | -      | 10.50 (3.30 - 12.10) | 3.567 (0.530 - 4.747)               | 15.67               | 99               |
| 25+50+80                 | 1.71                  | 3.42*  | 5.47   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.627 (0.530 - 4.817)               | 15.93               | 99               |
| 25+60+60                 | 1.81                  | 4.34   | 4.34   | -      | -      | -      | 10.50 (3.30 - 12.10) | 3.536 (0.530 - 4.696)               | 15.53               | 99               |
| 25+60+71                 | 1.70                  | 4.08   | 4.82   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.620 (0.530 - 4.810)               | 15.90               | 99               |
| 25+60+80                 | 1.61                  | 3.85   | 5.14   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.610 (0.530 - 4.800)               | 15.85               | 99               |
| 25+71+71                 | 1.59                  | 4.51   | 4.51   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.624 (0.530 - 4.814)               | 15.92               | 99               |
| 25+71+80                 | 1.51                  | 4.28   | 4.82   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.614 (0.530 - 4.804)               | 15.87               | 99               |
| 35+35+35                 | 3.20                  | 3.20   | 3.20   | -      | -      | -      | 9.60 (3.30 - 11.20)  | 3.022 (0.530 - 4.152)               | 13.27               | 99               |
| 35+35+42                 | 3.03                  | 3.03   | 3.64*  | -      | -      | -      | 9.70 (3.30 - 11.30)  | 3.096 (0.530 - 4.206)               | 13.60               | 99               |
| 35+35+50                 | 2.86                  | 2.86   | 4.08*  | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.186 (0.530 - 4.286)               | 13.99               | 99               |
| 35+35+60                 | 2.69                  | 2.69   | 4.62   | -      | -      | -      | 10.00 (3.30 - 11.60) | 3.309 (0.530 - 4.409)               | 14.53               | 99               |
| 35+35+71                 | 2.56                  | 2.56   | 5.19   | -      | -      | -      | 10.30 (3.30 - 11.90) | 3.493 (0.530 - 4.643)               | 15.34               | 99               |
| 35+35+80                 | 2.47                  | 2.47   | 5.65   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.633 (0.530 - 4.823)               | 15.96               | 99               |
| 35+42+42                 | 2.88                  | 3.46*  | 3.46*  | -      | -      | -      | 9.80 (3.30 - 11.40)  | 3.170 (0.530 - 4.270)               | 13.92               | 99               |
| 35+42+50                 | 2.73                  | 3.27*  | 3.90*  | -      | -      | -      | 9.90 (3.30 - 11.50)  | 3.270 (0.530 - 4.350)               | 14.36               | 99               |
| 35+42+60                 | 2.61                  | 3.13*  | 4.47   | -      | -      | -      | 10.20 (3.30 - 11.80) | 3.413 (0.530 - 4.543)               | 14.99               | 99               |
| 35+42+71                 | 2.48                  | 2.98*  | 5.04   | -      | -      | -      | 10.50 (3.30 - 12.10) | 3.607 (0.530 - 4.787)               | 15.84               | 99               |
| 35+42+80                 | 2.36                  | 2.84*  | 5.40   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.627 (0.530 - 4.817)               | 15.93               | 99               |
| 35+50+50                 | 2.64                  | 3.78*  | 3.78*  | -      | -      | -      | 10.20 (3.30 - 11.80) | 3.400 (0.530 - 4.520)               | 14.93               | 99               |
| 35+50+60                 | 2.53                  | 3.62*  | 4.34   | -      | -      | -      | 10.50 (3.30 - 12.10) | 3.553 (0.530 - 4.713)               | 15.60               | 99               |
| 35+50+71                 | 2.38                  | 3.40*  | 4.82   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.637 (0.530 - 4.827)               | 15.97               | 99               |
| 35+50+80                 | 2.25                  | 3.21*  | 5.14   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.627 (0.530 - 4.817)               | 15.93               | 99               |
| 35+60+60                 | 2.39                  | 4.10   | 4.10   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.616 (0.530 - 4.806)               | 15.88               | 99               |
| 35+60+71                 | 2.23                  | 3.83   | 4.53   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.620 (0.530 - 4.810)               | 15.90               | 99               |
| 35+60+80                 | 2.12                  | 3.63   | 4.85   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.610 (0.530 - 4.800)               | 15.85               | 99               |
| 35+71+71                 | 2.10                  | 4.25   | 4.25   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.624 (0.530 - 4.814)               | 15.92               | 99               |
| 42+42+42                 | 3.30*                 | 3.30*  | 3.30*  | -      | -      | -      | 9.90 (3.30 - 11.50)  | 3.244 (0.530 - 4.324)               | 14.25               | 99               |
| 42+42+50                 | 3.17*                 | 3.17*  | 3.77*  | -      | -      | -      | 10.10 (3.30 - 11.70) | 3.374 (0.530 - 4.494)               | 14.82               | 99               |
| 42+42+60                 | 3.03*                 | 3.03*  | 4.33   | -      | -      | -      | 10.40 (3.30 - 12.00) | 3.527 (0.530 - 4.687)               | 15.49               | 99               |
| 42+42+71                 | 2.87*                 | 2.87*  | 4.86   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.631 (0.530 - 4.821)               | 15.95               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 42+42+80                 | 2.71*                 | 2.71*  | 5.17   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.621 (0.530 - 4.811)               | 15.90               | 99               |
| 42+50+50                 | 3.08*                 | 3.66*  | 3.66*  | -      | -      | -      | 10.40 (3.30 - 12.00) | 3.514 (0.530 - 4.664)               | 15.43               | 99               |
| 42+50+60                 | 2.93*                 | 3.49*  | 4.18   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.627 (0.530 - 4.817)               | 15.93               | 99               |
| 42+50+71                 | 2.73*                 | 3.25*  | 4.62   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.631 (0.530 - 4.821)               | 15.95               | 99               |
| 42+50+80                 | 2.59*                 | 3.08*  | 4.93   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.621 (0.530 - 4.811)               | 15.90               | 99               |
| 42+60+60                 | 2.75*                 | 3.93   | 3.93   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.610 (0.530 - 4.800)               | 15.85               | 99               |
| 42+60+71                 | 2.57*                 | 3.68   | 4.35   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.614 (0.530 - 4.804)               | 15.87               | 99               |
| 50+50+50                 | 3.53*                 | 3.53*  | 3.53*  | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.644 (0.530 - 4.834)               | 16.00               | 99               |
| 50+50+60                 | 3.31*                 | 3.31*  | 3.98   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.627 (0.530 - 4.817)               | 15.93               | 99               |
| 50+50+71                 | 3.10*                 | 3.10*  | 4.40   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.631 (0.530 - 4.821)               | 15.95               | 99               |
| 50+50+80                 | 3.19*                 | 3.19*  | 5.11   | -      | -      | -      | 11.50 (3.40 - 13.00) | 3.491 (0.530 - 4.301)               | 15.33               | 99               |
| 50+60+60                 | 3.12*                 | 3.74   | 3.74   | -      | -      | -      | 10.60 (3.30 - 12.20) | 3.610 (0.530 - 4.800)               | 15.85               | 99               |
| 60+60+60                 | 3.83                  | 3.83   | 3.83   | -      | -      | -      | 11.50 (3.40 - 13.00) | 3.463 (0.530 - 4.273)               | 15.21               | 99               |
| 15+15+15+15              | 1.50                  | 1.50   | 1.50   | 1.50   | -      | -      | 6.00 (3.10 - 8.40)   | 1.382 (0.530 - 4.062)               | 6.07                | 99               |
| 15+15+15+20              | 1.50                  | 1.50   | 1.50   | 2.00   | -      | -      | 6.50 (3.10 - 8.90)   | 1.550 (0.530 - 4.010)               | 6.81                | 99               |
| 15+15+15+22              | 1.50                  | 1.50   | 1.50   | 2.20   | -      | -      | 6.70 (3.20 - 9.10)   | 1.613 (0.530 - 3.983)               | 7.08                | 99               |
| 15+15+15+25              | 1.50                  | 1.50   | 1.50   | 2.50   | -      | -      | 7.00 (3.20 - 9.30)   | 1.713 (0.530 - 3.953)               | 7.52                | 99               |
| 15+15+15+35              | 1.50                  | 1.50   | 1.50   | 3.50   | -      | -      | 8.00 (3.20 - 10.30)  | 2.053 (0.530 - 3.853)               | 9.02                | 99               |
| 15+15+15+42              | 1.50                  | 1.50   | 1.50   | 4.20*  | -      | -      | 8.70 (3.30 - 10.90)  | 2.287 (0.530 - 3.777)               | 10.04               | 99               |
| 15+15+15+50              | 1.50                  | 1.50   | 1.50   | 5.00*  | -      | -      | 9.50 (3.30 - 11.50)  | 2.647 (0.530 - 3.887)               | 11.62               | 99               |
| 15+15+15+60              | 1.44                  | 1.44   | 1.44   | 5.77   | -      | -      | 10.10 (3.30 - 11.90) | 2.920 (0.530 - 3.990)               | 12.82               | 99               |
| 15+15+15+71              | 1.33                  | 1.33   | 1.33   | 6.30   | -      | -      | 10.30 (3.30 - 12.00) | 3.024 (0.530 - 4.064)               | 13.28               | 99               |
| 15+15+15+80              | 1.25                  | 1.25   | 1.25   | 6.66   | -      | -      | 10.40 (3.40 - 12.20) | 3.104 (0.530 - 4.124)               | 13.63               | 99               |
| 15+15+20+20              | 1.50                  | 1.50   | 2.00   | 2.00   | -      | -      | 7.00 (3.20 - 9.30)   | 1.718 (0.530 - 3.958)               | 7.55                | 99               |
| 15+15+20+22              | 1.50                  | 1.50   | 2.00   | 2.20   | -      | -      | 7.20 (3.20 - 9.50)   | 1.781 (0.530 - 3.931)               | 7.82                | 99               |
| 15+15+20+25              | 1.50                  | 1.50   | 2.00   | 2.50   | -      | -      | 7.50 (3.20 - 9.80)   | 1.881 (0.530 - 3.901)               | 8.26                | 99               |
| 15+15+20+35              | 1.50                  | 1.50   | 2.00   | 3.50   | -      | -      | 8.50 (3.30 - 10.70)  | 2.221 (0.530 - 3.801)               | 9.75                | 99               |
| 15+15+20+42              | 1.50                  | 1.50   | 2.00   | 4.20*  | -      | -      | 9.20 (3.30 - 11.30)  | 2.505 (0.530 - 3.835)               | 11.00               | 99               |
| 15+15+20+50              | 1.50                  | 1.50   | 2.00   | 5.00*  | -      | -      | 10.00 (3.30 - 11.80) | 2.885 (0.530 - 3.965)               | 12.67               | 99               |
| 15+15+20+60              | 1.39                  | 1.39   | 1.85   | 5.56   | -      | -      | 10.20 (3.30 - 12.00) | 2.968 (0.530 - 4.018)               | 13.03               | 99               |
| 15+15+20+71              | 1.29                  | 1.29   | 1.72   | 6.10   | -      | -      | 10.40 (3.40 - 12.10) | 3.072 (0.530 - 4.102)               | 13.49               | 99               |
| 15+15+20+80              | 1.21                  | 1.21   | 1.62   | 6.46   | -      | -      | 10.50 (3.40 - 12.30) | 3.152 (0.530 - 4.152)               | 13.84               | 99               |
| 15+15+22+22              | 1.50                  | 1.50   | 2.20   | 2.20   | -      | -      | 7.40 (3.20 - 9.70)   | 1.844 (0.530 - 3.904)               | 8.10                | 99               |
| 15+15+22+25              | 1.50                  | 1.50   | 2.20   | 2.50   | -      | -      | 7.70 (3.20 - 10.00)  | 1.944 (0.530 - 3.874)               | 8.54                | 99               |
| 15+15+22+35              | 1.50                  | 1.50   | 2.20   | 3.50   | -      | -      | 8.70 (3.30 - 10.90)  | 2.284 (0.530 - 3.774)               | 10.03               | 99               |
| 15+15+22+42              | 1.50                  | 1.50   | 2.20   | 4.20*  | -      | -      | 9.40 (3.30 - 11.40)  | 2.598 (0.530 - 3.858)               | 11.41               | 99               |
| 15+15+22+50              | 1.47                  | 1.47   | 2.16   | 4.90*  | -      | -      | 10.00 (3.30 - 11.80) | 2.898 (0.530 - 3.968)               | 12.73               | 99               |
| 15+15+22+60              | 1.37                  | 1.37   | 2.00   | 5.46   | -      | -      | 10.20 (3.30 - 12.00) | 2.971 (0.530 - 4.021)               | 13.05               | 99               |
| 15+15+22+71              | 1.27                  | 1.27   | 1.86   | 6.00   | -      | -      | 10.40 (3.40 - 12.10) | 3.085 (0.530 - 4.105)               | 13.55               | 99               |
| 15+15+22+80              | 1.20                  | 1.20   | 1.77   | 6.42   | -      | -      | 10.60 (3.40 - 12.30) | 3.155 (0.530 - 4.155)               | 13.86               | 99               |
| 15+15+25+25              | 1.50                  | 1.50   | 2.50   | 2.50   | -      | -      | 8.00 (3.20 - 10.30)  | 2.044 (0.530 - 3.844)               | 8.98                | 99               |
| 15+15+25+35              | 1.50                  | 1.50   | 2.50   | 3.50   | -      | -      | 9.00 (3.30 - 11.10)  | 2.414 (0.530 - 3.794)               | 10.60               | 99               |
| 15+15+25+42              | 1.50                  | 1.50   | 2.50   | 4.20*  | -      | -      | 9.70 (3.30 - 11.60)  | 2.738 (0.530 - 3.908)               | 12.02               | 99               |
| 15+15+25+50              | 1.44                  | 1.44   | 2.40   | 4.81*  | -      | -      | 10.10 (3.30 - 11.90) | 2.928 (0.530 - 3.998)               | 12.86               | 99               |
| 15+15+25+60              | 1.34                  | 1.34   | 2.24   | 5.37   | -      | -      | 10.30 (3.30 - 12.00) | 3.001 (0.530 - 4.051)               | 13.18               | 99               |
| 15+15+25+71              | 1.25                  | 1.25   | 2.08   | 5.92   | -      | -      | 10.50 (3.40 - 12.20) | 3.115 (0.530 - 4.125)               | 13.68               | 99               |
| 15+15+25+80              | 1.18                  | 1.18   | 1.96   | 6.28   | -      | -      | 10.60 (3.40 - 12.30) | 3.185 (0.530 - 4.185)               | 13.99               | 99               |
| 15+15+35+35              | 1.50                  | 1.50   | 3.50   | 3.50   | -      | -      | 10.00 (3.30 - 11.80) | 2.884 (0.530 - 3.964)               | 12.67               | 99               |
| 15+15+35+42              | 1.42                  | 1.42   | 3.30   | 3.96*  | -      | -      | 10.10 (3.30 - 11.90) | 2.948 (0.530 - 4.008)               | 12.95               | 99               |
| 15+15+35+50              | 1.34                  | 1.34   | 3.13   | 4.48*  | -      | -      | 10.30 (3.30 - 12.00) | 3.018 (0.530 - 4.068)               | 13.25               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+35+60              | 1.25                  | 1.25   | 2.91   | 4.99   | -      | -      | 10.40 (3.40 - 12.20) | 3.101 (0.530 - 4.121)               | 13.62               | 99               |
| 15+15+35+71              | 1.17                  | 1.17   | 2.73   | 5.53   | -      | -      | 10.60 (3.40 - 12.30) | 3.205 (0.530 - 4.195)               | 14.08               | 99               |
| 15+15+35+80              | 1.11                  | 1.11   | 2.58   | 5.90   | -      | -      | 10.70 (3.40 - 12.40) | 3.245 (0.530 - 4.225)               | 14.25               | 99               |
| 15+15+42+42              | 1.34                  | 1.34   | 3.76*  | 3.76*  | -      | -      | 10.20 (3.30 - 12.00) | 3.002 (0.530 - 4.052)               | 13.18               | 99               |
| 15+15+42+50              | 1.28                  | 1.28   | 3.58*  | 4.26*  | -      | -      | 10.40 (3.40 - 12.10) | 3.082 (0.530 - 4.102)               | 13.54               | 99               |
| 15+15+42+60              | 1.20                  | 1.20   | 3.37*  | 4.82   | -      | -      | 10.60 (3.40 - 12.30) | 3.155 (0.530 - 4.155)               | 13.86               | 99               |
| 15+15+42+71              | 1.12                  | 1.12   | 3.14*  | 5.31   | -      | -      | 10.70 (3.40 - 12.40) | 3.249 (0.530 - 4.229)               | 14.27               | 99               |
| 15+15+42+80              | 1.06                  | 1.06   | 2.96*  | 5.63   | -      | -      | 10.70 (3.40 - 12.40) | 3.259 (0.530 - 4.239)               | 14.31               | 99               |
| 15+15+50+50              | 1.21                  | 1.21   | 4.04*  | 4.04*  | -      | -      | 10.50 (3.40 - 12.30) | 3.162 (0.530 - 4.162)               | 13.89               | 99               |
| 15+15+50+60              | 1.15                  | 1.15   | 3.82*  | 4.59   | -      | -      | 10.70 (3.40 - 12.40) | 3.235 (0.530 - 4.215)               | 14.21               | 99               |
| 15+15+50+71              | 1.06                  | 1.06   | 3.54*  | 5.03   | -      | -      | 10.70 (3.40 - 12.40) | 3.269 (0.530 - 4.249)               | 14.36               | 99               |
| 15+15+50+80              | 1.01                  | 1.01   | 3.38*  | 5.40   | -      | -      | 10.80 (3.40 - 12.50) | 3.289 (0.530 - 4.259)               | 14.44               | 99               |
| 15+15+60+60              | 1.07                  | 1.07   | 4.28   | 4.28   | -      | -      | 10.70 (3.40 - 12.40) | 3.248 (0.530 - 4.228)               | 14.26               | 99               |
| 15+15+60+71              | 1.01                  | 1.01   | 4.02   | 4.76   | -      | -      | 10.80 (3.40 - 12.50) | 3.282 (0.530 - 4.252)               | 14.41               | 99               |
| 15+15+60+80              | 0.95                  | 0.95   | 3.81   | 5.08   | -      | -      | 10.80 (3.40 - 12.50) | 3.292 (0.530 - 4.262)               | 14.46               | 99               |
| 15+15+71+71              | 0.94                  | 0.94   | 4.46   | 4.46   | -      | -      | 10.80 (3.40 - 12.50) | 3.306 (0.530 - 4.276)               | 14.52               | 99               |
| 15+20+20+20              | 1.50                  | 2.00   | 2.00   | 2.00   | -      | -      | 7.50 (3.20 - 9.80)   | 1.886 (0.530 - 3.906)               | 8.28                | 99               |
| 15+20+20+22              | 1.50                  | 2.00   | 2.00   | 2.20   | -      | -      | 7.70 (3.20 - 10.00)  | 1.949 (0.530 - 3.879)               | 8.56                | 99               |
| 15+20+20+25              | 1.50                  | 2.00   | 2.00   | 2.50   | -      | -      | 8.00 (3.20 - 10.30)  | 2.049 (0.530 - 3.849)               | 9.00                | 99               |
| 15+20+20+35              | 1.50                  | 2.00   | 2.00   | 3.50   | -      | -      | 9.00 (3.30 - 11.10)  | 2.419 (0.530 - 3.799)               | 10.62               | 99               |
| 15+20+20+42              | 1.50                  | 2.00   | 2.00   | 4.20*  | -      | -      | 9.70 (3.30 - 11.60)  | 2.743 (0.530 - 3.913)               | 12.05               | 99               |
| 15+20+20+50              | 1.44                  | 1.92   | 1.92   | 4.81*  | -      | -      | 10.10 (3.30 - 11.90) | 2.933 (0.530 - 4.003)               | 12.88               | 99               |
| 15+20+20+60              | 1.34                  | 1.79   | 1.79   | 5.37   | -      | -      | 10.30 (3.30 - 12.00) | 3.006 (0.530 - 4.056)               | 13.20               | 99               |
| 15+20+20+71              | 1.25                  | 1.67   | 1.67   | 5.92   | -      | -      | 10.50 (3.40 - 12.20) | 3.120 (0.530 - 4.130)               | 13.70               | 99               |
| 15+20+20+80              | 1.18                  | 1.57   | 1.57   | 6.28   | -      | -      | 10.60 (3.40 - 12.30) | 3.190 (0.530 - 4.190)               | 14.01               | 99               |
| 15+20+22+22              | 1.50                  | 2.00   | 2.20   | 2.20   | -      | -      | 7.90 (3.20 - 10.20)  | 2.002 (0.530 - 3.852)               | 8.79                | 99               |
| 15+20+22+25              | 1.50                  | 2.00   | 2.20   | 2.50   | -      | -      | 8.20 (3.30 - 10.40)  | 2.112 (0.530 - 3.822)               | 9.28                | 99               |
| 15+20+22+35              | 1.50                  | 2.00   | 2.20   | 3.50   | -      | -      | 9.20 (3.30 - 11.30)  | 2.502 (0.530 - 3.832)               | 10.99               | 99               |
| 15+20+22+42              | 1.50                  | 2.00   | 2.20   | 4.20*  | -      | -      | 9.90 (3.30 - 11.70)  | 2.826 (0.530 - 3.936)               | 12.41               | 99               |
| 15+20+22+50              | 1.42                  | 1.89   | 2.08   | 4.72*  | -      | -      | 10.10 (3.30 - 11.90) | 2.946 (0.530 - 4.006)               | 12.94               | 99               |
| 15+20+22+60              | 1.32                  | 1.76   | 1.94   | 5.28   | -      | -      | 10.30 (3.30 - 12.10) | 3.019 (0.530 - 4.059)               | 13.26               | 99               |
| 15+20+22+71              | 1.23                  | 1.64   | 1.80   | 5.82   | -      | -      | 10.50 (3.40 - 12.20) | 3.133 (0.530 - 4.143)               | 13.76               | 99               |
| 15+20+22+80              | 1.16                  | 1.55   | 1.70   | 6.19   | -      | -      | 10.60 (3.40 - 12.40) | 3.203 (0.530 - 4.193)               | 14.07               | 99               |
| 15+20+25+25              | 1.50                  | 2.00   | 2.50   | 2.50   | -      | -      | 8.50 (3.30 - 10.70)  | 2.212 (0.530 - 3.792)               | 9.71                | 99               |
| 15+20+25+35              | 1.50                  | 2.00   | 2.50   | 3.50   | -      | -      | 9.50 (3.30 - 11.50)  | 2.642 (0.530 - 3.882)               | 11.60               | 99               |
| 15+20+25+42              | 1.47                  | 1.96   | 2.45   | 4.12*  | -      | -      | 10.00 (3.30 - 11.80) | 2.896 (0.530 - 3.966)               | 12.72               | 99               |
| 15+20+25+50              | 1.39                  | 1.85   | 2.32   | 4.64*  | -      | -      | 10.20 (3.30 - 12.00) | 2.976 (0.530 - 4.026)               | 13.07               | 99               |
| 15+20+25+60              | 1.30                  | 1.73   | 2.17   | 5.20   | -      | -      | 10.40 (3.40 - 12.10) | 3.049 (0.530 - 4.079)               | 13.39               | 99               |
| 15+20+25+71              | 1.20                  | 1.60   | 2.00   | 5.69   | -      | -      | 10.50 (3.40 - 12.30) | 3.153 (0.530 - 4.163)               | 13.85               | 99               |
| 15+20+25+80              | 1.15                  | 1.53   | 1.91   | 6.11   | -      | -      | 10.70 (3.40 - 12.40) | 3.233 (0.530 - 4.213)               | 14.20               | 99               |
| 15+20+35+35              | 1.44                  | 1.92   | 3.37   | 3.37   | -      | -      | 10.10 (3.30 - 11.90) | 2.932 (0.530 - 4.002)               | 12.88               | 99               |
| 15+20+35+42              | 1.37                  | 1.82   | 3.19   | 3.83*  | -      | -      | 10.20 (3.30 - 12.00) | 2.986 (0.530 - 4.036)               | 13.11               | 99               |
| 15+20+35+50              | 1.30                  | 1.73   | 3.03   | 4.33*  | -      | -      | 10.40 (3.40 - 12.10) | 3.066 (0.530 - 4.096)               | 13.47               | 99               |
| 15+20+35+60              | 1.21                  | 1.62   | 2.83   | 4.85   | -      | -      | 10.50 (3.40 - 12.30) | 3.149 (0.530 - 4.149)               | 13.83               | 99               |
| 15+20+35+71              | 1.14                  | 1.52   | 2.66   | 5.39   | -      | -      | 10.70 (3.40 - 12.40) | 3.243 (0.530 - 4.223)               | 14.24               | 99               |
| 15+20+35+80              | 1.07                  | 1.43   | 2.50   | 5.71   | -      | -      | 10.70 (3.40 - 12.40) | 3.263 (0.530 - 4.243)               | 14.33               | 99               |
| 15+20+42+42              | 1.30                  | 1.73   | 3.64*  | 3.64*  | -      | -      | 10.30 (3.30 - 12.10) | 3.050 (0.530 - 4.080)               | 13.39               | 99               |
| 15+20+42+50              | 1.24                  | 1.65   | 3.47*  | 4.13*  | -      | -      | 10.50 (3.40 - 12.20) | 3.130 (0.530 - 4.140)               | 13.75               | 99               |
| 15+20+42+60              | 1.16                  | 1.55   | 3.25*  | 4.64   | -      | -      | 10.60 (3.40 - 12.40) | 3.203 (0.530 - 4.193)               | 14.07               | 99               |
| 15+20+42+71              | 1.08                  | 1.45   | 3.04*  | 5.13   | -      | -      | 10.70 (3.40 - 12.40) | 3.257 (0.530 - 4.237)               | 14.30               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+20+42+80              | 1.03                  | 1.38   | 2.89*  | 5.50   | -      | -      | 10.80 (3.40 - 12.50) | 3.277 (0.530 - 4.247)               | 14.39               | 99               |
| 15+20+50+50              | 1.18                  | 1.57   | 3.93*  | 3.93*  | -      | -      | 10.60 (3.40 - 12.30) | 3.200 (0.530 - 4.200)               | 14.05               | 99               |
| 15+20+50+60              | 1.11                  | 1.48   | 3.69*  | 4.43   | -      | -      | 10.70 (3.40 - 12.40) | 3.243 (0.530 - 4.223)               | 14.24               | 99               |
| 15+20+50+71              | 1.04                  | 1.38   | 3.46*  | 4.92   | -      | -      | 10.80 (3.40 - 12.50) | 3.287 (0.530 - 4.257)               | 14.44               | 99               |
| 15+20+50+80              | 0.98                  | 1.31   | 3.27*  | 5.24   | -      | -      | 10.80 (3.40 - 12.50) | 3.297 (0.530 - 4.267)               | 14.48               | 99               |
| 15+20+60+60              | 1.05                  | 1.39   | 4.18   | 4.18   | -      | -      | 10.80 (3.40 - 12.50) | 3.256 (0.530 - 4.236)               | 14.30               | 99               |
| 15+20+60+71              | 0.98                  | 1.30   | 3.90   | 4.62   | -      | -      | 10.80 (3.40 - 12.50) | 3.290 (0.530 - 4.270)               | 14.45               | 99               |
| 15+20+60+80              | 0.93                  | 1.23   | 3.70   | 4.94   | -      | -      | 10.80 (3.40 - 12.50) | 3.290 (0.530 - 4.260)               | 14.45               | 99               |
| 15+20+71+71              | 0.92                  | 1.22   | 4.33   | 4.33   | -      | -      | 10.80 (3.40 - 12.50) | 3.304 (0.530 - 4.274)               | 14.51               | 99               |
| 15+22+22+22              | 1.50                  | 2.20   | 2.20   | 2.20   | -      | -      | 8.10 (3.30 - 10.40)  | 2.065 (0.530 - 3.825)               | 9.07                | 99               |
| 15+22+22+25              | 1.50                  | 2.20   | 2.20   | 2.50   | -      | -      | 8.40 (3.30 - 10.60)  | 2.165 (0.530 - 3.795)               | 9.51                | 99               |
| 15+22+22+35              | 1.50                  | 2.20   | 2.20   | 3.50   | -      | -      | 9.40 (3.30 - 11.40)  | 2.595 (0.530 - 3.855)               | 11.40               | 99               |
| 15+22+22+42              | 1.49                  | 2.18   | 2.18   | 4.16*  | -      | -      | 10.00 (3.30 - 11.80) | 2.879 (0.530 - 3.959)               | 12.64               | 99               |
| 15+22+22+50              | 1.40                  | 2.06   | 2.06   | 4.68*  | -      | -      | 10.20 (3.30 - 11.90) | 2.959 (0.530 - 4.009)               | 13.00               | 99               |
| 15+22+22+60              | 1.30                  | 1.90   | 1.90   | 5.19   | -      | -      | 10.30 (3.30 - 12.10) | 3.032 (0.530 - 4.062)               | 13.32               | 99               |
| 15+22+22+71              | 1.21                  | 1.78   | 1.78   | 5.73   | -      | -      | 10.50 (3.40 - 12.30) | 3.146 (0.530 - 4.146)               | 13.82               | 99               |
| 15+22+22+80              | 1.15                  | 1.69   | 1.69   | 6.16   | -      | -      | 10.70 (3.40 - 12.40) | 3.216 (0.530 - 4.196)               | 14.12               | 99               |
| 15+22+25+25              | 1.50                  | 2.20   | 2.50   | 2.50   | -      | -      | 8.70 (3.30 - 10.90)  | 2.275 (0.530 - 3.765)               | 9.99                | 99               |
| 15+22+25+35              | 1.50                  | 2.20   | 2.50   | 3.50   | -      | -      | 9.70 (3.30 - 11.60)  | 2.735 (0.530 - 3.905)               | 12.01               | 99               |
| 15+22+25+42              | 1.46                  | 2.14   | 2.43   | 4.08*  | -      | -      | 10.10 (3.30 - 11.90) | 2.909 (0.530 - 3.979)               | 12.78               | 99               |
| 15+22+25+50              | 1.37                  | 2.00   | 2.28   | 4.55*  | -      | -      | 10.20 (3.30 - 12.00) | 2.979 (0.530 - 4.029)               | 13.08               | 99               |
| 15+22+25+60              | 1.28                  | 1.88   | 2.13   | 5.11   | -      | -      | 10.40 (3.40 - 12.10) | 3.062 (0.530 - 4.082)               | 13.45               | 99               |
| 15+22+25+71              | 1.20                  | 1.75   | 1.99   | 5.66   | -      | -      | 10.60 (3.40 - 12.30) | 3.166 (0.530 - 4.166)               | 13.90               | 99               |
| 15+22+25+80              | 1.13                  | 1.66   | 1.88   | 6.03   | -      | -      | 10.70 (3.40 - 12.40) | 3.236 (0.530 - 4.216)               | 14.21               | 99               |
| 15+22+35+35              | 1.42                  | 2.08   | 3.30   | 3.30   | -      | -      | 10.10 (3.30 - 11.90) | 2.945 (0.530 - 4.005)               | 12.93               | 99               |
| 15+22+35+42              | 1.34                  | 1.97   | 3.13   | 3.76*  | -      | -      | 10.20 (3.30 - 12.00) | 2.999 (0.530 - 4.049)               | 13.17               | 99               |
| 15+22+35+50              | 1.28                  | 1.88   | 2.98   | 4.26*  | -      | -      | 10.40 (3.40 - 12.10) | 3.079 (0.530 - 4.099)               | 13.52               | 99               |
| 15+22+35+60              | 1.20                  | 1.77   | 2.81   | 4.82   | -      | -      | 10.60 (3.40 - 12.30) | 3.152 (0.530 - 4.152)               | 13.84               | 99               |
| 15+22+35+71              | 1.12                  | 1.65   | 2.62   | 5.31   | -      | -      | 10.70 (3.40 - 12.40) | 3.246 (0.530 - 4.226)               | 14.26               | 99               |
| 15+22+35+80              | 1.06                  | 1.55   | 2.46   | 5.63   | -      | -      | 10.70 (3.40 - 12.40) | 3.256 (0.530 - 4.236)               | 14.30               | 99               |
| 15+22+42+42              | 1.29                  | 1.89   | 3.61*  | 3.61*  | -      | -      | 10.40 (3.40 - 12.10) | 3.063 (0.530 - 4.093)               | 13.45               | 99               |
| 15+22+42+50              | 1.22                  | 1.79   | 3.42*  | 4.07*  | -      | -      | 10.50 (3.40 - 12.20) | 3.143 (0.530 - 4.143)               | 13.80               | 99               |
| 15+22+42+60              | 1.15                  | 1.69   | 3.23*  | 4.62   | -      | -      | 10.70 (3.40 - 12.40) | 3.216 (0.530 - 4.196)               | 14.12               | 99               |
| 15+22+42+71              | 1.07                  | 1.57   | 3.00*  | 5.06   | -      | -      | 10.70 (3.40 - 12.40) | 3.260 (0.530 - 4.240)               | 14.32               | 99               |
| 15+22+42+80              | 1.02                  | 1.49   | 2.85*  | 5.43   | -      | -      | 10.80 (3.40 - 12.50) | 3.270 (0.530 - 4.250)               | 14.36               | 99               |
| 15+22+50+50              | 1.16                  | 1.70   | 3.87*  | 3.87*  | -      | -      | 10.60 (3.40 - 12.40) | 3.213 (0.530 - 4.203)               | 14.11               | 99               |
| 15+22+50+60              | 1.09                  | 1.60   | 3.64*  | 4.37   | -      | -      | 10.70 (3.40 - 12.40) | 3.246 (0.530 - 4.226)               | 14.26               | 99               |
| 15+22+50+71              | 1.03                  | 1.50   | 3.42*  | 4.85   | -      | -      | 10.80 (3.40 - 12.50) | 3.280 (0.530 - 4.260)               | 14.40               | 99               |
| 15+22+50+80              | 0.97                  | 1.42   | 3.23*  | 5.17   | -      | -      | 10.80 (3.40 - 12.50) | 3.300 (0.530 - 4.270)               | 14.49               | 99               |
| 15+22+60+60              | 1.03                  | 1.51   | 4.13   | 4.13   | -      | -      | 10.80 (3.40 - 12.50) | 3.259 (0.530 - 4.229)               | 14.31               | 99               |
| 15+22+60+71              | 0.96                  | 1.41   | 3.86   | 4.56   | -      | -      | 10.80 (3.40 - 12.50) | 3.293 (0.530 - 4.263)               | 14.46               | 99               |
| 15+22+60+80              | 0.92                  | 1.34   | 3.66   | 4.88   | -      | -      | 10.80 (3.40 - 12.50) | 3.283 (0.530 - 4.253)               | 14.42               | 99               |
| 15+22+71+71              | 0.91                  | 1.33   | 4.28   | 4.28   | -      | -      | 10.80 (3.40 - 12.50) | 3.297 (0.530 - 4.267)               | 14.48               | 99               |
| 15+25+25+25              | 1.50                  | 2.50   | 2.50   | 2.50   | -      | -      | 9.00 (3.30 - 11.10)  | 2.405 (0.530 - 3.785)               | 10.56               | 99               |
| 15+25+25+35              | 1.50                  | 2.50   | 2.50   | 3.50   | -      | -      | 10.00 (3.30 - 11.80) | 2.875 (0.530 - 3.955)               | 12.63               | 99               |
| 15+25+25+42              | 1.42                  | 2.36   | 2.36   | 3.96*  | -      | -      | 10.10 (3.30 - 11.90) | 2.939 (0.530 - 3.999)               | 12.91               | 99               |
| 15+25+25+50              | 1.34                  | 2.24   | 2.24   | 4.48*  | -      | -      | 10.30 (3.30 - 12.00) | 3.009 (0.530 - 4.059)               | 13.21               | 99               |
| 15+25+25+60              | 1.25                  | 2.08   | 2.08   | 4.99   | -      | -      | 10.40 (3.40 - 12.20) | 3.092 (0.530 - 4.112)               | 13.58               | 99               |
| 15+25+25+71              | 1.17                  | 1.95   | 1.95   | 5.53   | -      | -      | 10.60 (3.40 - 12.30) | 3.196 (0.530 - 4.186)               | 14.04               | 99               |
| 15+25+25+80              | 1.11                  | 1.84   | 1.84   | 5.90   | -      | -      | 10.70 (3.40 - 12.40) | 3.236 (0.530 - 4.216)               | 14.21               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+25+35+35              | 1.39                  | 2.32   | 3.25   | 3.25   | -      | -      | 10.20 (3.30 - 12.00) | 2.975 (0.530 - 4.025)               | 13.07               | 99               |
| 15+25+35+42              | 1.32                  | 2.20   | 3.08   | 3.70*  | -      | -      | 10.30 (3.30 - 12.10) | 3.029 (0.530 - 4.069)               | 13.30               | 99               |
| 15+25+35+50              | 1.25                  | 2.08   | 2.91   | 4.16*  | -      | -      | 10.40 (3.40 - 12.20) | 3.109 (0.530 - 4.129)               | 13.65               | 99               |
| 15+25+35+60              | 1.18                  | 1.96   | 2.75   | 4.71   | -      | -      | 10.60 (3.40 - 12.30) | 3.182 (0.530 - 4.182)               | 13.97               | 99               |
| 15+25+35+71              | 1.10                  | 1.83   | 2.57   | 5.20   | -      | -      | 10.70 (3.40 - 12.40) | 3.256 (0.530 - 4.236)               | 14.30               | 99               |
| 15+25+35+80              | 1.05                  | 1.74   | 2.44   | 5.57   | -      | -      | 10.80 (3.40 - 12.50) | 3.266 (0.530 - 4.246)               | 14.34               | 99               |
| 15+25+42+42              | 1.26                  | 2.10   | 3.52*  | 3.52*  | -      | -      | 10.40 (3.40 - 12.20) | 3.093 (0.530 - 4.113)               | 13.58               | 99               |
| 15+25+42+50              | 1.20                  | 2.01   | 3.37*  | 4.02*  | -      | -      | 10.60 (3.40 - 12.30) | 3.163 (0.530 - 4.163)               | 13.89               | 99               |
| 15+25+42+60              | 1.13                  | 1.88   | 3.16*  | 4.52   | -      | -      | 10.70 (3.40 - 12.40) | 3.236 (0.530 - 4.216)               | 14.21               | 99               |
| 15+25+42+71              | 1.05                  | 1.75   | 2.94*  | 4.97   | -      | -      | 10.70 (3.40 - 12.40) | 3.270 (0.530 - 4.240)               | 14.36               | 99               |
| 15+25+42+80              | 1.00                  | 1.67   | 2.80*  | 5.33   | -      | -      | 10.80 (3.40 - 12.50) | 3.280 (0.530 - 4.260)               | 14.40               | 99               |
| 15+25+50+50              | 1.15                  | 1.91   | 3.82*  | 3.82*  | -      | -      | 10.70 (3.40 - 12.40) | 3.243 (0.530 - 4.223)               | 14.24               | 99               |
| 15+25+50+60              | 1.07                  | 1.78   | 3.57*  | 4.28   | -      | -      | 10.70 (3.40 - 12.40) | 3.256 (0.530 - 4.236)               | 14.30               | 99               |
| 15+25+50+71              | 1.01                  | 1.68   | 3.35*  | 4.76   | -      | -      | 10.80 (3.40 - 12.50) | 3.290 (0.530 - 4.260)               | 14.45               | 99               |
| 15+25+50+80              | 0.95                  | 1.59   | 3.18*  | 5.08   | -      | -      | 10.80 (3.40 - 12.50) | 3.300 (0.530 - 4.270)               | 14.49               | 99               |
| 15+25+60+60              | 1.01                  | 1.69   | 4.05   | 4.05   | -      | -      | 10.80 (3.40 - 12.50) | 3.269 (0.530 - 4.239)               | 14.36               | 99               |
| 15+25+60+71              | 0.95                  | 1.58   | 3.79   | 4.48   | -      | -      | 10.80 (3.40 - 12.50) | 3.293 (0.530 - 4.263)               | 14.46               | 99               |
| 15+25+60+80              | 0.90                  | 1.50   | 3.60   | 4.80   | -      | -      | 10.80 (3.40 - 12.50) | 3.283 (0.530 - 4.253)               | 14.42               | 99               |
| 15+35+35+35              | 1.30                  | 3.03   | 3.03   | 3.03   | -      | -      | 10.40 (3.40 - 12.10) | 3.065 (0.530 - 4.095)               | 13.46               | 99               |
| 15+35+35+42              | 1.24                  | 2.89   | 2.89   | 3.47*  | -      | -      | 10.50 (3.40 - 12.20) | 3.129 (0.530 - 4.139)               | 13.74               | 99               |
| 15+35+35+50              | 1.18                  | 2.75   | 2.75   | 3.93*  | -      | -      | 10.60 (3.40 - 12.30) | 3.199 (0.530 - 4.199)               | 14.05               | 99               |
| 15+35+35+60              | 1.11                  | 2.58   | 2.58   | 4.43   | -      | -      | 10.70 (3.40 - 12.40) | 3.242 (0.530 - 4.222)               | 14.24               | 99               |
| 15+35+35+71              | 1.04                  | 2.42   | 2.42   | 4.92   | -      | -      | 10.80 (3.40 - 12.50) | 3.286 (0.530 - 4.256)               | 14.43               | 99               |
| 15+35+35+80              | 0.98                  | 2.29   | 2.29   | 5.24   | -      | -      | 10.80 (3.40 - 12.50) | 3.296 (0.530 - 4.266)               | 14.48               | 99               |
| 15+35+42+42              | 1.19                  | 2.77   | 3.32*  | 3.32*  | -      | -      | 10.60 (3.40 - 12.30) | 3.183 (0.530 - 4.183)               | 13.98               | 99               |
| 15+35+42+50              | 1.13                  | 2.64   | 3.16*  | 3.77*  | -      | -      | 10.70 (3.40 - 12.40) | 3.253 (0.530 - 4.233)               | 14.29               | 99               |
| 15+35+42+60              | 1.06                  | 2.46   | 2.96*  | 4.22   | -      | -      | 10.70 (3.40 - 12.40) | 3.256 (0.530 - 4.236)               | 14.30               | 99               |
| 15+35+42+71              | 0.99                  | 2.32   | 2.78*  | 4.70   | -      | -      | 10.80 (3.40 - 12.50) | 3.300 (0.530 - 4.270)               | 14.49               | 99               |
| 15+35+42+80              | 0.94                  | 2.20   | 2.64*  | 5.02   | -      | -      | 10.80 (3.40 - 12.50) | 3.300 (0.530 - 4.270)               | 14.49               | 99               |
| 15+35+50+50              | 1.07                  | 2.50   | 3.57*  | 3.57*  | -      | -      | 10.70 (3.40 - 12.40) | 3.273 (0.530 - 4.253)               | 14.37               | 99               |
| 15+35+50+60              | 1.01                  | 2.36   | 3.38*  | 4.05   | -      | -      | 10.80 (3.40 - 12.50) | 3.286 (0.530 - 4.256)               | 14.43               | 99               |
| 15+35+50+71              | 0.95                  | 2.21   | 3.16*  | 4.48   | -      | -      | 10.80 (3.40 - 12.50) | 3.310 (0.530 - 4.280)               | 14.54               | 99               |
| 15+35+50+80              | 0.90                  | 2.10   | 3.00*  | 4.80   | -      | -      | 10.80 (3.40 - 12.50) | 3.300 (0.530 - 4.270)               | 14.49               | 99               |
| 15+35+60+60              | 0.95                  | 2.22   | 3.81   | 3.81   | -      | -      | 10.80 (3.40 - 12.50) | 3.289 (0.530 - 4.259)               | 14.44               | 99               |
| 15+42+42+42              | 1.14                  | 3.19*  | 3.19*  | 3.19*  | -      | -      | 10.70 (3.40 - 12.40) | 3.237 (0.530 - 4.217)               | 14.22               | 99               |
| 15+42+42+50              | 1.08                  | 3.02*  | 3.02*  | 3.59*  | -      | -      | 10.70 (3.40 - 12.40) | 3.267 (0.530 - 4.237)               | 14.35               | 99               |
| 15+42+42+60              | 1.02                  | 2.85*  | 2.85*  | 4.08   | -      | -      | 10.80 (3.40 - 12.50) | 3.270 (0.530 - 4.250)               | 14.36               | 99               |
| 15+42+42+71              | 0.95                  | 2.67*  | 2.67*  | 4.51   | -      | -      | 10.80 (3.40 - 12.50) | 3.304 (0.530 - 4.274)               | 14.51               | 99               |
| 15+42+42+80              | 0.91                  | 2.53*  | 2.53*  | 4.83   | -      | -      | 10.80 (3.40 - 12.50) | 3.294 (0.530 - 4.264)               | 14.47               | 99               |
| 15+42+50+50              | 1.03                  | 2.89*  | 3.44*  | 3.44*  | -      | -      | 10.80 (3.40 - 12.50) | 3.287 (0.530 - 4.257)               | 14.44               | 99               |
| 15+42+50+60              | 0.97                  | 2.72*  | 3.23*  | 3.88   | -      | -      | 10.80 (3.40 - 12.50) | 3.300 (0.530 - 4.270)               | 14.49               | 99               |
| 15+42+50+71              | 0.91                  | 2.55*  | 3.03*  | 4.31   | -      | -      | 10.80 (3.40 - 12.50) | 3.304 (0.530 - 4.274)               | 14.51               | 99               |
| 15+42+60+60              | 0.92                  | 2.56*  | 3.66   | 3.66   | -      | -      | 10.80 (3.40 - 12.50) | 3.283 (0.530 - 4.253)               | 14.42               | 99               |
| 15+50+50+50              | 0.98                  | 3.27*  | 3.27*  | 3.27*  | -      | -      | 10.80 (3.40 - 12.50) | 3.307 (0.530 - 4.277)               | 14.52               | 99               |
| 15+50+50+60              | 0.93                  | 3.09*  | 3.09*  | 3.70   | -      | -      | 10.80 (3.40 - 12.50) | 3.300 (0.530 - 4.270)               | 14.49               | 99               |
| 20+20+20+20              | 2.00                  | 2.00   | 2.00   | 2.00   | -      | -      | 8.00 (3.20 - 10.30)  | 2.054 (0.530 - 3.854)               | 9.02                | 99               |
| 20+20+20+22              | 2.00                  | 2.00   | 2.00   | 2.20   | -      | -      | 8.20 (3.30 - 10.40)  | 2.117 (0.530 - 3.827)               | 9.30                | 99               |
| 20+20+20+25              | 2.00                  | 2.00   | 2.00   | 2.50   | -      | -      | 8.50 (3.30 - 10.70)  | 2.217 (0.530 - 3.797)               | 9.74                | 99               |
| 20+20+20+35              | 2.00                  | 2.00   | 2.00   | 3.50   | -      | -      | 9.50 (3.30 - 11.50)  | 2.647 (0.530 - 3.887)               | 11.62               | 99               |
| 20+20+20+42              | 1.96                  | 1.96   | 1.96   | 4.12*  | -      | -      | 10.00 (3.30 - 11.80) | 2.901 (0.530 - 3.971)               | 12.74               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+20+20+50              | 1.85                  | 1.85   | 1.85   | 4.64*  | -      | -      | 10.20 (3.30 - 12.00) | 2.981 (0.530 - 4.031)               | 13.09               | 99               |
| 20+20+20+60              | 1.73                  | 1.73   | 1.73   | 5.20   | -      | -      | 10.40 (3.40 - 12.10) | 3.054 (0.530 - 4.084)               | 13.41               | 99               |
| 20+20+20+71              | 1.60                  | 1.60   | 1.60   | 5.69   | -      | -      | 10.50 (3.40 - 12.30) | 3.158 (0.530 - 4.168)               | 13.87               | 99               |
| 20+20+20+80              | 1.53                  | 1.53   | 1.53   | 6.11   | -      | -      | 10.70 (3.40 - 12.40) | 3.238 (0.530 - 4.218)               | 14.22               | 99               |
| 20+20+22+22              | 2.00                  | 2.00   | 2.20   | 2.20   | -      | -      | 8.40 (3.30 - 10.60)  | 2.170 (0.530 - 3.800)               | 9.53                | 99               |
| 20+20+22+25              | 2.00                  | 2.00   | 2.20   | 2.50   | -      | -      | 8.70 (3.30 - 10.90)  | 2.280 (0.530 - 3.770)               | 10.01               | 99               |
| 20+20+22+35              | 2.00                  | 2.00   | 2.20   | 3.50   | -      | -      | 9.70 (3.30 - 11.60)  | 2.740 (0.530 - 3.910)               | 12.03               | 99               |
| 20+20+22+42              | 1.94                  | 1.94   | 2.14   | 4.08*  | -      | -      | 10.10 (3.30 - 11.90) | 2.914 (0.530 - 3.984)               | 12.80               | 99               |
| 20+20+22+50              | 1.82                  | 1.82   | 2.00   | 4.55*  | -      | -      | 10.20 (3.30 - 12.00) | 2.984 (0.530 - 4.034)               | 13.10               | 99               |
| 20+20+22+60              | 1.70                  | 1.70   | 1.88   | 5.11   | -      | -      | 10.40 (3.40 - 12.10) | 3.067 (0.530 - 4.087)               | 13.47               | 99               |
| 20+20+22+71              | 1.59                  | 1.59   | 1.75   | 5.66   | -      | -      | 10.60 (3.40 - 12.30) | 3.171 (0.530 - 4.171)               | 13.93               | 99               |
| 20+20+22+80              | 1.51                  | 1.51   | 1.66   | 6.03   | -      | -      | 10.70 (3.40 - 12.40) | 3.241 (0.530 - 4.221)               | 14.23               | 99               |
| 20+20+25+25              | 2.00                  | 2.00   | 2.50   | 2.50   | -      | -      | 9.00 (3.30 - 11.10)  | 2.410 (0.530 - 3.790)               | 10.58               | 99               |
| 20+20+25+35              | 2.00                  | 2.00   | 2.50   | 3.50   | -      | -      | 10.00 (3.30 - 11.80) | 2.880 (0.530 - 3.960)               | 12.65               | 99               |
| 20+20+25+42              | 1.89                  | 1.89   | 2.36   | 3.96*  | -      | -      | 10.10 (3.30 - 11.90) | 2.944 (0.530 - 4.004)               | 12.93               | 99               |
| 20+20+25+50              | 1.79                  | 1.79   | 2.24   | 4.48*  | -      | -      | 10.30 (3.30 - 12.00) | 3.014 (0.530 - 4.064)               | 13.24               | 99               |
| 20+20+25+60              | 1.66                  | 1.66   | 2.08   | 4.99   | -      | -      | 10.40 (3.40 - 12.20) | 3.097 (0.530 - 4.117)               | 13.60               | 99               |
| 20+20+25+71              | 1.56                  | 1.56   | 1.95   | 5.53   | -      | -      | 10.60 (3.40 - 12.30) | 3.201 (0.530 - 4.191)               | 14.06               | 99               |
| 20+20+25+80              | 1.48                  | 1.48   | 1.84   | 5.90   | -      | -      | 10.70 (3.40 - 12.40) | 3.241 (0.530 - 4.221)               | 14.23               | 99               |
| 20+20+35+35              | 1.85                  | 1.85   | 3.25   | 3.25   | -      | -      | 10.20 (3.30 - 12.00) | 2.980 (0.530 - 4.030)               | 13.09               | 99               |
| 20+20+35+42              | 1.76                  | 1.76   | 3.08   | 3.70*  | -      | -      | 10.30 (3.30 - 12.10) | 3.034 (0.530 - 4.074)               | 13.32               | 99               |
| 20+20+35+50              | 1.66                  | 1.66   | 2.91   | 4.16*  | -      | -      | 10.40 (3.40 - 12.20) | 3.114 (0.530 - 4.134)               | 13.68               | 99               |
| 20+20+35+60              | 1.57                  | 1.57   | 2.75   | 4.71   | -      | -      | 10.60 (3.40 - 12.30) | 3.187 (0.530 - 4.187)               | 14.00               | 99               |
| 20+20+35+71              | 1.47                  | 1.47   | 2.57   | 5.20   | -      | -      | 10.70 (3.40 - 12.40) | 3.261 (0.530 - 4.241)               | 14.32               | 99               |
| 20+20+35+80              | 1.39                  | 1.39   | 2.44   | 5.57   | -      | -      | 10.80 (3.40 - 12.50) | 3.271 (0.530 - 4.251)               | 14.37               | 99               |
| 20+20+42+42              | 1.68                  | 1.68   | 3.52*  | 3.52*  | -      | -      | 10.40 (3.40 - 12.20) | 3.098 (0.530 - 4.118)               | 13.61               | 99               |
| 20+20+42+50              | 1.61                  | 1.61   | 3.37*  | 4.02*  | -      | -      | 10.60 (3.40 - 12.30) | 3.168 (0.530 - 4.168)               | 13.91               | 99               |
| 20+20+42+60              | 1.51                  | 1.51   | 3.16*  | 4.52   | -      | -      | 10.70 (3.40 - 12.40) | 3.241 (0.530 - 4.221)               | 14.23               | 99               |
| 20+20+42+71              | 1.40                  | 1.40   | 2.94*  | 4.97   | -      | -      | 10.70 (3.40 - 12.40) | 3.275 (0.530 - 4.245)               | 14.38               | 99               |
| 20+20+42+80              | 1.33                  | 1.33   | 2.80*  | 5.33   | -      | -      | 10.80 (3.40 - 12.50) | 3.285 (0.530 - 4.265)               | 14.43               | 99               |
| 20+20+50+50              | 1.53                  | 1.53   | 3.82*  | 3.82*  | -      | -      | 10.70 (3.40 - 12.40) | 3.248 (0.530 - 4.228)               | 14.26               | 99               |
| 20+20+50+60              | 1.43                  | 1.43   | 3.57*  | 4.28   | -      | -      | 10.70 (3.40 - 12.40) | 3.261 (0.530 - 4.241)               | 14.32               | 99               |
| 20+20+50+71              | 1.34                  | 1.34   | 3.35*  | 4.76   | -      | -      | 10.80 (3.40 - 12.50) | 3.295 (0.530 - 4.265)               | 14.47               | 99               |
| 20+20+50+80              | 1.27                  | 1.27   | 3.18*  | 5.08   | -      | -      | 10.80 (3.40 - 12.50) | 3.305 (0.530 - 4.275)               | 14.51               | 99               |
| 20+20+60+60              | 1.35                  | 1.35   | 4.05   | 4.05   | -      | -      | 10.80 (3.40 - 12.50) | 3.274 (0.530 - 4.244)               | 14.38               | 99               |
| 20+20+60+71              | 1.26                  | 1.26   | 3.79   | 4.48   | -      | -      | 10.80 (3.40 - 12.50) | 3.298 (0.530 - 4.268)               | 14.48               | 99               |
| 20+20+60+80              | 1.20                  | 1.20   | 3.60   | 4.80   | -      | -      | 10.80 (3.40 - 12.50) | 3.288 (0.530 - 4.258)               | 14.44               | 99               |
| 20+22+22+22              | 2.00                  | 2.20   | 2.20   | 2.20   | -      | -      | 8.60 (3.30 - 10.80)  | 2.233 (0.530 - 3.773)               | 9.81                | 99               |
| 20+22+22+25              | 2.00                  | 2.20   | 2.20   | 2.50   | -      | -      | 8.90 (3.30 - 11.10)  | 2.353 (0.530 - 3.773)               | 10.33               | 99               |
| 20+22+22+35              | 2.00                  | 2.20   | 2.20   | 3.50   | -      | -      | 9.90 (3.30 - 11.70)  | 2.823 (0.530 - 3.933)               | 12.40               | 99               |
| 20+22+22+42              | 1.91                  | 2.10   | 2.10   | 4.00*  | -      | -      | 10.10 (3.30 - 11.90) | 2.927 (0.530 - 3.987)               | 12.85               | 99               |
| 20+22+22+50              | 1.79                  | 1.97   | 1.97   | 4.47*  | -      | -      | 10.20 (3.30 - 12.00) | 2.997 (0.530 - 4.047)               | 13.16               | 99               |
| 20+22+22+60              | 1.68                  | 1.85   | 1.85   | 5.03   | -      | -      | 10.40 (3.40 - 12.20) | 3.080 (0.530 - 4.100)               | 13.53               | 99               |
| 20+22+22+71              | 1.57                  | 1.73   | 1.73   | 5.57   | -      | -      | 10.60 (3.40 - 12.30) | 3.184 (0.530 - 4.184)               | 13.98               | 99               |
| 20+22+22+80              | 1.49                  | 1.63   | 1.63   | 5.94   | -      | -      | 10.70 (3.40 - 12.40) | 3.234 (0.530 - 4.214)               | 14.20               | 99               |
| 20+22+25+25              | 2.00                  | 2.20   | 2.50   | 2.50   | -      | -      | 9.20 (3.30 - 11.30)  | 2.493 (0.530 - 3.823)               | 10.95               | 99               |
| 20+22+25+35              | 1.96                  | 2.16   | 2.45   | 3.43   | -      | -      | 10.00 (3.30 - 11.80) | 2.893 (0.530 - 3.963)               | 12.71               | 99               |
| 20+22+25+42              | 1.87                  | 2.06   | 2.34   | 3.93*  | -      | -      | 10.20 (3.30 - 11.90) | 2.957 (0.530 - 4.007)               | 12.99               | 99               |
| 20+22+25+50              | 1.76                  | 1.94   | 2.20   | 4.40*  | -      | -      | 10.30 (3.30 - 12.10) | 3.027 (0.530 - 4.067)               | 13.29               | 99               |
| 20+22+25+60              | 1.65                  | 1.82   | 2.07   | 4.96   | -      | -      | 10.50 (3.40 - 12.20) | 3.110 (0.530 - 4.120)               | 13.66               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+22+25+71              | 1.55                  | 1.71   | 1.94   | 5.51   | -      | -      | 10.70 (3.40 - 12.40) | 3.214 (0.530 - 4.204)               | 14.12               | 99               |
| 20+22+25+80              | 1.46                  | 1.60   | 1.82   | 5.82   | -      | -      | 10.70 (3.40 - 12.40) | 3.244 (0.530 - 4.224)               | 14.25               | 99               |
| 20+22+35+35              | 1.82                  | 2.00   | 3.19   | 3.19   | -      | -      | 10.20 (3.30 - 12.00) | 2.983 (0.530 - 4.033)               | 13.10               | 99               |
| 20+22+35+42              | 1.73                  | 1.90   | 3.03   | 3.64*  | -      | -      | 10.30 (3.30 - 12.10) | 3.047 (0.530 - 4.077)               | 13.38               | 99               |
| 20+22+35+50              | 1.65                  | 1.82   | 2.89   | 4.13*  | -      | -      | 10.50 (3.40 - 12.20) | 3.127 (0.530 - 4.137)               | 13.73               | 99               |
| 20+22+35+60              | 1.55                  | 1.70   | 2.71   | 4.64   | -      | -      | 10.60 (3.40 - 12.40) | 3.200 (0.530 - 4.190)               | 14.05               | 99               |
| 20+22+35+71              | 1.45                  | 1.59   | 2.53   | 5.13   | -      | -      | 10.70 (3.40 - 12.40) | 3.254 (0.530 - 4.234)               | 14.29               | 99               |
| 20+22+35+80              | 1.38                  | 1.51   | 2.41   | 5.50   | -      | -      | 10.80 (3.40 - 12.50) | 3.274 (0.530 - 4.244)               | 14.38               | 99               |
| 20+22+42+42              | 1.67                  | 1.83   | 3.50*  | 3.50*  | -      | -      | 10.50 (3.40 - 12.20) | 3.111 (0.530 - 4.121)               | 13.66               | 99               |
| 20+22+42+50              | 1.58                  | 1.74   | 3.32*  | 3.96*  | -      | -      | 10.60 (3.40 - 12.30) | 3.181 (0.530 - 4.181)               | 13.97               | 99               |
| 20+22+42+60              | 1.49                  | 1.63   | 3.12*  | 4.46   | -      | -      | 10.70 (3.40 - 12.40) | 3.234 (0.530 - 4.214)               | 14.20               | 99               |
| 20+22+42+71              | 1.39                  | 1.53   | 2.93*  | 4.95   | -      | -      | 10.80 (3.40 - 12.50) | 3.268 (0.530 - 4.248)               | 14.35               | 99               |
| 20+22+42+80              | 1.32                  | 1.45   | 2.77*  | 5.27   | -      | -      | 10.80 (3.40 - 12.50) | 3.288 (0.530 - 4.258)               | 14.44               | 99               |
| 20+22+50+50              | 1.51                  | 1.66   | 3.77*  | 3.77*  | -      | -      | 10.70 (3.40 - 12.40) | 3.251 (0.530 - 4.231)               | 14.28               | 99               |
| 20+22+50+60              | 1.41                  | 1.55   | 3.52*  | 4.22   | -      | -      | 10.70 (3.40 - 12.40) | 3.254 (0.530 - 4.234)               | 14.29               | 99               |
| 20+22+50+71              | 1.33                  | 1.46   | 3.31*  | 4.70   | -      | -      | 10.80 (3.40 - 12.50) | 3.298 (0.530 - 4.268)               | 14.48               | 99               |
| 20+22+50+80              | 1.26                  | 1.38   | 3.14*  | 5.02   | -      | -      | 10.80 (3.40 - 12.50) | 3.298 (0.530 - 4.268)               | 14.48               | 99               |
| 20+22+60+60              | 1.33                  | 1.47   | 4.00   | 4.00   | -      | -      | 10.80 (3.40 - 12.50) | 3.267 (0.530 - 4.247)               | 14.35               | 99               |
| 20+22+60+71              | 1.25                  | 1.37   | 3.75   | 4.43   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 20+25+25+25              | 2.00                  | 2.50   | 2.50   | 2.50   | -      | -      | 9.50 (3.30 - 11.50)  | 2.633 (0.530 - 3.873)               | 11.56               | 99               |
| 20+25+25+35              | 1.92                  | 2.40   | 2.40   | 3.37   | -      | -      | 10.10 (3.30 - 11.90) | 2.923 (0.530 - 3.993)               | 12.84               | 99               |
| 20+25+25+42              | 1.82                  | 2.28   | 2.28   | 3.83*  | -      | -      | 10.20 (3.30 - 12.00) | 2.977 (0.530 - 4.027)               | 13.07               | 99               |
| 20+25+25+50              | 1.73                  | 2.17   | 2.17   | 4.33*  | -      | -      | 10.40 (3.40 - 12.10) | 3.057 (0.530 - 4.087)               | 13.43               | 99               |
| 20+25+25+60              | 1.62                  | 2.02   | 2.02   | 4.85   | -      | -      | 10.50 (3.40 - 12.30) | 3.140 (0.530 - 4.140)               | 13.79               | 99               |
| 20+25+25+71              | 1.52                  | 1.90   | 1.90   | 5.39   | -      | -      | 10.70 (3.40 - 12.40) | 3.234 (0.530 - 4.214)               | 14.20               | 99               |
| 20+25+25+80              | 1.43                  | 1.78   | 1.78   | 5.71   | -      | -      | 10.70 (3.40 - 12.40) | 3.254 (0.530 - 4.234)               | 14.29               | 99               |
| 20+25+35+35              | 1.79                  | 2.24   | 3.13   | 3.13   | -      | -      | 10.30 (3.30 - 12.00) | 3.013 (0.530 - 4.063)               | 13.23               | 99               |
| 20+25+35+42              | 1.70                  | 2.13   | 2.98   | 3.58*  | -      | -      | 10.40 (3.40 - 12.10) | 3.077 (0.530 - 4.097)               | 13.51               | 99               |
| 20+25+35+50              | 1.62                  | 2.02   | 2.83   | 4.04*  | -      | -      | 10.50 (3.40 - 12.30) | 3.157 (0.530 - 4.157)               | 13.86               | 99               |
| 20+25+35+60              | 1.53                  | 1.91   | 2.68   | 4.59   | -      | -      | 10.70 (3.40 - 12.40) | 3.230 (0.530 - 4.210)               | 14.19               | 99               |
| 20+25+35+71              | 1.42                  | 1.77   | 2.48   | 5.03   | -      | -      | 10.70 (3.40 - 12.40) | 3.264 (0.530 - 4.244)               | 14.33               | 99               |
| 20+25+35+80              | 1.35                  | 1.69   | 2.36   | 5.40   | -      | -      | 10.80 (3.40 - 12.50) | 3.284 (0.530 - 4.254)               | 14.42               | 99               |
| 20+25+42+42              | 1.63                  | 2.03   | 3.42*  | 3.42*  | -      | -      | 10.50 (3.40 - 12.20) | 3.141 (0.530 - 4.141)               | 13.79               | 99               |
| 20+25+42+50              | 1.55                  | 1.93   | 3.25*  | 3.87*  | -      | -      | 10.60 (3.40 - 12.40) | 3.211 (0.530 - 4.201)               | 14.10               | 99               |
| 20+25+42+60              | 1.46                  | 1.82   | 3.06*  | 4.37   | -      | -      | 10.70 (3.40 - 12.40) | 3.244 (0.530 - 4.224)               | 14.25               | 99               |
| 20+25+42+71              | 1.37                  | 1.71   | 2.87*  | 4.85   | -      | -      | 10.80 (3.40 - 12.50) | 3.278 (0.530 - 4.258)               | 14.40               | 99               |
| 20+25+42+80              | 1.29                  | 1.62   | 2.72*  | 5.17   | -      | -      | 10.80 (3.40 - 12.50) | 3.298 (0.530 - 4.268)               | 14.48               | 99               |
| 20+25+50+50              | 1.48                  | 1.84   | 3.69*  | 3.69*  | -      | -      | 10.70 (3.40 - 12.40) | 3.251 (0.530 - 4.231)               | 14.28               | 99               |
| 20+25+50+60              | 1.39                  | 1.74   | 3.48*  | 4.18   | -      | -      | 10.80 (3.40 - 12.50) | 3.264 (0.530 - 4.244)               | 14.33               | 99               |
| 20+25+50+71              | 1.30                  | 1.63   | 3.25*  | 4.62   | -      | -      | 10.80 (3.40 - 12.50) | 3.298 (0.530 - 4.278)               | 14.48               | 99               |
| 20+25+50+80              | 1.23                  | 1.54   | 3.09*  | 4.94   | -      | -      | 10.80 (3.40 - 12.50) | 3.298 (0.530 - 4.268)               | 14.48               | 99               |
| 20+25+60+60              | 1.31                  | 1.64   | 3.93   | 3.93   | -      | -      | 10.80 (3.40 - 12.50) | 3.277 (0.530 - 4.247)               | 14.39               | 99               |
| 20+25+60+71              | 1.23                  | 1.53   | 3.68   | 4.36   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 20+35+35+35              | 1.66                  | 2.91   | 2.91   | 2.91   | -      | -      | 10.40 (3.40 - 12.20) | 3.113 (0.530 - 4.133)               | 13.67               | 99               |
| 20+35+35+42              | 1.61                  | 2.81   | 2.81   | 3.37*  | -      | -      | 10.60 (3.40 - 12.30) | 3.167 (0.530 - 4.167)               | 13.91               | 99               |
| 20+35+35+50              | 1.53                  | 2.68   | 2.68   | 3.82*  | -      | -      | 10.70 (3.40 - 12.40) | 3.247 (0.530 - 4.227)               | 14.26               | 99               |
| 20+35+35+60              | 1.43                  | 2.50   | 2.50   | 4.28   | -      | -      | 10.70 (3.40 - 12.40) | 3.260 (0.530 - 4.240)               | 14.32               | 99               |
| 20+35+35+71              | 1.34                  | 2.35   | 2.35   | 4.76   | -      | -      | 10.80 (3.40 - 12.50) | 3.294 (0.530 - 4.264)               | 14.47               | 99               |
| 20+35+35+80              | 1.27                  | 2.22   | 2.22   | 5.08   | -      | -      | 10.80 (3.40 - 12.50) | 3.304 (0.530 - 4.274)               | 14.51               | 99               |
| 20+35+42+42              | 1.54                  | 2.69   | 3.23*  | 3.23*  | -      | -      | 10.70 (3.40 - 12.40) | 3.231 (0.530 - 4.211)               | 14.19               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+35+42+50              | 1.46                  | 2.55   | 3.06*  | 3.64*  | -      | -      | 10.70 (3.40 - 12.40) | 3.261 (0.530 - 4.241)               | 14.32               | 99               |
| 20+35+42+60              | 1.38                  | 2.41   | 2.89*  | 4.13   | -      | -      | 10.80 (3.40 - 12.50) | 3.274 (0.530 - 4.244)               | 14.38               | 99               |
| 20+35+42+71              | 1.29                  | 2.25   | 2.70*  | 4.56   | -      | -      | 10.80 (3.40 - 12.50) | 3.308 (0.530 - 4.278)               | 14.53               | 99               |
| 20+35+42+80              | 1.22                  | 2.14   | 2.56*  | 4.88   | -      | -      | 10.80 (3.40 - 12.50) | 3.298 (0.530 - 4.268)               | 14.48               | 99               |
| 20+35+50+50              | 1.39                  | 2.44   | 3.48*  | 3.48*  | -      | -      | 10.80 (3.40 - 12.50) | 3.281 (0.530 - 4.261)               | 14.41               | 99               |
| 20+35+50+60              | 1.31                  | 2.29   | 3.27*  | 3.93   | -      | -      | 10.80 (3.40 - 12.50) | 3.294 (0.530 - 4.264)               | 14.47               | 99               |
| 20+35+50+71              | 1.23                  | 2.15   | 3.07*  | 4.36   | -      | -      | 10.80 (3.40 - 12.50) | 3.308 (0.530 - 4.278)               | 14.53               | 99               |
| 20+35+60+60              | 1.23                  | 2.16   | 3.70   | 3.70   | -      | -      | 10.80 (3.40 - 12.50) | 3.287 (0.530 - 4.257)               | 14.44               | 99               |
| 20+42+42+42              | 1.47                  | 3.08*  | 3.08*  | 3.08*  | -      | -      | 10.70 (3.40 - 12.40) | 3.255 (0.530 - 4.235)               | 14.30               | 99               |
| 20+42+42+50              | 1.40                  | 2.95*  | 2.95*  | 3.51*  | -      | -      | 10.80 (3.40 - 12.50) | 3.275 (0.530 - 4.255)               | 14.38               | 99               |
| 20+42+42+60              | 1.32                  | 2.77*  | 2.77*  | 3.95   | -      | -      | 10.80 (3.40 - 12.50) | 3.288 (0.530 - 4.258)               | 14.44               | 99               |
| 20+42+42+71              | 1.23                  | 2.59*  | 2.59*  | 4.38   | -      | -      | 10.80 (3.40 - 12.50) | 3.302 (0.530 - 4.272)               | 14.50               | 99               |
| 20+42+50+50              | 1.33                  | 2.80*  | 3.33*  | 3.33*  | -      | -      | 10.80 (3.40 - 12.50) | 3.295 (0.530 - 4.275)               | 14.47               | 99               |
| 20+42+50+60              | 1.26                  | 2.64*  | 3.14*  | 3.77   | -      | -      | 10.80 (3.40 - 12.50) | 3.298 (0.530 - 4.268)               | 14.48               | 99               |
| 20+50+50+50              | 1.27                  | 3.18*  | 3.18*  | 3.18*  | -      | -      | 10.80 (3.40 - 12.50) | 3.315 (0.530 - 4.285)               | 14.56               | 99               |
| 20+50+50+60              | 1.20                  | 3.00*  | 3.00*  | 3.60   | -      | -      | 10.80 (3.40 - 12.50) | 3.298 (0.530 - 4.268)               | 14.48               | 99               |
| 22+22+22+22              | 2.20                  | 2.20   | 2.20   | 2.20   | -      | -      | 8.80 (3.30 - 11.00)  | 2.296 (0.530 - 3.746)               | 10.08               | 99               |
| 22+22+22+25              | 2.20                  | 2.20   | 2.20   | 2.50   | -      | -      | 9.10 (3.30 - 11.20)  | 2.436 (0.530 - 3.796)               | 10.70               | 99               |
| 22+22+22+35              | 2.18                  | 2.18   | 2.18   | 3.47   | -      | -      | 10.00 (3.30 - 11.80) | 2.876 (0.530 - 3.956)               | 12.63               | 99               |
| 22+22+22+42              | 2.06                  | 2.06   | 2.06   | 3.93*  | -      | -      | 10.10 (3.30 - 11.90) | 2.940 (0.530 - 4.000)               | 12.91               | 99               |
| 22+22+22+50              | 1.95                  | 1.95   | 1.95   | 4.44*  | -      | -      | 10.30 (3.30 - 12.00) | 3.010 (0.530 - 4.050)               | 13.22               | 99               |
| 22+22+22+60              | 1.83                  | 1.83   | 1.83   | 5.00   | -      | -      | 10.50 (3.40 - 12.20) | 3.093 (0.530 - 4.103)               | 13.58               | 99               |
| 22+22+22+71              | 1.70                  | 1.70   | 1.70   | 5.49   | -      | -      | 10.60 (3.40 - 12.40) | 3.197 (0.530 - 4.187)               | 14.04               | 99               |
| 22+22+22+80              | 1.61                  | 1.61   | 1.61   | 5.86   | -      | -      | 10.70 (3.40 - 12.40) | 3.237 (0.530 - 4.217)               | 14.22               | 99               |
| 22+22+25+25              | 2.20                  | 2.20   | 2.50   | 2.50   | -      | -      | 9.40 (3.30 - 11.40)  | 2.586 (0.530 - 3.846)               | 11.36               | 99               |
| 22+22+25+35              | 2.14                  | 2.14   | 2.43   | 3.40   | -      | -      | 10.10 (3.30 - 11.90) | 2.906 (0.530 - 3.976)               | 12.76               | 99               |
| 22+22+25+42              | 2.02                  | 2.02   | 2.30   | 3.86*  | -      | -      | 10.20 (3.30 - 12.00) | 2.960 (0.530 - 4.020)               | 13.00               | 99               |
| 22+22+25+50              | 1.90                  | 1.90   | 2.16   | 4.33*  | -      | -      | 10.30 (3.30 - 12.10) | 3.040 (0.530 - 4.070)               | 13.35               | 99               |
| 22+22+25+60              | 1.79                  | 1.79   | 2.03   | 4.88   | -      | -      | 10.50 (3.40 - 12.20) | 3.123 (0.530 - 4.123)               | 13.72               | 99               |
| 22+22+25+71              | 1.68                  | 1.68   | 1.91   | 5.43   | -      | -      | 10.70 (3.40 - 12.40) | 3.227 (0.530 - 4.207)               | 14.17               | 99               |
| 22+22+25+80              | 1.58                  | 1.58   | 1.80   | 5.74   | -      | -      | 10.70 (3.40 - 12.40) | 3.247 (0.530 - 4.217)               | 14.26               | 99               |
| 22+22+35+35              | 1.97                  | 1.97   | 3.13   | 3.13   | -      | -      | 10.20 (3.30 - 12.00) | 2.996 (0.530 - 4.046)               | 13.16               | 99               |
| 22+22+35+42              | 1.89                  | 1.89   | 3.01   | 3.61*  | -      | -      | 10.40 (3.40 - 12.10) | 3.060 (0.530 - 4.090)               | 13.44               | 99               |
| 22+22+35+50              | 1.79                  | 1.79   | 2.85   | 4.07*  | -      | -      | 10.50 (3.40 - 12.20) | 3.140 (0.530 - 4.140)               | 13.79               | 99               |
| 22+22+35+60              | 1.69                  | 1.69   | 2.69   | 4.62   | -      | -      | 10.70 (3.40 - 12.40) | 3.213 (0.530 - 4.193)               | 14.11               | 99               |
| 22+22+35+71              | 1.57                  | 1.57   | 2.50   | 5.06   | -      | -      | 10.70 (3.40 - 12.40) | 3.257 (0.530 - 4.237)               | 14.30               | 99               |
| 22+22+35+80              | 1.49                  | 1.49   | 2.38   | 5.43   | -      | -      | 10.80 (3.40 - 12.50) | 3.267 (0.530 - 4.247)               | 14.35               | 99               |
| 22+22+42+42              | 1.80                  | 1.80   | 3.45*  | 3.45*  | -      | -      | 10.50 (3.40 - 12.20) | 3.124 (0.530 - 4.134)               | 13.72               | 99               |
| 22+22+42+50              | 1.71                  | 1.71   | 3.27*  | 3.90*  | -      | -      | 10.60 (3.40 - 12.30) | 3.194 (0.530 - 4.184)               | 14.03               | 99               |
| 22+22+42+60              | 1.61                  | 1.61   | 3.08*  | 4.40   | -      | -      | 10.70 (3.40 - 12.40) | 3.237 (0.530 - 4.217)               | 14.22               | 99               |
| 22+22+42+71              | 1.51                  | 1.51   | 2.89*  | 4.88   | -      | -      | 10.80 (3.40 - 12.50) | 3.271 (0.530 - 4.241)               | 14.37               | 99               |
| 22+22+42+80              | 1.43                  | 1.43   | 2.73*  | 5.20   | -      | -      | 10.80 (3.40 - 12.50) | 3.281 (0.530 - 4.261)               | 14.41               | 99               |
| 22+22+50+50              | 1.63                  | 1.63   | 3.72*  | 3.72*  | -      | -      | 10.70 (3.40 - 12.40) | 3.244 (0.530 - 4.224)               | 14.25               | 99               |
| 22+22+50+60              | 1.54                  | 1.54   | 3.51*  | 4.21   | -      | -      | 10.80 (3.40 - 12.50) | 3.257 (0.530 - 4.237)               | 14.30               | 99               |
| 22+22+50+71              | 1.44                  | 1.44   | 3.27*  | 4.65   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 22+22+50+80              | 1.37                  | 1.37   | 3.10*  | 4.97   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 22+22+60+60              | 1.45                  | 1.45   | 3.95   | 3.95   | -      | -      | 10.80 (3.40 - 12.50) | 3.270 (0.530 - 4.240)               | 14.36               | 99               |
| 22+22+60+71              | 1.36                  | 1.36   | 3.70   | 4.38   | -      | -      | 10.80 (3.40 - 12.50) | 3.284 (0.530 - 4.254)               | 14.42               | 99               |
| 22+25+25+25              | 2.20                  | 2.50   | 2.50   | 2.50   | -      | -      | 9.70 (3.30 - 11.60)  | 2.726 (0.530 - 3.896)               | 11.97               | 99               |
| 22+25+25+35              | 2.08                  | 2.36   | 2.36   | 3.30   | -      | -      | 10.10 (3.30 - 11.90) | 2.936 (0.530 - 3.996)               | 12.89               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 22+25+25+42              | 1.97                  | 2.24   | 2.24   | 3.76*  | -      | -      | 10.20 (3.30 - 12.00) | 2.990 (0.530 - 4.040)               | 13.13               | 99               |
| 22+25+25+50              | 1.88                  | 2.13   | 2.13   | 4.26*  | -      | -      | 10.40 (3.40 - 12.10) | 3.070 (0.530 - 4.090)               | 13.48               | 99               |
| 22+25+25+60              | 1.77                  | 2.01   | 2.01   | 4.82   | -      | -      | 10.60 (3.40 - 12.30) | 3.143 (0.530 - 4.143)               | 13.80               | 99               |
| 22+25+25+71              | 1.65                  | 1.87   | 1.87   | 5.31   | -      | -      | 10.70 (3.40 - 12.40) | 3.237 (0.530 - 4.217)               | 14.22               | 99               |
| 22+25+25+80              | 1.55                  | 1.76   | 1.76   | 5.63   | -      | -      | 10.70 (3.40 - 12.40) | 3.247 (0.530 - 4.227)               | 14.26               | 99               |
| 22+25+35+35              | 1.94                  | 2.20   | 3.08   | 3.08   | -      | -      | 10.30 (3.30 - 12.10) | 3.026 (0.530 - 4.066)               | 13.29               | 99               |
| 22+25+35+42              | 1.85                  | 2.10   | 2.94   | 3.52*  | -      | -      | 10.40 (3.40 - 12.20) | 3.090 (0.530 - 4.110)               | 13.57               | 99               |
| 22+25+35+50              | 1.77                  | 2.01   | 2.81   | 4.02*  | -      | -      | 10.60 (3.40 - 12.30) | 3.160 (0.530 - 4.160)               | 13.88               | 99               |
| 22+25+35+60              | 1.66                  | 1.88   | 2.64   | 4.52   | -      | -      | 10.70 (3.40 - 12.40) | 3.233 (0.530 - 4.213)               | 14.20               | 99               |
| 22+25+35+71              | 1.54                  | 1.75   | 2.45   | 4.97   | -      | -      | 10.70 (3.40 - 12.40) | 3.267 (0.530 - 4.237)               | 14.35               | 99               |
| 22+25+35+80              | 1.47                  | 1.67   | 2.33   | 5.33   | -      | -      | 10.80 (3.40 - 12.50) | 3.277 (0.530 - 4.257)               | 14.39               | 99               |
| 22+25+42+42              | 1.76                  | 2.00   | 3.37*  | 3.37*  | -      | -      | 10.50 (3.40 - 12.30) | 3.144 (0.530 - 4.154)               | 13.81               | 99               |
| 22+25+42+50              | 1.69                  | 1.92   | 3.23*  | 3.85*  | -      | -      | 10.70 (3.40 - 12.40) | 3.224 (0.530 - 4.204)               | 14.16               | 99               |
| 22+25+42+60              | 1.58                  | 1.80   | 3.02*  | 4.31   | -      | -      | 10.70 (3.40 - 12.40) | 3.247 (0.530 - 4.217)               | 14.26               | 99               |
| 22+25+42+71              | 1.49                  | 1.69   | 2.84*  | 4.79   | -      | -      | 10.80 (3.40 - 12.50) | 3.281 (0.530 - 4.251)               | 14.41               | 99               |
| 22+25+42+80              | 1.41                  | 1.60   | 2.68*  | 5.11   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 22+25+50+50              | 1.60                  | 1.82   | 3.64*  | 3.64*  | -      | -      | 10.70 (3.40 - 12.40) | 3.254 (0.530 - 4.234)               | 14.29               | 99               |
| 22+25+50+60              | 1.51                  | 1.72   | 3.44*  | 4.13   | -      | -      | 10.80 (3.40 - 12.50) | 3.267 (0.530 - 4.237)               | 14.35               | 99               |
| 22+25+50+71              | 1.41                  | 1.61   | 3.21*  | 4.56   | -      | -      | 10.80 (3.40 - 12.50) | 3.301 (0.530 - 4.271)               | 14.50               | 99               |
| 22+25+50+80              | 1.34                  | 1.53   | 3.05*  | 4.88   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 22+25+60+60              | 1.42                  | 1.62   | 3.88   | 3.88   | -      | -      | 10.80 (3.40 - 12.50) | 3.280 (0.530 - 4.250)               | 14.40               | 99               |
| 22+25+60+71              | 1.33                  | 1.52   | 3.64   | 4.31   | -      | -      | 10.80 (3.40 - 12.50) | 3.284 (0.530 - 4.254)               | 14.42               | 99               |
| 22+35+35+35              | 1.82                  | 2.89   | 2.89   | 2.89   | -      | -      | 10.50 (3.40 - 12.20) | 3.126 (0.530 - 4.136)               | 13.73               | 99               |
| 22+35+35+42              | 1.74                  | 2.77   | 2.77   | 3.32*  | -      | -      | 10.60 (3.40 - 12.30) | 3.180 (0.530 - 4.180)               | 13.97               | 99               |
| 22+35+35+50              | 1.66                  | 2.64   | 2.64   | 3.77*  | -      | -      | 10.70 (3.40 - 12.40) | 3.250 (0.530 - 4.230)               | 14.27               | 99               |
| 22+35+35+60              | 1.55                  | 2.46   | 2.46   | 4.22   | -      | -      | 10.70 (3.40 - 12.40) | 3.253 (0.530 - 4.233)               | 14.29               | 99               |
| 22+35+35+71              | 1.46                  | 2.32   | 2.32   | 4.70   | -      | -      | 10.80 (3.40 - 12.50) | 3.297 (0.530 - 4.267)               | 14.48               | 99               |
| 22+35+35+80              | 1.38                  | 2.20   | 2.20   | 5.02   | -      | -      | 10.80 (3.40 - 12.50) | 3.297 (0.530 - 4.267)               | 14.48               | 99               |
| 22+35+42+42              | 1.67                  | 2.66   | 3.19*  | 3.19*  | -      | -      | 10.70 (3.40 - 12.40) | 3.234 (0.530 - 4.214)               | 14.20               | 99               |
| 22+35+42+50              | 1.58                  | 2.51   | 3.02*  | 3.59*  | -      | -      | 10.70 (3.40 - 12.40) | 3.264 (0.530 - 4.234)               | 14.33               | 99               |
| 22+35+42+60              | 1.49                  | 2.38   | 2.85*  | 4.08   | -      | -      | 10.80 (3.40 - 12.50) | 3.267 (0.530 - 4.247)               | 14.35               | 99               |
| 22+35+42+71              | 1.40                  | 2.22   | 2.67*  | 4.51   | -      | -      | 10.80 (3.40 - 12.50) | 3.301 (0.530 - 4.271)               | 14.50               | 99               |
| 22+35+42+80              | 1.33                  | 2.11   | 2.53*  | 4.83   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 22+35+50+50              | 1.51                  | 2.41   | 3.44*  | 3.44*  | -      | -      | 10.80 (3.40 - 12.50) | 3.284 (0.530 - 4.254)               | 14.42               | 99               |
| 22+35+50+60              | 1.42                  | 2.26   | 3.23*  | 3.88   | -      | -      | 10.80 (3.40 - 12.50) | 3.297 (0.530 - 4.267)               | 14.48               | 99               |
| 22+35+50+71              | 1.33                  | 2.12   | 3.03*  | 4.31   | -      | -      | 10.80 (3.40 - 12.50) | 3.301 (0.530 - 4.271)               | 14.50               | 99               |
| 22+35+60+60              | 1.34                  | 2.14   | 3.66   | 3.66   | -      | -      | 10.80 (3.40 - 12.50) | 3.280 (0.530 - 4.250)               | 14.40               | 99               |
| 22+42+42+42              | 1.59                  | 3.04*  | 3.04*  | 3.04*  | -      | -      | 10.70 (3.40 - 12.40) | 3.248 (0.530 - 4.228)               | 14.26               | 99               |
| 22+42+42+50              | 1.52                  | 2.91*  | 2.91*  | 3.46*  | -      | -      | 10.80 (3.40 - 12.50) | 3.278 (0.530 - 4.248)               | 14.40               | 99               |
| 22+42+42+60              | 1.43                  | 2.73*  | 2.73*  | 3.90   | -      | -      | 10.80 (3.40 - 12.50) | 3.281 (0.530 - 4.261)               | 14.41               | 99               |
| 22+42+42+71              | 1.34                  | 2.56*  | 2.56*  | 4.33   | -      | -      | 10.80 (3.40 - 12.50) | 3.295 (0.530 - 4.265)               | 14.47               | 99               |
| 22+42+50+50              | 1.45                  | 2.77*  | 3.29*  | 3.29*  | -      | -      | 10.80 (3.40 - 12.50) | 3.298 (0.530 - 4.268)               | 14.48               | 99               |
| 22+42+50+60              | 1.37                  | 2.61*  | 3.10*  | 3.72   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 22+50+50+50              | 1.38                  | 3.14*  | 3.14*  | 3.14*  | -      | -      | 10.80 (3.40 - 12.50) | 3.308 (0.530 - 4.278)               | 14.53               | 99               |
| 25+25+25+25              | 2.50                  | 2.50   | 2.50   | 2.50   | -      | -      | 10.00 (3.30 - 11.80) | 2.866 (0.530 - 3.946)               | 12.59               | 99               |
| 25+25+25+35              | 2.32                  | 2.32   | 2.32   | 3.25   | -      | -      | 10.20 (3.30 - 12.00) | 2.966 (0.530 - 4.016)               | 13.03               | 99               |
| 25+25+25+42              | 2.20                  | 2.20   | 2.20   | 3.70*  | -      | -      | 10.30 (3.30 - 12.10) | 3.020 (0.530 - 4.060)               | 13.26               | 99               |
| 25+25+25+50              | 2.08                  | 2.08   | 2.08   | 4.16*  | -      | -      | 10.40 (3.40 - 12.20) | 3.100 (0.530 - 4.120)               | 13.61               | 99               |
| 25+25+25+60              | 1.96                  | 1.96   | 1.96   | 4.71   | -      | -      | 10.60 (3.40 - 12.30) | 3.173 (0.530 - 4.173)               | 13.94               | 99               |
| 25+25+25+71              | 1.83                  | 1.83   | 1.83   | 5.20   | -      | -      | 10.70 (3.40 - 12.40) | 3.247 (0.530 - 4.227)               | 14.26               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 25+25+25+80              | 1.74                  | 1.74   | 1.74   | 5.57   | -      | -      | 10.80 (3.40 - 12.50) | 3.257 (0.530 - 4.237)               | 14.30               | 99               |
| 25+25+35+35              | 2.17                  | 2.17   | 3.03   | 3.03   | -      | -      | 10.40 (3.40 - 12.10) | 3.056 (0.530 - 4.086)               | 13.42               | 99               |
| 25+25+35+42              | 2.07                  | 2.07   | 2.89   | 3.47*  | -      | -      | 10.50 (3.40 - 12.20) | 3.120 (0.530 - 4.130)               | 13.70               | 99               |
| 25+25+35+50              | 1.96                  | 1.96   | 2.75   | 3.93*  | -      | -      | 10.60 (3.40 - 12.30) | 3.190 (0.530 - 4.190)               | 14.01               | 99               |
| 25+25+35+60              | 1.84                  | 1.84   | 2.58   | 4.43   | -      | -      | 10.70 (3.40 - 12.40) | 3.233 (0.530 - 4.213)               | 14.20               | 99               |
| 25+25+35+71              | 1.73                  | 1.73   | 2.42   | 4.92   | -      | -      | 10.80 (3.40 - 12.50) | 3.277 (0.530 - 4.247)               | 14.39               | 99               |
| 25+25+35+80              | 1.64                  | 1.64   | 2.29   | 5.24   | -      | -      | 10.80 (3.40 - 12.50) | 3.287 (0.530 - 4.257)               | 14.44               | 99               |
| 25+25+42+42              | 1.98                  | 1.98   | 3.32*  | 3.32*  | -      | -      | 10.60 (3.40 - 12.30) | 3.174 (0.530 - 4.174)               | 13.94               | 99               |
| 25+25+42+50              | 1.88                  | 1.88   | 3.16*  | 3.77*  | -      | -      | 10.70 (3.40 - 12.40) | 3.244 (0.530 - 4.224)               | 14.25               | 99               |
| 25+25+42+60              | 1.76                  | 1.76   | 2.96*  | 4.22   | -      | -      | 10.70 (3.40 - 12.40) | 3.247 (0.530 - 4.227)               | 14.26               | 99               |
| 25+25+42+71              | 1.66                  | 1.66   | 2.78*  | 4.70   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 25+25+42+80              | 1.57                  | 1.57   | 2.64*  | 5.02   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 25+25+50+50              | 1.78                  | 1.78   | 3.57*  | 3.57*  | -      | -      | 10.70 (3.40 - 12.40) | 3.264 (0.530 - 4.244)               | 14.33               | 99               |
| 25+25+50+60              | 1.69                  | 1.69   | 3.38*  | 4.05   | -      | -      | 10.80 (3.40 - 12.50) | 3.277 (0.530 - 4.247)               | 14.39               | 99               |
| 25+25+50+71              | 1.58                  | 1.58   | 3.16*  | 4.48   | -      | -      | 10.80 (3.40 - 12.50) | 3.301 (0.530 - 4.271)               | 14.50               | 99               |
| 25+25+50+80              | 1.50                  | 1.50   | 3.00*  | 4.80   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 25+25+60+60              | 1.59                  | 1.59   | 3.81   | 3.81   | -      | -      | 10.80 (3.40 - 12.50) | 3.280 (0.530 - 4.250)               | 14.40               | 99               |
| 25+35+35+35              | 2.02                  | 2.83   | 2.83   | 2.83   | -      | -      | 10.50 (3.40 - 12.30) | 3.156 (0.530 - 4.156)               | 13.86               | 99               |
| 25+35+35+42              | 1.93                  | 2.71   | 2.71   | 3.25*  | -      | -      | 10.60 (3.40 - 12.40) | 3.210 (0.530 - 4.200)               | 14.10               | 99               |
| 25+35+35+50              | 1.84                  | 2.58   | 2.58   | 3.69*  | -      | -      | 10.70 (3.40 - 12.40) | 3.250 (0.530 - 4.230)               | 14.27               | 99               |
| 25+35+35+60              | 1.74                  | 2.44   | 2.44   | 4.18   | -      | -      | 10.80 (3.40 - 12.50) | 3.263 (0.530 - 4.243)               | 14.33               | 99               |
| 25+35+35+71              | 1.63                  | 2.28   | 2.28   | 4.62   | -      | -      | 10.80 (3.40 - 12.50) | 3.297 (0.530 - 4.277)               | 14.48               | 99               |
| 25+35+35+80              | 1.54                  | 2.16   | 2.16   | 4.94   | -      | -      | 10.80 (3.40 - 12.50) | 3.297 (0.530 - 4.267)               | 14.48               | 99               |
| 25+35+42+42              | 1.86                  | 2.60   | 3.12*  | 3.12*  | -      | -      | 10.70 (3.40 - 12.40) | 3.244 (0.530 - 4.224)               | 14.25               | 99               |
| 25+35+42+50              | 1.76                  | 2.46   | 2.96*  | 3.52*  | -      | -      | 10.70 (3.40 - 12.40) | 3.264 (0.530 - 4.244)               | 14.33               | 99               |
| 25+35+42+60              | 1.67                  | 2.33   | 2.80*  | 4.00   | -      | -      | 10.80 (3.40 - 12.50) | 3.277 (0.530 - 4.257)               | 14.39               | 99               |
| 25+35+42+71              | 1.56                  | 2.18   | 2.62*  | 4.43   | -      | -      | 10.80 (3.40 - 12.50) | 3.301 (0.530 - 4.271)               | 14.50               | 99               |
| 25+35+50+50              | 1.69                  | 2.36   | 3.38*  | 3.38*  | -      | -      | 10.80 (3.40 - 12.50) | 3.294 (0.530 - 4.264)               | 14.47               | 99               |
| 25+35+50+60              | 1.59                  | 2.22   | 3.18*  | 3.81   | -      | -      | 10.80 (3.40 - 12.50) | 3.297 (0.530 - 4.267)               | 14.48               | 99               |
| 25+35+60+60              | 1.50                  | 2.10   | 3.60   | 3.60   | -      | -      | 10.80 (3.40 - 12.50) | 3.280 (0.530 - 4.250)               | 14.40               | 99               |
| 25+42+42+42              | 1.77                  | 2.98*  | 2.98*  | 2.98*  | -      | -      | 10.70 (3.40 - 12.40) | 3.258 (0.530 - 4.238)               | 14.31               | 99               |
| 25+42+42+50              | 1.70                  | 2.85*  | 2.85*  | 3.40*  | -      | -      | 10.80 (3.40 - 12.50) | 3.278 (0.530 - 4.258)               | 14.40               | 99               |
| 25+42+42+60              | 1.60                  | 2.68*  | 2.68*  | 3.83   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 25+42+42+71              | 1.50                  | 2.52*  | 2.52*  | 4.26   | -      | -      | 10.80 (3.40 - 12.50) | 3.295 (0.530 - 4.265)               | 14.47               | 99               |
| 25+42+50+50              | 1.62                  | 2.72*  | 3.23*  | 3.23*  | -      | -      | 10.80 (3.40 - 12.50) | 3.308 (0.530 - 4.278)               | 14.53               | 99               |
| 25+42+50+60              | 1.53                  | 2.56*  | 3.05*  | 3.66   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |
| 25+50+50+50              | 1.54                  | 3.09*  | 3.09*  | 3.09*  | -      | -      | 10.80 (3.40 - 12.50) | 3.308 (0.530 - 4.278)               | 14.53               | 99               |
| 35+35+35+35              | 2.68                  | 2.68   | 2.68   | 2.68   | -      | -      | 10.70 (3.40 - 12.40) | 3.246 (0.530 - 4.226)               | 14.26               | 99               |
| 35+35+35+42              | 2.55                  | 2.55   | 2.55   | 3.06*  | -      | -      | 10.70 (3.40 - 12.40) | 3.260 (0.530 - 4.240)               | 14.32               | 99               |
| 35+35+35+50              | 2.44                  | 2.44   | 2.44   | 3.48*  | -      | -      | 10.80 (3.40 - 12.50) | 3.280 (0.530 - 4.260)               | 14.40               | 99               |
| 35+35+35+60              | 2.29                  | 2.29   | 2.29   | 3.93   | -      | -      | 10.80 (3.40 - 12.50) | 3.293 (0.530 - 4.263)               | 14.46               | 99               |
| 35+35+35+71              | 2.15                  | 2.15   | 2.15   | 4.36   | -      | -      | 10.80 (3.40 - 12.50) | 3.307 (0.530 - 4.277)               | 14.52               | 99               |
| 35+35+42+42              | 2.45                  | 2.45   | 2.95*  | 2.95*  | -      | -      | 10.80 (3.40 - 12.50) | 3.274 (0.530 - 4.254)               | 14.38               | 99               |
| 35+35+42+50              | 2.33                  | 2.33   | 2.80*  | 3.33*  | -      | -      | 10.80 (3.40 - 12.50) | 3.294 (0.530 - 4.274)               | 14.47               | 99               |
| 35+35+42+60              | 2.20                  | 2.20   | 2.64*  | 3.77   | -      | -      | 10.80 (3.40 - 12.50) | 3.297 (0.530 - 4.267)               | 14.48               | 99               |
| 35+35+50+50              | 2.22                  | 2.22   | 3.18*  | 3.18*  | -      | -      | 10.80 (3.40 - 12.50) | 3.314 (0.530 - 4.284)               | 14.55               | 99               |
| 35+35+50+60              | 2.10                  | 2.10   | 3.00*  | 3.60   | -      | -      | 10.80 (3.40 - 12.50) | 3.297 (0.530 - 4.267)               | 14.48               | 99               |
| 35+42+42+42              | 2.35                  | 2.82*  | 2.82*  | 2.82*  | -      | -      | 10.80 (3.40 - 12.50) | 3.288 (0.530 - 4.258)               | 14.44               | 99               |
| 35+42+42+50              | 2.24                  | 2.68*  | 2.68*  | 3.20*  | -      | -      | 10.80 (3.40 - 12.50) | 3.308 (0.530 - 4.278)               | 14.53               | 99               |
| 35+42+42+60              | 2.11                  | 2.53*  | 2.53*  | 3.62   | -      | -      | 10.80 (3.40 - 12.50) | 3.291 (0.530 - 4.261)               | 14.45               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 35+42+50+50              | 2.14                  | 2.56*  | 3.05*  | 3.05*  | -      | -      | 10.80 (3.40 - 12.50) | 3.308 (0.530 - 4.278)               | 14.53               | 99               |
| 42+42+42+42              | 2.70*                 | 2.70*  | 2.70*  | 2.70*  | -      | -      | 10.80 (3.40 - 12.50) | 3.302 (0.530 - 4.272)               | 14.50               | 99               |
| 42+42+42+50              | 2.58*                 | 2.58*  | 2.58*  | 3.07*  | -      | -      | 10.80 (3.40 - 12.50) | 3.302 (0.530 - 4.272)               | 14.50               | 99               |
| 15+15+15+15+15           | 1.50                  | 1.50   | 1.50   | 1.50   | 1.50   | -      | 7.50 (3.30 - 10.50)  | 1.715 (0.530 - 4.815)               | 7.53                | 99               |
| 15+15+15+15+22           | 1.50                  | 1.50   | 1.50   | 1.50   | 2.20   | -      | 8.20 (3.30 - 10.86)  | 2.066 (0.530 - 4.866)               | 9.07                | 99               |
| 15+15+15+15+25           | 1.50                  | 1.50   | 1.50   | 1.50   | 2.50   | -      | 8.50 (3.30 - 11.02)  | 2.226 (0.530 - 4.886)               | 9.78                | 99               |
| 15+15+15+15+35           | 1.50                  | 1.50   | 1.50   | 1.50   | 3.50   | -      | 9.50 (3.30 - 11.54)  | 2.746 (0.530 - 4.966)               | 12.06               | 99               |
| 15+15+15+15+42           | 1.50                  | 1.50   | 1.50   | 1.50   | 4.20*  | -      | 10.20 (3.34 - 12.08) | 3.060 (0.530 - 5.000)               | 13.44               | 99               |
| 15+15+15+15+50           | 1.50                  | 1.50   | 1.50   | 1.50   | 5.00*  | -      | 11.00 (3.50 - 13.20) | 3.280 (0.530 - 5.000)               | 14.40               | 99               |
| 15+15+15+15+60           | 1.45                  | 1.45   | 1.45   | 1.45   | 5.80   | -      | 11.60 (3.50 - 13.20) | 3.493 (0.530 - 4.973)               | 15.34               | 99               |
| 15+15+15+15+71           | 1.36                  | 1.36   | 1.36   | 1.36   | 6.46   | -      | 11.91 (3.50 - 13.22) | 3.647 (0.530 - 4.987)               | 16.02               | 99               |
| 15+15+15+15+80           | 1.28                  | 1.28   | 1.28   | 1.28   | 6.82   | -      | 11.93 (3.50 - 13.26) | 3.677 (0.530 - 4.977)               | 16.15               | 99               |
| 15+15+15+20+20           | 1.50                  | 1.50   | 1.50   | 2.00   | 2.00   | -      | 8.50 (3.30 - 11.02)  | 2.231 (0.530 - 4.891)               | 9.80                | 99               |
| 15+15+15+20+22           | 1.50                  | 1.50   | 1.50   | 2.00   | 2.20   | -      | 8.70 (3.30 - 11.12)  | 2.324 (0.530 - 4.904)               | 10.21               | 99               |
| 15+15+15+20+25           | 1.50                  | 1.50   | 1.50   | 2.00   | 2.50   | -      | 9.00 (3.30 - 11.28)  | 2.484 (0.530 - 4.924)               | 10.91               | 99               |
| 15+15+15+20+35           | 1.50                  | 1.50   | 1.50   | 2.00   | 3.50   | -      | 10.00 (3.30 - 11.80) | 3.004 (0.530 - 5.004)               | 13.19               | 99               |
| 15+15+15+20+42           | 1.50                  | 1.50   | 1.50   | 2.00   | 4.20*  | -      | 10.70 (3.44 - 12.78) | 3.198 (0.530 - 4.998)               | 14.04               | 99               |
| 15+15+15+20+50           | 1.47                  | 1.47   | 1.47   | 1.97   | 4.91*  | -      | 11.30 (3.50 - 13.20) | 3.398 (0.530 - 4.978)               | 14.92               | 99               |
| 15+15+15+20+60           | 1.43                  | 1.43   | 1.43   | 1.90   | 5.71   | -      | 11.90 (3.50 - 13.20) | 3.611 (0.530 - 4.981)               | 15.86               | 99               |
| 15+15+15+20+71           | 1.31                  | 1.31   | 1.31   | 1.75   | 6.22   | -      | 11.92 (3.50 - 13.24) | 3.665 (0.530 - 4.985)               | 16.10               | 99               |
| 15+15+15+20+80           | 1.24                  | 1.24   | 1.24   | 1.65   | 6.59   | -      | 11.94 (3.50 - 13.28) | 3.695 (0.530 - 4.975)               | 16.23               | 99               |
| 15+15+15+22+22           | 1.50                  | 1.50   | 1.50   | 2.20   | 2.20   | -      | 8.90 (3.30 - 11.23)  | 2.427 (0.530 - 4.907)               | 10.66               | 99               |
| 15+15+15+22+25           | 1.50                  | 1.50   | 1.50   | 2.20   | 2.50   | -      | 9.20 (3.30 - 11.38)  | 2.577 (0.530 - 4.937)               | 11.32               | 99               |
| 15+15+15+22+35           | 1.50                  | 1.50   | 1.50   | 2.20   | 3.50   | -      | 10.20 (3.34 - 12.08) | 3.057 (0.530 - 4.997)               | 13.43               | 99               |
| 15+15+15+22+42           | 1.50                  | 1.50   | 1.50   | 2.20   | 4.20*  | -      | 10.90 (3.48 - 13.06) | 3.241 (0.530 - 4.991)               | 14.23               | 99               |
| 15+15+15+22+50           | 1.46                  | 1.46   | 1.46   | 2.15   | 4.88*  | -      | 11.42 (3.50 - 13.20) | 3.431 (0.530 - 4.971)               | 15.07               | 99               |
| 15+15+15+22+60           | 1.41                  | 1.41   | 1.41   | 2.06   | 5.62   | -      | 11.90 (3.50 - 13.21) | 3.614 (0.530 - 4.974)               | 15.87               | 99               |
| 15+15+15+22+71           | 1.30                  | 1.30   | 1.30   | 1.90   | 6.14   | -      | 11.93 (3.50 - 13.25) | 3.668 (0.530 - 4.978)               | 16.11               | 99               |
| 15+15+15+22+80           | 1.22                  | 1.22   | 1.22   | 1.79   | 6.50   | -      | 11.94 (3.50 - 13.29) | 3.698 (0.530 - 4.968)               | 16.24               | 99               |
| 15+15+15+25+25           | 1.50                  | 1.50   | 1.50   | 2.50   | 2.50   | -      | 9.50 (3.30 - 11.54)  | 2.737 (0.530 - 4.957)               | 12.02               | 99               |
| 15+15+15+25+35           | 1.50                  | 1.50   | 1.50   | 2.50   | 3.50   | -      | 10.50 (3.40 - 12.50) | 3.137 (0.530 - 4.997)               | 13.78               | 99               |
| 15+15+15+25+42           | 1.49                  | 1.49   | 1.49   | 2.48   | 4.17*  | -      | 11.12 (3.50 - 13.20) | 3.321 (0.530 - 4.961)               | 14.58               | 99               |
| 15+15+15+25+50           | 1.45                  | 1.45   | 1.45   | 2.42   | 4.83*  | -      | 11.60 (3.50 - 13.20) | 3.501 (0.530 - 4.981)               | 15.38               | 99               |
| 15+15+15+25+60           | 1.37                  | 1.37   | 1.37   | 2.29   | 5.50   | -      | 11.91 (3.50 - 13.22) | 3.624 (0.530 - 4.974)               | 15.92               | 99               |
| 15+15+15+25+71           | 1.27                  | 1.27   | 1.27   | 2.12   | 6.01   | -      | 11.93 (3.50 - 13.26) | 3.678 (0.530 - 4.978)               | 16.15               | 99               |
| 15+15+15+25+80           | 1.20                  | 1.20   | 1.20   | 1.99   | 6.37   | -      | 11.95 (3.50 - 13.30) | 3.718 (0.530 - 4.968)               | 16.33               | 99               |
| 15+15+15+35+35           | 1.47                  | 1.47   | 1.47   | 3.44   | 3.44   | -      | 11.30 (3.50 - 13.20) | 3.397 (0.530 - 4.977)               | 14.92               | 99               |
| 15+15+15+35+42           | 1.44                  | 1.44   | 1.44   | 3.36   | 4.03*  | -      | 11.72 (3.50 - 13.20) | 3.551 (0.530 - 4.981)               | 15.60               | 99               |
| 15+15+15+35+50           | 1.37                  | 1.37   | 1.37   | 3.21   | 4.58*  | -      | 11.91 (3.50 - 13.22) | 3.641 (0.530 - 4.991)               | 15.99               | 99               |
| 15+15+15+35+60           | 1.28                  | 1.28   | 1.28   | 2.98   | 5.11   | -      | 11.93 (3.50 - 13.26) | 3.674 (0.530 - 4.974)               | 16.14               | 99               |
| 15+15+15+35+71           | 1.19                  | 1.19   | 1.19   | 2.77   | 5.62   | -      | 11.95 (3.50 - 13.30) | 3.728 (0.530 - 4.978)               | 16.37               | 99               |
| 15+15+15+35+80           | 1.12                  | 1.12   | 1.12   | 2.62   | 5.99   | -      | 11.97 (3.50 - 13.34) | 3.758 (0.530 - 4.968)               | 16.50               | 99               |
| 15+15+15+42+42           | 1.38                  | 1.38   | 1.38   | 3.88*  | 3.88*  | -      | 11.91 (3.50 - 13.22) | 3.635 (0.530 - 4.985)               | 15.96               | 99               |
| 15+15+15+42+50           | 1.31                  | 1.31   | 1.31   | 3.65*  | 4.35*  | -      | 11.92 (3.50 - 13.25) | 3.675 (0.530 - 4.985)               | 16.14               | 99               |
| 15+15+15+42+60           | 1.22                  | 1.22   | 1.22   | 3.41*  | 4.87   | -      | 11.94 (3.50 - 13.29) | 3.698 (0.530 - 4.968)               | 16.24               | 99               |
| 15+15+15+42+71           | 1.14                  | 1.14   | 1.14   | 3.18*  | 5.38   | -      | 11.97 (3.50 - 13.33) | 3.752 (0.530 - 4.972)               | 16.48               | 99               |
| 15+15+15+42+80           | 1.08                  | 1.08   | 1.08   | 3.01*  | 5.74   | -      | 11.98 (3.50 - 13.37) | 3.782 (0.530 - 4.962)               | 16.61               | 99               |
| 15+15+15+50+50           | 1.24                  | 1.24   | 1.24   | 4.12*  | 4.12*  | -      | 11.94 (3.50 - 13.28) | 3.705 (0.530 - 4.985)               | 16.27               | 99               |
| 15+15+15+50+60           | 1.16                  | 1.16   | 1.16   | 3.86*  | 4.63   | -      | 11.96 (3.50 - 13.32) | 3.738 (0.530 - 4.968)               | 16.42               | 99               |
| 15+15+15+50+71           | 1.08                  | 1.08   | 1.08   | 3.61*  | 5.12   | -      | 11.98 (3.50 - 13.36) | 3.792 (0.530 - 4.972)               | 16.65               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+15+50+80           | 1.03                  | 1.03   | 1.03   | 3.43*  | 5.49   | -      | 12.00 (3.50 - 13.40) | 3.822 (0.530 - 4.962)               | 16.79               | 99               |
| 15+15+15+60+60           | 1.09                  | 1.09   | 1.09   | 4.36   | 4.36   | -      | 11.98 (3.50 - 13.36) | 3.761 (0.530 - 4.951)               | 16.52               | 99               |
| 15+15+15+60+71           | 1.02                  | 1.02   | 1.02   | 4.09   | 4.84   | -      | 12.00 (3.50 - 13.40) | 3.815 (0.530 - 4.955)               | 16.75               | 99               |
| 15+15+20+20+20           | 1.50                  | 1.50   | 2.00   | 2.00   | 2.00   | -      | 9.00 (3.30 - 11.28)  | 2.489 (0.530 - 4.929)               | 10.93               | 99               |
| 15+15+20+20+22           | 1.50                  | 1.50   | 2.00   | 2.00   | 2.20   | -      | 9.20 (3.30 - 11.38)  | 2.582 (0.530 - 4.942)               | 11.34               | 99               |
| 15+15+20+20+25           | 1.50                  | 1.50   | 2.00   | 2.00   | 2.50   | -      | 9.50 (3.30 - 11.54)  | 2.742 (0.530 - 4.962)               | 12.04               | 99               |
| 15+15+20+20+35           | 1.50                  | 1.50   | 2.00   | 2.00   | 3.50   | -      | 10.50 (3.40 - 12.50) | 3.142 (0.530 - 5.002)               | 13.80               | 99               |
| 15+15+20+20+42           | 1.49                  | 1.49   | 1.99   | 1.99   | 4.17*  | -      | 11.12 (3.50 - 13.20) | 3.326 (0.530 - 4.966)               | 14.61               | 99               |
| 15+15+20+20+50           | 1.45                  | 1.45   | 1.93   | 1.93   | 4.83*  | -      | 11.60 (3.50 - 13.20) | 3.506 (0.530 - 4.986)               | 15.40               | 99               |
| 15+15+20+20+60           | 1.37                  | 1.37   | 1.83   | 1.83   | 5.50   | -      | 11.91 (3.50 - 13.22) | 3.629 (0.530 - 4.979)               | 15.94               | 99               |
| 15+15+20+20+71           | 1.27                  | 1.27   | 1.69   | 1.69   | 6.01   | -      | 11.93 (3.50 - 13.26) | 3.683 (0.530 - 4.983)               | 16.17               | 99               |
| 15+15+20+20+80           | 1.20                  | 1.20   | 1.59   | 1.59   | 6.37   | -      | 11.95 (3.50 - 13.30) | 3.723 (0.530 - 4.973)               | 16.35               | 99               |
| 15+15+20+22+22           | 1.50                  | 1.50   | 2.00   | 2.20   | 2.20   | -      | 9.40 (3.30 - 11.49)  | 2.685 (0.530 - 4.945)               | 11.79               | 99               |
| 15+15+20+22+25           | 1.50                  | 1.50   | 2.00   | 2.20   | 2.50   | -      | 9.70 (3.30 - 11.64)  | 2.835 (0.530 - 4.975)               | 12.45               | 99               |
| 15+15+20+22+35           | 1.50                  | 1.50   | 2.00   | 2.20   | 3.50   | -      | 10.70 (3.44 - 12.78) | 3.195 (0.530 - 4.995)               | 14.03               | 99               |
| 15+15+20+22+42           | 1.48                  | 1.48   | 1.97   | 2.17   | 4.14*  | -      | 11.24 (3.50 - 13.20) | 3.359 (0.530 - 4.959)               | 14.75               | 99               |
| 15+15+20+22+50           | 1.44                  | 1.44   | 1.92   | 2.11   | 4.80*  | -      | 11.72 (3.50 - 13.20) | 3.549 (0.530 - 4.979)               | 15.59               | 99               |
| 15+15+20+22+60           | 1.35                  | 1.35   | 1.80   | 1.99   | 5.41   | -      | 11.91 (3.50 - 13.23) | 3.632 (0.530 - 4.972)               | 15.95               | 99               |
| 15+15+20+22+71           | 1.25                  | 1.25   | 1.67   | 1.84   | 5.93   | -      | 11.94 (3.50 - 13.27) | 3.686 (0.530 - 4.976)               | 16.19               | 99               |
| 15+15+20+22+80           | 1.18                  | 1.18   | 1.57   | 1.73   | 6.29   | -      | 11.95 (3.50 - 13.31) | 3.716 (0.530 - 4.966)               | 16.32               | 99               |
| 15+15+20+25+25           | 1.50                  | 1.50   | 2.00   | 2.50   | 2.50   | -      | 10.00 (3.30 - 11.80) | 2.995 (0.530 - 4.995)               | 13.15               | 99               |
| 15+15+20+25+35           | 1.50                  | 1.50   | 2.00   | 2.50   | 3.50   | -      | 11.00 (3.50 - 13.20) | 3.275 (0.530 - 4.995)               | 14.38               | 99               |
| 15+15+20+25+42           | 1.46                  | 1.46   | 1.95   | 2.44   | 4.10*  | -      | 11.42 (3.50 - 13.20) | 3.429 (0.530 - 4.969)               | 15.06               | 99               |
| 15+15+20+25+50           | 1.43                  | 1.43   | 1.90   | 2.38   | 4.76*  | -      | 11.90 (3.50 - 13.20) | 3.619 (0.530 - 4.989)               | 15.89               | 99               |
| 15+15+20+25+60           | 1.32                  | 1.32   | 1.77   | 2.21   | 5.30   | -      | 11.92 (3.50 - 13.24) | 3.652 (0.530 - 4.972)               | 16.04               | 99               |
| 15+15+20+25+71           | 1.23                  | 1.23   | 1.64   | 2.04   | 5.81   | -      | 11.94 (3.50 - 13.28) | 3.706 (0.530 - 4.976)               | 16.28               | 99               |
| 15+15+20+25+80           | 1.16                  | 1.16   | 1.54   | 1.93   | 6.17   | -      | 11.96 (3.50 - 13.32) | 3.736 (0.530 - 4.966)               | 16.41               | 99               |
| 15+15+20+35+35           | 1.45                  | 1.45   | 1.93   | 3.38   | 3.38   | -      | 11.60 (3.50 - 13.20) | 3.505 (0.530 - 4.985)               | 15.39               | 99               |
| 15+15+20+35+42           | 1.41                  | 1.41   | 1.87   | 3.28   | 3.94*  | -      | 11.90 (3.50 - 13.21) | 3.629 (0.530 - 4.989)               | 15.94               | 99               |
| 15+15+20+35+50           | 1.32                  | 1.32   | 1.77   | 3.09   | 4.41*  | -      | 11.92 (3.50 - 13.24) | 3.669 (0.530 - 4.989)               | 16.11               | 99               |
| 15+15+20+35+60           | 1.24                  | 1.24   | 1.65   | 2.88   | 4.94   | -      | 11.94 (3.50 - 13.28) | 3.692 (0.530 - 4.972)               | 16.21               | 99               |
| 15+15+20+35+71           | 1.15                  | 1.15   | 1.53   | 2.68   | 5.44   | -      | 11.96 (3.50 - 13.32) | 3.746 (0.530 - 4.976)               | 16.45               | 99               |
| 15+15+20+35+80           | 1.09                  | 1.09   | 1.45   | 2.54   | 5.81   | -      | 11.98 (3.50 - 13.36) | 3.776 (0.530 - 4.966)               | 16.58               | 99               |
| 15+15+20+42+42           | 1.33                  | 1.33   | 1.78   | 3.74*  | 3.74*  | -      | 11.92 (3.50 - 13.24) | 3.653 (0.530 - 4.983)               | 16.04               | 99               |
| 15+15+20+42+50           | 1.26                  | 1.26   | 1.68   | 3.53*  | 4.20*  | -      | 11.93 (3.50 - 13.27) | 3.693 (0.530 - 4.983)               | 16.22               | 99               |
| 15+15+20+42+60           | 1.18                  | 1.18   | 1.57   | 3.30*  | 4.72   | -      | 11.95 (3.50 - 13.31) | 3.716 (0.530 - 4.966)               | 16.32               | 99               |
| 15+15+20+42+71           | 1.10                  | 1.10   | 1.47   | 3.09*  | 5.22   | -      | 11.98 (3.50 - 13.35) | 3.770 (0.530 - 4.970)               | 16.56               | 99               |
| 15+15+20+42+80           | 1.05                  | 1.05   | 1.39   | 2.93*  | 5.58   | -      | 11.99 (3.50 - 13.39) | 3.810 (0.530 - 4.960)               | 16.73               | 99               |
| 15+15+20+50+50           | 1.20                  | 1.20   | 1.59   | 3.98*  | 3.98*  | -      | 11.95 (3.50 - 13.30) | 3.733 (0.530 - 4.983)               | 16.39               | 99               |
| 15+15+20+50+60           | 1.12                  | 1.12   | 1.50   | 3.74*  | 4.49   | -      | 11.97 (3.50 - 13.34) | 3.756 (0.530 - 4.966)               | 16.50               | 99               |
| 15+15+20+50+71           | 1.05                  | 1.05   | 1.40   | 3.51*  | 4.98   | -      | 11.99 (3.50 - 13.38) | 3.810 (0.530 - 4.970)               | 16.73               | 99               |
| 15+15+20+50+80           | 1.00                  | 1.00   | 1.33   | 3.33*  | 5.33   | -      | 12.00 (3.50 - 13.40) | 3.820 (0.530 - 4.960)               | 16.78               | 99               |
| 15+15+20+60+60           | 1.06                  | 1.06   | 1.41   | 4.23   | 4.23   | -      | 11.99 (3.50 - 13.38) | 3.789 (0.530 - 4.949)               | 16.64               | 99               |
| 15+15+22+22+22           | 1.50                  | 1.50   | 2.20   | 2.20   | 2.20   | -      | 9.60 (3.30 - 11.59)  | 2.778 (0.530 - 4.958)               | 12.20               | 99               |
| 15+15+22+22+25           | 1.50                  | 1.50   | 2.20   | 2.20   | 2.50   | -      | 9.90 (3.30 - 11.75)  | 2.938 (0.530 - 4.978)               | 12.90               | 99               |
| 15+15+22+22+35           | 1.50                  | 1.50   | 2.20   | 2.20   | 3.50   | -      | 10.90 (3.48 - 13.06) | 3.238 (0.530 - 4.988)               | 14.22               | 99               |
| 15+15+22+22+42           | 1.47                  | 1.47   | 2.15   | 2.15   | 4.11*  | -      | 11.36 (3.50 - 13.20) | 3.402 (0.530 - 4.962)               | 14.94               | 99               |
| 15+15+22+22+50           | 1.43                  | 1.43   | 2.10   | 2.10   | 4.77*  | -      | 11.84 (3.50 - 13.20) | 3.592 (0.530 - 4.982)               | 15.78               | 99               |
| 15+15+22+22+60           | 1.33                  | 1.33   | 1.96   | 1.96   | 5.34   | -      | 11.92 (3.50 - 13.24) | 3.635 (0.530 - 4.965)               | 15.96               | 99               |
| 15+15+22+22+71           | 1.24                  | 1.24   | 1.81   | 1.81   | 5.85   | -      | 11.94 (3.50 - 13.28) | 3.689 (0.530 - 4.969)               | 16.20               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+22+22+80           | 1.16                  | 1.16   | 1.71   | 1.71   | 6.21   | -      | 11.96 (3.50 - 13.32) | 3.719 (0.530 - 4.959)               | 16.33               | 99               |
| 15+15+22+25+25           | 1.50                  | 1.50   | 2.20   | 2.50   | 2.50   | -      | 10.20 (3.34 - 12.08) | 3.048 (0.530 - 4.988)               | 13.39               | 99               |
| 15+15+22+25+35           | 1.49                  | 1.49   | 2.18   | 2.48   | 3.48   | -      | 11.12 (3.50 - 13.20) | 3.318 (0.530 - 4.958)               | 14.57               | 99               |
| 15+15+22+25+42           | 1.45                  | 1.45   | 2.13   | 2.42   | 4.07*  | -      | 11.54 (3.50 - 13.20) | 3.472 (0.530 - 4.972)               | 15.25               | 99               |
| 15+15+22+25+50           | 1.41                  | 1.41   | 2.06   | 2.34   | 4.69*  | -      | 11.90 (3.50 - 13.21) | 3.622 (0.530 - 4.982)               | 15.91               | 99               |
| 15+15+22+25+60           | 1.31                  | 1.31   | 1.91   | 2.18   | 5.22   | -      | 11.92 (3.50 - 13.25) | 3.655 (0.530 - 4.965)               | 16.05               | 99               |
| 15+15+22+25+71           | 1.21                  | 1.21   | 1.78   | 2.02   | 5.73   | -      | 11.95 (3.50 - 13.29) | 3.709 (0.530 - 4.969)               | 16.29               | 99               |
| 15+15+22+25+80           | 1.14                  | 1.14   | 1.68   | 1.90   | 6.09   | -      | 11.96 (3.50 - 13.33) | 3.739 (0.530 - 4.959)               | 16.42               | 99               |
| 15+15+22+35+35           | 1.44                  | 1.44   | 2.11   | 3.36   | 3.36   | -      | 11.72 (3.50 - 13.20) | 3.548 (0.530 - 4.978)               | 15.58               | 99               |
| 15+15+22+35+42           | 1.38                  | 1.38   | 2.03   | 3.23   | 3.88*  | -      | 11.91 (3.50 - 13.22) | 3.632 (0.530 - 4.982)               | 15.95               | 99               |
| 15+15+22+35+50           | 1.31                  | 1.31   | 1.91   | 3.05   | 4.35*  | -      | 11.92 (3.50 - 13.25) | 3.672 (0.530 - 4.982)               | 16.13               | 99               |
| 15+15+22+35+60           | 1.22                  | 1.22   | 1.79   | 2.84   | 4.87   | -      | 11.94 (3.50 - 13.29) | 3.695 (0.530 - 4.965)               | 16.23               | 99               |
| 15+15+22+35+71           | 1.14                  | 1.14   | 1.67   | 2.65   | 5.38   | -      | 11.97 (3.50 - 13.33) | 3.749 (0.530 - 4.969)               | 16.46               | 99               |
| 15+15+22+35+80           | 1.08                  | 1.08   | 1.58   | 2.51   | 5.74   | -      | 11.98 (3.50 - 13.37) | 3.779 (0.530 - 4.959)               | 16.60               | 99               |
| 15+15+22+42+42           | 1.31                  | 1.31   | 1.93   | 3.68*  | 3.68*  | -      | 11.92 (3.50 - 13.24) | 3.656 (0.530 - 4.976)               | 16.06               | 99               |
| 15+15+22+42+50           | 1.24                  | 1.24   | 1.82   | 3.48*  | 4.15*  | -      | 11.94 (3.50 - 13.28) | 3.696 (0.530 - 4.976)               | 16.23               | 99               |
| 15+15+22+42+60           | 1.16                  | 1.16   | 1.71   | 3.26*  | 4.66   | -      | 11.96 (3.50 - 13.32) | 3.719 (0.530 - 4.959)               | 16.33               | 99               |
| 15+15+22+42+71           | 1.09                  | 1.09   | 1.60   | 3.05*  | 5.16   | -      | 11.98 (3.50 - 13.36) | 3.773 (0.530 - 4.963)               | 16.57               | 99               |
| 15+15+22+42+80           | 1.03                  | 1.03   | 1.52   | 2.90*  | 5.52   | -      | 12.00 (3.50 - 13.40) | 3.813 (0.530 - 4.953)               | 16.75               | 99               |
| 15+15+22+50+50           | 1.18                  | 1.18   | 1.73   | 3.93*  | 3.93*  | -      | 11.95 (3.50 - 13.31) | 3.726 (0.530 - 4.976)               | 16.36               | 99               |
| 15+15+22+50+60           | 1.11                  | 1.11   | 1.63   | 3.69*  | 4.43   | -      | 11.97 (3.50 - 13.35) | 3.759 (0.530 - 4.959)               | 16.51               | 99               |
| 15+15+22+50+71           | 1.04                  | 1.04   | 1.53   | 3.47*  | 4.92   | -      | 12.00 (3.50 - 13.39) | 3.813 (0.530 - 4.963)               | 16.75               | 99               |
| 15+15+22+60+60           | 1.05                  | 1.05   | 1.53   | 4.18   | 4.18   | -      | 11.99 (3.50 - 13.39) | 3.792 (0.530 - 4.942)               | 16.65               | 99               |
| 15+15+25+25+25           | 1.50                  | 1.50   | 2.50   | 2.50   | 2.50   | -      | 10.50 (3.40 - 12.50) | 3.128 (0.530 - 4.988)               | 13.74               | 99               |
| 15+15+25+25+35           | 1.47                  | 1.47   | 2.46   | 2.46   | 3.44   | -      | 11.30 (3.50 - 13.20) | 3.388 (0.530 - 4.968)               | 14.88               | 99               |
| 15+15+25+25+42           | 1.44                  | 1.44   | 2.40   | 2.40   | 4.03*  | -      | 11.72 (3.50 - 13.20) | 3.542 (0.530 - 4.972)               | 15.56               | 99               |
| 15+15+25+25+50           | 1.37                  | 1.37   | 2.29   | 2.29   | 4.58*  | -      | 11.91 (3.50 - 13.22) | 3.632 (0.530 - 4.982)               | 15.95               | 99               |
| 15+15+25+25+60           | 1.28                  | 1.28   | 2.13   | 2.13   | 5.11   | -      | 11.93 (3.50 - 13.26) | 3.665 (0.530 - 4.965)               | 16.10               | 99               |
| 15+15+25+25+71           | 1.19                  | 1.19   | 1.98   | 1.98   | 5.62   | -      | 11.95 (3.50 - 13.30) | 3.719 (0.530 - 4.969)               | 16.33               | 99               |
| 15+15+25+25+80           | 1.12                  | 1.12   | 1.87   | 1.87   | 5.99   | -      | 11.97 (3.50 - 13.34) | 3.749 (0.530 - 4.959)               | 16.46               | 99               |
| 15+15+25+35+35           | 1.43                  | 1.43   | 2.38   | 3.33   | 3.33   | -      | 11.90 (3.50 - 13.20) | 3.618 (0.530 - 4.988)               | 15.89               | 99               |
| 15+15+25+35+42           | 1.35                  | 1.35   | 2.26   | 3.16   | 3.79*  | -      | 11.91 (3.50 - 13.23) | 3.642 (0.530 - 4.982)               | 15.99               | 99               |
| 15+15+25+35+50           | 1.28                  | 1.28   | 2.13   | 2.98   | 4.26*  | -      | 11.93 (3.50 - 13.26) | 3.682 (0.530 - 4.982)               | 16.17               | 99               |
| 15+15+25+35+60           | 1.20                  | 1.20   | 1.99   | 2.79   | 4.78   | -      | 11.95 (3.50 - 13.30) | 3.715 (0.530 - 4.965)               | 16.32               | 99               |
| 15+15+25+35+71           | 1.12                  | 1.12   | 1.86   | 2.60   | 5.28   | -      | 11.97 (3.50 - 13.34) | 3.769 (0.530 - 4.969)               | 16.55               | 99               |
| 15+15+25+35+80           | 1.06                  | 1.06   | 1.76   | 2.47   | 5.64   | -      | 11.99 (3.50 - 13.38) | 3.799 (0.530 - 4.959)               | 16.68               | 99               |
| 15+15+25+42+42           | 1.29                  | 1.29   | 2.15   | 3.60*  | 3.60*  | -      | 11.93 (3.50 - 13.26) | 3.666 (0.530 - 4.976)               | 16.10               | 99               |
| 15+15+25+42+50           | 1.22                  | 1.22   | 2.03   | 3.41*  | 4.06*  | -      | 11.94 (3.50 - 13.29) | 3.706 (0.530 - 4.976)               | 16.28               | 99               |
| 15+15+25+42+60           | 1.14                  | 1.14   | 1.90   | 3.20*  | 4.57   | -      | 11.96 (3.50 - 13.33) | 3.739 (0.530 - 4.959)               | 16.42               | 99               |
| 15+15+25+42+71           | 1.07                  | 1.07   | 1.78   | 3.00*  | 5.07   | -      | 11.99 (3.50 - 13.37) | 3.793 (0.530 - 4.963)               | 16.66               | 99               |
| 15+15+25+42+80           | 1.02                  | 1.02   | 1.69   | 2.85*  | 5.42   | -      | 12.00 (3.50 - 13.40) | 3.813 (0.530 - 4.953)               | 16.75               | 99               |
| 15+15+25+50+50           | 1.16                  | 1.16   | 1.93   | 3.86*  | 3.86*  | -      | 11.96 (3.50 - 13.32) | 3.746 (0.530 - 4.976)               | 16.45               | 99               |
| 15+15+25+50+60           | 1.09                  | 1.09   | 1.82   | 3.63*  | 4.36   | -      | 11.98 (3.50 - 13.36) | 3.769 (0.530 - 4.959)               | 16.55               | 99               |
| 15+15+25+50+71           | 1.02                  | 1.02   | 1.70   | 3.41*  | 4.84   | -      | 12.00 (3.50 - 13.40) | 3.823 (0.530 - 4.963)               | 16.79               | 99               |
| 15+15+25+60+60           | 1.03                  | 1.03   | 1.71   | 4.11   | 4.11   | -      | 12.00 (3.50 - 13.40) | 3.802 (0.530 - 4.942)               | 16.70               | 99               |
| 15+15+35+35+35           | 1.32                  | 1.32   | 3.09   | 3.09   | 3.09   | -      | 11.92 (3.50 - 13.24) | 3.668 (0.530 - 4.988)               | 16.11               | 99               |
| 15+15+35+35+42           | 1.26                  | 1.26   | 2.94   | 2.94   | 3.53*  | -      | 11.93 (3.50 - 13.27) | 3.692 (0.530 - 4.982)               | 16.21               | 99               |
| 15+15+35+35+50           | 1.20                  | 1.20   | 2.79   | 2.79   | 3.98*  | -      | 11.95 (3.50 - 13.30) | 3.732 (0.530 - 4.982)               | 16.39               | 99               |
| 15+15+35+35+60           | 1.12                  | 1.12   | 2.62   | 2.62   | 4.49   | -      | 11.97 (3.50 - 13.34) | 3.755 (0.530 - 4.965)               | 16.49               | 99               |
| 15+15+35+35+71           | 1.05                  | 1.05   | 2.45   | 2.45   | 4.98   | -      | 11.99 (3.50 - 13.38) | 3.809 (0.530 - 4.969)               | 16.73               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+35+35+80           | 1.00                  | 1.00   | 2.33   | 2.33   | 5.33   | -      | 12.00 (3.50 - 13.40) | 3.819 (0.530 - 4.959)               | 16.77               | 99               |
| 15+15+35+42+42           | 1.20                  | 1.20   | 2.81   | 3.37*  | 3.37*  | -      | 11.95 (3.50 - 13.30) | 3.716 (0.530 - 4.976)               | 16.32               | 99               |
| 15+15+35+42+50           | 1.14                  | 1.14   | 2.67   | 3.20*  | 3.81*  | -      | 11.96 (3.50 - 13.33) | 3.756 (0.530 - 4.976)               | 16.50               | 99               |
| 15+15+35+42+60           | 1.08                  | 1.08   | 2.51   | 3.01*  | 4.30   | -      | 11.98 (3.50 - 13.37) | 3.779 (0.530 - 4.959)               | 16.60               | 99               |
| 15+15+35+42+71           | 1.01                  | 1.01   | 2.36   | 2.83*  | 4.79   | -      | 12.00 (3.50 - 13.40) | 3.823 (0.530 - 4.963)               | 16.79               | 99               |
| 15+15+35+50+50           | 1.09                  | 1.09   | 2.54   | 3.63*  | 3.63*  | -      | 11.98 (3.50 - 13.36) | 3.786 (0.530 - 4.976)               | 16.63               | 99               |
| 15+15+35+50+60           | 1.03                  | 1.03   | 2.40   | 3.43*  | 4.11   | -      | 12.00 (3.50 - 13.40) | 3.819 (0.530 - 4.959)               | 16.77               | 99               |
| 15+15+42+42+42           | 1.15                  | 1.15   | 3.22*  | 3.22*  | 3.22*  | -      | 11.96 (3.50 - 13.32) | 3.740 (0.530 - 4.970)               | 16.43               | 99               |
| 15+15+42+42+50           | 1.10                  | 1.10   | 3.07*  | 3.07*  | 3.65*  | -      | 11.98 (3.50 - 13.36) | 3.780 (0.530 - 4.970)               | 16.60               | 99               |
| 15+15+42+42+60           | 1.03                  | 1.03   | 2.90*  | 2.90*  | 4.14   | -      | 12.00 (3.50 - 13.40) | 3.813 (0.530 - 4.953)               | 16.75               | 99               |
| 15+15+42+50+50           | 1.05                  | 1.05   | 2.93*  | 3.49*  | 3.49*  | -      | 11.99 (3.50 - 13.39) | 3.820 (0.530 - 4.970)               | 16.78               | 99               |
| 15+15+50+50+50           | 1.00                  | 1.00   | 3.33*  | 3.33*  | 3.33*  | -      | 12.00 (3.50 - 13.40) | 3.830 (0.530 - 4.970)               | 16.82               | 99               |
| 15+20+20+20+20           | 1.50                  | 2.00   | 2.00   | 2.00   | 2.00   | -      | 9.50 (3.30 - 11.54)  | 2.747 (0.530 - 4.967)               | 12.06               | 99               |
| 15+20+20+20+22           | 1.50                  | 2.00   | 2.00   | 2.00   | 2.20   | -      | 9.70 (3.30 - 11.64)  | 2.840 (0.530 - 4.980)               | 12.47               | 99               |
| 15+20+20+20+25           | 1.50                  | 2.00   | 2.00   | 2.00   | 2.50   | -      | 10.00 (3.30 - 11.80) | 3.000 (0.530 - 5.000)               | 13.18               | 99               |
| 15+20+20+20+35           | 1.50                  | 2.00   | 2.00   | 2.00   | 3.50   | -      | 11.00 (3.50 - 13.20) | 3.280 (0.530 - 5.000)               | 14.40               | 99               |
| 15+20+20+20+42           | 1.46                  | 1.95   | 1.95   | 1.95   | 4.10*  | -      | 11.42 (3.50 - 13.20) | 3.434 (0.530 - 4.974)               | 15.08               | 99               |
| 15+20+20+20+50           | 1.43                  | 1.90   | 1.90   | 1.90   | 4.76*  | -      | 11.90 (3.50 - 13.20) | 3.624 (0.530 - 4.994)               | 15.92               | 99               |
| 15+20+20+20+60           | 1.32                  | 1.77   | 1.77   | 1.77   | 5.30   | -      | 11.92 (3.50 - 13.24) | 3.657 (0.530 - 4.977)               | 16.06               | 99               |
| 15+20+20+20+71           | 1.23                  | 1.64   | 1.64   | 1.64   | 5.81   | -      | 11.94 (3.50 - 13.28) | 3.711 (0.530 - 4.981)               | 16.30               | 99               |
| 15+20+20+20+80           | 1.16                  | 1.54   | 1.54   | 1.54   | 6.17   | -      | 11.96 (3.50 - 13.32) | 3.741 (0.530 - 4.971)               | 16.43               | 99               |
| 15+20+20+22+22           | 1.50                  | 2.00   | 2.00   | 2.20   | 2.20   | -      | 9.90 (3.30 - 11.75)  | 2.943 (0.530 - 4.983)               | 12.92               | 99               |
| 15+20+20+22+25           | 1.50                  | 2.00   | 2.00   | 2.20   | 2.50   | -      | 10.20 (3.34 - 12.08) | 3.053 (0.530 - 4.993)               | 13.41               | 99               |
| 15+20+20+22+35           | 1.49                  | 1.99   | 1.99   | 2.18   | 3.48   | -      | 11.12 (3.50 - 13.20) | 3.323 (0.530 - 4.963)               | 14.59               | 99               |
| 15+20+20+22+42           | 1.45                  | 1.94   | 1.94   | 2.13   | 4.07*  | -      | 11.54 (3.50 - 13.20) | 3.477 (0.530 - 4.977)               | 15.27               | 99               |
| 15+20+20+22+50           | 1.41                  | 1.87   | 1.87   | 2.06   | 4.69*  | -      | 11.90 (3.50 - 13.21) | 3.627 (0.530 - 4.987)               | 15.93               | 99               |
| 15+20+20+22+60           | 1.31                  | 1.74   | 1.74   | 1.91   | 5.22   | -      | 11.92 (3.50 - 13.25) | 3.660 (0.530 - 4.970)               | 16.07               | 99               |
| 15+20+20+22+71           | 1.21                  | 1.61   | 1.61   | 1.78   | 5.73   | -      | 11.95 (3.50 - 13.29) | 3.714 (0.530 - 4.974)               | 16.31               | 99               |
| 15+20+20+22+80           | 1.14                  | 1.52   | 1.52   | 1.68   | 6.09   | -      | 11.96 (3.50 - 13.33) | 3.744 (0.530 - 4.964)               | 16.44               | 99               |
| 15+20+20+25+25           | 1.50                  | 2.00   | 2.00   | 2.50   | 2.50   | -      | 10.50 (3.40 - 12.50) | 3.133 (0.530 - 4.993)               | 13.76               | 99               |
| 15+20+20+25+35           | 1.47                  | 1.97   | 1.97   | 2.46   | 3.44   | -      | 11.30 (3.50 - 13.20) | 3.393 (0.530 - 4.973)               | 14.90               | 99               |
| 15+20+20+25+42           | 1.44                  | 1.92   | 1.92   | 2.40   | 4.03*  | -      | 11.72 (3.50 - 13.20) | 3.547 (0.530 - 4.977)               | 15.58               | 99               |
| 15+20+20+25+50           | 1.37                  | 1.83   | 1.83   | 2.29   | 4.58*  | -      | 11.91 (3.50 - 13.22) | 3.637 (0.530 - 4.987)               | 15.97               | 99               |
| 15+20+20+25+60           | 1.28                  | 1.70   | 1.70   | 2.13   | 5.11   | -      | 11.93 (3.50 - 13.26) | 3.670 (0.530 - 4.970)               | 16.12               | 99               |
| 15+20+20+25+71           | 1.19                  | 1.58   | 1.58   | 1.98   | 5.62   | -      | 11.95 (3.50 - 13.30) | 3.724 (0.530 - 4.974)               | 16.35               | 99               |
| 15+20+20+25+80           | 1.12                  | 1.50   | 1.50   | 1.87   | 5.99   | -      | 11.97 (3.50 - 13.34) | 3.754 (0.530 - 4.964)               | 16.49               | 99               |
| 15+20+20+35+35           | 1.43                  | 1.90   | 1.90   | 3.33   | 3.33   | -      | 11.90 (3.50 - 13.20) | 3.623 (0.530 - 4.993)               | 15.91               | 99               |
| 15+20+20+35+42           | 1.35                  | 1.80   | 1.80   | 3.16   | 3.79*  | -      | 11.91 (3.50 - 13.23) | 3.647 (0.530 - 4.987)               | 16.02               | 99               |
| 15+20+20+35+50           | 1.28                  | 1.70   | 1.70   | 2.98   | 4.26*  | -      | 11.93 (3.50 - 13.26) | 3.687 (0.530 - 4.987)               | 16.19               | 99               |
| 15+20+20+35+60           | 1.20                  | 1.59   | 1.59   | 2.79   | 4.78   | -      | 11.95 (3.50 - 13.30) | 3.720 (0.530 - 4.970)               | 16.34               | 99               |
| 15+20+20+35+71           | 1.12                  | 1.49   | 1.49   | 2.60   | 5.28   | -      | 11.97 (3.50 - 13.34) | 3.774 (0.530 - 4.974)               | 16.57               | 99               |
| 15+20+20+35+80           | 1.06                  | 1.41   | 1.41   | 2.47   | 5.64   | -      | 11.99 (3.50 - 13.38) | 3.804 (0.530 - 4.964)               | 16.71               | 99               |
| 15+20+20+42+42           | 1.29                  | 1.72   | 1.72   | 3.60*  | 3.60*  | -      | 11.93 (3.50 - 13.26) | 3.671 (0.530 - 4.981)               | 16.12               | 99               |
| 15+20+20+42+50           | 1.22                  | 1.62   | 1.62   | 3.41*  | 4.06*  | -      | 11.94 (3.50 - 13.29) | 3.711 (0.530 - 4.981)               | 16.30               | 99               |
| 15+20+20+42+60           | 1.14                  | 1.52   | 1.52   | 3.20*  | 4.57   | -      | 11.96 (3.50 - 13.33) | 3.744 (0.530 - 4.964)               | 16.44               | 99               |
| 15+20+20+42+71           | 1.07                  | 1.43   | 1.43   | 3.00*  | 5.07   | -      | 11.99 (3.50 - 13.37) | 3.798 (0.530 - 4.968)               | 16.68               | 99               |
| 15+20+20+42+80           | 1.02                  | 1.36   | 1.36   | 2.85*  | 5.42   | -      | 12.00 (3.50 - 13.40) | 3.818 (0.530 - 4.958)               | 16.77               | 99               |
| 15+20+20+50+50           | 1.16                  | 1.54   | 1.54   | 3.86*  | 3.86*  | -      | 11.96 (3.50 - 13.32) | 3.751 (0.530 - 4.981)               | 16.47               | 99               |
| 15+20+20+50+60           | 1.09                  | 1.45   | 1.45   | 3.63*  | 4.36   | -      | 11.98 (3.50 - 13.36) | 3.774 (0.530 - 4.964)               | 16.57               | 99               |
| 15+20+20+50+71           | 1.02                  | 1.36   | 1.36   | 3.41*  | 4.84   | -      | 12.00 (3.50 - 13.40) | 3.828 (0.530 - 4.968)               | 16.81               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+20+20+60+60           | 1.03                  | 1.37   | 1.37   | 4.11   | 4.11   | -      | 12.00 (3.50 - 13.40) | 3.807 (0.530 - 4.947)               | 16.72               | 99               |
| 15+20+22+22+22           | 1.50                  | 2.00   | 2.20   | 2.20   | 2.20   | -      | 10.10 (3.32 - 11.94) | 3.016 (0.530 - 4.986)               | 13.25               | 99               |
| 15+20+22+22+25           | 1.50                  | 2.00   | 2.20   | 2.20   | 2.50   | -      | 10.40 (3.38 - 12.36) | 3.096 (0.530 - 4.986)               | 13.60               | 99               |
| 15+20+22+22+35           | 1.48                  | 1.97   | 2.17   | 2.17   | 3.45   | -      | 11.24 (3.50 - 13.20) | 3.356 (0.530 - 4.956)               | 14.74               | 99               |
| 15+20+22+22+42           | 1.45                  | 1.93   | 2.12   | 2.12   | 4.05*  | -      | 11.66 (3.50 - 13.20) | 3.520 (0.530 - 4.970)               | 15.46               | 99               |
| 15+20+22+22+50           | 1.38                  | 1.85   | 2.03   | 2.03   | 4.62*  | -      | 11.91 (3.50 - 13.22) | 3.630 (0.530 - 4.980)               | 15.94               | 99               |
| 15+20+22+22+60           | 1.29                  | 1.72   | 1.89   | 1.89   | 5.15   | -      | 11.93 (3.50 - 13.26) | 3.653 (0.530 - 4.963)               | 16.04               | 99               |
| 15+20+22+22+71           | 1.20                  | 1.59   | 1.75   | 1.75   | 5.66   | -      | 11.95 (3.50 - 13.30) | 3.717 (0.530 - 4.967)               | 16.32               | 99               |
| 15+20+22+22+80           | 1.13                  | 1.51   | 1.66   | 1.66   | 6.02   | -      | 11.97 (3.50 - 13.34) | 3.747 (0.530 - 4.957)               | 16.46               | 99               |
| 15+20+22+25+25           | 1.50                  | 2.00   | 2.20   | 2.50   | 2.50   | -      | 10.70 (3.44 - 12.78) | 3.186 (0.530 - 4.986)               | 13.99               | 99               |
| 15+20+22+25+35           | 1.46                  | 1.95   | 2.15   | 2.44   | 3.42   | -      | 11.42 (3.50 - 13.20) | 3.426 (0.530 - 4.966)               | 15.05               | 99               |
| 15+20+22+25+42           | 1.43                  | 1.91   | 2.10   | 2.39   | 4.01*  | -      | 11.84 (3.50 - 13.20) | 3.590 (0.530 - 4.980)               | 15.77               | 99               |
| 15+20+22+25+50           | 1.35                  | 1.80   | 1.99   | 2.26   | 4.51*  | -      | 11.91 (3.50 - 13.23) | 3.640 (0.530 - 4.980)               | 15.99               | 99               |
| 15+20+22+25+60           | 1.26                  | 1.68   | 1.85   | 2.10   | 5.04   | -      | 11.93 (3.50 - 13.27) | 3.673 (0.530 - 4.963)               | 16.13               | 99               |
| 15+20+22+25+71           | 1.17                  | 1.56   | 1.72   | 1.95   | 5.55   | -      | 11.96 (3.50 - 13.31) | 3.727 (0.530 - 4.967)               | 16.37               | 99               |
| 15+20+22+25+80           | 1.11                  | 1.48   | 1.63   | 1.85   | 5.91   | -      | 11.97 (3.50 - 13.35) | 3.757 (0.530 - 4.957)               | 16.50               | 99               |
| 15+20+22+35+35           | 1.41                  | 1.87   | 2.06   | 3.28   | 3.28   | -      | 11.90 (3.50 - 13.21) | 3.626 (0.530 - 4.986)               | 15.92               | 99               |
| 15+20+22+35+42           | 1.33                  | 1.78   | 1.96   | 3.11   | 3.74*  | -      | 11.92 (3.50 - 13.24) | 3.650 (0.530 - 4.980)               | 16.03               | 99               |
| 15+20+22+35+50           | 1.26                  | 1.68   | 1.85   | 2.94   | 4.20*  | -      | 11.93 (3.50 - 13.27) | 3.690 (0.530 - 4.980)               | 16.21               | 99               |
| 15+20+22+35+60           | 1.18                  | 1.57   | 1.73   | 2.75   | 4.72   | -      | 11.95 (3.50 - 13.31) | 3.713 (0.530 - 4.963)               | 16.31               | 99               |
| 15+20+22+35+71           | 1.10                  | 1.47   | 1.62   | 2.57   | 5.22   | -      | 11.98 (3.50 - 13.35) | 3.767 (0.530 - 4.967)               | 16.54               | 99               |
| 15+20+22+35+80           | 1.05                  | 1.39   | 1.53   | 2.44   | 5.58   | -      | 11.99 (3.50 - 13.39) | 3.807 (0.530 - 4.957)               | 16.72               | 99               |
| 15+20+22+42+42           | 1.27                  | 1.69   | 1.86   | 3.55*  | 3.55*  | -      | 11.93 (3.50 - 13.26) | 3.674 (0.530 - 4.974)               | 16.14               | 99               |
| 15+20+22+42+50           | 1.20                  | 1.60   | 1.76   | 3.37*  | 4.01*  | -      | 11.95 (3.50 - 13.30) | 3.714 (0.530 - 4.974)               | 16.31               | 99               |
| 15+20+22+42+60           | 1.13                  | 1.51   | 1.66   | 3.16*  | 4.52   | -      | 11.97 (3.50 - 13.34) | 3.747 (0.530 - 4.957)               | 16.46               | 99               |
| 15+20+22+42+71           | 1.06                  | 1.41   | 1.55   | 2.96*  | 5.01   | -      | 11.99 (3.50 - 13.38) | 3.801 (0.530 - 4.961)               | 16.69               | 99               |
| 15+20+22+42+80           | 1.01                  | 1.34   | 1.47   | 2.82*  | 5.36   | -      | 12.00 (3.50 - 13.40) | 3.811 (0.530 - 4.951)               | 16.74               | 99               |
| 15+20+22+50+50           | 1.14                  | 1.52   | 1.68   | 3.81*  | 3.81*  | -      | 11.96 (3.50 - 13.33) | 3.754 (0.530 - 4.974)               | 16.49               | 99               |
| 15+20+22+50+60           | 1.08                  | 1.43   | 1.58   | 3.59*  | 4.30   | -      | 11.98 (3.50 - 13.37) | 3.777 (0.530 - 4.957)               | 16.59               | 99               |
| 15+20+22+50+71           | 1.01                  | 1.35   | 1.48   | 3.37*  | 4.79   | -      | 12.00 (3.50 - 13.40) | 3.821 (0.530 - 4.961)               | 16.78               | 99               |
| 15+20+22+60+60           | 1.02                  | 1.36   | 1.49   | 4.07   | 4.07   | -      | 12.00 (3.50 - 13.40) | 3.800 (0.530 - 4.940)               | 16.69               | 99               |
| 15+20+25+25+25           | 1.50                  | 2.00   | 2.50   | 2.50   | 2.50   | -      | 11.00 (3.50 - 13.20) | 3.266 (0.530 - 4.986)               | 14.34               | 99               |
| 15+20+25+25+35           | 1.45                  | 1.93   | 2.42   | 2.42   | 3.38   | -      | 11.60 (3.50 - 13.20) | 3.496 (0.530 - 4.976)               | 15.35               | 99               |
| 15+20+25+25+42           | 1.41                  | 1.87   | 2.34   | 2.34   | 3.94*  | -      | 11.90 (3.50 - 13.21) | 3.620 (0.530 - 4.980)               | 15.90               | 99               |
| 15+20+25+25+50           | 1.32                  | 1.77   | 2.21   | 2.21   | 4.41*  | -      | 11.92 (3.50 - 13.24) | 3.660 (0.530 - 4.980)               | 16.07               | 99               |
| 15+20+25+25+60           | 1.24                  | 1.65   | 2.06   | 2.06   | 4.94   | -      | 11.94 (3.50 - 13.28) | 3.683 (0.530 - 4.963)               | 16.17               | 99               |
| 15+20+25+25+71           | 1.15                  | 1.53   | 1.92   | 1.92   | 5.44   | -      | 11.96 (3.50 - 13.32) | 3.737 (0.530 - 4.967)               | 16.41               | 99               |
| 15+20+25+25+80           | 1.09                  | 1.45   | 1.82   | 1.82   | 5.81   | -      | 11.98 (3.50 - 13.36) | 3.767 (0.530 - 4.957)               | 16.54               | 99               |
| 15+20+25+35+35           | 1.37                  | 1.83   | 2.29   | 3.21   | 3.21   | -      | 11.91 (3.50 - 13.22) | 3.636 (0.530 - 4.986)               | 15.97               | 99               |
| 15+20+25+35+42           | 1.31                  | 1.74   | 2.18   | 3.05   | 3.65*  | -      | 11.92 (3.50 - 13.25) | 3.670 (0.530 - 4.980)               | 16.12               | 99               |
| 15+20+25+35+50           | 1.24                  | 1.65   | 2.06   | 2.88   | 4.12*  | -      | 11.94 (3.50 - 13.28) | 3.700 (0.530 - 4.980)               | 16.25               | 99               |
| 15+20+25+35+60           | 1.16                  | 1.54   | 1.93   | 2.70   | 4.63   | -      | 11.96 (3.50 - 13.32) | 3.733 (0.530 - 4.963)               | 16.39               | 99               |
| 15+20+25+35+71           | 1.08                  | 1.44   | 1.80   | 2.53   | 5.12   | -      | 11.98 (3.50 - 13.36) | 3.787 (0.530 - 4.967)               | 16.63               | 99               |
| 15+20+25+35+80           | 1.03                  | 1.37   | 1.71   | 2.40   | 5.49   | -      | 12.00 (3.50 - 13.40) | 3.817 (0.530 - 4.957)               | 16.76               | 99               |
| 15+20+25+42+42           | 1.24                  | 1.66   | 2.07   | 3.48*  | 3.48*  | -      | 11.94 (3.50 - 13.28) | 3.694 (0.530 - 4.974)               | 16.22               | 99               |
| 15+20+25+42+50           | 1.18                  | 1.57   | 1.97   | 3.30*  | 3.93*  | -      | 11.95 (3.50 - 13.31) | 3.724 (0.530 - 4.974)               | 16.35               | 99               |
| 15+20+25+42+60           | 1.11                  | 1.48   | 1.85   | 3.10*  | 4.43   | -      | 11.97 (3.50 - 13.35) | 3.757 (0.530 - 4.957)               | 16.50               | 99               |
| 15+20+25+42+71           | 1.04                  | 1.39   | 1.73   | 2.91*  | 4.92   | -      | 12.00 (3.50 - 13.39) | 3.811 (0.530 - 4.961)               | 16.74               | 99               |
| 15+20+25+50+50           | 1.12                  | 1.50   | 1.87   | 3.74*  | 3.74*  | -      | 11.97 (3.50 - 13.34) | 3.764 (0.530 - 4.974)               | 16.53               | 99               |
| 15+20+25+50+60           | 1.06                  | 1.41   | 1.76   | 3.53*  | 4.23   | -      | 11.99 (3.50 - 13.38) | 3.797 (0.530 - 4.957)               | 16.68               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+20+25+60+60           | 1.00                  | 1.33   | 1.67   | 4.00   | 4.00   | -      | 12.00 (3.50 - 13.40) | 3.800 (0.530 - 4.940)               | 16.69               | 99               |
| 15+20+35+35+35           | 1.28                  | 1.70   | 2.98   | 2.98   | 2.98   | -      | 11.93 (3.50 - 13.26) | 3.686 (0.530 - 4.986)               | 16.19               | 99               |
| 15+20+35+35+42           | 1.22                  | 1.62   | 2.84   | 2.84   | 3.41*  | -      | 11.94 (3.50 - 13.29) | 3.710 (0.530 - 4.980)               | 16.29               | 99               |
| 15+20+35+35+50           | 1.16                  | 1.54   | 2.70   | 2.70   | 3.86*  | -      | 11.96 (3.50 - 13.32) | 3.750 (0.530 - 4.980)               | 16.47               | 99               |
| 15+20+35+35+60           | 1.09                  | 1.45   | 2.54   | 2.54   | 4.36   | -      | 11.98 (3.50 - 13.36) | 3.773 (0.530 - 4.963)               | 16.57               | 99               |
| 15+20+35+35+71           | 1.02                  | 1.36   | 2.39   | 2.39   | 4.84   | -      | 12.00 (3.50 - 13.40) | 3.827 (0.530 - 4.967)               | 16.81               | 99               |
| 15+20+35+42+42           | 1.16                  | 1.55   | 2.72   | 3.26*  | 3.26*  | -      | 11.96 (3.50 - 13.32) | 3.734 (0.530 - 4.974)               | 16.40               | 99               |
| 15+20+35+42+50           | 1.11                  | 1.48   | 2.59   | 3.10*  | 3.69*  | -      | 11.97 (3.50 - 13.35) | 3.774 (0.530 - 4.974)               | 16.57               | 99               |
| 15+20+35+42+60           | 1.05                  | 1.39   | 2.44   | 2.93*  | 4.18   | -      | 11.99 (3.50 - 13.39) | 3.807 (0.530 - 4.957)               | 16.72               | 99               |
| 15+20+35+50+50           | 1.06                  | 1.41   | 2.47   | 3.53*  | 3.53*  | -      | 11.99 (3.50 - 13.38) | 3.814 (0.530 - 4.974)               | 16.75               | 99               |
| 15+20+35+50+60           | 1.00                  | 1.33   | 2.33   | 3.33*  | 4.00   | -      | 12.00 (3.50 - 13.40) | 3.817 (0.530 - 4.957)               | 16.76               | 99               |
| 15+20+42+42+42           | 1.12                  | 1.49   | 3.12*  | 3.12*  | 3.12*  | -      | 11.97 (3.50 - 13.34) | 3.768 (0.530 - 4.968)               | 16.55               | 99               |
| 15+20+42+42+50           | 1.06                  | 1.42   | 2.98*  | 2.98*  | 3.55*  | -      | 11.99 (3.50 - 13.38) | 3.798 (0.530 - 4.968)               | 16.68               | 99               |
| 15+20+42+42+60           | 1.01                  | 1.34   | 2.82*  | 2.82*  | 4.02   | -      | 12.00 (3.50 - 13.40) | 3.811 (0.530 - 4.951)               | 16.74               | 99               |
| 15+20+42+50+50           | 1.02                  | 1.36   | 2.85*  | 3.39*  | 3.39*  | -      | 12.00 (3.50 - 13.40) | 3.828 (0.530 - 4.968)               | 16.81               | 99               |
| 15+22+22+22+22           | 1.50                  | 2.20   | 2.20   | 2.20   | 2.20   | -      | 10.30 (3.36 - 12.22) | 3.059 (0.530 - 4.979)               | 13.43               | 99               |
| 15+22+22+22+25           | 1.50                  | 2.20   | 2.20   | 2.20   | 2.50   | -      | 10.60 (3.42 - 12.64) | 3.149 (0.530 - 4.979)               | 13.83               | 99               |
| 15+22+22+22+35           | 1.47                  | 2.15   | 2.15   | 2.15   | 3.43   | -      | 11.36 (3.50 - 13.20) | 3.399 (0.530 - 4.959)               | 14.93               | 99               |
| 15+22+22+22+42           | 1.44                  | 2.11   | 2.11   | 2.11   | 4.02*  | -      | 11.78 (3.50 - 13.20) | 3.553 (0.530 - 4.973)               | 15.60               | 99               |
| 15+22+22+22+50           | 1.36                  | 2.00   | 2.00   | 2.00   | 4.55*  | -      | 11.91 (3.50 - 13.22) | 3.633 (0.530 - 4.973)               | 15.96               | 99               |
| 15+22+22+22+60           | 1.27                  | 1.86   | 1.86   | 1.86   | 5.08   | -      | 11.93 (3.50 - 13.26) | 3.656 (0.530 - 4.956)               | 16.06               | 99               |
| 15+22+22+22+71           | 1.18                  | 1.73   | 1.73   | 1.73   | 5.58   | -      | 11.95 (3.50 - 13.31) | 3.710 (0.530 - 4.960)               | 16.29               | 99               |
| 15+22+22+22+80           | 1.12                  | 1.64   | 1.64   | 1.64   | 5.95   | -      | 11.97 (3.50 - 13.34) | 3.750 (0.530 - 4.950)               | 16.47               | 99               |
| 15+22+22+25+25           | 1.50                  | 2.20   | 2.20   | 2.50   | 2.50   | -      | 10.90 (3.48 - 13.06) | 3.229 (0.530 - 4.979)               | 14.18               | 99               |
| 15+22+22+25+35           | 1.45                  | 2.13   | 2.13   | 2.42   | 3.39   | -      | 11.54 (3.50 - 13.20) | 3.469 (0.530 - 4.969)               | 15.23               | 99               |
| 15+22+22+25+42           | 1.42                  | 2.08   | 2.08   | 2.36   | 3.97*  | -      | 11.90 (3.50 - 13.20) | 3.603 (0.530 - 4.973)               | 15.82               | 99               |
| 15+22+22+25+50           | 1.33                  | 1.96   | 1.96   | 2.22   | 4.45*  | -      | 11.92 (3.50 - 13.24) | 3.643 (0.530 - 4.973)               | 16.00               | 99               |
| 15+22+22+25+60           | 1.24                  | 1.82   | 1.82   | 2.07   | 4.98   | -      | 11.94 (3.50 - 13.28) | 3.676 (0.530 - 4.956)               | 16.14               | 99               |
| 15+22+22+25+71           | 1.16                  | 1.70   | 1.70   | 1.93   | 5.48   | -      | 11.96 (3.50 - 13.32) | 3.730 (0.530 - 4.960)               | 16.38               | 99               |
| 15+22+22+25+80           | 1.10                  | 1.61   | 1.61   | 1.83   | 5.84   | -      | 11.98 (3.50 - 13.36) | 3.760 (0.530 - 4.950)               | 16.51               | 99               |
| 15+22+22+35+35           | 1.38                  | 2.03   | 2.03   | 3.23   | 3.23   | -      | 11.91 (3.50 - 13.22) | 3.629 (0.530 - 4.979)               | 15.94               | 99               |
| 15+22+22+35+42           | 1.31                  | 1.93   | 1.93   | 3.07   | 3.68*  | -      | 11.92 (3.50 - 13.24) | 3.653 (0.530 - 4.973)               | 16.04               | 99               |
| 15+22+22+35+50           | 1.24                  | 1.82   | 1.82   | 2.90   | 4.15*  | -      | 11.94 (3.50 - 13.28) | 3.693 (0.530 - 4.973)               | 16.22               | 99               |
| 15+22+22+35+60           | 1.16                  | 1.71   | 1.71   | 2.72   | 4.66   | -      | 11.96 (3.50 - 13.32) | 3.716 (0.530 - 4.956)               | 16.32               | 99               |
| 15+22+22+35+71           | 1.09                  | 1.60   | 1.60   | 2.54   | 5.16   | -      | 11.98 (3.50 - 13.36) | 3.770 (0.530 - 4.960)               | 16.56               | 99               |
| 15+22+22+35+80           | 1.03                  | 1.52   | 1.52   | 2.41   | 5.52   | -      | 12.00 (3.50 - 13.40) | 3.810 (0.530 - 4.950)               | 16.73               | 99               |
| 15+22+22+42+42           | 1.25                  | 1.84   | 1.84   | 3.51*  | 3.51*  | -      | 11.94 (3.50 - 13.27) | 3.677 (0.530 - 4.967)               | 16.15               | 99               |
| 15+22+22+42+50           | 1.19                  | 1.74   | 1.74   | 3.32*  | 3.96*  | -      | 11.95 (3.50 - 13.30) | 3.717 (0.530 - 4.967)               | 16.32               | 99               |
| 15+22+22+42+60           | 1.12                  | 1.64   | 1.64   | 3.12*  | 4.46   | -      | 11.97 (3.50 - 13.34) | 3.750 (0.530 - 4.950)               | 16.47               | 99               |
| 15+22+22+42+71           | 1.05                  | 1.53   | 1.53   | 2.93*  | 4.95   | -      | 11.99 (3.50 - 13.39) | 3.804 (0.530 - 4.954)               | 16.71               | 99               |
| 15+22+22+50+50           | 1.13                  | 1.66   | 1.66   | 3.76*  | 3.76*  | -      | 11.97 (3.50 - 13.34) | 3.757 (0.530 - 4.967)               | 16.50               | 99               |
| 15+22+22+50+60           | 1.06                  | 1.56   | 1.56   | 3.55*  | 4.26   | -      | 11.99 (3.50 - 13.38) | 3.780 (0.530 - 4.950)               | 16.60               | 99               |
| 15+22+22+50+71           | 1.00                  | 1.47   | 1.47   | 3.33*  | 4.73   | -      | 12.00 (3.50 - 13.40) | 3.814 (0.530 - 4.954)               | 16.75               | 99               |
| 15+22+22+60+60           | 1.01                  | 1.47   | 1.47   | 4.02   | 4.02   | -      | 12.00 (3.50 - 13.40) | 3.793 (0.530 - 4.933)               | 16.66               | 99               |
| 15+22+25+25+25           | 1.49                  | 2.18   | 2.48   | 2.48   | 2.48   | -      | 11.12 (3.50 - 13.20) | 3.309 (0.530 - 4.949)               | 14.53               | 99               |
| 15+22+25+25+35           | 1.44                  | 2.11   | 2.40   | 2.40   | 3.36   | -      | 11.72 (3.50 - 13.20) | 3.539 (0.530 - 4.969)               | 15.54               | 99               |
| 15+22+25+25+42           | 1.38                  | 2.03   | 2.31   | 2.31   | 3.88*  | -      | 11.91 (3.50 - 13.22) | 3.623 (0.530 - 4.973)               | 15.91               | 99               |
| 15+22+25+25+50           | 1.31                  | 1.91   | 2.18   | 2.18   | 4.35*  | -      | 11.92 (3.50 - 13.25) | 3.663 (0.530 - 4.973)               | 16.09               | 99               |
| 15+22+25+25+60           | 1.22                  | 1.79   | 2.03   | 2.03   | 4.87   | -      | 11.94 (3.50 - 13.29) | 3.686 (0.530 - 4.956)               | 16.19               | 99               |
| 15+22+25+25+71           | 1.14                  | 1.67   | 1.89   | 1.89   | 5.38   | -      | 11.97 (3.50 - 13.33) | 3.740 (0.530 - 4.960)               | 16.43               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+22+25+25+80           | 1.08                  | 1.58   | 1.79   | 1.79   | 5.74   | -      | 11.98 (3.50 - 13.37) | 3.770 (0.530 - 4.950)               | 16.56               | 99               |
| 15+22+25+35+35           | 1.35                  | 1.99   | 2.26   | 3.16   | 3.16   | -      | 11.91 (3.50 - 13.23) | 3.639 (0.530 - 4.979)               | 15.98               | 99               |
| 15+22+25+35+42           | 1.29                  | 1.89   | 2.15   | 3.00   | 3.60*  | -      | 11.93 (3.50 - 13.26) | 3.663 (0.530 - 4.973)               | 16.09               | 99               |
| 15+22+25+35+50           | 1.22                  | 1.79   | 2.03   | 2.84   | 4.06*  | -      | 11.94 (3.50 - 13.29) | 3.703 (0.530 - 4.973)               | 16.26               | 99               |
| 15+22+25+35+60           | 1.14                  | 1.68   | 1.90   | 2.67   | 4.57   | -      | 11.96 (3.50 - 13.33) | 3.736 (0.530 - 4.956)               | 16.41               | 99               |
| 15+22+25+35+71           | 1.07                  | 1.57   | 1.78   | 2.50   | 5.07   | -      | 11.99 (3.50 - 13.37) | 3.790 (0.530 - 4.960)               | 16.64               | 99               |
| 15+22+25+35+80           | 1.02                  | 1.49   | 1.69   | 2.37   | 5.42   | -      | 12.00 (3.50 - 13.40) | 3.810 (0.530 - 4.950)               | 16.73               | 99               |
| 15+22+25+42+42           | 1.23                  | 1.80   | 2.04   | 3.43*  | 3.43*  | -      | 11.94 (3.50 - 13.28) | 3.697 (0.530 - 4.967)               | 16.24               | 99               |
| 15+22+25+42+50           | 1.16                  | 1.71   | 1.94   | 3.26*  | 3.88*  | -      | 11.96 (3.50 - 13.32) | 3.727 (0.530 - 4.967)               | 16.37               | 99               |
| 15+22+25+42+60           | 1.10                  | 1.61   | 1.83   | 3.07*  | 4.38   | -      | 11.98 (3.50 - 13.36) | 3.760 (0.530 - 4.950)               | 16.51               | 99               |
| 15+22+25+42+71           | 1.03                  | 1.51   | 1.71   | 2.88*  | 4.87   | -      | 12.00 (3.50 - 13.40) | 3.814 (0.530 - 4.954)               | 16.75               | 99               |
| 15+22+25+50+50           | 1.11                  | 1.63   | 1.85   | 3.69*  | 3.69*  | -      | 11.97 (3.50 - 13.35) | 3.767 (0.530 - 4.967)               | 16.54               | 99               |
| 15+22+25+50+60           | 1.05                  | 1.53   | 1.74   | 3.49*  | 4.18   | -      | 11.99 (3.50 - 13.39) | 3.800 (0.530 - 4.950)               | 16.69               | 99               |
| 15+22+35+35+35           | 1.26                  | 1.85   | 2.94   | 2.94   | 2.94   | -      | 11.93 (3.50 - 13.27) | 3.689 (0.530 - 4.979)               | 16.20               | 99               |
| 15+22+35+35+42           | 1.20                  | 1.76   | 2.81   | 2.81   | 3.37*  | -      | 11.95 (3.50 - 13.30) | 3.713 (0.530 - 4.973)               | 16.31               | 99               |
| 15+22+35+35+50           | 1.14                  | 1.68   | 2.67   | 2.67   | 3.81*  | -      | 11.96 (3.50 - 13.33) | 3.753 (0.530 - 4.973)               | 16.48               | 99               |
| 15+22+35+35+60           | 1.08                  | 1.58   | 2.51   | 2.51   | 4.30   | -      | 11.98 (3.50 - 13.37) | 3.776 (0.530 - 4.956)               | 16.58               | 99               |
| 15+22+35+35+71           | 1.01                  | 1.48   | 2.36   | 2.36   | 4.79   | -      | 12.00 (3.50 - 13.40) | 3.820 (0.530 - 4.960)               | 16.78               | 99               |
| 15+22+35+42+42           | 1.15                  | 1.69   | 2.68   | 3.22*  | 3.22*  | -      | 11.96 (3.50 - 13.32) | 3.737 (0.530 - 4.967)               | 16.41               | 99               |
| 15+22+35+42+50           | 1.10                  | 1.61   | 2.56   | 3.07*  | 3.65*  | -      | 11.98 (3.50 - 13.36) | 3.777 (0.530 - 4.967)               | 16.59               | 99               |
| 15+22+35+42+60           | 1.03                  | 1.52   | 2.41   | 2.90*  | 4.14   | -      | 12.00 (3.50 - 13.40) | 3.810 (0.530 - 4.950)               | 16.73               | 99               |
| 15+22+35+50+50           | 1.05                  | 1.53   | 2.44   | 3.49*  | 3.49*  | -      | 11.99 (3.50 - 13.39) | 3.817 (0.530 - 4.967)               | 16.76               | 99               |
| 15+22+42+42+42           | 1.10                  | 1.62   | 3.09*  | 3.09*  | 3.09*  | -      | 11.98 (3.50 - 13.35) | 3.761 (0.530 - 4.961)               | 16.52               | 99               |
| 15+22+42+42+50           | 1.05                  | 1.54   | 2.94*  | 2.94*  | 3.51*  | -      | 11.99 (3.50 - 13.38) | 3.801 (0.530 - 4.961)               | 16.69               | 99               |
| 15+22+42+50+50           | 1.01                  | 1.47   | 2.82*  | 3.35*  | 3.35*  | -      | 12.00 (3.50 - 13.40) | 3.821 (0.530 - 4.961)               | 16.78               | 99               |
| 15+25+25+25+25           | 1.47                  | 2.46   | 2.46   | 2.46   | 2.46   | -      | 11.30 (3.50 - 13.20) | 3.379 (0.530 - 4.959)               | 14.84               | 99               |
| 15+25+25+25+35           | 1.43                  | 2.38   | 2.38   | 2.38   | 3.33   | -      | 11.90 (3.50 - 13.20) | 3.609 (0.530 - 4.979)               | 15.85               | 99               |
| 15+25+25+25+42           | 1.35                  | 2.26   | 2.26   | 2.26   | 3.79*  | -      | 11.91 (3.50 - 13.23) | 3.633 (0.530 - 4.973)               | 15.96               | 99               |
| 15+25+25+25+50           | 1.28                  | 2.13   | 2.13   | 2.13   | 4.26*  | -      | 11.93 (3.50 - 13.26) | 3.673 (0.530 - 4.973)               | 16.13               | 99               |
| 15+25+25+25+60           | 1.20                  | 1.99   | 1.99   | 1.99   | 4.78   | -      | 11.95 (3.50 - 13.30) | 3.706 (0.530 - 4.956)               | 16.28               | 99               |
| 15+25+25+25+71           | 1.12                  | 1.86   | 1.86   | 1.86   | 5.28   | -      | 11.97 (3.50 - 13.34) | 3.760 (0.530 - 4.960)               | 16.51               | 99               |
| 15+25+25+25+80           | 1.06                  | 1.76   | 1.76   | 1.76   | 5.64   | -      | 11.99 (3.50 - 13.38) | 3.790 (0.530 - 4.950)               | 16.64               | 99               |
| 15+25+25+35+35           | 1.32                  | 2.21   | 2.21   | 3.09   | 3.09   | -      | 11.92 (3.50 - 13.24) | 3.659 (0.530 - 4.979)               | 16.07               | 99               |
| 15+25+25+35+42           | 1.26                  | 2.10   | 2.10   | 2.94   | 3.53*  | -      | 11.93 (3.50 - 13.27) | 3.683 (0.530 - 4.973)               | 16.17               | 99               |
| 15+25+25+35+50           | 1.20                  | 1.99   | 1.99   | 2.79   | 3.98*  | -      | 11.95 (3.50 - 13.30) | 3.723 (0.530 - 4.973)               | 16.35               | 99               |
| 15+25+25+35+60           | 1.12                  | 1.87   | 1.87   | 2.62   | 4.49   | -      | 11.97 (3.50 - 13.34) | 3.746 (0.530 - 4.956)               | 16.45               | 99               |
| 15+25+25+35+71           | 1.05                  | 1.75   | 1.75   | 2.45   | 4.98   | -      | 11.99 (3.50 - 13.38) | 3.800 (0.530 - 4.960)               | 16.69               | 99               |
| 15+25+25+35+80           | 1.00                  | 1.67   | 1.67   | 2.33   | 5.33   | -      | 12.00 (3.50 - 13.40) | 3.810 (0.530 - 4.950)               | 16.73               | 99               |
| 15+25+25+42+42           | 1.20                  | 2.01   | 2.01   | 3.37*  | 3.37*  | -      | 11.95 (3.50 - 13.30) | 3.707 (0.530 - 4.967)               | 16.28               | 99               |
| 15+25+25+42+50           | 1.14                  | 1.90   | 1.90   | 3.20*  | 3.81*  | -      | 11.96 (3.50 - 13.33) | 3.747 (0.530 - 4.967)               | 16.46               | 99               |
| 15+25+25+42+60           | 1.08                  | 1.79   | 1.79   | 3.01*  | 4.30   | -      | 11.98 (3.50 - 13.37) | 3.770 (0.530 - 4.950)               | 16.56               | 99               |
| 15+25+25+42+71           | 1.01                  | 1.69   | 1.69   | 2.83*  | 4.79   | -      | 12.00 (3.50 - 13.40) | 3.814 (0.530 - 4.954)               | 16.75               | 99               |
| 15+25+25+50+50           | 1.09                  | 1.82   | 1.82   | 3.63*  | 3.63*  | -      | 11.98 (3.50 - 13.36) | 3.777 (0.530 - 4.967)               | 16.59               | 99               |
| 15+25+25+50+60           | 1.03                  | 1.71   | 1.71   | 3.43*  | 4.11   | -      | 12.00 (3.50 - 13.40) | 3.810 (0.530 - 4.950)               | 16.73               | 99               |
| 15+25+35+35+35           | 1.24                  | 2.06   | 2.88   | 2.88   | 2.88   | -      | 11.94 (3.50 - 13.28) | 3.699 (0.530 - 4.979)               | 16.25               | 99               |
| 15+25+35+35+42           | 1.18                  | 1.97   | 2.75   | 2.75   | 3.30*  | -      | 11.95 (3.50 - 13.31) | 3.723 (0.530 - 4.973)               | 16.35               | 99               |
| 15+25+35+35+50           | 1.12                  | 1.87   | 2.62   | 2.62   | 3.74*  | -      | 11.97 (3.50 - 13.34) | 3.763 (0.530 - 4.973)               | 16.53               | 99               |
| 15+25+35+35+60           | 1.06                  | 1.76   | 2.47   | 2.47   | 4.23   | -      | 11.99 (3.50 - 13.38) | 3.796 (0.530 - 4.956)               | 16.67               | 99               |
| 15+25+35+42+42           | 1.13                  | 1.88   | 2.63   | 3.16*  | 3.16*  | -      | 11.97 (3.50 - 13.34) | 3.757 (0.530 - 4.967)               | 16.50               | 99               |
| 15+25+35+42+50           | 1.08                  | 1.79   | 2.51   | 3.01*  | 3.59*  | -      | 11.98 (3.50 - 13.37) | 3.787 (0.530 - 4.967)               | 16.63               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+25+35+42+60           | 1.02                  | 1.69   | 2.37   | 2.85*  | 4.07   | -      | 12.00 (3.50 - 13.40) | 3.810 (0.530 - 4.950)               | 16.73               | 99               |
| 15+25+35+50+50           | 1.03                  | 1.71   | 2.40   | 3.43*  | 3.43*  | -      | 12.00 (3.50 - 13.40) | 3.827 (0.530 - 4.967)               | 16.81               | 99               |
| 15+25+42+42+42           | 1.08                  | 1.80   | 3.03*  | 3.03*  | 3.03*  | -      | 11.98 (3.50 - 13.36) | 3.781 (0.530 - 4.961)               | 16.61               | 99               |
| 15+25+42+42+50           | 1.03                  | 1.72   | 2.90*  | 2.90*  | 3.45*  | -      | 12.00 (3.50 - 13.40) | 3.821 (0.530 - 4.961)               | 16.78               | 99               |
| 15+35+35+35+35           | 1.16                  | 2.70   | 2.70   | 2.70   | 2.70   | -      | 11.96 (3.50 - 13.32) | 3.749 (0.530 - 4.979)               | 16.46               | 99               |
| 15+35+35+35+42           | 1.11                  | 2.59   | 2.59   | 2.59   | 3.10*  | -      | 11.97 (3.50 - 13.35) | 3.773 (0.530 - 4.973)               | 16.57               | 99               |
| 15+35+35+35+50           | 1.06                  | 2.47   | 2.47   | 2.47   | 3.53*  | -      | 11.99 (3.50 - 13.38) | 3.813 (0.530 - 4.973)               | 16.75               | 99               |
| 15+35+35+35+60           | 1.00                  | 2.33   | 2.33   | 2.33   | 4.00   | -      | 12.00 (3.50 - 13.40) | 3.816 (0.530 - 4.956)               | 16.76               | 99               |
| 15+35+35+42+42           | 1.06                  | 2.48   | 2.48   | 2.98*  | 2.98*  | -      | 11.99 (3.50 - 13.38) | 3.797 (0.530 - 4.967)               | 16.68               | 99               |
| 15+35+35+42+50           | 1.02                  | 2.37   | 2.37   | 2.85*  | 3.39*  | -      | 12.00 (3.50 - 13.40) | 3.827 (0.530 - 4.967)               | 16.81               | 99               |
| 15+35+42+42+42           | 1.02                  | 2.39   | 2.86*  | 2.86*  | 2.86*  | -      | 12.00 (3.50 - 13.40) | 3.821 (0.530 - 4.961)               | 16.78               | 99               |
| 20+20+20+20+20           | 2.00                  | 2.00   | 2.00   | 2.00   | 2.00   | -      | 10.00 (3.30 - 11.80) | 3.005 (0.530 - 5.005)               | 13.20               | 99               |
| 20+20+20+20+22           | 2.00                  | 2.00   | 2.00   | 2.00   | 2.20   | -      | 10.20 (3.34 - 12.08) | 3.058 (0.530 - 4.998)               | 13.43               | 99               |
| 20+20+20+20+25           | 2.00                  | 2.00   | 2.00   | 2.00   | 2.50   | -      | 10.50 (3.40 - 12.50) | 3.138 (0.530 - 4.998)               | 13.78               | 99               |
| 20+20+20+20+35           | 1.97                  | 1.97   | 1.97   | 1.97   | 3.44   | -      | 11.30 (3.50 - 13.20) | 3.398 (0.530 - 4.978)               | 14.92               | 99               |
| 20+20+20+20+42           | 1.92                  | 1.92   | 1.92   | 1.92   | 4.03*  | -      | 11.72 (3.50 - 13.20) | 3.552 (0.530 - 4.982)               | 15.60               | 99               |
| 20+20+20+20+50           | 1.83                  | 1.83   | 1.83   | 1.83   | 4.58*  | -      | 11.91 (3.50 - 13.22) | 3.642 (0.530 - 4.992)               | 15.99               | 99               |
| 20+20+20+20+60           | 1.70                  | 1.70   | 1.70   | 1.70   | 5.11   | -      | 11.93 (3.50 - 13.26) | 3.675 (0.530 - 4.975)               | 16.14               | 99               |
| 20+20+20+20+71           | 1.58                  | 1.58   | 1.58   | 1.58   | 5.62   | -      | 11.95 (3.50 - 13.30) | 3.729 (0.530 - 4.979)               | 16.38               | 99               |
| 20+20+20+20+80           | 1.50                  | 1.50   | 1.50   | 1.50   | 5.99   | -      | 11.97 (3.50 - 13.34) | 3.759 (0.530 - 4.969)               | 16.51               | 99               |
| 20+20+20+22+22           | 2.00                  | 2.00   | 2.00   | 2.20   | 2.20   | -      | 10.40 (3.38 - 12.36) | 3.101 (0.530 - 4.991)               | 13.62               | 99               |
| 20+20+20+22+25           | 2.00                  | 2.00   | 2.00   | 2.20   | 2.50   | -      | 10.70 (3.44 - 12.78) | 3.191 (0.530 - 4.991)               | 14.01               | 99               |
| 20+20+20+22+35           | 1.95                  | 1.95   | 1.95   | 2.15   | 3.42   | -      | 11.42 (3.50 - 13.20) | 3.431 (0.530 - 4.971)               | 15.07               | 99               |
| 20+20+20+22+42           | 1.91                  | 1.91   | 1.91   | 2.10   | 4.01*  | -      | 11.84 (3.50 - 13.20) | 3.595 (0.530 - 4.985)               | 15.79               | 99               |
| 20+20+20+22+50           | 1.80                  | 1.80   | 1.80   | 1.99   | 4.51*  | -      | 11.91 (3.50 - 13.23) | 3.645 (0.530 - 4.985)               | 16.01               | 99               |
| 20+20+20+22+60           | 1.68                  | 1.68   | 1.68   | 1.85   | 5.04   | -      | 11.93 (3.50 - 13.27) | 3.678 (0.530 - 4.968)               | 16.15               | 99               |
| 20+20+20+22+71           | 1.56                  | 1.56   | 1.56   | 1.72   | 5.55   | -      | 11.96 (3.50 - 13.31) | 3.732 (0.530 - 4.972)               | 16.39               | 99               |
| 20+20+20+22+80           | 1.48                  | 1.48   | 1.48   | 1.63   | 5.91   | -      | 11.97 (3.50 - 13.35) | 3.762 (0.530 - 4.962)               | 16.52               | 99               |
| 20+20+20+25+25           | 2.00                  | 2.00   | 2.00   | 2.50   | 2.50   | -      | 11.00 (3.50 - 13.20) | 3.271 (0.530 - 4.991)               | 14.37               | 99               |
| 20+20+20+25+35           | 1.93                  | 1.93   | 1.93   | 2.42   | 3.38   | -      | 11.60 (3.50 - 13.20) | 3.501 (0.530 - 4.981)               | 15.38               | 99               |
| 20+20+20+25+42           | 1.87                  | 1.87   | 1.87   | 2.34   | 3.94*  | -      | 11.90 (3.50 - 13.21) | 3.625 (0.530 - 4.985)               | 15.92               | 99               |
| 20+20+20+25+50           | 1.77                  | 1.77   | 1.77   | 2.21   | 4.41*  | -      | 11.92 (3.50 - 13.24) | 3.665 (0.530 - 4.985)               | 16.10               | 99               |
| 20+20+20+25+60           | 1.65                  | 1.65   | 1.65   | 2.06   | 4.94   | -      | 11.94 (3.50 - 13.28) | 3.688 (0.530 - 4.968)               | 16.20               | 99               |
| 20+20+20+25+71           | 1.53                  | 1.53   | 1.53   | 1.92   | 5.44   | -      | 11.96 (3.50 - 13.32) | 3.742 (0.530 - 4.972)               | 16.43               | 99               |
| 20+20+20+25+80           | 1.45                  | 1.45   | 1.45   | 1.82   | 5.81   | -      | 11.98 (3.50 - 13.36) | 3.772 (0.530 - 4.962)               | 16.57               | 99               |
| 20+20+20+35+35           | 1.83                  | 1.83   | 1.83   | 3.21   | 3.21   | -      | 11.91 (3.50 - 13.22) | 3.641 (0.530 - 4.991)               | 15.99               | 99               |
| 20+20+20+35+42           | 1.74                  | 1.74   | 1.74   | 3.05   | 3.65*  | -      | 11.92 (3.50 - 13.25) | 3.675 (0.530 - 4.985)               | 16.14               | 99               |
| 20+20+20+35+50           | 1.65                  | 1.65   | 1.65   | 2.88   | 4.12*  | -      | 11.94 (3.50 - 13.28) | 3.705 (0.530 - 4.985)               | 16.27               | 99               |
| 20+20+20+35+60           | 1.54                  | 1.54   | 1.54   | 2.70   | 4.63   | -      | 11.96 (3.50 - 13.32) | 3.738 (0.530 - 4.968)               | 16.42               | 99               |
| 20+20+20+35+71           | 1.44                  | 1.44   | 1.44   | 2.53   | 5.12   | -      | 11.98 (3.50 - 13.36) | 3.792 (0.530 - 4.972)               | 16.65               | 99               |
| 20+20+20+35+80           | 1.37                  | 1.37   | 1.37   | 2.40   | 5.49   | -      | 12.00 (3.50 - 13.40) | 3.822 (0.530 - 4.962)               | 16.79               | 99               |
| 20+20+20+42+42           | 1.66                  | 1.66   | 1.66   | 3.48*  | 3.48*  | -      | 11.94 (3.50 - 13.28) | 3.699 (0.530 - 4.979)               | 16.25               | 99               |
| 20+20+20+42+50           | 1.57                  | 1.57   | 1.57   | 3.30*  | 3.93*  | -      | 11.95 (3.50 - 13.31) | 3.729 (0.530 - 4.979)               | 16.38               | 99               |
| 20+20+20+42+60           | 1.48                  | 1.48   | 1.48   | 3.10*  | 4.43   | -      | 11.97 (3.50 - 13.35) | 3.762 (0.530 - 4.962)               | 16.52               | 99               |
| 20+20+20+42+71           | 1.39                  | 1.39   | 1.39   | 2.91*  | 4.92   | -      | 12.00 (3.50 - 13.39) | 3.816 (0.530 - 4.966)               | 16.76               | 99               |
| 20+20+20+50+50           | 1.50                  | 1.50   | 1.50   | 3.74*  | 3.74*  | -      | 11.97 (3.50 - 13.34) | 3.769 (0.530 - 4.979)               | 16.55               | 99               |
| 20+20+20+50+60           | 1.41                  | 1.41   | 1.41   | 3.53*  | 4.23   | -      | 11.99 (3.50 - 13.38) | 3.802 (0.530 - 4.962)               | 16.70               | 99               |
| 20+20+20+60+60           | 1.33                  | 1.33   | 1.33   | 4.00   | 4.00   | -      | 12.00 (3.50 - 13.40) | 3.805 (0.530 - 4.945)               | 16.71               | 99               |
| 20+20+22+22+22           | 2.00                  | 2.00   | 2.20   | 2.20   | 2.20   | -      | 10.60 (3.42 - 12.64) | 3.154 (0.530 - 4.984)               | 13.85               | 99               |
| 20+20+22+22+25           | 2.00                  | 2.00   | 2.20   | 2.20   | 2.50   | -      | 10.90 (3.48 - 13.06) | 3.234 (0.530 - 4.984)               | 14.20               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+20+22+22+35           | 1.94                  | 1.94   | 2.13   | 2.13   | 3.39   | -      | 11.54 (3.50 - 13.20) | 3.474 (0.530 - 4.974)               | 15.26               | 99               |
| 20+20+22+22+42           | 1.89                  | 1.89   | 2.08   | 2.08   | 3.97*  | -      | 11.90 (3.50 - 13.20) | 3.608 (0.530 - 4.978)               | 15.85               | 99               |
| 20+20+22+22+50           | 1.78                  | 1.78   | 1.96   | 1.96   | 4.45*  | -      | 11.92 (3.50 - 13.24) | 3.648 (0.530 - 4.978)               | 16.02               | 99               |
| 20+20+22+22+60           | 1.66                  | 1.66   | 1.82   | 1.82   | 4.98   | -      | 11.94 (3.50 - 13.28) | 3.681 (0.530 - 4.961)               | 16.17               | 99               |
| 20+20+22+22+71           | 1.54                  | 1.54   | 1.70   | 1.70   | 5.48   | -      | 11.96 (3.50 - 13.32) | 3.735 (0.530 - 4.965)               | 16.40               | 99               |
| 20+20+22+22+80           | 1.46                  | 1.46   | 1.61   | 1.61   | 5.84   | -      | 11.98 (3.50 - 13.36) | 3.765 (0.530 - 4.955)               | 16.53               | 99               |
| 20+20+22+25+25           | 1.99                  | 1.99   | 2.18   | 2.48   | 2.48   | -      | 11.12 (3.50 - 13.20) | 3.314 (0.530 - 4.954)               | 14.55               | 99               |
| 20+20+22+25+35           | 1.92                  | 1.92   | 2.11   | 2.40   | 3.36   | -      | 11.72 (3.50 - 13.20) | 3.544 (0.530 - 4.974)               | 15.56               | 99               |
| 20+20+22+25+42           | 1.85                  | 1.85   | 2.03   | 2.31   | 3.88*  | -      | 11.91 (3.50 - 13.22) | 3.628 (0.530 - 4.978)               | 15.93               | 99               |
| 20+20+22+25+50           | 1.74                  | 1.74   | 1.91   | 2.18   | 4.35*  | -      | 11.92 (3.50 - 13.25) | 3.668 (0.530 - 4.978)               | 16.11               | 99               |
| 20+20+22+25+60           | 1.62                  | 1.62   | 1.79   | 2.03   | 4.87   | -      | 11.94 (3.50 - 13.29) | 3.691 (0.530 - 4.961)               | 16.21               | 99               |
| 20+20+22+25+71           | 1.52                  | 1.52   | 1.67   | 1.89   | 5.38   | -      | 11.97 (3.50 - 13.33) | 3.745 (0.530 - 4.965)               | 16.45               | 99               |
| 20+20+22+25+80           | 1.43                  | 1.43   | 1.58   | 1.79   | 5.74   | -      | 11.98 (3.50 - 13.37) | 3.775 (0.530 - 4.955)               | 16.58               | 99               |
| 20+20+22+35+35           | 1.80                  | 1.80   | 1.99   | 3.16   | 3.16   | -      | 11.91 (3.50 - 13.23) | 3.644 (0.530 - 4.984)               | 16.00               | 99               |
| 20+20+22+35+42           | 1.72                  | 1.72   | 1.89   | 3.00   | 3.60*  | -      | 11.93 (3.50 - 13.26) | 3.668 (0.530 - 4.978)               | 16.11               | 99               |
| 20+20+22+35+50           | 1.62                  | 1.62   | 1.79   | 2.84   | 4.06*  | -      | 11.94 (3.50 - 13.29) | 3.708 (0.530 - 4.978)               | 16.28               | 99               |
| 20+20+22+35+60           | 1.52                  | 1.52   | 1.68   | 2.67   | 4.57   | -      | 11.96 (3.50 - 13.33) | 3.741 (0.530 - 4.961)               | 16.43               | 99               |
| 20+20+22+35+71           | 1.43                  | 1.43   | 1.57   | 2.50   | 5.07   | -      | 11.99 (3.50 - 13.37) | 3.795 (0.530 - 4.965)               | 16.67               | 99               |
| 20+20+22+35+80           | 1.36                  | 1.36   | 1.49   | 2.37   | 5.42   | -      | 12.00 (3.50 - 13.40) | 3.815 (0.530 - 4.955)               | 16.75               | 99               |
| 20+20+22+42+42           | 1.64                  | 1.64   | 1.80   | 3.43*  | 3.43*  | -      | 11.94 (3.50 - 13.28) | 3.702 (0.530 - 4.972)               | 16.26               | 99               |
| 20+20+22+42+50           | 1.55                  | 1.55   | 1.71   | 3.26*  | 3.88*  | -      | 11.96 (3.50 - 13.32) | 3.732 (0.530 - 4.972)               | 16.39               | 99               |
| 20+20+22+42+60           | 1.46                  | 1.46   | 1.61   | 3.07*  | 4.38   | -      | 11.98 (3.50 - 13.36) | 3.765 (0.530 - 4.955)               | 16.53               | 99               |
| 20+20+22+42+71           | 1.37                  | 1.37   | 1.51   | 2.88*  | 4.87   | -      | 12.00 (3.50 - 13.40) | 3.819 (0.530 - 4.959)               | 16.77               | 99               |
| 20+20+22+50+50           | 1.48                  | 1.48   | 1.63   | 3.69*  | 3.69*  | -      | 11.97 (3.50 - 13.35) | 3.772 (0.530 - 4.972)               | 16.57               | 99               |
| 20+20+22+50+60           | 1.39                  | 1.39   | 1.53   | 3.49*  | 4.18   | -      | 11.99 (3.50 - 13.39) | 3.805 (0.530 - 4.955)               | 16.71               | 99               |
| 20+20+25+25+25           | 1.97                  | 1.97   | 2.46   | 2.46   | 2.46   | -      | 11.30 (3.50 - 13.20) | 3.384 (0.530 - 4.964)               | 14.86               | 99               |
| 20+20+25+25+35           | 1.90                  | 1.90   | 2.38   | 2.38   | 3.33   | -      | 11.90 (3.50 - 13.20) | 3.614 (0.530 - 4.984)               | 15.87               | 99               |
| 20+20+25+25+42           | 1.80                  | 1.80   | 2.26   | 2.26   | 3.79*  | -      | 11.91 (3.50 - 13.23) | 3.638 (0.530 - 4.978)               | 15.98               | 99               |
| 20+20+25+25+50           | 1.70                  | 1.70   | 2.13   | 2.13   | 4.26*  | -      | 11.93 (3.50 - 13.26) | 3.678 (0.530 - 4.978)               | 16.15               | 99               |
| 20+20+25+25+60           | 1.59                  | 1.59   | 1.99   | 1.99   | 4.78   | -      | 11.95 (3.50 - 13.30) | 3.711 (0.530 - 4.961)               | 16.30               | 99               |
| 20+20+25+25+71           | 1.49                  | 1.49   | 1.86   | 1.86   | 5.28   | -      | 11.97 (3.50 - 13.34) | 3.765 (0.530 - 4.965)               | 16.53               | 99               |
| 20+20+25+25+80           | 1.41                  | 1.41   | 1.76   | 1.76   | 5.64   | -      | 11.99 (3.50 - 13.38) | 3.795 (0.530 - 4.955)               | 16.67               | 99               |
| 20+20+25+35+35           | 1.77                  | 1.77   | 2.21   | 3.09   | 3.09   | -      | 11.92 (3.50 - 13.24) | 3.664 (0.530 - 4.984)               | 16.09               | 99               |
| 20+20+25+35+42           | 1.68                  | 1.68   | 2.10   | 2.94   | 3.53*  | -      | 11.93 (3.50 - 13.27) | 3.688 (0.530 - 4.978)               | 16.20               | 99               |
| 20+20+25+35+50           | 1.59                  | 1.59   | 1.99   | 2.79   | 3.98*  | -      | 11.95 (3.50 - 13.30) | 3.728 (0.530 - 4.978)               | 16.37               | 99               |
| 20+20+25+35+60           | 1.50                  | 1.50   | 1.87   | 2.62   | 4.49   | -      | 11.97 (3.50 - 13.34) | 3.751 (0.530 - 4.961)               | 16.47               | 99               |
| 20+20+25+35+71           | 1.40                  | 1.40   | 1.75   | 2.45   | 4.98   | -      | 11.99 (3.50 - 13.38) | 3.805 (0.530 - 4.965)               | 16.71               | 99               |
| 20+20+25+35+80           | 1.33                  | 1.33   | 1.67   | 2.33   | 5.33   | -      | 12.00 (3.50 - 13.40) | 3.815 (0.530 - 4.955)               | 16.75               | 99               |
| 20+20+25+42+42           | 1.60                  | 1.60   | 2.01   | 3.37*  | 3.37*  | -      | 11.95 (3.50 - 13.30) | 3.712 (0.530 - 4.972)               | 16.30               | 99               |
| 20+20+25+42+50           | 1.52                  | 1.52   | 1.90   | 3.20*  | 3.81*  | -      | 11.96 (3.50 - 13.33) | 3.752 (0.530 - 4.972)               | 16.48               | 99               |
| 20+20+25+42+60           | 1.43                  | 1.43   | 1.79   | 3.01*  | 4.30   | -      | 11.98 (3.50 - 13.37) | 3.775 (0.530 - 4.955)               | 16.58               | 99               |
| 20+20+25+42+71           | 1.35                  | 1.35   | 1.69   | 2.83*  | 4.79   | -      | 12.00 (3.50 - 13.40) | 3.819 (0.530 - 4.959)               | 16.77               | 99               |
| 20+20+25+50+50           | 1.45                  | 1.45   | 1.82   | 3.63*  | 3.63*  | -      | 11.98 (3.50 - 13.36) | 3.782 (0.530 - 4.972)               | 16.61               | 99               |
| 20+20+25+50+60           | 1.37                  | 1.37   | 1.71   | 3.43*  | 4.11   | -      | 12.00 (3.50 - 13.40) | 3.815 (0.530 - 4.955)               | 16.75               | 99               |
| 20+20+35+35+35           | 1.65                  | 1.65   | 2.88   | 2.88   | 2.88   | -      | 11.94 (3.50 - 13.28) | 3.704 (0.530 - 4.984)               | 16.27               | 99               |
| 20+20+35+35+42           | 1.57                  | 1.57   | 2.75   | 2.75   | 3.30*  | -      | 11.95 (3.50 - 13.31) | 3.728 (0.530 - 4.978)               | 16.37               | 99               |
| 20+20+35+35+50           | 1.50                  | 1.50   | 2.62   | 2.62   | 3.74*  | -      | 11.97 (3.50 - 13.34) | 3.768 (0.530 - 4.978)               | 16.55               | 99               |
| 20+20+35+35+60           | 1.41                  | 1.41   | 2.47   | 2.47   | 4.23   | -      | 11.99 (3.50 - 13.38) | 3.801 (0.530 - 4.961)               | 16.69               | 99               |
| 20+20+35+42+42           | 1.51                  | 1.51   | 2.63   | 3.16*  | 3.16*  | -      | 11.97 (3.50 - 13.34) | 3.762 (0.530 - 4.972)               | 16.52               | 99               |
| 20+20+35+42+50           | 1.43                  | 1.43   | 2.51   | 3.01*  | 3.59*  | -      | 11.98 (3.50 - 13.37) | 3.792 (0.530 - 4.972)               | 16.65               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+20+35+42+60           | 1.36                  | 1.36   | 2.37   | 2.85*  | 4.07   | -      | 12.00 (3.50 - 13.40) | 3.815 (0.530 - 4.955)               | 16.75               | 99               |
| 20+20+35+50+50           | 1.37                  | 1.37   | 2.40   | 3.43*  | 3.43*  | -      | 12.00 (3.50 - 13.40) | 3.832 (0.530 - 4.972)               | 16.83               | 99               |
| 20+20+42+42+42           | 1.44                  | 1.44   | 3.03*  | 3.03*  | 3.03*  | -      | 11.98 (3.50 - 13.36) | 3.786 (0.530 - 4.966)               | 16.63               | 99               |
| 20+20+42+42+50           | 1.38                  | 1.38   | 2.90*  | 2.90*  | 3.45*  | -      | 12.00 (3.50 - 13.40) | 3.826 (0.530 - 4.966)               | 16.80               | 99               |
| 20+22+22+22+22           | 2.00                  | 2.20   | 2.20   | 2.20   | 2.20   | -      | 10.80 (3.46 - 12.92) | 3.197 (0.530 - 4.977)               | 14.04               | 99               |
| 20+22+22+22+25           | 1.99                  | 2.19   | 2.19   | 2.19   | 2.49   | -      | 11.06 (3.50 - 13.20) | 3.277 (0.530 - 4.947)               | 14.39               | 99               |
| 20+22+22+22+35           | 1.93                  | 2.12   | 2.12   | 2.12   | 3.37   | -      | 11.66 (3.50 - 13.20) | 3.517 (0.530 - 4.967)               | 15.45               | 99               |
| 20+22+22+22+42           | 1.86                  | 2.05   | 2.05   | 2.05   | 3.91*  | -      | 11.91 (3.50 - 13.21) | 3.611 (0.530 - 4.971)               | 15.86               | 99               |
| 20+22+22+22+50           | 1.75                  | 1.93   | 1.93   | 1.93   | 4.38*  | -      | 11.92 (3.50 - 13.24) | 3.651 (0.530 - 4.971)               | 16.03               | 99               |
| 20+22+22+22+60           | 1.64                  | 1.80   | 1.80   | 1.80   | 4.91   | -      | 11.94 (3.50 - 13.28) | 3.684 (0.530 - 4.954)               | 16.18               | 99               |
| 20+22+22+22+71           | 1.52                  | 1.68   | 1.68   | 1.68   | 5.41   | -      | 11.96 (3.50 - 13.33) | 3.738 (0.530 - 4.958)               | 16.42               | 99               |
| 20+22+22+22+80           | 1.44                  | 1.59   | 1.59   | 1.59   | 5.77   | -      | 11.98 (3.50 - 13.36) | 3.768 (0.530 - 4.948)               | 16.55               | 99               |
| 20+22+22+25+25           | 1.97                  | 2.17   | 2.17   | 2.46   | 2.46   | -      | 11.24 (3.50 - 13.20) | 3.347 (0.530 - 4.947)               | 14.70               | 99               |
| 20+22+22+25+35           | 1.91                  | 2.10   | 2.10   | 2.39   | 3.34   | -      | 11.84 (3.50 - 13.20) | 3.587 (0.530 - 4.977)               | 15.75               | 99               |
| 20+22+22+25+42           | 1.82                  | 2.00   | 2.00   | 2.27   | 3.82*  | -      | 11.91 (3.50 - 13.22) | 3.631 (0.530 - 4.971)               | 15.95               | 99               |
| 20+22+22+25+50           | 1.72                  | 1.89   | 1.89   | 2.15   | 4.29*  | -      | 11.93 (3.50 - 13.26) | 3.661 (0.530 - 4.971)               | 16.08               | 99               |
| 20+22+22+25+60           | 1.60                  | 1.76   | 1.76   | 2.01   | 4.81   | -      | 11.95 (3.50 - 13.30) | 3.694 (0.530 - 4.954)               | 16.22               | 99               |
| 20+22+22+25+71           | 1.50                  | 1.65   | 1.65   | 1.87   | 5.31   | -      | 11.97 (3.50 - 13.34) | 3.748 (0.530 - 4.958)               | 16.46               | 99               |
| 20+22+22+25+80           | 1.42                  | 1.56   | 1.56   | 1.77   | 5.68   | -      | 11.99 (3.50 - 13.38) | 3.778 (0.530 - 4.948)               | 16.59               | 99               |
| 20+22+22+35+35           | 1.78                  | 1.96   | 1.96   | 3.11   | 3.11   | -      | 11.92 (3.50 - 13.24) | 3.647 (0.530 - 4.977)               | 16.02               | 99               |
| 20+22+22+35+42           | 1.69                  | 1.86   | 1.86   | 2.96   | 3.55*  | -      | 11.93 (3.50 - 13.26) | 3.671 (0.530 - 4.971)               | 16.12               | 99               |
| 20+22+22+35+50           | 1.60                  | 1.76   | 1.76   | 2.81   | 4.01*  | -      | 11.95 (3.50 - 13.30) | 3.711 (0.530 - 4.971)               | 16.30               | 99               |
| 20+22+22+35+60           | 1.51                  | 1.66   | 1.66   | 2.63   | 4.52   | -      | 11.97 (3.50 - 13.34) | 3.744 (0.530 - 4.954)               | 16.44               | 99               |
| 20+22+22+35+71           | 1.41                  | 1.55   | 1.55   | 2.47   | 5.01   | -      | 11.99 (3.50 - 13.38) | 3.798 (0.530 - 4.958)               | 16.68               | 99               |
| 20+22+22+35+80           | 1.34                  | 1.47   | 1.47   | 2.35   | 5.36   | -      | 12.00 (3.50 - 13.40) | 3.808 (0.530 - 4.948)               | 16.72               | 99               |
| 20+22+22+42+42           | 1.61                  | 1.78   | 1.78   | 3.39*  | 3.39*  | -      | 11.95 (3.50 - 13.29) | 3.705 (0.530 - 4.965)               | 16.27               | 99               |
| 20+22+22+42+50           | 1.53                  | 1.69   | 1.69   | 3.22*  | 3.83*  | -      | 11.96 (3.50 - 13.32) | 3.735 (0.530 - 4.965)               | 16.40               | 99               |
| 20+22+22+42+60           | 1.44                  | 1.59   | 1.59   | 3.03*  | 4.33   | -      | 11.98 (3.50 - 13.36) | 3.768 (0.530 - 4.948)               | 16.55               | 99               |
| 20+22+22+42+71           | 1.36                  | 1.49   | 1.49   | 2.85*  | 4.81   | -      | 12.00 (3.50 - 13.40) | 3.812 (0.530 - 4.952)               | 16.74               | 99               |
| 20+22+22+50+50           | 1.46                  | 1.61   | 1.61   | 3.65*  | 3.65*  | -      | 11.98 (3.50 - 13.36) | 3.775 (0.530 - 4.965)               | 16.58               | 99               |
| 20+22+22+50+60           | 1.38                  | 1.52   | 1.52   | 3.45*  | 4.14   | -      | 12.00 (3.50 - 13.40) | 3.808 (0.530 - 4.948)               | 16.72               | 99               |
| 20+22+25+25+25           | 1.95                  | 2.15   | 2.44   | 2.44   | 2.44   | -      | 11.42 (3.50 - 13.20) | 3.417 (0.530 - 4.957)               | 15.01               | 99               |
| 20+22+25+25+35           | 1.87                  | 2.06   | 2.34   | 2.34   | 3.28   | -      | 11.90 (3.50 - 13.21) | 3.617 (0.530 - 4.977)               | 15.88               | 99               |
| 20+22+25+25+42           | 1.78                  | 1.96   | 2.22   | 2.22   | 3.74*  | -      | 11.92 (3.50 - 13.24) | 3.641 (0.530 - 4.971)               | 15.99               | 99               |
| 20+22+25+25+50           | 1.68                  | 1.85   | 2.10   | 2.10   | 4.20*  | -      | 11.93 (3.50 - 13.27) | 3.681 (0.530 - 4.971)               | 16.17               | 99               |
| 20+22+25+25+60           | 1.57                  | 1.73   | 1.97   | 1.97   | 4.72   | -      | 11.95 (3.50 - 13.31) | 3.704 (0.530 - 4.954)               | 16.27               | 99               |
| 20+22+25+25+71           | 1.47                  | 1.62   | 1.84   | 1.84   | 5.22   | -      | 11.98 (3.50 - 13.35) | 3.758 (0.530 - 4.958)               | 16.50               | 99               |
| 20+22+25+25+80           | 1.39                  | 1.53   | 1.74   | 1.74   | 5.58   | -      | 11.99 (3.50 - 13.39) | 3.798 (0.530 - 4.948)               | 16.68               | 99               |
| 20+22+25+35+35           | 1.74                  | 1.91   | 2.18   | 3.05   | 3.05   | -      | 11.92 (3.50 - 13.25) | 3.667 (0.530 - 4.977)               | 16.10               | 99               |
| 20+22+25+35+42           | 1.66                  | 1.82   | 2.07   | 2.90   | 3.48*  | -      | 11.94 (3.50 - 13.28) | 3.691 (0.530 - 4.971)               | 16.21               | 99               |
| 20+22+25+35+50           | 1.57                  | 1.73   | 1.97   | 2.75   | 3.93*  | -      | 11.95 (3.50 - 13.31) | 3.721 (0.530 - 4.971)               | 16.34               | 99               |
| 20+22+25+35+60           | 1.48                  | 1.63   | 1.85   | 2.59   | 4.43   | -      | 11.97 (3.50 - 13.35) | 3.754 (0.530 - 4.954)               | 16.49               | 99               |
| 20+22+25+35+71           | 1.39                  | 1.53   | 1.73   | 2.43   | 4.92   | -      | 12.00 (3.50 - 13.39) | 3.808 (0.530 - 4.958)               | 16.72               | 99               |
| 20+22+25+42+42           | 1.58                  | 1.74   | 1.98   | 3.32*  | 3.32*  | -      | 11.95 (3.50 - 13.30) | 3.715 (0.530 - 4.965)               | 16.32               | 99               |
| 20+22+25+42+50           | 1.51                  | 1.66   | 1.88   | 3.16*  | 3.76*  | -      | 11.97 (3.50 - 13.34) | 3.755 (0.530 - 4.965)               | 16.49               | 99               |
| 20+22+25+42+60           | 1.42                  | 1.56   | 1.77   | 2.98*  | 4.26   | -      | 11.99 (3.50 - 13.38) | 3.778 (0.530 - 4.948)               | 16.59               | 99               |
| 20+22+25+42+71           | 1.33                  | 1.47   | 1.67   | 2.80*  | 4.73   | -      | 12.00 (3.50 - 13.40) | 3.812 (0.530 - 4.952)               | 16.74               | 99               |
| 20+22+25+50+50           | 1.43                  | 1.58   | 1.79   | 3.59*  | 3.59*  | -      | 11.98 (3.50 - 13.37) | 3.785 (0.530 - 4.965)               | 16.62               | 99               |
| 20+22+25+50+60           | 1.36                  | 1.49   | 1.69   | 3.39*  | 4.07   | -      | 12.00 (3.50 - 13.40) | 3.808 (0.530 - 4.948)               | 16.72               | 99               |
| 20+22+35+35+35           | 1.62                  | 1.79   | 2.84   | 2.84   | 2.84   | -      | 11.94 (3.50 - 13.29) | 3.707 (0.530 - 4.977)               | 16.28               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+22+35+35+42           | 1.55                  | 1.71   | 2.72   | 2.72   | 3.26*  | -      | 11.96 (3.50 - 13.32) | 3.731 (0.530 - 4.971)               | 16.39               | 99               |
| 20+22+35+35+50           | 1.48                  | 1.63   | 2.59   | 2.59   | 3.69*  | -      | 11.97 (3.50 - 13.35) | 3.771 (0.530 - 4.971)               | 16.56               | 99               |
| 20+22+35+35+60           | 1.39                  | 1.53   | 2.44   | 2.44   | 4.18   | -      | 11.99 (3.50 - 13.39) | 3.804 (0.530 - 4.954)               | 16.71               | 99               |
| 20+22+35+42+42           | 1.49                  | 1.64   | 2.60   | 3.12*  | 3.12*  | -      | 11.97 (3.50 - 13.34) | 3.765 (0.530 - 4.965)               | 16.53               | 99               |
| 20+22+35+42+50           | 1.42                  | 1.56   | 2.48   | 2.98*  | 3.55*  | -      | 11.99 (3.50 - 13.38) | 3.795 (0.530 - 4.965)               | 16.67               | 99               |
| 20+22+35+42+60           | 1.34                  | 1.47   | 2.35   | 2.82*  | 4.02   | -      | 12.00 (3.50 - 13.40) | 3.808 (0.530 - 4.948)               | 16.72               | 99               |
| 20+22+35+50+50           | 1.36                  | 1.49   | 2.37   | 3.39*  | 3.39*  | -      | 12.00 (3.50 - 13.40) | 3.825 (0.530 - 4.965)               | 16.80               | 99               |
| 20+22+42+42+42           | 1.43                  | 1.57   | 3.00*  | 3.00*  | 3.00*  | -      | 11.99 (3.50 - 13.37) | 3.789 (0.530 - 4.959)               | 16.64               | 99               |
| 20+22+42+42+50           | 1.36                  | 1.50   | 2.86*  | 2.86*  | 3.41*  | -      | 12.00 (3.50 - 13.40) | 3.819 (0.530 - 4.959)               | 16.77               | 99               |
| 20+25+25+25+25           | 1.93                  | 2.42   | 2.42   | 2.42   | 2.42   | -      | 11.60 (3.50 - 13.20) | 3.487 (0.530 - 4.967)               | 15.31               | 99               |
| 20+25+25+25+35           | 1.83                  | 2.29   | 2.29   | 2.29   | 3.21   | -      | 11.91 (3.50 - 13.22) | 3.627 (0.530 - 4.977)               | 15.93               | 99               |
| 20+25+25+25+42           | 1.74                  | 2.18   | 2.18   | 2.18   | 3.65*  | -      | 11.92 (3.50 - 13.25) | 3.661 (0.530 - 4.971)               | 16.08               | 99               |
| 20+25+25+25+50           | 1.65                  | 2.06   | 2.06   | 2.06   | 4.12*  | -      | 11.94 (3.50 - 13.28) | 3.691 (0.530 - 4.971)               | 16.21               | 99               |
| 20+25+25+25+60           | 1.54                  | 1.93   | 1.93   | 1.93   | 4.63   | -      | 11.96 (3.50 - 13.32) | 3.724 (0.530 - 4.954)               | 16.35               | 99               |
| 20+25+25+25+71           | 1.44                  | 1.80   | 1.80   | 1.80   | 5.12   | -      | 11.98 (3.50 - 13.36) | 3.778 (0.530 - 4.958)               | 16.59               | 99               |
| 20+25+25+25+80           | 1.37                  | 1.71   | 1.71   | 1.71   | 5.49   | -      | 12.00 (3.50 - 13.40) | 3.808 (0.530 - 4.948)               | 16.72               | 99               |
| 20+25+25+35+35           | 1.70                  | 2.13   | 2.13   | 2.98   | 2.98   | -      | 11.93 (3.50 - 13.26) | 3.677 (0.530 - 4.977)               | 16.15               | 99               |
| 20+25+25+35+42           | 1.62                  | 2.03   | 2.03   | 2.84   | 3.41*  | -      | 11.94 (3.50 - 13.29) | 3.701 (0.530 - 4.971)               | 16.25               | 99               |
| 20+25+25+35+50           | 1.54                  | 1.93   | 1.93   | 2.70   | 3.86*  | -      | 11.96 (3.50 - 13.32) | 3.741 (0.530 - 4.971)               | 16.43               | 99               |
| 20+25+25+35+60           | 1.45                  | 1.82   | 1.82   | 2.54   | 4.36   | -      | 11.98 (3.50 - 13.36) | 3.764 (0.530 - 4.954)               | 16.53               | 99               |
| 20+25+25+35+71           | 1.36                  | 1.70   | 1.70   | 2.39   | 4.84   | -      | 12.00 (3.50 - 13.40) | 3.818 (0.530 - 4.958)               | 16.77               | 99               |
| 20+25+25+42+42           | 1.55                  | 1.94   | 1.94   | 3.26*  | 3.26*  | -      | 11.96 (3.50 - 13.32) | 3.725 (0.530 - 4.965)               | 16.36               | 99               |
| 20+25+25+42+50           | 1.48                  | 1.85   | 1.85   | 3.10*  | 3.69*  | -      | 11.97 (3.50 - 13.35) | 3.765 (0.530 - 4.965)               | 16.53               | 99               |
| 20+25+25+42+60           | 1.39                  | 1.74   | 1.74   | 2.93*  | 4.18   | -      | 11.99 (3.50 - 13.39) | 3.798 (0.530 - 4.948)               | 16.68               | 99               |
| 20+25+25+50+50           | 1.41                  | 1.76   | 1.76   | 3.53*  | 3.53*  | -      | 11.99 (3.50 - 13.38) | 3.805 (0.530 - 4.965)               | 16.71               | 99               |
| 20+25+25+50+60           | 1.33                  | 1.67   | 1.67   | 3.33*  | 4.00   | -      | 12.00 (3.50 - 13.40) | 3.808 (0.530 - 4.948)               | 16.72               | 99               |
| 20+25+35+35+35           | 1.59                  | 1.99   | 2.79   | 2.79   | 2.79   | -      | 11.95 (3.50 - 13.30) | 3.727 (0.530 - 4.977)               | 16.37               | 99               |
| 20+25+35+35+42           | 1.52                  | 1.90   | 2.67   | 2.67   | 3.20*  | -      | 11.96 (3.50 - 13.33) | 3.751 (0.530 - 4.971)               | 16.47               | 99               |
| 20+25+35+35+50           | 1.45                  | 1.82   | 2.54   | 2.54   | 3.63*  | -      | 11.98 (3.50 - 13.36) | 3.781 (0.530 - 4.971)               | 16.61               | 99               |
| 20+25+35+35+60           | 1.37                  | 1.71   | 2.40   | 2.40   | 4.11   | -      | 12.00 (3.50 - 13.40) | 3.814 (0.530 - 4.954)               | 16.75               | 99               |
| 20+25+35+42+42           | 1.46                  | 1.83   | 2.56   | 3.07*  | 3.07*  | -      | 11.98 (3.50 - 13.36) | 3.775 (0.530 - 4.965)               | 16.58               | 99               |
| 20+25+35+42+50           | 1.39                  | 1.74   | 2.44   | 2.93*  | 3.49*  | -      | 11.99 (3.50 - 13.39) | 3.815 (0.530 - 4.965)               | 16.75               | 99               |
| 20+25+35+50+50           | 1.33                  | 1.67   | 2.33   | 3.33*  | 3.33*  | -      | 12.00 (3.50 - 13.40) | 3.825 (0.530 - 4.965)               | 16.80               | 99               |
| 20+25+42+42+42           | 1.40                  | 1.75   | 2.94*  | 2.94*  | 2.94*  | -      | 11.99 (3.50 - 13.38) | 3.799 (0.530 - 4.959)               | 16.68               | 99               |
| 20+25+42+42+50           | 1.34                  | 1.68   | 2.82*  | 2.82*  | 3.35*  | -      | 12.00 (3.50 - 13.40) | 3.819 (0.530 - 4.959)               | 16.77               | 99               |
| 20+35+35+35+35           | 1.50                  | 2.62   | 2.62   | 2.62   | 2.62   | -      | 11.97 (3.50 - 13.34) | 3.767 (0.530 - 4.977)               | 16.54               | 99               |
| 20+35+35+35+42           | 1.43                  | 2.51   | 2.51   | 2.51   | 3.01*  | -      | 11.98 (3.50 - 13.37) | 3.791 (0.530 - 4.971)               | 16.65               | 99               |
| 20+35+35+35+50           | 1.37                  | 2.40   | 2.40   | 2.40   | 3.43*  | -      | 12.00 (3.50 - 13.40) | 3.831 (0.530 - 4.971)               | 16.82               | 99               |
| 20+35+35+42+42           | 1.38                  | 2.41   | 2.41   | 2.90*  | 2.90*  | -      | 12.00 (3.50 - 13.40) | 3.825 (0.530 - 4.965)               | 16.80               | 99               |
| 22+22+22+22+22           | 2.20                  | 2.20   | 2.20   | 2.20   | 2.20   | -      | 11.00 (3.50 - 13.20) | 3.250 (0.530 - 4.970)               | 14.27               | 99               |
| 22+22+22+22+25           | 2.18                  | 2.18   | 2.18   | 2.18   | 2.47   | -      | 11.18 (3.50 - 13.20) | 3.320 (0.530 - 4.940)               | 14.58               | 99               |
| 22+22+22+22+35           | 2.11                  | 2.11   | 2.11   | 2.11   | 3.35   | -      | 11.78 (3.50 - 13.20) | 3.550 (0.530 - 4.970)               | 15.59               | 99               |
| 22+22+22+22+42           | 2.02                  | 2.02   | 2.02   | 2.02   | 3.85*  | -      | 11.91 (3.50 - 13.22) | 3.614 (0.530 - 4.964)               | 15.87               | 99               |
| 22+22+22+22+50           | 1.90                  | 1.90   | 1.90   | 1.90   | 4.32*  | -      | 11.93 (3.50 - 13.25) | 3.654 (0.530 - 4.964)               | 16.05               | 99               |
| 22+22+22+22+60           | 1.78                  | 1.78   | 1.78   | 1.78   | 4.84   | -      | 11.95 (3.50 - 13.29) | 3.687 (0.530 - 4.947)               | 16.19               | 99               |
| 22+22+22+22+71           | 1.66                  | 1.66   | 1.66   | 1.66   | 5.35   | -      | 11.97 (3.50 - 13.34) | 3.741 (0.530 - 4.951)               | 16.43               | 99               |
| 22+22+22+22+80           | 1.57                  | 1.57   | 1.57   | 1.57   | 5.71   | -      | 11.99 (3.50 - 13.37) | 3.771 (0.530 - 4.941)               | 16.56               | 99               |
| 22+22+22+25+25           | 2.15                  | 2.15   | 2.15   | 2.45   | 2.45   | -      | 11.36 (3.50 - 13.20) | 3.390 (0.530 - 4.950)               | 14.89               | 99               |
| 22+22+22+25+35           | 2.08                  | 2.08   | 2.08   | 2.36   | 3.31   | -      | 11.90 (3.50 - 13.20) | 3.600 (0.530 - 4.970)               | 15.81               | 99               |
| 22+22+22+25+42           | 1.97                  | 1.97   | 1.97   | 2.24   | 3.76*  | -      | 11.92 (3.50 - 13.23) | 3.634 (0.530 - 4.964)               | 15.96               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 22+22+22+25+50           | 1.86                  | 1.86   | 1.86   | 2.12   | 4.23*  | -      | 11.93 (3.50 - 13.26) | 3.664 (0.530 - 4.964)               | 16.09               | 99               |
| 22+22+22+25+60           | 1.74                  | 1.74   | 1.74   | 1.98   | 4.75   | -      | 11.95 (3.50 - 13.30) | 3.697 (0.530 - 4.947)               | 16.24               | 99               |
| 22+22+22+25+71           | 1.63                  | 1.63   | 1.63   | 1.85   | 5.25   | -      | 11.97 (3.50 - 13.35) | 3.751 (0.530 - 4.951)               | 16.47               | 99               |
| 22+22+22+25+80           | 1.54                  | 1.54   | 1.54   | 1.75   | 5.61   | -      | 11.99 (3.50 - 13.38) | 3.781 (0.530 - 4.941)               | 16.61               | 99               |
| 22+22+22+35+35           | 1.93                  | 1.93   | 1.93   | 3.07   | 3.07   | -      | 11.92 (3.50 - 13.24) | 3.650 (0.530 - 4.970)               | 16.03               | 99               |
| 22+22+22+35+42           | 1.84                  | 1.84   | 1.84   | 2.92   | 3.51*  | -      | 11.94 (3.50 - 13.27) | 3.674 (0.530 - 4.964)               | 16.14               | 99               |
| 22+22+22+35+50           | 1.74                  | 1.74   | 1.74   | 2.77   | 3.96*  | -      | 11.95 (3.50 - 13.30) | 3.714 (0.530 - 4.964)               | 16.31               | 99               |
| 22+22+22+35+60           | 1.64                  | 1.64   | 1.64   | 2.60   | 4.46   | -      | 11.97 (3.50 - 13.34) | 3.747 (0.530 - 4.947)               | 16.46               | 99               |
| 22+22+22+35+71           | 1.53                  | 1.53   | 1.53   | 2.44   | 4.95   | -      | 11.99 (3.50 - 13.39) | 3.801 (0.530 - 4.951)               | 16.69               | 99               |
| 22+22+22+42+42           | 1.75                  | 1.75   | 1.75   | 3.35*  | 3.35*  | -      | 11.95 (3.50 - 13.30) | 3.708 (0.530 - 4.958)               | 16.28               | 99               |
| 22+22+22+42+50           | 1.67                  | 1.67   | 1.67   | 3.18*  | 3.79*  | -      | 11.97 (3.50 - 13.33) | 3.738 (0.530 - 4.958)               | 16.42               | 99               |
| 22+22+22+42+60           | 1.57                  | 1.57   | 1.57   | 3.00*  | 4.28   | -      | 11.99 (3.50 - 13.37) | 3.771 (0.530 - 4.941)               | 16.56               | 99               |
| 22+22+22+42+71           | 1.47                  | 1.47   | 1.47   | 2.82*  | 4.76   | -      | 12.00 (3.50 - 13.40) | 3.805 (0.530 - 4.945)               | 16.71               | 99               |
| 22+22+22+50+50           | 1.59                  | 1.59   | 1.59   | 3.61*  | 3.61*  | -      | 11.98 (3.50 - 13.36) | 3.778 (0.530 - 4.958)               | 16.59               | 99               |
| 22+22+22+50+60           | 1.50                  | 1.50   | 1.50   | 3.41*  | 4.09   | -      | 12.00 (3.50 - 13.40) | 3.801 (0.530 - 4.941)               | 16.69               | 99               |
| 22+22+25+25+25           | 2.13                  | 2.13   | 2.42   | 2.42   | 2.42   | -      | 11.54 (3.50 - 13.20) | 3.460 (0.530 - 4.960)               | 15.20               | 99               |
| 22+22+25+25+35           | 2.03                  | 2.03   | 2.31   | 2.31   | 3.23   | -      | 11.91 (3.50 - 13.22) | 3.620 (0.530 - 4.970)               | 15.90               | 99               |
| 22+22+25+25+42           | 1.93                  | 1.93   | 2.19   | 2.19   | 3.68*  | -      | 11.92 (3.50 - 13.24) | 3.644 (0.530 - 4.964)               | 16.00               | 99               |
| 22+22+25+25+50           | 1.82                  | 1.82   | 2.07   | 2.07   | 4.15*  | -      | 11.94 (3.50 - 13.28) | 3.684 (0.530 - 4.964)               | 16.18               | 99               |
| 22+22+25+25+60           | 1.71                  | 1.71   | 1.94   | 1.94   | 4.66   | -      | 11.96 (3.50 - 13.32) | 3.707 (0.530 - 4.947)               | 16.28               | 99               |
| 22+22+25+25+71           | 1.60                  | 1.60   | 1.82   | 1.82   | 5.16   | -      | 11.98 (3.50 - 13.36) | 3.761 (0.530 - 4.951)               | 16.52               | 99               |
| 22+22+25+25+80           | 1.52                  | 1.52   | 1.72   | 1.72   | 5.52   | -      | 12.00 (3.50 - 13.40) | 3.801 (0.530 - 4.941)               | 16.69               | 99               |
| 22+22+25+35+35           | 1.89                  | 1.89   | 2.15   | 3.00   | 3.00   | -      | 11.93 (3.50 - 13.26) | 3.660 (0.530 - 4.970)               | 16.07               | 99               |
| 22+22+25+35+42           | 1.80                  | 1.80   | 2.04   | 2.86   | 3.43*  | -      | 11.94 (3.50 - 13.28) | 3.694 (0.530 - 4.964)               | 16.22               | 99               |
| 22+22+25+35+50           | 1.71                  | 1.71   | 1.94   | 2.72   | 3.88*  | -      | 11.96 (3.50 - 13.32) | 3.724 (0.530 - 4.964)               | 16.35               | 99               |
| 22+22+25+35+60           | 1.61                  | 1.61   | 1.83   | 2.56   | 4.38   | -      | 11.98 (3.50 - 13.36) | 3.757 (0.530 - 4.947)               | 16.50               | 99               |
| 22+22+25+35+71           | 1.51                  | 1.51   | 1.71   | 2.40   | 4.87   | -      | 12.00 (3.50 - 13.40) | 3.811 (0.530 - 4.951)               | 16.74               | 99               |
| 22+22+25+42+42           | 1.72                  | 1.72   | 1.95   | 3.28*  | 3.28*  | -      | 11.96 (3.50 - 13.31) | 3.718 (0.530 - 4.958)               | 16.33               | 99               |
| 22+22+25+42+50           | 1.64                  | 1.64   | 1.86   | 3.12*  | 3.72*  | -      | 11.97 (3.50 - 13.34) | 3.758 (0.530 - 4.958)               | 16.50               | 99               |
| 22+22+25+42+60           | 1.54                  | 1.54   | 1.75   | 2.94*  | 4.21   | -      | 11.99 (3.50 - 13.38) | 3.781 (0.530 - 4.941)               | 16.61               | 99               |
| 22+22+25+50+50           | 1.56                  | 1.56   | 1.77   | 3.55*  | 3.55*  | -      | 11.99 (3.50 - 13.38) | 3.788 (0.530 - 4.958)               | 16.64               | 99               |
| 22+22+25+50+60           | 1.47                  | 1.47   | 1.68   | 3.35*  | 4.02   | -      | 12.00 (3.50 - 13.40) | 3.801 (0.530 - 4.941)               | 16.69               | 99               |
| 22+22+35+35+35           | 1.76                  | 1.76   | 2.81   | 2.81   | 2.81   | -      | 11.95 (3.50 - 13.30) | 3.710 (0.530 - 4.970)               | 16.29               | 99               |
| 22+22+35+35+42           | 1.69                  | 1.69   | 2.68   | 2.68   | 3.22*  | -      | 11.96 (3.50 - 13.32) | 3.734 (0.530 - 4.964)               | 16.40               | 99               |
| 22+22+35+35+50           | 1.61                  | 1.61   | 2.56   | 2.56   | 3.65*  | -      | 11.98 (3.50 - 13.36) | 3.774 (0.530 - 4.964)               | 16.57               | 99               |
| 22+22+35+35+60           | 1.52                  | 1.52   | 2.41   | 2.41   | 4.14   | -      | 12.00 (3.50 - 13.40) | 3.807 (0.530 - 4.947)               | 16.72               | 99               |
| 22+22+35+42+42           | 1.62                  | 1.62   | 2.57   | 3.09*  | 3.09*  | -      | 11.98 (3.50 - 13.35) | 3.758 (0.530 - 4.958)               | 16.50               | 99               |
| 22+22+35+42+50           | 1.54                  | 1.54   | 2.45   | 2.94*  | 3.51*  | -      | 11.99 (3.50 - 13.38) | 3.798 (0.530 - 4.958)               | 16.68               | 99               |
| 22+22+35+50+50           | 1.47                  | 1.47   | 2.35   | 3.35*  | 3.35*  | -      | 12.00 (3.50 - 13.40) | 3.818 (0.530 - 4.958)               | 16.77               | 99               |
| 22+22+42+42+42           | 1.55                  | 1.55   | 2.96*  | 2.96*  | 2.96*  | -      | 11.99 (3.50 - 13.38) | 3.792 (0.530 - 4.952)               | 16.65               | 99               |
| 22+22+42+42+50           | 1.48                  | 1.48   | 2.83*  | 2.83*  | 3.37*  | -      | 12.00 (3.50 - 13.40) | 3.812 (0.530 - 4.952)               | 16.74               | 99               |
| 22+25+25+25+25           | 2.11                  | 2.40   | 2.40   | 2.40   | 2.40   | -      | 11.72 (3.50 - 13.20) | 3.530 (0.530 - 4.960)               | 15.50               | 99               |
| 22+25+25+25+35           | 1.99                  | 2.26   | 2.26   | 2.26   | 3.16   | -      | 11.91 (3.50 - 13.23) | 3.630 (0.530 - 4.970)               | 15.94               | 99               |
| 22+25+25+25+42           | 1.89                  | 2.15   | 2.15   | 2.15   | 3.60*  | -      | 11.93 (3.50 - 13.26) | 3.654 (0.530 - 4.964)               | 16.05               | 99               |
| 22+25+25+25+50           | 1.79                  | 2.03   | 2.03   | 2.03   | 4.06*  | -      | 11.94 (3.50 - 13.29) | 3.694 (0.530 - 4.964)               | 16.22               | 99               |
| 22+25+25+25+60           | 1.68                  | 1.90   | 1.90   | 1.90   | 4.57   | -      | 11.96 (3.50 - 13.33) | 3.727 (0.530 - 4.947)               | 16.37               | 99               |
| 22+25+25+25+71           | 1.57                  | 1.78   | 1.78   | 1.78   | 5.07   | -      | 11.99 (3.50 - 13.37) | 3.781 (0.530 - 4.951)               | 16.61               | 99               |
| 22+25+25+25+80           | 1.49                  | 1.69   | 1.69   | 1.69   | 5.42   | -      | 12.00 (3.50 - 13.40) | 3.801 (0.530 - 4.941)               | 16.69               | 99               |
| 22+25+25+35+35           | 1.85                  | 2.10   | 2.10   | 2.94   | 2.94   | -      | 11.93 (3.50 - 13.27) | 3.680 (0.530 - 4.970)               | 16.16               | 99               |
| 22+25+25+35+42           | 1.76                  | 2.01   | 2.01   | 2.81   | 3.37*  | -      | 11.95 (3.50 - 13.30) | 3.704 (0.530 - 4.964)               | 16.27               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 22+25+25+35+50           | 1.68                  | 1.90   | 1.90   | 2.67   | 3.81*  | -      | 11.96 (3.50 - 13.33) | 3.744 (0.530 - 4.964)               | 16.44               | 99               |
| 22+25+25+35+60           | 1.58                  | 1.79   | 1.79   | 2.51   | 4.30   | -      | 11.98 (3.50 - 13.37) | 3.767 (0.530 - 4.947)               | 16.54               | 99               |
| 22+25+25+35+71           | 1.48                  | 1.69   | 1.69   | 2.36   | 4.79   | -      | 12.00 (3.50 - 13.40) | 3.811 (0.530 - 4.951)               | 16.74               | 99               |
| 22+25+25+42+42           | 1.69                  | 1.92   | 1.92   | 3.22*  | 3.22*  | -      | 11.96 (3.50 - 13.32) | 3.728 (0.530 - 4.958)               | 16.37               | 99               |
| 22+25+25+42+50           | 1.61                  | 1.83   | 1.83   | 3.07*  | 3.65*  | -      | 11.98 (3.50 - 13.36) | 3.768 (0.530 - 4.958)               | 16.55               | 99               |
| 22+25+25+42+60           | 1.52                  | 1.72   | 1.72   | 2.90*  | 4.14   | -      | 12.00 (3.50 - 13.40) | 3.801 (0.530 - 4.941)               | 16.69               | 99               |
| 22+25+25+50+50           | 1.53                  | 1.74   | 1.74   | 3.49*  | 3.49*  | -      | 11.99 (3.50 - 13.39) | 3.808 (0.530 - 4.958)               | 16.72               | 99               |
| 22+25+35+35+35           | 1.73                  | 1.97   | 2.75   | 2.75   | 2.75   | -      | 11.95 (3.50 - 13.31) | 3.720 (0.530 - 4.970)               | 16.34               | 99               |
| 22+25+35+35+42           | 1.66                  | 1.88   | 2.63   | 2.63   | 3.16*  | -      | 11.97 (3.50 - 13.34) | 3.754 (0.530 - 4.964)               | 16.49               | 99               |
| 22+25+35+35+50           | 1.58                  | 1.79   | 2.51   | 2.51   | 3.59*  | -      | 11.98 (3.50 - 13.37) | 3.784 (0.530 - 4.964)               | 16.62               | 99               |
| 22+25+35+35+60           | 1.49                  | 1.69   | 2.37   | 2.37   | 4.07   | -      | 12.00 (3.50 - 13.40) | 3.807 (0.530 - 4.947)               | 16.72               | 99               |
| 22+25+35+42+42           | 1.59                  | 1.80   | 2.53   | 3.03*  | 3.03*  | -      | 11.98 (3.50 - 13.36) | 3.778 (0.530 - 4.958)               | 16.59               | 99               |
| 22+25+35+42+50           | 1.52                  | 1.72   | 2.41   | 2.90*  | 3.45*  | -      | 12.00 (3.50 - 13.40) | 3.818 (0.530 - 4.958)               | 16.77               | 99               |
| 22+25+42+42+42           | 1.53                  | 1.73   | 2.91*  | 2.91*  | 2.91*  | -      | 12.00 (3.50 - 13.39) | 3.802 (0.530 - 4.952)               | 16.70               | 99               |
| 22+35+35+35+35           | 1.63                  | 2.59   | 2.59   | 2.59   | 2.59   | -      | 11.97 (3.50 - 13.35) | 3.770 (0.530 - 4.970)               | 16.56               | 99               |
| 22+35+35+35+42           | 1.56                  | 2.48   | 2.48   | 2.48   | 2.98*  | -      | 11.99 (3.50 - 13.38) | 3.794 (0.530 - 4.964)               | 16.66               | 99               |
| 22+35+35+35+50           | 1.49                  | 2.37   | 2.37   | 2.37   | 3.39*  | -      | 12.00 (3.50 - 13.40) | 3.824 (0.530 - 4.964)               | 16.79               | 99               |
| 22+35+35+42+42           | 1.50                  | 2.39   | 2.39   | 2.86*  | 2.86*  | -      | 12.00 (3.50 - 13.40) | 3.818 (0.530 - 4.958)               | 16.77               | 99               |
| 25+25+25+25+25           | 2.38                  | 2.38   | 2.38   | 2.38   | 2.38   | -      | 11.90 (3.50 - 13.20) | 3.600 (0.530 - 4.970)               | 15.81               | 99               |
| 25+25+25+25+35           | 2.21                  | 2.21   | 2.21   | 2.21   | 3.09   | -      | 11.92 (3.50 - 13.24) | 3.650 (0.530 - 4.970)               | 16.03               | 99               |
| 25+25+25+25+42           | 2.10                  | 2.10   | 2.10   | 2.10   | 3.53*  | -      | 11.93 (3.50 - 13.27) | 3.674 (0.530 - 4.964)               | 16.14               | 99               |
| 25+25+25+25+50           | 1.99                  | 1.99   | 1.99   | 1.99   | 3.98*  | -      | 11.95 (3.50 - 13.30) | 3.714 (0.530 - 4.964)               | 16.31               | 99               |
| 25+25+25+25+60           | 1.87                  | 1.87   | 1.87   | 1.87   | 4.49   | -      | 11.97 (3.50 - 13.34) | 3.737 (0.530 - 4.947)               | 16.41               | 99               |
| 25+25+25+25+71           | 1.75                  | 1.75   | 1.75   | 1.75   | 4.98   | -      | 11.99 (3.50 - 13.38) | 3.791 (0.530 - 4.951)               | 16.65               | 99               |
| 25+25+25+25+80           | 1.67                  | 1.67   | 1.67   | 1.67   | 5.33   | -      | 12.00 (3.50 - 13.40) | 3.801 (0.530 - 4.941)               | 16.69               | 99               |
| 25+25+25+35+35           | 2.06                  | 2.06   | 2.06   | 2.88   | 2.88   | -      | 11.94 (3.50 - 13.28) | 3.690 (0.530 - 4.970)               | 16.21               | 99               |
| 25+25+25+35+42           | 1.97                  | 1.97   | 1.97   | 2.75   | 3.30*  | -      | 11.95 (3.50 - 13.31) | 3.714 (0.530 - 4.964)               | 16.31               | 99               |
| 25+25+25+35+50           | 1.87                  | 1.87   | 1.87   | 2.62   | 3.74*  | -      | 11.97 (3.50 - 13.34) | 3.754 (0.530 - 4.964)               | 16.49               | 99               |
| 25+25+25+35+60           | 1.76                  | 1.76   | 1.76   | 2.47   | 4.23   | -      | 11.99 (3.50 - 13.38) | 3.787 (0.530 - 4.947)               | 16.63               | 99               |
| 25+25+25+42+42           | 1.88                  | 1.88   | 1.88   | 3.16*  | 3.16*  | -      | 11.97 (3.50 - 13.34) | 3.748 (0.530 - 4.958)               | 16.46               | 99               |
| 25+25+25+42+50           | 1.79                  | 1.79   | 1.79   | 3.01*  | 3.59*  | -      | 11.98 (3.50 - 13.37) | 3.778 (0.530 - 4.958)               | 16.59               | 99               |
| 25+25+25+42+60           | 1.69                  | 1.69   | 1.69   | 2.85*  | 4.07   | -      | 12.00 (3.50 - 13.40) | 3.801 (0.530 - 4.941)               | 16.69               | 99               |
| 25+25+25+50+50           | 1.71                  | 1.71   | 1.71   | 3.43*  | 3.43*  | -      | 12.00 (3.50 - 13.40) | 3.818 (0.530 - 4.958)               | 16.77               | 99               |
| 25+25+35+35+35           | 1.93                  | 1.93   | 2.70   | 2.70   | 2.70   | -      | 11.96 (3.50 - 13.32) | 3.740 (0.530 - 4.970)               | 16.43               | 99               |
| 25+25+35+35+42           | 1.85                  | 1.85   | 2.59   | 2.59   | 3.10*  | -      | 11.97 (3.50 - 13.35) | 3.764 (0.530 - 4.964)               | 16.53               | 99               |
| 25+25+35+35+50           | 1.76                  | 1.76   | 2.47   | 2.47   | 3.53*  | -      | 11.99 (3.50 - 13.38) | 3.804 (0.530 - 4.964)               | 16.71               | 99               |
| 25+25+35+35+60           | 1.67                  | 1.67   | 2.33   | 2.33   | 4.00   | -      | 12.00 (3.50 - 13.40) | 3.807 (0.530 - 4.947)               | 16.72               | 99               |
| 25+25+35+42+42           | 1.77                  | 1.77   | 2.48   | 2.98*  | 2.98*  | -      | 11.99 (3.50 - 13.38) | 3.788 (0.530 - 4.958)               | 16.64               | 99               |
| 25+25+35+42+50           | 1.69                  | 1.69   | 2.37   | 2.85*  | 3.39*  | -      | 12.00 (3.50 - 13.40) | 3.818 (0.530 - 4.958)               | 16.77               | 99               |
| 25+25+42+42+42           | 1.70                  | 1.70   | 2.86*  | 2.86*  | 2.86*  | -      | 12.00 (3.50 - 13.40) | 3.812 (0.530 - 4.952)               | 16.74               | 99               |
| 25+35+35+35+35           | 1.82                  | 2.54   | 2.54   | 2.54   | 2.54   | -      | 11.98 (3.50 - 13.36) | 3.780 (0.530 - 4.970)               | 16.60               | 99               |
| 25+35+35+35+42           | 1.74                  | 2.44   | 2.44   | 2.44   | 2.93*  | -      | 11.99 (3.50 - 13.39) | 3.814 (0.530 - 4.964)               | 16.75               | 99               |
| 25+35+35+35+50           | 1.67                  | 2.33   | 2.33   | 2.33   | 3.33*  | -      | 12.00 (3.50 - 13.40) | 3.824 (0.530 - 4.964)               | 16.79               | 99               |
| 25+35+35+42+42           | 1.68                  | 2.35   | 2.35   | 2.82*  | 2.82*  | -      | 12.00 (3.50 - 13.40) | 3.818 (0.530 - 4.958)               | 16.77               | 99               |
| 35+35+35+35+35           | 2.40                  | 2.40   | 2.40   | 2.40   | 2.40   | -      | 12.00 (3.50 - 13.40) | 3.830 (0.530 - 4.970)               | 16.82               | 99               |
| 15+15+15+15+15+15        | 1.40                  | 1.40   | 1.40   | 1.40   | 1.40   | 1.40   | 8.40 (3.50 - 13.00)  | 2.298 (0.530 - 4.898)               | 10.09               | 99               |
| 15+15+15+15+15+20        | 1.41                  | 1.41   | 1.41   | 1.41   | 1.41   | 1.87   | 8.90 (3.50 - 13.20)  | 2.476 (0.530 - 4.916)               | 10.87               | 99               |
| 15+15+15+15+15+22        | 1.41                  | 1.41   | 1.41   | 1.41   | 1.41   | 2.08   | 9.15 (3.50 - 13.20)  | 2.539 (0.530 - 4.909)               | 11.15               | 99               |
| 15+15+15+15+15+25        | 1.43                  | 1.43   | 1.43   | 1.43   | 1.43   | 2.38   | 9.50 (3.50 - 13.30)  | 2.649 (0.530 - 4.919)               | 11.63               | 99               |
| 15+15+15+15+15+35        | 1.43                  | 1.43   | 1.43   | 1.43   | 1.43   | 3.34   | 10.50 (3.50 - 13.70) | 3.009 (0.530 - 4.959)               | 13.21               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+15+15+15+42        | 1.44                  | 1.44   | 1.44   | 1.44   | 1.44   | 4.02*  | 11.20 (3.50 - 13.90) | 3.253 (0.530 - 4.973)               | 14.29               | 99               |
| 15+15+15+15+15+50        | 1.38                  | 1.38   | 1.38   | 1.38   | 1.38   | 4.60*  | 11.50 (3.50 - 14.00) | 3.333 (0.530 - 4.983)               | 14.64               | 99               |
| 15+15+15+15+15+60        | 1.28                  | 1.28   | 1.28   | 1.28   | 1.28   | 5.11   | 11.50 (3.50 - 14.00) | 3.256 (0.530 - 4.966)               | 14.30               | 99               |
| 15+15+15+15+15+71        | 1.18                  | 1.18   | 1.18   | 1.18   | 1.18   | 5.59   | 11.50 (3.50 - 14.00) | 3.190 (0.530 - 4.970)               | 14.01               | 99               |
| 15+15+15+15+15+80        | 1.11                  | 1.11   | 1.11   | 1.11   | 1.11   | 5.94   | 11.50 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 15+15+15+15+20+20        | 1.41                  | 1.41   | 1.41   | 1.41   | 1.88   | 1.88   | 9.40 (3.50 - 13.30)  | 2.654 (0.530 - 4.924)               | 11.66               | 99               |
| 15+15+15+15+20+22        | 1.42                  | 1.42   | 1.42   | 1.42   | 1.89   | 2.08   | 9.65 (3.50 - 13.40)  | 2.717 (0.530 - 4.927)               | 11.93               | 99               |
| 15+15+15+15+20+25        | 1.43                  | 1.43   | 1.43   | 1.43   | 1.90   | 2.38   | 10.00 (3.50 - 13.50) | 2.827 (0.530 - 4.937)               | 12.42               | 99               |
| 15+15+15+15+20+35        | 1.43                  | 1.43   | 1.43   | 1.43   | 1.91   | 3.35   | 11.00 (3.50 - 13.80) | 3.187 (0.530 - 4.967)               | 14.00               | 99               |
| 15+15+15+15+20+42        | 1.41                  | 1.41   | 1.41   | 1.41   | 1.89   | 3.96*  | 11.50 (3.50 - 14.00) | 3.351 (0.530 - 4.981)               | 14.72               | 99               |
| 15+15+15+15+20+50        | 1.33                  | 1.33   | 1.33   | 1.33   | 1.77   | 4.42*  | 11.50 (3.50 - 14.00) | 3.301 (0.530 - 4.981)               | 14.50               | 99               |
| 15+15+15+15+20+60        | 1.23                  | 1.23   | 1.23   | 1.23   | 1.64   | 4.93   | 11.50 (3.50 - 14.00) | 3.224 (0.530 - 4.964)               | 14.16               | 99               |
| 15+15+15+15+20+71        | 1.14                  | 1.14   | 1.14   | 1.14   | 1.52   | 5.41   | 11.50 (3.50 - 14.00) | 3.168 (0.530 - 4.968)               | 13.91               | 99               |
| 15+15+15+15+20+80        | 1.08                  | 1.08   | 1.08   | 1.08   | 1.44   | 5.75   | 11.50 (3.50 - 14.00) | 3.158 (0.530 - 4.958)               | 13.87               | 99               |
| 15+15+15+15+22+22        | 1.43                  | 1.43   | 1.43   | 1.43   | 2.09   | 2.09   | 9.90 (3.50 - 13.50)  | 2.780 (0.530 - 4.930)               | 12.21               | 99               |
| 15+15+15+15+22+25        | 1.44                  | 1.44   | 1.44   | 1.44   | 2.11   | 2.39   | 10.25 (3.50 - 13.60) | 2.890 (0.530 - 4.940)               | 12.69               | 99               |
| 15+15+15+15+22+35        | 1.44                  | 1.44   | 1.44   | 1.44   | 2.12   | 3.37   | 11.25 (3.50 - 13.90) | 3.250 (0.530 - 4.970)               | 14.27               | 99               |
| 15+15+15+15+22+42        | 1.40                  | 1.40   | 1.40   | 1.40   | 2.05   | 3.91*  | 11.55 (3.50 - 14.00) | 3.334 (0.530 - 4.974)               | 14.64               | 99               |
| 15+15+15+15+22+50        | 1.31                  | 1.31   | 1.31   | 1.31   | 1.93   | 4.38*  | 11.55 (3.50 - 14.00) | 3.284 (0.530 - 4.974)               | 14.42               | 99               |
| 15+15+15+15+22+60        | 1.22                  | 1.22   | 1.22   | 1.22   | 1.79   | 4.88   | 11.55 (3.50 - 14.00) | 3.207 (0.530 - 4.957)               | 14.08               | 99               |
| 15+15+15+15+22+71        | 1.13                  | 1.13   | 1.13   | 1.13   | 1.66   | 5.36   | 11.55 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+15+15+15+22+80        | 1.07                  | 1.07   | 1.07   | 1.07   | 1.57   | 5.70   | 11.55 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 15+15+15+15+25+25        | 1.45                  | 1.45   | 1.45   | 1.45   | 2.41   | 2.41   | 10.60 (3.50 - 13.70) | 3.000 (0.530 - 4.950)               | 13.18               | 99               |
| 15+15+15+15+25+35        | 1.45                  | 1.45   | 1.45   | 1.45   | 2.42   | 3.38   | 11.60 (3.50 - 14.00) | 3.360 (0.530 - 4.980)               | 14.76               | 99               |
| 15+15+15+15+25+42        | 1.37                  | 1.37   | 1.37   | 1.37   | 2.28   | 3.84*  | 11.60 (3.50 - 14.00) | 3.314 (0.530 - 4.974)               | 14.55               | 99               |
| 15+15+15+15+25+50        | 1.29                  | 1.29   | 1.29   | 1.29   | 2.15   | 4.30*  | 11.60 (3.50 - 14.00) | 3.264 (0.530 - 4.974)               | 14.33               | 99               |
| 15+15+15+15+25+60        | 1.20                  | 1.20   | 1.20   | 1.20   | 2.00   | 4.80   | 11.60 (3.50 - 14.00) | 3.187 (0.530 - 4.957)               | 14.00               | 99               |
| 15+15+15+15+25+71        | 1.12                  | 1.12   | 1.12   | 1.12   | 1.86   | 5.28   | 11.60 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+15+15+15+25+80        | 1.05                  | 1.05   | 1.05   | 1.05   | 1.76   | 5.62   | 11.60 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 15+15+15+15+35+35        | 1.34                  | 1.34   | 1.34   | 1.34   | 3.12   | 3.12   | 11.60 (3.50 - 14.00) | 3.300 (0.530 - 4.980)               | 14.49               | 99               |
| 15+15+15+15+35+42        | 1.27                  | 1.27   | 1.27   | 1.27   | 2.96   | 3.56*  | 11.60 (3.50 - 14.00) | 3.254 (0.530 - 4.974)               | 14.29               | 99               |
| 15+15+15+15+35+50        | 1.20                  | 1.20   | 1.20   | 1.20   | 2.80   | 4.00*  | 11.60 (3.50 - 14.00) | 3.204 (0.530 - 4.974)               | 14.07               | 99               |
| 15+15+15+15+35+60        | 1.12                  | 1.12   | 1.12   | 1.12   | 2.62   | 4.49   | 11.60 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+15+15+35+71        | 1.05                  | 1.05   | 1.05   | 1.05   | 2.45   | 4.96   | 11.60 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+15+15+15+35+80        | 0.99                  | 0.99   | 0.99   | 0.99   | 2.32   | 5.30   | 11.60 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 15+15+15+15+42+42        | 1.21                  | 1.21   | 1.21   | 1.21   | 3.38*  | 3.38*  | 11.60 (3.50 - 14.00) | 3.208 (0.530 - 4.968)               | 14.09               | 99               |
| 15+15+15+15+42+50        | 1.14                  | 1.14   | 1.14   | 1.14   | 3.21*  | 3.82*  | 11.60 (3.50 - 14.00) | 3.168 (0.530 - 4.968)               | 13.91               | 99               |
| 15+15+15+15+42+60        | 1.07                  | 1.07   | 1.07   | 1.07   | 3.01*  | 4.30   | 11.60 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 15+15+15+15+42+71        | 1.01                  | 1.01   | 1.01   | 1.01   | 2.82*  | 4.76   | 11.60 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+15+15+15+50+50        | 1.09                  | 1.09   | 1.09   | 1.09   | 3.63*  | 3.63*  | 11.60 (3.50 - 14.00) | 3.168 (0.530 - 4.968)               | 13.91               | 99               |
| 15+15+15+15+50+60        | 1.02                  | 1.02   | 1.02   | 1.02   | 3.41*  | 4.09   | 11.60 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 15+15+15+15+60+60        | 0.97                  | 0.97   | 0.97   | 0.97   | 3.87   | 3.87   | 11.60 (3.50 - 14.00) | 3.134 (0.530 - 4.934)               | 13.76               | 99               |
| 15+15+15+20+20+20        | 1.41                  | 1.41   | 1.41   | 1.89   | 1.89   | 1.89   | 9.90 (3.50 - 13.50)  | 2.832 (0.530 - 4.942)               | 12.44               | 99               |
| 15+15+15+20+20+22        | 1.42                  | 1.42   | 1.42   | 1.90   | 1.90   | 2.09   | 10.15 (3.50 - 13.60) | 2.895 (0.530 - 4.945)               | 12.71               | 99               |
| 15+15+15+20+20+25        | 1.43                  | 1.43   | 1.43   | 1.91   | 1.91   | 2.39   | 10.50 (3.50 - 13.70) | 3.005 (0.530 - 4.955)               | 13.20               | 99               |
| 15+15+15+20+20+35        | 1.44                  | 1.44   | 1.44   | 1.92   | 1.92   | 3.35   | 11.50 (3.50 - 14.00) | 3.365 (0.530 - 4.985)               | 14.78               | 99               |
| 15+15+15+20+20+42        | 1.36                  | 1.36   | 1.36   | 1.81   | 1.81   | 3.80*  | 11.50 (3.50 - 14.00) | 3.319 (0.530 - 4.979)               | 14.58               | 99               |
| 15+15+15+20+20+50        | 1.28                  | 1.28   | 1.28   | 1.70   | 1.70   | 4.26*  | 11.50 (3.50 - 14.00) | 3.269 (0.530 - 4.979)               | 14.36               | 99               |
| 15+15+15+20+20+60        | 1.19                  | 1.19   | 1.19   | 1.59   | 1.59   | 4.76   | 11.50 (3.50 - 14.00) | 3.192 (0.530 - 4.962)               | 14.02               | 99               |
| 15+15+15+20+20+71        | 1.11                  | 1.11   | 1.11   | 1.47   | 1.47   | 5.23   | 11.50 (3.50 - 14.00) | 3.166 (0.530 - 4.966)               | 13.90               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+15+20+20+80        | 1.05                  | 1.05   | 1.05   | 1.39   | 1.39   | 5.58   | 11.50 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+15+20+22+22        | 1.43                  | 1.43   | 1.43   | 1.91   | 2.10   | 2.10   | 10.40 (3.50 - 13.60) | 2.958 (0.530 - 4.938)               | 12.99               | 99               |
| 15+15+15+20+22+25        | 1.44                  | 1.44   | 1.44   | 1.92   | 2.11   | 2.40   | 10.75 (3.50 - 13.70) | 3.068 (0.530 - 4.948)               | 13.47               | 99               |
| 15+15+15+20+22+35        | 1.42                  | 1.42   | 1.42   | 1.89   | 2.08   | 3.31   | 11.55 (3.50 - 14.00) | 3.348 (0.530 - 4.978)               | 14.70               | 99               |
| 15+15+15+20+22+42        | 1.34                  | 1.34   | 1.34   | 1.79   | 1.97   | 3.76*  | 11.55 (3.50 - 14.00) | 3.302 (0.530 - 4.972)               | 14.50               | 99               |
| 15+15+15+20+22+50        | 1.26                  | 1.26   | 1.26   | 1.69   | 1.85   | 4.22*  | 11.55 (3.50 - 14.00) | 3.252 (0.530 - 4.972)               | 14.28               | 99               |
| 15+15+15+20+22+60        | 1.18                  | 1.18   | 1.18   | 1.57   | 1.73   | 4.71   | 11.55 (3.50 - 14.00) | 3.175 (0.530 - 4.955)               | 13.94               | 99               |
| 15+15+15+20+22+71        | 1.10                  | 1.10   | 1.10   | 1.46   | 1.61   | 5.19   | 11.55 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+20+22+80        | 1.04                  | 1.04   | 1.04   | 1.38   | 1.52   | 5.53   | 11.55 (3.50 - 14.00) | 3.149 (0.530 - 4.949)               | 13.83               | 99               |
| 15+15+15+20+25+25        | 1.45                  | 1.45   | 1.45   | 1.93   | 2.41   | 2.41   | 11.10 (3.50 - 13.80) | 3.178 (0.530 - 4.958)               | 13.96               | 99               |
| 15+15+15+20+25+35        | 1.39                  | 1.39   | 1.39   | 1.86   | 2.32   | 3.25   | 11.60 (3.50 - 14.00) | 3.328 (0.530 - 4.978)               | 14.62               | 99               |
| 15+15+15+20+25+42        | 1.32                  | 1.32   | 1.32   | 1.76   | 2.20   | 3.69*  | 11.60 (3.50 - 14.00) | 3.282 (0.530 - 4.972)               | 14.41               | 99               |
| 15+15+15+20+25+50        | 1.24                  | 1.24   | 1.24   | 1.66   | 2.07   | 4.14*  | 11.60 (3.50 - 14.00) | 3.232 (0.530 - 4.972)               | 14.19               | 99               |
| 15+15+15+20+25+60        | 1.16                  | 1.16   | 1.16   | 1.55   | 1.93   | 4.64   | 11.60 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+15+15+20+25+71        | 1.08                  | 1.08   | 1.08   | 1.44   | 1.80   | 5.12   | 11.60 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+20+25+80        | 1.02                  | 1.02   | 1.02   | 1.36   | 1.71   | 5.46   | 11.60 (3.50 - 14.00) | 3.149 (0.530 - 4.949)               | 13.83               | 99               |
| 15+15+15+20+35+35        | 1.29                  | 1.29   | 1.29   | 1.72   | 3.01   | 3.01   | 11.60 (3.50 - 14.00) | 3.268 (0.530 - 4.978)               | 14.35               | 99               |
| 15+15+15+20+35+42        | 1.23                  | 1.23   | 1.23   | 1.63   | 2.86   | 3.43*  | 11.60 (3.50 - 14.00) | 3.222 (0.530 - 4.972)               | 14.15               | 99               |
| 15+15+15+20+35+50        | 1.16                  | 1.16   | 1.16   | 1.55   | 2.71   | 3.87*  | 11.60 (3.50 - 14.00) | 3.172 (0.530 - 4.972)               | 13.93               | 99               |
| 15+15+15+20+35+60        | 1.09                  | 1.09   | 1.09   | 1.45   | 2.54   | 4.35   | 11.60 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+15+15+20+35+71        | 1.02                  | 1.02   | 1.02   | 1.36   | 2.37   | 4.82   | 11.60 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+20+35+80        | 0.97                  | 0.97   | 0.97   | 1.29   | 2.26   | 5.16   | 11.60 (3.50 - 14.00) | 3.149 (0.530 - 4.949)               | 13.83               | 99               |
| 15+15+15+20+42+42        | 1.17                  | 1.17   | 1.17   | 1.56   | 3.27*  | 3.27*  | 11.60 (3.50 - 14.00) | 3.176 (0.530 - 4.966)               | 13.95               | 99               |
| 15+15+15+20+42+50        | 1.11                  | 1.11   | 1.11   | 1.48   | 3.10*  | 3.69*  | 11.60 (3.50 - 14.00) | 3.166 (0.530 - 4.966)               | 13.90               | 99               |
| 15+15+15+20+42+60        | 1.04                  | 1.04   | 1.04   | 1.39   | 2.92*  | 4.17   | 11.60 (3.50 - 14.00) | 3.149 (0.530 - 4.949)               | 13.83               | 99               |
| 15+15+15+20+42+71        | 0.98                  | 0.98   | 0.98   | 1.30   | 2.74*  | 4.63   | 11.60 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+15+15+20+50+50        | 1.05                  | 1.05   | 1.05   | 1.41   | 3.52*  | 3.52*  | 11.60 (3.50 - 14.00) | 3.166 (0.530 - 4.966)               | 13.90               | 99               |
| 15+15+15+20+50+60        | 0.99                  | 0.99   | 0.99   | 1.33   | 3.31*  | 3.98   | 11.60 (3.50 - 14.00) | 3.149 (0.530 - 4.949)               | 13.83               | 99               |
| 15+15+15+22+22+22        | 1.44                  | 1.44   | 1.44   | 2.11   | 2.11   | 2.11   | 10.65 (3.50 - 13.70) | 3.031 (0.530 - 4.941)               | 13.31               | 99               |
| 15+15+15+22+22+25        | 1.45                  | 1.45   | 1.45   | 2.12   | 2.12   | 2.41   | 11.00 (3.50 - 13.80) | 3.131 (0.530 - 4.951)               | 13.75               | 99               |
| 15+15+15+22+22+35        | 1.40                  | 1.40   | 1.40   | 2.06   | 2.06   | 3.27   | 11.60 (3.50 - 14.00) | 3.331 (0.530 - 4.971)               | 14.63               | 99               |
| 15+15+15+22+22+42        | 1.33                  | 1.33   | 1.33   | 1.95   | 1.95   | 3.72*  | 11.60 (3.50 - 14.00) | 3.275 (0.530 - 4.965)               | 14.38               | 99               |
| 15+15+15+22+22+50        | 1.25                  | 1.25   | 1.25   | 1.84   | 1.84   | 4.17*  | 11.60 (3.50 - 14.00) | 3.235 (0.530 - 4.965)               | 14.21               | 99               |
| 15+15+15+22+22+60        | 1.17                  | 1.17   | 1.17   | 1.71   | 1.71   | 4.67   | 11.60 (3.50 - 14.00) | 3.158 (0.530 - 4.948)               | 13.87               | 99               |
| 15+15+15+22+22+71        | 1.09                  | 1.09   | 1.09   | 1.60   | 1.60   | 5.15   | 11.60 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 15+15+15+22+22+80        | 1.03                  | 1.03   | 1.03   | 1.51   | 1.51   | 5.49   | 11.60 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 15+15+15+22+25+25        | 1.46                  | 1.46   | 1.46   | 2.13   | 2.43   | 2.43   | 11.35 (3.50 - 13.90) | 3.241 (0.530 - 4.961)               | 14.23               | 99               |
| 15+15+15+22+25+35        | 1.38                  | 1.38   | 1.38   | 2.02   | 2.29   | 3.21   | 11.65 (3.50 - 14.00) | 3.311 (0.530 - 4.971)               | 14.54               | 99               |
| 15+15+15+22+25+42        | 1.30                  | 1.30   | 1.30   | 1.91   | 2.17   | 3.65*  | 11.65 (3.50 - 14.00) | 3.265 (0.530 - 4.965)               | 14.34               | 99               |
| 15+15+15+22+25+50        | 1.23                  | 1.23   | 1.23   | 1.80   | 2.05   | 4.10*  | 11.65 (3.50 - 14.00) | 3.215 (0.530 - 4.965)               | 14.12               | 99               |
| 15+15+15+22+25+60        | 1.15                  | 1.15   | 1.15   | 1.69   | 1.92   | 4.60   | 11.65 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+15+15+22+25+71        | 1.07                  | 1.07   | 1.07   | 1.57   | 1.79   | 5.07   | 11.65 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 15+15+15+22+25+80        | 1.02                  | 1.02   | 1.02   | 1.49   | 1.69   | 5.42   | 11.65 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 15+15+15+22+35+35        | 1.28                  | 1.28   | 1.28   | 1.87   | 2.98   | 2.98   | 11.65 (3.50 - 14.00) | 3.251 (0.530 - 4.971)               | 14.28               | 99               |
| 15+15+15+22+35+42        | 1.21                  | 1.21   | 1.21   | 1.78   | 2.83   | 3.40*  | 11.65 (3.50 - 14.00) | 3.205 (0.530 - 4.965)               | 14.08               | 99               |
| 15+15+15+22+35+50        | 1.15                  | 1.15   | 1.15   | 1.69   | 2.68   | 3.83*  | 11.65 (3.50 - 14.00) | 3.165 (0.530 - 4.965)               | 13.90               | 99               |
| 15+15+15+22+35+60        | 1.08                  | 1.08   | 1.08   | 1.58   | 2.52   | 4.31   | 11.65 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+15+15+22+35+71        | 1.01                  | 1.01   | 1.01   | 1.48   | 2.36   | 4.78   | 11.65 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 15+15+15+22+42+42        | 1.16                  | 1.16   | 1.16   | 1.70   | 3.24*  | 3.24*  | 11.65 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+22+42+50        | 1.10                  | 1.10   | 1.10   | 1.61   | 3.08*  | 3.66*  | 11.65 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+15+22+42+60        | 1.03                  | 1.03   | 1.03   | 1.52   | 2.90*  | 4.14   | 11.65 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 15+15+15+22+42+71        | 0.97                  | 0.97   | 0.97   | 1.42   | 2.72*  | 4.60   | 11.65 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 15+15+15+22+50+50        | 1.05                  | 1.05   | 1.05   | 1.53   | 3.49*  | 3.49*  | 11.65 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+22+50+60        | 0.99                  | 0.99   | 0.99   | 1.45   | 3.29*  | 3.95   | 11.65 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 15+15+15+25+25+25        | 1.46                  | 1.46   | 1.46   | 2.44   | 2.44   | 2.44   | 11.70 (3.50 - 14.00) | 3.351 (0.530 - 4.971)               | 14.72               | 99               |
| 15+15+15+25+25+35        | 1.35                  | 1.35   | 1.35   | 2.25   | 2.25   | 3.15   | 11.70 (3.50 - 14.00) | 3.291 (0.530 - 4.971)               | 14.45               | 99               |
| 15+15+15+25+25+42        | 1.28                  | 1.28   | 1.28   | 2.14   | 2.14   | 3.59*  | 11.70 (3.50 - 14.00) | 3.245 (0.530 - 4.965)               | 14.25               | 99               |
| 15+15+15+25+25+50        | 1.21                  | 1.21   | 1.21   | 2.02   | 2.02   | 4.03*  | 11.70 (3.50 - 14.00) | 3.195 (0.530 - 4.965)               | 14.03               | 99               |
| 15+15+15+25+25+60        | 1.13                  | 1.13   | 1.13   | 1.89   | 1.89   | 4.53   | 11.70 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+15+15+25+25+71        | 1.06                  | 1.06   | 1.06   | 1.76   | 1.76   | 5.00   | 11.70 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 15+15+15+25+25+80        | 1.00                  | 1.00   | 1.00   | 1.67   | 1.67   | 5.35   | 11.70 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 15+15+15+25+35+35        | 1.25                  | 1.25   | 1.25   | 2.09   | 2.93   | 2.93   | 11.70 (3.50 - 14.00) | 3.231 (0.530 - 4.971)               | 14.19               | 99               |
| 15+15+15+25+35+42        | 1.19                  | 1.19   | 1.19   | 1.99   | 2.79   | 3.34*  | 11.70 (3.50 - 14.00) | 3.185 (0.530 - 4.965)               | 13.99               | 99               |
| 15+15+15+25+35+50        | 1.13                  | 1.13   | 1.13   | 1.89   | 2.64   | 3.77*  | 11.70 (3.50 - 14.00) | 3.165 (0.530 - 4.965)               | 13.90               | 99               |
| 15+15+15+25+35+60        | 1.06                  | 1.06   | 1.06   | 1.77   | 2.48   | 4.25   | 11.70 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+15+15+25+35+71        | 1.00                  | 1.00   | 1.00   | 1.66   | 2.33   | 4.72   | 11.70 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 15+15+15+25+42+42        | 1.14                  | 1.14   | 1.14   | 1.90   | 3.19*  | 3.19*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+25+42+50        | 1.08                  | 1.08   | 1.08   | 1.81   | 3.03*  | 3.61*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+25+42+60        | 1.02                  | 1.02   | 1.02   | 1.70   | 2.86*  | 4.08   | 11.70 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 15+15+15+25+50+50        | 1.03                  | 1.03   | 1.03   | 1.72   | 3.44*  | 3.44*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+25+50+60        | 0.98                  | 0.98   | 0.98   | 1.63   | 3.25*  | 3.90   | 11.70 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 15+15+15+35+35+35        | 1.17                  | 1.17   | 1.17   | 2.73   | 2.73   | 2.73   | 11.70 (3.50 - 14.00) | 3.171 (0.530 - 4.971)               | 13.93               | 99               |
| 15+15+15+35+35+42        | 1.12                  | 1.12   | 1.12   | 2.61   | 2.61   | 3.13*  | 11.70 (3.50 - 14.00) | 3.165 (0.530 - 4.965)               | 13.90               | 99               |
| 15+15+15+35+35+50        | 1.06                  | 1.06   | 1.06   | 2.48   | 2.48   | 3.55*  | 11.70 (3.50 - 14.00) | 3.165 (0.530 - 4.965)               | 13.90               | 99               |
| 15+15+15+35+35+60        | 1.00                  | 1.00   | 1.00   | 2.34   | 2.34   | 4.01   | 11.70 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+15+15+35+42+42        | 1.07                  | 1.07   | 1.07   | 2.50   | 3.00*  | 3.00*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+35+42+50        | 1.02                  | 1.02   | 1.02   | 2.38   | 2.86*  | 3.40*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+35+50+50        | 0.98                  | 0.98   | 0.98   | 2.28   | 3.25*  | 3.25*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 15+15+15+42+42+42        | 1.03                  | 1.03   | 1.03   | 2.87*  | 2.87*  | 2.87*  | 11.70 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+15+15+42+42+50        | 0.98                  | 0.98   | 0.98   | 2.75*  | 2.75*  | 3.27*  | 11.70 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+15+20+20+20+20        | 1.42                  | 1.42   | 1.89   | 1.89   | 1.89   | 1.89   | 10.40 (3.50 - 13.70) | 3.010 (0.530 - 4.960)               | 13.22               | 99               |
| 15+15+20+20+20+22        | 1.43                  | 1.43   | 1.90   | 1.90   | 1.90   | 2.09   | 10.65 (3.50 - 13.70) | 3.073 (0.530 - 4.953)               | 13.50               | 99               |
| 15+15+20+20+20+25        | 1.43                  | 1.43   | 1.91   | 1.91   | 1.91   | 2.39   | 11.00 (3.50 - 13.80) | 3.183 (0.530 - 4.963)               | 13.98               | 99               |
| 15+15+20+20+20+35        | 1.38                  | 1.38   | 1.84   | 1.84   | 1.84   | 3.22   | 11.50 (3.50 - 14.00) | 3.333 (0.530 - 4.983)               | 14.64               | 99               |
| 15+15+20+20+20+42        | 1.31                  | 1.31   | 1.74   | 1.74   | 1.74   | 3.66*  | 11.50 (3.50 - 14.00) | 3.287 (0.530 - 4.977)               | 14.44               | 99               |
| 15+15+20+20+20+50        | 1.23                  | 1.23   | 1.64   | 1.64   | 1.64   | 4.11*  | 11.50 (3.50 - 14.00) | 3.237 (0.530 - 4.977)               | 14.22               | 99               |
| 15+15+20+20+20+60        | 1.15                  | 1.15   | 1.53   | 1.53   | 1.53   | 4.60   | 11.50 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 15+15+20+20+20+71        | 1.07                  | 1.07   | 1.43   | 1.43   | 1.43   | 5.07   | 11.50 (3.50 - 14.00) | 3.164 (0.530 - 4.964)               | 13.90               | 99               |
| 15+15+20+20+20+80        | 1.01                  | 1.01   | 1.35   | 1.35   | 1.35   | 5.41   | 11.50 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+15+20+20+22+22        | 1.43                  | 1.43   | 1.91   | 1.91   | 2.10   | 2.10   | 10.90 (3.50 - 13.80) | 3.136 (0.530 - 4.956)               | 13.77               | 99               |
| 15+15+20+20+22+25        | 1.44                  | 1.44   | 1.92   | 1.92   | 2.12   | 2.40   | 11.25 (3.50 - 13.90) | 3.246 (0.530 - 4.966)               | 14.26               | 99               |
| 15+15+20+20+22+35        | 1.36                  | 1.36   | 1.82   | 1.82   | 2.00   | 3.18   | 11.55 (3.50 - 14.00) | 3.316 (0.530 - 4.976)               | 14.56               | 99               |
| 15+15+20+20+22+42        | 1.29                  | 1.29   | 1.72   | 1.72   | 1.90   | 3.62*  | 11.55 (3.50 - 14.00) | 3.270 (0.530 - 4.970)               | 14.36               | 99               |
| 15+15+20+20+22+50        | 1.22                  | 1.22   | 1.63   | 1.63   | 1.79   | 4.07*  | 11.55 (3.50 - 14.00) | 3.220 (0.530 - 4.970)               | 14.14               | 99               |
| 15+15+20+20+22+60        | 1.14                  | 1.14   | 1.52   | 1.52   | 1.67   | 4.56   | 11.55 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+15+20+20+22+71        | 1.06                  | 1.06   | 1.42   | 1.42   | 1.56   | 5.03   | 11.55 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+20+20+22+80        | 1.01                  | 1.01   | 1.34   | 1.34   | 1.48   | 5.37   | 11.55 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+15+20+20+25+25        | 1.45                  | 1.45   | 1.93   | 1.93   | 2.42   | 2.42   | 11.60 (3.50 - 14.00) | 3.356 (0.530 - 4.976)               | 14.74               | 99               |
| 15+15+20+20+25+35        | 1.34                  | 1.34   | 1.78   | 1.78   | 2.23   | 3.12   | 11.60 (3.50 - 14.00) | 3.296 (0.530 - 4.976)               | 14.48               | 99               |
| 15+15+20+20+25+42        | 1.27                  | 1.27   | 1.69   | 1.69   | 2.12   | 3.56*  | 11.60 (3.50 - 14.00) | 3.250 (0.530 - 4.970)               | 14.27               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+20+20+25+50        | 1.20                  | 1.20   | 1.60   | 1.60   | 2.00   | 4.00*  | 11.60 (3.50 - 14.00) | 3.200 (0.530 - 4.970)               | 14.05               | 99               |
| 15+15+20+20+25+60        | 1.12                  | 1.12   | 1.50   | 1.50   | 1.87   | 4.49   | 11.60 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+15+20+20+25+71        | 1.05                  | 1.05   | 1.40   | 1.40   | 1.75   | 4.96   | 11.60 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+20+20+25+80        | 0.99                  | 0.99   | 1.33   | 1.33   | 1.66   | 5.30   | 11.60 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+15+20+20+35+35        | 1.24                  | 1.24   | 1.66   | 1.66   | 2.90   | 2.90   | 11.60 (3.50 - 14.00) | 3.236 (0.530 - 4.976)               | 14.21               | 99               |
| 15+15+20+20+35+42        | 1.18                  | 1.18   | 1.58   | 1.58   | 2.76   | 3.31*  | 11.60 (3.50 - 14.00) | 3.190 (0.530 - 4.970)               | 14.01               | 99               |
| 15+15+20+20+35+50        | 1.12                  | 1.12   | 1.50   | 1.50   | 2.62   | 3.74*  | 11.60 (3.50 - 14.00) | 3.170 (0.530 - 4.970)               | 13.92               | 99               |
| 15+15+20+20+35+60        | 1.05                  | 1.05   | 1.41   | 1.41   | 2.46   | 4.22   | 11.60 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+15+20+20+35+71        | 0.99                  | 0.99   | 1.32   | 1.32   | 2.31   | 4.68   | 11.60 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+20+20+42+42        | 1.13                  | 1.13   | 1.51   | 1.51   | 3.16*  | 3.16*  | 11.60 (3.50 - 14.00) | 3.164 (0.530 - 4.964)               | 13.90               | 99               |
| 15+15+20+20+42+50        | 1.07                  | 1.07   | 1.43   | 1.43   | 3.01*  | 3.58*  | 11.60 (3.50 - 14.00) | 3.164 (0.530 - 4.964)               | 13.90               | 99               |
| 15+15+20+20+42+60        | 1.01                  | 1.01   | 1.35   | 1.35   | 2.83*  | 4.05   | 11.60 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+15+20+20+50+50        | 1.02                  | 1.02   | 1.36   | 1.36   | 3.41*  | 3.41*  | 11.60 (3.50 - 14.00) | 3.164 (0.530 - 4.964)               | 13.90               | 99               |
| 15+15+20+20+50+60        | 0.97                  | 0.97   | 1.29   | 1.29   | 3.22*  | 3.87   | 11.60 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+15+20+22+22+22        | 1.44                  | 1.44   | 1.92   | 2.11   | 2.11   | 2.11   | 11.15 (3.50 - 13.90) | 3.209 (0.530 - 4.959)               | 14.09               | 99               |
| 15+15+20+22+22+25        | 1.45                  | 1.45   | 1.93   | 2.13   | 2.13   | 2.42   | 11.50 (3.50 - 14.00) | 3.309 (0.530 - 4.969)               | 14.53               | 99               |
| 15+15+20+22+22+35        | 1.35                  | 1.35   | 1.80   | 1.98   | 1.98   | 3.15   | 11.60 (3.50 - 14.00) | 3.299 (0.530 - 4.969)               | 14.49               | 99               |
| 15+15+20+22+22+42        | 1.28                  | 1.28   | 1.71   | 1.88   | 1.88   | 3.58*  | 11.60 (3.50 - 14.00) | 3.243 (0.530 - 4.963)               | 14.24               | 99               |
| 15+15+20+22+22+50        | 1.21                  | 1.21   | 1.61   | 1.77   | 1.77   | 4.03*  | 11.60 (3.50 - 14.00) | 3.203 (0.530 - 4.963)               | 14.07               | 99               |
| 15+15+20+22+22+60        | 1.13                  | 1.13   | 1.51   | 1.66   | 1.66   | 4.52   | 11.60 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 15+15+20+22+22+71        | 1.05                  | 1.05   | 1.41   | 1.55   | 1.55   | 4.99   | 11.60 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+20+22+22+80        | 1.00                  | 1.00   | 1.33   | 1.47   | 1.47   | 5.33   | 11.60 (3.50 - 14.00) | 3.140 (0.530 - 4.940)               | 13.79               | 99               |
| 15+15+20+22+25+25        | 1.43                  | 1.43   | 1.91   | 2.10   | 2.39   | 2.39   | 11.65 (3.50 - 14.00) | 3.339 (0.530 - 4.969)               | 14.66               | 99               |
| 15+15+20+22+25+35        | 1.32                  | 1.32   | 1.77   | 1.94   | 2.21   | 3.09   | 11.65 (3.50 - 14.00) | 3.279 (0.530 - 4.969)               | 14.40               | 99               |
| 15+15+20+22+25+42        | 1.26                  | 1.26   | 1.68   | 1.84   | 2.10   | 3.52*  | 11.65 (3.50 - 14.00) | 3.233 (0.530 - 4.963)               | 14.20               | 99               |
| 15+15+20+22+25+50        | 1.19                  | 1.19   | 1.59   | 1.74   | 1.98   | 3.96*  | 11.65 (3.50 - 14.00) | 3.183 (0.530 - 4.963)               | 13.98               | 99               |
| 15+15+20+22+25+60        | 1.11                  | 1.11   | 1.48   | 1.63   | 1.86   | 4.45   | 11.65 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 15+15+20+22+25+71        | 1.04                  | 1.04   | 1.39   | 1.53   | 1.73   | 4.92   | 11.65 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+20+22+25+80        | 0.99                  | 0.99   | 1.32   | 1.45   | 1.65   | 5.27   | 11.65 (3.50 - 14.00) | 3.140 (0.530 - 4.940)               | 13.79               | 99               |
| 15+15+20+22+35+35        | 1.23                  | 1.23   | 1.64   | 1.80   | 2.87   | 2.87   | 11.65 (3.50 - 14.00) | 3.219 (0.530 - 4.969)               | 14.14               | 99               |
| 15+15+20+22+35+42        | 1.17                  | 1.17   | 1.56   | 1.72   | 2.74   | 3.28*  | 11.65 (3.50 - 14.00) | 3.173 (0.530 - 4.963)               | 13.94               | 99               |
| 15+15+20+22+35+50        | 1.11                  | 1.11   | 1.48   | 1.63   | 2.60   | 3.71*  | 11.65 (3.50 - 14.00) | 3.163 (0.530 - 4.963)               | 13.89               | 99               |
| 15+15+20+22+35+60        | 1.05                  | 1.05   | 1.40   | 1.53   | 2.44   | 4.19   | 11.65 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 15+15+20+22+35+71        | 0.98                  | 0.98   | 1.31   | 1.44   | 2.29   | 4.65   | 11.65 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+20+22+42+42        | 1.12                  | 1.12   | 1.49   | 1.64   | 3.14*  | 3.14*  | 11.65 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+20+22+42+50        | 1.07                  | 1.07   | 1.42   | 1.56   | 2.98*  | 3.55*  | 11.65 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+20+22+42+60        | 1.00                  | 1.00   | 1.34   | 1.47   | 2.81*  | 4.02   | 11.65 (3.50 - 14.00) | 3.140 (0.530 - 4.940)               | 13.79               | 99               |
| 15+15+20+22+50+50        | 1.02                  | 1.02   | 1.35   | 1.49   | 3.39*  | 3.39*  | 11.65 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+20+25+25+25        | 1.40                  | 1.40   | 1.87   | 2.34   | 2.34   | 2.34   | 11.70 (3.50 - 14.00) | 3.319 (0.530 - 4.969)               | 14.58               | 99               |
| 15+15+20+25+25+35        | 1.30                  | 1.30   | 1.73   | 2.17   | 2.17   | 3.03   | 11.70 (3.50 - 14.00) | 3.259 (0.530 - 4.969)               | 14.31               | 99               |
| 15+15+20+25+25+42        | 1.24                  | 1.24   | 1.65   | 2.06   | 2.06   | 3.46*  | 11.70 (3.50 - 14.00) | 3.213 (0.530 - 4.963)               | 14.11               | 99               |
| 15+15+20+25+25+50        | 1.17                  | 1.17   | 1.56   | 1.95   | 1.95   | 3.90*  | 11.70 (3.50 - 14.00) | 3.163 (0.530 - 4.963)               | 13.89               | 99               |
| 15+15+20+25+25+60        | 1.10                  | 1.10   | 1.46   | 1.83   | 1.83   | 4.39   | 11.70 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 15+15+20+25+25+71        | 1.03                  | 1.03   | 1.37   | 1.71   | 1.71   | 4.86   | 11.70 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+20+25+25+80        | 0.98                  | 0.98   | 1.30   | 1.63   | 1.63   | 5.20   | 11.70 (3.50 - 14.00) | 3.140 (0.530 - 4.940)               | 13.79               | 99               |
| 15+15+20+25+35+35        | 1.21                  | 1.21   | 1.61   | 2.02   | 2.82   | 2.82   | 11.70 (3.50 - 14.00) | 3.199 (0.530 - 4.969)               | 14.05               | 99               |
| 15+15+20+25+35+42        | 1.15                  | 1.15   | 1.54   | 1.92   | 2.69   | 3.23*  | 11.70 (3.50 - 14.00) | 3.163 (0.530 - 4.963)               | 13.89               | 99               |
| 15+15+20+25+35+50        | 1.10                  | 1.10   | 1.46   | 1.83   | 2.56   | 3.66*  | 11.70 (3.50 - 14.00) | 3.163 (0.530 - 4.963)               | 13.89               | 99               |
| 15+15+20+25+35+60        | 1.03                  | 1.03   | 1.38   | 1.72   | 2.41   | 4.13   | 11.70 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 15+15+20+25+42+42        | 1.10                  | 1.10   | 1.47   | 1.84   | 3.09*  | 3.09*  | 11.70 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+20+25+42+50        | 1.05                  | 1.05   | 1.40   | 1.75   | 2.94*  | 3.50*  | 11.70 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+20+25+42+60        | 0.99                  | 0.99   | 1.32   | 1.65   | 2.78*  | 3.97   | 11.70 (3.50 - 14.00) | 3.140 (0.530 - 4.940)               | 13.79               | 99               |
| 15+15+20+25+50+50        | 1.00                  | 1.00   | 1.34   | 1.67   | 3.34*  | 3.34*  | 11.70 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+20+35+35+35        | 1.13                  | 1.13   | 1.51   | 2.64   | 2.64   | 2.64   | 11.70 (3.50 - 14.00) | 3.169 (0.530 - 4.969)               | 13.92               | 99               |
| 15+15+20+35+35+42        | 1.08                  | 1.08   | 1.44   | 2.53   | 2.53   | 3.03*  | 11.70 (3.50 - 14.00) | 3.163 (0.530 - 4.963)               | 13.89               | 99               |
| 15+15+20+35+35+50        | 1.03                  | 1.03   | 1.38   | 2.41   | 2.41   | 3.44*  | 11.70 (3.50 - 14.00) | 3.163 (0.530 - 4.963)               | 13.89               | 99               |
| 15+15+20+35+35+60        | 0.98                  | 0.98   | 1.30   | 2.28   | 2.28   | 3.90   | 11.70 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 15+15+20+35+42+42        | 1.04                  | 1.04   | 1.38   | 2.42   | 2.91*  | 2.91*  | 11.70 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+20+35+42+50        | 0.99                  | 0.99   | 1.32   | 2.31   | 2.78*  | 3.31*  | 11.70 (3.50 - 14.00) | 3.157 (0.530 - 4.957)               | 13.86               | 99               |
| 15+15+20+42+42+42        | 1.00                  | 1.00   | 1.33   | 2.79*  | 2.79*  | 2.79*  | 11.70 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 15+15+22+22+22+22        | 1.45                  | 1.45   | 2.13   | 2.13   | 2.13   | 2.13   | 11.40 (3.50 - 13.90) | 3.272 (0.530 - 4.952)               | 14.37               | 99               |
| 15+15+22+22+22+25        | 1.44                  | 1.44   | 2.12   | 2.12   | 2.12   | 2.41   | 11.65 (3.50 - 14.00) | 3.332 (0.530 - 4.962)               | 14.63               | 99               |
| 15+15+22+22+22+35        | 1.33                  | 1.33   | 1.96   | 1.96   | 1.96   | 3.11   | 11.65 (3.50 - 14.00) | 3.272 (0.530 - 4.962)               | 14.37               | 99               |
| 15+15+22+22+22+42        | 1.27                  | 1.27   | 1.86   | 1.86   | 1.86   | 3.55*  | 11.65 (3.50 - 14.00) | 3.226 (0.530 - 4.956)               | 14.17               | 99               |
| 15+15+22+22+22+50        | 1.20                  | 1.20   | 1.76   | 1.76   | 1.76   | 3.99*  | 11.65 (3.50 - 14.00) | 3.176 (0.530 - 4.956)               | 13.95               | 99               |
| 15+15+22+22+22+60        | 1.12                  | 1.12   | 1.64   | 1.64   | 1.64   | 4.48   | 11.65 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 15+15+22+22+22+71        | 1.05                  | 1.05   | 1.53   | 1.53   | 1.53   | 4.95   | 11.65 (3.50 - 14.00) | 3.143 (0.530 - 4.943)               | 13.80               | 99               |
| 15+15+22+22+22+80        | 0.99                  | 0.99   | 1.46   | 1.46   | 1.46   | 5.30   | 11.65 (3.50 - 14.00) | 3.133 (0.530 - 4.933)               | 13.76               | 99               |
| 15+15+22+22+25+25        | 1.42                  | 1.42   | 2.08   | 2.08   | 2.36   | 2.36   | 11.70 (3.50 - 14.00) | 3.322 (0.530 - 4.962)               | 14.59               | 99               |
| 15+15+22+22+25+35        | 1.31                  | 1.31   | 1.92   | 1.92   | 2.18   | 3.06   | 11.70 (3.50 - 14.00) | 3.262 (0.530 - 4.962)               | 14.33               | 99               |
| 15+15+22+22+25+42        | 1.24                  | 1.24   | 1.83   | 1.83   | 2.07   | 3.49*  | 11.70 (3.50 - 14.00) | 3.206 (0.530 - 4.956)               | 14.08               | 99               |
| 15+15+22+22+25+50        | 1.18                  | 1.18   | 1.73   | 1.73   | 1.96   | 3.93*  | 11.70 (3.50 - 14.00) | 3.166 (0.530 - 4.956)               | 13.90               | 99               |
| 15+15+22+22+25+60        | 1.10                  | 1.10   | 1.62   | 1.62   | 1.84   | 4.42   | 11.70 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 15+15+22+22+25+71        | 1.03                  | 1.03   | 1.51   | 1.51   | 1.72   | 4.89   | 11.70 (3.50 - 14.00) | 3.143 (0.530 - 4.943)               | 13.80               | 99               |
| 15+15+22+22+25+80        | 0.98                  | 0.98   | 1.44   | 1.44   | 1.63   | 5.23   | 11.70 (3.50 - 14.00) | 3.133 (0.530 - 4.933)               | 13.76               | 99               |
| 15+15+22+22+35+35        | 1.22                  | 1.22   | 1.79   | 1.79   | 2.84   | 2.84   | 11.70 (3.50 - 14.00) | 3.202 (0.530 - 4.962)               | 14.06               | 99               |
| 15+15+22+22+35+42        | 1.16                  | 1.16   | 1.70   | 1.70   | 2.71   | 3.25*  | 11.70 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+22+22+35+50        | 1.10                  | 1.10   | 1.62   | 1.62   | 2.58   | 3.68*  | 11.70 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+22+22+35+60        | 1.04                  | 1.04   | 1.52   | 1.52   | 2.42   | 4.15   | 11.70 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 15+15+22+22+35+71        | 0.98                  | 0.98   | 1.43   | 1.43   | 2.28   | 4.62   | 11.70 (3.50 - 14.00) | 3.143 (0.530 - 4.943)               | 13.80               | 99               |
| 15+15+22+22+42+42        | 1.11                  | 1.11   | 1.63   | 1.63   | 3.11*  | 3.11*  | 11.70 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+22+22+42+50        | 1.06                  | 1.06   | 1.55   | 1.55   | 2.96*  | 3.52*  | 11.70 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+22+22+42+60        | 1.00                  | 1.00   | 1.46   | 1.46   | 2.79*  | 3.99   | 11.70 (3.50 - 14.00) | 3.133 (0.530 - 4.933)               | 13.76               | 99               |
| 15+15+22+22+50+50        | 1.01                  | 1.01   | 1.48   | 1.48   | 3.36*  | 3.36*  | 11.70 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+22+25+25+25        | 1.39                  | 1.39   | 2.04   | 2.31   | 2.31   | 2.31   | 11.75 (3.50 - 14.00) | 3.302 (0.530 - 4.962)               | 14.50               | 99               |
| 15+15+22+25+25+35        | 1.29                  | 1.29   | 1.89   | 2.14   | 2.14   | 3.00   | 11.75 (3.50 - 14.00) | 3.242 (0.530 - 4.962)               | 14.24               | 99               |
| 15+15+22+25+25+42        | 1.22                  | 1.22   | 1.80   | 2.04   | 2.04   | 3.43*  | 11.75 (3.50 - 14.00) | 3.196 (0.530 - 4.956)               | 14.04               | 99               |
| 15+15+22+25+25+50        | 1.16                  | 1.16   | 1.70   | 1.93   | 1.93   | 3.87*  | 11.75 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+22+25+25+60        | 1.09                  | 1.09   | 1.60   | 1.81   | 1.81   | 4.35   | 11.75 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 15+15+22+25+25+71        | 1.02                  | 1.02   | 1.49   | 1.70   | 1.70   | 4.82   | 11.75 (3.50 - 14.00) | 3.143 (0.530 - 4.943)               | 13.80               | 99               |
| 15+15+22+25+35+35        | 1.20                  | 1.20   | 1.76   | 2.00   | 2.80   | 2.80   | 11.75 (3.50 - 14.00) | 3.182 (0.530 - 4.962)               | 13.97               | 99               |
| 15+15+22+25+35+42        | 1.14                  | 1.14   | 1.68   | 1.91   | 2.67   | 3.20*  | 11.75 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+22+25+35+50        | 1.09                  | 1.09   | 1.60   | 1.81   | 2.54   | 3.63*  | 11.75 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+22+25+35+60        | 1.02                  | 1.02   | 1.50   | 1.71   | 2.39   | 4.10   | 11.75 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 15+15+22+25+42+42        | 1.09                  | 1.09   | 1.61   | 1.82   | 3.07*  | 3.07*  | 11.75 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+22+25+42+50        | 1.04                  | 1.04   | 1.53   | 1.74   | 2.92*  | 3.48*  | 11.75 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+22+25+42+60        | 0.98                  | 0.98   | 1.44   | 1.64   | 2.76*  | 3.94   | 11.75 (3.50 - 14.00) | 3.133 (0.530 - 4.933)               | 13.76               | 99               |
| 15+15+22+25+50+50        | 1.00                  | 1.00   | 1.46   | 1.66   | 3.32*  | 3.32*  | 11.75 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+22+35+35+35        | 1.12                  | 1.12   | 1.65   | 2.62   | 2.62   | 2.62   | 11.75 (3.50 - 14.00) | 3.162 (0.530 - 4.962)               | 13.89               | 99               |
| 15+15+22+35+35+42        | 1.07                  | 1.07   | 1.58   | 2.51   | 2.51   | 3.01*  | 11.75 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+22+35+35+50        | 1.02                  | 1.02   | 1.50   | 2.39   | 2.39   | 3.42*  | 11.75 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+22+35+42+42        | 1.03                  | 1.03   | 1.51   | 2.40   | 2.89*  | 2.89*  | 11.75 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+22+35+42+50        | 0.98                  | 0.98   | 1.44   | 2.30   | 2.76*  | 3.28*  | 11.75 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+22+42+42+42        | 0.99                  | 0.99   | 1.45   | 2.77*  | 2.77*  | 2.77*  | 11.75 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 15+15+25+25+25+25        | 1.36                  | 1.36   | 2.27   | 2.27   | 2.27   | 2.27   | 11.80 (3.50 - 14.00) | 3.282 (0.530 - 4.962)               | 14.41               | 99               |
| 15+15+25+25+25+35        | 1.26                  | 1.26   | 2.11   | 2.11   | 2.11   | 2.95   | 11.80 (3.50 - 14.00) | 3.222 (0.530 - 4.962)               | 14.15               | 99               |
| 15+15+25+25+25+42        | 1.20                  | 1.20   | 2.01   | 2.01   | 2.01   | 3.37*  | 11.80 (3.50 - 14.00) | 3.176 (0.530 - 4.956)               | 13.95               | 99               |
| 15+15+25+25+25+50        | 1.14                  | 1.14   | 1.90   | 1.90   | 1.90   | 3.81*  | 11.80 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+25+25+25+60        | 1.07                  | 1.07   | 1.79   | 1.79   | 1.79   | 4.29   | 11.80 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 15+15+25+25+25+71        | 1.01                  | 1.01   | 1.68   | 1.68   | 1.68   | 4.76   | 11.80 (3.50 - 14.00) | 3.143 (0.530 - 4.943)               | 13.80               | 99               |
| 15+15+25+25+35+35        | 1.18                  | 1.18   | 1.97   | 1.97   | 2.75   | 2.75   | 11.80 (3.50 - 14.00) | 3.162 (0.530 - 4.962)               | 13.89               | 99               |
| 15+15+25+25+35+42        | 1.13                  | 1.13   | 1.88   | 1.88   | 2.63   | 3.16*  | 11.80 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+25+25+35+50        | 1.07                  | 1.07   | 1.79   | 1.79   | 2.50   | 3.58*  | 11.80 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+25+25+35+60        | 1.01                  | 1.01   | 1.69   | 1.69   | 2.36   | 4.05   | 11.80 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 15+15+25+25+42+42        | 1.08                  | 1.08   | 1.80   | 1.80   | 3.02*  | 3.02*  | 11.80 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+25+25+42+50        | 1.03                  | 1.03   | 1.72   | 1.72   | 2.88*  | 3.43*  | 11.80 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+25+25+50+50        | 0.98                  | 0.98   | 1.64   | 1.64   | 3.28*  | 3.28*  | 11.80 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+25+35+35+35        | 1.11                  | 1.11   | 1.84   | 2.58   | 2.58   | 2.58   | 11.80 (3.50 - 14.00) | 3.162 (0.530 - 4.962)               | 13.89               | 99               |
| 15+15+25+35+35+42        | 1.06                  | 1.06   | 1.77   | 2.47   | 2.47   | 2.97*  | 11.80 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+25+35+35+50        | 1.01                  | 1.01   | 1.69   | 2.36   | 2.36   | 3.37*  | 11.80 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+15+25+35+42+42        | 1.02                  | 1.02   | 1.70   | 2.37   | 2.85*  | 2.85*  | 11.80 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 15+15+35+35+35+35        | 1.04                  | 1.04   | 2.43   | 2.43   | 2.43   | 2.43   | 11.80 (3.50 - 14.00) | 3.162 (0.530 - 4.962)               | 13.89               | 99               |
| 15+15+35+35+35+42        | 1.00                  | 1.00   | 2.33   | 2.33   | 2.33   | 2.80*  | 11.80 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 15+20+20+20+20+20        | 1.42                  | 1.90   | 1.90   | 1.90   | 1.90   | 1.90   | 10.90 (3.50 - 13.80) | 3.188 (0.530 - 4.968)               | 14.00               | 99               |
| 15+20+20+20+20+22        | 1.43                  | 1.91   | 1.91   | 1.91   | 1.91   | 2.10   | 11.15 (3.50 - 13.90) | 3.251 (0.530 - 4.971)               | 14.28               | 99               |
| 15+20+20+20+20+25        | 1.44                  | 1.92   | 1.92   | 1.92   | 1.92   | 2.40   | 11.50 (3.50 - 14.00) | 3.361 (0.530 - 4.981)               | 14.76               | 99               |
| 15+20+20+20+20+35        | 1.33                  | 1.77   | 1.77   | 1.77   | 1.77   | 3.10   | 11.50 (3.50 - 14.00) | 3.301 (0.530 - 4.981)               | 14.50               | 99               |
| 15+20+20+20+20+42        | 1.26                  | 1.68   | 1.68   | 1.68   | 1.68   | 3.53*  | 11.50 (3.50 - 14.00) | 3.255 (0.530 - 4.975)               | 14.30               | 99               |
| 15+20+20+20+20+50        | 1.19                  | 1.59   | 1.59   | 1.59   | 1.59   | 3.97*  | 11.50 (3.50 - 14.00) | 3.205 (0.530 - 4.975)               | 14.08               | 99               |
| 15+20+20+20+20+60        | 1.11                  | 1.48   | 1.48   | 1.48   | 1.48   | 4.45   | 11.50 (3.50 - 14.00) | 3.158 (0.530 - 4.958)               | 13.87               | 99               |
| 15+20+20+20+20+71        | 1.04                  | 1.39   | 1.39   | 1.39   | 1.39   | 4.92   | 11.50 (3.50 - 14.00) | 3.162 (0.530 - 4.962)               | 13.89               | 99               |
| 15+20+20+20+20+80        | 0.99                  | 1.31   | 1.31   | 1.31   | 1.31   | 5.26   | 11.50 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 15+20+20+20+22+22        | 1.44                  | 1.92   | 1.92   | 1.92   | 2.11   | 2.11   | 11.40 (3.50 - 14.00) | 3.314 (0.530 - 4.974)               | 14.55               | 99               |
| 15+20+20+20+22+25        | 1.42                  | 1.89   | 1.89   | 1.89   | 2.08   | 2.37   | 11.55 (3.50 - 14.00) | 3.344 (0.530 - 4.974)               | 14.69               | 99               |
| 15+20+20+20+22+35        | 1.31                  | 1.75   | 1.75   | 1.75   | 1.93   | 3.06   | 11.55 (3.50 - 14.00) | 3.284 (0.530 - 4.974)               | 14.42               | 99               |
| 15+20+20+20+22+42        | 1.25                  | 1.66   | 1.66   | 1.66   | 1.83   | 3.49*  | 11.55 (3.50 - 14.00) | 3.238 (0.530 - 4.968)               | 14.22               | 99               |
| 15+20+20+20+22+50        | 1.18                  | 1.57   | 1.57   | 1.57   | 1.73   | 3.93*  | 11.55 (3.50 - 14.00) | 3.188 (0.530 - 4.968)               | 14.00               | 99               |
| 15+20+20+20+22+60        | 1.10                  | 1.47   | 1.47   | 1.47   | 1.62   | 4.41   | 11.55 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 15+20+20+20+22+71        | 1.03                  | 1.38   | 1.38   | 1.38   | 1.51   | 4.88   | 11.55 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+20+20+20+22+80        | 0.98                  | 1.31   | 1.31   | 1.31   | 1.44   | 5.22   | 11.55 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 15+20+20+20+25+25        | 1.39                  | 1.86   | 1.86   | 1.86   | 2.32   | 2.32   | 11.60 (3.50 - 14.00) | 3.324 (0.530 - 4.974)               | 14.60               | 99               |
| 15+20+20+20+25+35        | 1.29                  | 1.72   | 1.72   | 1.72   | 2.15   | 3.01   | 11.60 (3.50 - 14.00) | 3.264 (0.530 - 4.974)               | 14.33               | 99               |
| 15+20+20+20+25+42        | 1.23                  | 1.63   | 1.63   | 1.63   | 2.04   | 3.43*  | 11.60 (3.50 - 14.00) | 3.218 (0.530 - 4.968)               | 14.13               | 99               |
| 15+20+20+20+25+50        | 1.16                  | 1.55   | 1.55   | 1.55   | 1.93   | 3.87*  | 11.60 (3.50 - 14.00) | 3.168 (0.530 - 4.968)               | 13.91               | 99               |
| 15+20+20+20+25+60        | 1.09                  | 1.45   | 1.45   | 1.45   | 1.81   | 4.35   | 11.60 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 15+20+20+20+25+71        | 1.02                  | 1.36   | 1.36   | 1.36   | 1.70   | 4.82   | 11.60 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+20+20+20+25+80        | 0.97                  | 1.29   | 1.29   | 1.29   | 1.61   | 5.16   | 11.60 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 15+20+20+20+35+35        | 1.20                  | 1.60   | 1.60   | 1.60   | 2.80   | 2.80   | 11.60 (3.50 - 14.00) | 3.204 (0.530 - 4.974)               | 14.07               | 99               |
| 15+20+20+20+35+42        | 1.14                  | 1.53   | 1.53   | 1.53   | 2.67   | 3.21*  | 11.60 (3.50 - 14.00) | 3.168 (0.530 - 4.968)               | 13.91               | 99               |
| 15+20+20+20+35+50        | 1.09                  | 1.45   | 1.45   | 1.45   | 2.54   | 3.63*  | 11.60 (3.50 - 14.00) | 3.168 (0.530 - 4.968)               | 13.91               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+20+20+20+35+60        | 1.02                  | 1.36   | 1.36   | 1.36   | 2.39   | 4.09   | 11.60 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 15+20+20+20+42+42        | 1.09                  | 1.46   | 1.46   | 1.46   | 3.06*  | 3.06*  | 11.60 (3.50 - 14.00) | 3.162 (0.530 - 4.962)               | 13.89               | 99               |
| 15+20+20+20+42+50        | 1.04                  | 1.39   | 1.39   | 1.39   | 2.92*  | 3.47*  | 11.60 (3.50 - 14.00) | 3.162 (0.530 - 4.962)               | 13.89               | 99               |
| 15+20+20+20+42+60        | 0.98                  | 1.31   | 1.31   | 1.31   | 2.75*  | 3.93   | 11.60 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 15+20+20+20+50+50        | 0.99                  | 1.33   | 1.33   | 1.33   | 3.31*  | 3.31*  | 11.60 (3.50 - 14.00) | 3.162 (0.530 - 4.962)               | 13.89               | 99               |
| 15+20+20+22+22+22        | 1.43                  | 1.91   | 1.91   | 2.10   | 2.10   | 2.10   | 11.55 (3.50 - 14.00) | 3.337 (0.530 - 4.967)               | 14.66               | 99               |
| 15+20+20+22+22+25        | 1.40                  | 1.87   | 1.87   | 2.06   | 2.06   | 2.34   | 11.60 (3.50 - 14.00) | 3.327 (0.530 - 4.967)               | 14.61               | 99               |
| 15+20+20+22+22+35        | 1.30                  | 1.73   | 1.73   | 1.90   | 1.90   | 3.03   | 11.60 (3.50 - 14.00) | 3.267 (0.530 - 4.967)               | 14.35               | 99               |
| 15+20+20+22+22+42        | 1.23                  | 1.65   | 1.65   | 1.81   | 1.81   | 3.46*  | 11.60 (3.50 - 14.00) | 3.211 (0.530 - 4.961)               | 14.10               | 99               |
| 15+20+20+22+22+50        | 1.17                  | 1.56   | 1.56   | 1.71   | 1.71   | 3.89*  | 11.60 (3.50 - 14.00) | 3.171 (0.530 - 4.961)               | 13.93               | 99               |
| 15+20+20+22+22+60        | 1.09                  | 1.46   | 1.46   | 1.61   | 1.61   | 4.38   | 11.60 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 15+20+20+22+22+71        | 1.02                  | 1.36   | 1.36   | 1.50   | 1.50   | 4.84   | 11.60 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+20+22+22+80        | 0.97                  | 1.30   | 1.30   | 1.43   | 1.43   | 5.18   | 11.60 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 15+20+20+22+25+25        | 1.38                  | 1.83   | 1.83   | 2.02   | 2.29   | 2.29   | 11.65 (3.50 - 14.00) | 3.307 (0.530 - 4.967)               | 14.52               | 99               |
| 15+20+20+22+25+35        | 1.28                  | 1.70   | 1.70   | 1.87   | 2.13   | 2.98   | 11.65 (3.50 - 14.00) | 3.247 (0.530 - 4.967)               | 14.26               | 99               |
| 15+20+20+22+25+42        | 1.21                  | 1.62   | 1.62   | 1.78   | 2.02   | 3.40*  | 11.65 (3.50 - 14.00) | 3.201 (0.530 - 4.961)               | 14.06               | 99               |
| 15+20+20+22+25+50        | 1.15                  | 1.53   | 1.53   | 1.69   | 1.92   | 3.83*  | 11.65 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+20+20+22+25+60        | 1.08                  | 1.44   | 1.44   | 1.58   | 1.80   | 4.31   | 11.65 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 15+20+20+22+25+71        | 1.01                  | 1.35   | 1.35   | 1.48   | 1.68   | 4.78   | 11.65 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+20+22+35+35        | 1.19                  | 1.59   | 1.59   | 1.74   | 2.77   | 2.77   | 11.65 (3.50 - 14.00) | 3.187 (0.530 - 4.967)               | 14.00               | 99               |
| 15+20+20+22+35+42        | 1.13                  | 1.51   | 1.51   | 1.66   | 2.65   | 3.18*  | 11.65 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+20+20+22+35+50        | 1.08                  | 1.44   | 1.44   | 1.58   | 2.52   | 3.60*  | 11.65 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+20+20+22+35+60        | 1.02                  | 1.35   | 1.35   | 1.49   | 2.37   | 4.06   | 11.65 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 15+20+20+22+42+42        | 1.09                  | 1.45   | 1.45   | 1.59   | 3.04*  | 3.04*  | 11.65 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+20+20+22+42+50        | 1.03                  | 1.38   | 1.38   | 1.52   | 2.90*  | 3.45*  | 11.65 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+20+20+22+42+60        | 0.98                  | 1.30   | 1.30   | 1.43   | 2.73*  | 3.91   | 11.65 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 15+20+20+22+50+50        | 0.99                  | 1.32   | 1.32   | 1.45   | 3.29*  | 3.29*  | 11.65 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+20+20+25+25+25        | 1.35                  | 1.80   | 1.80   | 2.25   | 2.25   | 2.25   | 11.70 (3.50 - 14.00) | 3.287 (0.530 - 4.967)               | 14.44               | 99               |
| 15+20+20+25+25+35        | 1.25                  | 1.67   | 1.67   | 2.09   | 2.09   | 2.93   | 11.70 (3.50 - 14.00) | 3.227 (0.530 - 4.967)               | 14.17               | 99               |
| 15+20+20+25+25+42        | 1.19                  | 1.59   | 1.59   | 1.99   | 1.99   | 3.34*  | 11.70 (3.50 - 14.00) | 3.181 (0.530 - 4.961)               | 13.97               | 99               |
| 15+20+20+25+25+50        | 1.13                  | 1.51   | 1.51   | 1.89   | 1.89   | 3.77*  | 11.70 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+20+20+25+25+60        | 1.06                  | 1.42   | 1.42   | 1.77   | 1.77   | 4.25   | 11.70 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 15+20+20+25+25+71        | 1.00                  | 1.33   | 1.33   | 1.66   | 1.66   | 4.72   | 11.70 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+20+25+35+35        | 1.17                  | 1.56   | 1.56   | 1.95   | 2.73   | 2.73   | 11.70 (3.50 - 14.00) | 3.167 (0.530 - 4.967)               | 13.91               | 99               |
| 15+20+20+25+35+42        | 1.12                  | 1.49   | 1.49   | 1.86   | 2.61   | 3.13*  | 11.70 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+20+20+25+35+50        | 1.06                  | 1.42   | 1.42   | 1.77   | 2.48   | 3.55*  | 11.70 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+20+20+25+35+60        | 1.00                  | 1.34   | 1.34   | 1.67   | 2.34   | 4.01   | 11.70 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 15+20+20+25+42+42        | 1.07                  | 1.43   | 1.43   | 1.78   | 3.00*  | 3.00*  | 11.70 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+20+20+25+42+50        | 1.02                  | 1.36   | 1.36   | 1.70   | 2.86*  | 3.40*  | 11.70 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+20+20+25+50+50        | 0.98                  | 1.30   | 1.30   | 1.63   | 3.25*  | 3.25*  | 11.70 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+20+20+35+35+35        | 1.10                  | 1.46   | 1.46   | 2.56   | 2.56   | 2.56   | 11.70 (3.50 - 14.00) | 3.167 (0.530 - 4.967)               | 13.91               | 99               |
| 15+20+20+35+35+42        | 1.05                  | 1.40   | 1.40   | 2.45   | 2.45   | 2.94*  | 11.70 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+20+20+35+35+50        | 1.00                  | 1.34   | 1.34   | 2.34   | 2.34   | 3.34*  | 11.70 (3.50 - 14.00) | 3.161 (0.530 - 4.961)               | 13.88               | 99               |
| 15+20+20+35+42+42        | 1.01                  | 1.34   | 1.34   | 2.35   | 2.82*  | 2.82*  | 11.70 (3.50 - 14.00) | 3.155 (0.530 - 4.955)               | 13.86               | 99               |
| 15+20+22+22+22+22        | 1.41                  | 1.89   | 2.07   | 2.07   | 2.07   | 2.07   | 11.60 (3.50 - 14.00) | 3.320 (0.530 - 4.960)               | 14.58               | 99               |
| 15+20+22+22+22+25        | 1.39                  | 1.85   | 2.03   | 2.03   | 2.03   | 2.31   | 11.65 (3.50 - 14.00) | 3.300 (0.530 - 4.960)               | 14.49               | 99               |
| 15+20+22+22+22+35        | 1.28                  | 1.71   | 1.88   | 1.88   | 1.88   | 3.00   | 11.65 (3.50 - 14.00) | 3.240 (0.530 - 4.960)               | 14.23               | 99               |
| 15+20+22+22+22+42        | 1.22                  | 1.63   | 1.79   | 1.79   | 1.79   | 3.42*  | 11.65 (3.50 - 14.00) | 3.194 (0.530 - 4.954)               | 14.03               | 99               |
| 15+20+22+22+22+50        | 1.16                  | 1.54   | 1.70   | 1.70   | 1.70   | 3.86*  | 11.65 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+22+22+22+60        | 1.09                  | 1.45   | 1.59   | 1.59   | 1.59   | 4.34   | 11.65 (3.50 - 14.00) | 3.137 (0.530 - 4.937)               | 13.78               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+20+22+22+22+71        | 1.02                  | 1.35   | 1.49   | 1.49   | 1.49   | 4.81   | 11.65 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+20+22+22+25+25        | 1.36                  | 1.81   | 2.00   | 2.00   | 2.27   | 2.27   | 11.70 (3.50 - 14.00) | 3.290 (0.530 - 4.960)               | 14.45               | 99               |
| 15+20+22+22+25+35        | 1.26                  | 1.68   | 1.85   | 1.85   | 2.10   | 2.95   | 11.70 (3.50 - 14.00) | 3.230 (0.530 - 4.960)               | 14.19               | 99               |
| 15+20+22+22+25+42        | 1.20                  | 1.60   | 1.76   | 1.76   | 2.00   | 3.37*  | 11.70 (3.50 - 14.00) | 3.174 (0.530 - 4.954)               | 13.94               | 99               |
| 15+20+22+22+25+50        | 1.14                  | 1.52   | 1.67   | 1.67   | 1.90   | 3.80*  | 11.70 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+22+22+25+60        | 1.07                  | 1.43   | 1.57   | 1.57   | 1.78   | 4.28   | 11.70 (3.50 - 14.00) | 3.137 (0.530 - 4.937)               | 13.78               | 99               |
| 15+20+22+22+25+71        | 1.00                  | 1.34   | 1.47   | 1.47   | 1.67   | 4.75   | 11.70 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+20+22+22+35+35        | 1.18                  | 1.57   | 1.73   | 1.73   | 2.75   | 2.75   | 11.70 (3.50 - 14.00) | 3.170 (0.530 - 4.960)               | 13.92               | 99               |
| 15+20+22+22+35+42        | 1.13                  | 1.50   | 1.65   | 1.65   | 2.63   | 3.15*  | 11.70 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+22+22+35+50        | 1.07                  | 1.43   | 1.57   | 1.57   | 2.50   | 3.57*  | 11.70 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+22+22+35+60        | 1.01                  | 1.34   | 1.48   | 1.48   | 2.35   | 4.03   | 11.70 (3.50 - 14.00) | 3.137 (0.530 - 4.937)               | 13.78               | 99               |
| 15+20+22+22+42+42        | 1.08                  | 1.44   | 1.58   | 1.58   | 3.01*  | 3.01*  | 11.70 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+22+22+42+50        | 1.03                  | 1.37   | 1.51   | 1.51   | 2.87*  | 3.42*  | 11.70 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+22+22+50+50        | 0.98                  | 1.31   | 1.44   | 1.44   | 3.27*  | 3.27*  | 11.70 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+22+25+25+25        | 1.34                  | 1.78   | 1.96   | 2.23   | 2.23   | 2.23   | 11.75 (3.50 - 14.00) | 3.270 (0.530 - 4.960)               | 14.36               | 99               |
| 15+20+22+25+25+35        | 1.24                  | 1.65   | 1.82   | 2.07   | 2.07   | 2.90   | 11.75 (3.50 - 14.00) | 3.210 (0.530 - 4.960)               | 14.10               | 99               |
| 15+20+22+25+25+42        | 1.18                  | 1.58   | 1.73   | 1.97   | 1.97   | 3.31*  | 11.75 (3.50 - 14.00) | 3.164 (0.530 - 4.954)               | 13.90               | 99               |
| 15+20+22+25+25+50        | 1.12                  | 1.50   | 1.65   | 1.87   | 1.87   | 3.74*  | 11.75 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+22+25+25+60        | 1.06                  | 1.41   | 1.55   | 1.76   | 1.76   | 4.22   | 11.75 (3.50 - 14.00) | 3.137 (0.530 - 4.937)               | 13.78               | 99               |
| 15+20+22+25+25+71        | 0.99                  | 1.32   | 1.45   | 1.65   | 1.65   | 4.69   | 11.75 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+20+22+25+35+35        | 1.16                  | 1.55   | 1.70   | 1.93   | 2.71   | 2.71   | 11.75 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 15+20+22+25+35+42        | 1.11                  | 1.48   | 1.63   | 1.85   | 2.59   | 3.10*  | 11.75 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+22+25+35+50        | 1.06                  | 1.41   | 1.55   | 1.76   | 2.46   | 3.52*  | 11.75 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+22+25+35+60        | 1.00                  | 1.33   | 1.46   | 1.66   | 2.32   | 3.98   | 11.75 (3.50 - 14.00) | 3.137 (0.530 - 4.937)               | 13.78               | 99               |
| 15+20+22+25+42+42        | 1.06                  | 1.42   | 1.56   | 1.77   | 2.97*  | 2.97*  | 11.75 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+22+25+42+50        | 1.01                  | 1.35   | 1.49   | 1.69   | 2.84*  | 3.38*  | 11.75 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+22+35+35+35        | 1.09                  | 1.45   | 1.60   | 2.54   | 2.54   | 2.54   | 11.75 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 15+20+22+35+35+42        | 1.04                  | 1.39   | 1.53   | 2.43   | 2.43   | 2.92*  | 11.75 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+22+35+35+50        | 1.00                  | 1.33   | 1.46   | 2.32   | 2.32   | 3.32*  | 11.75 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+22+35+42+42        | 1.00                  | 1.34   | 1.47   | 2.34   | 2.80*  | 2.80*  | 11.75 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+25+25+25+25        | 1.31                  | 1.75   | 2.19   | 2.19   | 2.19   | 2.19   | 11.80 (3.50 - 14.00) | 3.250 (0.530 - 4.960)               | 14.27               | 99               |
| 15+20+25+25+25+35        | 1.22                  | 1.63   | 2.03   | 2.03   | 2.03   | 2.85   | 11.80 (3.50 - 14.00) | 3.190 (0.530 - 4.960)               | 14.01               | 99               |
| 15+20+25+25+25+42        | 1.16                  | 1.55   | 1.94   | 1.94   | 1.94   | 3.26*  | 11.80 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+25+25+25+50        | 1.11                  | 1.48   | 1.84   | 1.84   | 1.84   | 3.69*  | 11.80 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+25+25+25+60        | 1.04                  | 1.39   | 1.74   | 1.74   | 1.74   | 4.16   | 11.80 (3.50 - 14.00) | 3.137 (0.530 - 4.937)               | 13.78               | 99               |
| 15+20+25+25+35+35        | 1.14                  | 1.52   | 1.90   | 1.90   | 2.66   | 2.66   | 11.80 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 15+20+25+25+35+42        | 1.09                  | 1.46   | 1.82   | 1.82   | 2.55   | 3.06*  | 11.80 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+25+25+35+50        | 1.04                  | 1.39   | 1.74   | 1.74   | 2.43   | 3.47*  | 11.80 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+25+25+35+60        | 0.98                  | 1.31   | 1.64   | 1.64   | 2.29   | 3.93   | 11.80 (3.50 - 14.00) | 3.137 (0.530 - 4.937)               | 13.78               | 99               |
| 15+20+25+25+42+42        | 1.05                  | 1.40   | 1.75   | 1.75   | 2.93*  | 2.93*  | 11.80 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+25+25+42+50        | 1.00                  | 1.33   | 1.67   | 1.67   | 2.80*  | 3.33*  | 11.80 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+25+35+35+35        | 1.07                  | 1.43   | 1.79   | 2.50   | 2.50   | 2.50   | 11.80 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 15+20+25+35+35+42        | 1.03                  | 1.37   | 1.72   | 2.40   | 2.40   | 2.88*  | 11.80 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+25+35+35+50        | 0.98                  | 1.31   | 1.64   | 2.29   | 2.29   | 3.28*  | 11.80 (3.50 - 14.00) | 3.154 (0.530 - 4.954)               | 13.85               | 99               |
| 15+20+25+35+42+42        | 0.99                  | 1.32   | 1.65   | 2.31   | 2.77*  | 2.77*  | 11.80 (3.50 - 14.00) | 3.148 (0.530 - 4.948)               | 13.83               | 99               |
| 15+20+35+35+35+35        | 1.01                  | 1.35   | 2.36   | 2.36   | 2.36   | 2.36   | 11.80 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 15+22+22+22+22+22        | 1.40                  | 2.05   | 2.05   | 2.05   | 2.05   | 2.05   | 11.65 (3.50 - 14.00) | 3.303 (0.530 - 4.953)               | 14.51               | 99               |
| 15+22+22+22+22+25        | 1.37                  | 2.01   | 2.01   | 2.01   | 2.01   | 2.29   | 11.70 (3.50 - 14.00) | 3.283 (0.530 - 4.953)               | 14.42               | 99               |
| 15+22+22+22+22+35        | 1.27                  | 1.87   | 1.87   | 1.87   | 1.87   | 2.97   | 11.70 (3.50 - 14.00) | 3.223 (0.530 - 4.953)               | 14.15               | 99               |
| 15+22+22+22+22+42        | 1.21                  | 1.78   | 1.78   | 1.78   | 1.78   | 3.39*  | 11.70 (3.50 - 14.00) | 3.177 (0.530 - 4.947)               | 13.95               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+22+22+22+22+50        | 1.15                  | 1.68   | 1.68   | 1.68   | 1.68   | 3.82*  | 11.70 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+22+22+22+60        | 1.08                  | 1.58   | 1.58   | 1.58   | 1.58   | 4.31   | 11.70 (3.50 - 14.00) | 3.130 (0.530 - 4.930)               | 13.75               | 99               |
| 15+22+22+22+22+71        | 1.01                  | 1.48   | 1.48   | 1.48   | 1.48   | 4.77   | 11.70 (3.50 - 14.00) | 3.134 (0.530 - 4.934)               | 13.76               | 99               |
| 15+22+22+22+25+25        | 1.35                  | 1.97   | 1.97   | 1.97   | 2.24   | 2.24   | 11.75 (3.50 - 14.00) | 3.263 (0.530 - 4.953)               | 14.33               | 99               |
| 15+22+22+22+25+35        | 1.25                  | 1.83   | 1.83   | 1.83   | 2.08   | 2.92   | 11.75 (3.50 - 14.00) | 3.203 (0.530 - 4.953)               | 14.07               | 99               |
| 15+22+22+22+25+42        | 1.19                  | 1.75   | 1.75   | 1.75   | 1.98   | 3.33*  | 11.75 (3.50 - 14.00) | 3.157 (0.530 - 4.947)               | 13.86               | 99               |
| 15+22+22+22+25+50        | 1.13                  | 1.66   | 1.66   | 1.66   | 1.88   | 3.77*  | 11.75 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+22+22+25+60        | 1.06                  | 1.56   | 1.56   | 1.56   | 1.77   | 4.25   | 11.75 (3.50 - 14.00) | 3.130 (0.530 - 4.930)               | 13.75               | 99               |
| 15+22+22+22+25+71        | 1.00                  | 1.46   | 1.46   | 1.46   | 1.66   | 4.71   | 11.75 (3.50 - 14.00) | 3.134 (0.530 - 4.934)               | 13.76               | 99               |
| 15+22+22+22+35+35        | 1.17                  | 1.71   | 1.71   | 1.71   | 2.72   | 2.72   | 11.75 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+22+22+22+35+42        | 1.12                  | 1.64   | 1.64   | 1.64   | 2.60   | 3.12*  | 11.75 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+22+22+35+50        | 1.06                  | 1.56   | 1.56   | 1.56   | 2.48   | 3.54*  | 11.75 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+22+22+35+60        | 1.00                  | 1.47   | 1.47   | 1.47   | 2.34   | 4.01   | 11.75 (3.50 - 14.00) | 3.130 (0.530 - 4.930)               | 13.75               | 99               |
| 15+22+22+22+42+42        | 1.07                  | 1.57   | 1.57   | 1.57   | 2.99*  | 2.99*  | 11.75 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+22+22+22+42+50        | 1.02                  | 1.49   | 1.49   | 1.49   | 2.85*  | 3.40*  | 11.75 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+22+22+25+25+25        | 1.32                  | 1.94   | 1.94   | 2.20   | 2.20   | 2.20   | 11.80 (3.50 - 14.00) | 3.253 (0.530 - 4.953)               | 14.29               | 99               |
| 15+22+22+25+25+35        | 1.23                  | 1.80   | 1.80   | 2.05   | 2.05   | 2.87   | 11.80 (3.50 - 14.00) | 3.193 (0.530 - 4.953)               | 14.02               | 99               |
| 15+22+22+25+25+42        | 1.17                  | 1.72   | 1.72   | 1.95   | 1.95   | 3.28*  | 11.80 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+22+25+25+50        | 1.11                  | 1.63   | 1.63   | 1.86   | 1.86   | 3.71*  | 11.80 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+22+25+25+60        | 1.05                  | 1.54   | 1.54   | 1.75   | 1.75   | 4.19   | 11.80 (3.50 - 14.00) | 3.130 (0.530 - 4.930)               | 13.75               | 99               |
| 15+22+22+25+25+71        | 0.98                  | 1.44   | 1.44   | 1.64   | 1.64   | 4.65   | 11.80 (3.50 - 14.00) | 3.134 (0.530 - 4.934)               | 13.76               | 99               |
| 15+22+22+25+35+35        | 1.15                  | 1.69   | 1.69   | 1.92   | 2.68   | 2.68   | 11.80 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+22+22+25+35+42        | 1.10                  | 1.61   | 1.61   | 1.83   | 2.57   | 3.08*  | 11.80 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+22+25+35+50        | 1.05                  | 1.54   | 1.54   | 1.75   | 2.44   | 3.49*  | 11.80 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+22+25+35+60        | 0.99                  | 1.45   | 1.45   | 1.65   | 2.31   | 3.96   | 11.80 (3.50 - 14.00) | 3.130 (0.530 - 4.930)               | 13.75               | 99               |
| 15+22+22+25+42+42        | 1.05                  | 1.55   | 1.55   | 1.76   | 2.95*  | 2.95*  | 11.80 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+22+22+25+42+50        | 1.01                  | 1.48   | 1.48   | 1.68   | 2.82*  | 3.35*  | 11.80 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+22+22+35+35+35        | 1.08                  | 1.58   | 1.58   | 2.52   | 2.52   | 2.52   | 11.80 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+22+22+35+35+42        | 1.04                  | 1.52   | 1.52   | 2.42   | 2.42   | 2.90*  | 11.80 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+22+35+35+50        | 0.99                  | 1.45   | 1.45   | 2.31   | 2.31   | 3.30*  | 11.80 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+22+35+42+42        | 0.99                  | 1.46   | 1.46   | 2.32   | 2.78*  | 2.78*  | 11.80 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+22+25+25+25+25        | 1.30                  | 1.90   | 2.16   | 2.16   | 2.16   | 2.16   | 11.85 (3.50 - 14.00) | 3.233 (0.530 - 4.953)               | 14.20               | 99               |
| 15+22+25+25+25+35        | 1.21                  | 1.77   | 2.02   | 2.02   | 2.02   | 2.82   | 11.85 (3.50 - 14.00) | 3.173 (0.530 - 4.953)               | 13.94               | 99               |
| 15+22+25+25+25+42        | 1.15                  | 1.69   | 1.92   | 1.92   | 1.92   | 3.23*  | 11.85 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+25+25+25+50        | 1.10                  | 1.61   | 1.83   | 1.83   | 1.83   | 3.66*  | 11.85 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+25+25+25+60        | 1.03                  | 1.52   | 1.72   | 1.72   | 1.72   | 4.13   | 11.85 (3.50 - 14.00) | 3.130 (0.530 - 4.930)               | 13.75               | 99               |
| 15+22+25+25+35+35        | 1.13                  | 1.66   | 1.89   | 1.89   | 2.64   | 2.64   | 11.85 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+22+25+25+35+42        | 1.08                  | 1.59   | 1.81   | 1.81   | 2.53   | 3.03*  | 11.85 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+25+25+35+50        | 1.03                  | 1.52   | 1.72   | 1.72   | 2.41   | 3.44*  | 11.85 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+25+25+42+42        | 1.04                  | 1.52   | 1.73   | 1.73   | 2.91*  | 2.91*  | 11.85 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+22+25+25+42+50        | 0.99                  | 1.46   | 1.66   | 1.66   | 2.78*  | 3.31*  | 11.85 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+22+25+35+35+35        | 1.06                  | 1.56   | 1.77   | 2.48   | 2.48   | 2.48   | 11.85 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+22+25+35+35+42        | 1.02                  | 1.50   | 1.70   | 2.38   | 2.38   | 2.86*  | 11.85 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+22+35+35+35+35        | 1.00                  | 1.47   | 2.34   | 2.34   | 2.34   | 2.34   | 11.85 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+25+25+25+25+25        | 1.28                  | 2.13   | 2.13   | 2.13   | 2.13   | 2.13   | 11.90 (3.50 - 14.00) | 3.213 (0.530 - 4.953)               | 14.11               | 99               |
| 15+25+25+25+25+35        | 1.19                  | 1.98   | 1.98   | 1.98   | 1.98   | 2.78   | 11.90 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+25+25+25+25+42        | 1.14                  | 1.89   | 1.89   | 1.89   | 1.89   | 3.18*  | 11.90 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+25+25+25+25+50        | 1.08                  | 1.80   | 1.80   | 1.80   | 1.80   | 3.61*  | 11.90 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+25+25+25+25+60        | 1.02                  | 1.70   | 1.70   | 1.70   | 1.70   | 4.08   | 11.90 (3.50 - 14.00) | 3.130 (0.530 - 4.930)               | 13.75               | 99               |
| 15+25+25+25+35+35        | 1.12                  | 1.86   | 1.86   | 1.86   | 2.60   | 2.60   | 11.90 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+25+25+25+35+42        | 1.07                  | 1.78   | 1.78   | 1.78   | 2.49   | 2.99*  | 11.90 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+25+25+25+35+50        | 1.02                  | 1.70   | 1.70   | 1.70   | 2.38   | 3.40*  | 11.90 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+25+25+25+42+42        | 1.03                  | 1.71   | 1.71   | 1.71   | 2.87*  | 2.87*  | 11.90 (3.50 - 14.00) | 3.141 (0.530 - 4.941)               | 13.79               | 99               |
| 15+25+25+35+35+35        | 1.05                  | 1.75   | 1.75   | 2.45   | 2.45   | 2.45   | 11.90 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 15+25+25+35+35+42        | 1.01                  | 1.68   | 1.68   | 2.35   | 2.35   | 2.82*  | 11.90 (3.50 - 14.00) | 3.147 (0.530 - 4.947)               | 13.82               | 99               |
| 15+25+35+35+35+35        | 0.99                  | 1.65   | 2.31   | 2.31   | 2.31   | 2.31   | 11.90 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 20+20+20+20+20+20        | 1.90                  | 1.90   | 1.90   | 1.90   | 1.90   | 1.90   | 11.40 (3.50 - 14.00) | 3.366 (0.530 - 4.986)               | 14.78               | 99               |
| 20+20+20+20+20+22        | 1.88                  | 1.88   | 1.88   | 1.88   | 1.88   | 2.06   | 11.45 (3.50 - 14.00) | 3.349 (0.530 - 4.979)               | 14.71               | 99               |
| 20+20+20+20+20+25        | 1.84                  | 1.84   | 1.84   | 1.84   | 1.84   | 2.30   | 11.50 (3.50 - 14.00) | 3.329 (0.530 - 4.979)               | 14.62               | 99               |
| 20+20+20+20+20+35        | 1.70                  | 1.70   | 1.70   | 1.70   | 1.70   | 2.98   | 11.50 (3.50 - 14.00) | 3.269 (0.530 - 4.979)               | 14.36               | 99               |
| 20+20+20+20+20+42        | 1.62                  | 1.62   | 1.62   | 1.62   | 1.62   | 3.40*  | 11.50 (3.50 - 14.00) | 3.223 (0.530 - 4.973)               | 14.15               | 99               |
| 20+20+20+20+20+50        | 1.53                  | 1.53   | 1.53   | 1.53   | 1.53   | 3.83*  | 11.50 (3.50 - 14.00) | 3.173 (0.530 - 4.973)               | 13.94               | 99               |
| 20+20+20+20+20+60        | 1.44                  | 1.44   | 1.44   | 1.44   | 1.44   | 4.31   | 11.50 (3.50 - 14.00) | 3.156 (0.530 - 4.956)               | 13.86               | 99               |
| 20+20+20+20+20+71        | 1.35                  | 1.35   | 1.35   | 1.35   | 1.35   | 4.77   | 11.50 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 20+20+20+20+20+80        | 1.28                  | 1.28   | 1.28   | 1.28   | 1.28   | 5.11   | 11.50 (3.50 - 14.00) | 3.150 (0.530 - 4.950)               | 13.83               | 99               |
| 20+20+20+20+22+22        | 1.85                  | 1.85   | 1.85   | 1.85   | 2.04   | 2.04   | 11.50 (3.50 - 14.00) | 3.332 (0.530 - 4.972)               | 14.63               | 99               |
| 20+20+20+20+22+25        | 1.82                  | 1.82   | 1.82   | 1.82   | 2.00   | 2.27   | 11.55 (3.50 - 14.00) | 3.312 (0.530 - 4.972)               | 14.55               | 99               |
| 20+20+20+20+22+35        | 1.69                  | 1.69   | 1.69   | 1.69   | 1.85   | 2.95   | 11.55 (3.50 - 14.00) | 3.252 (0.530 - 4.972)               | 14.28               | 99               |
| 20+20+20+20+22+42        | 1.60                  | 1.60   | 1.60   | 1.60   | 1.76   | 3.37*  | 11.55 (3.50 - 14.00) | 3.206 (0.530 - 4.966)               | 14.08               | 99               |
| 20+20+20+20+22+50        | 1.52                  | 1.52   | 1.52   | 1.52   | 1.67   | 3.80*  | 11.55 (3.50 - 14.00) | 3.166 (0.530 - 4.966)               | 13.90               | 99               |
| 20+20+20+20+22+60        | 1.43                  | 1.43   | 1.43   | 1.43   | 1.57   | 4.28   | 11.55 (3.50 - 14.00) | 3.149 (0.530 - 4.949)               | 13.83               | 99               |
| 20+20+20+20+22+71        | 1.34                  | 1.34   | 1.34   | 1.34   | 1.47   | 4.74   | 11.55 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 20+20+20+20+25+25        | 1.78                  | 1.78   | 1.78   | 1.78   | 2.23   | 2.23   | 11.60 (3.50 - 14.00) | 3.292 (0.530 - 4.972)               | 14.46               | 99               |
| 20+20+20+20+25+35        | 1.66                  | 1.66   | 1.66   | 1.66   | 2.07   | 2.90   | 11.60 (3.50 - 14.00) | 3.232 (0.530 - 4.972)               | 14.19               | 99               |
| 20+20+20+20+25+42        | 1.58                  | 1.58   | 1.58   | 1.58   | 1.97   | 3.31*  | 11.60 (3.50 - 14.00) | 3.186 (0.530 - 4.966)               | 13.99               | 99               |
| 20+20+20+20+25+50        | 1.50                  | 1.50   | 1.50   | 1.50   | 1.87   | 3.74*  | 11.60 (3.50 - 14.00) | 3.166 (0.530 - 4.966)               | 13.90               | 99               |
| 20+20+20+20+25+60        | 1.41                  | 1.41   | 1.41   | 1.41   | 1.76   | 4.22   | 11.60 (3.50 - 14.00) | 3.149 (0.530 - 4.949)               | 13.83               | 99               |
| 20+20+20+20+25+71        | 1.32                  | 1.32   | 1.32   | 1.32   | 1.65   | 4.68   | 11.60 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 20+20+20+20+35+35        | 1.55                  | 1.55   | 1.55   | 1.55   | 2.71   | 2.71   | 11.60 (3.50 - 14.00) | 3.172 (0.530 - 4.972)               | 13.93               | 99               |
| 20+20+20+20+35+42        | 1.48                  | 1.48   | 1.48   | 1.48   | 2.59   | 3.10*  | 11.60 (3.50 - 14.00) | 3.166 (0.530 - 4.966)               | 13.90               | 99               |
| 20+20+20+20+35+50        | 1.41                  | 1.41   | 1.41   | 1.41   | 2.46   | 3.52*  | 11.60 (3.50 - 14.00) | 3.166 (0.530 - 4.966)               | 13.90               | 99               |
| 20+20+20+20+35+60        | 1.33                  | 1.33   | 1.33   | 1.33   | 2.32   | 3.98   | 11.60 (3.50 - 14.00) | 3.149 (0.530 - 4.949)               | 13.83               | 99               |
| 20+20+20+20+42+42        | 1.41                  | 1.41   | 1.41   | 1.41   | 2.97*  | 2.97*  | 11.60 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 20+20+20+20+42+50        | 1.35                  | 1.35   | 1.35   | 1.35   | 2.83*  | 3.37*  | 11.60 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 20+20+20+20+50+50        | 1.29                  | 1.29   | 1.29   | 1.29   | 3.22*  | 3.22*  | 11.60 (3.50 - 14.00) | 3.160 (0.530 - 4.960)               | 13.88               | 99               |
| 20+20+20+22+22+22        | 1.83                  | 1.83   | 1.83   | 2.02   | 2.02   | 2.02   | 11.55 (3.50 - 14.00) | 3.305 (0.530 - 4.965)               | 14.51               | 99               |
| 20+20+20+22+22+25        | 1.80                  | 1.80   | 1.80   | 1.98   | 1.98   | 2.25   | 11.60 (3.50 - 14.00) | 3.295 (0.530 - 4.965)               | 14.47               | 99               |
| 20+20+20+22+22+35        | 1.67                  | 1.67   | 1.67   | 1.84   | 1.84   | 2.92   | 11.60 (3.50 - 14.00) | 3.235 (0.530 - 4.965)               | 14.21               | 99               |
| 20+20+20+22+22+42        | 1.59                  | 1.59   | 1.59   | 1.75   | 1.75   | 3.34*  | 11.60 (3.50 - 14.00) | 3.179 (0.530 - 4.959)               | 13.96               | 99               |
| 20+20+20+22+22+50        | 1.51                  | 1.51   | 1.51   | 1.66   | 1.66   | 3.77*  | 11.60 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 20+20+20+22+22+60        | 1.41                  | 1.41   | 1.41   | 1.56   | 1.56   | 4.24   | 11.60 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 20+20+20+22+22+71        | 1.33                  | 1.33   | 1.33   | 1.46   | 1.46   | 4.71   | 11.60 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 20+20+20+22+25+25        | 1.77                  | 1.77   | 1.77   | 1.94   | 2.21   | 2.21   | 11.65 (3.50 - 14.00) | 3.275 (0.530 - 4.965)               | 14.38               | 99               |
| 20+20+20+22+25+35        | 1.64                  | 1.64   | 1.64   | 1.80   | 2.05   | 2.87   | 11.65 (3.50 - 14.00) | 3.215 (0.530 - 4.965)               | 14.12               | 99               |
| 20+20+20+22+25+42        | 1.56                  | 1.56   | 1.56   | 1.72   | 1.95   | 3.28*  | 11.65 (3.50 - 14.00) | 3.169 (0.530 - 4.959)               | 13.92               | 99               |
| 20+20+20+22+25+50        | 1.48                  | 1.48   | 1.48   | 1.63   | 1.86   | 3.71*  | 11.65 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 20+20+20+22+25+60        | 1.40                  | 1.40   | 1.40   | 1.53   | 1.74   | 4.19   | 11.65 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 20+20+20+22+25+71        | 1.31                  | 1.31   | 1.31   | 1.44   | 1.64   | 4.65   | 11.65 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 20+20+20+22+35+35        | 1.53                  | 1.53   | 1.53   | 1.69   | 2.68   | 2.68   | 11.65 (3.50 - 14.00) | 3.165 (0.530 - 4.965)               | 13.90               | 99               |
| 20+20+20+22+35+42        | 1.47                  | 1.47   | 1.47   | 1.61   | 2.56   | 3.08*  | 11.65 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+20+20+22+35+50        | 1.40                  | 1.40   | 1.40   | 1.53   | 2.44   | 3.49*  | 11.65 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 20+20+20+22+35+60        | 1.32                  | 1.32   | 1.32   | 1.45   | 2.30   | 3.95   | 11.65 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 20+20+20+22+42+42        | 1.40                  | 1.40   | 1.40   | 1.54   | 2.95*  | 2.95*  | 11.65 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 20+20+20+22+42+50        | 1.34                  | 1.34   | 1.34   | 1.47   | 2.81*  | 3.35*  | 11.65 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 20+20+20+25+25+25        | 1.73                  | 1.73   | 1.73   | 2.17   | 2.17   | 2.17   | 11.70 (3.50 - 14.00) | 3.255 (0.530 - 4.965)               | 14.30               | 99               |
| 20+20+20+25+25+35        | 1.61                  | 1.61   | 1.61   | 2.02   | 2.02   | 2.82   | 11.70 (3.50 - 14.00) | 3.195 (0.530 - 4.965)               | 14.03               | 99               |
| 20+20+20+25+25+42        | 1.54                  | 1.54   | 1.54   | 1.92   | 1.92   | 3.23*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 20+20+20+25+25+50        | 1.46                  | 1.46   | 1.46   | 1.83   | 1.83   | 3.66*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 20+20+20+25+25+60        | 1.38                  | 1.38   | 1.38   | 1.72   | 1.72   | 4.13   | 11.70 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 20+20+20+25+35+35        | 1.51                  | 1.51   | 1.51   | 1.89   | 2.64   | 2.64   | 11.70 (3.50 - 14.00) | 3.165 (0.530 - 4.965)               | 13.90               | 99               |
| 20+20+20+25+35+42        | 1.44                  | 1.44   | 1.44   | 1.81   | 2.53   | 3.03*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 20+20+20+25+35+50        | 1.38                  | 1.38   | 1.38   | 1.72   | 2.41   | 3.44*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 20+20+20+25+35+60        | 1.30                  | 1.30   | 1.30   | 1.63   | 2.28   | 3.90   | 11.70 (3.50 - 14.00) | 3.142 (0.530 - 4.942)               | 13.80               | 99               |
| 20+20+20+25+42+42        | 1.38                  | 1.38   | 1.38   | 1.73   | 2.91*  | 2.91*  | 11.70 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 20+20+20+25+42+50        | 1.32                  | 1.32   | 1.32   | 1.65   | 2.78*  | 3.31*  | 11.70 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 20+20+20+35+35+35        | 1.42                  | 1.42   | 1.42   | 2.48   | 2.48   | 2.48   | 11.70 (3.50 - 14.00) | 3.165 (0.530 - 4.965)               | 13.90               | 99               |
| 20+20+20+35+35+42        | 1.36                  | 1.36   | 1.36   | 2.38   | 2.38   | 2.86*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 20+20+20+35+35+50        | 1.30                  | 1.30   | 1.30   | 2.28   | 2.28   | 3.25*  | 11.70 (3.50 - 14.00) | 3.159 (0.530 - 4.959)               | 13.87               | 99               |
| 20+20+20+35+42+42        | 1.31                  | 1.31   | 1.31   | 2.29   | 2.75*  | 2.75*  | 11.70 (3.50 - 14.00) | 3.153 (0.530 - 4.953)               | 13.85               | 99               |
| 20+20+22+22+22+22        | 1.81                  | 1.81   | 1.99   | 1.99   | 1.99   | 1.99   | 11.60 (3.50 - 14.00) | 3.288 (0.530 - 4.958)               | 14.44               | 99               |
| 20+20+22+22+22+25        | 1.78                  | 1.78   | 1.96   | 1.96   | 1.96   | 2.22   | 11.65 (3.50 - 14.00) | 3.268 (0.530 - 4.958)               | 14.35               | 99               |
| 20+20+22+22+22+35        | 1.65                  | 1.65   | 1.82   | 1.82   | 1.82   | 2.89   | 11.65 (3.50 - 14.00) | 3.208 (0.530 - 4.958)               | 14.09               | 99               |
| 20+20+22+22+22+42        | 1.57                  | 1.57   | 1.73   | 1.73   | 1.73   | 3.31*  | 11.65 (3.50 - 14.00) | 3.162 (0.530 - 4.952)               | 13.89               | 99               |
| 20+20+22+22+22+50        | 1.49                  | 1.49   | 1.64   | 1.64   | 1.64   | 3.73*  | 11.65 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+22+22+22+60        | 1.40                  | 1.40   | 1.54   | 1.54   | 1.54   | 4.21   | 11.65 (3.50 - 14.00) | 3.135 (0.530 - 4.935)               | 13.77               | 99               |
| 20+20+22+22+22+71        | 1.32                  | 1.32   | 1.45   | 1.45   | 1.45   | 4.67   | 11.65 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 20+20+22+22+25+25        | 1.75                  | 1.75   | 1.92   | 1.92   | 2.18   | 2.18   | 11.70 (3.50 - 14.00) | 3.258 (0.530 - 4.958)               | 14.31               | 99               |
| 20+20+22+22+25+35        | 1.63                  | 1.63   | 1.79   | 1.79   | 2.03   | 2.84   | 11.70 (3.50 - 14.00) | 3.198 (0.530 - 4.958)               | 14.04               | 99               |
| 20+20+22+22+25+42        | 1.55                  | 1.55   | 1.70   | 1.70   | 1.94   | 3.25*  | 11.70 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+22+22+25+50        | 1.47                  | 1.47   | 1.62   | 1.62   | 1.84   | 3.68*  | 11.70 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+22+22+25+60        | 1.38                  | 1.38   | 1.52   | 1.52   | 1.73   | 4.15   | 11.70 (3.50 - 14.00) | 3.135 (0.530 - 4.935)               | 13.77               | 99               |
| 20+20+22+22+25+71        | 1.30                  | 1.30   | 1.43   | 1.43   | 1.63   | 4.62   | 11.70 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 20+20+22+22+35+35        | 1.52                  | 1.52   | 1.67   | 1.67   | 2.66   | 2.66   | 11.70 (3.50 - 14.00) | 3.158 (0.530 - 4.958)               | 13.87               | 99               |
| 20+20+22+22+35+42        | 1.45                  | 1.45   | 1.60   | 1.60   | 2.54   | 3.05*  | 11.70 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+22+22+35+50        | 1.38                  | 1.38   | 1.52   | 1.52   | 2.42   | 3.46*  | 11.70 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+22+22+35+60        | 1.31                  | 1.31   | 1.44   | 1.44   | 2.29   | 3.92   | 11.70 (3.50 - 14.00) | 3.135 (0.530 - 4.935)               | 13.77               | 99               |
| 20+20+22+22+42+42        | 1.39                  | 1.39   | 1.53   | 1.53   | 2.93*  | 2.93*  | 11.70 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 20+20+22+22+42+50        | 1.33                  | 1.33   | 1.46   | 1.46   | 2.79*  | 3.32*  | 11.70 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 20+20+22+25+25+25        | 1.72                  | 1.72   | 1.89   | 2.14   | 2.14   | 2.14   | 11.75 (3.50 - 14.00) | 3.238 (0.530 - 4.958)               | 14.22               | 99               |
| 20+20+22+25+25+35        | 1.60                  | 1.60   | 1.76   | 2.00   | 2.00   | 2.80   | 11.75 (3.50 - 14.00) | 3.178 (0.530 - 4.958)               | 13.96               | 99               |
| 20+20+22+25+25+42        | 1.53                  | 1.53   | 1.68   | 1.91   | 1.91   | 3.20*  | 11.75 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+22+25+25+50        | 1.45                  | 1.45   | 1.60   | 1.81   | 1.81   | 3.63*  | 11.75 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+22+25+25+60        | 1.37                  | 1.37   | 1.50   | 1.71   | 1.71   | 4.10   | 11.75 (3.50 - 14.00) | 3.135 (0.530 - 4.935)               | 13.77               | 99               |
| 20+20+22+25+35+35        | 1.50                  | 1.50   | 1.65   | 1.87   | 2.62   | 2.62   | 11.75 (3.50 - 14.00) | 3.158 (0.530 - 4.958)               | 13.87               | 99               |
| 20+20+22+25+35+42        | 1.43                  | 1.43   | 1.58   | 1.79   | 2.51   | 3.01*  | 11.75 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+22+25+35+50        | 1.37                  | 1.37   | 1.50   | 1.71   | 2.39   | 3.42*  | 11.75 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+22+25+42+42        | 1.37                  | 1.37   | 1.51   | 1.72   | 2.89*  | 2.89*  | 11.75 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 20+20+22+25+42+50        | 1.31                  | 1.31   | 1.44   | 1.64   | 2.76*  | 3.28*  | 11.75 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 20+20+22+35+35+35        | 1.41                  | 1.41   | 1.55   | 2.46   | 2.46   | 2.46   | 11.75 (3.50 - 14.00) | 3.158 (0.530 - 4.958)               | 13.87               | 99               |
| 20+20+22+35+35+42        | 1.35                  | 1.35   | 1.49   | 2.36   | 2.36   | 2.84*  | 11.75 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+20+25+25+25+25        | 1.69                  | 1.69   | 2.11   | 2.11   | 2.11   | 2.11   | 11.80 (3.50 - 14.00) | 3.218 (0.530 - 4.958)               | 14.13               | 99               |
| 20+20+25+25+25+35        | 1.57                  | 1.57   | 1.97   | 1.97   | 1.97   | 2.75   | 11.80 (3.50 - 14.00) | 3.158 (0.530 - 4.958)               | 13.87               | 99               |
| 20+20+25+25+25+42        | 1.50                  | 1.50   | 1.88   | 1.88   | 1.88   | 3.16*  | 11.80 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+25+25+25+50        | 1.43                  | 1.43   | 1.79   | 1.79   | 1.79   | 3.58*  | 11.80 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+25+25+25+60        | 1.35                  | 1.35   | 1.69   | 1.69   | 1.69   | 4.05   | 11.80 (3.50 - 14.00) | 3.135 (0.530 - 4.935)               | 13.77               | 99               |
| 20+20+25+25+35+35        | 1.48                  | 1.48   | 1.84   | 1.84   | 2.58   | 2.58   | 11.80 (3.50 - 14.00) | 3.158 (0.530 - 4.958)               | 13.87               | 99               |
| 20+20+25+25+35+42        | 1.41                  | 1.41   | 1.77   | 1.77   | 2.47   | 2.97*  | 11.80 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+25+25+35+50        | 1.35                  | 1.35   | 1.69   | 1.69   | 2.36   | 3.37*  | 11.80 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+25+25+42+42        | 1.36                  | 1.36   | 1.70   | 1.70   | 2.85*  | 2.85*  | 11.80 (3.50 - 14.00) | 3.146 (0.530 - 4.946)               | 13.82               | 99               |
| 20+20+25+35+35+35        | 1.39                  | 1.39   | 1.74   | 2.43   | 2.43   | 2.43   | 11.80 (3.50 - 14.00) | 3.158 (0.530 - 4.958)               | 13.87               | 99               |
| 20+20+25+35+35+42        | 1.33                  | 1.33   | 1.67   | 2.33   | 2.33   | 2.80*  | 11.80 (3.50 - 14.00) | 3.152 (0.530 - 4.952)               | 13.84               | 99               |
| 20+20+35+35+35+35        | 1.31                  | 1.31   | 2.29   | 2.29   | 2.29   | 2.29   | 11.80 (3.50 - 14.00) | 3.158 (0.530 - 4.958)               | 13.87               | 99               |
| 20+22+22+22+22+22        | 1.79                  | 1.97   | 1.97   | 1.97   | 1.97   | 1.97   | 11.65 (3.50 - 14.00) | 3.271 (0.530 - 4.951)               | 14.37               | 99               |
| 20+22+22+22+22+25        | 1.76                  | 1.94   | 1.94   | 1.94   | 1.94   | 2.20   | 11.70 (3.50 - 14.00) | 3.251 (0.530 - 4.951)               | 14.28               | 99               |
| 20+22+22+22+22+35        | 1.64                  | 1.80   | 1.80   | 1.80   | 1.80   | 2.86   | 11.70 (3.50 - 14.00) | 3.191 (0.530 - 4.951)               | 14.01               | 99               |
| 20+22+22+22+22+42        | 1.56                  | 1.72   | 1.72   | 1.72   | 1.72   | 3.28*  | 11.70 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+22+22+22+50        | 1.48                  | 1.63   | 1.63   | 1.63   | 1.63   | 3.70*  | 11.70 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+22+22+22+60        | 1.39                  | 1.53   | 1.53   | 1.53   | 1.53   | 4.18   | 11.70 (3.50 - 14.00) | 3.128 (0.530 - 4.928)               | 13.74               | 99               |
| 20+22+22+22+22+71        | 1.31                  | 1.44   | 1.44   | 1.44   | 1.44   | 4.64   | 11.70 (3.50 - 14.00) | 3.132 (0.530 - 4.932)               | 13.75               | 99               |
| 20+22+22+22+25+25        | 1.73                  | 1.90   | 1.90   | 1.90   | 2.16   | 2.16   | 11.75 (3.50 - 14.00) | 3.231 (0.530 - 4.951)               | 14.19               | 99               |
| 20+22+22+22+25+35        | 1.61                  | 1.77   | 1.77   | 1.77   | 2.01   | 2.82   | 11.75 (3.50 - 14.00) | 3.171 (0.530 - 4.951)               | 13.93               | 99               |
| 20+22+22+22+25+42        | 1.54                  | 1.69   | 1.69   | 1.69   | 1.92   | 3.23*  | 11.75 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+22+22+25+50        | 1.46                  | 1.61   | 1.61   | 1.61   | 1.82   | 3.65*  | 11.75 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+22+22+25+60        | 1.37                  | 1.51   | 1.51   | 1.51   | 1.72   | 4.12   | 11.75 (3.50 - 14.00) | 3.128 (0.530 - 4.928)               | 13.74               | 99               |
| 20+22+22+22+35+35        | 1.51                  | 1.66   | 1.66   | 1.66   | 2.64   | 2.64   | 11.75 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 20+22+22+22+35+42        | 1.44                  | 1.59   | 1.59   | 1.59   | 2.52   | 3.03*  | 11.75 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+22+22+35+50        | 1.37                  | 1.51   | 1.51   | 1.51   | 2.40   | 3.44*  | 11.75 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+22+22+42+42        | 1.38                  | 1.52   | 1.52   | 1.52   | 2.90*  | 2.90*  | 11.75 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 20+22+22+22+42+50        | 1.32                  | 1.45   | 1.45   | 1.45   | 2.77*  | 3.30*  | 11.75 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 20+22+22+25+25+25        | 1.70                  | 1.87   | 1.87   | 2.12   | 2.12   | 2.12   | 11.80 (3.50 - 14.00) | 3.221 (0.530 - 4.951)               | 14.15               | 99               |
| 20+22+22+25+25+35        | 1.58                  | 1.74   | 1.74   | 1.98   | 1.98   | 2.77   | 11.80 (3.50 - 14.00) | 3.161 (0.530 - 4.951)               | 13.88               | 99               |
| 20+22+22+25+25+42        | 1.51                  | 1.66   | 1.66   | 1.89   | 1.89   | 3.18*  | 11.80 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+22+25+25+50        | 1.44                  | 1.58   | 1.58   | 1.80   | 1.80   | 3.60*  | 11.80 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+22+25+25+60        | 1.36                  | 1.49   | 1.49   | 1.70   | 1.70   | 4.07   | 11.80 (3.50 - 14.00) | 3.128 (0.530 - 4.928)               | 13.74               | 99               |
| 20+22+22+25+35+35        | 1.48                  | 1.63   | 1.63   | 1.86   | 2.60   | 2.60   | 11.80 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 20+22+22+25+35+42        | 1.42                  | 1.56   | 1.56   | 1.78   | 2.49   | 2.99*  | 11.80 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+22+25+35+50        | 1.36                  | 1.49   | 1.49   | 1.70   | 2.37   | 3.39*  | 11.80 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+22+25+42+42        | 1.36                  | 1.50   | 1.50   | 1.71   | 2.86*  | 2.86*  | 11.80 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 20+22+22+35+35+35        | 1.40                  | 1.54   | 1.54   | 2.44   | 2.44   | 2.44   | 11.80 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 20+22+22+35+35+42        | 1.34                  | 1.48   | 1.48   | 2.35   | 2.35   | 2.82*  | 11.80 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+25+25+25+25        | 1.67                  | 1.84   | 2.09   | 2.09   | 2.09   | 2.09   | 11.85 (3.50 - 14.00) | 3.201 (0.530 - 4.951)               | 14.06               | 99               |
| 20+22+25+25+25+35        | 1.56                  | 1.72   | 1.95   | 1.95   | 1.95   | 2.73   | 11.85 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 20+22+25+25+25+42        | 1.49                  | 1.64   | 1.86   | 1.86   | 1.86   | 3.13*  | 11.85 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+25+25+25+50        | 1.42                  | 1.56   | 1.77   | 1.77   | 1.77   | 3.55*  | 11.85 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+25+25+25+60        | 1.34                  | 1.47   | 1.67   | 1.67   | 1.67   | 4.02   | 11.85 (3.50 - 14.00) | 3.128 (0.530 - 4.928)               | 13.74               | 99               |
| 20+22+25+25+35+35        | 1.46                  | 1.61   | 1.83   | 1.83   | 2.56   | 2.56   | 11.85 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 20+22+25+25+35+42        | 1.40                  | 1.54   | 1.75   | 1.75   | 2.45   | 2.94*  | 11.85 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+25+25+35+50        | 1.34                  | 1.47   | 1.67   | 1.67   | 2.34   | 3.35*  | 11.85 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+22+25+25+42+42        | 1.35                  | 1.48   | 1.68   | 1.68   | 2.83*  | 2.83*  | 11.85 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 20+22+25+35+35+35        | 1.38                  | 1.52   | 1.72   | 2.41   | 2.41   | 2.41   | 11.85 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+22+25+35+35+42        | 1.32                  | 1.46   | 1.66   | 2.32   | 2.32   | 2.78*  | 11.85 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+25+25+25+25+25        | 1.64                  | 2.05   | 2.05   | 2.05   | 2.05   | 2.05   | 11.90 (3.50 - 14.00) | 3.181 (0.530 - 4.951)               | 13.97               | 99               |
| 20+25+25+25+25+35        | 1.54                  | 1.92   | 1.92   | 1.92   | 1.92   | 2.69   | 11.90 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 20+25+25+25+25+42        | 1.47                  | 1.84   | 1.84   | 1.84   | 1.84   | 3.09*  | 11.90 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+25+25+25+25+50        | 1.40                  | 1.75   | 1.75   | 1.75   | 1.75   | 3.50*  | 11.90 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+25+25+25+25+60        | 1.32                  | 1.65   | 1.65   | 1.65   | 1.65   | 3.97   | 11.90 (3.50 - 14.00) | 3.128 (0.530 - 4.928)               | 13.74               | 99               |
| 20+25+25+25+35+35        | 1.44                  | 1.80   | 1.80   | 1.80   | 2.52   | 2.52   | 11.90 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 20+25+25+25+35+42        | 1.38                  | 1.73   | 1.73   | 1.73   | 2.42   | 2.91*  | 11.90 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+25+25+25+35+50        | 1.32                  | 1.65   | 1.65   | 1.65   | 2.31   | 3.31*  | 11.90 (3.50 - 14.00) | 3.145 (0.530 - 4.945)               | 13.81               | 99               |
| 20+25+25+25+42+42        | 1.33                  | 1.66   | 1.66   | 1.66   | 2.79*  | 2.79*  | 11.90 (3.50 - 14.00) | 3.139 (0.530 - 4.939)               | 13.79               | 99               |
| 20+25+25+35+35+35        | 1.36                  | 1.70   | 1.70   | 2.38   | 2.38   | 2.38   | 11.90 (3.50 - 14.00) | 3.151 (0.530 - 4.951)               | 13.84               | 99               |
| 22+22+22+22+22+22        | 1.95                  | 1.95   | 1.95   | 1.95   | 1.95   | 1.95   | 11.70 (3.50 - 14.00) | 3.254 (0.530 - 4.944)               | 14.29               | 99               |
| 22+22+22+22+22+25        | 1.91                  | 1.91   | 1.91   | 1.91   | 1.91   | 2.18   | 11.75 (3.50 - 14.00) | 3.234 (0.530 - 4.944)               | 14.20               | 99               |
| 22+22+22+22+22+35        | 1.78                  | 1.78   | 1.78   | 1.78   | 1.78   | 2.84   | 11.75 (3.50 - 14.00) | 3.174 (0.530 - 4.944)               | 13.94               | 99               |
| 22+22+22+22+22+42        | 1.70                  | 1.70   | 1.70   | 1.70   | 1.70   | 3.25*  | 11.75 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+22+22+22+50        | 1.62                  | 1.62   | 1.62   | 1.62   | 1.62   | 3.67*  | 11.75 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+22+22+22+60        | 1.52                  | 1.52   | 1.52   | 1.52   | 1.52   | 4.15   | 11.75 (3.50 - 14.00) | 3.121 (0.530 - 4.921)               | 13.71               | 99               |
| 22+22+22+22+25+25        | 1.88                  | 1.88   | 1.88   | 1.88   | 2.14   | 2.14   | 11.80 (3.50 - 14.00) | 3.214 (0.530 - 4.944)               | 14.12               | 99               |
| 22+22+22+22+25+35        | 1.75                  | 1.75   | 1.75   | 1.75   | 1.99   | 2.79   | 11.80 (3.50 - 14.00) | 3.154 (0.530 - 4.944)               | 13.85               | 99               |
| 22+22+22+22+25+42        | 1.67                  | 1.67   | 1.67   | 1.67   | 1.90   | 3.20*  | 11.80 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+22+22+25+50        | 1.59                  | 1.59   | 1.59   | 1.59   | 1.81   | 3.62*  | 11.80 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+22+22+25+60        | 1.50                  | 1.50   | 1.50   | 1.50   | 1.71   | 4.09   | 11.80 (3.50 - 14.00) | 3.121 (0.530 - 4.921)               | 13.71               | 99               |
| 22+22+22+22+35+35        | 1.64                  | 1.64   | 1.64   | 1.64   | 2.61   | 2.61   | 11.80 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 22+22+22+22+35+42        | 1.57                  | 1.57   | 1.57   | 1.57   | 2.50   | 3.00*  | 11.80 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+22+22+35+50        | 1.50                  | 1.50   | 1.50   | 1.50   | 2.39   | 3.41*  | 11.80 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+22+22+42+42        | 1.51                  | 1.51   | 1.51   | 1.51   | 2.88*  | 2.88*  | 11.80 (3.50 - 14.00) | 3.132 (0.530 - 4.932)               | 13.75               | 99               |
| 22+22+22+22+42+50        | 1.44                  | 1.44   | 1.44   | 1.44   | 2.75*  | 3.28*  | 11.80 (3.50 - 14.00) | 3.132 (0.530 - 4.932)               | 13.75               | 99               |
| 22+22+22+25+25+25        | 1.85                  | 1.85   | 1.85   | 2.10   | 2.10   | 2.10   | 11.85 (3.50 - 14.00) | 3.194 (0.530 - 4.944)               | 14.03               | 99               |
| 22+22+22+25+25+35        | 1.73                  | 1.73   | 1.73   | 1.96   | 1.96   | 2.75   | 11.85 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 22+22+22+25+25+42        | 1.65                  | 1.65   | 1.65   | 1.88   | 1.88   | 3.15*  | 11.85 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+22+25+25+50        | 1.57                  | 1.57   | 1.57   | 1.78   | 1.78   | 3.57*  | 11.85 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+22+25+25+60        | 1.48                  | 1.48   | 1.48   | 1.68   | 1.68   | 4.04   | 11.85 (3.50 - 14.00) | 3.121 (0.530 - 4.921)               | 13.71               | 99               |
| 22+22+22+25+35+35        | 1.62                  | 1.62   | 1.62   | 1.84   | 2.58   | 2.58   | 11.85 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 22+22+22+25+35+42        | 1.55                  | 1.55   | 1.55   | 1.76   | 2.47   | 2.96*  | 11.85 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+22+25+35+50        | 1.48                  | 1.48   | 1.48   | 1.68   | 2.36   | 3.37*  | 11.85 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+22+25+42+42        | 1.49                  | 1.49   | 1.49   | 1.69   | 2.84*  | 2.84*  | 11.85 (3.50 - 14.00) | 3.132 (0.530 - 4.932)               | 13.75               | 99               |
| 22+22+22+35+35+35        | 1.52                  | 1.52   | 1.52   | 2.43   | 2.43   | 2.43   | 11.85 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 22+22+22+35+35+42        | 1.46                  | 1.46   | 1.46   | 2.33   | 2.33   | 2.80*  | 11.85 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+25+25+25+25        | 1.82                  | 1.82   | 2.07   | 2.07   | 2.07   | 2.07   | 11.90 (3.50 - 14.00) | 3.184 (0.530 - 4.944)               | 13.98               | 99               |
| 22+22+25+25+25+35        | 1.70                  | 1.70   | 1.93   | 1.93   | 1.93   | 2.70   | 11.90 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 22+22+25+25+25+42        | 1.63                  | 1.63   | 1.85   | 1.85   | 1.85   | 3.10*  | 11.90 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+25+25+25+50        | 1.55                  | 1.55   | 1.76   | 1.76   | 1.76   | 3.52*  | 11.90 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+25+25+25+60        | 1.46                  | 1.46   | 1.66   | 1.66   | 1.66   | 3.99   | 11.90 (3.50 - 14.00) | 3.121 (0.530 - 4.921)               | 13.71               | 99               |
| 22+22+25+25+35+35        | 1.60                  | 1.60   | 1.81   | 1.81   | 2.54   | 2.54   | 11.90 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 22+22+25+25+35+42        | 1.53                  | 1.53   | 1.74   | 1.74   | 2.44   | 2.92*  | 11.90 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+25+25+35+50        | 1.46                  | 1.46   | 1.66   | 1.66   | 2.33   | 3.32*  | 11.90 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+22+25+25+42+42        | 1.47                  | 1.47   | 1.67   | 1.67   | 2.81*  | 2.81*  | 11.90 (3.50 - 14.00) | 3.132 (0.530 - 4.932)               | 13.75               | 99               |
| 22+22+25+35+35+35        | 1.50                  | 1.50   | 1.71   | 2.39   | 2.39   | 2.39   | 11.90 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 22+25+25+25+25+25        | 1.79                  | 2.03   | 2.03   | 2.03   | 2.03   | 2.03   | 11.95 (3.50 - 14.00) | 3.164 (0.530 - 4.944)               | 13.90               | 99               |
| 22+25+25+25+25+35        | 1.67                  | 1.90   | 1.90   | 1.90   | 1.90   | 2.66   | 11.95 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Cooling

| Indoor units combination | Cooling capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 22+25+25+25+25+42        | 1.60                  | 1.82   | 1.82   | 1.82   | 1.82   | 3.06*  | 11.95 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+25+25+25+25+50        | 1.53                  | 1.74   | 1.74   | 1.74   | 1.74   | 3.47*  | 11.95 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+25+25+25+35+35        | 1.57                  | 1.79   | 1.79   | 1.79   | 2.50   | 2.50   | 11.95 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 22+25+25+25+35+42        | 1.51                  | 1.72   | 1.72   | 1.72   | 2.40   | 2.88*  | 11.95 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 22+25+25+35+35+35        | 1.49                  | 1.69   | 1.69   | 2.36   | 2.36   | 2.36   | 11.95 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 25+25+25+25+25+25        | 2.00                  | 2.00   | 2.00   | 2.00   | 2.00   | 2.00   | 12.00 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 25+25+25+25+25+35        | 1.88                  | 1.88   | 1.88   | 1.88   | 1.88   | 2.63   | 12.00 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 25+25+25+25+25+42        | 1.80                  | 1.80   | 1.80   | 1.80   | 1.80   | 3.02*  | 12.00 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 25+25+25+25+25+50        | 1.71                  | 1.71   | 1.71   | 1.71   | 1.71   | 3.43*  | 12.00 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 25+25+25+25+35+35        | 1.76                  | 1.76   | 1.76   | 1.76   | 2.47   | 2.47   | 12.00 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |
| 25+25+25+25+35+42        | 1.69                  | 1.69   | 1.69   | 1.69   | 2.37   | 2.85*  | 12.00 (3.50 - 14.00) | 3.138 (0.530 - 4.938)               | 13.78               | 99               |
| 25+25+25+35+35+35        | 1.67                  | 1.67   | 1.67   | 2.33   | 2.33   | 2.33   | 12.00 (3.50 - 14.00) | 3.144 (0.530 - 4.944)               | 13.81               | 99               |

\*In case of MSZ-AP42/50VGD or SLZ-M50FA, Rated capacity is lower than another model.

ex.) MSZ-AP25VGD + MSZ-AP25VGD + MSZ-AP42VGD

|             | Total connected indoor unit | Rated capacity     |
|-------------|-----------------------------|--------------------|
| Model Name  | 3 units                     |                    |
| MSZ-AP42VGD | 90%                         | 2.36kW             |
| MSZ-AP50VGD | 80%                         | 2.36kW             |
| SLZ-M50FA   | 70%                         | 3.33kW (=3.97*0.9) |

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15                       | 1.70                  | -      | -      | -      | -      | -      | 1.70 (1.70 - 3.20)   | 0.850 (0.850 - 1.450)               | 3.73                | 99               |
| 20                       | 2.20                  | -      | -      | -      | -      | -      | 2.20 (1.70 - 3.40)   | 1.040 (0.850 - 1.450)               | 4.57                | 99               |
| 22                       | 3.30                  | -      | -      | -      | -      | -      | 3.30 (1.70 - 4.80)   | 1.100 (0.850 - 1.620)               | 4.83                | 99               |
| 25                       | 3.60                  | -      | -      | -      | -      | -      | 3.60 (1.70 - 5.10)   | 1.200 (0.850 - 1.670)               | 5.27                | 99               |
| 35                       | 4.00                  | -      | -      | -      | -      | -      | 4.00 (1.70 - 5.60)   | 1.250 (0.850 - 1.760)               | 5.49                | 99               |
| 42                       | 5.40                  | -      | -      | -      | -      | -      | 5.40 (1.70 - 6.50)   | 1.770 (0.850 - 2.020)               | 7.77                | 99               |
| 50                       | 7.20                  | -      | -      | -      | -      | -      | 7.20 (1.70 - 7.50)   | 2.290 (0.850 - 2.800)               | 10.06               | 99               |
| 60                       | 7.90                  | -      | -      | -      | -      | -      | 7.90 (1.70 - 8.90)   | 2.290 (0.850 - 3.340)               | 10.06               | 99               |
| 71                       | 8.60                  | -      | -      | -      | -      | -      | 8.60 (1.70 - 9.70)   | 2.480 (0.850 - 3.710)               | 10.89               | 99               |
| 80                       | 9.00                  | -      | -      | -      | -      | -      | 9.00 (1.70 - 10.90)  | 2.600 (0.850 - 4.180)               | 11.42               | 99               |
| 15+15                    | 1.70                  | 1.70   | -      | -      | -      | -      | 3.40 (2.70 - 5.30)   | 0.906 (0.850 - 3.316)               | 3.98                | 99               |
| 15+20                    | 1.67                  | 2.23   | -      | -      | -      | -      | 3.90 (2.70 - 6.20)   | 1.054 (0.850 - 3.234)               | 4.63                | 99               |
| 15+22                    | 1.66                  | 2.44   | -      | -      | -      | -      | 4.10 (2.70 - 6.50)   | 1.097 (0.850 - 3.197)               | 4.82                | 99               |
| 15+25                    | 1.65                  | 2.75   | -      | -      | -      | -      | 4.40 (2.70 - 7.00)   | 1.187 (0.850 - 3.147)               | 5.21                | 99               |
| 15+35                    | 2.16                  | 5.04   | -      | -      | -      | -      | 7.20 (2.80 - 9.35)   | 1.997 (0.850 - 2.847)               | 8.77                | 99               |
| 15+42                    | 1.97                  | 5.53   | -      | -      | -      | -      | 7.50 (2.80 - 9.70)   | 2.081 (0.850 - 3.041)               | 9.14                | 99               |
| 15+50                    | 1.80                  | 6.00   | -      | -      | -      | -      | 7.80 (2.80 - 10.10)  | 2.191 (0.850 - 3.271)               | 9.62                | 99               |
| 15+60                    | 1.82                  | 7.28   | -      | -      | -      | -      | 9.10 (2.80 - 11.20)  | 2.654 (0.850 - 3.544)               | 11.66               | 99               |
| 15+71                    | 1.95                  | 9.25   | -      | -      | -      | -      | 11.20 (2.80 - 12.50) | 3.368 (0.850 - 3.778)               | 14.79               | 99               |
| 15+80                    | 1.78                  | 9.52   | -      | -      | -      | -      | 11.30 (2.80 - 12.70) | 3.168 (0.850 - 3.608)               | 13.91               | 99               |
| 20+20                    | 2.20                  | 2.20   | -      | -      | -      | -      | 4.40 (2.70 - 7.00)   | 1.192 (0.850 - 3.152)               | 5.23                | 99               |
| 20+22                    | 2.62                  | 2.88   | -      | -      | -      | -      | 5.50 (2.80 - 7.70)   | 1.445 (0.850 - 2.775)               | 6.35                | 99               |
| 20+25                    | 2.98                  | 3.72   | -      | -      | -      | -      | 6.70 (2.80 - 8.50)   | 1.745 (0.850 - 2.475)               | 7.66                | 99               |
| 20+35                    | 2.69                  | 4.71   | -      | -      | -      | -      | 7.40 (2.80 - 9.60)   | 2.065 (0.850 - 2.985)               | 9.07                | 99               |
| 20+42                    | 2.48                  | 5.22   | -      | -      | -      | -      | 7.70 (2.80 - 10.00)  | 2.149 (0.850 - 3.179)               | 9.44                | 99               |
| 20+50                    | 2.29                  | 5.71   | -      | -      | -      | -      | 8.00 (2.80 - 10.40)  | 2.259 (0.850 - 3.409)               | 9.92                | 99               |
| 20+60                    | 2.58                  | 7.73   | -      | -      | -      | -      | 10.30 (2.80 - 11.90) | 3.072 (0.850 - 3.692)               | 13.49               | 99               |
| 20+71                    | 2.46                  | 8.74   | -      | -      | -      | -      | 11.20 (2.80 - 12.60) | 3.266 (0.850 - 3.686)               | 14.34               | 99               |
| 20+80                    | 2.26                  | 9.04   | -      | -      | -      | -      | 11.30 (2.80 - 12.80) | 3.066 (0.850 - 3.516)               | 13.47               | 99               |
| 22+22                    | 3.30                  | 3.30   | -      | -      | -      | -      | 6.60 (2.80 - 8.30)   | 1.688 (0.850 - 2.398)               | 7.41                | 99               |
| 22+25                    | 3.23                  | 3.67   | -      | -      | -      | -      | 6.90 (2.80 - 8.80)   | 1.838 (0.850 - 2.618)               | 8.07                | 99               |
| 22+35                    | 2.89                  | 4.61   | -      | -      | -      | -      | 7.50 (2.80 - 9.70)   | 2.078 (0.850 - 3.038)               | 9.13                | 99               |
| 22+42                    | 2.68                  | 5.12   | -      | -      | -      | -      | 7.80 (2.80 - 10.10)  | 2.172 (0.850 - 3.232)               | 9.54                | 99               |
| 22+50                    | 2.60                  | 5.90   | -      | -      | -      | -      | 8.50 (2.80 - 10.70)  | 2.422 (0.850 - 3.462)               | 10.64               | 99               |
| 22+60                    | 2.87                  | 7.83   | -      | -      | -      | -      | 10.70 (2.80 - 12.20) | 3.225 (0.850 - 3.745)               | 14.16               | 99               |
| 22+71                    | 2.67                  | 8.63   | -      | -      | -      | -      | 11.30 (2.80 - 12.70) | 3.209 (0.850 - 3.649)               | 14.09               | 99               |
| 22+80                    | 2.44                  | 8.86   | -      | -      | -      | -      | 11.30 (2.80 - 12.80) | 3.059 (0.850 - 3.509)               | 13.43               | 99               |
| 25+25                    | 3.60                  | 3.60   | -      | -      | -      | -      | 7.20 (2.80 - 9.35)   | 1.988 (0.850 - 2.838)               | 8.73                | 99               |
| 25+35                    | 3.17                  | 4.43   | -      | -      | -      | -      | 7.60 (2.80 - 9.90)   | 2.128 (0.850 - 3.128)               | 9.35                | 99               |
| 25+42                    | 2.95                  | 4.95   | -      | -      | -      | -      | 7.90 (2.80 - 10.20)  | 2.212 (0.850 - 3.312)               | 9.71                | 99               |
| 25+50                    | 3.03                  | 6.07   | -      | -      | -      | -      | 9.10 (2.80 - 11.20)  | 2.662 (0.850 - 3.552)               | 11.69               | 99               |
| 25+60                    | 3.29                  | 7.91   | -      | -      | -      | -      | 11.20 (2.80 - 12.50) | 3.375 (0.850 - 3.785)               | 14.82               | 99               |
| 25+71                    | 2.94                  | 8.36   | -      | -      | -      | -      | 11.30 (2.80 - 12.70) | 3.149 (0.850 - 3.589)               | 13.83               | 99               |
| 25+80                    | 2.69                  | 8.61   | -      | -      | -      | -      | 11.30 (2.80 - 12.90) | 3.049 (0.850 - 3.499)               | 13.39               | 99               |
| 35+35                    | 4.00                  | 4.00   | -      | -      | -      | -      | 8.00 (2.80 - 10.40)  | 2.258 (0.850 - 3.408)               | 9.92                | 99               |
| 35+42                    | 4.36                  | 5.24   | -      | -      | -      | -      | 9.60 (2.80 - 11.50)  | 2.832 (0.850 - 3.612)               | 12.44               | 99               |
| 35+50                    | 4.61                  | 6.59   | -      | -      | -      | -      | 11.20 (2.80 - 12.50) | 3.392 (0.850 - 3.802)               | 14.90               | 99               |
| 35+60                    | 4.16                  | 7.14   | -      | -      | -      | -      | 11.30 (2.80 - 12.70) | 3.165 (0.850 - 3.605)               | 13.90               | 99               |
| 35+71                    | 3.73                  | 7.57   | -      | -      | -      | -      | 11.30 (2.80 - 12.90) | 3.059 (0.850 - 3.509)               | 13.43               | 99               |
| 35+80                    | 3.44                  | 7.86   | -      | -      | -      | -      | 11.30 (2.80 - 13.00) | 3.019 (0.850 - 3.479)               | 13.26               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 42+42                    | 5.60                  | 5.60   | -      | -      | -      | -      | 11.20 (2.80 - 12.50) | 3.406 (0.850 - 3.816)               | 14.96               | 99               |
| 42+50                    | 5.16                  | 6.14   | -      | -      | -      | -      | 11.30 (2.80 - 12.70) | 3.246 (0.850 - 3.676)               | 14.26               | 99               |
| 42+60                    | 4.65                  | 6.65   | -      | -      | -      | -      | 11.30 (2.80 - 12.80) | 3.059 (0.850 - 3.509)               | 13.43               | 99               |
| 42+71                    | 4.20                  | 7.10   | -      | -      | -      | -      | 11.30 (2.80 - 12.90) | 3.033 (0.850 - 3.483)               | 13.32               | 99               |
| 42+80                    | 3.89                  | 7.41   | -      | -      | -      | -      | 11.30 (2.80 - 13.00) | 2.993 (0.850 - 3.453)               | 13.14               | 99               |
| 50+50                    | 5.65                  | 5.65   | -      | -      | -      | -      | 11.30 (2.80 - 12.80) | 3.076 (0.850 - 3.526)               | 13.51               | 99               |
| 50+60                    | 5.14                  | 6.16   | -      | -      | -      | -      | 11.30 (2.80 - 12.90) | 3.039 (0.850 - 3.489)               | 13.35               | 99               |
| 50+71                    | 4.67                  | 6.63   | -      | -      | -      | -      | 11.30 (2.80 - 13.00) | 3.013 (0.850 - 3.473)               | 13.23               | 99               |
| 50+80                    | 4.35                  | 6.95   | -      | -      | -      | -      | 11.30 (2.80 - 13.00) | 2.963 (0.850 - 3.423)               | 13.01               | 99               |
| 60+60                    | 5.65                  | 5.65   | -      | -      | -      | -      | 11.30 (2.80 - 13.00) | 2.992 (0.850 - 3.452)               | 13.14               | 99               |
| 60+71                    | 5.18                  | 6.12   | -      | -      | -      | -      | 11.30 (2.90 - 13.00) | 2.956 (0.850 - 3.416)               | 12.98               | 99               |
| 60+80                    | 4.84                  | 6.46   | -      | -      | -      | -      | 11.30 (2.90 - 13.00) | 2.906 (0.850 - 3.366)               | 12.76               | 99               |
| 71+71                    | 5.65                  | 5.65   | -      | -      | -      | -      | 11.30 (2.90 - 13.00) | 2.910 (0.850 - 3.370)               | 12.78               | 99               |
| 71+80                    | 5.31                  | 5.99   | -      | -      | -      | -      | 11.30 (2.90 - 13.00) | 2.900 (0.850 - 3.360)               | 12.74               | 99               |
| 80+80                    | 5.65                  | 5.65   | -      | -      | -      | -      | 11.30 (2.90 - 13.00) | 2.800 (0.530 - 3.260)               | 12.30               | 99               |
| 15+15+15                 | 1.70                  | 1.70   | 1.70   | -      | -      | -      | 5.10 (3.10 - 8.90)   | 1.079 (0.850 - 3.939)               | 4.74                | 99               |
| 15+15+20                 | 1.68                  | 1.68   | 2.24   | -      | -      | -      | 5.60 (3.10 - 9.40)   | 1.217 (0.850 - 4.177)               | 5.34                | 99               |
| 15+15+22                 | 1.67                  | 1.67   | 2.45   | -      | -      | -      | 5.80 (3.10 - 9.60)   | 1.270 (0.850 - 4.270)               | 5.58                | 99               |
| 15+15+25                 | 1.66                  | 1.66   | 2.77   | -      | -      | -      | 6.10 (3.10 - 10.00)  | 1.350 (0.850 - 4.420)               | 5.93                | 99               |
| 15+15+35                 | 2.15                  | 2.15   | 5.01   | -      | -      | -      | 9.30 (3.20 - 12.20)  | 2.200 (0.850 - 4.230)               | 9.66                | 99               |
| 15+15+42                 | 2.19                  | 2.19   | 6.13   | -      | -      | -      | 10.50 (3.20 - 13.20) | 2.724 (0.850 - 4.204)               | 11.96               | 99               |
| 15+15+50                 | 2.06                  | 2.06   | 6.88   | -      | -      | -      | 11.00 (3.20 - 13.70) | 3.054 (0.850 - 4.334)               | 13.41               | 99               |
| 15+15+60                 | 1.90                  | 1.90   | 7.60   | -      | -      | -      | 11.40 (3.20 - 14.00) | 3.287 (0.850 - 4.517)               | 14.44               | 99               |
| 15+15+71                 | 1.75                  | 1.75   | 8.30   | -      | -      | -      | 11.80 (3.20 - 14.40) | 3.571 (0.850 - 4.741)               | 15.68               | 99               |
| 15+15+80                 | 1.66                  | 1.66   | 8.87   | -      | -      | -      | 12.20 (3.20 - 14.60) | 3.721 (0.850 - 4.731)               | 16.34               | 99               |
| 15+20+20                 | 1.66                  | 2.22   | 2.22   | -      | -      | -      | 6.10 (3.10 - 10.00)  | 1.355 (0.850 - 4.425)               | 5.95                | 99               |
| 15+20+22                 | 1.66                  | 2.21   | 2.43   | -      | -      | -      | 6.30 (3.10 - 10.20)  | 1.408 (0.850 - 4.508)               | 6.18                | 99               |
| 15+20+25                 | 1.65                  | 2.20   | 2.75   | -      | -      | -      | 6.60 (3.10 - 10.50)  | 1.488 (0.850 - 4.658)               | 6.53                | 99               |
| 15+20+35                 | 2.19                  | 2.91   | 5.10   | -      | -      | -      | 10.20 (3.20 - 13.00) | 2.598 (0.850 - 4.178)               | 11.41               | 99               |
| 15+20+42                 | 2.12                  | 2.83   | 5.95   | -      | -      | -      | 10.90 (3.20 - 13.60) | 2.972 (0.850 - 4.272)               | 13.05               | 99               |
| 15+20+50                 | 1.98                  | 2.64   | 6.59   | -      | -      | -      | 11.20 (3.20 - 13.80) | 3.172 (0.850 - 4.432)               | 13.93               | 99               |
| 15+20+60                 | 1.83                  | 2.44   | 7.33   | -      | -      | -      | 11.60 (3.20 - 14.20) | 3.415 (0.850 - 4.615)               | 15.00               | 99               |
| 15+20+71                 | 1.70                  | 2.26   | 8.04   | -      | -      | -      | 12.00 (3.20 - 14.50) | 3.679 (0.850 - 4.799)               | 16.16               | 99               |
| 15+20+80                 | 1.63                  | 2.17   | 8.70   | -      | -      | -      | 12.50 (3.20 - 14.60) | 3.779 (0.850 - 4.639)               | 16.60               | 99               |
| 15+22+22                 | 1.65                  | 2.42   | 2.42   | -      | -      | -      | 6.50 (3.10 - 10.40)  | 1.451 (0.850 - 4.601)               | 6.37                | 99               |
| 15+22+25                 | 1.86                  | 2.73   | 3.10   | -      | -      | -      | 7.70 (3.10 - 11.20)  | 1.761 (0.850 - 4.481)               | 7.73                | 99               |
| 15+22+35                 | 2.19                  | 3.21   | 5.10   | -      | -      | -      | 10.50 (3.20 - 13.20) | 2.721 (0.850 - 4.201)               | 11.95               | 99               |
| 15+22+42                 | 2.09                  | 3.06   | 5.85   | -      | -      | -      | 11.00 (3.20 - 13.60) | 3.015 (0.850 - 4.305)               | 13.24               | 99               |
| 15+22+50                 | 1.95                  | 2.86   | 6.49   | -      | -      | -      | 11.30 (3.20 - 13.90) | 3.215 (0.850 - 4.465)               | 14.12               | 99               |
| 15+22+60                 | 1.81                  | 2.65   | 7.24   | -      | -      | -      | 11.70 (3.20 - 14.20) | 3.458 (0.850 - 4.648)               | 15.19               | 99               |
| 15+22+71                 | 1.68                  | 2.46   | 7.95   | -      | -      | -      | 12.10 (3.20 - 14.50) | 3.702 (0.850 - 4.762)               | 16.26               | 99               |
| 15+22+80                 | 1.62                  | 2.37   | 8.62   | -      | -      | -      | 12.60 (3.20 - 14.70) | 3.792 (0.850 - 4.602)               | 16.65               | 99               |
| 15+25+25                 | 2.15                  | 3.58   | 3.58   | -      | -      | -      | 9.30 (3.20 - 12.20)  | 2.191 (0.850 - 4.221)               | 9.62                | 99               |
| 15+25+35                 | 2.16                  | 3.60   | 5.04   | -      | -      | -      | 10.80 (3.20 - 13.50) | 2.921 (0.850 - 4.231)               | 12.83               | 99               |
| 15+25+42                 | 2.03                  | 3.38   | 5.69   | -      | -      | -      | 11.10 (3.20 - 13.70) | 3.095 (0.850 - 4.365)               | 13.59               | 99               |
| 15+25+50                 | 1.90                  | 3.17   | 6.33   | -      | -      | -      | 11.40 (3.20 - 14.00) | 3.295 (0.850 - 4.525)               | 14.47               | 99               |
| 15+25+60                 | 1.77                  | 2.95   | 7.08   | -      | -      | -      | 11.80 (3.20 - 14.30) | 3.528 (0.850 - 4.708)               | 15.49               | 99               |
| 15+25+71                 | 1.66                  | 2.77   | 7.87   | -      | -      | -      | 12.30 (3.20 - 14.60) | 3.732 (0.850 - 4.712)               | 16.39               | 99               |
| 15+25+80                 | 1.59                  | 2.65   | 8.47   | -      | -      | -      | 12.70 (3.20 - 14.70) | 3.832 (0.850 - 4.552)               | 16.83               | 99               |
| 15+35+35                 | 1.98                  | 4.61   | 4.61   | -      | -      | -      | 11.20 (3.20 - 13.80) | 3.171 (0.850 - 4.431)               | 13.93               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+35+42                 | 1.88                  | 4.38   | 5.25   | -      | -      | -      | 11.50 (3.20 - 14.10) | 3.345 (0.850 - 4.565)               | 14.69               | 99               |
| 15+35+50                 | 1.77                  | 4.13   | 5.90   | -      | -      | -      | 11.80 (3.20 - 14.30) | 3.545 (0.850 - 4.725)               | 15.57               | 99               |
| 15+35+60                 | 1.66                  | 3.88   | 6.65   | -      | -      | -      | 12.20 (3.20 - 14.60) | 3.718 (0.850 - 4.728)               | 16.33               | 99               |
| 15+35+71                 | 1.59                  | 3.70   | 7.51   | -      | -      | -      | 12.80 (3.20 - 14.70) | 3.852 (0.850 - 4.542)               | 16.92               | 99               |
| 15+35+80                 | 1.51                  | 3.53   | 8.06   | -      | -      | -      | 13.10 (3.20 - 14.90) | 3.862 (0.850 - 4.462)               | 16.96               | 99               |
| 15+42+42                 | 1.79                  | 5.01   | 5.01   | -      | -      | -      | 11.80 (3.20 - 14.30) | 3.519 (0.850 - 4.699)               | 15.45               | 99               |
| 15+42+50                 | 1.70                  | 4.75   | 5.65   | -      | -      | -      | 12.10 (3.20 - 14.50) | 3.689 (0.850 - 4.789)               | 16.20               | 99               |
| 15+42+60                 | 1.62                  | 4.52   | 6.46   | -      | -      | -      | 12.60 (3.20 - 14.70) | 3.792 (0.850 - 4.602)               | 16.65               | 99               |
| 15+42+71                 | 1.54                  | 4.30   | 7.27   | -      | -      | -      | 13.10 (3.20 - 14.80) | 3.886 (0.850 - 4.456)               | 17.07               | 99               |
| 15+42+80                 | 1.46                  | 4.08   | 7.77   | -      | -      | -      | 13.30 (3.20 - 15.00) | 3.796 (0.850 - 4.466)               | 16.67               | 99               |
| 15+50+50                 | 1.63                  | 5.43   | 5.43   | -      | -      | -      | 12.50 (3.20 - 14.60) | 3.789 (0.850 - 4.649)               | 16.64               | 99               |
| 15+50+60                 | 1.56                  | 5.20   | 6.24   | -      | -      | -      | 13.00 (3.20 - 14.80) | 3.892 (0.850 - 4.472)               | 17.09               | 99               |
| 15+50+71                 | 1.47                  | 4.89   | 6.94   | -      | -      | -      | 13.30 (3.20 - 15.00) | 3.816 (0.850 - 4.476)               | 16.76               | 99               |
| 15+50+80                 | 1.40                  | 4.66   | 7.45   | -      | -      | -      | 13.50 (3.20 - 15.20) | 3.726 (0.850 - 4.486)               | 16.36               | 99               |
| 15+60+60                 | 1.47                  | 5.87   | 5.87   | -      | -      | -      | 13.20 (3.20 - 15.00) | 3.805 (0.850 - 4.455)               | 16.71               | 99               |
| 15+60+71                 | 1.39                  | 5.55   | 6.57   | -      | -      | -      | 13.50 (3.20 - 15.20) | 3.709 (0.850 - 4.479)               | 16.29               | 99               |
| 15+60+80                 | 1.32                  | 5.26   | 7.02   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.659 (0.850 - 4.479)               | 16.07               | 99               |
| 15+71+71                 | 1.30                  | 6.15   | 6.15   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.673 (0.850 - 4.493)               | 16.13               | 99               |
| 15+71+80                 | 1.23                  | 5.82   | 6.55   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.663 (0.850 - 4.483)               | 16.09               | 99               |
| 15+80+80                 | 1.17                  | 6.22   | 6.22   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.653 (0.850 - 4.473)               | 16.04               | 99               |
| 20+20+20                 | 2.20                  | 2.20   | 2.20   | -      | -      | -      | 6.60 (3.10 - 10.50)  | 1.493 (0.850 - 4.663)               | 6.56                | 99               |
| 20+20+22                 | 2.48                  | 2.48   | 2.73   | -      | -      | -      | 7.70 (3.10 - 11.20)  | 1.766 (0.850 - 4.486)               | 7.76                | 99               |
| 20+20+25                 | 2.86                  | 2.86   | 3.58   | -      | -      | -      | 9.30 (3.20 - 12.20)  | 2.196 (0.850 - 4.226)               | 9.64                | 99               |
| 20+20+35                 | 2.88                  | 2.88   | 5.04   | -      | -      | -      | 10.80 (3.20 - 13.50) | 2.926 (0.850 - 4.236)               | 12.85               | 99               |
| 20+20+42                 | 2.71                  | 2.71   | 5.69   | -      | -      | -      | 11.10 (3.20 - 13.70) | 3.100 (0.850 - 4.370)               | 13.61               | 99               |
| 20+20+50                 | 2.53                  | 2.53   | 6.33   | -      | -      | -      | 11.40 (3.20 - 14.00) | 3.300 (0.850 - 4.530)               | 14.49               | 99               |
| 20+20+60                 | 2.36                  | 2.36   | 7.08   | -      | -      | -      | 11.80 (3.20 - 14.30) | 3.533 (0.850 - 4.713)               | 15.52               | 99               |
| 20+20+71                 | 2.22                  | 2.22   | 7.87   | -      | -      | -      | 12.30 (3.20 - 14.60) | 3.737 (0.850 - 4.717)               | 16.41               | 99               |
| 20+20+80                 | 2.12                  | 2.12   | 8.47   | -      | -      | -      | 12.70 (3.20 - 14.70) | 3.837 (0.850 - 4.557)               | 16.85               | 99               |
| 20+22+22                 | 2.72                  | 2.99   | 2.99   | -      | -      | -      | 8.70 (3.20 - 11.90)  | 2.049 (0.850 - 4.299)               | 9.00                | 99               |
| 20+22+25                 | 2.96                  | 3.25   | 3.69   | -      | -      | -      | 9.90 (3.20 - 12.60)  | 2.399 (0.850 - 4.139)               | 10.54               | 99               |
| 20+22+35                 | 2.83                  | 3.11   | 4.95   | -      | -      | -      | 10.90 (3.20 - 13.60) | 2.969 (0.850 - 4.269)               | 13.04               | 99               |
| 20+22+42                 | 2.67                  | 2.93   | 5.60   | -      | -      | -      | 11.20 (3.20 - 13.80) | 3.143 (0.850 - 4.403)               | 13.80               | 99               |
| 20+22+50                 | 2.50                  | 2.75   | 6.25   | -      | -      | -      | 11.50 (3.20 - 14.10) | 3.343 (0.850 - 4.563)               | 14.68               | 99               |
| 20+22+60                 | 2.33                  | 2.57   | 7.00   | -      | -      | -      | 11.90 (3.20 - 14.40) | 3.576 (0.850 - 4.746)               | 15.70               | 99               |
| 20+22+71                 | 2.19                  | 2.41   | 7.79   | -      | -      | -      | 12.40 (3.20 - 14.60) | 3.760 (0.850 - 4.680)               | 16.51               | 99               |
| 20+22+80                 | 2.10                  | 2.31   | 8.39   | -      | -      | -      | 12.80 (3.20 - 14.70) | 3.850 (0.850 - 4.520)               | 16.91               | 99               |
| 20+25+25                 | 2.91                  | 3.64   | 3.64   | -      | -      | -      | 10.20 (3.20 - 13.00) | 2.589 (0.850 - 4.169)               | 11.37               | 99               |
| 20+25+35                 | 2.75                  | 3.44   | 4.81   | -      | -      | -      | 11.00 (3.20 - 13.70) | 3.049 (0.850 - 4.329)               | 13.39               | 99               |
| 20+25+42                 | 2.60                  | 3.25   | 5.46   | -      | -      | -      | 11.30 (3.20 - 13.90) | 3.213 (0.850 - 4.463)               | 14.11               | 99               |
| 20+25+50                 | 2.44                  | 3.05   | 6.11   | -      | -      | -      | 11.60 (3.20 - 14.20) | 3.423 (0.850 - 4.623)               | 15.03               | 99               |
| 20+25+60                 | 2.29                  | 2.86   | 6.86   | -      | -      | -      | 12.00 (3.20 - 14.50) | 3.656 (0.850 - 4.806)               | 16.06               | 99               |
| 20+25+71                 | 2.16                  | 2.69   | 7.65   | -      | -      | -      | 12.50 (3.20 - 14.70) | 3.790 (0.850 - 4.630)               | 16.64               | 99               |
| 20+25+80                 | 2.08                  | 2.60   | 8.32   | -      | -      | -      | 13.00 (3.20 - 14.80) | 3.890 (0.850 - 4.470)               | 17.08               | 99               |
| 20+35+35                 | 2.53                  | 4.43   | 4.43   | -      | -      | -      | 11.40 (3.20 - 14.00) | 3.299 (0.850 - 4.529)               | 14.49               | 99               |
| 20+35+42                 | 2.41                  | 4.22   | 5.07   | -      | -      | -      | 11.70 (3.20 - 14.20) | 3.473 (0.850 - 4.663)               | 15.25               | 99               |
| 20+35+50                 | 2.29                  | 4.00   | 5.71   | -      | -      | -      | 12.00 (3.20 - 14.50) | 3.673 (0.850 - 4.823)               | 16.13               | 99               |
| 20+35+60                 | 2.17                  | 3.80   | 6.52   | -      | -      | -      | 12.50 (3.20 - 14.60) | 3.776 (0.850 - 4.636)               | 16.58               | 99               |
| 20+35+71                 | 2.06                  | 3.61   | 7.33   | -      | -      | -      | 13.00 (3.20 - 14.80) | 3.910 (0.850 - 4.460)               | 17.17               | 99               |
| 20+35+80                 | 1.96                  | 3.42   | 7.82   | -      | -      | -      | 13.20 (3.20 - 15.00) | 3.820 (0.850 - 4.470)               | 16.78               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+42+42                 | 2.31                  | 4.85   | 4.85   | -      | -      | -      | 12.00 (3.20 - 14.50) | 3.637 (0.850 - 4.797)               | 15.97               | 99               |
| 20+42+50                 | 2.20                  | 4.61   | 5.49   | -      | -      | -      | 12.30 (3.20 - 14.60) | 3.747 (0.850 - 4.697)               | 16.46               | 99               |
| 20+42+60                 | 2.10                  | 4.41   | 6.30   | -      | -      | -      | 12.80 (3.20 - 14.70) | 3.850 (0.850 - 4.520)               | 16.91               | 99               |
| 20+42+71                 | 1.98                  | 4.17   | 7.05   | -      | -      | -      | 13.20 (3.20 - 14.90) | 3.844 (0.850 - 4.464)               | 16.88               | 99               |
| 20+42+80                 | 1.89                  | 3.96   | 7.55   | -      | -      | -      | 13.40 (3.20 - 15.10) | 3.744 (0.850 - 4.474)               | 16.44               | 99               |
| 20+50+50                 | 2.12                  | 5.29   | 5.29   | -      | -      | -      | 12.70 (3.20 - 14.70) | 3.847 (0.850 - 4.567)               | 16.90               | 99               |
| 20+50+60                 | 2.02                  | 5.04   | 6.05   | -      | -      | -      | 13.10 (3.20 - 14.90) | 3.860 (0.850 - 4.460)               | 16.95               | 99               |
| 20+50+71                 | 1.90                  | 4.75   | 6.75   | -      | -      | -      | 13.40 (3.20 - 15.10) | 3.764 (0.850 - 4.484)               | 16.53               | 99               |
| 20+50+80                 | 1.81                  | 4.53   | 7.25   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.674 (0.850 - 4.494)               | 16.14               | 99               |
| 20+60+60                 | 1.91                  | 5.74   | 5.74   | -      | -      | -      | 13.40 (3.20 - 15.10) | 3.753 (0.850 - 4.463)               | 16.48               | 99               |
| 20+60+71                 | 1.80                  | 5.40   | 6.39   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.667 (0.850 - 4.487)               | 16.10               | 99               |
| 20+60+80                 | 1.70                  | 5.10   | 6.80   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.657 (0.850 - 4.477)               | 16.06               | 99               |
| 20+71+71                 | 1.68                  | 5.96   | 5.96   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.671 (0.850 - 4.491)               | 16.12               | 99               |
| 20+71+80                 | 1.59                  | 5.65   | 6.36   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.661 (0.850 - 4.481)               | 16.08               | 99               |
| 20+80+80                 | 1.51                  | 6.04   | 6.04   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.651 (0.850 - 4.471)               | 16.03               | 99               |
| 22+22+22                 | 3.27                  | 3.27   | 3.27   | -      | -      | -      | 9.80 (3.20 - 12.54)  | 2.322 (0.850 - 4.122)               | 10.20               | 99               |
| 22+22+25                 | 3.22                  | 3.22   | 3.66   | -      | -      | -      | 10.10 (3.20 - 12.90) | 2.522 (0.850 - 4.152)               | 11.08               | 99               |
| 22+22+35                 | 3.06                  | 3.06   | 4.87   | -      | -      | -      | 11.00 (3.20 - 13.60) | 3.012 (0.850 - 4.302)               | 13.23               | 99               |
| 22+22+42                 | 2.87                  | 2.87   | 5.47   | -      | -      | -      | 11.20 (3.20 - 13.90) | 3.186 (0.850 - 4.436)               | 13.99               | 99               |
| 22+22+50                 | 2.71                  | 2.71   | 6.17   | -      | -      | -      | 11.60 (3.20 - 14.10) | 3.386 (0.850 - 4.596)               | 14.87               | 99               |
| 22+22+60                 | 2.54                  | 2.54   | 6.92   | -      | -      | -      | 12.00 (3.20 - 14.50) | 3.619 (0.850 - 4.779)               | 15.89               | 99               |
| 22+22+71                 | 2.39                  | 2.39   | 7.72   | -      | -      | -      | 12.50 (3.20 - 14.60) | 3.773 (0.850 - 4.633)               | 16.57               | 99               |
| 22+22+80                 | 2.29                  | 2.29   | 8.32   | -      | -      | -      | 12.90 (3.20 - 14.80) | 3.873 (0.850 - 4.473)               | 17.01               | 99               |
| 22+25+25                 | 3.21                  | 3.65   | 3.65   | -      | -      | -      | 10.50 (3.20 - 13.20) | 2.712 (0.850 - 4.192)               | 11.91               | 99               |
| 22+25+35                 | 2.98                  | 3.38   | 4.74   | -      | -      | -      | 11.10 (3.20 - 13.70) | 3.092 (0.850 - 4.362)               | 13.58               | 99               |
| 22+25+42                 | 2.82                  | 3.20   | 5.38   | -      | -      | -      | 11.40 (3.20 - 14.00) | 3.256 (0.850 - 4.496)               | 14.30               | 99               |
| 22+25+50                 | 2.65                  | 3.02   | 6.03   | -      | -      | -      | 11.70 (3.20 - 14.20) | 3.466 (0.850 - 4.656)               | 15.22               | 99               |
| 22+25+60                 | 2.49                  | 2.83   | 6.79   | -      | -      | -      | 12.10 (3.20 - 14.50) | 3.669 (0.850 - 4.769)               | 16.11               | 99               |
| 22+25+71                 | 2.35                  | 2.67   | 7.58   | -      | -      | -      | 12.60 (3.20 - 14.70) | 3.803 (0.850 - 4.583)               | 16.70               | 99               |
| 22+25+80                 | 2.25                  | 2.56   | 8.19   | -      | -      | -      | 13.00 (3.20 - 14.80) | 3.883 (0.850 - 4.443)               | 17.05               | 99               |
| 22+35+35                 | 2.75                  | 4.38   | 4.38   | -      | -      | -      | 11.50 (3.20 - 14.10) | 3.342 (0.850 - 4.562)               | 14.68               | 99               |
| 22+35+42                 | 2.62                  | 4.17   | 5.01   | -      | -      | -      | 11.80 (3.20 - 14.30) | 3.516 (0.850 - 4.696)               | 15.44               | 99               |
| 22+35+50                 | 2.49                  | 3.96   | 5.65   | -      | -      | -      | 12.10 (3.20 - 14.50) | 3.686 (0.850 - 4.786)               | 16.19               | 99               |
| 22+35+60                 | 2.37                  | 3.77   | 6.46   | -      | -      | -      | 12.60 (3.20 - 14.70) | 3.789 (0.850 - 4.599)               | 16.64               | 99               |
| 22+35+71                 | 2.25                  | 3.58   | 7.27   | -      | -      | -      | 13.10 (3.20 - 14.80) | 3.883 (0.850 - 4.453)               | 17.05               | 99               |
| 22+35+80                 | 2.14                  | 3.40   | 7.77   | -      | -      | -      | 13.30 (3.20 - 15.00) | 3.793 (0.850 - 4.463)               | 16.66               | 99               |
| 22+42+42                 | 2.49                  | 4.75   | 4.75   | -      | -      | -      | 12.00 (3.20 - 14.50) | 3.670 (0.850 - 4.790)               | 16.12               | 99               |
| 22+42+50                 | 2.39                  | 4.57   | 5.44   | -      | -      | -      | 12.40 (3.20 - 14.60) | 3.770 (0.850 - 4.660)               | 16.56               | 99               |
| 22+42+60                 | 2.29                  | 4.37   | 6.24   | -      | -      | -      | 12.90 (3.20 - 14.80) | 3.873 (0.850 - 4.473)               | 17.01               | 99               |
| 22+42+71                 | 2.15                  | 4.11   | 6.94   | -      | -      | -      | 13.20 (3.20 - 15.00) | 3.817 (0.850 - 4.467)               | 16.76               | 99               |
| 22+42+80                 | 2.06                  | 3.94   | 7.50   | -      | -      | -      | 13.50 (3.20 - 15.20) | 3.727 (0.850 - 4.477)               | 16.37               | 99               |
| 22+50+50                 | 2.31                  | 5.25   | 5.25   | -      | -      | -      | 12.80 (3.20 - 14.70) | 3.860 (0.850 - 4.530)               | 16.95               | 99               |
| 22+50+60                 | 2.20                  | 5.00   | 6.00   | -      | -      | -      | 13.20 (3.20 - 14.90) | 3.843 (0.850 - 4.453)               | 16.88               | 99               |
| 22+50+71                 | 2.06                  | 4.69   | 6.65   | -      | -      | -      | 13.40 (3.20 - 15.20) | 3.737 (0.850 - 4.487)               | 16.41               | 99               |
| 22+50+80                 | 1.97                  | 4.47   | 7.16   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.667 (0.850 - 4.487)               | 16.10               | 99               |
| 22+60+60                 | 2.08                  | 5.66   | 5.66   | -      | -      | -      | 13.40 (3.20 - 15.10) | 3.726 (0.850 - 4.456)               | 16.36               | 99               |
| 22+60+71                 | 1.96                  | 5.33   | 6.31   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.660 (0.850 - 4.480)               | 16.07               | 99               |
| 22+60+80                 | 1.85                  | 5.04   | 6.72   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.650 (0.850 - 4.470)               | 16.03               | 99               |
| 22+71+71                 | 1.82                  | 5.89   | 5.89   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.664 (0.850 - 4.484)               | 16.09               | 99               |
| 22+71+80                 | 1.73                  | 5.58   | 6.29   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.654 (0.850 - 4.474)               | 16.05               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 25+25+25                 | 3.60                  | 3.60   | 3.60   | -      | -      | -      | 10.80 (3.20 - 13.50) | 2.912 (0.850 - 4.222)               | 12.79               | 99               |
| 25+25+35                 | 3.29                  | 3.29   | 4.61   | -      | -      | -      | 11.20 (3.20 - 13.80) | 3.162 (0.850 - 4.422)               | 13.89               | 99               |
| 25+25+42                 | 3.13                  | 3.13   | 5.25   | -      | -      | -      | 11.50 (3.20 - 14.10) | 3.336 (0.850 - 4.556)               | 14.65               | 99               |
| 25+25+50                 | 2.95                  | 2.95   | 5.90   | -      | -      | -      | 11.80 (3.20 - 14.30) | 3.536 (0.850 - 4.716)               | 15.53               | 99               |
| 25+25+60                 | 2.77                  | 2.77   | 6.65   | -      | -      | -      | 12.20 (3.20 - 14.60) | 3.709 (0.850 - 4.719)               | 16.29               | 99               |
| 25+25+71                 | 2.64                  | 2.64   | 7.51   | -      | -      | -      | 12.80 (3.20 - 14.70) | 3.843 (0.850 - 4.533)               | 16.88               | 99               |
| 25+25+80                 | 2.52                  | 2.52   | 8.06   | -      | -      | -      | 13.10 (3.20 - 14.90) | 3.853 (0.850 - 4.453)               | 16.92               | 99               |
| 25+35+35                 | 3.05                  | 4.27   | 4.27   | -      | -      | -      | 11.60 (3.20 - 14.20) | 3.422 (0.850 - 4.622)               | 15.03               | 99               |
| 25+35+42                 | 2.92                  | 4.08   | 4.90   | -      | -      | -      | 11.90 (3.20 - 14.40) | 3.586 (0.850 - 4.756)               | 15.75               | 99               |
| 25+35+50                 | 2.77                  | 3.88   | 5.55   | -      | -      | -      | 12.20 (3.20 - 14.60) | 3.726 (0.850 - 4.736)               | 16.36               | 99               |
| 25+35+60                 | 2.65                  | 3.70   | 6.35   | -      | -      | -      | 12.70 (3.20 - 14.70) | 3.829 (0.850 - 4.549)               | 16.82               | 99               |
| 25+35+71                 | 2.50                  | 3.50   | 7.10   | -      | -      | -      | 13.10 (3.20 - 14.90) | 3.853 (0.850 - 4.463)               | 16.92               | 99               |
| 25+35+80                 | 2.39                  | 3.35   | 7.66   | -      | -      | -      | 13.40 (3.20 - 15.10) | 3.763 (0.850 - 4.473)               | 16.53               | 99               |
| 25+42+42                 | 2.80                  | 4.70   | 4.70   | -      | -      | -      | 12.20 (3.20 - 14.60) | 3.710 (0.850 - 4.740)               | 16.29               | 99               |
| 25+42+50                 | 2.69                  | 4.52   | 5.38   | -      | -      | -      | 12.60 (3.20 - 14.70) | 3.800 (0.850 - 4.610)               | 16.69               | 99               |
| 25+42+60                 | 2.56                  | 4.30   | 6.14   | -      | -      | -      | 13.00 (3.20 - 14.80) | 3.883 (0.850 - 4.443)               | 17.05               | 99               |
| 25+42+71                 | 2.41                  | 4.05   | 6.84   | -      | -      | -      | 13.30 (3.20 - 15.10) | 3.787 (0.850 - 4.477)               | 16.63               | 99               |
| 25+42+80                 | 2.30                  | 3.86   | 7.35   | -      | -      | -      | 13.50 (3.20 - 15.20) | 3.697 (0.850 - 4.477)               | 16.24               | 99               |
| 25+50+50                 | 2.60                  | 5.20   | 5.20   | -      | -      | -      | 13.00 (3.20 - 14.80) | 3.900 (0.850 - 4.480)               | 17.13               | 99               |
| 25+50+60                 | 2.44                  | 4.89   | 5.87   | -      | -      | -      | 13.20 (3.20 - 15.00) | 3.813 (0.850 - 4.463)               | 16.75               | 99               |
| 25+50+71                 | 2.31                  | 4.62   | 6.57   | -      | -      | -      | 13.50 (3.20 - 15.20) | 3.717 (0.850 - 4.487)               | 16.32               | 99               |
| 25+50+80                 | 2.19                  | 4.39   | 7.02   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.667 (0.850 - 4.487)               | 16.10               | 99               |
| 25+60+60                 | 2.33                  | 5.59   | 5.59   | -      | -      | -      | 13.50 (3.20 - 15.20) | 3.706 (0.850 - 4.466)               | 16.28               | 99               |
| 25+60+71                 | 2.18                  | 5.23   | 6.19   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.660 (0.850 - 4.480)               | 16.07               | 99               |
| 25+60+80                 | 2.06                  | 4.95   | 6.59   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.650 (0.850 - 4.470)               | 16.03               | 99               |
| 25+71+71                 | 2.04                  | 5.78   | 5.78   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.664 (0.850 - 4.484)               | 16.09               | 99               |
| 25+71+80                 | 1.93                  | 5.49   | 6.18   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.654 (0.850 - 4.474)               | 16.05               | 99               |
| 35+35+35                 | 4.00                  | 4.00   | 4.00   | -      | -      | -      | 12.00 (3.20 - 14.50) | 3.672 (0.850 - 4.822)               | 16.13               | 99               |
| 35+35+42                 | 3.84                  | 3.84   | 4.61   | -      | -      | -      | 12.30 (3.20 - 14.60) | 3.746 (0.850 - 4.696)               | 16.45               | 99               |
| 35+35+50                 | 3.70                  | 3.70   | 5.29   | -      | -      | -      | 12.70 (3.20 - 14.70) | 3.846 (0.850 - 4.566)               | 16.89               | 99               |
| 35+35+60                 | 3.53                  | 3.53   | 6.05   | -      | -      | -      | 13.10 (3.20 - 14.90) | 3.859 (0.850 - 4.459)               | 16.95               | 99               |
| 35+35+71                 | 3.33                  | 3.33   | 6.75   | -      | -      | -      | 13.40 (3.20 - 15.10) | 3.763 (0.850 - 4.483)               | 16.53               | 99               |
| 35+35+80                 | 3.17                  | 3.17   | 7.25   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.673 (0.850 - 4.493)               | 16.13               | 99               |
| 35+42+42                 | 3.74                  | 4.48   | 4.48   | -      | -      | -      | 12.70 (3.20 - 14.70) | 3.830 (0.850 - 4.580)               | 16.82               | 99               |
| 35+42+50                 | 3.58                  | 4.30   | 5.12   | -      | -      | -      | 13.00 (3.20 - 14.80) | 3.900 (0.850 - 4.460)               | 17.13               | 99               |
| 35+42+60                 | 3.40                  | 4.08   | 5.82   | -      | -      | -      | 13.30 (3.20 - 15.00) | 3.793 (0.850 - 4.463)               | 16.66               | 99               |
| 35+42+71                 | 3.22                  | 3.86   | 6.52   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.697 (0.850 - 4.497)               | 16.24               | 99               |
| 35+42+80                 | 3.03                  | 3.64   | 6.93   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.667 (0.850 - 4.487)               | 16.10               | 99               |
| 35+50+50                 | 3.42                  | 4.89   | 4.89   | -      | -      | -      | 13.20 (3.20 - 15.00) | 3.830 (0.850 - 4.480)               | 16.82               | 99               |
| 35+50+60                 | 3.26                  | 4.66   | 5.59   | -      | -      | -      | 13.50 (3.20 - 15.20) | 3.723 (0.850 - 4.483)               | 16.35               | 99               |
| 35+50+71                 | 3.05                  | 4.36   | 6.19   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.677 (0.850 - 4.497)               | 16.15               | 99               |
| 35+50+80                 | 2.88                  | 4.12   | 6.59   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.667 (0.850 - 4.487)               | 16.10               | 99               |
| 35+60+60                 | 3.07                  | 5.26   | 5.26   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.656 (0.850 - 4.476)               | 16.06               | 99               |
| 35+60+71                 | 2.87                  | 4.92   | 5.82   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.660 (0.850 - 4.480)               | 16.07               | 99               |
| 35+60+80                 | 2.72                  | 4.66   | 6.22   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.650 (0.850 - 4.470)               | 16.03               | 99               |
| 35+71+71                 | 2.69                  | 5.46   | 5.46   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.664 (0.850 - 4.484)               | 16.09               | 99               |
| 42+42+42                 | 4.33                  | 4.33   | 4.33   | -      | -      | -      | 13.00 (3.20 - 14.80) | 3.904 (0.850 - 4.454)               | 17.15               | 99               |
| 42+42+50                 | 4.14                  | 4.14   | 4.93   | -      | -      | -      | 13.20 (3.20 - 15.00) | 3.834 (0.850 - 4.474)               | 16.84               | 99               |
| 42+42+60                 | 3.94                  | 3.94   | 5.63   | -      | -      | -      | 13.50 (3.20 - 15.20) | 3.727 (0.850 - 4.477)               | 16.37               | 99               |
| 42+42+71                 | 3.69                  | 3.69   | 6.23   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.671 (0.850 - 4.491)               | 16.12               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 42+42+80                 | 3.48                  | 3.48   | 6.63   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.661 (0.850 - 4.481)               | 16.08               | 99               |
| 42+50+50                 | 3.96                  | 4.72   | 4.72   | -      | -      | -      | 13.40 (3.20 - 15.10) | 3.754 (0.850 - 4.484)               | 16.49               | 99               |
| 42+50+60                 | 3.76                  | 4.47   | 5.37   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.667 (0.850 - 4.487)               | 16.10               | 99               |
| 42+50+71                 | 3.50                  | 4.17   | 5.92   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.671 (0.850 - 4.491)               | 16.12               | 99               |
| 42+50+80                 | 3.32                  | 3.95   | 6.33   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.661 (0.850 - 4.481)               | 16.08               | 99               |
| 42+60+60                 | 3.53                  | 5.04   | 5.04   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.650 (0.850 - 4.470)               | 16.03               | 99               |
| 42+60+71                 | 3.30                  | 4.72   | 5.58   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.654 (0.850 - 4.474)               | 16.05               | 99               |
| 50+50+50                 | 4.53                  | 4.53   | 4.53   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.684 (0.850 - 4.504)               | 16.18               | 99               |
| 50+50+60                 | 4.25                  | 4.25   | 5.10   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.667 (0.850 - 4.487)               | 16.10               | 99               |
| 50+50+71                 | 3.98                  | 3.98   | 5.65   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.671 (0.850 - 4.491)               | 16.12               | 99               |
| 50+50+80                 | 3.78                  | 3.78   | 6.04   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.661 (0.850 - 4.481)               | 16.08               | 99               |
| 50+60+60                 | 4.00                  | 4.80   | 4.80   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.650 (0.850 - 4.470)               | 16.03               | 99               |
| 60+60+60                 | 4.53                  | 4.53   | 4.53   | -      | -      | -      | 13.60 (3.20 - 15.30) | 3.633 (0.850 - 4.453)               | 15.96               | 99               |
| 15+15+15+15              | 1.70                  | 1.70   | 1.70   | 1.70   | -      | -      | 6.80 (3.10 - 9.90)   | 1.432 (0.850 - 3.162)               | 6.29                | 99               |
| 15+15+15+20              | 1.80                  | 1.80   | 1.80   | 2.40   | -      | -      | 7.80 (3.10 - 10.80)  | 1.760 (0.850 - 3.340)               | 7.73                | 99               |
| 15+15+15+22              | 1.84                  | 1.84   | 1.84   | 2.69   | -      | -      | 8.20 (3.10 - 11.20)  | 1.893 (0.850 - 3.413)               | 8.31                | 99               |
| 15+15+15+25              | 1.89                  | 1.89   | 1.89   | 3.14   | -      | -      | 8.80 (3.10 - 11.70)  | 2.093 (0.850 - 3.513)               | 9.19                | 99               |
| 15+15+15+35              | 2.04                  | 2.04   | 2.04   | 4.77   | -      | -      | 10.90 (3.20 - 13.50) | 2.763 (0.850 - 3.883)               | 12.13               | 99               |
| 15+15+15+42              | 2.12                  | 2.12   | 2.12   | 5.94   | -      | -      | 12.30 (3.20 - 14.70) | 3.217 (0.850 - 4.127)               | 14.13               | 99               |
| 15+15+15+50              | 2.01                  | 2.01   | 2.01   | 6.68   | -      | -      | 12.70 (3.20 - 15.00) | 3.397 (0.850 - 4.437)               | 14.92               | 99               |
| 15+15+15+60              | 1.84                  | 1.84   | 1.84   | 7.37   | -      | -      | 12.90 (3.20 - 15.00) | 3.460 (0.850 - 4.620)               | 15.20               | 99               |
| 15+15+15+71              | 1.68                  | 1.68   | 1.68   | 7.96   | -      | -      | 13.00 (3.20 - 15.00) | 3.474 (0.850 - 4.624)               | 15.26               | 99               |
| 15+15+15+80              | 1.57                  | 1.57   | 1.57   | 8.38   | -      | -      | 13.10 (3.20 - 15.00) | 3.474 (0.850 - 4.614)               | 15.26               | 99               |
| 15+15+20+20              | 1.89                  | 1.89   | 2.51   | 2.51   | -      | -      | 8.80 (3.10 - 11.70)  | 2.098 (0.850 - 3.518)               | 9.21                | 99               |
| 15+15+20+22              | 1.92                  | 1.92   | 2.56   | 2.81   | -      | -      | 9.20 (3.10 - 12.00)  | 2.221 (0.850 - 3.591)               | 9.75                | 99               |
| 15+15+20+25              | 1.98                  | 1.98   | 2.64   | 3.30   | -      | -      | 9.90 (3.20 - 12.60)  | 2.421 (0.850 - 3.701)               | 10.63               | 99               |
| 15+15+20+35              | 2.10                  | 2.10   | 2.80   | 4.90   | -      | -      | 11.90 (3.20 - 14.40) | 3.091 (0.850 - 4.061)               | 13.57               | 99               |
| 15+15+20+42              | 2.05                  | 2.05   | 2.74   | 5.75   | -      | -      | 12.60 (3.20 - 14.90) | 3.345 (0.850 - 4.325)               | 14.69               | 99               |
| 15+15+20+50              | 1.92                  | 1.92   | 2.56   | 6.40   | -      | -      | 12.80 (3.20 - 15.00) | 3.465 (0.850 - 4.635)               | 15.22               | 99               |
| 15+15+20+60              | 1.76                  | 1.76   | 2.35   | 7.04   | -      | -      | 12.90 (3.20 - 15.00) | 3.458 (0.850 - 4.618)               | 15.19               | 99               |
| 15+15+20+71              | 1.61                  | 1.61   | 2.15   | 7.63   | -      | -      | 13.00 (3.20 - 15.00) | 3.482 (0.850 - 4.622)               | 15.29               | 99               |
| 15+15+20+80              | 1.51                  | 1.51   | 2.02   | 8.06   | -      | -      | 13.10 (3.20 - 15.00) | 3.482 (0.850 - 4.612)               | 15.29               | 99               |
| 15+15+22+22              | 1.97                  | 1.97   | 2.88   | 2.88   | -      | -      | 9.70 (3.20 - 12.40)  | 2.354 (0.850 - 3.654)               | 10.34               | 99               |
| 15+15+22+25              | 2.01                  | 2.01   | 2.94   | 3.34   | -      | -      | 10.30 (3.20 - 12.90) | 2.554 (0.850 - 3.764)               | 11.22               | 99               |
| 15+15+22+35              | 2.12                  | 2.12   | 3.11   | 4.95   | -      | -      | 12.30 (3.20 - 14.70) | 3.214 (0.850 - 4.124)               | 14.12               | 99               |
| 15+15+22+42              | 2.03                  | 2.03   | 2.97   | 5.67   | -      | -      | 12.70 (3.20 - 15.00) | 3.368 (0.850 - 4.398)               | 14.79               | 99               |
| 15+15+22+50              | 1.88                  | 1.88   | 2.76   | 6.27   | -      | -      | 12.80 (3.20 - 15.00) | 3.458 (0.850 - 4.628)               | 15.19               | 99               |
| 15+15+22+60              | 1.73                  | 1.73   | 2.53   | 6.91   | -      | -      | 12.90 (3.20 - 15.00) | 3.461 (0.850 - 4.611)               | 15.20               | 99               |
| 15+15+22+71              | 1.59                  | 1.59   | 2.33   | 7.50   | -      | -      | 13.00 (3.20 - 15.00) | 3.475 (0.850 - 4.615)               | 15.26               | 99               |
| 15+15+22+80              | 1.49                  | 1.49   | 2.18   | 7.94   | -      | -      | 13.10 (3.20 - 15.00) | 3.475 (0.850 - 4.605)               | 15.26               | 99               |
| 15+15+25+25              | 2.04                  | 2.04   | 3.41   | 3.41   | -      | -      | 10.90 (3.20 - 13.50) | 2.754 (0.850 - 3.874)               | 12.09               | 99               |
| 15+15+25+35              | 2.10                  | 2.10   | 3.50   | 4.90   | -      | -      | 12.60 (3.20 - 14.90) | 3.314 (0.850 - 4.244)               | 14.55               | 99               |
| 15+15+25+42              | 1.96                  | 1.96   | 3.27   | 5.50   | -      | -      | 12.70 (3.20 - 15.00) | 3.418 (0.850 - 4.508)               | 15.01               | 99               |
| 15+15+25+50              | 1.84                  | 1.84   | 3.07   | 6.14   | -      | -      | 12.90 (3.20 - 15.00) | 3.468 (0.850 - 4.628)               | 15.23               | 99               |
| 15+15+25+60              | 1.70                  | 1.70   | 2.83   | 6.78   | -      | -      | 13.00 (3.20 - 15.00) | 3.461 (0.850 - 4.611)               | 15.20               | 99               |
| 15+15+25+71              | 1.56                  | 1.56   | 2.60   | 7.38   | -      | -      | 13.10 (3.20 - 15.00) | 3.475 (0.850 - 4.615)               | 15.26               | 99               |
| 15+15+25+80              | 1.47                  | 1.47   | 2.44   | 7.82   | -      | -      | 13.20 (3.20 - 15.00) | 3.475 (0.850 - 4.605)               | 15.26               | 99               |
| 15+15+35+35              | 1.92                  | 1.92   | 4.48   | 4.48   | -      | -      | 12.80 (3.20 - 15.00) | 3.464 (0.850 - 4.634)               | 15.21               | 99               |
| 15+15+35+42              | 1.81                  | 1.81   | 4.22   | 5.06   | -      | -      | 12.90 (3.20 - 15.00) | 3.468 (0.850 - 4.628)               | 15.23               | 99               |
| 15+15+35+50              | 1.70                  | 1.70   | 3.96   | 5.65   | -      | -      | 13.00 (3.20 - 15.00) | 3.478 (0.850 - 4.628)               | 15.27               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+35+60              | 1.57                  | 1.57   | 3.67   | 6.29   | -      | -      | 13.10 (3.20 - 15.00) | 3.471 (0.850 - 4.611)               | 15.24               | 99               |
| 15+15+35+71              | 1.46                  | 1.46   | 3.40   | 6.89   | -      | -      | 13.20 (3.20 - 15.00) | 3.495 (0.850 - 4.615)               | 15.35               | 99               |
| 15+15+35+80              | 1.37                  | 1.37   | 3.19   | 7.28   | -      | -      | 13.20 (3.20 - 15.00) | 3.485 (0.850 - 4.565)               | 15.31               | 99               |
| 15+15+42+42              | 1.70                  | 1.70   | 4.75   | 4.75   | -      | -      | 12.90 (3.20 - 15.00) | 3.472 (0.850 - 4.622)               | 15.25               | 99               |
| 15+15+42+50              | 1.60                  | 1.60   | 4.48   | 5.33   | -      | -      | 13.00 (3.20 - 15.00) | 3.482 (0.850 - 4.622)               | 15.29               | 99               |
| 15+15+42+60              | 1.49                  | 1.49   | 4.17   | 5.95   | -      | -      | 13.10 (3.20 - 15.00) | 3.475 (0.850 - 4.605)               | 15.26               | 99               |
| 15+15+42+71              | 1.38                  | 1.38   | 3.88   | 6.55   | -      | -      | 13.20 (3.20 - 15.00) | 3.489 (0.850 - 4.589)               | 15.32               | 99               |
| 15+15+42+80              | 1.30                  | 1.30   | 3.65   | 6.95   | -      | -      | 13.20 (3.20 - 15.00) | 3.479 (0.850 - 4.509)               | 15.28               | 99               |
| 15+15+50+50              | 1.51                  | 1.51   | 5.04   | 5.04   | -      | -      | 13.10 (3.20 - 15.00) | 3.492 (0.850 - 4.622)               | 15.34               | 99               |
| 15+15+50+60              | 1.41                  | 1.41   | 4.71   | 5.66   | -      | -      | 13.20 (3.20 - 15.00) | 3.485 (0.850 - 4.605)               | 15.31               | 99               |
| 15+15+50+71              | 1.31                  | 1.31   | 4.37   | 6.21   | -      | -      | 13.20 (3.20 - 15.00) | 3.489 (0.850 - 4.519)               | 15.32               | 99               |
| 15+15+50+80              | 1.24                  | 1.24   | 4.13   | 6.60   | -      | -      | 13.20 (3.20 - 15.10) | 3.479 (0.850 - 4.439)               | 15.28               | 99               |
| 15+15+60+60              | 1.32                  | 1.32   | 5.28   | 5.28   | -      | -      | 13.20 (3.20 - 15.00) | 3.468 (0.850 - 4.508)               | 15.23               | 99               |
| 15+15+60+71              | 1.23                  | 1.23   | 4.92   | 5.82   | -      | -      | 13.20 (3.20 - 15.10) | 3.472 (0.850 - 4.432)               | 15.25               | 99               |
| 15+15+60+80              | 1.16                  | 1.16   | 4.66   | 6.21   | -      | -      | 13.20 (3.20 - 15.10) | 3.462 (0.850 - 4.362)               | 15.20               | 99               |
| 15+15+71+71              | 1.15                  | 1.15   | 5.45   | 5.45   | -      | -      | 13.20 (3.20 - 15.10) | 3.476 (0.850 - 4.376)               | 15.27               | 99               |
| 15+20+20+20              | 1.98                  | 2.64   | 2.64   | 2.64   | -      | -      | 9.90 (3.20 - 12.60)  | 2.426 (0.850 - 3.706)               | 10.65               | 99               |
| 15+20+20+22              | 2.01                  | 2.68   | 2.68   | 2.94   | -      | -      | 10.30 (3.20 - 12.90) | 2.559 (0.850 - 3.769)               | 11.24               | 99               |
| 15+20+20+25              | 2.04                  | 2.73   | 2.73   | 3.41   | -      | -      | 10.90 (3.20 - 13.50) | 2.759 (0.850 - 3.879)               | 12.12               | 99               |
| 15+20+20+35              | 2.10                  | 2.80   | 2.80   | 4.90   | -      | -      | 12.60 (3.20 - 14.90) | 3.319 (0.850 - 4.249)               | 14.58               | 99               |
| 15+20+20+42              | 1.96                  | 2.62   | 2.62   | 5.50   | -      | -      | 12.70 (3.20 - 15.00) | 3.423 (0.850 - 4.513)               | 15.03               | 99               |
| 15+20+20+50              | 1.84                  | 2.46   | 2.46   | 6.14   | -      | -      | 12.90 (3.20 - 15.00) | 3.473 (0.850 - 4.633)               | 15.25               | 99               |
| 15+20+20+60              | 1.70                  | 2.26   | 2.26   | 6.78   | -      | -      | 13.00 (3.20 - 15.00) | 3.466 (0.850 - 4.616)               | 15.22               | 99               |
| 15+20+20+71              | 1.56                  | 2.08   | 2.08   | 7.38   | -      | -      | 13.10 (3.20 - 15.00) | 3.480 (0.850 - 4.620)               | 15.28               | 99               |
| 15+20+20+80              | 1.47                  | 1.96   | 1.96   | 7.82   | -      | -      | 13.20 (3.20 - 15.00) | 3.480 (0.850 - 4.610)               | 15.28               | 99               |
| 15+20+22+22              | 2.03                  | 2.71   | 2.98   | 2.98   | -      | -      | 10.70 (3.20 - 13.30) | 2.682 (0.850 - 3.832)               | 11.78               | 99               |
| 15+20+22+25              | 2.07                  | 2.76   | 3.03   | 3.45   | -      | -      | 11.30 (3.20 - 13.80) | 2.882 (0.850 - 3.942)               | 12.66               | 99               |
| 15+20+22+35              | 2.05                  | 2.74   | 3.01   | 4.79   | -      | -      | 12.60 (3.20 - 14.90) | 3.342 (0.850 - 4.322)               | 14.68               | 99               |
| 15+20+22+42              | 1.94                  | 2.59   | 2.84   | 5.43   | -      | -      | 12.80 (3.20 - 15.00) | 3.446 (0.850 - 4.586)               | 15.13               | 99               |
| 15+20+22+50              | 1.81                  | 2.41   | 2.65   | 6.03   | -      | -      | 12.90 (3.20 - 15.00) | 3.466 (0.850 - 4.626)               | 15.22               | 99               |
| 15+20+22+60              | 1.67                  | 2.22   | 2.44   | 6.67   | -      | -      | 13.00 (3.20 - 15.00) | 3.459 (0.850 - 4.609)               | 15.19               | 99               |
| 15+20+22+71              | 1.54                  | 2.05   | 2.25   | 7.27   | -      | -      | 13.10 (3.20 - 15.00) | 3.483 (0.850 - 4.613)               | 15.30               | 99               |
| 15+20+22+80              | 1.45                  | 1.93   | 2.12   | 7.71   | -      | -      | 13.20 (3.20 - 15.00) | 3.483 (0.850 - 4.603)               | 15.30               | 99               |
| 15+20+25+25              | 2.10                  | 2.80   | 3.50   | 3.50   | -      | -      | 11.90 (3.20 - 14.40) | 3.082 (0.850 - 4.052)               | 13.54               | 99               |
| 15+20+25+35              | 2.01                  | 2.67   | 3.34   | 4.68   | -      | -      | 12.70 (3.20 - 15.00) | 3.392 (0.850 - 4.432)               | 14.90               | 99               |
| 15+20+25+42              | 1.88                  | 2.51   | 3.14   | 5.27   | -      | -      | 12.80 (3.20 - 15.00) | 3.456 (0.850 - 4.626)               | 15.18               | 99               |
| 15+20+25+50              | 1.76                  | 2.35   | 2.93   | 5.86   | -      | -      | 12.90 (3.20 - 15.00) | 3.466 (0.850 - 4.626)               | 15.22               | 99               |
| 15+20+25+60              | 1.63                  | 2.17   | 2.71   | 6.50   | -      | -      | 13.00 (3.20 - 15.00) | 3.469 (0.850 - 4.609)               | 15.23               | 99               |
| 15+20+25+71              | 1.50                  | 2.00   | 2.50   | 7.10   | -      | -      | 13.10 (3.20 - 15.00) | 3.483 (0.850 - 4.613)               | 15.30               | 99               |
| 15+20+25+80              | 1.41                  | 1.89   | 2.36   | 7.54   | -      | -      | 13.20 (3.20 - 15.00) | 3.483 (0.850 - 4.603)               | 15.30               | 99               |
| 15+20+35+35              | 1.84                  | 2.46   | 4.30   | 4.30   | -      | -      | 12.90 (3.20 - 15.00) | 3.472 (0.850 - 4.632)               | 15.25               | 99               |
| 15+20+35+42              | 1.73                  | 2.30   | 4.03   | 4.84   | -      | -      | 12.90 (3.20 - 15.00) | 3.476 (0.850 - 4.626)               | 15.27               | 99               |
| 15+20+35+50              | 1.63                  | 2.17   | 3.79   | 5.42   | -      | -      | 13.00 (3.20 - 15.00) | 3.486 (0.850 - 4.626)               | 15.31               | 99               |
| 15+20+35+60              | 1.51                  | 2.02   | 3.53   | 6.05   | -      | -      | 13.10 (3.20 - 15.00) | 3.479 (0.850 - 4.609)               | 15.28               | 99               |
| 15+20+35+71              | 1.40                  | 1.87   | 3.28   | 6.65   | -      | -      | 13.20 (3.20 - 15.00) | 3.493 (0.850 - 4.603)               | 15.34               | 99               |
| 15+20+35+80              | 1.32                  | 1.76   | 3.08   | 7.04   | -      | -      | 13.20 (3.20 - 15.00) | 3.483 (0.850 - 4.523)               | 15.30               | 99               |
| 15+20+42+42              | 1.64                  | 2.18   | 4.59   | 4.59   | -      | -      | 13.00 (3.20 - 15.00) | 3.470 (0.850 - 4.620)               | 15.24               | 99               |
| 15+20+42+50              | 1.55                  | 2.06   | 4.33   | 5.16   | -      | -      | 13.10 (3.20 - 15.00) | 3.480 (0.850 - 4.620)               | 15.28               | 99               |
| 15+20+42+60              | 1.45                  | 1.93   | 4.05   | 5.78   | -      | -      | 13.20 (3.20 - 15.00) | 3.483 (0.850 - 4.603)               | 15.30               | 99               |
| 15+20+42+71              | 1.34                  | 1.78   | 3.75   | 6.33   | -      | -      | 13.20 (3.20 - 15.00) | 3.487 (0.850 - 4.547)               | 15.31               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+20+42+80              | 1.26                  | 1.68   | 3.53   | 6.73   | -      | -      | 13.20 (3.20 - 15.10) | 3.477 (0.850 - 4.467)               | 15.27               | 99               |
| 15+20+50+50              | 1.47                  | 1.96   | 4.89   | 4.89   | -      | -      | 13.20 (3.20 - 15.00) | 3.490 (0.850 - 4.620)               | 15.33               | 99               |
| 15+20+50+60              | 1.37                  | 1.82   | 4.55   | 5.46   | -      | -      | 13.20 (3.20 - 15.00) | 3.483 (0.850 - 4.563)               | 15.30               | 99               |
| 15+20+50+71              | 1.27                  | 1.69   | 4.23   | 6.01   | -      | -      | 13.20 (3.20 - 15.10) | 3.487 (0.850 - 4.477)               | 15.31               | 99               |
| 15+20+50+80              | 1.20                  | 1.60   | 4.00   | 6.40   | -      | -      | 13.20 (3.20 - 15.10) | 3.477 (0.850 - 4.397)               | 15.27               | 99               |
| 15+20+60+60              | 1.28                  | 1.70   | 5.11   | 5.11   | -      | -      | 13.20 (3.20 - 15.10) | 3.466 (0.850 - 4.466)               | 15.22               | 99               |
| 15+20+60+71              | 1.19                  | 1.59   | 4.77   | 5.65   | -      | -      | 13.20 (3.20 - 15.10) | 3.470 (0.850 - 4.390)               | 15.24               | 99               |
| 15+20+60+80              | 1.13                  | 1.51   | 4.53   | 6.03   | -      | -      | 13.20 (3.20 - 15.10) | 3.460 (0.850 - 4.360)               | 15.20               | 99               |
| 15+20+71+71              | 1.12                  | 1.49   | 5.29   | 5.29   | -      | -      | 13.20 (3.20 - 15.10) | 3.474 (0.850 - 4.374)               | 15.26               | 99               |
| 15+22+22+22              | 2.06                  | 3.01   | 3.01   | 3.01   | -      | -      | 11.10 (3.20 - 13.70) | 2.805 (0.850 - 3.905)               | 12.32               | 99               |
| 15+22+22+25              | 2.09                  | 3.06   | 3.06   | 3.48   | -      | -      | 11.70 (3.20 - 14.20) | 3.005 (0.850 - 4.005)               | 13.20               | 99               |
| 15+22+22+35              | 2.03                  | 2.97   | 2.97   | 4.73   | -      | -      | 12.70 (3.20 - 15.00) | 3.365 (0.850 - 4.395)               | 14.78               | 99               |
| 15+22+22+42              | 1.90                  | 2.79   | 2.79   | 5.32   | -      | -      | 12.80 (3.20 - 15.00) | 3.449 (0.850 - 4.619)               | 15.15               | 99               |
| 15+22+22+50              | 1.78                  | 2.60   | 2.60   | 5.92   | -      | -      | 12.90 (3.20 - 15.00) | 3.459 (0.850 - 4.619)               | 15.19               | 99               |
| 15+22+22+60              | 1.64                  | 2.40   | 2.40   | 6.55   | -      | -      | 13.00 (3.20 - 15.00) | 3.452 (0.850 - 4.602)               | 15.16               | 99               |
| 15+22+22+71              | 1.51                  | 2.22   | 2.22   | 7.15   | -      | -      | 13.10 (3.20 - 15.00) | 3.476 (0.850 - 4.606)               | 15.27               | 99               |
| 15+22+22+80              | 1.42                  | 2.09   | 2.09   | 7.60   | -      | -      | 13.20 (3.20 - 15.00) | 3.476 (0.850 - 4.596)               | 15.27               | 99               |
| 15+22+25+25              | 2.12                  | 3.11   | 3.53   | 3.53   | -      | -      | 12.30 (3.20 - 14.70) | 3.205 (0.850 - 4.115)               | 14.08               | 99               |
| 15+22+25+35              | 1.96                  | 2.88   | 3.27   | 4.58   | -      | -      | 12.70 (3.20 - 15.00) | 3.415 (0.850 - 4.505)               | 15.00               | 99               |
| 15+22+25+42              | 1.85                  | 2.71   | 3.08   | 5.17   | -      | -      | 12.80 (3.20 - 15.00) | 3.459 (0.850 - 4.619)               | 15.19               | 99               |
| 15+22+25+50              | 1.73                  | 2.53   | 2.88   | 5.76   | -      | -      | 12.90 (3.20 - 15.00) | 3.469 (0.850 - 4.619)               | 15.23               | 99               |
| 15+22+25+60              | 1.60                  | 2.34   | 2.66   | 6.39   | -      | -      | 13.00 (3.20 - 15.00) | 3.462 (0.850 - 4.602)               | 15.20               | 99               |
| 15+22+25+71              | 1.48                  | 2.17   | 2.46   | 6.99   | -      | -      | 13.10 (3.20 - 15.00) | 3.476 (0.850 - 4.606)               | 15.27               | 99               |
| 15+22+25+80              | 1.39                  | 2.05   | 2.32   | 7.44   | -      | -      | 13.20 (3.20 - 15.00) | 3.476 (0.850 - 4.576)               | 15.27               | 99               |
| 15+22+35+35              | 1.81                  | 2.65   | 4.22   | 4.22   | -      | -      | 12.90 (3.20 - 15.00) | 3.465 (0.850 - 4.625)               | 15.22               | 99               |
| 15+22+35+42              | 1.70                  | 2.49   | 3.96   | 4.75   | -      | -      | 12.90 (3.20 - 15.00) | 3.469 (0.850 - 4.619)               | 15.23               | 99               |
| 15+22+35+50              | 1.60                  | 2.34   | 3.73   | 5.33   | -      | -      | 13.00 (3.20 - 15.00) | 3.479 (0.850 - 4.619)               | 15.28               | 99               |
| 15+22+35+60              | 1.49                  | 2.18   | 3.47   | 5.95   | -      | -      | 13.10 (3.20 - 15.00) | 3.472 (0.850 - 4.602)               | 15.25               | 99               |
| 15+22+35+71              | 1.38                  | 2.03   | 3.23   | 6.55   | -      | -      | 13.20 (3.20 - 15.00) | 3.486 (0.850 - 4.586)               | 15.31               | 99               |
| 15+22+35+80              | 1.30                  | 1.91   | 3.04   | 6.95   | -      | -      | 13.20 (3.20 - 15.00) | 3.476 (0.850 - 4.506)               | 15.27               | 99               |
| 15+22+42+42              | 1.61                  | 2.36   | 4.51   | 4.51   | -      | -      | 13.00 (3.20 - 15.00) | 3.473 (0.850 - 4.613)               | 15.25               | 99               |
| 15+22+42+50              | 1.52                  | 2.23   | 4.27   | 5.08   | -      | -      | 13.10 (3.20 - 15.00) | 3.483 (0.850 - 4.613)               | 15.30               | 99               |
| 15+22+42+60              | 1.42                  | 2.09   | 3.99   | 5.70   | -      | -      | 13.20 (3.20 - 15.00) | 3.476 (0.850 - 4.596)               | 15.27               | 99               |
| 15+22+42+71              | 1.32                  | 1.94   | 3.70   | 6.25   | -      | -      | 13.20 (3.20 - 15.00) | 3.480 (0.850 - 4.520)               | 15.28               | 99               |
| 15+22+42+80              | 1.25                  | 1.83   | 3.49   | 6.64   | -      | -      | 13.20 (3.20 - 15.10) | 3.470 (0.850 - 4.440)               | 15.24               | 99               |
| 15+22+50+50              | 1.45                  | 2.12   | 4.82   | 4.82   | -      | -      | 13.20 (3.20 - 15.00) | 3.493 (0.850 - 4.613)               | 15.34               | 99               |
| 15+22+50+60              | 1.35                  | 1.98   | 4.49   | 5.39   | -      | -      | 13.20 (3.20 - 15.00) | 3.476 (0.850 - 4.546)               | 15.27               | 99               |
| 15+22+50+71              | 1.25                  | 1.84   | 4.18   | 5.93   | -      | -      | 13.20 (3.20 - 15.10) | 3.480 (0.850 - 4.460)               | 15.28               | 99               |
| 15+22+50+80              | 1.19                  | 1.74   | 3.95   | 6.32   | -      | -      | 13.20 (3.20 - 15.10) | 3.470 (0.850 - 4.380)               | 15.24               | 99               |
| 15+22+60+60              | 1.26                  | 1.85   | 5.04   | 5.04   | -      | -      | 13.20 (3.20 - 15.10) | 3.459 (0.850 - 4.449)               | 15.19               | 99               |
| 15+22+60+71              | 1.18                  | 1.73   | 4.71   | 5.58   | -      | -      | 13.20 (3.20 - 15.10) | 3.463 (0.850 - 4.363)               | 15.21               | 99               |
| 15+22+60+80              | 1.12                  | 1.64   | 4.47   | 5.97   | -      | -      | 13.20 (3.20 - 15.10) | 3.453 (0.850 - 4.353)               | 15.16               | 99               |
| 15+22+71+71              | 1.11                  | 1.62   | 5.24   | 5.24   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.367)               | 15.23               | 99               |
| 15+25+25+25              | 2.10                  | 3.50   | 3.50   | 3.50   | -      | -      | 12.60 (3.20 - 14.90) | 3.305 (0.850 - 4.235)               | 14.51               | 99               |
| 15+25+25+35              | 1.92                  | 3.20   | 3.20   | 4.48   | -      | -      | 12.80 (3.20 - 15.00) | 3.455 (0.850 - 4.625)               | 15.17               | 99               |
| 15+25+25+42              | 1.81                  | 3.01   | 3.01   | 5.06   | -      | -      | 12.90 (3.20 - 15.00) | 3.459 (0.850 - 4.619)               | 15.19               | 99               |
| 15+25+25+50              | 1.70                  | 2.83   | 2.83   | 5.65   | -      | -      | 13.00 (3.20 - 15.00) | 3.469 (0.850 - 4.619)               | 15.23               | 99               |
| 15+25+25+60              | 1.57                  | 2.62   | 2.62   | 6.29   | -      | -      | 13.10 (3.20 - 15.00) | 3.462 (0.850 - 4.602)               | 15.20               | 99               |
| 15+25+25+71              | 1.46                  | 2.43   | 2.43   | 6.89   | -      | -      | 13.20 (3.20 - 15.00) | 3.486 (0.850 - 4.606)               | 15.31               | 99               |
| 15+25+25+80              | 1.37                  | 2.28   | 2.28   | 7.28   | -      | -      | 13.20 (3.20 - 15.00) | 3.476 (0.850 - 4.556)               | 15.27               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+25+35+35              | 1.76                  | 2.93   | 4.10   | 4.10   | -      | -      | 12.90 (3.20 - 15.00) | 3.465 (0.850 - 4.625)               | 15.22               | 99               |
| 15+25+35+42              | 1.67                  | 2.78   | 3.89   | 4.67   | -      | -      | 13.00 (3.20 - 15.00) | 3.469 (0.850 - 4.619)               | 15.23               | 99               |
| 15+25+35+50              | 1.57                  | 2.62   | 3.67   | 5.24   | -      | -      | 13.10 (3.20 - 15.00) | 3.479 (0.850 - 4.619)               | 15.28               | 99               |
| 15+25+35+60              | 1.47                  | 2.44   | 3.42   | 5.87   | -      | -      | 13.20 (3.20 - 15.00) | 3.472 (0.850 - 4.602)               | 15.25               | 99               |
| 15+25+35+71              | 1.36                  | 2.26   | 3.16   | 6.42   | -      | -      | 13.20 (3.20 - 15.00) | 3.486 (0.850 - 4.556)               | 15.31               | 99               |
| 15+25+35+80              | 1.28                  | 2.13   | 2.98   | 6.81   | -      | -      | 13.20 (3.20 - 15.10) | 3.476 (0.850 - 4.476)               | 15.27               | 99               |
| 15+25+42+42              | 1.57                  | 2.62   | 4.40   | 4.40   | -      | -      | 13.00 (3.20 - 15.00) | 3.473 (0.850 - 4.613)               | 15.25               | 99               |
| 15+25+42+50              | 1.49                  | 2.48   | 4.17   | 4.96   | -      | -      | 13.10 (3.20 - 15.00) | 3.483 (0.850 - 4.613)               | 15.30               | 99               |
| 15+25+42+60              | 1.39                  | 2.32   | 3.90   | 5.58   | -      | -      | 13.20 (3.20 - 15.00) | 3.476 (0.850 - 4.576)               | 15.27               | 99               |
| 15+25+42+71              | 1.29                  | 2.16   | 3.62   | 6.13   | -      | -      | 13.20 (3.20 - 15.00) | 3.480 (0.850 - 4.500)               | 15.28               | 99               |
| 15+25+42+80              | 1.22                  | 2.04   | 3.42   | 6.52   | -      | -      | 13.20 (3.20 - 15.10) | 3.470 (0.850 - 4.420)               | 15.24               | 99               |
| 15+25+50+50              | 1.41                  | 2.36   | 4.71   | 4.71   | -      | -      | 13.20 (3.20 - 15.00) | 3.493 (0.850 - 4.613)               | 15.34               | 99               |
| 15+25+50+60              | 1.32                  | 2.20   | 4.40   | 5.28   | -      | -      | 13.20 (3.20 - 15.00) | 3.476 (0.850 - 4.516)               | 15.27               | 99               |
| 15+25+50+71              | 1.23                  | 2.05   | 4.10   | 5.82   | -      | -      | 13.20 (3.20 - 15.10) | 3.480 (0.850 - 4.440)               | 15.28               | 99               |
| 15+25+50+80              | 1.16                  | 1.94   | 3.88   | 6.21   | -      | -      | 13.20 (3.20 - 15.10) | 3.470 (0.850 - 4.370)               | 15.24               | 99               |
| 15+25+60+60              | 1.24                  | 2.06   | 4.95   | 4.95   | -      | -      | 13.20 (3.20 - 15.10) | 3.459 (0.850 - 4.419)               | 15.19               | 99               |
| 15+25+60+71              | 1.16                  | 1.93   | 4.63   | 5.48   | -      | -      | 13.20 (3.20 - 15.10) | 3.463 (0.850 - 4.363)               | 15.21               | 99               |
| 15+25+60+80              | 1.10                  | 1.83   | 4.40   | 5.87   | -      | -      | 13.20 (3.20 - 15.10) | 3.453 (0.850 - 4.353)               | 15.16               | 99               |
| 15+35+35+35              | 1.63                  | 3.79   | 3.79   | 3.79   | -      | -      | 13.00 (3.20 - 15.00) | 3.485 (0.850 - 4.625)               | 15.31               | 99               |
| 15+35+35+42              | 1.55                  | 3.61   | 3.61   | 4.33   | -      | -      | 13.10 (3.20 - 15.00) | 3.479 (0.850 - 4.619)               | 15.28               | 99               |
| 15+35+35+50              | 1.47                  | 3.42   | 3.42   | 4.89   | -      | -      | 13.20 (3.20 - 15.00) | 3.489 (0.850 - 4.619)               | 15.32               | 99               |
| 15+35+35+60              | 1.37                  | 3.19   | 3.19   | 5.46   | -      | -      | 13.20 (3.20 - 15.00) | 3.482 (0.850 - 4.562)               | 15.29               | 99               |
| 15+35+35+71              | 1.27                  | 2.96   | 2.96   | 6.01   | -      | -      | 13.20 (3.20 - 15.10) | 3.486 (0.850 - 4.476)               | 15.31               | 99               |
| 15+35+35+80              | 1.20                  | 2.80   | 2.80   | 6.40   | -      | -      | 13.20 (3.20 - 15.10) | 3.476 (0.850 - 4.396)               | 15.27               | 99               |
| 15+35+42+42              | 1.47                  | 3.42   | 4.11   | 4.11   | -      | -      | 13.10 (3.20 - 15.00) | 3.483 (0.850 - 4.613)               | 15.30               | 99               |
| 15+35+42+50              | 1.39                  | 3.25   | 3.90   | 4.65   | -      | -      | 13.20 (3.20 - 15.00) | 3.493 (0.850 - 4.593)               | 15.34               | 99               |
| 15+35+42+60              | 1.30                  | 3.04   | 3.65   | 5.21   | -      | -      | 13.20 (3.20 - 15.00) | 3.476 (0.850 - 4.506)               | 15.27               | 99               |
| 15+35+42+71              | 1.21                  | 2.83   | 3.40   | 5.75   | -      | -      | 13.20 (3.20 - 15.10) | 3.480 (0.850 - 4.420)               | 15.28               | 99               |
| 15+35+42+80              | 1.15                  | 2.69   | 3.22   | 6.14   | -      | -      | 13.20 (3.20 - 15.10) | 3.470 (0.850 - 4.370)               | 15.24               | 99               |
| 15+35+50+50              | 1.32                  | 3.08   | 4.40   | 4.40   | -      | -      | 13.20 (3.20 - 15.00) | 3.493 (0.850 - 4.533)               | 15.34               | 99               |
| 15+35+50+60              | 1.24                  | 2.89   | 4.13   | 4.95   | -      | -      | 13.20 (3.20 - 15.10) | 3.476 (0.850 - 4.436)               | 15.27               | 99               |
| 15+35+50+71              | 1.16                  | 2.70   | 3.86   | 5.48   | -      | -      | 13.20 (3.20 - 15.10) | 3.480 (0.850 - 4.380)               | 15.28               | 99               |
| 15+35+50+80              | 1.10                  | 2.57   | 3.67   | 5.87   | -      | -      | 13.20 (3.20 - 15.10) | 3.470 (0.850 - 4.370)               | 15.24               | 99               |
| 15+35+60+60              | 1.16                  | 2.72   | 4.66   | 4.66   | -      | -      | 13.20 (3.20 - 15.10) | 3.459 (0.850 - 4.359)               | 15.19               | 99               |
| 15+42+42+42              | 1.40                  | 3.93   | 3.93   | 3.93   | -      | -      | 13.20 (3.20 - 15.00) | 3.487 (0.850 - 4.597)               | 15.31               | 99               |
| 15+42+42+50              | 1.33                  | 3.72   | 3.72   | 4.43   | -      | -      | 13.20 (3.20 - 15.00) | 3.487 (0.850 - 4.537)               | 15.31               | 99               |
| 15+42+42+60              | 1.25                  | 3.49   | 3.49   | 4.98   | -      | -      | 13.20 (3.20 - 15.10) | 3.470 (0.850 - 4.440)               | 15.24               | 99               |
| 15+42+42+71              | 1.16                  | 3.26   | 3.26   | 5.51   | -      | -      | 13.20 (3.20 - 15.10) | 3.474 (0.850 - 4.374)               | 15.26               | 99               |
| 15+42+42+80              | 1.11                  | 3.10   | 3.10   | 5.90   | -      | -      | 13.20 (3.20 - 15.10) | 3.464 (0.850 - 4.364)               | 15.21               | 99               |
| 15+42+50+50              | 1.26                  | 3.53   | 4.20   | 4.20   | -      | -      | 13.20 (3.20 - 15.10) | 3.487 (0.850 - 4.477)               | 15.31               | 99               |
| 15+42+50+60              | 1.19                  | 3.32   | 3.95   | 4.74   | -      | -      | 13.20 (3.20 - 15.10) | 3.470 (0.850 - 4.380)               | 15.24               | 99               |
| 15+42+50+71              | 1.11                  | 3.11   | 3.71   | 5.27   | -      | -      | 13.20 (3.20 - 15.10) | 3.474 (0.850 - 4.374)               | 15.26               | 99               |
| 15+42+60+60              | 1.12                  | 3.13   | 4.47   | 4.47   | -      | -      | 13.20 (3.20 - 15.10) | 3.453 (0.850 - 4.353)               | 15.16               | 99               |
| 15+50+50+50              | 1.20                  | 4.00   | 4.00   | 4.00   | -      | -      | 13.20 (3.20 - 15.10) | 3.487 (0.850 - 4.407)               | 15.31               | 99               |
| 15+50+50+60              | 1.13                  | 3.77   | 3.77   | 4.53   | -      | -      | 13.20 (3.20 - 15.10) | 3.470 (0.850 - 4.370)               | 15.24               | 99               |
| 20+20+20+20              | 2.73                  | 2.73   | 2.73   | 2.73   | -      | -      | 10.90 (3.20 - 13.50) | 2.764 (0.850 - 3.884)               | 12.14               | 99               |
| 20+20+20+22              | 2.76                  | 2.76   | 2.76   | 3.03   | -      | -      | 11.30 (3.20 - 13.80) | 2.887 (0.850 - 3.947)               | 12.68               | 99               |
| 20+20+20+25              | 2.80                  | 2.80   | 2.80   | 3.50   | -      | -      | 11.90 (3.20 - 14.40) | 3.087 (0.850 - 4.057)               | 13.56               | 99               |
| 20+20+20+35              | 2.67                  | 2.67   | 2.67   | 4.68   | -      | -      | 12.70 (3.20 - 15.00) | 3.397 (0.850 - 4.437)               | 14.92               | 99               |
| 20+20+20+42              | 2.51                  | 2.51   | 2.51   | 5.27   | -      | -      | 12.80 (3.20 - 15.00) | 3.461 (0.850 - 4.631)               | 15.20               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+20+20+50              | 2.35                  | 2.35   | 2.35   | 5.86   | -      | -      | 12.90 (3.20 - 15.00) | 3.471 (0.850 - 4.631)               | 15.24               | 99               |
| 20+20+20+60              | 2.17                  | 2.17   | 2.17   | 6.50   | -      | -      | 13.00 (3.20 - 15.00) | 3.474 (0.850 - 4.614)               | 15.26               | 99               |
| 20+20+20+71              | 2.00                  | 2.00   | 2.00   | 7.10   | -      | -      | 13.10 (3.20 - 15.00) | 3.488 (0.850 - 4.618)               | 15.32               | 99               |
| 20+20+20+80              | 1.89                  | 1.89   | 1.89   | 7.54   | -      | -      | 13.20 (3.20 - 15.00) | 3.488 (0.850 - 4.608)               | 15.32               | 99               |
| 20+20+22+22              | 2.79                  | 2.79   | 3.06   | 3.06   | -      | -      | 11.70 (3.20 - 14.20) | 3.010 (0.850 - 4.010)               | 13.22               | 99               |
| 20+20+22+25              | 2.83                  | 2.83   | 3.11   | 3.53   | -      | -      | 12.30 (3.20 - 14.70) | 3.210 (0.850 - 4.120)               | 14.10               | 99               |
| 20+20+22+35              | 2.62                  | 2.62   | 2.88   | 4.58   | -      | -      | 12.70 (3.20 - 15.00) | 3.420 (0.850 - 4.510)               | 15.02               | 99               |
| 20+20+22+42              | 2.46                  | 2.46   | 2.71   | 5.17   | -      | -      | 12.80 (3.20 - 15.00) | 3.464 (0.850 - 4.624)               | 15.21               | 99               |
| 20+20+22+50              | 2.30                  | 2.30   | 2.53   | 5.76   | -      | -      | 12.90 (3.20 - 15.00) | 3.474 (0.850 - 4.624)               | 15.26               | 99               |
| 20+20+22+60              | 2.13                  | 2.13   | 2.34   | 6.39   | -      | -      | 13.00 (3.20 - 15.00) | 3.467 (0.850 - 4.607)               | 15.23               | 99               |
| 20+20+22+71              | 1.97                  | 1.97   | 2.17   | 6.99   | -      | -      | 13.10 (3.20 - 15.00) | 3.481 (0.850 - 4.611)               | 15.29               | 99               |
| 20+20+22+80              | 1.86                  | 1.86   | 2.05   | 7.44   | -      | -      | 13.20 (3.20 - 15.00) | 3.481 (0.850 - 4.581)               | 15.29               | 99               |
| 20+20+25+25              | 2.80                  | 2.80   | 3.50   | 3.50   | -      | -      | 12.60 (3.20 - 14.90) | 3.310 (0.850 - 4.240)               | 14.54               | 99               |
| 20+20+25+35              | 2.56                  | 2.56   | 3.20   | 4.48   | -      | -      | 12.80 (3.20 - 15.00) | 3.460 (0.850 - 4.630)               | 15.20               | 99               |
| 20+20+25+42              | 2.41                  | 2.41   | 3.01   | 5.06   | -      | -      | 12.90 (3.20 - 15.00) | 3.464 (0.850 - 4.624)               | 15.21               | 99               |
| 20+20+25+50              | 2.26                  | 2.26   | 2.83   | 5.65   | -      | -      | 13.00 (3.20 - 15.00) | 3.474 (0.850 - 4.624)               | 15.26               | 99               |
| 20+20+25+60              | 2.10                  | 2.10   | 2.62   | 6.29   | -      | -      | 13.10 (3.20 - 15.00) | 3.467 (0.850 - 4.607)               | 15.23               | 99               |
| 20+20+25+71              | 1.94                  | 1.94   | 2.43   | 6.89   | -      | -      | 13.20 (3.20 - 15.00) | 3.491 (0.850 - 4.611)               | 15.33               | 99               |
| 20+20+25+80              | 1.82                  | 1.82   | 2.28   | 7.28   | -      | -      | 13.20 (3.20 - 15.00) | 3.481 (0.850 - 4.561)               | 15.29               | 99               |
| 20+20+35+35              | 2.35                  | 2.35   | 4.10   | 4.10   | -      | -      | 12.90 (3.20 - 15.00) | 3.470 (0.850 - 4.630)               | 15.24               | 99               |
| 20+20+35+42              | 2.22                  | 2.22   | 3.89   | 4.67   | -      | -      | 13.00 (3.20 - 15.00) | 3.474 (0.850 - 4.624)               | 15.26               | 99               |
| 20+20+35+50              | 2.10                  | 2.10   | 3.67   | 5.24   | -      | -      | 13.10 (3.20 - 15.00) | 3.484 (0.850 - 4.624)               | 15.30               | 99               |
| 20+20+35+60              | 1.96                  | 1.96   | 3.42   | 5.87   | -      | -      | 13.20 (3.20 - 15.00) | 3.477 (0.850 - 4.607)               | 15.27               | 99               |
| 20+20+35+71              | 1.81                  | 1.81   | 3.16   | 6.42   | -      | -      | 13.20 (3.20 - 15.00) | 3.491 (0.850 - 4.561)               | 15.33               | 99               |
| 20+20+35+80              | 1.70                  | 1.70   | 2.98   | 6.81   | -      | -      | 13.20 (3.20 - 15.10) | 3.481 (0.850 - 4.481)               | 15.29               | 99               |
| 20+20+42+42              | 2.10                  | 2.10   | 4.40   | 4.40   | -      | -      | 13.00 (3.20 - 15.00) | 3.478 (0.850 - 4.618)               | 15.27               | 99               |
| 20+20+42+50              | 1.98                  | 1.98   | 4.17   | 4.96   | -      | -      | 13.10 (3.20 - 15.00) | 3.488 (0.850 - 4.618)               | 15.32               | 99               |
| 20+20+42+60              | 1.86                  | 1.86   | 3.90   | 5.58   | -      | -      | 13.20 (3.20 - 15.00) | 3.481 (0.850 - 4.581)               | 15.29               | 99               |
| 20+20+42+71              | 1.73                  | 1.73   | 3.62   | 6.13   | -      | -      | 13.20 (3.20 - 15.00) | 3.485 (0.850 - 4.505)               | 15.31               | 99               |
| 20+20+42+80              | 1.63                  | 1.63   | 3.42   | 6.52   | -      | -      | 13.20 (3.20 - 15.10) | 3.475 (0.850 - 4.425)               | 15.26               | 99               |
| 20+20+50+50              | 1.89                  | 1.89   | 4.71   | 4.71   | -      | -      | 13.20 (3.20 - 15.00) | 3.498 (0.850 - 4.618)               | 15.36               | 99               |
| 20+20+50+60              | 1.76                  | 1.76   | 4.40   | 5.28   | -      | -      | 13.20 (3.20 - 15.00) | 3.481 (0.850 - 4.521)               | 15.29               | 99               |
| 20+20+50+71              | 1.64                  | 1.64   | 4.10   | 5.82   | -      | -      | 13.20 (3.20 - 15.10) | 3.485 (0.850 - 4.445)               | 15.31               | 99               |
| 20+20+50+80              | 1.55                  | 1.55   | 3.88   | 6.21   | -      | -      | 13.20 (3.20 - 15.10) | 3.475 (0.850 - 4.375)               | 15.26               | 99               |
| 20+20+60+60              | 1.65                  | 1.65   | 4.95   | 4.95   | -      | -      | 13.20 (3.20 - 15.10) | 3.464 (0.850 - 4.424)               | 15.21               | 99               |
| 20+20+60+71              | 1.54                  | 1.54   | 4.63   | 5.48   | -      | -      | 13.20 (3.20 - 15.10) | 3.468 (0.850 - 4.368)               | 15.23               | 99               |
| 20+20+60+80              | 1.47                  | 1.47   | 4.40   | 5.87   | -      | -      | 13.20 (3.20 - 15.10) | 3.458 (0.850 - 4.358)               | 15.19               | 99               |
| 20+22+22+22              | 2.81                  | 3.10   | 3.10   | 3.10   | -      | -      | 12.10 (3.20 - 14.50) | 3.143 (0.850 - 4.083)               | 13.80               | 99               |
| 20+22+22+25              | 2.81                  | 3.09   | 3.09   | 3.51   | -      | -      | 12.50 (3.20 - 14.90) | 3.293 (0.850 - 4.193)               | 14.46               | 99               |
| 20+22+22+35              | 2.59                  | 2.84   | 2.84   | 4.53   | -      | -      | 12.80 (3.20 - 15.00) | 3.443 (0.850 - 4.583)               | 15.12               | 99               |
| 20+22+22+42              | 2.43                  | 2.68   | 2.68   | 5.11   | -      | -      | 12.90 (3.20 - 15.00) | 3.457 (0.850 - 4.617)               | 15.18               | 99               |
| 20+22+22+50              | 2.26                  | 2.49   | 2.49   | 5.66   | -      | -      | 12.90 (3.20 - 15.00) | 3.467 (0.850 - 4.617)               | 15.23               | 99               |
| 20+22+22+60              | 2.10                  | 2.31   | 2.31   | 6.29   | -      | -      | 13.00 (3.20 - 15.00) | 3.460 (0.850 - 4.600)               | 15.20               | 99               |
| 20+22+22+71              | 1.96                  | 2.15   | 2.15   | 6.94   | -      | -      | 13.20 (3.20 - 15.00) | 3.474 (0.850 - 4.604)               | 15.26               | 99               |
| 20+22+22+80              | 1.83                  | 2.02   | 2.02   | 7.33   | -      | -      | 13.20 (3.20 - 15.00) | 3.474 (0.850 - 4.564)               | 15.26               | 99               |
| 20+22+25+25              | 2.74                  | 3.01   | 3.42   | 3.42   | -      | -      | 12.60 (3.20 - 14.90) | 3.333 (0.850 - 4.313)               | 14.64               | 99               |
| 20+22+25+35              | 2.51                  | 2.76   | 3.14   | 4.39   | -      | -      | 12.80 (3.20 - 15.00) | 3.453 (0.850 - 4.623)               | 15.16               | 99               |
| 20+22+25+42              | 2.37                  | 2.60   | 2.96   | 4.97   | -      | -      | 12.90 (3.20 - 15.00) | 3.457 (0.850 - 4.617)               | 15.18               | 99               |
| 20+22+25+50              | 2.22                  | 2.44   | 2.78   | 5.56   | -      | -      | 13.00 (3.20 - 15.00) | 3.467 (0.850 - 4.617)               | 15.23               | 99               |
| 20+22+25+60              | 2.06                  | 2.27   | 2.58   | 6.19   | -      | -      | 13.10 (3.20 - 15.00) | 3.460 (0.850 - 4.600)               | 15.20               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+22+25+71              | 1.91                  | 2.10   | 2.39   | 6.79   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.604)               | 15.30               | 99               |
| 20+22+25+80              | 1.80                  | 1.98   | 2.24   | 7.18   | -      | -      | 13.20 (3.20 - 15.00) | 3.474 (0.850 - 4.544)               | 15.26               | 99               |
| 20+22+35+35              | 2.30                  | 2.53   | 4.03   | 4.03   | -      | -      | 12.90 (3.20 - 15.00) | 3.473 (0.850 - 4.623)               | 15.25               | 99               |
| 20+22+35+42              | 2.18                  | 2.40   | 3.82   | 4.59   | -      | -      | 13.00 (3.20 - 15.00) | 3.467 (0.850 - 4.617)               | 15.23               | 99               |
| 20+22+35+50              | 2.06                  | 2.27   | 3.61   | 5.16   | -      | -      | 13.10 (3.20 - 15.00) | 3.477 (0.850 - 4.617)               | 15.27               | 99               |
| 20+22+35+60              | 1.93                  | 2.12   | 3.37   | 5.78   | -      | -      | 13.20 (3.20 - 15.00) | 3.480 (0.850 - 4.600)               | 15.28               | 99               |
| 20+22+35+71              | 1.78                  | 1.96   | 3.12   | 6.33   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.544)               | 15.30               | 99               |
| 20+22+35+80              | 1.68                  | 1.85   | 2.94   | 6.73   | -      | -      | 13.20 (3.20 - 15.10) | 3.474 (0.850 - 4.464)               | 15.26               | 99               |
| 20+22+42+42              | 2.08                  | 2.29   | 4.37   | 4.37   | -      | -      | 13.10 (3.20 - 15.00) | 3.471 (0.850 - 4.611)               | 15.24               | 99               |
| 20+22+42+50              | 1.96                  | 2.15   | 4.11   | 4.89   | -      | -      | 13.10 (3.20 - 15.00) | 3.481 (0.850 - 4.611)               | 15.29               | 99               |
| 20+22+42+60              | 1.83                  | 2.02   | 3.85   | 5.50   | -      | -      | 13.20 (3.20 - 15.00) | 3.474 (0.850 - 4.564)               | 15.26               | 99               |
| 20+22+42+71              | 1.70                  | 1.87   | 3.58   | 6.05   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.478)               | 15.27               | 99               |
| 20+22+42+80              | 1.61                  | 1.77   | 3.38   | 6.44   | -      | -      | 13.20 (3.20 - 15.10) | 3.468 (0.850 - 4.398)               | 15.23               | 99               |
| 20+22+50+50              | 1.86                  | 2.05   | 4.65   | 4.65   | -      | -      | 13.20 (3.20 - 15.00) | 3.491 (0.850 - 4.591)               | 15.33               | 99               |
| 20+22+50+60              | 1.74                  | 1.91   | 4.34   | 5.21   | -      | -      | 13.20 (3.20 - 15.00) | 3.474 (0.850 - 4.504)               | 15.26               | 99               |
| 20+22+50+71              | 1.62                  | 1.78   | 4.05   | 5.75   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.418)               | 15.27               | 99               |
| 20+22+50+80              | 1.53                  | 1.69   | 3.84   | 6.14   | -      | -      | 13.20 (3.20 - 15.10) | 3.468 (0.850 - 4.368)               | 15.23               | 99               |
| 20+22+60+60              | 1.63                  | 1.79   | 4.89   | 4.89   | -      | -      | 13.20 (3.20 - 15.10) | 3.457 (0.850 - 4.407)               | 15.18               | 99               |
| 20+22+60+71              | 1.53                  | 1.68   | 4.58   | 5.42   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 20+25+25+25              | 2.67                  | 3.34   | 3.34   | 3.34   | -      | -      | 12.70 (3.20 - 15.00) | 3.383 (0.850 - 4.423)               | 14.86               | 99               |
| 20+25+25+35              | 2.46                  | 3.07   | 3.07   | 4.30   | -      | -      | 12.90 (3.20 - 15.00) | 3.463 (0.850 - 4.623)               | 15.21               | 99               |
| 20+25+25+42              | 2.30                  | 2.88   | 2.88   | 4.84   | -      | -      | 12.90 (3.20 - 15.00) | 3.467 (0.850 - 4.617)               | 15.23               | 99               |
| 20+25+25+50              | 2.17                  | 2.71   | 2.71   | 5.42   | -      | -      | 13.00 (3.20 - 15.00) | 3.477 (0.850 - 4.617)               | 15.27               | 99               |
| 20+25+25+60              | 2.02                  | 2.52   | 2.52   | 6.05   | -      | -      | 13.10 (3.20 - 15.00) | 3.470 (0.850 - 4.600)               | 15.24               | 99               |
| 20+25+25+71              | 1.87                  | 2.34   | 2.34   | 6.65   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.594)               | 15.30               | 99               |
| 20+25+25+80              | 1.76                  | 2.20   | 2.20   | 7.04   | -      | -      | 13.20 (3.20 - 15.00) | 3.474 (0.850 - 4.514)               | 15.26               | 99               |
| 20+25+35+35              | 2.26                  | 2.83   | 3.96   | 3.96   | -      | -      | 13.00 (3.20 - 15.00) | 3.473 (0.850 - 4.623)               | 15.25               | 99               |
| 20+25+35+42              | 2.13                  | 2.66   | 3.73   | 4.48   | -      | -      | 13.00 (3.20 - 15.00) | 3.477 (0.850 - 4.617)               | 15.27               | 99               |
| 20+25+35+50              | 2.02                  | 2.52   | 3.53   | 5.04   | -      | -      | 13.10 (3.20 - 15.00) | 3.487 (0.850 - 4.617)               | 15.31               | 99               |
| 20+25+35+60              | 1.89                  | 2.36   | 3.30   | 5.66   | -      | -      | 13.20 (3.20 - 15.00) | 3.480 (0.850 - 4.600)               | 15.28               | 99               |
| 20+25+35+71              | 1.75                  | 2.19   | 3.06   | 6.21   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.514)               | 15.30               | 99               |
| 20+25+35+80              | 1.65                  | 2.06   | 2.89   | 6.60   | -      | -      | 13.20 (3.20 - 15.10) | 3.474 (0.850 - 4.434)               | 15.26               | 99               |
| 20+25+42+42              | 2.03                  | 2.54   | 4.27   | 4.27   | -      | -      | 13.10 (3.20 - 15.00) | 3.481 (0.850 - 4.611)               | 15.29               | 99               |
| 20+25+42+50              | 1.93                  | 2.41   | 4.05   | 4.82   | -      | -      | 13.20 (3.20 - 15.00) | 3.491 (0.850 - 4.611)               | 15.33               | 99               |
| 20+25+42+60              | 1.80                  | 2.24   | 3.77   | 5.39   | -      | -      | 13.20 (3.20 - 15.00) | 3.474 (0.850 - 4.544)               | 15.26               | 99               |
| 20+25+42+71              | 1.67                  | 2.09   | 3.51   | 5.93   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.458)               | 15.27               | 99               |
| 20+25+42+80              | 1.58                  | 1.98   | 3.32   | 6.32   | -      | -      | 13.20 (3.20 - 15.10) | 3.468 (0.850 - 4.378)               | 15.23               | 99               |
| 20+25+50+50              | 1.82                  | 2.28   | 4.55   | 4.55   | -      | -      | 13.20 (3.20 - 15.00) | 3.491 (0.850 - 4.571)               | 15.33               | 99               |
| 20+25+50+60              | 1.70                  | 2.13   | 4.26   | 5.11   | -      | -      | 13.20 (3.20 - 15.10) | 3.474 (0.850 - 4.474)               | 15.26               | 99               |
| 20+25+50+71              | 1.59                  | 1.99   | 3.98   | 5.65   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.398)               | 15.27               | 99               |
| 20+25+50+80              | 1.51                  | 1.89   | 3.77   | 6.03   | -      | -      | 13.20 (3.20 - 15.10) | 3.468 (0.850 - 4.368)               | 15.23               | 99               |
| 20+25+60+60              | 1.60                  | 2.00   | 4.80   | 4.80   | -      | -      | 13.20 (3.20 - 15.10) | 3.457 (0.850 - 4.377)               | 15.18               | 99               |
| 20+25+60+71              | 1.50                  | 1.88   | 4.50   | 5.33   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 20+35+35+35              | 2.10                  | 3.67   | 3.67   | 3.67   | -      | -      | 13.10 (3.20 - 15.00) | 3.483 (0.850 - 4.623)               | 15.30               | 99               |
| 20+35+35+42              | 1.98                  | 3.47   | 3.47   | 4.17   | -      | -      | 13.10 (3.20 - 15.00) | 3.487 (0.850 - 4.617)               | 15.31               | 99               |
| 20+35+35+50              | 1.89                  | 3.30   | 3.30   | 4.71   | -      | -      | 13.20 (3.20 - 15.00) | 3.497 (0.850 - 4.617)               | 15.36               | 99               |
| 20+35+35+60              | 1.76                  | 3.08   | 3.08   | 5.28   | -      | -      | 13.20 (3.20 - 15.00) | 3.480 (0.850 - 4.520)               | 15.28               | 99               |
| 20+35+35+71              | 1.64                  | 2.87   | 2.87   | 5.82   | -      | -      | 13.20 (3.20 - 15.10) | 3.484 (0.850 - 4.444)               | 15.30               | 99               |
| 20+35+35+80              | 1.55                  | 2.72   | 2.72   | 6.21   | -      | -      | 13.20 (3.20 - 15.10) | 3.474 (0.850 - 4.374)               | 15.26               | 99               |
| 20+35+42+42              | 1.90                  | 3.32   | 3.99   | 3.99   | -      | -      | 13.20 (3.20 - 15.00) | 3.491 (0.850 - 4.611)               | 15.33               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+35+42+50              | 1.80                  | 3.14   | 3.77   | 4.49   | -      | -      | 13.20 (3.20 - 15.00) | 3.491 (0.850 - 4.561)               | 15.33               | 99               |
| 20+35+42+60              | 1.68                  | 2.94   | 3.53   | 5.04   | -      | -      | 13.20 (3.20 - 15.10) | 3.474 (0.850 - 4.464)               | 15.26               | 99               |
| 20+35+42+71              | 1.57                  | 2.75   | 3.30   | 5.58   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.378)               | 15.27               | 99               |
| 20+35+42+80              | 1.49                  | 2.61   | 3.13   | 5.97   | -      | -      | 13.20 (3.20 - 15.10) | 3.468 (0.850 - 4.368)               | 15.23               | 99               |
| 20+35+50+50              | 1.70                  | 2.98   | 4.26   | 4.26   | -      | -      | 13.20 (3.20 - 15.10) | 3.491 (0.850 - 4.491)               | 15.33               | 99               |
| 20+35+50+60              | 1.60                  | 2.80   | 4.00   | 4.80   | -      | -      | 13.20 (3.20 - 15.10) | 3.474 (0.850 - 4.394)               | 15.26               | 99               |
| 20+35+50+71              | 1.50                  | 2.63   | 3.75   | 5.33   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.378)               | 15.27               | 99               |
| 20+35+60+60              | 1.51                  | 2.64   | 4.53   | 4.53   | -      | -      | 13.20 (3.20 - 15.10) | 3.457 (0.850 - 4.357)               | 15.18               | 99               |
| 20+42+42+42              | 1.81                  | 3.80   | 3.80   | 3.80   | -      | -      | 13.20 (3.20 - 15.00) | 3.485 (0.850 - 4.555)               | 15.31               | 99               |
| 20+42+42+50              | 1.71                  | 3.60   | 3.60   | 4.29   | -      | -      | 13.20 (3.20 - 15.10) | 3.485 (0.850 - 4.495)               | 15.31               | 99               |
| 20+42+42+60              | 1.61                  | 3.38   | 3.38   | 4.83   | -      | -      | 13.20 (3.20 - 15.10) | 3.468 (0.850 - 4.398)               | 15.23               | 99               |
| 20+42+42+71              | 1.51                  | 3.17   | 3.17   | 5.36   | -      | -      | 13.20 (3.20 - 15.10) | 3.472 (0.850 - 4.372)               | 15.25               | 99               |
| 20+42+50+50              | 1.63                  | 3.42   | 4.07   | 4.07   | -      | -      | 13.20 (3.20 - 15.10) | 3.485 (0.850 - 4.435)               | 15.31               | 99               |
| 20+42+50+60              | 1.53                  | 3.22   | 3.84   | 4.60   | -      | -      | 13.20 (3.20 - 15.10) | 3.468 (0.850 - 4.368)               | 15.23               | 99               |
| 20+50+50+50              | 1.55                  | 3.88   | 3.88   | 3.88   | -      | -      | 13.20 (3.20 - 15.10) | 3.485 (0.850 - 4.385)               | 15.31               | 99               |
| 20+50+50+60              | 1.47                  | 3.67   | 3.67   | 4.40   | -      | -      | 13.20 (3.20 - 15.10) | 3.468 (0.850 - 4.368)               | 15.23               | 99               |
| 22+22+22+22              | 3.13                  | 3.13   | 3.13   | 3.13   | -      | -      | 12.50 (3.20 - 14.90) | 3.266 (0.850 - 4.146)               | 14.34               | 99               |
| 22+22+22+25              | 3.05                  | 3.05   | 3.05   | 3.46   | -      | -      | 12.60 (3.20 - 14.90) | 3.316 (0.850 - 4.266)               | 14.56               | 99               |
| 22+22+22+35              | 2.79                  | 2.79   | 2.79   | 4.44   | -      | -      | 12.80 (3.20 - 15.00) | 3.446 (0.850 - 4.616)               | 15.13               | 99               |
| 22+22+22+42              | 2.63                  | 2.63   | 2.63   | 5.02   | -      | -      | 12.90 (3.20 - 15.00) | 3.450 (0.850 - 4.610)               | 15.15               | 99               |
| 22+22+22+50              | 2.47                  | 2.47   | 2.47   | 5.60   | -      | -      | 13.00 (3.20 - 15.00) | 3.460 (0.850 - 4.610)               | 15.20               | 99               |
| 22+22+22+60              | 2.29                  | 2.29   | 2.29   | 6.24   | -      | -      | 13.10 (3.20 - 15.00) | 3.453 (0.850 - 4.593)               | 15.16               | 99               |
| 22+22+22+71              | 2.12                  | 2.12   | 2.12   | 6.84   | -      | -      | 13.20 (3.20 - 15.00) | 3.477 (0.850 - 4.597)               | 15.27               | 99               |
| 22+22+22+80              | 1.99                  | 1.99   | 1.99   | 7.23   | -      | -      | 13.20 (3.20 - 15.00) | 3.467 (0.850 - 4.537)               | 15.23               | 99               |
| 22+22+25+25              | 2.97                  | 2.97   | 3.38   | 3.38   | -      | -      | 12.70 (3.20 - 15.00) | 3.356 (0.850 - 4.386)               | 14.74               | 99               |
| 22+22+25+35              | 2.71                  | 2.71   | 3.08   | 4.31   | -      | -      | 12.80 (3.20 - 15.00) | 3.456 (0.850 - 4.616)               | 15.18               | 99               |
| 22+22+25+42              | 2.56                  | 2.56   | 2.91   | 4.88   | -      | -      | 12.90 (3.20 - 15.00) | 3.450 (0.850 - 4.610)               | 15.15               | 99               |
| 22+22+25+50              | 2.40                  | 2.40   | 2.73   | 5.46   | -      | -      | 13.00 (3.20 - 15.00) | 3.460 (0.850 - 4.610)               | 15.20               | 99               |
| 22+22+25+60              | 2.23                  | 2.23   | 2.54   | 6.09   | -      | -      | 13.10 (3.20 - 15.00) | 3.463 (0.850 - 4.593)               | 15.21               | 99               |
| 22+22+25+71              | 2.07                  | 2.07   | 2.36   | 6.69   | -      | -      | 13.20 (3.20 - 15.00) | 3.477 (0.850 - 4.597)               | 15.27               | 99               |
| 22+22+25+80              | 1.95                  | 1.95   | 2.21   | 7.09   | -      | -      | 13.20 (3.20 - 15.00) | 3.467 (0.850 - 4.517)               | 15.23               | 99               |
| 22+22+35+35              | 2.49                  | 2.49   | 3.96   | 3.96   | -      | -      | 12.90 (3.20 - 15.00) | 3.466 (0.850 - 4.616)               | 15.22               | 99               |
| 22+22+35+42              | 2.36                  | 2.36   | 3.76   | 4.51   | -      | -      | 13.00 (3.20 - 15.00) | 3.470 (0.850 - 4.610)               | 15.24               | 99               |
| 22+22+35+50              | 2.23                  | 2.23   | 3.55   | 5.08   | -      | -      | 13.10 (3.20 - 15.00) | 3.480 (0.850 - 4.610)               | 15.28               | 99               |
| 22+22+35+60              | 2.09                  | 2.09   | 3.32   | 5.70   | -      | -      | 13.20 (3.20 - 15.00) | 3.473 (0.850 - 4.593)               | 15.25               | 99               |
| 22+22+35+71              | 1.94                  | 1.94   | 3.08   | 6.25   | -      | -      | 13.20 (3.20 - 15.00) | 3.477 (0.850 - 4.517)               | 15.27               | 99               |
| 22+22+35+80              | 1.83                  | 1.83   | 2.91   | 6.64   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.437)               | 15.23               | 99               |
| 22+22+42+42              | 2.25                  | 2.25   | 4.30   | 4.30   | -      | -      | 13.10 (3.20 - 15.00) | 3.474 (0.850 - 4.604)               | 15.26               | 99               |
| 22+22+42+50              | 2.14                  | 2.14   | 4.08   | 4.85   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.604)               | 15.30               | 99               |
| 22+22+42+60              | 1.99                  | 1.99   | 3.80   | 5.42   | -      | -      | 13.20 (3.20 - 15.00) | 3.467 (0.850 - 4.537)               | 15.23               | 99               |
| 22+22+42+71              | 1.85                  | 1.85   | 3.53   | 5.97   | -      | -      | 13.20 (3.20 - 15.10) | 3.471 (0.850 - 4.461)               | 15.24               | 99               |
| 22+22+42+80              | 1.75                  | 1.75   | 3.34   | 6.36   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.381)               | 15.20               | 99               |
| 22+22+50+50              | 2.02                  | 2.02   | 4.58   | 4.58   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.574)               | 15.30               | 99               |
| 22+22+50+60              | 1.89                  | 1.89   | 4.29   | 5.14   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.477)               | 15.23               | 99               |
| 22+22+50+71              | 1.76                  | 1.76   | 4.00   | 5.68   | -      | -      | 13.20 (3.20 - 15.10) | 3.471 (0.850 - 4.391)               | 15.24               | 99               |
| 22+22+50+80              | 1.67                  | 1.67   | 3.79   | 6.07   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 22+22+60+60              | 1.77                  | 1.77   | 4.83   | 4.83   | -      | -      | 13.20 (3.20 - 15.10) | 3.450 (0.850 - 4.380)               | 15.15               | 99               |
| 22+22+60+71              | 1.66                  | 1.66   | 4.53   | 5.36   | -      | -      | 13.20 (3.20 - 15.10) | 3.454 (0.850 - 4.354)               | 15.17               | 99               |
| 22+25+25+25              | 2.88                  | 3.27   | 3.27   | 3.27   | -      | -      | 12.70 (3.20 - 15.00) | 3.406 (0.850 - 4.496)               | 14.96               | 99               |
| 22+25+25+35              | 2.65                  | 3.01   | 3.01   | 4.22   | -      | -      | 12.90 (3.20 - 15.00) | 3.456 (0.850 - 4.616)               | 15.18               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 22+25+25+42              | 2.49                  | 2.83   | 2.83   | 4.75   | -      | -      | 12.90 (3.20 - 15.00) | 3.460 (0.850 - 4.610)               | 15.20               | 99               |
| 22+25+25+50              | 2.34                  | 2.66   | 2.66   | 5.33   | -      | -      | 13.00 (3.20 - 15.00) | 3.470 (0.850 - 4.610)               | 15.24               | 99               |
| 22+25+25+60              | 2.18                  | 2.48   | 2.48   | 5.95   | -      | -      | 13.10 (3.20 - 15.00) | 3.463 (0.850 - 4.593)               | 15.21               | 99               |
| 22+25+25+71              | 2.03                  | 2.31   | 2.31   | 6.55   | -      | -      | 13.20 (3.20 - 15.00) | 3.477 (0.850 - 4.577)               | 15.27               | 99               |
| 22+25+25+80              | 1.91                  | 2.17   | 2.17   | 6.95   | -      | -      | 13.20 (3.20 - 15.00) | 3.467 (0.850 - 4.497)               | 15.23               | 99               |
| 22+25+35+35              | 2.44                  | 2.78   | 3.89   | 3.89   | -      | -      | 13.00 (3.20 - 15.00) | 3.466 (0.850 - 4.616)               | 15.22               | 99               |
| 22+25+35+42              | 2.31                  | 2.62   | 3.67   | 4.40   | -      | -      | 13.00 (3.20 - 15.00) | 3.470 (0.850 - 4.610)               | 15.24               | 99               |
| 22+25+35+50              | 2.18                  | 2.48   | 3.47   | 4.96   | -      | -      | 13.10 (3.20 - 15.00) | 3.480 (0.850 - 4.610)               | 15.28               | 99               |
| 22+25+35+60              | 2.05                  | 2.32   | 3.25   | 5.58   | -      | -      | 13.20 (3.20 - 15.00) | 3.473 (0.850 - 4.573)               | 15.25               | 99               |
| 22+25+35+71              | 1.90                  | 2.16   | 3.02   | 6.13   | -      | -      | 13.20 (3.20 - 15.00) | 3.477 (0.850 - 4.497)               | 15.27               | 99               |
| 22+25+35+80              | 1.79                  | 2.04   | 2.85   | 6.52   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.417)               | 15.23               | 99               |
| 22+25+42+42              | 2.20                  | 2.50   | 4.20   | 4.20   | -      | -      | 13.10 (3.20 - 15.00) | 3.474 (0.850 - 4.604)               | 15.26               | 99               |
| 22+25+42+50              | 2.09                  | 2.37   | 3.99   | 4.75   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.604)               | 15.30               | 99               |
| 22+25+42+60              | 1.95                  | 2.21   | 3.72   | 5.32   | -      | -      | 13.20 (3.20 - 15.00) | 3.467 (0.850 - 4.517)               | 15.23               | 99               |
| 22+25+42+71              | 1.82                  | 2.06   | 3.47   | 5.86   | -      | -      | 13.20 (3.20 - 15.10) | 3.471 (0.850 - 4.431)               | 15.24               | 99               |
| 22+25+42+80              | 1.72                  | 1.95   | 3.28   | 6.25   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 22+25+50+50              | 1.98                  | 2.24   | 4.49   | 4.49   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.554)               | 15.30               | 99               |
| 22+25+50+60              | 1.85                  | 2.10   | 4.20   | 5.04   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.457)               | 15.23               | 99               |
| 22+25+50+71              | 1.73                  | 1.96   | 3.93   | 5.58   | -      | -      | 13.20 (3.20 - 15.10) | 3.471 (0.850 - 4.371)               | 15.24               | 99               |
| 22+25+50+80              | 1.64                  | 1.86   | 3.73   | 5.97   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 22+25+60+60              | 1.74                  | 1.98   | 4.74   | 4.74   | -      | -      | 13.20 (3.20 - 15.10) | 3.450 (0.850 - 4.360)               | 15.15               | 99               |
| 22+25+60+71              | 1.63                  | 1.85   | 4.45   | 5.27   | -      | -      | 13.20 (3.20 - 15.10) | 3.454 (0.850 - 4.354)               | 15.17               | 99               |
| 22+35+35+35              | 2.27                  | 3.61   | 3.61   | 3.61   | -      | -      | 13.10 (3.20 - 15.00) | 3.476 (0.850 - 4.616)               | 15.27               | 99               |
| 22+35+35+42              | 2.15                  | 3.42   | 3.42   | 4.11   | -      | -      | 13.10 (3.20 - 15.00) | 3.480 (0.850 - 4.610)               | 15.28               | 99               |
| 22+35+35+50              | 2.05                  | 3.25   | 3.25   | 4.65   | -      | -      | 13.20 (3.20 - 15.00) | 3.490 (0.850 - 4.590)               | 15.33               | 99               |
| 22+35+35+60              | 1.91                  | 3.04   | 3.04   | 5.21   | -      | -      | 13.20 (3.20 - 15.00) | 3.473 (0.850 - 4.503)               | 15.25               | 99               |
| 22+35+35+71              | 1.78                  | 2.83   | 2.83   | 5.75   | -      | -      | 13.20 (3.20 - 15.10) | 3.477 (0.850 - 4.417)               | 15.27               | 99               |
| 22+35+35+80              | 1.69                  | 2.69   | 2.69   | 6.14   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.367)               | 15.23               | 99               |
| 22+35+42+42              | 2.06                  | 3.28   | 3.93   | 3.93   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.594)               | 15.30               | 99               |
| 22+35+42+50              | 1.95                  | 3.10   | 3.72   | 4.43   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.534)               | 15.30               | 99               |
| 22+35+42+60              | 1.83                  | 2.91   | 3.49   | 4.98   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.437)               | 15.23               | 99               |
| 22+35+42+71              | 1.71                  | 2.72   | 3.26   | 5.51   | -      | -      | 13.20 (3.20 - 15.10) | 3.471 (0.850 - 4.371)               | 15.24               | 99               |
| 22+35+42+80              | 1.62                  | 2.58   | 3.10   | 5.90   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 22+35+50+50              | 1.85                  | 2.94   | 4.20   | 4.20   | -      | -      | 13.20 (3.20 - 15.10) | 3.484 (0.850 - 4.474)               | 15.30               | 99               |
| 22+35+50+60              | 1.74                  | 2.77   | 3.95   | 4.74   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.377)               | 15.23               | 99               |
| 22+35+50+71              | 1.63                  | 2.60   | 3.71   | 5.27   | -      | -      | 13.20 (3.20 - 15.10) | 3.471 (0.850 - 4.371)               | 15.24               | 99               |
| 22+35+60+60              | 1.64                  | 2.61   | 4.47   | 4.47   | -      | -      | 13.20 (3.20 - 15.10) | 3.450 (0.850 - 4.350)               | 15.15               | 99               |
| 22+42+42+42              | 1.96                  | 3.75   | 3.75   | 3.75   | -      | -      | 13.20 (3.20 - 15.00) | 3.478 (0.850 - 4.538)               | 15.27               | 99               |
| 22+42+42+50              | 1.86                  | 3.55   | 3.55   | 4.23   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.468)               | 15.27               | 99               |
| 22+42+42+60              | 1.75                  | 3.34   | 3.34   | 4.77   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.381)               | 15.20               | 99               |
| 22+42+42+71              | 1.64                  | 3.13   | 3.13   | 5.29   | -      | -      | 13.20 (3.20 - 15.10) | 3.465 (0.850 - 4.365)               | 15.22               | 99               |
| 22+42+50+50              | 1.77                  | 3.38   | 4.02   | 4.02   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.408)               | 15.27               | 99               |
| 22+42+50+60              | 1.67                  | 3.19   | 3.79   | 4.55   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 22+50+50+50              | 1.69                  | 3.84   | 3.84   | 3.84   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.378)               | 15.27               | 99               |
| 25+25+25+25              | 3.20                  | 3.20   | 3.20   | 3.20   | -      | -      | 12.80 (3.20 - 15.00) | 3.446 (0.850 - 4.616)               | 15.13               | 99               |
| 25+25+25+35              | 2.93                  | 2.93   | 2.93   | 4.10   | -      | -      | 12.90 (3.20 - 15.00) | 3.456 (0.850 - 4.616)               | 15.18               | 99               |
| 25+25+25+42              | 2.78                  | 2.78   | 2.78   | 4.67   | -      | -      | 13.00 (3.20 - 15.00) | 3.460 (0.850 - 4.610)               | 15.20               | 99               |
| 25+25+25+50              | 2.62                  | 2.62   | 2.62   | 5.24   | -      | -      | 13.10 (3.20 - 15.00) | 3.470 (0.850 - 4.610)               | 15.24               | 99               |
| 25+25+25+60              | 2.44                  | 2.44   | 2.44   | 5.87   | -      | -      | 13.20 (3.20 - 15.00) | 3.463 (0.850 - 4.593)               | 15.21               | 99               |
| 25+25+25+71              | 2.26                  | 2.26   | 2.26   | 6.42   | -      | -      | 13.20 (3.20 - 15.00) | 3.477 (0.850 - 4.547)               | 15.27               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 25+25+25+80              | 2.13                  | 2.13   | 2.13   | 6.81   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.467)               | 15.23               | 99               |
| 25+25+35+35              | 2.71                  | 2.71   | 3.79   | 3.79   | -      | -      | 13.00 (3.20 - 15.00) | 3.476 (0.850 - 4.616)               | 15.27               | 99               |
| 25+25+35+42              | 2.58                  | 2.58   | 3.61   | 4.33   | -      | -      | 13.10 (3.20 - 15.00) | 3.470 (0.850 - 4.610)               | 15.24               | 99               |
| 25+25+35+50              | 2.44                  | 2.44   | 3.42   | 4.89   | -      | -      | 13.20 (3.20 - 15.00) | 3.480 (0.850 - 4.610)               | 15.28               | 99               |
| 25+25+35+60              | 2.28                  | 2.28   | 3.19   | 5.46   | -      | -      | 13.20 (3.20 - 15.00) | 3.473 (0.850 - 4.553)               | 15.25               | 99               |
| 25+25+35+71              | 2.12                  | 2.12   | 2.96   | 6.01   | -      | -      | 13.20 (3.20 - 15.10) | 3.477 (0.850 - 4.467)               | 15.27               | 99               |
| 25+25+35+80              | 2.00                  | 2.00   | 2.80   | 6.40   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.387)               | 15.23               | 99               |
| 25+25+42+42              | 2.44                  | 2.44   | 4.11   | 4.11   | -      | -      | 13.10 (3.20 - 15.00) | 3.474 (0.850 - 4.604)               | 15.26               | 99               |
| 25+25+42+50              | 2.32                  | 2.32   | 3.90   | 4.65   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.584)               | 15.30               | 99               |
| 25+25+42+60              | 2.17                  | 2.17   | 3.65   | 5.21   | -      | -      | 13.20 (3.20 - 15.00) | 3.467 (0.850 - 4.497)               | 15.23               | 99               |
| 25+25+42+71              | 2.02                  | 2.02   | 3.40   | 5.75   | -      | -      | 13.20 (3.20 - 15.10) | 3.471 (0.850 - 4.411)               | 15.24               | 99               |
| 25+25+42+80              | 1.92                  | 1.92   | 3.22   | 6.14   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 25+25+50+50              | 2.20                  | 2.20   | 4.40   | 4.40   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.524)               | 15.30               | 99               |
| 25+25+50+60              | 2.06                  | 2.06   | 4.13   | 4.95   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.427)               | 15.23               | 99               |
| 25+25+50+71              | 1.93                  | 1.93   | 3.86   | 5.48   | -      | -      | 13.20 (3.20 - 15.10) | 3.471 (0.850 - 4.371)               | 15.24               | 99               |
| 25+25+50+80              | 1.83                  | 1.83   | 3.67   | 5.87   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 25+25+60+60              | 1.94                  | 1.94   | 4.66   | 4.66   | -      | -      | 13.20 (3.20 - 15.10) | 3.450 (0.850 - 4.350)               | 15.15               | 99               |
| 25+35+35+35              | 2.52                  | 3.53   | 3.53   | 3.53   | -      | -      | 13.10 (3.20 - 15.00) | 3.486 (0.850 - 4.616)               | 15.31               | 99               |
| 25+35+35+42              | 2.41                  | 3.37   | 3.37   | 4.05   | -      | -      | 13.20 (3.20 - 15.00) | 3.490 (0.850 - 4.610)               | 15.33               | 99               |
| 25+35+35+50              | 2.28                  | 3.19   | 3.19   | 4.55   | -      | -      | 13.20 (3.20 - 15.00) | 3.490 (0.850 - 4.570)               | 15.33               | 99               |
| 25+35+35+60              | 2.13                  | 2.98   | 2.98   | 5.11   | -      | -      | 13.20 (3.20 - 15.10) | 3.473 (0.850 - 4.473)               | 15.25               | 99               |
| 25+35+35+71              | 1.99                  | 2.78   | 2.78   | 5.65   | -      | -      | 13.20 (3.20 - 15.10) | 3.477 (0.850 - 4.397)               | 15.27               | 99               |
| 25+35+35+80              | 1.89                  | 2.64   | 2.64   | 6.03   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.367)               | 15.23               | 99               |
| 25+35+42+42              | 2.29                  | 3.21   | 3.85   | 3.85   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.574)               | 15.30               | 99               |
| 25+35+42+50              | 2.17                  | 3.04   | 3.65   | 4.34   | -      | -      | 13.20 (3.20 - 15.00) | 3.484 (0.850 - 4.514)               | 15.30               | 99               |
| 25+35+42+60              | 2.04                  | 2.85   | 3.42   | 4.89   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.417)               | 15.23               | 99               |
| 25+35+42+71              | 1.91                  | 2.67   | 3.20   | 5.42   | -      | -      | 13.20 (3.20 - 15.10) | 3.471 (0.850 - 4.371)               | 15.24               | 99               |
| 25+35+50+50              | 2.06                  | 2.89   | 4.13   | 4.13   | -      | -      | 13.20 (3.20 - 15.10) | 3.484 (0.850 - 4.444)               | 15.30               | 99               |
| 25+35+50+60              | 1.94                  | 2.72   | 3.88   | 4.66   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.367)               | 15.23               | 99               |
| 25+35+60+60              | 1.83                  | 2.57   | 4.40   | 4.40   | -      | -      | 13.20 (3.20 - 15.10) | 3.450 (0.850 - 4.350)               | 15.15               | 99               |
| 25+42+42+42              | 2.19                  | 3.67   | 3.67   | 3.67   | -      | -      | 13.20 (3.20 - 15.00) | 3.478 (0.850 - 4.508)               | 15.27               | 99               |
| 25+42+42+50              | 2.08                  | 3.49   | 3.49   | 4.15   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.448)               | 15.27               | 99               |
| 25+42+42+60              | 1.95                  | 3.28   | 3.28   | 4.69   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 25+42+42+71              | 1.83                  | 3.08   | 3.08   | 5.21   | -      | -      | 13.20 (3.20 - 15.10) | 3.465 (0.850 - 4.365)               | 15.22               | 99               |
| 25+42+50+50              | 1.98                  | 3.32   | 3.95   | 3.95   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.388)               | 15.27               | 99               |
| 25+42+50+60              | 1.86                  | 3.13   | 3.73   | 4.47   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |
| 25+50+50+50              | 1.89                  | 3.77   | 3.77   | 3.77   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.378)               | 15.27               | 99               |
| 35+35+35+35              | 3.30                  | 3.30   | 3.30   | 3.30   | -      | -      | 13.20 (3.20 - 15.00) | 3.496 (0.850 - 4.616)               | 15.35               | 99               |
| 35+35+35+42              | 3.14                  | 3.14   | 3.14   | 3.77   | -      | -      | 13.20 (3.20 - 15.00) | 3.490 (0.850 - 4.560)               | 15.33               | 99               |
| 35+35+35+50              | 2.98                  | 2.98   | 2.98   | 4.26   | -      | -      | 13.20 (3.20 - 15.10) | 3.490 (0.850 - 4.490)               | 15.33               | 99               |
| 35+35+35+60              | 2.80                  | 2.80   | 2.80   | 4.80   | -      | -      | 13.20 (3.20 - 15.10) | 3.473 (0.850 - 4.393)               | 15.25               | 99               |
| 35+35+35+71              | 2.63                  | 2.63   | 2.63   | 5.33   | -      | -      | 13.20 (3.20 - 15.10) | 3.477 (0.850 - 4.377)               | 15.27               | 99               |
| 35+35+42+42              | 3.00                  | 3.00   | 3.60   | 3.60   | -      | -      | 13.20 (3.20 - 15.10) | 3.484 (0.850 - 4.494)               | 15.30               | 99               |
| 35+35+42+50              | 2.85                  | 2.85   | 3.42   | 4.07   | -      | -      | 13.20 (3.20 - 15.10) | 3.484 (0.850 - 4.434)               | 15.30               | 99               |
| 35+35+42+60              | 2.69                  | 2.69   | 3.22   | 4.60   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.367)               | 15.23               | 99               |
| 35+35+50+50              | 2.72                  | 2.72   | 3.88   | 3.88   | -      | -      | 13.20 (3.20 - 15.10) | 3.484 (0.850 - 4.384)               | 15.30               | 99               |
| 35+35+50+60              | 2.57                  | 2.57   | 3.67   | 4.40   | -      | -      | 13.20 (3.20 - 15.10) | 3.467 (0.850 - 4.367)               | 15.23               | 99               |
| 35+42+42+42              | 2.87                  | 3.44   | 3.44   | 3.44   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.438)               | 15.27               | 99               |
| 35+42+42+50              | 2.73                  | 3.28   | 3.28   | 3.91   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.378)               | 15.27               | 99               |
| 35+42+42+60              | 2.58                  | 3.10   | 3.10   | 4.42   | -      | -      | 13.20 (3.20 - 15.10) | 3.461 (0.850 - 4.361)               | 15.20               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 35+42+50+50              | 2.61                  | 3.13   | 3.73   | 3.73   | -      | -      | 13.20 (3.20 - 15.10) | 3.478 (0.850 - 4.378)               | 15.27               | 99               |
| 42+42+42+42              | 3.30                  | 3.30   | 3.30   | 3.30   | -      | -      | 13.20 (3.20 - 15.10) | 3.472 (0.850 - 4.372)               | 15.25               | 99               |
| 42+42+42+50              | 3.15                  | 3.15   | 3.15   | 3.75   | -      | -      | 13.20 (3.20 - 15.10) | 3.472 (0.850 - 4.372)               | 15.25               | 99               |
| 15+15+15+15+15           | 1.70                  | 1.70   | 1.70   | 1.70   | 1.70   | -      | 8.50 (3.40 - 13.80)  | 1.825 (0.850 - 5.015)               | 8.01                | 99               |
| 15+15+15+15+22           | 1.68                  | 1.68   | 1.68   | 1.68   | 2.47   | -      | 9.20 (3.40 - 14.10)  | 2.106 (0.850 - 5.066)               | 9.25                | 99               |
| 15+15+15+15+25           | 1.68                  | 1.68   | 1.68   | 1.68   | 2.79   | -      | 9.50 (3.40 - 14.20)  | 2.226 (0.850 - 5.086)               | 9.78                | 99               |
| 15+15+15+15+35           | 1.66                  | 1.66   | 1.66   | 1.66   | 3.87   | -      | 10.50 (3.40 - 14.70) | 2.636 (0.850 - 5.166)               | 11.58               | 99               |
| 15+15+15+15+42           | 1.67                  | 1.67   | 1.67   | 1.67   | 4.67   | -      | 11.34 (3.42 - 15.00) | 2.880 (0.850 - 5.120)               | 12.65               | 99               |
| 15+15+15+15+50           | 1.73                  | 1.73   | 1.73   | 1.73   | 5.77   | -      | 12.70 (3.50 - 15.60) | 3.100 (0.850 - 4.800)               | 13.61               | 99               |
| 15+15+15+15+60           | 1.59                  | 1.59   | 1.59   | 1.59   | 6.35   | -      | 12.70 (3.50 - 15.60) | 3.073 (0.850 - 4.833)               | 13.50               | 99               |
| 15+15+15+15+71           | 1.46                  | 1.46   | 1.46   | 1.46   | 6.92   | -      | 12.76 (3.50 - 15.60) | 3.087 (0.850 - 4.787)               | 13.56               | 99               |
| 15+15+15+15+80           | 1.38                  | 1.38   | 1.38   | 1.38   | 7.34   | -      | 12.85 (3.50 - 15.60) | 3.107 (0.850 - 4.777)               | 13.65               | 99               |
| 15+15+15+20+20           | 1.68                  | 1.68   | 1.68   | 2.24   | 2.24   | -      | 9.50 (3.40 - 14.20)  | 2.231 (0.850 - 5.091)               | 9.80                | 99               |
| 15+15+15+20+22           | 1.67                  | 1.67   | 1.67   | 2.23   | 2.45   | -      | 9.70 (3.40 - 14.30)  | 2.304 (0.850 - 5.104)               | 10.12               | 99               |
| 15+15+15+20+25           | 1.67                  | 1.67   | 1.67   | 2.22   | 2.78   | -      | 10.00 (3.40 - 14.50) | 2.424 (0.850 - 5.124)               | 10.65               | 99               |
| 15+15+15+20+35           | 1.65                  | 1.65   | 1.65   | 2.20   | 3.85   | -      | 11.00 (3.40 - 14.90) | 2.834 (0.850 - 5.204)               | 12.45               | 99               |
| 15+15+15+20+42           | 1.71                  | 1.71   | 1.71   | 2.28   | 4.78   | -      | 12.19 (3.47 - 15.40) | 3.018 (0.850 - 4.918)               | 13.25               | 99               |
| 15+15+15+20+50           | 1.66                  | 1.66   | 1.66   | 2.21   | 5.52   | -      | 12.70 (3.50 - 15.60) | 3.098 (0.850 - 4.888)               | 13.61               | 99               |
| 15+15+15+20+60           | 1.52                  | 1.52   | 1.52   | 2.03   | 6.10   | -      | 12.70 (3.50 - 15.60) | 3.071 (0.850 - 4.781)               | 13.49               | 99               |
| 15+15+15+20+71           | 1.41                  | 1.41   | 1.41   | 1.88   | 6.69   | -      | 12.81 (3.50 - 15.60) | 3.105 (0.850 - 4.785)               | 13.64               | 99               |
| 15+15+15+20+80           | 1.33                  | 1.33   | 1.33   | 1.78   | 7.12   | -      | 12.90 (3.50 - 15.60) | 3.115 (0.850 - 4.775)               | 13.68               | 99               |
| 15+15+15+22+22           | 1.67                  | 1.67   | 1.67   | 2.45   | 2.45   | -      | 9.90 (3.40 - 14.40)  | 2.377 (0.850 - 5.107)               | 10.44               | 99               |
| 15+15+15+22+25           | 1.66                  | 1.66   | 1.66   | 2.44   | 2.77   | -      | 10.20 (3.40 - 14.50) | 2.497 (0.850 - 5.137)               | 10.97               | 99               |
| 15+15+15+22+35           | 1.67                  | 1.67   | 1.67   | 2.45   | 3.89   | -      | 11.34 (3.42 - 15.00) | 2.877 (0.850 - 5.117)               | 12.64               | 99               |
| 15+15+15+22+42           | 1.72                  | 1.72   | 1.72   | 2.53   | 4.83   | -      | 12.53 (3.49 - 15.50) | 3.061 (0.850 - 4.831)               | 13.44               | 99               |
| 15+15+15+22+50           | 1.63                  | 1.63   | 1.63   | 2.39   | 5.43   | -      | 12.70 (3.50 - 15.60) | 3.091 (0.850 - 4.861)               | 13.57               | 99               |
| 15+15+15+22+60           | 1.50                  | 1.50   | 1.50   | 2.20   | 6.01   | -      | 12.72 (3.50 - 15.60) | 3.064 (0.850 - 4.774)               | 13.46               | 99               |
| 15+15+15+22+71           | 1.39                  | 1.39   | 1.39   | 2.05   | 6.60   | -      | 12.83 (3.50 - 15.60) | 3.098 (0.850 - 4.778)               | 13.61               | 99               |
| 15+15+15+22+80           | 1.32                  | 1.32   | 1.32   | 1.93   | 7.03   | -      | 12.92 (3.50 - 15.60) | 3.108 (0.850 - 4.768)               | 13.65               | 99               |
| 15+15+15+25+25           | 1.66                  | 1.66   | 1.66   | 2.76   | 2.76   | -      | 10.50 (3.40 - 14.70) | 2.627 (0.850 - 5.157)               | 11.54               | 99               |
| 15+15+15+25+35           | 1.69                  | 1.69   | 1.69   | 2.82   | 3.95   | -      | 11.85 (3.45 - 15.30) | 2.967 (0.850 - 4.997)               | 13.03               | 99               |
| 15+15+15+25+42           | 1.70                  | 1.70   | 1.70   | 2.83   | 4.76   | -      | 12.70 (3.50 - 15.60) | 3.091 (0.850 - 4.911)               | 13.57               | 99               |
| 15+15+15+25+50           | 1.59                  | 1.59   | 1.59   | 2.65   | 5.29   | -      | 12.70 (3.50 - 15.60) | 3.081 (0.850 - 4.841)               | 13.53               | 99               |
| 15+15+15+25+60           | 1.47                  | 1.47   | 1.47   | 2.45   | 5.88   | -      | 12.75 (3.50 - 15.60) | 3.074 (0.850 - 4.774)               | 13.50               | 99               |
| 15+15+15+25+71           | 1.37                  | 1.37   | 1.37   | 2.28   | 6.48   | -      | 12.86 (3.50 - 15.60) | 3.108 (0.850 - 4.778)               | 13.65               | 99               |
| 15+15+15+25+80           | 1.30                  | 1.30   | 1.30   | 2.16   | 6.91   | -      | 12.95 (3.50 - 15.60) | 3.118 (0.850 - 4.768)               | 13.69               | 99               |
| 15+15+15+35+35           | 1.66                  | 1.66   | 1.66   | 3.87   | 3.87   | -      | 12.70 (3.50 - 15.60) | 3.097 (0.850 - 4.887)               | 13.60               | 99               |
| 15+15+15+35+42           | 1.56                  | 1.56   | 1.56   | 3.64   | 4.37   | -      | 12.70 (3.50 - 15.60) | 3.081 (0.850 - 4.821)               | 13.53               | 99               |
| 15+15+15+35+50           | 1.47                  | 1.47   | 1.47   | 3.43   | 4.90   | -      | 12.75 (3.50 - 15.60) | 3.091 (0.850 - 4.791)               | 13.57               | 99               |
| 15+15+15+35+60           | 1.38                  | 1.38   | 1.38   | 3.21   | 5.51   | -      | 12.85 (3.50 - 15.60) | 3.104 (0.850 - 4.774)               | 13.63               | 99               |
| 15+15+15+35+71           | 1.29                  | 1.29   | 1.29   | 3.00   | 6.09   | -      | 12.96 (3.50 - 15.60) | 3.128 (0.850 - 4.778)               | 13.74               | 99               |
| 15+15+15+35+80           | 1.22                  | 1.22   | 1.22   | 2.85   | 6.53   | -      | 13.05 (3.50 - 15.60) | 3.138 (0.850 - 4.768)               | 13.78               | 99               |
| 15+15+15+42+42           | 1.48                  | 1.48   | 1.48   | 4.15   | 4.15   | -      | 12.74 (3.50 - 15.60) | 3.085 (0.850 - 4.785)               | 13.55               | 99               |
| 15+15+15+42+50           | 1.40                  | 1.40   | 1.40   | 3.93   | 4.68   | -      | 12.82 (3.50 - 15.60) | 3.105 (0.850 - 4.785)               | 13.64               | 99               |
| 15+15+15+42+60           | 1.32                  | 1.32   | 1.32   | 3.69   | 5.27   | -      | 12.92 (3.50 - 15.60) | 3.108 (0.850 - 4.768)               | 13.65               | 99               |
| 15+15+15+42+71           | 1.24                  | 1.24   | 1.24   | 3.46   | 5.86   | -      | 13.03 (3.50 - 15.60) | 3.142 (0.850 - 4.772)               | 13.80               | 99               |
| 15+15+15+42+80           | 1.18                  | 1.18   | 1.18   | 3.30   | 6.29   | -      | 13.12 (3.50 - 15.60) | 3.152 (0.850 - 4.762)               | 13.84               | 99               |
| 15+15+15+50+50           | 1.33                  | 1.33   | 1.33   | 4.45   | 4.45   | -      | 12.90 (3.50 - 15.60) | 3.125 (0.850 - 4.785)               | 13.72               | 99               |
| 15+15+15+50+60           | 1.26                  | 1.26   | 1.26   | 4.19   | 5.03   | -      | 13.00 (3.50 - 15.60) | 3.128 (0.850 - 4.768)               | 13.74               | 99               |
| 15+15+15+50+71           | 1.18                  | 1.18   | 1.18   | 3.95   | 5.61   | -      | 13.11 (3.50 - 15.60) | 3.162 (0.850 - 4.772)               | 13.89               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+15+50+80           | 1.13                  | 1.13   | 1.13   | 3.77   | 6.03   | -      | 13.20 (3.50 - 15.60) | 3.172 (0.850 - 4.762)               | 13.93               | 99               |
| 15+15+15+60+60           | 1.19                  | 1.19   | 1.19   | 4.76   | 4.76   | -      | 13.10 (3.50 - 15.60) | 3.141 (0.850 - 4.751)               | 13.79               | 99               |
| 15+15+15+60+71           | 1.13                  | 1.13   | 1.13   | 4.50   | 5.33   | -      | 13.20 (3.50 - 15.60) | 3.165 (0.850 - 4.755)               | 13.90               | 99               |
| 15+15+20+20+20           | 1.67                  | 1.67   | 2.22   | 2.22   | 2.22   | -      | 10.00 (3.40 - 14.50) | 2.429 (0.850 - 5.129)               | 10.67               | 99               |
| 15+15+20+20+22           | 1.66                  | 1.66   | 2.22   | 2.22   | 2.44   | -      | 10.20 (3.40 - 14.50) | 2.502 (0.850 - 5.142)               | 10.99               | 99               |
| 15+15+20+20+25           | 1.66                  | 1.66   | 2.21   | 2.21   | 2.76   | -      | 10.50 (3.40 - 14.70) | 2.632 (0.850 - 5.162)               | 11.56               | 99               |
| 15+15+20+20+35           | 1.69                  | 1.69   | 2.26   | 2.26   | 3.95   | -      | 11.85 (3.45 - 15.30) | 2.972 (0.850 - 5.002)               | 13.05               | 99               |
| 15+15+20+20+42           | 1.70                  | 1.70   | 2.27   | 2.27   | 4.76   | -      | 12.70 (3.50 - 15.60) | 3.096 (0.850 - 4.916)               | 13.60               | 99               |
| 15+15+20+20+50           | 1.59                  | 1.59   | 2.12   | 2.12   | 5.29   | -      | 12.70 (3.50 - 15.60) | 3.086 (0.850 - 4.846)               | 13.55               | 99               |
| 15+15+20+20+60           | 1.47                  | 1.47   | 1.96   | 1.96   | 5.88   | -      | 12.75 (3.50 - 15.60) | 3.079 (0.850 - 4.779)               | 13.52               | 99               |
| 15+15+20+20+71           | 1.37                  | 1.37   | 1.82   | 1.82   | 6.48   | -      | 12.86 (3.50 - 15.60) | 3.113 (0.850 - 4.783)               | 13.67               | 99               |
| 15+15+20+20+80           | 1.30                  | 1.30   | 1.73   | 1.73   | 6.91   | -      | 12.95 (3.50 - 15.60) | 3.123 (0.850 - 4.773)               | 13.72               | 99               |
| 15+15+20+22+22           | 1.66                  | 1.66   | 2.21   | 2.43   | 2.43   | -      | 10.40 (3.40 - 14.60) | 2.585 (0.850 - 5.145)               | 11.35               | 99               |
| 15+15+20+22+25           | 1.65                  | 1.65   | 2.21   | 2.43   | 2.76   | -      | 10.70 (3.40 - 14.80) | 2.705 (0.850 - 5.175)               | 11.88               | 99               |
| 15+15+20+22+35           | 1.71                  | 1.71   | 2.28   | 2.51   | 3.99   | -      | 12.19 (3.47 - 15.40) | 3.015 (0.850 - 4.915)               | 13.24               | 99               |
| 15+15+20+22+42           | 1.67                  | 1.67   | 2.23   | 2.45   | 4.68   | -      | 12.70 (3.50 - 15.60) | 3.089 (0.850 - 4.889)               | 13.57               | 99               |
| 15+15+20+22+50           | 1.56                  | 1.56   | 2.08   | 2.29   | 5.20   | -      | 12.70 (3.50 - 15.60) | 3.079 (0.850 - 4.819)               | 13.52               | 99               |
| 15+15+20+22+60           | 1.45                  | 1.45   | 1.93   | 2.13   | 5.80   | -      | 12.77 (3.50 - 15.60) | 3.082 (0.850 - 4.772)               | 13.54               | 99               |
| 15+15+20+22+71           | 1.35                  | 1.35   | 1.80   | 1.98   | 6.39   | -      | 12.88 (3.50 - 15.60) | 3.106 (0.850 - 4.776)               | 13.64               | 99               |
| 15+15+20+22+80           | 1.28                  | 1.28   | 1.71   | 1.88   | 6.83   | -      | 12.97 (3.50 - 15.60) | 3.116 (0.850 - 4.766)               | 13.68               | 99               |
| 15+15+20+25+25           | 1.65                  | 1.65   | 2.20   | 2.75   | 2.75   | -      | 11.00 (3.40 - 14.90) | 2.825 (0.850 - 5.195)               | 12.41               | 99               |
| 15+15+20+25+35           | 1.73                  | 1.73   | 2.31   | 2.89   | 4.04   | -      | 12.70 (3.50 - 15.60) | 3.095 (0.850 - 4.795)               | 13.59               | 99               |
| 15+15+20+25+42           | 1.63                  | 1.63   | 2.17   | 2.71   | 4.56   | -      | 12.70 (3.50 - 15.60) | 3.089 (0.850 - 4.859)               | 13.57               | 99               |
| 15+15+20+25+50           | 1.52                  | 1.52   | 2.03   | 2.54   | 5.08   | -      | 12.70 (3.50 - 15.60) | 3.079 (0.850 - 4.789)               | 13.52               | 99               |
| 15+15+20+25+60           | 1.42                  | 1.42   | 1.90   | 2.37   | 5.69   | -      | 12.80 (3.50 - 15.60) | 3.082 (0.850 - 4.772)               | 13.54               | 99               |
| 15+15+20+25+71           | 1.33                  | 1.33   | 1.77   | 2.21   | 6.28   | -      | 12.91 (3.50 - 15.60) | 3.116 (0.850 - 4.776)               | 13.68               | 99               |
| 15+15+20+25+80           | 1.26                  | 1.26   | 1.68   | 2.10   | 6.71   | -      | 13.00 (3.50 - 15.60) | 3.126 (0.850 - 4.766)               | 13.73               | 99               |
| 15+15+20+35+35           | 1.59                  | 1.59   | 2.12   | 3.70   | 3.70   | -      | 12.70 (3.50 - 15.60) | 3.085 (0.850 - 4.845)               | 13.55               | 99               |
| 15+15+20+35+42           | 1.50                  | 1.50   | 2.00   | 3.51   | 4.21   | -      | 12.72 (3.50 - 15.60) | 3.079 (0.850 - 4.789)               | 13.52               | 99               |
| 15+15+20+35+50           | 1.42                  | 1.42   | 1.90   | 3.32   | 4.74   | -      | 12.80 (3.50 - 15.60) | 3.099 (0.850 - 4.789)               | 13.61               | 99               |
| 15+15+20+35+60           | 1.33                  | 1.33   | 1.78   | 3.11   | 5.34   | -      | 12.90 (3.50 - 15.60) | 3.112 (0.850 - 4.772)               | 13.67               | 99               |
| 15+15+20+35+71           | 1.25                  | 1.25   | 1.67   | 2.92   | 5.92   | -      | 13.01 (3.50 - 15.60) | 3.136 (0.850 - 4.776)               | 13.77               | 99               |
| 15+15+20+35+80           | 1.19                  | 1.19   | 1.59   | 2.78   | 6.35   | -      | 13.10 (3.50 - 15.60) | 3.156 (0.850 - 4.766)               | 13.86               | 99               |
| 15+15+20+42+42           | 1.43                  | 1.43   | 1.91   | 4.01   | 4.01   | -      | 12.79 (3.50 - 15.60) | 3.093 (0.850 - 4.783)               | 13.58               | 99               |
| 15+15+20+42+50           | 1.36                  | 1.36   | 1.81   | 3.81   | 4.53   | -      | 12.87 (3.50 - 15.60) | 3.113 (0.850 - 4.783)               | 13.67               | 99               |
| 15+15+20+42+60           | 1.28                  | 1.28   | 1.71   | 3.58   | 5.12   | -      | 12.97 (3.50 - 15.60) | 3.116 (0.850 - 4.766)               | 13.68               | 99               |
| 15+15+20+42+71           | 1.20                  | 1.20   | 1.60   | 3.37   | 5.70   | -      | 13.08 (3.50 - 15.60) | 3.150 (0.850 - 4.770)               | 13.83               | 99               |
| 15+15+20+42+80           | 1.15                  | 1.15   | 1.53   | 3.22   | 6.13   | -      | 13.17 (3.50 - 15.60) | 3.160 (0.850 - 4.760)               | 13.88               | 99               |
| 15+15+20+50+50           | 1.30                  | 1.30   | 1.73   | 4.32   | 4.32   | -      | 12.95 (3.50 - 15.60) | 3.133 (0.850 - 4.783)               | 13.76               | 99               |
| 15+15+20+50+60           | 1.22                  | 1.22   | 1.63   | 4.08   | 4.89   | -      | 13.05 (3.50 - 15.60) | 3.136 (0.850 - 4.766)               | 13.77               | 99               |
| 15+15+20+50+71           | 1.15                  | 1.15   | 1.54   | 3.85   | 5.46   | -      | 13.16 (3.50 - 15.60) | 3.170 (0.850 - 4.770)               | 13.92               | 99               |
| 15+15+20+50+80           | 1.10                  | 1.10   | 1.47   | 3.67   | 5.87   | -      | 13.20 (3.50 - 15.60) | 3.170 (0.850 - 4.760)               | 13.92               | 99               |
| 15+15+20+60+60           | 1.16                  | 1.16   | 1.55   | 4.64   | 4.64   | -      | 13.15 (3.50 - 15.60) | 3.149 (0.850 - 4.749)               | 13.83               | 99               |
| 15+15+22+22+22           | 1.66                  | 1.66   | 2.43   | 2.43   | 2.43   | -      | 10.60 (3.40 - 14.70) | 2.658 (0.850 - 5.158)               | 11.67               | 99               |
| 15+15+22+22+25           | 1.65                  | 1.65   | 2.42   | 2.42   | 2.75   | -      | 10.90 (3.40 - 14.90) | 2.778 (0.850 - 5.178)               | 12.20               | 99               |
| 15+15+22+22+35           | 1.72                  | 1.72   | 2.53   | 2.53   | 4.02   | -      | 12.53 (3.49 - 15.50) | 3.058 (0.850 - 4.828)               | 13.43               | 99               |
| 15+15+22+22+42           | 1.64                  | 1.64   | 2.41   | 2.41   | 4.60   | -      | 12.70 (3.50 - 15.60) | 3.082 (0.850 - 4.862)               | 13.54               | 99               |
| 15+15+22+22+50           | 1.54                  | 1.54   | 2.25   | 2.25   | 5.12   | -      | 12.70 (3.50 - 15.60) | 3.072 (0.850 - 4.792)               | 13.49               | 99               |
| 15+15+22+22+60           | 1.43                  | 1.43   | 2.10   | 2.10   | 5.73   | -      | 12.79 (3.50 - 15.60) | 3.075 (0.850 - 4.765)               | 13.50               | 99               |
| 15+15+22+22+71           | 1.33                  | 1.33   | 1.96   | 1.96   | 6.32   | -      | 12.90 (3.50 - 15.60) | 3.109 (0.850 - 4.769)               | 13.65               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+22+22+80           | 1.27                  | 1.27   | 1.86   | 1.86   | 6.75   | -      | 12.99 (3.50 - 15.60) | 3.119 (0.850 - 4.759)               | 13.70               | 99               |
| 15+15+22+25+25           | 1.67                  | 1.67   | 2.45   | 2.78   | 2.78   | -      | 11.34 (3.42 - 15.00) | 2.868 (0.850 - 5.108)               | 12.60               | 99               |
| 15+15+22+25+35           | 1.70                  | 1.70   | 2.49   | 2.83   | 3.97   | -      | 12.70 (3.50 - 15.60) | 3.088 (0.850 - 4.908)               | 13.56               | 99               |
| 15+15+22+25+42           | 1.60                  | 1.60   | 2.35   | 2.67   | 4.48   | -      | 12.70 (3.50 - 15.60) | 3.072 (0.850 - 4.832)               | 13.49               | 99               |
| 15+15+22+25+50           | 1.50                  | 1.50   | 2.20   | 2.50   | 5.01   | -      | 12.72 (3.50 - 15.60) | 3.072 (0.850 - 4.782)               | 13.49               | 99               |
| 15+15+22+25+60           | 1.40                  | 1.40   | 2.06   | 2.34   | 5.61   | -      | 12.82 (3.50 - 15.60) | 3.085 (0.850 - 4.765)               | 13.55               | 99               |
| 15+15+22+25+71           | 1.31                  | 1.31   | 1.92   | 2.18   | 6.20   | -      | 12.93 (3.50 - 15.60) | 3.119 (0.850 - 4.769)               | 13.70               | 99               |
| 15+15+22+25+80           | 1.24                  | 1.24   | 1.82   | 2.07   | 6.63   | -      | 13.02 (3.50 - 15.60) | 3.129 (0.850 - 4.759)               | 13.74               | 99               |
| 15+15+22+35+35           | 1.56                  | 1.56   | 2.29   | 3.64   | 3.64   | -      | 12.70 (3.50 - 15.60) | 3.078 (0.850 - 4.818)               | 13.52               | 99               |
| 15+15+22+35+42           | 1.48                  | 1.48   | 2.17   | 3.46   | 4.15   | -      | 12.74 (3.50 - 15.60) | 3.082 (0.850 - 4.782)               | 13.54               | 99               |
| 15+15+22+35+50           | 1.40                  | 1.40   | 2.06   | 3.28   | 4.68   | -      | 12.82 (3.50 - 15.60) | 3.102 (0.850 - 4.782)               | 13.62               | 99               |
| 15+15+22+35+60           | 1.32                  | 1.32   | 1.93   | 3.08   | 5.27   | -      | 12.92 (3.50 - 15.60) | 3.105 (0.850 - 4.765)               | 13.64               | 99               |
| 15+15+22+35+71           | 1.24                  | 1.24   | 1.81   | 2.89   | 5.86   | -      | 13.03 (3.50 - 15.60) | 3.139 (0.850 - 4.769)               | 13.79               | 99               |
| 15+15+22+35+80           | 1.18                  | 1.18   | 1.73   | 2.75   | 6.29   | -      | 13.12 (3.50 - 15.60) | 3.149 (0.850 - 4.759)               | 13.83               | 99               |
| 15+15+22+42+42           | 1.41                  | 1.41   | 2.07   | 3.96   | 3.96   | -      | 12.81 (3.50 - 15.60) | 3.096 (0.850 - 4.776)               | 13.60               | 99               |
| 15+15+22+42+50           | 1.34                  | 1.34   | 1.97   | 3.76   | 4.48   | -      | 12.89 (3.50 - 15.60) | 3.116 (0.850 - 4.776)               | 13.68               | 99               |
| 15+15+22+42+60           | 1.27                  | 1.27   | 1.86   | 3.54   | 5.06   | -      | 12.99 (3.50 - 15.60) | 3.119 (0.850 - 4.759)               | 13.70               | 99               |
| 15+15+22+42+71           | 1.19                  | 1.19   | 1.75   | 3.33   | 5.64   | -      | 13.10 (3.50 - 15.60) | 3.153 (0.850 - 4.763)               | 13.85               | 99               |
| 15+15+22+42+80           | 1.14                  | 1.14   | 1.67   | 3.18   | 6.06   | -      | 13.19 (3.50 - 15.60) | 3.163 (0.850 - 4.753)               | 13.89               | 99               |
| 15+15+22+50+50           | 1.28                  | 1.28   | 1.88   | 4.27   | 4.27   | -      | 12.97 (3.50 - 15.60) | 3.126 (0.850 - 4.776)               | 13.73               | 99               |
| 15+15+22+50+60           | 1.21                  | 1.21   | 1.77   | 4.03   | 4.84   | -      | 13.07 (3.50 - 15.60) | 3.139 (0.850 - 4.759)               | 13.79               | 99               |
| 15+15+22+50+71           | 1.14                  | 1.14   | 1.68   | 3.81   | 5.41   | -      | 13.18 (3.50 - 15.60) | 3.173 (0.850 - 4.763)               | 13.94               | 99               |
| 15+15+22+60+60           | 1.15                  | 1.15   | 1.68   | 4.59   | 4.59   | -      | 13.17 (3.50 - 15.60) | 3.142 (0.850 - 4.742)               | 13.80               | 99               |
| 15+15+25+25+25           | 1.69                  | 1.69   | 2.82   | 2.82   | 2.82   | -      | 11.85 (3.45 - 15.30) | 2.958 (0.850 - 4.988)               | 12.99               | 99               |
| 15+15+25+25+35           | 1.66                  | 1.66   | 2.76   | 2.76   | 3.87   | -      | 12.70 (3.50 - 15.60) | 3.088 (0.850 - 4.878)               | 13.56               | 99               |
| 15+15+25+25+42           | 1.56                  | 1.56   | 2.60   | 2.60   | 4.37   | -      | 12.70 (3.50 - 15.60) | 3.072 (0.850 - 4.812)               | 13.49               | 99               |
| 15+15+25+25+50           | 1.47                  | 1.47   | 2.45   | 2.45   | 4.90   | -      | 12.75 (3.50 - 15.60) | 3.082 (0.850 - 4.782)               | 13.54               | 99               |
| 15+15+25+25+60           | 1.38                  | 1.38   | 2.29   | 2.29   | 5.51   | -      | 12.85 (3.50 - 15.60) | 3.095 (0.850 - 4.765)               | 13.59               | 99               |
| 15+15+25+25+71           | 1.29                  | 1.29   | 2.15   | 2.15   | 6.09   | -      | 12.96 (3.50 - 15.60) | 3.119 (0.850 - 4.769)               | 13.70               | 99               |
| 15+15+25+25+80           | 1.22                  | 1.22   | 2.04   | 2.04   | 6.53   | -      | 13.05 (3.50 - 15.60) | 3.129 (0.850 - 4.759)               | 13.74               | 99               |
| 15+15+25+35+35           | 1.52                  | 1.52   | 2.54   | 3.56   | 3.56   | -      | 12.70 (3.50 - 15.60) | 3.078 (0.850 - 4.788)               | 13.52               | 99               |
| 15+15+25+35+42           | 1.45                  | 1.45   | 2.42   | 3.39   | 4.06   | -      | 12.77 (3.50 - 15.60) | 3.092 (0.850 - 4.782)               | 13.58               | 99               |
| 15+15+25+35+50           | 1.38                  | 1.38   | 2.29   | 3.21   | 4.59   | -      | 12.85 (3.50 - 15.60) | 3.112 (0.850 - 4.782)               | 13.67               | 99               |
| 15+15+25+35+60           | 1.30                  | 1.30   | 2.16   | 3.02   | 5.18   | -      | 12.95 (3.50 - 15.60) | 3.115 (0.850 - 4.765)               | 13.68               | 99               |
| 15+15+25+35+71           | 1.22                  | 1.22   | 2.03   | 2.84   | 5.76   | -      | 13.06 (3.50 - 15.60) | 3.149 (0.850 - 4.769)               | 13.83               | 99               |
| 15+15+25+35+80           | 1.16                  | 1.16   | 1.93   | 2.71   | 6.19   | -      | 13.15 (3.50 - 15.60) | 3.159 (0.850 - 4.759)               | 13.87               | 99               |
| 15+15+25+42+42           | 1.39                  | 1.39   | 2.31   | 3.88   | 3.88   | -      | 12.84 (3.50 - 15.60) | 3.096 (0.850 - 4.776)               | 13.60               | 99               |
| 15+15+25+42+50           | 1.32                  | 1.32   | 2.20   | 3.69   | 4.39   | -      | 12.92 (3.50 - 15.60) | 3.116 (0.850 - 4.776)               | 13.68               | 99               |
| 15+15+25+42+60           | 1.24                  | 1.24   | 2.07   | 3.48   | 4.98   | -      | 13.02 (3.50 - 15.60) | 3.129 (0.850 - 4.759)               | 13.74               | 99               |
| 15+15+25+42+71           | 1.17                  | 1.17   | 1.95   | 3.28   | 5.55   | -      | 13.13 (3.50 - 15.60) | 3.153 (0.850 - 4.763)               | 13.85               | 99               |
| 15+15+25+42+80           | 1.12                  | 1.12   | 1.86   | 3.13   | 5.97   | -      | 13.20 (3.50 - 15.60) | 3.163 (0.850 - 4.753)               | 13.89               | 99               |
| 15+15+25+50+50           | 1.26                  | 1.26   | 2.10   | 4.19   | 4.19   | -      | 13.00 (3.50 - 15.60) | 3.136 (0.850 - 4.776)               | 13.77               | 99               |
| 15+15+25+50+60           | 1.19                  | 1.19   | 1.98   | 3.97   | 4.76   | -      | 13.10 (3.50 - 15.60) | 3.149 (0.850 - 4.759)               | 13.83               | 99               |
| 15+15+25+50+71           | 1.13                  | 1.13   | 1.88   | 3.75   | 5.33   | -      | 13.20 (3.50 - 15.60) | 3.173 (0.850 - 4.763)               | 13.94               | 99               |
| 15+15+25+60+60           | 1.13                  | 1.13   | 1.89   | 4.53   | 4.53   | -      | 13.20 (3.50 - 15.60) | 3.152 (0.850 - 4.742)               | 13.84               | 99               |
| 15+15+35+35+35           | 1.42                  | 1.42   | 3.32   | 3.32   | 3.32   | -      | 12.80 (3.50 - 15.60) | 3.098 (0.850 - 4.788)               | 13.61               | 99               |
| 15+15+35+35+42           | 1.36                  | 1.36   | 3.17   | 3.17   | 3.81   | -      | 12.87 (3.50 - 15.60) | 3.112 (0.850 - 4.782)               | 13.67               | 99               |
| 15+15+35+35+50           | 1.30                  | 1.30   | 3.02   | 3.02   | 4.32   | -      | 12.95 (3.50 - 15.60) | 3.132 (0.850 - 4.782)               | 13.75               | 99               |
| 15+15+35+35+60           | 1.22                  | 1.22   | 2.85   | 2.85   | 4.89   | -      | 13.05 (3.50 - 15.60) | 3.135 (0.850 - 4.765)               | 13.77               | 99               |
| 15+15+35+35+71           | 1.15                  | 1.15   | 2.69   | 2.69   | 5.46   | -      | 13.16 (3.50 - 15.60) | 3.169 (0.850 - 4.769)               | 13.92               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+35+35+80           | 1.10                  | 1.10   | 2.57   | 2.57   | 5.87   | -      | 13.20 (3.50 - 15.60) | 3.169 (0.850 - 4.759)               | 13.92               | 99               |
| 15+15+35+42+42           | 1.30                  | 1.30   | 3.04   | 3.65   | 3.65   | -      | 12.94 (3.50 - 15.60) | 3.126 (0.850 - 4.776)               | 13.73               | 99               |
| 15+15+35+42+50           | 1.24                  | 1.24   | 2.90   | 3.48   | 4.15   | -      | 13.02 (3.50 - 15.60) | 3.146 (0.850 - 4.776)               | 13.82               | 99               |
| 15+15+35+42+60           | 1.18                  | 1.18   | 2.75   | 3.30   | 4.71   | -      | 13.12 (3.50 - 15.60) | 3.149 (0.850 - 4.759)               | 13.83               | 99               |
| 15+15+35+42+71           | 1.11                  | 1.11   | 2.60   | 3.11   | 5.27   | -      | 13.20 (3.50 - 15.60) | 3.173 (0.850 - 4.763)               | 13.94               | 99               |
| 15+15+35+50+50           | 1.19                  | 1.19   | 2.78   | 3.97   | 3.97   | -      | 13.10 (3.50 - 15.60) | 3.166 (0.850 - 4.776)               | 13.90               | 99               |
| 15+15+35+50+60           | 1.13                  | 1.13   | 2.64   | 3.77   | 4.53   | -      | 13.20 (3.50 - 15.60) | 3.169 (0.850 - 4.759)               | 13.92               | 99               |
| 15+15+42+42+42           | 1.25                  | 1.25   | 3.50   | 3.50   | 3.50   | -      | 13.01 (3.50 - 15.60) | 3.130 (0.850 - 4.770)               | 13.75               | 99               |
| 15+15+42+42+50           | 1.20                  | 1.20   | 3.35   | 3.35   | 3.99   | -      | 13.09 (3.50 - 15.60) | 3.150 (0.850 - 4.770)               | 13.83               | 99               |
| 15+15+42+42+60           | 1.14                  | 1.14   | 3.18   | 3.18   | 4.55   | -      | 13.19 (3.50 - 15.60) | 3.163 (0.850 - 4.753)               | 13.89               | 99               |
| 15+15+42+50+50           | 1.15                  | 1.15   | 3.22   | 3.83   | 3.83   | -      | 13.17 (3.50 - 15.60) | 3.170 (0.850 - 4.770)               | 13.92               | 99               |
| 15+15+50+50+50           | 1.10                  | 1.10   | 3.67   | 3.67   | 3.67   | -      | 13.20 (3.50 - 15.60) | 3.180 (0.850 - 4.770)               | 13.97               | 99               |
| 15+20+20+20+20           | 1.66                  | 2.21   | 2.21   | 2.21   | 2.21   | -      | 10.50 (3.40 - 14.70) | 2.637 (0.850 - 5.167)               | 11.58               | 99               |
| 15+20+20+20+22           | 1.65                  | 2.21   | 2.21   | 2.21   | 2.43   | -      | 10.70 (3.40 - 14.80) | 2.710 (0.850 - 5.180)               | 11.90               | 99               |
| 15+20+20+20+25           | 1.65                  | 2.20   | 2.20   | 2.20   | 2.75   | -      | 11.00 (3.40 - 14.90) | 2.830 (0.850 - 5.200)               | 12.43               | 99               |
| 15+20+20+20+35           | 1.73                  | 2.31   | 2.31   | 2.31   | 4.04   | -      | 12.70 (3.50 - 15.60) | 3.100 (0.850 - 4.800)               | 13.61               | 99               |
| 15+20+20+20+42           | 1.63                  | 2.17   | 2.17   | 2.17   | 4.56   | -      | 12.70 (3.50 - 15.60) | 3.094 (0.850 - 4.864)               | 13.59               | 99               |
| 15+20+20+20+50           | 1.52                  | 2.03   | 2.03   | 2.03   | 5.08   | -      | 12.70 (3.50 - 15.60) | 3.084 (0.850 - 4.794)               | 13.54               | 99               |
| 15+20+20+20+60           | 1.42                  | 1.90   | 1.90   | 1.90   | 5.69   | -      | 12.80 (3.50 - 15.60) | 3.087 (0.850 - 4.777)               | 13.56               | 99               |
| 15+20+20+20+71           | 1.33                  | 1.77   | 1.77   | 1.77   | 6.28   | -      | 12.91 (3.50 - 15.60) | 3.121 (0.850 - 4.781)               | 13.71               | 99               |
| 15+20+20+20+80           | 1.26                  | 1.68   | 1.68   | 1.68   | 6.71   | -      | 13.00 (3.50 - 15.60) | 3.131 (0.850 - 4.771)               | 13.75               | 99               |
| 15+20+20+22+22           | 1.65                  | 2.20   | 2.20   | 2.42   | 2.42   | -      | 10.90 (3.40 - 14.90) | 2.783 (0.850 - 5.183)               | 12.22               | 99               |
| 15+20+20+22+25           | 1.67                  | 2.22   | 2.22   | 2.45   | 2.78   | -      | 11.34 (3.42 - 15.00) | 2.873 (0.850 - 5.113)               | 12.62               | 99               |
| 15+20+20+22+35           | 1.70                  | 2.27   | 2.27   | 2.49   | 3.97   | -      | 12.70 (3.50 - 15.60) | 3.093 (0.850 - 4.913)               | 13.58               | 99               |
| 15+20+20+22+42           | 1.60                  | 2.13   | 2.13   | 2.35   | 4.48   | -      | 12.70 (3.50 - 15.60) | 3.077 (0.850 - 4.837)               | 13.51               | 99               |
| 15+20+20+22+50           | 1.50                  | 2.00   | 2.00   | 2.20   | 5.01   | -      | 12.72 (3.50 - 15.60) | 3.077 (0.850 - 4.787)               | 13.51               | 99               |
| 15+20+20+22+60           | 1.40                  | 1.87   | 1.87   | 2.06   | 5.61   | -      | 12.82 (3.50 - 15.60) | 3.090 (0.850 - 4.770)               | 13.57               | 99               |
| 15+20+20+22+71           | 1.31                  | 1.75   | 1.75   | 1.92   | 6.20   | -      | 12.93 (3.50 - 15.60) | 3.124 (0.850 - 4.774)               | 13.72               | 99               |
| 15+20+20+22+80           | 1.24                  | 1.66   | 1.66   | 1.82   | 6.63   | -      | 13.02 (3.50 - 15.60) | 3.134 (0.850 - 4.764)               | 13.76               | 99               |
| 15+20+20+25+25           | 1.69                  | 2.26   | 2.26   | 2.82   | 2.82   | -      | 11.85 (3.45 - 15.30) | 2.963 (0.850 - 4.993)               | 13.01               | 99               |
| 15+20+20+25+35           | 1.66                  | 2.21   | 2.21   | 2.76   | 3.87   | -      | 12.70 (3.50 - 15.60) | 3.093 (0.850 - 4.883)               | 13.58               | 99               |
| 15+20+20+25+42           | 1.56                  | 2.08   | 2.08   | 2.60   | 4.37   | -      | 12.70 (3.50 - 15.60) | 3.077 (0.850 - 4.817)               | 13.51               | 99               |
| 15+20+20+25+50           | 1.47                  | 1.96   | 1.96   | 2.45   | 4.90   | -      | 12.75 (3.50 - 15.60) | 3.087 (0.850 - 4.787)               | 13.56               | 99               |
| 15+20+20+25+60           | 1.38                  | 1.84   | 1.84   | 2.29   | 5.51   | -      | 12.85 (3.50 - 15.60) | 3.100 (0.850 - 4.770)               | 13.61               | 99               |
| 15+20+20+25+71           | 1.29                  | 1.72   | 1.72   | 2.15   | 6.09   | -      | 12.96 (3.50 - 15.60) | 3.124 (0.850 - 4.774)               | 13.72               | 99               |
| 15+20+20+25+80           | 1.22                  | 1.63   | 1.63   | 2.04   | 6.53   | -      | 13.05 (3.50 - 15.60) | 3.134 (0.850 - 4.764)               | 13.76               | 99               |
| 15+20+20+35+35           | 1.52                  | 2.03   | 2.03   | 3.56   | 3.56   | -      | 12.70 (3.50 - 15.60) | 3.083 (0.850 - 4.793)               | 13.54               | 99               |
| 15+20+20+35+42           | 1.45                  | 1.93   | 1.93   | 3.39   | 4.06   | -      | 12.77 (3.50 - 15.60) | 3.097 (0.850 - 4.787)               | 13.60               | 99               |
| 15+20+20+35+50           | 1.38                  | 1.84   | 1.84   | 3.21   | 4.59   | -      | 12.85 (3.50 - 15.60) | 3.117 (0.850 - 4.787)               | 13.69               | 99               |
| 15+20+20+35+60           | 1.30                  | 1.73   | 1.73   | 3.02   | 5.18   | -      | 12.95 (3.50 - 15.60) | 3.120 (0.850 - 4.770)               | 13.70               | 99               |
| 15+20+20+35+71           | 1.22                  | 1.62   | 1.62   | 2.84   | 5.76   | -      | 13.06 (3.50 - 15.60) | 3.154 (0.850 - 4.774)               | 13.85               | 99               |
| 15+20+20+35+80           | 1.16                  | 1.55   | 1.55   | 2.71   | 6.19   | -      | 13.15 (3.50 - 15.60) | 3.164 (0.850 - 4.764)               | 13.90               | 99               |
| 15+20+20+42+42           | 1.39                  | 1.85   | 1.85   | 3.88   | 3.88   | -      | 12.84 (3.50 - 15.60) | 3.101 (0.850 - 4.781)               | 13.62               | 99               |
| 15+20+20+42+50           | 1.32                  | 1.76   | 1.76   | 3.69   | 4.39   | -      | 12.92 (3.50 - 15.60) | 3.121 (0.850 - 4.781)               | 13.71               | 99               |
| 15+20+20+42+60           | 1.24                  | 1.66   | 1.66   | 3.48   | 4.98   | -      | 13.02 (3.50 - 15.60) | 3.134 (0.850 - 4.764)               | 13.76               | 99               |
| 15+20+20+42+71           | 1.17                  | 1.56   | 1.56   | 3.28   | 5.55   | -      | 13.13 (3.50 - 15.60) | 3.158 (0.850 - 4.768)               | 13.87               | 99               |
| 15+20+20+42+80           | 1.12                  | 1.49   | 1.49   | 3.13   | 5.97   | -      | 13.20 (3.50 - 15.60) | 3.168 (0.850 - 4.758)               | 13.91               | 99               |
| 15+20+20+50+50           | 1.26                  | 1.68   | 1.68   | 4.19   | 4.19   | -      | 13.00 (3.50 - 15.60) | 3.141 (0.850 - 4.781)               | 13.79               | 99               |
| 15+20+20+50+60           | 1.19                  | 1.59   | 1.59   | 3.97   | 4.76   | -      | 13.10 (3.50 - 15.60) | 3.154 (0.850 - 4.764)               | 13.85               | 99               |
| 15+20+20+50+71           | 1.13                  | 1.50   | 1.50   | 3.75   | 5.33   | -      | 13.20 (3.50 - 15.60) | 3.178 (0.850 - 4.768)               | 13.96               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+20+20+60+60           | 1.13                  | 1.51   | 1.51   | 4.53   | 4.53   | -      | 13.20 (3.50 - 15.60) | 3.157 (0.850 - 4.747)               | 13.86               | 99               |
| 15+20+22+22+22           | 1.66                  | 2.21   | 2.43   | 2.43   | 2.43   | -      | 11.17 (3.41 - 15.00) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 15+20+22+22+25           | 1.68                  | 2.25   | 2.47   | 2.47   | 2.81   | -      | 11.68 (3.44 - 15.20) | 2.926 (0.850 - 5.026)               | 12.85               | 99               |
| 15+20+22+22+35           | 1.67                  | 2.23   | 2.45   | 2.45   | 3.90   | -      | 12.70 (3.50 - 15.60) | 3.086 (0.850 - 4.886)               | 13.55               | 99               |
| 15+20+22+22+42           | 1.57                  | 2.10   | 2.31   | 2.31   | 4.41   | -      | 12.70 (3.50 - 15.60) | 3.070 (0.850 - 4.820)               | 13.48               | 99               |
| 15+20+22+22+50           | 1.48                  | 1.98   | 2.17   | 2.17   | 4.94   | -      | 12.74 (3.50 - 15.60) | 3.080 (0.850 - 4.780)               | 13.53               | 99               |
| 15+20+22+22+60           | 1.39                  | 1.85   | 2.03   | 2.03   | 5.54   | -      | 12.84 (3.50 - 15.60) | 3.083 (0.850 - 4.763)               | 13.54               | 99               |
| 15+20+22+22+71           | 1.30                  | 1.73   | 1.90   | 1.90   | 6.13   | -      | 12.95 (3.50 - 15.60) | 3.117 (0.850 - 4.767)               | 13.69               | 99               |
| 15+20+22+22+80           | 1.23                  | 1.64   | 1.80   | 1.80   | 6.56   | -      | 13.04 (3.50 - 15.60) | 3.127 (0.850 - 4.757)               | 13.73               | 99               |
| 15+20+22+25+25           | 1.71                  | 2.28   | 2.51   | 2.85   | 2.85   | -      | 12.19 (3.47 - 15.40) | 3.006 (0.850 - 4.906)               | 13.20               | 99               |
| 15+20+22+25+35           | 1.63                  | 2.17   | 2.39   | 2.71   | 3.80   | -      | 12.70 (3.50 - 15.60) | 3.086 (0.850 - 4.856)               | 13.55               | 99               |
| 15+20+22+25+42           | 1.54                  | 2.05   | 2.25   | 2.56   | 4.30   | -      | 12.70 (3.50 - 15.60) | 3.070 (0.850 - 4.790)               | 13.48               | 99               |
| 15+20+22+25+50           | 1.45                  | 1.93   | 2.13   | 2.42   | 4.84   | -      | 12.77 (3.50 - 15.60) | 3.090 (0.850 - 4.780)               | 13.57               | 99               |
| 15+20+22+25+60           | 1.36                  | 1.81   | 1.99   | 2.27   | 5.44   | -      | 12.87 (3.50 - 15.60) | 3.093 (0.850 - 4.763)               | 13.58               | 99               |
| 15+20+22+25+71           | 1.27                  | 1.70   | 1.87   | 2.12   | 6.02   | -      | 12.98 (3.50 - 15.60) | 3.127 (0.850 - 4.767)               | 13.73               | 99               |
| 15+20+22+25+80           | 1.21                  | 1.61   | 1.77   | 2.02   | 6.45   | -      | 13.07 (3.50 - 15.60) | 3.137 (0.850 - 4.757)               | 13.78               | 99               |
| 15+20+22+35+35           | 1.50                  | 2.00   | 2.20   | 3.51   | 3.51   | -      | 12.72 (3.50 - 15.60) | 3.076 (0.850 - 4.786)               | 13.51               | 99               |
| 15+20+22+35+42           | 1.43                  | 1.91   | 2.10   | 3.34   | 4.01   | -      | 12.79 (3.50 - 15.60) | 3.090 (0.850 - 4.780)               | 13.57               | 99               |
| 15+20+22+35+50           | 1.36                  | 1.81   | 1.99   | 3.17   | 4.53   | -      | 12.87 (3.50 - 15.60) | 3.110 (0.850 - 4.780)               | 13.66               | 99               |
| 15+20+22+35+60           | 1.28                  | 1.71   | 1.88   | 2.99   | 5.12   | -      | 12.97 (3.50 - 15.60) | 3.113 (0.850 - 4.763)               | 13.67               | 99               |
| 15+20+22+35+71           | 1.20                  | 1.60   | 1.77   | 2.81   | 5.70   | -      | 13.08 (3.50 - 15.60) | 3.147 (0.850 - 4.767)               | 13.82               | 99               |
| 15+20+22+35+80           | 1.15                  | 1.53   | 1.68   | 2.68   | 6.13   | -      | 13.17 (3.50 - 15.60) | 3.157 (0.850 - 4.757)               | 13.86               | 99               |
| 15+20+22+42+42           | 1.37                  | 1.82   | 2.01   | 3.83   | 3.83   | -      | 12.86 (3.50 - 15.60) | 3.104 (0.850 - 4.774)               | 13.63               | 99               |
| 15+20+22+42+50           | 1.30                  | 1.74   | 1.91   | 3.65   | 4.34   | -      | 12.94 (3.50 - 15.60) | 3.124 (0.850 - 4.774)               | 13.72               | 99               |
| 15+20+22+42+60           | 1.23                  | 1.64   | 1.80   | 3.44   | 4.92   | -      | 13.04 (3.50 - 15.60) | 3.127 (0.850 - 4.757)               | 13.73               | 99               |
| 15+20+22+42+71           | 1.16                  | 1.55   | 1.70   | 3.25   | 5.49   | -      | 13.15 (3.50 - 15.60) | 3.161 (0.850 - 4.761)               | 13.88               | 99               |
| 15+20+22+42+80           | 1.11                  | 1.47   | 1.62   | 3.10   | 5.90   | -      | 13.20 (3.50 - 15.60) | 3.161 (0.850 - 4.751)               | 13.88               | 99               |
| 15+20+22+50+50           | 1.24                  | 1.66   | 1.82   | 4.15   | 4.15   | -      | 13.02 (3.50 - 15.60) | 3.144 (0.850 - 4.774)               | 13.81               | 99               |
| 15+20+22+50+60           | 1.18                  | 1.57   | 1.73   | 3.93   | 4.71   | -      | 13.12 (3.50 - 15.60) | 3.147 (0.850 - 4.757)               | 13.82               | 99               |
| 15+20+22+50+71           | 1.11                  | 1.48   | 1.63   | 3.71   | 5.27   | -      | 13.20 (3.50 - 15.60) | 3.171 (0.850 - 4.761)               | 13.93               | 99               |
| 15+20+22+60+60           | 1.12                  | 1.49   | 1.64   | 4.47   | 4.47   | -      | 13.20 (3.50 - 15.60) | 3.150 (0.850 - 4.740)               | 13.83               | 99               |
| 15+20+25+25+25           | 1.73                  | 2.31   | 2.89   | 2.89   | 2.89   | -      | 12.70 (3.50 - 15.60) | 3.086 (0.850 - 4.786)               | 13.55               | 99               |
| 15+20+25+25+35           | 1.59                  | 2.12   | 2.65   | 2.65   | 3.70   | -      | 12.70 (3.50 - 15.60) | 3.076 (0.850 - 4.836)               | 13.51               | 99               |
| 15+20+25+25+42           | 1.50                  | 2.00   | 2.50   | 2.50   | 4.21   | -      | 12.72 (3.50 - 15.60) | 3.070 (0.850 - 4.780)               | 13.48               | 99               |
| 15+20+25+25+50           | 1.42                  | 1.90   | 2.37   | 2.37   | 4.74   | -      | 12.80 (3.50 - 15.60) | 3.090 (0.850 - 4.780)               | 13.57               | 99               |
| 15+20+25+25+60           | 1.33                  | 1.78   | 2.22   | 2.22   | 5.34   | -      | 12.90 (3.50 - 15.60) | 3.103 (0.850 - 4.763)               | 13.63               | 99               |
| 15+20+25+25+71           | 1.25                  | 1.67   | 2.08   | 2.08   | 5.92   | -      | 13.01 (3.50 - 15.60) | 3.127 (0.850 - 4.767)               | 13.73               | 99               |
| 15+20+25+25+80           | 1.19                  | 1.59   | 1.98   | 1.98   | 6.35   | -      | 13.10 (3.50 - 15.60) | 3.147 (0.850 - 4.757)               | 13.82               | 99               |
| 15+20+25+35+35           | 1.47                  | 1.96   | 2.45   | 3.43   | 3.43   | -      | 12.75 (3.50 - 15.60) | 3.086 (0.850 - 4.786)               | 13.55               | 99               |
| 15+20+25+35+42           | 1.40                  | 1.87   | 2.34   | 3.28   | 3.93   | -      | 12.82 (3.50 - 15.60) | 3.100 (0.850 - 4.780)               | 13.61               | 99               |
| 15+20+25+35+50           | 1.33                  | 1.78   | 2.22   | 3.11   | 4.45   | -      | 12.90 (3.50 - 15.60) | 3.120 (0.850 - 4.780)               | 13.70               | 99               |
| 15+20+25+35+60           | 1.26                  | 1.68   | 2.10   | 2.94   | 5.03   | -      | 13.00 (3.50 - 15.60) | 3.123 (0.850 - 4.763)               | 13.72               | 99               |
| 15+20+25+35+71           | 1.18                  | 1.58   | 1.97   | 2.76   | 5.61   | -      | 13.11 (3.50 - 15.60) | 3.157 (0.850 - 4.767)               | 13.86               | 99               |
| 15+20+25+35+80           | 1.13                  | 1.51   | 1.89   | 2.64   | 6.03   | -      | 13.20 (3.50 - 15.60) | 3.167 (0.850 - 4.757)               | 13.91               | 99               |
| 15+20+25+42+42           | 1.34                  | 1.79   | 2.24   | 3.76   | 3.76   | -      | 12.89 (3.50 - 15.60) | 3.114 (0.850 - 4.774)               | 13.68               | 99               |
| 15+20+25+42+50           | 1.28                  | 1.71   | 2.13   | 3.58   | 4.27   | -      | 12.97 (3.50 - 15.60) | 3.124 (0.850 - 4.774)               | 13.72               | 99               |
| 15+20+25+42+60           | 1.21                  | 1.61   | 2.02   | 3.39   | 4.84   | -      | 13.07 (3.50 - 15.60) | 3.137 (0.850 - 4.757)               | 13.78               | 99               |
| 15+20+25+42+71           | 1.14                  | 1.52   | 1.90   | 3.20   | 5.41   | -      | 13.18 (3.50 - 15.60) | 3.171 (0.850 - 4.761)               | 13.93               | 99               |
| 15+20+25+50+50           | 1.22                  | 1.63   | 2.04   | 4.08   | 4.08   | -      | 13.05 (3.50 - 15.60) | 3.144 (0.850 - 4.774)               | 13.81               | 99               |
| 15+20+25+50+60           | 1.16                  | 1.55   | 1.93   | 3.87   | 4.64   | -      | 13.15 (3.50 - 15.60) | 3.157 (0.850 - 4.757)               | 13.86               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+20+25+60+60           | 1.10                  | 1.47   | 1.83   | 4.40   | 4.40   | -      | 13.20 (3.50 - 15.60) | 3.150 (0.850 - 4.740)               | 13.83               | 99               |
| 15+20+35+35+35           | 1.38                  | 1.84   | 3.21   | 3.21   | 3.21   | -      | 12.85 (3.50 - 15.60) | 3.116 (0.850 - 4.786)               | 13.68               | 99               |
| 15+20+35+35+42           | 1.32                  | 1.76   | 3.08   | 3.08   | 3.69   | -      | 12.92 (3.50 - 15.60) | 3.120 (0.850 - 4.780)               | 13.70               | 99               |
| 15+20+35+35+50           | 1.26                  | 1.68   | 2.94   | 2.94   | 4.19   | -      | 13.00 (3.50 - 15.60) | 3.140 (0.850 - 4.780)               | 13.79               | 99               |
| 15+20+35+35+60           | 1.19                  | 1.59   | 2.78   | 2.78   | 4.76   | -      | 13.10 (3.50 - 15.60) | 3.153 (0.850 - 4.763)               | 13.85               | 99               |
| 15+20+35+35+71           | 1.13                  | 1.50   | 2.63   | 2.63   | 5.33   | -      | 13.20 (3.50 - 15.60) | 3.177 (0.850 - 4.767)               | 13.95               | 99               |
| 15+20+35+42+42           | 1.27                  | 1.69   | 2.95   | 3.54   | 3.54   | -      | 12.99 (3.50 - 15.60) | 3.134 (0.850 - 4.774)               | 13.76               | 99               |
| 15+20+35+42+50           | 1.21                  | 1.61   | 2.82   | 3.39   | 4.03   | -      | 13.07 (3.50 - 15.60) | 3.154 (0.850 - 4.774)               | 13.85               | 99               |
| 15+20+35+42+60           | 1.15                  | 1.53   | 2.68   | 3.22   | 4.59   | -      | 13.17 (3.50 - 15.60) | 3.157 (0.850 - 4.757)               | 13.86               | 99               |
| 15+20+35+50+50           | 1.16                  | 1.55   | 2.71   | 3.87   | 3.87   | -      | 13.15 (3.50 - 15.60) | 3.174 (0.850 - 4.774)               | 13.94               | 99               |
| 15+20+35+50+60           | 1.10                  | 1.47   | 2.57   | 3.67   | 4.40   | -      | 13.20 (3.50 - 15.60) | 3.167 (0.850 - 4.757)               | 13.91               | 99               |
| 15+20+42+42+42           | 1.22                  | 1.62   | 3.41   | 3.41   | 3.41   | -      | 13.06 (3.50 - 15.60) | 3.148 (0.850 - 4.768)               | 13.83               | 99               |
| 15+20+42+42+50           | 1.17                  | 1.56   | 3.27   | 3.27   | 3.89   | -      | 13.14 (3.50 - 15.60) | 3.168 (0.850 - 4.768)               | 13.91               | 99               |
| 15+20+42+42+60           | 1.11                  | 1.47   | 3.10   | 3.10   | 4.42   | -      | 13.20 (3.50 - 15.60) | 3.161 (0.850 - 4.751)               | 13.88               | 99               |
| 15+20+42+50+50           | 1.12                  | 1.49   | 3.13   | 3.73   | 3.73   | -      | 13.20 (3.50 - 15.60) | 3.178 (0.850 - 4.768)               | 13.96               | 99               |
| 15+22+22+22+22           | 1.68                  | 2.46   | 2.46   | 2.46   | 2.46   | -      | 11.51 (3.43 - 15.10) | 2.889 (0.850 - 5.059)               | 12.69               | 99               |
| 15+22+22+22+25           | 1.70                  | 2.49   | 2.49   | 2.49   | 2.83   | -      | 12.02 (3.46 - 15.30) | 2.969 (0.850 - 4.939)               | 13.04               | 99               |
| 15+22+22+22+35           | 1.64                  | 2.41   | 2.41   | 2.41   | 3.83   | -      | 12.70 (3.50 - 15.60) | 3.079 (0.850 - 4.859)               | 13.52               | 99               |
| 15+22+22+22+42           | 1.55                  | 2.27   | 2.27   | 2.27   | 4.34   | -      | 12.70 (3.50 - 15.60) | 3.063 (0.850 - 4.793)               | 13.45               | 99               |
| 15+22+22+22+50           | 1.46                  | 2.14   | 2.14   | 2.14   | 4.87   | -      | 12.76 (3.50 - 15.60) | 3.073 (0.850 - 4.773)               | 13.50               | 99               |
| 15+22+22+22+60           | 1.37                  | 2.01   | 2.01   | 2.01   | 5.47   | -      | 12.86 (3.50 - 15.60) | 3.086 (0.850 - 4.756)               | 13.55               | 99               |
| 15+22+22+22+71           | 1.28                  | 1.88   | 1.88   | 1.88   | 6.06   | -      | 12.97 (3.50 - 15.60) | 3.110 (0.850 - 4.760)               | 13.66               | 99               |
| 15+22+22+22+80           | 1.22                  | 1.78   | 1.78   | 1.78   | 6.49   | -      | 13.06 (3.50 - 15.60) | 3.130 (0.850 - 4.750)               | 13.75               | 99               |
| 15+22+22+25+25           | 1.72                  | 2.53   | 2.53   | 2.87   | 2.87   | -      | 12.53 (3.49 - 15.50) | 3.049 (0.850 - 4.819)               | 13.39               | 99               |
| 15+22+22+25+35           | 1.60                  | 2.35   | 2.35   | 2.67   | 3.74   | -      | 12.70 (3.50 - 15.60) | 3.069 (0.850 - 4.829)               | 13.48               | 99               |
| 15+22+22+25+42           | 1.51                  | 2.22   | 2.22   | 2.52   | 4.24   | -      | 12.71 (3.50 - 15.60) | 3.063 (0.850 - 4.773)               | 13.45               | 99               |
| 15+22+22+25+50           | 1.43                  | 2.10   | 2.10   | 2.39   | 4.77   | -      | 12.79 (3.50 - 15.60) | 3.083 (0.850 - 4.773)               | 13.54               | 99               |
| 15+22+22+25+60           | 1.34                  | 1.97   | 1.97   | 2.24   | 5.37   | -      | 12.89 (3.50 - 15.60) | 3.096 (0.850 - 4.756)               | 13.60               | 99               |
| 15+22+22+25+71           | 1.26                  | 1.85   | 1.85   | 2.10   | 5.95   | -      | 13.00 (3.50 - 15.60) | 3.120 (0.850 - 4.760)               | 13.70               | 99               |
| 15+22+22+25+80           | 1.20                  | 1.76   | 1.76   | 2.00   | 6.39   | -      | 13.09 (3.50 - 15.60) | 3.130 (0.850 - 4.750)               | 13.75               | 99               |
| 15+22+22+35+35           | 1.48                  | 2.17   | 2.17   | 3.46   | 3.46   | -      | 12.74 (3.50 - 15.60) | 3.079 (0.850 - 4.779)               | 13.52               | 99               |
| 15+22+22+35+42           | 1.41                  | 2.07   | 2.07   | 3.30   | 3.96   | -      | 12.81 (3.50 - 15.60) | 3.093 (0.850 - 4.773)               | 13.58               | 99               |
| 15+22+22+35+50           | 1.34                  | 1.97   | 1.97   | 3.13   | 4.48   | -      | 12.89 (3.50 - 15.60) | 3.113 (0.850 - 4.773)               | 13.67               | 99               |
| 15+22+22+35+60           | 1.27                  | 1.86   | 1.86   | 2.95   | 5.06   | -      | 12.99 (3.50 - 15.60) | 3.116 (0.850 - 4.756)               | 13.68               | 99               |
| 15+22+22+35+71           | 1.19                  | 1.75   | 1.75   | 2.78   | 5.64   | -      | 13.10 (3.50 - 15.60) | 3.150 (0.850 - 4.760)               | 13.83               | 99               |
| 15+22+22+35+80           | 1.14                  | 1.67   | 1.67   | 2.65   | 6.06   | -      | 13.19 (3.50 - 15.60) | 3.160 (0.850 - 4.750)               | 13.88               | 99               |
| 15+22+22+42+42           | 1.35                  | 1.98   | 1.98   | 3.78   | 3.78   | -      | 12.88 (3.50 - 15.60) | 3.097 (0.850 - 4.767)               | 13.60               | 99               |
| 15+22+22+42+50           | 1.29                  | 1.89   | 1.89   | 3.60   | 4.29   | -      | 12.96 (3.50 - 15.60) | 3.117 (0.850 - 4.767)               | 13.69               | 99               |
| 15+22+22+42+60           | 1.22                  | 1.78   | 1.78   | 3.41   | 4.87   | -      | 13.06 (3.50 - 15.60) | 3.130 (0.850 - 4.750)               | 13.75               | 99               |
| 15+22+22+42+71           | 1.15                  | 1.68   | 1.68   | 3.22   | 5.44   | -      | 13.17 (3.50 - 15.60) | 3.154 (0.850 - 4.754)               | 13.85               | 99               |
| 15+22+22+50+50           | 1.23                  | 1.80   | 1.80   | 4.10   | 4.10   | -      | 13.04 (3.50 - 15.60) | 3.137 (0.850 - 4.767)               | 13.78               | 99               |
| 15+22+22+50+60           | 1.17                  | 1.71   | 1.71   | 3.89   | 4.67   | -      | 13.14 (3.50 - 15.60) | 3.150 (0.850 - 4.750)               | 13.83               | 99               |
| 15+22+22+50+71           | 1.10                  | 1.61   | 1.61   | 3.67   | 5.21   | -      | 13.20 (3.50 - 15.60) | 3.164 (0.850 - 4.754)               | 13.90               | 99               |
| 15+22+22+60+60           | 1.11                  | 1.62   | 1.62   | 4.42   | 4.42   | -      | 13.20 (3.50 - 15.60) | 3.143 (0.850 - 4.733)               | 13.80               | 99               |
| 15+22+25+25+25           | 1.70                  | 2.49   | 2.83   | 2.83   | 2.83   | -      | 12.70 (3.50 - 15.60) | 3.079 (0.850 - 4.899)               | 13.52               | 99               |
| 15+22+25+25+35           | 1.56                  | 2.29   | 2.60   | 2.60   | 3.64   | -      | 12.70 (3.50 - 15.60) | 3.069 (0.850 - 4.809)               | 13.48               | 99               |
| 15+22+25+25+42           | 1.48                  | 2.17   | 2.47   | 2.47   | 4.15   | -      | 12.74 (3.50 - 15.60) | 3.073 (0.850 - 4.773)               | 13.50               | 99               |
| 15+22+25+25+50           | 1.40                  | 2.06   | 2.34   | 2.34   | 4.68   | -      | 12.82 (3.50 - 15.60) | 3.093 (0.850 - 4.773)               | 13.58               | 99               |
| 15+22+25+25+60           | 1.32                  | 1.93   | 2.20   | 2.20   | 5.27   | -      | 12.92 (3.50 - 15.60) | 3.096 (0.850 - 4.756)               | 13.60               | 99               |
| 15+22+25+25+71           | 1.24                  | 1.81   | 2.06   | 2.06   | 5.86   | -      | 13.03 (3.50 - 15.60) | 3.130 (0.850 - 4.760)               | 13.75               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+22+25+25+80           | 1.18                  | 1.73   | 1.96   | 1.96   | 6.29   | -      | 13.12 (3.50 - 15.60) | 3.140 (0.850 - 4.750)               | 13.79               | 99               |
| 15+22+25+35+35           | 1.45                  | 2.13   | 2.42   | 3.39   | 3.39   | -      | 12.77 (3.50 - 15.60) | 3.089 (0.850 - 4.779)               | 13.57               | 99               |
| 15+22+25+35+42           | 1.39                  | 2.03   | 2.31   | 3.23   | 3.88   | -      | 12.84 (3.50 - 15.60) | 3.093 (0.850 - 4.773)               | 13.58               | 99               |
| 15+22+25+35+50           | 1.32                  | 1.93   | 2.20   | 3.08   | 4.39   | -      | 12.92 (3.50 - 15.60) | 3.113 (0.850 - 4.773)               | 13.67               | 99               |
| 15+22+25+35+60           | 1.24                  | 1.82   | 2.07   | 2.90   | 4.98   | -      | 13.02 (3.50 - 15.60) | 3.126 (0.850 - 4.756)               | 13.73               | 99               |
| 15+22+25+35+71           | 1.17                  | 1.72   | 1.95   | 2.74   | 5.55   | -      | 13.13 (3.50 - 15.60) | 3.150 (0.850 - 4.760)               | 13.83               | 99               |
| 15+22+25+35+80           | 1.12                  | 1.64   | 1.86   | 2.61   | 5.97   | -      | 13.20 (3.50 - 15.60) | 3.160 (0.850 - 4.750)               | 13.88               | 99               |
| 15+22+25+42+42           | 1.33                  | 1.95   | 2.21   | 3.71   | 3.71   | -      | 12.91 (3.50 - 15.60) | 3.107 (0.850 - 4.767)               | 13.65               | 99               |
| 15+22+25+42+50           | 1.27                  | 1.86   | 2.11   | 3.54   | 4.22   | -      | 12.99 (3.50 - 15.60) | 3.127 (0.850 - 4.767)               | 13.73               | 99               |
| 15+22+25+42+60           | 1.20                  | 1.76   | 2.00   | 3.35   | 4.79   | -      | 13.09 (3.50 - 15.60) | 3.130 (0.850 - 4.750)               | 13.75               | 99               |
| 15+22+25+42+71           | 1.13                  | 1.66   | 1.89   | 3.17   | 5.36   | -      | 13.20 (3.50 - 15.60) | 3.164 (0.850 - 4.754)               | 13.90               | 99               |
| 15+22+25+50+50           | 1.21                  | 1.77   | 2.02   | 4.03   | 4.03   | -      | 13.07 (3.50 - 15.60) | 3.147 (0.850 - 4.767)               | 13.82               | 99               |
| 15+22+25+50+60           | 1.15                  | 1.68   | 1.91   | 3.83   | 4.59   | -      | 13.17 (3.50 - 15.60) | 3.150 (0.850 - 4.750)               | 13.83               | 99               |
| 15+22+35+35+35           | 1.36                  | 1.99   | 3.17   | 3.17   | 3.17   | -      | 12.87 (3.50 - 15.60) | 3.109 (0.850 - 4.779)               | 13.65               | 99               |
| 15+22+35+35+42           | 1.30                  | 1.91   | 3.04   | 3.04   | 3.65   | -      | 12.94 (3.50 - 15.60) | 3.123 (0.850 - 4.773)               | 13.72               | 99               |
| 15+22+35+35+50           | 1.24                  | 1.82   | 2.90   | 2.90   | 4.15   | -      | 13.02 (3.50 - 15.60) | 3.143 (0.850 - 4.773)               | 13.80               | 99               |
| 15+22+35+35+60           | 1.18                  | 1.73   | 2.75   | 2.75   | 4.71   | -      | 13.12 (3.50 - 15.60) | 3.146 (0.850 - 4.756)               | 13.82               | 99               |
| 15+22+35+35+71           | 1.11                  | 1.63   | 2.60   | 2.60   | 5.27   | -      | 13.20 (3.50 - 15.60) | 3.170 (0.850 - 4.760)               | 13.92               | 99               |
| 15+22+35+42+42           | 1.25                  | 1.83   | 2.92   | 3.50   | 3.50   | -      | 13.01 (3.50 - 15.60) | 3.127 (0.850 - 4.767)               | 13.73               | 99               |
| 15+22+35+42+50           | 1.20                  | 1.76   | 2.79   | 3.35   | 3.99   | -      | 13.09 (3.50 - 15.60) | 3.147 (0.850 - 4.767)               | 13.82               | 99               |
| 15+22+35+42+60           | 1.14                  | 1.67   | 2.65   | 3.18   | 4.55   | -      | 13.19 (3.50 - 15.60) | 3.160 (0.850 - 4.750)               | 13.88               | 99               |
| 15+22+35+50+50           | 1.15                  | 1.68   | 2.68   | 3.83   | 3.83   | -      | 13.17 (3.50 - 15.60) | 3.167 (0.850 - 4.767)               | 13.91               | 99               |
| 15+22+42+42+42           | 1.20                  | 1.77   | 3.37   | 3.37   | 3.37   | -      | 13.08 (3.50 - 15.60) | 3.141 (0.850 - 4.761)               | 13.79               | 99               |
| 15+22+42+42+50           | 1.15                  | 1.69   | 3.23   | 3.23   | 3.85   | -      | 13.16 (3.50 - 15.60) | 3.161 (0.850 - 4.761)               | 13.88               | 99               |
| 15+22+42+50+50           | 1.11                  | 1.62   | 3.10   | 3.69   | 3.69   | -      | 13.20 (3.50 - 15.60) | 3.171 (0.850 - 4.761)               | 13.93               | 99               |
| 15+25+25+25+25           | 1.66                  | 2.76   | 2.76   | 2.76   | 2.76   | -      | 12.70 (3.50 - 15.60) | 3.079 (0.850 - 4.869)               | 13.52               | 99               |
| 15+25+25+25+35           | 1.52                  | 2.54   | 2.54   | 2.54   | 3.56   | -      | 12.70 (3.50 - 15.60) | 3.069 (0.850 - 4.779)               | 13.48               | 99               |
| 15+25+25+25+42           | 1.45                  | 2.42   | 2.42   | 2.42   | 4.06   | -      | 12.77 (3.50 - 15.60) | 3.083 (0.850 - 4.773)               | 13.54               | 99               |
| 15+25+25+25+50           | 1.38                  | 2.29   | 2.29   | 2.29   | 4.59   | -      | 12.85 (3.50 - 15.60) | 3.103 (0.850 - 4.773)               | 13.63               | 99               |
| 15+25+25+25+60           | 1.30                  | 2.16   | 2.16   | 2.16   | 5.18   | -      | 12.95 (3.50 - 15.60) | 3.106 (0.850 - 4.756)               | 13.64               | 99               |
| 15+25+25+25+71           | 1.22                  | 2.03   | 2.03   | 2.03   | 5.76   | -      | 13.06 (3.50 - 15.60) | 3.140 (0.850 - 4.760)               | 13.79               | 99               |
| 15+25+25+25+80           | 1.16                  | 1.93   | 1.93   | 1.93   | 6.19   | -      | 13.15 (3.50 - 15.60) | 3.150 (0.850 - 4.750)               | 13.83               | 99               |
| 15+25+25+35+35           | 1.42                  | 2.37   | 2.37   | 3.32   | 3.32   | -      | 12.80 (3.50 - 15.60) | 3.089 (0.850 - 4.779)               | 13.57               | 99               |
| 15+25+25+35+42           | 1.36                  | 2.27   | 2.27   | 3.17   | 3.81   | -      | 12.87 (3.50 - 15.60) | 3.103 (0.850 - 4.773)               | 13.63               | 99               |
| 15+25+25+35+50           | 1.30                  | 2.16   | 2.16   | 3.02   | 4.32   | -      | 12.95 (3.50 - 15.60) | 3.123 (0.850 - 4.773)               | 13.72               | 99               |
| 15+25+25+35+60           | 1.22                  | 2.04   | 2.04   | 2.85   | 4.89   | -      | 13.05 (3.50 - 15.60) | 3.126 (0.850 - 4.756)               | 13.73               | 99               |
| 15+25+25+35+71           | 1.15                  | 1.92   | 1.92   | 2.69   | 5.46   | -      | 13.16 (3.50 - 15.60) | 3.160 (0.850 - 4.760)               | 13.88               | 99               |
| 15+25+25+35+80           | 1.10                  | 1.83   | 1.83   | 2.57   | 5.87   | -      | 13.20 (3.50 - 15.60) | 3.160 (0.850 - 4.750)               | 13.88               | 99               |
| 15+25+25+42+42           | 1.30                  | 2.17   | 2.17   | 3.65   | 3.65   | -      | 12.94 (3.50 - 15.60) | 3.117 (0.850 - 4.767)               | 13.69               | 99               |
| 15+25+25+42+50           | 1.24                  | 2.07   | 2.07   | 3.48   | 4.15   | -      | 13.02 (3.50 - 15.60) | 3.137 (0.850 - 4.767)               | 13.78               | 99               |
| 15+25+25+42+60           | 1.18                  | 1.96   | 1.96   | 3.30   | 4.71   | -      | 13.12 (3.50 - 15.60) | 3.140 (0.850 - 4.750)               | 13.79               | 99               |
| 15+25+25+42+71           | 1.11                  | 1.85   | 1.85   | 3.11   | 5.27   | -      | 13.20 (3.50 - 15.60) | 3.164 (0.850 - 4.754)               | 13.90               | 99               |
| 15+25+25+50+50           | 1.19                  | 1.98   | 1.98   | 3.97   | 3.97   | -      | 13.10 (3.50 - 15.60) | 3.157 (0.850 - 4.767)               | 13.86               | 99               |
| 15+25+25+50+60           | 1.13                  | 1.89   | 1.89   | 3.77   | 4.53   | -      | 13.20 (3.50 - 15.60) | 3.160 (0.850 - 4.750)               | 13.88               | 99               |
| 15+25+35+35+35           | 1.33                  | 2.22   | 3.11   | 3.11   | 3.11   | -      | 12.90 (3.50 - 15.60) | 3.119 (0.850 - 4.779)               | 13.70               | 99               |
| 15+25+35+35+42           | 1.28                  | 2.13   | 2.99   | 2.99   | 3.58   | -      | 12.97 (3.50 - 15.60) | 3.123 (0.850 - 4.773)               | 13.72               | 99               |
| 15+25+35+35+50           | 1.22                  | 2.04   | 2.85   | 2.85   | 4.08   | -      | 13.05 (3.50 - 15.60) | 3.143 (0.850 - 4.773)               | 13.80               | 99               |
| 15+25+35+35+60           | 1.16                  | 1.93   | 2.71   | 2.71   | 4.64   | -      | 13.15 (3.50 - 15.60) | 3.156 (0.850 - 4.756)               | 13.86               | 99               |
| 15+25+35+42+42           | 1.23                  | 2.05   | 2.87   | 3.44   | 3.44   | -      | 13.04 (3.50 - 15.60) | 3.137 (0.850 - 4.767)               | 13.78               | 99               |
| 15+25+35+42+50           | 1.18                  | 1.96   | 2.75   | 3.30   | 3.93   | -      | 13.12 (3.50 - 15.60) | 3.157 (0.850 - 4.767)               | 13.86               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+25+35+42+60           | 1.12                  | 1.86   | 2.61   | 3.13   | 4.47   | -      | 13.20 (3.50 - 15.60) | 3.160 (0.850 - 4.750)               | 13.88               | 99               |
| 15+25+35+50+50           | 1.13                  | 1.89   | 2.64   | 3.77   | 3.77   | -      | 13.20 (3.50 - 15.60) | 3.177 (0.850 - 4.767)               | 13.95               | 99               |
| 15+25+42+42+42           | 1.18                  | 1.97   | 3.32   | 3.32   | 3.32   | -      | 13.11 (3.50 - 15.60) | 3.151 (0.850 - 4.761)               | 13.84               | 99               |
| 15+25+42+42+50           | 1.14                  | 1.90   | 3.18   | 3.18   | 3.79   | -      | 13.19 (3.50 - 15.60) | 3.171 (0.850 - 4.761)               | 13.93               | 99               |
| 15+35+35+35+35           | 1.26                  | 2.94   | 2.94   | 2.94   | 2.94   | -      | 13.00 (3.50 - 15.60) | 3.139 (0.850 - 4.779)               | 13.79               | 99               |
| 15+35+35+35+42           | 1.21                  | 2.82   | 2.82   | 2.82   | 3.39   | -      | 13.07 (3.50 - 15.60) | 3.153 (0.850 - 4.773)               | 13.85               | 99               |
| 15+35+35+35+50           | 1.16                  | 2.71   | 2.71   | 2.71   | 3.87   | -      | 13.15 (3.50 - 15.60) | 3.173 (0.850 - 4.773)               | 13.94               | 99               |
| 15+35+35+35+60           | 1.10                  | 2.57   | 2.57   | 2.57   | 4.40   | -      | 13.20 (3.50 - 15.60) | 3.166 (0.850 - 4.756)               | 13.90               | 99               |
| 15+35+35+42+42           | 1.17                  | 2.72   | 2.72   | 3.27   | 3.27   | -      | 13.14 (3.50 - 15.60) | 3.167 (0.850 - 4.767)               | 13.91               | 99               |
| 15+35+35+42+50           | 1.12                  | 2.61   | 2.61   | 3.13   | 3.73   | -      | 13.20 (3.50 - 15.60) | 3.177 (0.850 - 4.767)               | 13.95               | 99               |
| 15+35+42+42+42           | 1.13                  | 2.63   | 3.15   | 3.15   | 3.15   | -      | 13.20 (3.50 - 15.60) | 3.171 (0.850 - 4.761)               | 13.93               | 99               |
| 20+20+20+20+20           | 2.20                  | 2.20   | 2.20   | 2.20   | 2.20   | -      | 11.00 (3.40 - 14.90) | 2.835 (0.850 - 5.205)               | 12.45               | 99               |
| 20+20+20+20+22           | 2.22                  | 2.22   | 2.22   | 2.22   | 2.45   | -      | 11.34 (3.42 - 15.00) | 2.878 (0.850 - 5.118)               | 12.64               | 99               |
| 20+20+20+20+25           | 2.26                  | 2.26   | 2.26   | 2.26   | 2.82   | -      | 11.85 (3.45 - 15.30) | 2.968 (0.850 - 4.998)               | 13.03               | 99               |
| 20+20+20+20+35           | 2.21                  | 2.21   | 2.21   | 2.21   | 3.87   | -      | 12.70 (3.50 - 15.60) | 3.098 (0.850 - 4.888)               | 13.61               | 99               |
| 20+20+20+20+42           | 2.08                  | 2.08   | 2.08   | 2.08   | 4.37   | -      | 12.70 (3.50 - 15.60) | 3.082 (0.850 - 4.822)               | 13.54               | 99               |
| 20+20+20+20+50           | 1.96                  | 1.96   | 1.96   | 1.96   | 4.90   | -      | 12.75 (3.50 - 15.60) | 3.092 (0.850 - 4.792)               | 13.58               | 99               |
| 20+20+20+20+60           | 1.84                  | 1.84   | 1.84   | 1.84   | 5.51   | -      | 12.85 (3.50 - 15.60) | 3.105 (0.850 - 4.775)               | 13.64               | 99               |
| 20+20+20+20+71           | 1.72                  | 1.72   | 1.72   | 1.72   | 6.09   | -      | 12.96 (3.50 - 15.60) | 3.129 (0.850 - 4.779)               | 13.74               | 99               |
| 20+20+20+20+80           | 1.63                  | 1.63   | 1.63   | 1.63   | 6.53   | -      | 13.05 (3.50 - 15.60) | 3.139 (0.850 - 4.769)               | 13.79               | 99               |
| 20+20+20+22+22           | 2.25                  | 2.25   | 2.25   | 2.47   | 2.47   | -      | 11.68 (3.44 - 15.20) | 2.931 (0.850 - 5.031)               | 12.87               | 99               |
| 20+20+20+22+25           | 2.28                  | 2.28   | 2.28   | 2.51   | 2.85   | -      | 12.19 (3.47 - 15.40) | 3.011 (0.850 - 4.911)               | 13.22               | 99               |
| 20+20+20+22+35           | 2.17                  | 2.17   | 2.17   | 2.39   | 3.80   | -      | 12.70 (3.50 - 15.60) | 3.091 (0.850 - 4.861)               | 13.57               | 99               |
| 20+20+20+22+42           | 2.05                  | 2.05   | 2.05   | 2.25   | 4.30   | -      | 12.70 (3.50 - 15.60) | 3.075 (0.850 - 4.795)               | 13.50               | 99               |
| 20+20+20+22+50           | 1.93                  | 1.93   | 1.93   | 2.13   | 4.84   | -      | 12.77 (3.50 - 15.60) | 3.095 (0.850 - 4.785)               | 13.59               | 99               |
| 20+20+20+22+60           | 1.81                  | 1.81   | 1.81   | 1.99   | 5.44   | -      | 12.87 (3.50 - 15.60) | 3.098 (0.850 - 4.768)               | 13.61               | 99               |
| 20+20+20+22+71           | 1.70                  | 1.70   | 1.70   | 1.87   | 6.02   | -      | 12.98 (3.50 - 15.60) | 3.132 (0.850 - 4.772)               | 13.75               | 99               |
| 20+20+20+22+80           | 1.61                  | 1.61   | 1.61   | 1.77   | 6.45   | -      | 13.07 (3.50 - 15.60) | 3.142 (0.850 - 4.762)               | 13.80               | 99               |
| 20+20+20+25+25           | 2.31                  | 2.31   | 2.31   | 2.89   | 2.89   | -      | 12.70 (3.50 - 15.60) | 3.091 (0.850 - 4.791)               | 13.57               | 99               |
| 20+20+20+25+35           | 2.12                  | 2.12   | 2.12   | 2.65   | 3.70   | -      | 12.70 (3.50 - 15.60) | 3.081 (0.850 - 4.841)               | 13.53               | 99               |
| 20+20+20+25+42           | 2.00                  | 2.00   | 2.00   | 2.50   | 4.21   | -      | 12.72 (3.50 - 15.60) | 3.075 (0.850 - 4.785)               | 13.50               | 99               |
| 20+20+20+25+50           | 1.90                  | 1.90   | 1.90   | 2.37   | 4.74   | -      | 12.80 (3.50 - 15.60) | 3.095 (0.850 - 4.785)               | 13.59               | 99               |
| 20+20+20+25+60           | 1.78                  | 1.78   | 1.78   | 2.22   | 5.34   | -      | 12.90 (3.50 - 15.60) | 3.108 (0.850 - 4.768)               | 13.65               | 99               |
| 20+20+20+25+71           | 1.67                  | 1.67   | 1.67   | 2.08   | 5.92   | -      | 13.01 (3.50 - 15.60) | 3.132 (0.850 - 4.772)               | 13.75               | 99               |
| 20+20+20+25+80           | 1.59                  | 1.59   | 1.59   | 1.98   | 6.35   | -      | 13.10 (3.50 - 15.60) | 3.152 (0.850 - 4.762)               | 13.84               | 99               |
| 20+20+20+35+35           | 1.96                  | 1.96   | 1.96   | 3.43   | 3.43   | -      | 12.75 (3.50 - 15.60) | 3.091 (0.850 - 4.791)               | 13.57               | 99               |
| 20+20+20+35+42           | 1.87                  | 1.87   | 1.87   | 3.28   | 3.93   | -      | 12.82 (3.50 - 15.60) | 3.105 (0.850 - 4.785)               | 13.64               | 99               |
| 20+20+20+35+50           | 1.78                  | 1.78   | 1.78   | 3.11   | 4.45   | -      | 12.90 (3.50 - 15.60) | 3.125 (0.850 - 4.785)               | 13.72               | 99               |
| 20+20+20+35+60           | 1.68                  | 1.68   | 1.68   | 2.94   | 5.03   | -      | 13.00 (3.50 - 15.60) | 3.128 (0.850 - 4.768)               | 13.74               | 99               |
| 20+20+20+35+71           | 1.58                  | 1.58   | 1.58   | 2.76   | 5.61   | -      | 13.11 (3.50 - 15.60) | 3.162 (0.850 - 4.772)               | 13.89               | 99               |
| 20+20+20+35+80           | 1.51                  | 1.51   | 1.51   | 2.64   | 6.03   | -      | 13.20 (3.50 - 15.60) | 3.172 (0.850 - 4.762)               | 13.93               | 99               |
| 20+20+20+42+42           | 1.79                  | 1.79   | 1.79   | 3.76   | 3.76   | -      | 12.89 (3.50 - 15.60) | 3.119 (0.850 - 4.779)               | 13.70               | 99               |
| 20+20+20+42+50           | 1.71                  | 1.71   | 1.71   | 3.58   | 4.27   | -      | 12.97 (3.50 - 15.60) | 3.129 (0.850 - 4.779)               | 13.74               | 99               |
| 20+20+20+42+60           | 1.61                  | 1.61   | 1.61   | 3.39   | 4.84   | -      | 13.07 (3.50 - 15.60) | 3.142 (0.850 - 4.762)               | 13.80               | 99               |
| 20+20+20+42+71           | 1.52                  | 1.52   | 1.52   | 3.20   | 5.41   | -      | 13.18 (3.50 - 15.60) | 3.176 (0.850 - 4.766)               | 13.95               | 99               |
| 20+20+20+50+50           | 1.63                  | 1.63   | 1.63   | 4.08   | 4.08   | -      | 13.05 (3.50 - 15.60) | 3.149 (0.850 - 4.779)               | 13.83               | 99               |
| 20+20+20+50+60           | 1.55                  | 1.55   | 1.55   | 3.87   | 4.64   | -      | 13.15 (3.50 - 15.60) | 3.162 (0.850 - 4.762)               | 13.89               | 99               |
| 20+20+20+60+60           | 1.47                  | 1.47   | 1.47   | 4.40   | 4.40   | -      | 13.20 (3.50 - 15.60) | 3.155 (0.850 - 4.745)               | 13.86               | 99               |
| 20+20+22+22+22           | 2.27                  | 2.27   | 2.49   | 2.49   | 2.49   | -      | 12.02 (3.46 - 15.30) | 2.974 (0.850 - 4.944)               | 13.06               | 99               |
| 20+20+22+22+25           | 2.30                  | 2.30   | 2.53   | 2.53   | 2.87   | -      | 12.53 (3.49 - 15.50) | 3.054 (0.850 - 4.824)               | 13.41               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+20+22+22+35           | 2.13                  | 2.13   | 2.35   | 2.35   | 3.74   | -      | 12.70 (3.50 - 15.60) | 3.074 (0.850 - 4.834)               | 13.50               | 99               |
| 20+20+22+22+42           | 2.02                  | 2.02   | 2.22   | 2.22   | 4.24   | -      | 12.71 (3.50 - 15.60) | 3.068 (0.850 - 4.778)               | 13.47               | 99               |
| 20+20+22+22+50           | 1.91                  | 1.91   | 2.10   | 2.10   | 4.77   | -      | 12.79 (3.50 - 15.60) | 3.088 (0.850 - 4.778)               | 13.56               | 99               |
| 20+20+22+22+60           | 1.79                  | 1.79   | 1.97   | 1.97   | 5.37   | -      | 12.89 (3.50 - 15.60) | 3.101 (0.850 - 4.761)               | 13.62               | 99               |
| 20+20+22+22+71           | 1.68                  | 1.68   | 1.85   | 1.85   | 5.95   | -      | 13.00 (3.50 - 15.60) | 3.125 (0.850 - 4.765)               | 13.72               | 99               |
| 20+20+22+22+80           | 1.60                  | 1.60   | 1.76   | 1.76   | 6.39   | -      | 13.09 (3.50 - 15.60) | 3.135 (0.850 - 4.755)               | 13.77               | 99               |
| 20+20+22+25+25           | 2.27                  | 2.27   | 2.49   | 2.83   | 2.83   | -      | 12.70 (3.50 - 15.60) | 3.084 (0.850 - 4.904)               | 13.54               | 99               |
| 20+20+22+25+35           | 2.08                  | 2.08   | 2.29   | 2.60   | 3.64   | -      | 12.70 (3.50 - 15.60) | 3.074 (0.850 - 4.814)               | 13.50               | 99               |
| 20+20+22+25+42           | 1.98                  | 1.98   | 2.17   | 2.47   | 4.15   | -      | 12.74 (3.50 - 15.60) | 3.078 (0.850 - 4.778)               | 13.52               | 99               |
| 20+20+22+25+50           | 1.87                  | 1.87   | 2.06   | 2.34   | 4.68   | -      | 12.82 (3.50 - 15.60) | 3.098 (0.850 - 4.778)               | 13.61               | 99               |
| 20+20+22+25+60           | 1.76                  | 1.76   | 1.93   | 2.20   | 5.27   | -      | 12.92 (3.50 - 15.60) | 3.101 (0.850 - 4.761)               | 13.62               | 99               |
| 20+20+22+25+71           | 1.65                  | 1.65   | 1.81   | 2.06   | 5.86   | -      | 13.03 (3.50 - 15.60) | 3.135 (0.850 - 4.765)               | 13.77               | 99               |
| 20+20+22+25+80           | 1.57                  | 1.57   | 1.73   | 1.96   | 6.29   | -      | 13.12 (3.50 - 15.60) | 3.145 (0.850 - 4.755)               | 13.81               | 99               |
| 20+20+22+35+35           | 1.93                  | 1.93   | 2.13   | 3.39   | 3.39   | -      | 12.77 (3.50 - 15.60) | 3.094 (0.850 - 4.784)               | 13.59               | 99               |
| 20+20+22+35+42           | 1.85                  | 1.85   | 2.03   | 3.23   | 3.88   | -      | 12.84 (3.50 - 15.60) | 3.098 (0.850 - 4.778)               | 13.61               | 99               |
| 20+20+22+35+50           | 1.76                  | 1.76   | 1.93   | 3.08   | 4.39   | -      | 12.92 (3.50 - 15.60) | 3.118 (0.850 - 4.778)               | 13.69               | 99               |
| 20+20+22+35+60           | 1.66                  | 1.66   | 1.82   | 2.90   | 4.98   | -      | 13.02 (3.50 - 15.60) | 3.131 (0.850 - 4.761)               | 13.75               | 99               |
| 20+20+22+35+71           | 1.56                  | 1.56   | 1.72   | 2.74   | 5.55   | -      | 13.13 (3.50 - 15.60) | 3.155 (0.850 - 4.765)               | 13.86               | 99               |
| 20+20+22+35+80           | 1.49                  | 1.49   | 1.64   | 2.61   | 5.97   | -      | 13.20 (3.50 - 15.60) | 3.165 (0.850 - 4.755)               | 13.90               | 99               |
| 20+20+22+42+42           | 1.77                  | 1.77   | 1.95   | 3.71   | 3.71   | -      | 12.91 (3.50 - 15.60) | 3.112 (0.850 - 4.772)               | 13.67               | 99               |
| 20+20+22+42+50           | 1.69                  | 1.69   | 1.86   | 3.54   | 4.22   | -      | 12.99 (3.50 - 15.60) | 3.132 (0.850 - 4.772)               | 13.75               | 99               |
| 20+20+22+42+60           | 1.60                  | 1.60   | 1.76   | 3.35   | 4.79   | -      | 13.09 (3.50 - 15.60) | 3.135 (0.850 - 4.755)               | 13.77               | 99               |
| 20+20+22+42+71           | 1.51                  | 1.51   | 1.66   | 3.17   | 5.36   | -      | 13.20 (3.50 - 15.60) | 3.169 (0.850 - 4.759)               | 13.92               | 99               |
| 20+20+22+50+50           | 1.61                  | 1.61   | 1.77   | 4.03   | 4.03   | -      | 13.07 (3.50 - 15.60) | 3.152 (0.850 - 4.772)               | 13.84               | 99               |
| 20+20+22+50+60           | 1.53                  | 1.53   | 1.68   | 3.83   | 4.59   | -      | 13.17 (3.50 - 15.60) | 3.155 (0.850 - 4.755)               | 13.86               | 99               |
| 20+20+25+25+25           | 2.21                  | 2.21   | 2.76   | 2.76   | 2.76   | -      | 12.70 (3.50 - 15.60) | 3.084 (0.850 - 4.874)               | 13.54               | 99               |
| 20+20+25+25+35           | 2.03                  | 2.03   | 2.54   | 2.54   | 3.56   | -      | 12.70 (3.50 - 15.60) | 3.074 (0.850 - 4.784)               | 13.50               | 99               |
| 20+20+25+25+42           | 1.93                  | 1.93   | 2.42   | 2.42   | 4.06   | -      | 12.77 (3.50 - 15.60) | 3.088 (0.850 - 4.778)               | 13.56               | 99               |
| 20+20+25+25+50           | 1.84                  | 1.84   | 2.29   | 2.29   | 4.59   | -      | 12.85 (3.50 - 15.60) | 3.108 (0.850 - 4.778)               | 13.65               | 99               |
| 20+20+25+25+60           | 1.73                  | 1.73   | 2.16   | 2.16   | 5.18   | -      | 12.95 (3.50 - 15.60) | 3.111 (0.850 - 4.761)               | 13.66               | 99               |
| 20+20+25+25+71           | 1.62                  | 1.62   | 2.03   | 2.03   | 5.76   | -      | 13.06 (3.50 - 15.60) | 3.145 (0.850 - 4.765)               | 13.81               | 99               |
| 20+20+25+25+80           | 1.55                  | 1.55   | 1.93   | 1.93   | 6.19   | -      | 13.15 (3.50 - 15.60) | 3.155 (0.850 - 4.755)               | 13.86               | 99               |
| 20+20+25+35+35           | 1.90                  | 1.90   | 2.37   | 3.32   | 3.32   | -      | 12.80 (3.50 - 15.60) | 3.094 (0.850 - 4.784)               | 13.59               | 99               |
| 20+20+25+35+42           | 1.81                  | 1.81   | 2.27   | 3.17   | 3.81   | -      | 12.87 (3.50 - 15.60) | 3.108 (0.850 - 4.778)               | 13.65               | 99               |
| 20+20+25+35+50           | 1.73                  | 1.73   | 2.16   | 3.02   | 4.32   | -      | 12.95 (3.50 - 15.60) | 3.128 (0.850 - 4.778)               | 13.74               | 99               |
| 20+20+25+35+60           | 1.63                  | 1.63   | 2.04   | 2.85   | 4.89   | -      | 13.05 (3.50 - 15.60) | 3.131 (0.850 - 4.761)               | 13.75               | 99               |
| 20+20+25+35+71           | 1.54                  | 1.54   | 1.92   | 2.69   | 5.46   | -      | 13.16 (3.50 - 15.60) | 3.165 (0.850 - 4.765)               | 13.90               | 99               |
| 20+20+25+35+80           | 1.47                  | 1.47   | 1.83   | 2.57   | 5.87   | -      | 13.20 (3.50 - 15.60) | 3.165 (0.850 - 4.755)               | 13.90               | 99               |
| 20+20+25+42+42           | 1.74                  | 1.74   | 2.17   | 3.65   | 3.65   | -      | 12.94 (3.50 - 15.60) | 3.122 (0.850 - 4.772)               | 13.71               | 99               |
| 20+20+25+42+50           | 1.66                  | 1.66   | 2.07   | 3.48   | 4.15   | -      | 13.02 (3.50 - 15.60) | 3.142 (0.850 - 4.772)               | 13.80               | 99               |
| 20+20+25+42+60           | 1.57                  | 1.57   | 1.96   | 3.30   | 4.71   | -      | 13.12 (3.50 - 15.60) | 3.145 (0.850 - 4.755)               | 13.81               | 99               |
| 20+20+25+42+71           | 1.48                  | 1.48   | 1.85   | 3.11   | 5.27   | -      | 13.20 (3.50 - 15.60) | 3.169 (0.850 - 4.759)               | 13.92               | 99               |
| 20+20+25+50+50           | 1.59                  | 1.59   | 1.98   | 3.97   | 3.97   | -      | 13.10 (3.50 - 15.60) | 3.162 (0.850 - 4.772)               | 13.89               | 99               |
| 20+20+25+50+60           | 1.51                  | 1.51   | 1.89   | 3.77   | 4.53   | -      | 13.20 (3.50 - 15.60) | 3.165 (0.850 - 4.755)               | 13.90               | 99               |
| 20+20+35+35+35           | 1.78                  | 1.78   | 3.11   | 3.11   | 3.11   | -      | 12.90 (3.50 - 15.60) | 3.124 (0.850 - 4.784)               | 13.72               | 99               |
| 20+20+35+35+42           | 1.71                  | 1.71   | 2.99   | 2.99   | 3.58   | -      | 12.97 (3.50 - 15.60) | 3.128 (0.850 - 4.778)               | 13.74               | 99               |
| 20+20+35+35+50           | 1.63                  | 1.63   | 2.85   | 2.85   | 4.08   | -      | 13.05 (3.50 - 15.60) | 3.148 (0.850 - 4.778)               | 13.83               | 99               |
| 20+20+35+35+60           | 1.55                  | 1.55   | 2.71   | 2.71   | 4.64   | -      | 13.15 (3.50 - 15.60) | 3.161 (0.850 - 4.761)               | 13.88               | 99               |
| 20+20+35+42+42           | 1.64                  | 1.64   | 2.87   | 3.44   | 3.44   | -      | 13.04 (3.50 - 15.60) | 3.142 (0.850 - 4.772)               | 13.80               | 99               |
| 20+20+35+42+50           | 1.57                  | 1.57   | 2.75   | 3.30   | 3.93   | -      | 13.12 (3.50 - 15.60) | 3.162 (0.850 - 4.772)               | 13.89               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+20+35+42+60           | 1.49                  | 1.49   | 2.61   | 3.13   | 4.47   | -      | 13.20 (3.50 - 15.60) | 3.165 (0.850 - 4.755)               | 13.90               | 99               |
| 20+20+35+50+50           | 1.51                  | 1.51   | 2.64   | 3.77   | 3.77   | -      | 13.20 (3.50 - 15.60) | 3.182 (0.850 - 4.772)               | 13.97               | 99               |
| 20+20+42+42+42           | 1.58                  | 1.58   | 3.32   | 3.32   | 3.32   | -      | 13.11 (3.50 - 15.60) | 3.156 (0.850 - 4.766)               | 13.86               | 99               |
| 20+20+42+42+50           | 1.52                  | 1.52   | 3.18   | 3.18   | 3.79   | -      | 13.19 (3.50 - 15.60) | 3.176 (0.850 - 4.766)               | 13.95               | 99               |
| 20+22+22+22+22           | 2.29                  | 2.52   | 2.52   | 2.52   | 2.52   | -      | 12.36 (3.48 - 15.50) | 3.027 (0.850 - 4.857)               | 13.29               | 99               |
| 20+22+22+22+25           | 2.29                  | 2.52   | 2.52   | 2.52   | 2.86   | -      | 12.70 (3.50 - 15.60) | 3.077 (0.850 - 4.907)               | 13.51               | 99               |
| 20+22+22+22+35           | 2.10                  | 2.31   | 2.31   | 2.31   | 3.67   | -      | 12.70 (3.50 - 15.60) | 3.067 (0.850 - 4.817)               | 13.47               | 99               |
| 20+22+22+22+42           | 1.99                  | 2.19   | 2.19   | 2.19   | 4.18   | -      | 12.73 (3.50 - 15.60) | 3.071 (0.850 - 4.771)               | 13.49               | 99               |
| 20+22+22+22+50           | 1.88                  | 2.07   | 2.07   | 2.07   | 4.71   | -      | 12.81 (3.50 - 15.60) | 3.091 (0.850 - 4.771)               | 13.57               | 99               |
| 20+22+22+22+60           | 1.77                  | 1.95   | 1.95   | 1.95   | 5.31   | -      | 12.91 (3.50 - 15.60) | 3.094 (0.850 - 4.754)               | 13.59               | 99               |
| 20+22+22+22+71           | 1.66                  | 1.82   | 1.82   | 1.82   | 5.89   | -      | 13.02 (3.50 - 15.60) | 3.128 (0.850 - 4.758)               | 13.74               | 99               |
| 20+22+22+22+80           | 1.58                  | 1.74   | 1.74   | 1.74   | 6.32   | -      | 13.11 (3.50 - 15.60) | 3.138 (0.850 - 4.748)               | 13.78               | 99               |
| 20+22+22+25+25           | 2.23                  | 2.45   | 2.45   | 2.79   | 2.79   | -      | 12.70 (3.50 - 15.60) | 3.077 (0.850 - 4.877)               | 13.51               | 99               |
| 20+22+22+25+35           | 2.05                  | 2.25   | 2.25   | 2.56   | 3.58   | -      | 12.70 (3.50 - 15.60) | 3.067 (0.850 - 4.787)               | 13.47               | 99               |
| 20+22+22+25+42           | 1.95                  | 2.14   | 2.14   | 2.44   | 4.09   | -      | 12.76 (3.50 - 15.60) | 3.071 (0.850 - 4.771)               | 13.49               | 99               |
| 20+22+22+25+50           | 1.85                  | 2.03   | 2.03   | 2.31   | 4.62   | -      | 12.84 (3.50 - 15.60) | 3.091 (0.850 - 4.771)               | 13.57               | 99               |
| 20+22+22+25+60           | 1.74                  | 1.91   | 1.91   | 2.17   | 5.21   | -      | 12.94 (3.50 - 15.60) | 3.104 (0.850 - 4.754)               | 13.63               | 99               |
| 20+22+22+25+71           | 1.63                  | 1.79   | 1.79   | 2.04   | 5.79   | -      | 13.05 (3.50 - 15.60) | 3.128 (0.850 - 4.758)               | 13.74               | 99               |
| 20+22+22+25+80           | 1.56                  | 1.71   | 1.71   | 1.94   | 6.22   | -      | 13.14 (3.50 - 15.60) | 3.148 (0.850 - 4.748)               | 13.83               | 99               |
| 20+22+22+35+35           | 1.91                  | 2.10   | 2.10   | 3.34   | 3.34   | -      | 12.79 (3.50 - 15.60) | 3.087 (0.850 - 4.777)               | 13.56               | 99               |
| 20+22+22+35+42           | 1.82                  | 2.01   | 2.01   | 3.19   | 3.83   | -      | 12.86 (3.50 - 15.60) | 3.101 (0.850 - 4.771)               | 13.62               | 99               |
| 20+22+22+35+50           | 1.74                  | 1.91   | 1.91   | 3.04   | 4.34   | -      | 12.94 (3.50 - 15.60) | 3.121 (0.850 - 4.771)               | 13.71               | 99               |
| 20+22+22+35+60           | 1.64                  | 1.80   | 1.80   | 2.87   | 4.92   | -      | 13.04 (3.50 - 15.60) | 3.124 (0.850 - 4.754)               | 13.72               | 99               |
| 20+22+22+35+71           | 1.55                  | 1.70   | 1.70   | 2.71   | 5.49   | -      | 13.15 (3.50 - 15.60) | 3.158 (0.850 - 4.758)               | 13.87               | 99               |
| 20+22+22+35+80           | 1.47                  | 1.62   | 1.62   | 2.58   | 5.90   | -      | 13.20 (3.50 - 15.60) | 3.158 (0.850 - 4.748)               | 13.87               | 99               |
| 20+22+22+42+42           | 1.75                  | 1.92   | 1.92   | 3.67   | 3.67   | -      | 12.93 (3.50 - 15.60) | 3.115 (0.850 - 4.765)               | 13.68               | 99               |
| 20+22+22+42+50           | 1.67                  | 1.83   | 1.83   | 3.50   | 4.17   | -      | 13.01 (3.50 - 15.60) | 3.125 (0.850 - 4.765)               | 13.72               | 99               |
| 20+22+22+42+60           | 1.58                  | 1.74   | 1.74   | 3.32   | 4.74   | -      | 13.11 (3.50 - 15.60) | 3.138 (0.850 - 4.748)               | 13.78               | 99               |
| 20+22+22+42+71           | 1.49                  | 1.64   | 1.64   | 3.13   | 5.29   | -      | 13.20 (3.50 - 15.60) | 3.162 (0.850 - 4.752)               | 13.89               | 99               |
| 20+22+22+50+50           | 1.60                  | 1.76   | 1.76   | 3.99   | 3.99   | -      | 13.09 (3.50 - 15.60) | 3.145 (0.850 - 4.765)               | 13.81               | 99               |
| 20+22+22+50+60           | 1.52                  | 1.67   | 1.67   | 3.79   | 4.55   | -      | 13.19 (3.50 - 15.60) | 3.158 (0.850 - 4.748)               | 13.87               | 99               |
| 20+22+25+25+25           | 2.17                  | 2.39   | 2.71   | 2.71   | 2.71   | -      | 12.70 (3.50 - 15.60) | 3.077 (0.850 - 4.847)               | 13.51               | 99               |
| 20+22+25+25+35           | 2.00                  | 2.20   | 2.50   | 2.50   | 3.51   | -      | 12.72 (3.50 - 15.60) | 3.067 (0.850 - 4.777)               | 13.47               | 99               |
| 20+22+25+25+42           | 1.91                  | 2.10   | 2.39   | 2.39   | 4.01   | -      | 12.79 (3.50 - 15.60) | 3.081 (0.850 - 4.771)               | 13.53               | 99               |
| 20+22+25+25+50           | 1.81                  | 1.99   | 2.27   | 2.27   | 4.53   | -      | 12.87 (3.50 - 15.60) | 3.101 (0.850 - 4.771)               | 13.62               | 99               |
| 20+22+25+25+60           | 1.71                  | 1.88   | 2.13   | 2.13   | 5.12   | -      | 12.97 (3.50 - 15.60) | 3.104 (0.850 - 4.754)               | 13.63               | 99               |
| 20+22+25+25+71           | 1.60                  | 1.77   | 2.01   | 2.01   | 5.70   | -      | 13.08 (3.50 - 15.60) | 3.138 (0.850 - 4.758)               | 13.78               | 99               |
| 20+22+25+25+80           | 1.53                  | 1.68   | 1.91   | 1.91   | 6.13   | -      | 13.17 (3.50 - 15.60) | 3.148 (0.850 - 4.748)               | 13.83               | 99               |
| 20+22+25+35+35           | 1.87                  | 2.06   | 2.34   | 3.28   | 3.28   | -      | 12.82 (3.50 - 15.60) | 3.097 (0.850 - 4.777)               | 13.60               | 99               |
| 20+22+25+35+42           | 1.79                  | 1.97   | 2.24   | 3.13   | 3.76   | -      | 12.89 (3.50 - 15.60) | 3.111 (0.850 - 4.771)               | 13.66               | 99               |
| 20+22+25+35+50           | 1.71                  | 1.88   | 2.13   | 2.99   | 4.27   | -      | 12.97 (3.50 - 15.60) | 3.121 (0.850 - 4.771)               | 13.71               | 99               |
| 20+22+25+35+60           | 1.61                  | 1.77   | 2.02   | 2.82   | 4.84   | -      | 13.07 (3.50 - 15.60) | 3.134 (0.850 - 4.754)               | 13.76               | 99               |
| 20+22+25+35+71           | 1.52                  | 1.68   | 1.90   | 2.67   | 5.41   | -      | 13.18 (3.50 - 15.60) | 3.168 (0.850 - 4.758)               | 13.91               | 99               |
| 20+22+25+42+42           | 1.72                  | 1.89   | 2.15   | 3.60   | 3.60   | -      | 12.96 (3.50 - 15.60) | 3.115 (0.850 - 4.765)               | 13.68               | 99               |
| 20+22+25+42+50           | 1.64                  | 1.80   | 2.05   | 3.44   | 4.10   | -      | 13.04 (3.50 - 15.60) | 3.135 (0.850 - 4.765)               | 13.77               | 99               |
| 20+22+25+42+60           | 1.56                  | 1.71   | 1.94   | 3.27   | 4.67   | -      | 13.14 (3.50 - 15.60) | 3.148 (0.850 - 4.748)               | 13.83               | 99               |
| 20+22+25+42+71           | 1.47                  | 1.61   | 1.83   | 3.08   | 5.21   | -      | 13.20 (3.50 - 15.60) | 3.162 (0.850 - 4.752)               | 13.89               | 99               |
| 20+22+25+50+50           | 1.57                  | 1.73   | 1.96   | 3.93   | 3.93   | -      | 13.12 (3.50 - 15.60) | 3.155 (0.850 - 4.765)               | 13.86               | 99               |
| 20+22+25+50+60           | 1.49                  | 1.64   | 1.86   | 3.73   | 4.47   | -      | 13.20 (3.50 - 15.60) | 3.158 (0.850 - 4.748)               | 13.87               | 99               |
| 20+22+35+35+35           | 1.76                  | 1.93   | 3.08   | 3.08   | 3.08   | -      | 12.92 (3.50 - 15.60) | 3.117 (0.850 - 4.777)               | 13.69               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+22+35+35+42           | 1.69                  | 1.86   | 2.95   | 2.95   | 3.54   | -      | 12.99 (3.50 - 15.60) | 3.131 (0.850 - 4.771)               | 13.75               | 99               |
| 20+22+35+35+50           | 1.61                  | 1.77   | 2.82   | 2.82   | 4.03   | -      | 13.07 (3.50 - 15.60) | 3.151 (0.850 - 4.771)               | 13.84               | 99               |
| 20+22+35+35+60           | 1.53                  | 1.68   | 2.68   | 2.68   | 4.59   | -      | 13.17 (3.50 - 15.60) | 3.154 (0.850 - 4.754)               | 13.85               | 99               |
| 20+22+35+42+42           | 1.62                  | 1.78   | 2.84   | 3.41   | 3.41   | -      | 13.06 (3.50 - 15.60) | 3.145 (0.850 - 4.765)               | 13.81               | 99               |
| 20+22+35+42+50           | 1.56                  | 1.71   | 2.72   | 3.27   | 3.89   | -      | 13.14 (3.50 - 15.60) | 3.165 (0.850 - 4.765)               | 13.90               | 99               |
| 20+22+35+42+60           | 1.47                  | 1.62   | 2.58   | 3.10   | 4.42   | -      | 13.20 (3.50 - 15.60) | 3.158 (0.850 - 4.748)               | 13.87               | 99               |
| 20+22+35+50+50           | 1.49                  | 1.64   | 2.61   | 3.73   | 3.73   | -      | 13.20 (3.50 - 15.60) | 3.175 (0.850 - 4.765)               | 13.94               | 99               |
| 20+22+42+42+42           | 1.56                  | 1.72   | 3.28   | 3.28   | 3.28   | -      | 13.13 (3.50 - 15.60) | 3.149 (0.850 - 4.759)               | 13.83               | 99               |
| 20+22+42+42+50           | 1.50                  | 1.65   | 3.15   | 3.15   | 3.75   | -      | 13.20 (3.50 - 15.60) | 3.169 (0.850 - 4.759)               | 13.92               | 99               |
| 20+25+25+25+25           | 2.12                  | 2.65   | 2.65   | 2.65   | 2.65   | -      | 12.70 (3.50 - 15.60) | 3.067 (0.850 - 4.827)               | 13.47               | 99               |
| 20+25+25+25+35           | 1.96                  | 2.45   | 2.45   | 2.45   | 3.43   | -      | 12.75 (3.50 - 15.60) | 3.077 (0.850 - 4.777)               | 13.51               | 99               |
| 20+25+25+25+42           | 1.87                  | 2.34   | 2.34   | 2.34   | 3.93   | -      | 12.82 (3.50 - 15.60) | 3.091 (0.850 - 4.771)               | 13.57               | 99               |
| 20+25+25+25+50           | 1.78                  | 2.22   | 2.22   | 2.22   | 4.45   | -      | 12.90 (3.50 - 15.60) | 3.111 (0.850 - 4.771)               | 13.66               | 99               |
| 20+25+25+25+60           | 1.68                  | 2.10   | 2.10   | 2.10   | 5.03   | -      | 13.00 (3.50 - 15.60) | 3.114 (0.850 - 4.754)               | 13.68               | 99               |
| 20+25+25+25+71           | 1.58                  | 1.97   | 1.97   | 1.97   | 5.61   | -      | 13.11 (3.50 - 15.60) | 3.148 (0.850 - 4.758)               | 13.83               | 99               |
| 20+25+25+25+80           | 1.51                  | 1.89   | 1.89   | 1.89   | 6.03   | -      | 13.20 (3.50 - 15.60) | 3.158 (0.850 - 4.748)               | 13.87               | 99               |
| 20+25+25+35+35           | 1.84                  | 2.29   | 2.29   | 3.21   | 3.21   | -      | 12.85 (3.50 - 15.60) | 3.107 (0.850 - 4.777)               | 13.65               | 99               |
| 20+25+25+35+42           | 1.76                  | 2.20   | 2.20   | 3.08   | 3.69   | -      | 12.92 (3.50 - 15.60) | 3.111 (0.850 - 4.771)               | 13.66               | 99               |
| 20+25+25+35+50           | 1.68                  | 2.10   | 2.10   | 2.94   | 4.19   | -      | 13.00 (3.50 - 15.60) | 3.131 (0.850 - 4.771)               | 13.75               | 99               |
| 20+25+25+35+60           | 1.59                  | 1.98   | 1.98   | 2.78   | 4.76   | -      | 13.10 (3.50 - 15.60) | 3.144 (0.850 - 4.754)               | 13.81               | 99               |
| 20+25+25+35+71           | 1.50                  | 1.88   | 1.88   | 2.63   | 5.33   | -      | 13.20 (3.50 - 15.60) | 3.168 (0.850 - 4.758)               | 13.91               | 99               |
| 20+25+25+42+42           | 1.69                  | 2.11   | 2.11   | 3.54   | 3.54   | -      | 12.99 (3.50 - 15.60) | 3.125 (0.850 - 4.765)               | 13.72               | 99               |
| 20+25+25+42+50           | 1.61                  | 2.02   | 2.02   | 3.39   | 4.03   | -      | 13.07 (3.50 - 15.60) | 3.145 (0.850 - 4.765)               | 13.81               | 99               |
| 20+25+25+42+60           | 1.53                  | 1.91   | 1.91   | 3.22   | 4.59   | -      | 13.17 (3.50 - 15.60) | 3.148 (0.850 - 4.748)               | 13.83               | 99               |
| 20+25+25+50+50           | 1.55                  | 1.93   | 1.93   | 3.87   | 3.87   | -      | 13.15 (3.50 - 15.60) | 3.165 (0.850 - 4.765)               | 13.90               | 99               |
| 20+25+25+50+60           | 1.47                  | 1.83   | 1.83   | 3.67   | 4.40   | -      | 13.20 (3.50 - 15.60) | 3.158 (0.850 - 4.748)               | 13.87               | 99               |
| 20+25+35+35+35           | 1.73                  | 2.16   | 3.02   | 3.02   | 3.02   | -      | 12.95 (3.50 - 15.60) | 3.127 (0.850 - 4.777)               | 13.73               | 99               |
| 20+25+35+35+42           | 1.66                  | 2.07   | 2.90   | 2.90   | 3.48   | -      | 13.02 (3.50 - 15.60) | 3.141 (0.850 - 4.771)               | 13.79               | 99               |
| 20+25+35+35+50           | 1.59                  | 1.98   | 2.78   | 2.78   | 3.97   | -      | 13.10 (3.50 - 15.60) | 3.161 (0.850 - 4.771)               | 13.88               | 99               |
| 20+25+35+35+60           | 1.51                  | 1.89   | 2.64   | 2.64   | 4.53   | -      | 13.20 (3.50 - 15.60) | 3.164 (0.850 - 4.754)               | 13.90               | 99               |
| 20+25+35+42+42           | 1.60                  | 2.00   | 2.79   | 3.35   | 3.35   | -      | 13.09 (3.50 - 15.60) | 3.145 (0.850 - 4.765)               | 13.81               | 99               |
| 20+25+35+42+50           | 1.53                  | 1.91   | 2.68   | 3.22   | 3.83   | -      | 13.17 (3.50 - 15.60) | 3.165 (0.850 - 4.765)               | 13.90               | 99               |
| 20+25+35+50+50           | 1.47                  | 1.83   | 2.57   | 3.67   | 3.67   | -      | 13.20 (3.50 - 15.60) | 3.175 (0.850 - 4.765)               | 13.94               | 99               |
| 20+25+42+42+42           | 1.54                  | 1.92   | 3.23   | 3.23   | 3.23   | -      | 13.16 (3.50 - 15.60) | 3.159 (0.850 - 4.759)               | 13.87               | 99               |
| 20+25+42+42+50           | 1.47                  | 1.84   | 3.10   | 3.10   | 3.69   | -      | 13.20 (3.50 - 15.60) | 3.169 (0.850 - 4.759)               | 13.92               | 99               |
| 20+35+35+35+35           | 1.63                  | 2.85   | 2.85   | 2.85   | 2.85   | -      | 13.05 (3.50 - 15.60) | 3.147 (0.850 - 4.777)               | 13.82               | 99               |
| 20+35+35+35+42           | 1.57                  | 2.75   | 2.75   | 2.75   | 3.30   | -      | 13.12 (3.50 - 15.60) | 3.161 (0.850 - 4.771)               | 13.88               | 99               |
| 20+35+35+35+50           | 1.51                  | 2.64   | 2.64   | 2.64   | 3.77   | -      | 13.20 (3.50 - 15.60) | 3.181 (0.850 - 4.771)               | 13.97               | 99               |
| 20+35+35+42+42           | 1.52                  | 2.65   | 2.65   | 3.18   | 3.18   | -      | 13.19 (3.50 - 15.60) | 3.175 (0.850 - 4.765)               | 13.94               | 99               |
| 22+22+22+22+22           | 2.54                  | 2.54   | 2.54   | 2.54   | 2.54   | -      | 12.70 (3.50 - 15.60) | 3.070 (0.850 - 4.770)               | 13.48               | 99               |
| 22+22+22+22+25           | 2.47                  | 2.47   | 2.47   | 2.47   | 2.81   | -      | 12.70 (3.50 - 15.60) | 3.070 (0.850 - 4.880)               | 13.48               | 99               |
| 22+22+22+22+35           | 2.27                  | 2.27   | 2.27   | 2.27   | 3.61   | -      | 12.70 (3.50 - 15.60) | 3.060 (0.850 - 4.790)               | 13.44               | 99               |
| 22+22+22+22+42           | 2.16                  | 2.16   | 2.16   | 2.16   | 4.12   | -      | 12.75 (3.50 - 15.60) | 3.064 (0.850 - 4.764)               | 13.46               | 99               |
| 22+22+22+22+50           | 2.05                  | 2.05   | 2.05   | 2.05   | 4.65   | -      | 12.83 (3.50 - 15.60) | 3.084 (0.850 - 4.764)               | 13.54               | 99               |
| 22+22+22+22+60           | 1.92                  | 1.92   | 1.92   | 1.92   | 5.24   | -      | 12.93 (3.50 - 15.60) | 3.097 (0.850 - 4.747)               | 13.60               | 99               |
| 22+22+22+22+71           | 1.80                  | 1.80   | 1.80   | 1.80   | 5.82   | -      | 13.04 (3.50 - 15.60) | 3.121 (0.850 - 4.751)               | 13.71               | 99               |
| 22+22+22+22+80           | 1.72                  | 1.72   | 1.72   | 1.72   | 6.25   | -      | 13.13 (3.50 - 15.60) | 3.131 (0.850 - 4.741)               | 13.75               | 99               |
| 22+22+22+25+25           | 2.41                  | 2.41   | 2.41   | 2.74   | 2.74   | -      | 12.70 (3.50 - 15.60) | 3.070 (0.850 - 4.850)               | 13.48               | 99               |
| 22+22+22+25+35           | 2.22                  | 2.22   | 2.22   | 2.52   | 3.53   | -      | 12.71 (3.50 - 15.60) | 3.060 (0.850 - 4.770)               | 13.44               | 99               |
| 22+22+22+25+42           | 2.11                  | 2.11   | 2.11   | 2.40   | 4.04   | -      | 12.78 (3.50 - 15.60) | 3.074 (0.850 - 4.764)               | 13.50               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 22+22+22+25+50           | 2.01                  | 2.01   | 2.01   | 2.28   | 4.56   | -      | 12.86 (3.50 - 15.60) | 3.094 (0.850 - 4.764)               | 13.59               | 99               |
| 22+22+22+25+60           | 1.89                  | 1.89   | 1.89   | 2.15   | 5.15   | -      | 12.96 (3.50 - 15.60) | 3.097 (0.850 - 4.747)               | 13.60               | 99               |
| 22+22+22+25+71           | 1.77                  | 1.77   | 1.77   | 2.02   | 5.73   | -      | 13.07 (3.50 - 15.60) | 3.131 (0.850 - 4.751)               | 13.75               | 99               |
| 22+22+22+25+80           | 1.69                  | 1.69   | 1.69   | 1.92   | 6.16   | -      | 13.16 (3.50 - 15.60) | 3.141 (0.850 - 4.741)               | 13.79               | 99               |
| 22+22+22+35+35           | 2.07                  | 2.07   | 2.07   | 3.30   | 3.30   | -      | 12.81 (3.50 - 15.60) | 3.090 (0.850 - 4.770)               | 13.57               | 99               |
| 22+22+22+35+42           | 1.98                  | 1.98   | 1.98   | 3.15   | 3.78   | -      | 12.88 (3.50 - 15.60) | 3.094 (0.850 - 4.764)               | 13.59               | 99               |
| 22+22+22+35+50           | 1.89                  | 1.89   | 1.89   | 3.00   | 4.29   | -      | 12.96 (3.50 - 15.60) | 3.114 (0.850 - 4.764)               | 13.68               | 99               |
| 22+22+22+35+60           | 1.78                  | 1.78   | 1.78   | 2.84   | 4.87   | -      | 13.06 (3.50 - 15.60) | 3.127 (0.850 - 4.747)               | 13.73               | 99               |
| 22+22+22+35+71           | 1.68                  | 1.68   | 1.68   | 2.68   | 5.44   | -      | 13.17 (3.50 - 15.60) | 3.151 (0.850 - 4.751)               | 13.84               | 99               |
| 22+22+22+42+42           | 1.90                  | 1.90   | 1.90   | 3.63   | 3.63   | -      | 12.95 (3.50 - 15.60) | 3.108 (0.850 - 4.758)               | 13.65               | 99               |
| 22+22+22+42+50           | 1.81                  | 1.81   | 1.81   | 3.46   | 4.12   | -      | 13.03 (3.50 - 15.60) | 3.128 (0.850 - 4.758)               | 13.74               | 99               |
| 22+22+22+42+60           | 1.72                  | 1.72   | 1.72   | 3.28   | 4.69   | -      | 13.13 (3.50 - 15.60) | 3.131 (0.850 - 4.741)               | 13.75               | 99               |
| 22+22+22+42+71           | 1.62                  | 1.62   | 1.62   | 3.10   | 5.24   | -      | 13.20 (3.50 - 15.60) | 3.155 (0.850 - 4.745)               | 13.86               | 99               |
| 22+22+22+50+50           | 1.74                  | 1.74   | 1.74   | 3.95   | 3.95   | -      | 13.11 (3.50 - 15.60) | 3.148 (0.850 - 4.758)               | 13.83               | 99               |
| 22+22+22+50+60           | 1.65                  | 1.65   | 1.65   | 3.75   | 4.50   | -      | 13.20 (3.50 - 15.60) | 3.151 (0.850 - 4.741)               | 13.84               | 99               |
| 22+22+25+25+25           | 2.35                  | 2.35   | 2.67   | 2.67   | 2.67   | -      | 12.70 (3.50 - 15.60) | 3.060 (0.850 - 4.820)               | 13.44               | 99               |
| 22+22+25+25+35           | 2.17                  | 2.17   | 2.47   | 2.47   | 3.46   | -      | 12.74 (3.50 - 15.60) | 3.070 (0.850 - 4.770)               | 13.48               | 99               |
| 22+22+25+25+42           | 2.07                  | 2.07   | 2.35   | 2.35   | 3.96   | -      | 12.81 (3.50 - 15.60) | 3.084 (0.850 - 4.764)               | 13.54               | 99               |
| 22+22+25+25+50           | 1.97                  | 1.97   | 2.24   | 2.24   | 4.48   | -      | 12.89 (3.50 - 15.60) | 3.104 (0.850 - 4.764)               | 13.63               | 99               |
| 22+22+25+25+60           | 1.86                  | 1.86   | 2.11   | 2.11   | 5.06   | -      | 12.99 (3.50 - 15.60) | 3.107 (0.850 - 4.747)               | 13.65               | 99               |
| 22+22+25+25+71           | 1.75                  | 1.75   | 1.98   | 1.98   | 5.64   | -      | 13.10 (3.50 - 15.60) | 3.141 (0.850 - 4.751)               | 13.79               | 99               |
| 22+22+25+25+80           | 1.67                  | 1.67   | 1.90   | 1.90   | 6.06   | -      | 13.19 (3.50 - 15.60) | 3.151 (0.850 - 4.741)               | 13.84               | 99               |
| 22+22+25+35+35           | 2.03                  | 2.03   | 2.31   | 3.23   | 3.23   | -      | 12.84 (3.50 - 15.60) | 3.090 (0.850 - 4.770)               | 13.57               | 99               |
| 22+22+25+35+42           | 1.95                  | 1.95   | 2.21   | 3.09   | 3.71   | -      | 12.91 (3.50 - 15.60) | 3.104 (0.850 - 4.764)               | 13.63               | 99               |
| 22+22+25+35+50           | 1.86                  | 1.86   | 2.11   | 2.95   | 4.22   | -      | 12.99 (3.50 - 15.60) | 3.124 (0.850 - 4.764)               | 13.72               | 99               |
| 22+22+25+35+60           | 1.76                  | 1.76   | 2.00   | 2.79   | 4.79   | -      | 13.09 (3.50 - 15.60) | 3.127 (0.850 - 4.747)               | 13.73               | 99               |
| 22+22+25+35+71           | 1.66                  | 1.66   | 1.89   | 2.64   | 5.36   | -      | 13.20 (3.50 - 15.60) | 3.161 (0.850 - 4.751)               | 13.88               | 99               |
| 22+22+25+42+42           | 1.87                  | 1.87   | 2.12   | 3.56   | 3.56   | -      | 12.98 (3.50 - 15.60) | 3.118 (0.850 - 4.758)               | 13.69               | 99               |
| 22+22+25+42+50           | 1.78                  | 1.78   | 2.03   | 3.41   | 4.06   | -      | 13.06 (3.50 - 15.60) | 3.138 (0.850 - 4.758)               | 13.78               | 99               |
| 22+22+25+42+60           | 1.69                  | 1.69   | 1.92   | 3.23   | 4.62   | -      | 13.16 (3.50 - 15.60) | 3.141 (0.850 - 4.741)               | 13.79               | 99               |
| 22+22+25+50+50           | 1.71                  | 1.71   | 1.94   | 3.89   | 3.89   | -      | 13.14 (3.50 - 15.60) | 3.158 (0.850 - 4.758)               | 13.87               | 99               |
| 22+22+25+50+60           | 1.62                  | 1.62   | 1.84   | 3.69   | 4.42   | -      | 13.20 (3.50 - 15.60) | 3.151 (0.850 - 4.741)               | 13.84               | 99               |
| 22+22+35+35+35           | 1.91                  | 1.91   | 3.04   | 3.04   | 3.04   | -      | 12.94 (3.50 - 15.60) | 3.120 (0.850 - 4.770)               | 13.70               | 99               |
| 22+22+35+35+42           | 1.83                  | 1.83   | 2.92   | 2.92   | 3.50   | -      | 13.01 (3.50 - 15.60) | 3.124 (0.850 - 4.764)               | 13.72               | 99               |
| 22+22+35+35+50           | 1.76                  | 1.76   | 2.79   | 2.79   | 3.99   | -      | 13.09 (3.50 - 15.60) | 3.144 (0.850 - 4.764)               | 13.81               | 99               |
| 22+22+35+35+60           | 1.67                  | 1.67   | 2.65   | 2.65   | 4.55   | -      | 13.19 (3.50 - 15.60) | 3.157 (0.850 - 4.747)               | 13.86               | 99               |
| 22+22+35+42+42           | 1.77                  | 1.77   | 2.81   | 3.37   | 3.37   | -      | 13.08 (3.50 - 15.60) | 3.138 (0.850 - 4.758)               | 13.78               | 99               |
| 22+22+35+42+50           | 1.69                  | 1.69   | 2.69   | 3.23   | 3.85   | -      | 13.16 (3.50 - 15.60) | 3.158 (0.850 - 4.758)               | 13.87               | 99               |
| 22+22+35+50+50           | 1.62                  | 1.62   | 2.58   | 3.69   | 3.69   | -      | 13.20 (3.50 - 15.60) | 3.168 (0.850 - 4.758)               | 13.91               | 99               |
| 22+22+42+42+42           | 1.70                  | 1.70   | 3.25   | 3.25   | 3.25   | -      | 13.15 (3.50 - 15.60) | 3.152 (0.850 - 4.752)               | 13.84               | 99               |
| 22+22+42+42+50           | 1.63                  | 1.63   | 3.11   | 3.11   | 3.71   | -      | 13.20 (3.50 - 15.60) | 3.162 (0.850 - 4.752)               | 13.89               | 99               |
| 22+25+25+25+25           | 2.29                  | 2.60   | 2.60   | 2.60   | 2.60   | -      | 12.70 (3.50 - 15.60) | 3.060 (0.850 - 4.800)               | 13.44               | 99               |
| 22+25+25+25+35           | 2.13                  | 2.42   | 2.42   | 2.42   | 3.39   | -      | 12.77 (3.50 - 15.60) | 3.080 (0.850 - 4.770)               | 13.53               | 99               |
| 22+25+25+25+42           | 2.03                  | 2.31   | 2.31   | 2.31   | 3.88   | -      | 12.84 (3.50 - 15.60) | 3.084 (0.850 - 4.764)               | 13.54               | 99               |
| 22+25+25+25+50           | 1.93                  | 2.20   | 2.20   | 2.20   | 4.39   | -      | 12.92 (3.50 - 15.60) | 3.104 (0.850 - 4.764)               | 13.63               | 99               |
| 22+25+25+25+60           | 1.82                  | 2.07   | 2.07   | 2.07   | 4.98   | -      | 13.02 (3.50 - 15.60) | 3.117 (0.850 - 4.747)               | 13.69               | 99               |
| 22+25+25+25+71           | 1.72                  | 1.95   | 1.95   | 1.95   | 5.55   | -      | 13.13 (3.50 - 15.60) | 3.141 (0.850 - 4.751)               | 13.79               | 99               |
| 22+25+25+25+80           | 1.64                  | 1.86   | 1.86   | 1.86   | 5.97   | -      | 13.20 (3.50 - 15.60) | 3.151 (0.850 - 4.741)               | 13.84               | 99               |
| 22+25+25+35+35           | 1.99                  | 2.27   | 2.27   | 3.17   | 3.17   | -      | 12.87 (3.50 - 15.60) | 3.100 (0.850 - 4.770)               | 13.61               | 99               |
| 22+25+25+35+42           | 1.91                  | 2.17   | 2.17   | 3.04   | 3.65   | -      | 12.94 (3.50 - 15.60) | 3.114 (0.850 - 4.764)               | 13.68               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 22+25+25+35+50           | 1.82                  | 2.07   | 2.07   | 2.90   | 4.15   | -      | 13.02 (3.50 - 15.60) | 3.134 (0.850 - 4.764)               | 13.76               | 99               |
| 22+25+25+35+60           | 1.73                  | 1.96   | 1.96   | 2.75   | 4.71   | -      | 13.12 (3.50 - 15.60) | 3.137 (0.850 - 4.747)               | 13.78               | 99               |
| 22+25+25+35+71           | 1.63                  | 1.85   | 1.85   | 2.60   | 5.27   | -      | 13.20 (3.50 - 15.60) | 3.161 (0.850 - 4.751)               | 13.88               | 99               |
| 22+25+25+42+42           | 1.83                  | 2.08   | 2.08   | 3.50   | 3.50   | -      | 13.01 (3.50 - 15.60) | 3.118 (0.850 - 4.758)               | 13.69               | 99               |
| 22+25+25+42+50           | 1.76                  | 2.00   | 2.00   | 3.35   | 3.99   | -      | 13.09 (3.50 - 15.60) | 3.138 (0.850 - 4.758)               | 13.78               | 99               |
| 22+25+25+42+60           | 1.67                  | 1.90   | 1.90   | 3.18   | 4.55   | -      | 13.19 (3.50 - 15.60) | 3.151 (0.850 - 4.741)               | 13.84               | 99               |
| 22+25+25+50+50           | 1.68                  | 1.91   | 1.91   | 3.83   | 3.83   | -      | 13.17 (3.50 - 15.60) | 3.158 (0.850 - 4.758)               | 13.87               | 99               |
| 22+25+35+35+35           | 1.88                  | 2.13   | 2.99   | 2.99   | 2.99   | -      | 12.97 (3.50 - 15.60) | 3.120 (0.850 - 4.770)               | 13.70               | 99               |
| 22+25+35+35+42           | 1.80                  | 2.05   | 2.87   | 2.87   | 3.44   | -      | 13.04 (3.50 - 15.60) | 3.134 (0.850 - 4.764)               | 13.76               | 99               |
| 22+25+35+35+50           | 1.73                  | 1.96   | 2.75   | 2.75   | 3.93   | -      | 13.12 (3.50 - 15.60) | 3.154 (0.850 - 4.764)               | 13.85               | 99               |
| 22+25+35+35+60           | 1.64                  | 1.86   | 2.61   | 2.61   | 4.47   | -      | 13.20 (3.50 - 15.60) | 3.157 (0.850 - 4.747)               | 13.86               | 99               |
| 22+25+35+42+42           | 1.74                  | 1.97   | 2.76   | 3.32   | 3.32   | -      | 13.11 (3.50 - 15.60) | 3.148 (0.850 - 4.758)               | 13.83               | 99               |
| 22+25+35+42+50           | 1.67                  | 1.90   | 2.65   | 3.18   | 3.79   | -      | 13.19 (3.50 - 15.60) | 3.168 (0.850 - 4.758)               | 13.91               | 99               |
| 22+25+42+42+42           | 1.68                  | 1.90   | 3.20   | 3.20   | 3.20   | -      | 13.18 (3.50 - 15.60) | 3.162 (0.850 - 4.752)               | 13.89               | 99               |
| 22+35+35+35+35           | 1.77                  | 2.82   | 2.82   | 2.82   | 2.82   | -      | 13.07 (3.50 - 15.60) | 3.150 (0.850 - 4.770)               | 13.83               | 99               |
| 22+35+35+35+42           | 1.71                  | 2.72   | 2.72   | 2.72   | 3.27   | -      | 13.14 (3.50 - 15.60) | 3.164 (0.850 - 4.764)               | 13.90               | 99               |
| 22+35+35+35+50           | 1.64                  | 2.61   | 2.61   | 2.61   | 3.73   | -      | 13.20 (3.50 - 15.60) | 3.174 (0.850 - 4.764)               | 13.94               | 99               |
| 22+35+35+42+42           | 1.65                  | 2.63   | 2.63   | 3.15   | 3.15   | -      | 13.20 (3.50 - 15.60) | 3.168 (0.850 - 4.758)               | 13.91               | 99               |
| 25+25+25+25+25           | 2.54                  | 2.54   | 2.54   | 2.54   | 2.54   | -      | 12.70 (3.50 - 15.60) | 3.060 (0.850 - 4.770)               | 13.44               | 99               |
| 25+25+25+25+35           | 2.37                  | 2.37   | 2.37   | 2.37   | 3.32   | -      | 12.80 (3.50 - 15.60) | 3.080 (0.850 - 4.770)               | 13.53               | 99               |
| 25+25+25+25+42           | 2.27                  | 2.27   | 2.27   | 2.27   | 3.81   | -      | 12.87 (3.50 - 15.60) | 3.094 (0.850 - 4.764)               | 13.59               | 99               |
| 25+25+25+25+50           | 2.16                  | 2.16   | 2.16   | 2.16   | 4.32   | -      | 12.95 (3.50 - 15.60) | 3.114 (0.850 - 4.764)               | 13.68               | 99               |
| 25+25+25+25+60           | 2.04                  | 2.04   | 2.04   | 2.04   | 4.89   | -      | 13.05 (3.50 - 15.60) | 3.117 (0.850 - 4.747)               | 13.69               | 99               |
| 25+25+25+25+71           | 1.92                  | 1.92   | 1.92   | 1.92   | 5.46   | -      | 13.16 (3.50 - 15.60) | 3.151 (0.850 - 4.751)               | 13.84               | 99               |
| 25+25+25+25+80           | 1.83                  | 1.83   | 1.83   | 1.83   | 5.87   | -      | 13.20 (3.50 - 15.60) | 3.151 (0.850 - 4.741)               | 13.84               | 99               |
| 25+25+25+35+35           | 2.22                  | 2.22   | 2.22   | 3.11   | 3.11   | -      | 12.90 (3.50 - 15.60) | 3.110 (0.850 - 4.770)               | 13.66               | 99               |
| 25+25+25+35+42           | 2.13                  | 2.13   | 2.13   | 2.99   | 3.58   | -      | 12.97 (3.50 - 15.60) | 3.114 (0.850 - 4.764)               | 13.68               | 99               |
| 25+25+25+35+50           | 2.04                  | 2.04   | 2.04   | 2.85   | 4.08   | -      | 13.05 (3.50 - 15.60) | 3.134 (0.850 - 4.764)               | 13.76               | 99               |
| 25+25+25+35+60           | 1.93                  | 1.93   | 1.93   | 2.71   | 4.64   | -      | 13.15 (3.50 - 15.60) | 3.147 (0.850 - 4.747)               | 13.82               | 99               |
| 25+25+25+42+42           | 2.05                  | 2.05   | 2.05   | 3.44   | 3.44   | -      | 13.04 (3.50 - 15.60) | 3.128 (0.850 - 4.758)               | 13.74               | 99               |
| 25+25+25+42+50           | 1.96                  | 1.96   | 1.96   | 3.30   | 3.93   | -      | 13.12 (3.50 - 15.60) | 3.148 (0.850 - 4.758)               | 13.83               | 99               |
| 25+25+25+42+60           | 1.86                  | 1.86   | 1.86   | 3.13   | 4.47   | -      | 13.20 (3.50 - 15.60) | 3.151 (0.850 - 4.741)               | 13.84               | 99               |
| 25+25+25+50+50           | 1.89                  | 1.89   | 1.89   | 3.77   | 3.77   | -      | 13.20 (3.50 - 15.60) | 3.168 (0.850 - 4.758)               | 13.91               | 99               |
| 25+25+35+35+35           | 2.10                  | 2.10   | 2.94   | 2.94   | 2.94   | -      | 13.00 (3.50 - 15.60) | 3.130 (0.850 - 4.770)               | 13.75               | 99               |
| 25+25+35+35+42           | 2.02                  | 2.02   | 2.82   | 2.82   | 3.39   | -      | 13.07 (3.50 - 15.60) | 3.144 (0.850 - 4.764)               | 13.81               | 99               |
| 25+25+35+35+50           | 1.93                  | 1.93   | 2.71   | 2.71   | 3.87   | -      | 13.15 (3.50 - 15.60) | 3.164 (0.850 - 4.764)               | 13.90               | 99               |
| 25+25+35+35+60           | 1.83                  | 1.83   | 2.57   | 2.57   | 4.40   | -      | 13.20 (3.50 - 15.60) | 3.157 (0.850 - 4.747)               | 13.86               | 99               |
| 25+25+35+42+42           | 1.94                  | 1.94   | 2.72   | 3.27   | 3.27   | -      | 13.14 (3.50 - 15.60) | 3.158 (0.850 - 4.758)               | 13.87               | 99               |
| 25+25+35+42+50           | 1.86                  | 1.86   | 2.61   | 3.13   | 3.73   | -      | 13.20 (3.50 - 15.60) | 3.168 (0.850 - 4.758)               | 13.91               | 99               |
| 25+25+42+42+42           | 1.88                  | 1.88   | 3.15   | 3.15   | 3.15   | -      | 13.20 (3.50 - 15.60) | 3.162 (0.850 - 4.752)               | 13.89               | 99               |
| 25+35+35+35+35           | 1.98                  | 2.78   | 2.78   | 2.78   | 2.78   | -      | 13.10 (3.50 - 15.60) | 3.160 (0.850 - 4.770)               | 13.88               | 99               |
| 25+35+35+35+42           | 1.91                  | 2.68   | 2.68   | 2.68   | 3.22   | -      | 13.17 (3.50 - 15.60) | 3.164 (0.850 - 4.764)               | 13.90               | 99               |
| 25+35+35+35+50           | 1.83                  | 2.57   | 2.57   | 2.57   | 3.67   | -      | 13.20 (3.50 - 15.60) | 3.174 (0.850 - 4.764)               | 13.94               | 99               |
| 25+35+35+42+42           | 1.84                  | 2.58   | 2.58   | 3.10   | 3.10   | -      | 13.20 (3.50 - 15.60) | 3.168 (0.850 - 4.758)               | 13.91               | 99               |
| 35+35+35+35+35           | 2.64                  | 2.64   | 2.64   | 2.64   | 2.64   | -      | 13.20 (3.50 - 15.60) | 3.180 (0.850 - 4.770)               | 13.97               | 99               |
| 15+15+15+15+15+15        | 1.73                  | 1.73   | 1.73   | 1.73   | 1.73   | 1.73   | 10.40 (3.50 - 15.90) | 2.298 (0.850 - 5.198)               | 10.09               | 99               |
| 15+15+15+15+15+20        | 1.71                  | 1.71   | 1.71   | 1.71   | 1.71   | 2.27   | 10.80 (3.50 - 15.90) | 2.396 (0.850 - 5.196)               | 10.52               | 99               |
| 15+15+15+15+15+22        | 1.69                  | 1.69   | 1.69   | 1.69   | 1.69   | 2.48   | 10.95 (3.50 - 15.90) | 2.429 (0.850 - 5.189)               | 10.67               | 99               |
| 15+15+15+15+15+25        | 1.68                  | 1.68   | 1.68   | 1.68   | 1.68   | 2.80   | 11.20 (3.50 - 15.90) | 2.479 (0.850 - 5.189)               | 10.89               | 99               |
| 15+15+15+15+15+35        | 1.64                  | 1.64   | 1.64   | 1.64   | 1.64   | 3.82   | 12.00 (3.50 - 15.90) | 2.679 (0.850 - 5.189)               | 11.77               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+15+15+15+42        | 1.60                  | 1.60   | 1.60   | 1.60   | 1.60   | 4.49   | 12.50 (3.50 - 15.90) | 2.803 (0.850 - 5.183)               | 12.31               | 99               |
| 15+15+15+15+15+50        | 1.52                  | 1.52   | 1.52   | 1.52   | 1.52   | 5.08   | 12.70 (3.50 - 16.00) | 2.863 (0.850 - 5.183)               | 12.57               | 99               |
| 15+15+15+15+15+60        | 1.41                  | 1.41   | 1.41   | 1.41   | 1.41   | 5.64   | 12.70 (3.50 - 16.20) | 2.856 (0.850 - 5.166)               | 12.54               | 99               |
| 15+15+15+15+15+71        | 1.30                  | 1.30   | 1.30   | 1.30   | 1.30   | 6.18   | 12.70 (3.50 - 16.42) | 2.870 (0.850 - 5.170)               | 12.60               | 99               |
| 15+15+15+15+15+80        | 1.23                  | 1.23   | 1.23   | 1.23   | 1.23   | 6.55   | 12.70 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 15+15+15+15+20+20        | 1.67                  | 1.67   | 1.67   | 1.67   | 2.22   | 2.22   | 11.10 (3.50 - 15.90) | 2.484 (0.850 - 5.194)               | 10.91               | 99               |
| 15+15+15+15+20+22        | 1.67                  | 1.67   | 1.67   | 1.67   | 2.23   | 2.45   | 11.35 (3.50 - 15.90) | 2.517 (0.850 - 5.187)               | 11.05               | 99               |
| 15+15+15+15+20+25        | 1.66                  | 1.66   | 1.66   | 1.66   | 2.21   | 2.76   | 11.60 (3.50 - 15.90) | 2.577 (0.850 - 5.187)               | 11.32               | 99               |
| 15+15+15+15+20+35        | 1.60                  | 1.60   | 1.60   | 1.60   | 2.14   | 3.74   | 12.30 (3.50 - 15.90) | 2.767 (0.850 - 5.187)               | 12.15               | 99               |
| 15+15+15+15+20+42        | 1.56                  | 1.56   | 1.56   | 1.56   | 2.08   | 4.37   | 12.70 (3.50 - 15.94) | 2.861 (0.850 - 5.181)               | 12.56               | 99               |
| 15+15+15+15+20+50        | 1.47                  | 1.47   | 1.47   | 1.47   | 1.95   | 4.88   | 12.70 (3.50 - 16.10) | 2.871 (0.850 - 5.181)               | 12.61               | 99               |
| 15+15+15+15+20+60        | 1.36                  | 1.36   | 1.36   | 1.36   | 1.81   | 5.44   | 12.70 (3.50 - 16.30) | 2.854 (0.850 - 5.164)               | 12.53               | 99               |
| 15+15+15+15+20+71        | 1.26                  | 1.26   | 1.26   | 1.26   | 1.68   | 5.97   | 12.70 (3.50 - 16.50) | 2.868 (0.850 - 5.168)               | 12.60               | 99               |
| 15+15+15+15+20+80        | 1.19                  | 1.19   | 1.19   | 1.19   | 1.59   | 6.35   | 12.70 (3.50 - 16.50) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 15+15+15+15+22+22        | 1.66                  | 1.66   | 1.66   | 1.66   | 2.43   | 2.43   | 11.50 (3.50 - 15.90) | 2.550 (0.850 - 5.180)               | 11.20               | 99               |
| 15+15+15+15+22+25        | 1.65                  | 1.65   | 1.65   | 1.65   | 2.42   | 2.75   | 11.75 (3.50 - 15.90) | 2.610 (0.850 - 5.180)               | 11.46               | 99               |
| 15+15+15+15+22+35        | 1.61                  | 1.61   | 1.61   | 1.61   | 2.36   | 3.75   | 12.55 (3.50 - 15.90) | 2.800 (0.850 - 5.180)               | 12.30               | 99               |
| 15+15+15+15+22+42        | 1.54                  | 1.54   | 1.54   | 1.54   | 2.26   | 4.32   | 12.75 (3.50 - 15.98) | 2.854 (0.850 - 5.174)               | 12.53               | 99               |
| 15+15+15+15+22+50        | 1.45                  | 1.45   | 1.45   | 1.45   | 2.13   | 4.83   | 12.75 (3.50 - 16.14) | 2.864 (0.850 - 5.174)               | 12.58               | 99               |
| 15+15+15+15+22+60        | 1.35                  | 1.35   | 1.35   | 1.35   | 1.98   | 5.39   | 12.75 (3.50 - 16.34) | 2.847 (0.850 - 5.157)               | 12.50               | 99               |
| 15+15+15+15+22+71        | 1.25                  | 1.25   | 1.25   | 1.25   | 1.83   | 5.92   | 12.75 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+15+15+15+22+80        | 1.18                  | 1.18   | 1.18   | 1.18   | 1.73   | 6.30   | 12.75 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 15+15+15+15+25+25        | 1.65                  | 1.65   | 1.65   | 1.65   | 2.75   | 2.75   | 12.10 (3.50 - 15.90) | 2.670 (0.850 - 5.180)               | 11.73               | 99               |
| 15+15+15+15+25+35        | 1.60                  | 1.60   | 1.60   | 1.60   | 2.67   | 3.73   | 12.80 (3.50 - 15.90) | 2.860 (0.850 - 5.180)               | 12.56               | 99               |
| 15+15+15+15+25+42        | 1.51                  | 1.51   | 1.51   | 1.51   | 2.52   | 4.23   | 12.80 (3.50 - 16.04) | 2.854 (0.850 - 5.174)               | 12.53               | 99               |
| 15+15+15+15+25+50        | 1.42                  | 1.42   | 1.42   | 1.42   | 2.37   | 4.74   | 12.80 (3.50 - 16.20) | 2.864 (0.850 - 5.174)               | 12.58               | 99               |
| 15+15+15+15+25+60        | 1.32                  | 1.32   | 1.32   | 1.32   | 2.21   | 5.30   | 12.80 (3.50 - 16.40) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+15+15+25+71        | 1.23                  | 1.23   | 1.23   | 1.23   | 2.05   | 5.83   | 12.80 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+15+15+15+25+80        | 1.16                  | 1.16   | 1.16   | 1.16   | 1.94   | 6.21   | 12.80 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 15+15+15+15+35+35        | 1.48                  | 1.48   | 1.48   | 1.48   | 3.45   | 3.45   | 12.80 (3.50 - 16.10) | 2.870 (0.850 - 5.180)               | 12.60               | 99               |
| 15+15+15+15+35+42        | 1.40                  | 1.40   | 1.40   | 1.40   | 3.27   | 3.92   | 12.80 (3.50 - 16.24) | 2.864 (0.850 - 5.174)               | 12.58               | 99               |
| 15+15+15+15+35+50        | 1.32                  | 1.32   | 1.32   | 1.32   | 3.09   | 4.41   | 12.80 (3.50 - 16.40) | 2.874 (0.850 - 5.174)               | 12.62               | 99               |
| 15+15+15+15+35+60        | 1.24                  | 1.24   | 1.24   | 1.24   | 2.89   | 4.95   | 12.80 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+15+15+35+71        | 1.16                  | 1.16   | 1.16   | 1.16   | 2.70   | 5.47   | 12.80 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+15+15+15+35+80        | 1.10                  | 1.10   | 1.10   | 1.10   | 2.56   | 5.85   | 12.80 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 15+15+15+15+42+42        | 1.33                  | 1.33   | 1.33   | 1.33   | 3.73   | 3.73   | 12.80 (3.50 - 16.38) | 2.868 (0.850 - 5.168)               | 12.60               | 99               |
| 15+15+15+15+42+50        | 1.26                  | 1.26   | 1.26   | 1.26   | 3.54   | 4.21   | 12.80 (3.50 - 16.50) | 2.868 (0.850 - 5.168)               | 12.60               | 99               |
| 15+15+15+15+42+60        | 1.19                  | 1.19   | 1.19   | 1.19   | 3.32   | 4.74   | 12.80 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 15+15+15+15+42+71        | 1.11                  | 1.11   | 1.11   | 1.11   | 3.11   | 5.25   | 12.80 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+15+15+15+50+50        | 1.20                  | 1.20   | 1.20   | 1.20   | 4.00   | 4.00   | 12.80 (3.50 - 16.50) | 2.868 (0.850 - 5.168)               | 12.60               | 99               |
| 15+15+15+15+50+60        | 1.13                  | 1.13   | 1.13   | 1.13   | 3.76   | 4.52   | 12.80 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 15+15+15+15+60+60        | 1.07                  | 1.07   | 1.07   | 1.07   | 4.27   | 4.27   | 12.80 (3.50 - 16.50) | 2.834 (0.850 - 5.134)               | 12.45               | 99               |
| 15+15+15+20+20+20        | 1.64                  | 1.64   | 1.64   | 2.19   | 2.19   | 2.19   | 11.50 (3.50 - 15.90) | 2.582 (0.850 - 5.192)               | 11.34               | 99               |
| 15+15+15+20+20+22        | 1.63                  | 1.63   | 1.63   | 2.18   | 2.18   | 2.40   | 11.65 (3.50 - 15.90) | 2.615 (0.850 - 5.185)               | 11.48               | 99               |
| 15+15+15+20+20+25        | 1.64                  | 1.64   | 1.64   | 2.18   | 2.18   | 2.73   | 12.00 (3.50 - 15.90) | 2.675 (0.850 - 5.185)               | 11.75               | 99               |
| 15+15+15+20+20+35        | 1.59                  | 1.59   | 1.59   | 2.12   | 2.12   | 3.70   | 12.70 (3.50 - 15.90) | 2.865 (0.850 - 5.185)               | 12.58               | 99               |
| 15+15+15+20+20+42        | 1.50                  | 1.50   | 1.50   | 2.00   | 2.00   | 4.20   | 12.70 (3.50 - 16.04) | 2.859 (0.850 - 5.179)               | 12.56               | 99               |
| 15+15+15+20+20+50        | 1.41                  | 1.41   | 1.41   | 1.88   | 1.88   | 4.70   | 12.70 (3.50 - 16.20) | 2.869 (0.850 - 5.179)               | 12.60               | 99               |
| 15+15+15+20+20+60        | 1.31                  | 1.31   | 1.31   | 1.75   | 1.75   | 5.26   | 12.70 (3.50 - 16.40) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+15+15+20+20+71        | 1.22                  | 1.22   | 1.22   | 1.63   | 1.63   | 5.78   | 12.70 (3.50 - 16.50) | 2.866 (0.850 - 5.166)               | 12.59               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+15+20+20+80        | 1.15                  | 1.15   | 1.15   | 1.54   | 1.54   | 6.16   | 12.70 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+15+20+22+22        | 1.64                  | 1.64   | 1.64   | 2.18   | 2.40   | 2.40   | 11.90 (3.50 - 15.90) | 2.648 (0.850 - 5.178)               | 11.63               | 99               |
| 15+15+15+20+22+25        | 1.63                  | 1.63   | 1.63   | 2.17   | 2.39   | 2.71   | 12.15 (3.50 - 15.90) | 2.708 (0.850 - 5.178)               | 11.89               | 99               |
| 15+15+15+20+22+35        | 1.57                  | 1.57   | 1.57   | 2.09   | 2.30   | 3.66   | 12.75 (3.50 - 15.94) | 2.858 (0.850 - 5.178)               | 12.55               | 99               |
| 15+15+15+20+22+42        | 1.48                  | 1.48   | 1.48   | 1.98   | 2.17   | 4.15   | 12.75 (3.50 - 16.08) | 2.862 (0.850 - 5.172)               | 12.57               | 99               |
| 15+15+15+20+22+50        | 1.40                  | 1.40   | 1.40   | 1.86   | 2.05   | 4.65   | 12.75 (3.50 - 16.24) | 2.862 (0.850 - 5.172)               | 12.57               | 99               |
| 15+15+15+20+22+60        | 1.30                  | 1.30   | 1.30   | 1.73   | 1.91   | 5.20   | 12.75 (3.50 - 16.44) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+15+15+20+22+71        | 1.21                  | 1.21   | 1.21   | 1.61   | 1.78   | 5.73   | 12.75 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+20+22+80        | 1.15                  | 1.15   | 1.15   | 1.53   | 1.68   | 6.11   | 12.75 (3.50 - 16.50) | 2.849 (0.850 - 5.149)               | 12.51               | 99               |
| 15+15+15+20+25+25        | 1.62                  | 1.62   | 1.62   | 2.16   | 2.70   | 2.70   | 12.40 (3.50 - 15.90) | 2.758 (0.850 - 5.178)               | 12.11               | 99               |
| 15+15+15+20+25+35        | 1.54                  | 1.54   | 1.54   | 2.05   | 2.56   | 3.58   | 12.80 (3.50 - 16.00) | 2.858 (0.850 - 5.178)               | 12.55               | 99               |
| 15+15+15+20+25+42        | 1.45                  | 1.45   | 1.45   | 1.94   | 2.42   | 4.07   | 12.80 (3.50 - 16.14) | 2.862 (0.850 - 5.172)               | 12.57               | 99               |
| 15+15+15+20+25+50        | 1.37                  | 1.37   | 1.37   | 1.83   | 2.29   | 4.57   | 12.80 (3.50 - 16.30) | 2.862 (0.850 - 5.172)               | 12.57               | 99               |
| 15+15+15+20+25+60        | 1.28                  | 1.28   | 1.28   | 1.71   | 2.13   | 5.12   | 12.80 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+15+15+20+25+71        | 1.19                  | 1.19   | 1.19   | 1.59   | 1.99   | 5.64   | 12.80 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+20+25+80        | 1.13                  | 1.13   | 1.13   | 1.51   | 1.88   | 6.02   | 12.80 (3.50 - 16.50) | 2.849 (0.850 - 5.149)               | 12.51               | 99               |
| 15+15+15+20+35+35        | 1.42                  | 1.42   | 1.42   | 1.90   | 3.32   | 3.32   | 12.80 (3.50 - 16.20) | 2.868 (0.850 - 5.178)               | 12.60               | 99               |
| 15+15+15+20+35+42        | 1.35                  | 1.35   | 1.35   | 1.80   | 3.15   | 3.79   | 12.80 (3.50 - 16.34) | 2.862 (0.850 - 5.172)               | 12.57               | 99               |
| 15+15+15+20+35+50        | 1.28                  | 1.28   | 1.28   | 1.71   | 2.99   | 4.27   | 12.80 (3.50 - 16.50) | 2.872 (0.850 - 5.172)               | 12.61               | 99               |
| 15+15+15+20+35+60        | 1.20                  | 1.20   | 1.20   | 1.60   | 2.80   | 4.80   | 12.80 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+15+15+20+35+71        | 1.12                  | 1.12   | 1.12   | 1.50   | 2.62   | 5.31   | 12.80 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+20+35+80        | 1.07                  | 1.07   | 1.07   | 1.42   | 2.49   | 5.69   | 12.80 (3.50 - 16.50) | 2.849 (0.850 - 5.149)               | 12.51               | 99               |
| 15+15+15+20+42+42        | 1.29                  | 1.29   | 1.29   | 1.72   | 3.61   | 3.61   | 12.80 (3.50 - 16.48) | 2.866 (0.850 - 5.166)               | 12.59               | 99               |
| 15+15+15+20+42+50        | 1.22                  | 1.22   | 1.22   | 1.63   | 3.42   | 4.08   | 12.80 (3.50 - 16.50) | 2.866 (0.850 - 5.166)               | 12.59               | 99               |
| 15+15+15+20+42+60        | 1.15                  | 1.15   | 1.15   | 1.53   | 3.22   | 4.60   | 12.80 (3.50 - 16.50) | 2.849 (0.850 - 5.149)               | 12.51               | 99               |
| 15+15+15+20+42+71        | 1.08                  | 1.08   | 1.08   | 1.44   | 3.02   | 5.11   | 12.80 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+15+15+20+50+50        | 1.16                  | 1.16   | 1.16   | 1.55   | 3.88   | 3.88   | 12.80 (3.50 - 16.50) | 2.866 (0.850 - 5.166)               | 12.59               | 99               |
| 15+15+15+20+50+60        | 1.10                  | 1.10   | 1.10   | 1.46   | 3.66   | 4.39   | 12.80 (3.50 - 16.50) | 2.849 (0.850 - 5.149)               | 12.51               | 99               |
| 15+15+15+22+22+22        | 1.63                  | 1.63   | 1.63   | 2.39   | 2.39   | 2.39   | 12.05 (3.50 - 15.90) | 2.681 (0.850 - 5.171)               | 11.77               | 99               |
| 15+15+15+22+22+25        | 1.63                  | 1.63   | 1.63   | 2.39   | 2.39   | 2.72   | 12.40 (3.50 - 15.90) | 2.731 (0.850 - 5.171)               | 11.99               | 99               |
| 15+15+15+22+22+35        | 1.55                  | 1.55   | 1.55   | 2.27   | 2.27   | 3.61   | 12.80 (3.50 - 15.98) | 2.851 (0.850 - 5.171)               | 12.52               | 99               |
| 15+15+15+22+22+42        | 1.47                  | 1.47   | 1.47   | 2.15   | 2.15   | 4.10   | 12.80 (3.50 - 16.12) | 2.855 (0.850 - 5.165)               | 12.54               | 99               |
| 15+15+15+22+22+50        | 1.38                  | 1.38   | 1.38   | 2.03   | 2.03   | 4.60   | 12.80 (3.50 - 16.28) | 2.855 (0.850 - 5.165)               | 12.54               | 99               |
| 15+15+15+22+22+60        | 1.29                  | 1.29   | 1.29   | 1.89   | 1.89   | 5.15   | 12.80 (3.50 - 16.48) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+15+15+22+22+71        | 1.20                  | 1.20   | 1.20   | 1.76   | 1.76   | 5.68   | 12.80 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 15+15+15+22+22+80        | 1.14                  | 1.14   | 1.14   | 1.67   | 1.67   | 6.06   | 12.80 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 15+15+15+22+25+25        | 1.62                  | 1.62   | 1.62   | 2.38   | 2.70   | 2.70   | 12.65 (3.50 - 15.90) | 2.791 (0.850 - 5.171)               | 12.26               | 99               |
| 15+15+15+22+25+35        | 1.52                  | 1.52   | 1.52   | 2.23   | 2.53   | 3.54   | 12.85 (3.50 - 16.04) | 2.851 (0.850 - 5.171)               | 12.52               | 99               |
| 15+15+15+22+25+42        | 1.44                  | 1.44   | 1.44   | 2.11   | 2.40   | 4.03   | 12.85 (3.50 - 16.18) | 2.855 (0.850 - 5.165)               | 12.54               | 99               |
| 15+15+15+22+25+50        | 1.36                  | 1.36   | 1.36   | 1.99   | 2.26   | 4.52   | 12.85 (3.50 - 16.34) | 2.855 (0.850 - 5.165)               | 12.54               | 99               |
| 15+15+15+22+25+60        | 1.27                  | 1.27   | 1.27   | 1.86   | 2.11   | 5.07   | 12.85 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+15+15+22+25+71        | 1.18                  | 1.18   | 1.18   | 1.73   | 1.97   | 5.60   | 12.85 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 15+15+15+22+25+80        | 1.12                  | 1.12   | 1.12   | 1.64   | 1.87   | 5.98   | 12.85 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 15+15+15+22+35+35        | 1.41                  | 1.41   | 1.41   | 2.06   | 3.28   | 3.28   | 12.85 (3.50 - 16.24) | 2.861 (0.850 - 5.171)               | 12.56               | 99               |
| 15+15+15+22+35+42        | 1.34                  | 1.34   | 1.34   | 1.96   | 3.12   | 3.75   | 12.85 (3.50 - 16.38) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 15+15+15+22+35+50        | 1.27                  | 1.27   | 1.27   | 1.86   | 2.96   | 4.23   | 12.85 (3.50 - 16.50) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 15+15+15+22+35+60        | 1.19                  | 1.19   | 1.19   | 1.75   | 2.78   | 4.76   | 12.85 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+15+15+22+35+71        | 1.11                  | 1.11   | 1.11   | 1.63   | 2.60   | 5.27   | 12.85 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 15+15+15+22+42+42        | 1.28                  | 1.28   | 1.28   | 1.87   | 3.57   | 3.57   | 12.85 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+22+42+50        | 1.21                  | 1.21   | 1.21   | 1.78   | 3.39   | 4.04   | 12.85 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+15+22+42+60        | 1.14                  | 1.14   | 1.14   | 1.67   | 3.19   | 4.56   | 12.85 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 15+15+15+22+42+71        | 1.07                  | 1.07   | 1.07   | 1.57   | 3.00   | 5.07   | 12.85 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 15+15+15+22+50+50        | 1.15                  | 1.15   | 1.15   | 1.69   | 3.85   | 3.85   | 12.85 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+22+50+60        | 1.09                  | 1.09   | 1.09   | 1.60   | 3.63   | 4.36   | 12.85 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 15+15+15+25+25+25        | 1.61                  | 1.61   | 1.61   | 2.69   | 2.69   | 2.69   | 12.90 (3.50 - 15.90) | 2.851 (0.850 - 5.171)               | 12.52               | 99               |
| 15+15+15+25+25+35        | 1.49                  | 1.49   | 1.49   | 2.48   | 2.48   | 3.47   | 12.90 (3.50 - 16.10) | 2.861 (0.850 - 5.171)               | 12.56               | 99               |
| 15+15+15+25+25+42        | 1.41                  | 1.41   | 1.41   | 2.35   | 2.35   | 3.95   | 12.90 (3.50 - 16.24) | 2.855 (0.850 - 5.165)               | 12.54               | 99               |
| 15+15+15+25+25+50        | 1.33                  | 1.33   | 1.33   | 2.22   | 2.22   | 4.45   | 12.90 (3.50 - 16.40) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 15+15+15+25+25+60        | 1.25                  | 1.25   | 1.25   | 2.08   | 2.08   | 4.99   | 12.90 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+15+15+25+25+71        | 1.17                  | 1.17   | 1.17   | 1.94   | 1.94   | 5.52   | 12.90 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 15+15+15+25+25+80        | 1.11                  | 1.11   | 1.11   | 1.84   | 1.84   | 5.90   | 12.90 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 15+15+15+25+35+35        | 1.38                  | 1.38   | 1.38   | 2.30   | 3.23   | 3.23   | 12.90 (3.50 - 16.30) | 2.861 (0.850 - 5.171)               | 12.56               | 99               |
| 15+15+15+25+35+42        | 1.32                  | 1.32   | 1.32   | 2.19   | 3.07   | 3.69   | 12.90 (3.50 - 16.44) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 15+15+15+25+35+50        | 1.25                  | 1.25   | 1.25   | 2.08   | 2.91   | 4.16   | 12.90 (3.50 - 16.50) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 15+15+15+25+35+60        | 1.17                  | 1.17   | 1.17   | 1.95   | 2.74   | 4.69   | 12.90 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+15+15+25+35+71        | 1.10                  | 1.10   | 1.10   | 1.83   | 2.57   | 5.20   | 12.90 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 15+15+15+25+42+42        | 1.26                  | 1.26   | 1.26   | 2.09   | 3.52   | 3.52   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+25+42+50        | 1.19                  | 1.19   | 1.19   | 1.99   | 3.34   | 3.98   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+25+42+60        | 1.13                  | 1.13   | 1.13   | 1.88   | 3.15   | 4.50   | 12.90 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 15+15+15+25+50+50        | 1.14                  | 1.14   | 1.14   | 1.90   | 3.79   | 3.79   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+25+50+60        | 1.08                  | 1.08   | 1.08   | 1.79   | 3.58   | 4.30   | 12.90 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 15+15+15+35+35+35        | 1.29                  | 1.29   | 1.29   | 3.01   | 3.01   | 3.01   | 12.90 (3.50 - 16.50) | 2.871 (0.850 - 5.171)               | 12.61               | 99               |
| 15+15+15+35+35+42        | 1.23                  | 1.23   | 1.23   | 2.88   | 2.88   | 3.45   | 12.90 (3.50 - 16.50) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 15+15+15+35+35+50        | 1.17                  | 1.17   | 1.17   | 2.74   | 2.74   | 3.91   | 12.90 (3.50 - 16.50) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 15+15+15+35+35+60        | 1.11                  | 1.11   | 1.11   | 2.58   | 2.58   | 4.42   | 12.90 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+15+15+35+42+42        | 1.18                  | 1.18   | 1.18   | 2.75   | 3.30   | 3.30   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+35+42+50        | 1.13                  | 1.13   | 1.13   | 2.63   | 3.15   | 3.75   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+35+50+50        | 1.08                  | 1.08   | 1.08   | 2.51   | 3.58   | 3.58   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 15+15+15+42+42+42        | 1.13                  | 1.13   | 1.13   | 3.17   | 3.17   | 3.17   | 12.90 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+15+15+42+42+50        | 1.08                  | 1.08   | 1.08   | 3.03   | 3.03   | 3.60   | 12.90 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+15+20+20+20+20        | 1.62                  | 1.62   | 2.16   | 2.16   | 2.16   | 2.16   | 11.90 (3.50 - 15.90) | 2.680 (0.850 - 5.190)               | 11.77               | 99               |
| 15+15+20+20+20+22        | 1.61                  | 1.61   | 2.15   | 2.15   | 2.15   | 2.37   | 12.05 (3.50 - 15.90) | 2.713 (0.850 - 5.183)               | 11.91               | 99               |
| 15+15+20+20+20+25        | 1.60                  | 1.60   | 2.14   | 2.14   | 2.14   | 2.67   | 12.30 (3.50 - 15.90) | 2.763 (0.850 - 5.183)               | 12.13               | 99               |
| 15+15+20+20+20+35        | 1.52                  | 1.52   | 2.03   | 2.03   | 2.03   | 3.56   | 12.70 (3.50 - 16.00) | 2.863 (0.850 - 5.183)               | 12.57               | 99               |
| 15+15+20+20+20+42        | 1.44                  | 1.44   | 1.92   | 1.92   | 1.92   | 4.04   | 12.70 (3.50 - 16.14) | 2.867 (0.850 - 5.177)               | 12.59               | 99               |
| 15+15+20+20+20+50        | 1.36                  | 1.36   | 1.81   | 1.81   | 1.81   | 4.54   | 12.70 (3.50 - 16.30) | 2.867 (0.850 - 5.177)               | 12.59               | 99               |
| 15+15+20+20+20+60        | 1.27                  | 1.27   | 1.69   | 1.69   | 1.69   | 5.08   | 12.70 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 15+15+20+20+20+71        | 1.18                  | 1.18   | 1.58   | 1.58   | 1.58   | 5.60   | 12.70 (3.50 - 16.50) | 2.864 (0.850 - 5.164)               | 12.58               | 99               |
| 15+15+20+20+20+80        | 1.12                  | 1.12   | 1.49   | 1.49   | 1.49   | 5.98   | 12.70 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+15+20+20+22+22        | 1.62                  | 1.62   | 2.16   | 2.16   | 2.37   | 2.37   | 12.30 (3.50 - 15.90) | 2.736 (0.850 - 5.176)               | 12.02               | 99               |
| 15+15+20+20+22+25        | 1.61                  | 1.61   | 2.15   | 2.15   | 2.36   | 2.68   | 12.55 (3.50 - 15.90) | 2.796 (0.850 - 5.176)               | 12.28               | 99               |
| 15+15+20+20+22+35        | 1.51                  | 1.51   | 2.01   | 2.01   | 2.21   | 3.51   | 12.75 (3.50 - 16.04) | 2.856 (0.850 - 5.176)               | 12.54               | 99               |
| 15+15+20+20+22+42        | 1.43                  | 1.43   | 1.90   | 1.90   | 2.09   | 4.00   | 12.75 (3.50 - 16.18) | 2.860 (0.850 - 5.170)               | 12.56               | 99               |
| 15+15+20+20+22+50        | 1.35                  | 1.35   | 1.80   | 1.80   | 1.98   | 4.49   | 12.75 (3.50 - 16.34) | 2.860 (0.850 - 5.170)               | 12.56               | 99               |
| 15+15+20+20+22+60        | 1.26                  | 1.26   | 1.68   | 1.68   | 1.85   | 5.03   | 12.75 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+15+20+20+22+71        | 1.17                  | 1.17   | 1.56   | 1.56   | 1.72   | 5.55   | 12.75 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+20+20+22+80        | 1.11                  | 1.11   | 1.48   | 1.48   | 1.63   | 5.93   | 12.75 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+15+20+20+25+25        | 1.60                  | 1.60   | 2.13   | 2.13   | 2.67   | 2.67   | 12.80 (3.50 - 15.90) | 2.856 (0.850 - 5.176)               | 12.54               | 99               |
| 15+15+20+20+25+35        | 1.48                  | 1.48   | 1.97   | 1.97   | 2.46   | 3.45   | 12.80 (3.50 - 16.10) | 2.866 (0.850 - 5.176)               | 12.59               | 99               |
| 15+15+20+20+25+42        | 1.40                  | 1.40   | 1.87   | 1.87   | 2.34   | 3.92   | 12.80 (3.50 - 16.24) | 2.860 (0.850 - 5.170)               | 12.56               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+20+20+25+50        | 1.32                  | 1.32   | 1.77   | 1.77   | 2.21   | 4.41   | 12.80 (3.50 - 16.40) | 2.870 (0.850 - 5.170)               | 12.60               | 99               |
| 15+15+20+20+25+60        | 1.24                  | 1.24   | 1.65   | 1.65   | 2.06   | 4.95   | 12.80 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+15+20+20+25+71        | 1.16                  | 1.16   | 1.54   | 1.54   | 1.93   | 5.47   | 12.80 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+20+20+25+80        | 1.10                  | 1.10   | 1.46   | 1.46   | 1.83   | 5.85   | 12.80 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+15+20+20+35+35        | 1.37                  | 1.37   | 1.83   | 1.83   | 3.20   | 3.20   | 12.80 (3.50 - 16.30) | 2.866 (0.850 - 5.176)               | 12.59               | 99               |
| 15+15+20+20+35+42        | 1.31                  | 1.31   | 1.74   | 1.74   | 3.05   | 3.66   | 12.80 (3.50 - 16.44) | 2.870 (0.850 - 5.170)               | 12.60               | 99               |
| 15+15+20+20+35+50        | 1.24                  | 1.24   | 1.65   | 1.65   | 2.89   | 4.13   | 12.80 (3.50 - 16.50) | 2.870 (0.850 - 5.170)               | 12.60               | 99               |
| 15+15+20+20+35+60        | 1.16                  | 1.16   | 1.55   | 1.55   | 2.72   | 4.65   | 12.80 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+15+20+20+35+71        | 1.09                  | 1.09   | 1.45   | 1.45   | 2.55   | 5.16   | 12.80 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+20+20+42+42        | 1.25                  | 1.25   | 1.66   | 1.66   | 3.49   | 3.49   | 12.80 (3.50 - 16.50) | 2.864 (0.850 - 5.164)               | 12.58               | 99               |
| 15+15+20+20+42+50        | 1.19                  | 1.19   | 1.58   | 1.58   | 3.32   | 3.95   | 12.80 (3.50 - 16.50) | 2.864 (0.850 - 5.164)               | 12.58               | 99               |
| 15+15+20+20+42+60        | 1.12                  | 1.12   | 1.49   | 1.49   | 3.13   | 4.47   | 12.80 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+15+20+20+50+50        | 1.13                  | 1.13   | 1.51   | 1.51   | 3.76   | 3.76   | 12.80 (3.50 - 16.50) | 2.864 (0.850 - 5.164)               | 12.58               | 99               |
| 15+15+20+20+50+60        | 1.07                  | 1.07   | 1.42   | 1.42   | 3.56   | 4.27   | 12.80 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+15+20+22+22+22        | 1.61                  | 1.61   | 2.15   | 2.36   | 2.36   | 2.36   | 12.45 (3.50 - 15.90) | 2.769 (0.850 - 5.169)               | 12.16               | 99               |
| 15+15+20+22+22+25        | 1.60                  | 1.60   | 2.13   | 2.35   | 2.35   | 2.67   | 12.70 (3.50 - 15.90) | 2.829 (0.850 - 5.169)               | 12.42               | 99               |
| 15+15+20+22+22+35        | 1.49                  | 1.49   | 1.98   | 2.18   | 2.18   | 3.47   | 12.80 (3.50 - 16.08) | 2.859 (0.850 - 5.169)               | 12.56               | 99               |
| 15+15+20+22+22+42        | 1.41                  | 1.41   | 1.88   | 2.07   | 2.07   | 3.95   | 12.80 (3.50 - 16.22) | 2.853 (0.850 - 5.163)               | 12.53               | 99               |
| 15+15+20+22+22+50        | 1.33                  | 1.33   | 1.78   | 1.96   | 1.96   | 4.44   | 12.80 (3.50 - 16.38) | 2.863 (0.850 - 5.163)               | 12.57               | 99               |
| 15+15+20+22+22+60        | 1.25                  | 1.25   | 1.66   | 1.83   | 1.83   | 4.99   | 12.80 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 15+15+20+22+22+71        | 1.16                  | 1.16   | 1.55   | 1.71   | 1.71   | 5.51   | 12.80 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+20+22+22+80        | 1.10                  | 1.10   | 1.47   | 1.62   | 1.62   | 5.89   | 12.80 (3.50 - 16.50) | 2.840 (0.850 - 5.140)               | 12.47               | 99               |
| 15+15+20+22+25+25        | 1.58                  | 1.58   | 2.11   | 2.32   | 2.63   | 2.63   | 12.85 (3.50 - 15.94) | 2.849 (0.850 - 5.169)               | 12.51               | 99               |
| 15+15+20+22+25+35        | 1.46                  | 1.46   | 1.95   | 2.14   | 2.43   | 3.41   | 12.85 (3.50 - 16.14) | 2.859 (0.850 - 5.169)               | 12.56               | 99               |
| 15+15+20+22+25+42        | 1.39                  | 1.39   | 1.85   | 2.03   | 2.31   | 3.88   | 12.85 (3.50 - 16.28) | 2.853 (0.850 - 5.163)               | 12.53               | 99               |
| 15+15+20+22+25+50        | 1.31                  | 1.31   | 1.75   | 1.92   | 2.19   | 4.37   | 12.85 (3.50 - 16.44) | 2.863 (0.850 - 5.163)               | 12.57               | 99               |
| 15+15+20+22+25+60        | 1.23                  | 1.23   | 1.64   | 1.80   | 2.05   | 4.91   | 12.85 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 15+15+20+22+25+71        | 1.15                  | 1.15   | 1.53   | 1.68   | 1.91   | 5.43   | 12.85 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+20+22+25+80        | 1.09                  | 1.09   | 1.45   | 1.60   | 1.81   | 5.81   | 12.85 (3.50 - 16.50) | 2.840 (0.850 - 5.140)               | 12.47               | 99               |
| 15+15+20+22+35+35        | 1.36                  | 1.36   | 1.81   | 1.99   | 3.17   | 3.17   | 12.85 (3.50 - 16.34) | 2.859 (0.850 - 5.169)               | 12.56               | 99               |
| 15+15+20+22+35+42        | 1.29                  | 1.29   | 1.72   | 1.90   | 3.02   | 3.62   | 12.85 (3.50 - 16.48) | 2.863 (0.850 - 5.163)               | 12.57               | 99               |
| 15+15+20+22+35+50        | 1.23                  | 1.23   | 1.64   | 1.80   | 2.86   | 4.09   | 12.85 (3.50 - 16.50) | 2.863 (0.850 - 5.163)               | 12.57               | 99               |
| 15+15+20+22+35+60        | 1.15                  | 1.15   | 1.54   | 1.69   | 2.69   | 4.62   | 12.85 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 15+15+20+22+35+71        | 1.08                  | 1.08   | 1.44   | 1.59   | 2.53   | 5.13   | 12.85 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+20+22+42+42        | 1.24                  | 1.24   | 1.65   | 1.81   | 3.46   | 3.46   | 12.85 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+20+22+42+50        | 1.18                  | 1.18   | 1.57   | 1.72   | 3.29   | 3.92   | 12.85 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+20+22+42+60        | 1.11                  | 1.11   | 1.48   | 1.62   | 3.10   | 4.43   | 12.85 (3.50 - 16.50) | 2.840 (0.850 - 5.140)               | 12.47               | 99               |
| 15+15+20+22+50+50        | 1.12                  | 1.12   | 1.49   | 1.64   | 3.74   | 3.74   | 12.85 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+20+25+25+25        | 1.55                  | 1.55   | 2.06   | 2.58   | 2.58   | 2.58   | 12.90 (3.50 - 16.00) | 2.849 (0.850 - 5.169)               | 12.51               | 99               |
| 15+15+20+25+25+35        | 1.43                  | 1.43   | 1.91   | 2.39   | 2.39   | 3.34   | 12.90 (3.50 - 16.20) | 2.859 (0.850 - 5.169)               | 12.56               | 99               |
| 15+15+20+25+25+42        | 1.36                  | 1.36   | 1.82   | 2.27   | 2.27   | 3.82   | 12.90 (3.50 - 16.34) | 2.853 (0.850 - 5.163)               | 12.53               | 99               |
| 15+15+20+25+25+50        | 1.29                  | 1.29   | 1.72   | 2.15   | 2.15   | 4.30   | 12.90 (3.50 - 16.50) | 2.863 (0.850 - 5.163)               | 12.57               | 99               |
| 15+15+20+25+25+60        | 1.21                  | 1.21   | 1.61   | 2.02   | 2.02   | 4.84   | 12.90 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 15+15+20+25+25+71        | 1.13                  | 1.13   | 1.51   | 1.89   | 1.89   | 5.36   | 12.90 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+20+25+25+80        | 1.08                  | 1.08   | 1.43   | 1.79   | 1.79   | 5.73   | 12.90 (3.50 - 16.50) | 2.840 (0.850 - 5.140)               | 12.47               | 99               |
| 15+15+20+25+35+35        | 1.33                  | 1.33   | 1.78   | 2.22   | 3.11   | 3.11   | 12.90 (3.50 - 16.40) | 2.869 (0.850 - 5.169)               | 12.60               | 99               |
| 15+15+20+25+35+42        | 1.27                  | 1.27   | 1.70   | 2.12   | 2.97   | 3.56   | 12.90 (3.50 - 16.50) | 2.863 (0.850 - 5.163)               | 12.57               | 99               |
| 15+15+20+25+35+50        | 1.21                  | 1.21   | 1.61   | 2.02   | 2.82   | 4.03   | 12.90 (3.50 - 16.50) | 2.863 (0.850 - 5.163)               | 12.57               | 99               |
| 15+15+20+25+35+60        | 1.14                  | 1.14   | 1.52   | 1.90   | 2.66   | 4.55   | 12.90 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 15+15+20+25+42+42        | 1.22                  | 1.22   | 1.62   | 2.03   | 3.41   | 3.41   | 12.90 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+20+25+42+50        | 1.16                  | 1.16   | 1.54   | 1.93   | 3.24   | 3.86   | 12.90 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+20+25+42+60        | 1.09                  | 1.09   | 1.46   | 1.82   | 3.06   | 4.37   | 12.90 (3.50 - 16.50) | 2.840 (0.850 - 5.140)               | 12.47               | 99               |
| 15+15+20+25+50+50        | 1.11                  | 1.11   | 1.47   | 1.84   | 3.69   | 3.69   | 12.90 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+20+35+35+35        | 1.25                  | 1.25   | 1.66   | 2.91   | 2.91   | 2.91   | 12.90 (3.50 - 16.50) | 2.869 (0.850 - 5.169)               | 12.60               | 99               |
| 15+15+20+35+35+42        | 1.19                  | 1.19   | 1.59   | 2.79   | 2.79   | 3.34   | 12.90 (3.50 - 16.50) | 2.863 (0.850 - 5.163)               | 12.57               | 99               |
| 15+15+20+35+35+50        | 1.14                  | 1.14   | 1.52   | 2.66   | 2.66   | 3.79   | 12.90 (3.50 - 16.50) | 2.863 (0.850 - 5.163)               | 12.57               | 99               |
| 15+15+20+35+35+60        | 1.08                  | 1.08   | 1.43   | 2.51   | 2.51   | 4.30   | 12.90 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 15+15+20+35+42+42        | 1.14                  | 1.14   | 1.53   | 2.67   | 3.21   | 3.21   | 12.90 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+20+35+42+50        | 1.09                  | 1.09   | 1.46   | 2.55   | 3.06   | 3.64   | 12.90 (3.50 - 16.50) | 2.857 (0.850 - 5.157)               | 12.55               | 99               |
| 15+15+20+42+42+42        | 1.10                  | 1.10   | 1.47   | 3.08   | 3.08   | 3.08   | 12.90 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 15+15+22+22+22+22        | 1.61                  | 1.61   | 2.37   | 2.37   | 2.37   | 2.37   | 12.70 (3.50 - 15.90) | 2.802 (0.850 - 5.162)               | 12.31               | 99               |
| 15+15+22+22+22+25        | 1.59                  | 1.59   | 2.34   | 2.34   | 2.34   | 2.65   | 12.85 (3.50 - 15.92) | 2.842 (0.850 - 5.162)               | 12.48               | 99               |
| 15+15+22+22+22+35        | 1.47                  | 1.47   | 2.16   | 2.16   | 2.16   | 3.43   | 12.85 (3.50 - 16.12) | 2.852 (0.850 - 5.162)               | 12.53               | 99               |
| 15+15+22+22+22+42        | 1.40                  | 1.40   | 2.05   | 2.05   | 2.05   | 3.91   | 12.85 (3.50 - 16.26) | 2.846 (0.850 - 5.156)               | 12.50               | 99               |
| 15+15+22+22+22+50        | 1.32                  | 1.32   | 1.94   | 1.94   | 1.94   | 4.40   | 12.85 (3.50 - 16.42) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+22+22+22+60        | 1.24                  | 1.24   | 1.81   | 1.81   | 1.81   | 4.94   | 12.85 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 15+15+22+22+22+71        | 1.15                  | 1.15   | 1.69   | 1.69   | 1.69   | 5.46   | 12.85 (3.50 - 16.50) | 2.843 (0.850 - 5.143)               | 12.49               | 99               |
| 15+15+22+22+22+80        | 1.10                  | 1.10   | 1.61   | 1.61   | 1.61   | 5.84   | 12.85 (3.50 - 16.50) | 2.833 (0.850 - 5.133)               | 12.44               | 99               |
| 15+15+22+22+25+25        | 1.56                  | 1.56   | 2.29   | 2.29   | 2.60   | 2.60   | 12.90 (3.50 - 15.98) | 2.842 (0.850 - 5.162)               | 12.48               | 99               |
| 15+15+22+22+25+35        | 1.44                  | 1.44   | 2.12   | 2.12   | 2.41   | 3.37   | 12.90 (3.50 - 16.18) | 2.852 (0.850 - 5.162)               | 12.53               | 99               |
| 15+15+22+22+25+42        | 1.37                  | 1.37   | 2.01   | 2.01   | 2.29   | 3.84   | 12.90 (3.50 - 16.32) | 2.846 (0.850 - 5.156)               | 12.50               | 99               |
| 15+15+22+22+25+50        | 1.30                  | 1.30   | 1.90   | 1.90   | 2.16   | 4.33   | 12.90 (3.50 - 16.48) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+22+22+25+60        | 1.22                  | 1.22   | 1.78   | 1.78   | 2.03   | 4.87   | 12.90 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 15+15+22+22+25+71        | 1.14                  | 1.14   | 1.67   | 1.67   | 1.90   | 5.39   | 12.90 (3.50 - 16.50) | 2.843 (0.850 - 5.143)               | 12.49               | 99               |
| 15+15+22+22+25+80        | 1.08                  | 1.08   | 1.59   | 1.59   | 1.80   | 5.77   | 12.90 (3.50 - 16.50) | 2.833 (0.850 - 5.133)               | 12.44               | 99               |
| 15+15+22+22+35+35        | 1.34                  | 1.34   | 1.97   | 1.97   | 3.14   | 3.14   | 12.90 (3.50 - 16.38) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+15+22+22+35+42        | 1.28                  | 1.28   | 1.88   | 1.88   | 2.99   | 3.59   | 12.90 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+22+22+35+50        | 1.22                  | 1.22   | 1.78   | 1.78   | 2.84   | 4.06   | 12.90 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+22+22+35+60        | 1.14                  | 1.14   | 1.68   | 1.68   | 2.67   | 4.58   | 12.90 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 15+15+22+22+35+71        | 1.08                  | 1.08   | 1.58   | 1.58   | 2.51   | 5.09   | 12.90 (3.50 - 16.50) | 2.843 (0.850 - 5.143)               | 12.49               | 99               |
| 15+15+22+22+42+42        | 1.22                  | 1.22   | 1.80   | 1.80   | 3.43   | 3.43   | 12.90 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+22+22+42+50        | 1.17                  | 1.17   | 1.71   | 1.71   | 3.26   | 3.89   | 12.90 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+22+22+42+60        | 1.10                  | 1.10   | 1.61   | 1.61   | 3.08   | 4.40   | 12.90 (3.50 - 16.50) | 2.833 (0.850 - 5.133)               | 12.44               | 99               |
| 15+15+22+22+50+50        | 1.11                  | 1.11   | 1.63   | 1.63   | 3.71   | 3.71   | 12.90 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+22+25+25+25        | 1.53                  | 1.53   | 2.24   | 2.55   | 2.55   | 2.55   | 12.95 (3.50 - 16.04) | 2.842 (0.850 - 5.162)               | 12.48               | 99               |
| 15+15+22+25+25+35        | 1.42                  | 1.42   | 2.08   | 2.36   | 2.36   | 3.31   | 12.95 (3.50 - 16.24) | 2.852 (0.850 - 5.162)               | 12.53               | 99               |
| 15+15+22+25+25+42        | 1.35                  | 1.35   | 1.98   | 2.25   | 2.25   | 3.78   | 12.95 (3.50 - 16.38) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+22+25+25+50        | 1.28                  | 1.28   | 1.87   | 2.13   | 2.13   | 4.26   | 12.95 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+22+25+25+60        | 1.20                  | 1.20   | 1.76   | 2.00   | 2.00   | 4.80   | 12.95 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 15+15+22+25+25+71        | 1.12                  | 1.12   | 1.65   | 1.87   | 1.87   | 5.31   | 12.95 (3.50 - 16.50) | 2.843 (0.850 - 5.143)               | 12.49               | 99               |
| 15+15+22+25+35+35        | 1.32                  | 1.32   | 1.94   | 2.20   | 3.08   | 3.08   | 12.95 (3.50 - 16.44) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+15+22+25+35+42        | 1.26                  | 1.26   | 1.85   | 2.10   | 2.94   | 3.53   | 12.95 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+22+25+35+50        | 1.20                  | 1.20   | 1.76   | 2.00   | 2.80   | 4.00   | 12.95 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+22+25+35+60        | 1.13                  | 1.13   | 1.66   | 1.88   | 2.64   | 4.52   | 12.95 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 15+15+22+25+42+42        | 1.21                  | 1.21   | 1.77   | 2.01   | 3.38   | 3.38   | 12.95 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+22+25+42+50        | 1.15                  | 1.15   | 1.69   | 1.92   | 3.22   | 3.83   | 12.95 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+22+25+42+60        | 1.09                  | 1.09   | 1.59   | 1.81   | 3.04   | 4.34   | 12.95 (3.50 - 16.50) | 2.833 (0.850 - 5.133)               | 12.44               | 99               |
| 15+15+22+25+50+50        | 1.10                  | 1.10   | 1.61   | 1.83   | 3.66   | 3.66   | 12.95 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+22+35+35+35        | 1.24                  | 1.24   | 1.81   | 2.89   | 2.89   | 2.89   | 12.95 (3.50 - 16.50) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+15+22+35+35+42        | 1.18                  | 1.18   | 1.74   | 2.76   | 2.76   | 3.32   | 12.95 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+15+22+35+35+50        | 1.13                  | 1.13   | 1.66   | 2.64   | 2.64   | 3.76   | 12.95 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+22+35+42+42        | 1.14                  | 1.14   | 1.67   | 2.65   | 3.18   | 3.18   | 12.95 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+22+35+42+50        | 1.09                  | 1.09   | 1.59   | 2.53   | 3.04   | 3.62   | 12.95 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+22+42+42+42        | 1.09                  | 1.09   | 1.60   | 3.06   | 3.06   | 3.06   | 12.95 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 15+15+25+25+25+25        | 1.50                  | 1.50   | 2.50   | 2.50   | 2.50   | 2.50   | 13.00 (3.50 - 16.10) | 2.852 (0.850 - 5.162)               | 12.53               | 99               |
| 15+15+25+25+25+35        | 1.39                  | 1.39   | 2.32   | 2.32   | 2.32   | 3.25   | 13.00 (3.50 - 16.30) | 2.852 (0.850 - 5.162)               | 12.53               | 99               |
| 15+15+25+25+25+42        | 1.33                  | 1.33   | 2.21   | 2.21   | 2.21   | 3.71   | 13.00 (3.50 - 16.44) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+25+25+25+50        | 1.26                  | 1.26   | 2.10   | 2.10   | 2.10   | 4.19   | 13.00 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+25+25+25+60        | 1.18                  | 1.18   | 1.97   | 1.97   | 1.97   | 4.73   | 13.00 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 15+15+25+25+25+71        | 1.11                  | 1.11   | 1.85   | 1.85   | 1.85   | 5.24   | 13.00 (3.50 - 16.50) | 2.843 (0.850 - 5.143)               | 12.49               | 99               |
| 15+15+25+25+35+35        | 1.30                  | 1.30   | 2.17   | 2.17   | 3.03   | 3.03   | 13.00 (3.50 - 16.50) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+15+25+25+35+42        | 1.24                  | 1.24   | 2.07   | 2.07   | 2.90   | 3.48   | 13.00 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+25+25+35+50        | 1.18                  | 1.18   | 1.97   | 1.97   | 2.76   | 3.94   | 13.00 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+25+25+35+60        | 1.11                  | 1.11   | 1.86   | 1.86   | 2.60   | 4.46   | 13.00 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 15+15+25+25+42+42        | 1.19                  | 1.19   | 1.98   | 1.98   | 3.33   | 3.33   | 13.00 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+25+25+42+50        | 1.13                  | 1.13   | 1.89   | 1.89   | 3.17   | 3.78   | 13.00 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+25+25+50+50        | 1.08                  | 1.08   | 1.81   | 1.81   | 3.61   | 3.61   | 13.00 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+25+35+35+35        | 1.22                  | 1.22   | 2.03   | 2.84   | 2.84   | 2.84   | 13.00 (3.50 - 16.50) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+15+25+35+35+42        | 1.17                  | 1.17   | 1.95   | 2.72   | 2.72   | 3.27   | 13.00 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+25+35+35+50        | 1.11                  | 1.11   | 1.86   | 2.60   | 2.60   | 3.71   | 13.00 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+15+25+35+42+42        | 1.12                  | 1.12   | 1.87   | 2.61   | 3.14   | 3.14   | 13.00 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 15+15+35+35+35+35        | 1.15                  | 1.15   | 2.68   | 2.68   | 2.68   | 2.68   | 13.00 (3.50 - 16.50) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+15+35+35+35+42        | 1.10                  | 1.10   | 2.57   | 2.57   | 2.57   | 3.08   | 13.00 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 15+20+20+20+20+20        | 1.59                  | 2.12   | 2.12   | 2.12   | 2.12   | 2.12   | 12.20 (3.50 - 15.90) | 2.768 (0.850 - 5.188)               | 12.16               | 99               |
| 15+20+20+20+20+22        | 1.60                  | 2.13   | 2.13   | 2.13   | 2.13   | 2.34   | 12.45 (3.50 - 15.90) | 2.801 (0.850 - 5.181)               | 12.30               | 99               |
| 15+20+20+20+20+25        | 1.59                  | 2.12   | 2.12   | 2.12   | 2.12   | 2.65   | 12.70 (3.50 - 15.90) | 2.861 (0.850 - 5.181)               | 12.56               | 99               |
| 15+20+20+20+20+35        | 1.47                  | 1.95   | 1.95   | 1.95   | 1.95   | 3.42   | 12.70 (3.50 - 16.10) | 2.871 (0.850 - 5.181)               | 12.61               | 99               |
| 15+20+20+20+20+42        | 1.39                  | 1.85   | 1.85   | 1.85   | 1.85   | 3.89   | 12.70 (3.50 - 16.24) | 2.865 (0.850 - 5.175)               | 12.58               | 99               |
| 15+20+20+20+20+50        | 1.31                  | 1.75   | 1.75   | 1.75   | 1.75   | 4.38   | 12.70 (3.50 - 16.40) | 2.875 (0.850 - 5.175)               | 12.63               | 99               |
| 15+20+20+20+20+60        | 1.23                  | 1.64   | 1.64   | 1.64   | 1.64   | 4.92   | 12.70 (3.50 - 16.50) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 15+20+20+20+20+71        | 1.15                  | 1.53   | 1.53   | 1.53   | 1.53   | 5.43   | 12.70 (3.50 - 16.50) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+20+20+20+20+80        | 1.09                  | 1.45   | 1.45   | 1.45   | 1.45   | 5.81   | 12.70 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 15+20+20+20+22+22        | 1.59                  | 2.12   | 2.12   | 2.12   | 2.33   | 2.33   | 12.60 (3.50 - 15.90) | 2.834 (0.850 - 5.174)               | 12.45               | 99               |
| 15+20+20+20+22+25        | 1.57                  | 2.09   | 2.09   | 2.09   | 2.30   | 2.61   | 12.75 (3.50 - 15.94) | 2.854 (0.850 - 5.174)               | 12.53               | 99               |
| 15+20+20+20+22+35        | 1.45                  | 1.93   | 1.93   | 1.93   | 2.13   | 3.38   | 12.75 (3.50 - 16.14) | 2.864 (0.850 - 5.174)               | 12.58               | 99               |
| 15+20+20+20+22+42        | 1.38                  | 1.83   | 1.83   | 1.83   | 2.02   | 3.85   | 12.75 (3.50 - 16.28) | 2.858 (0.850 - 5.168)               | 12.55               | 99               |
| 15+20+20+20+22+50        | 1.30                  | 1.73   | 1.73   | 1.73   | 1.91   | 4.34   | 12.75 (3.50 - 16.44) | 2.868 (0.850 - 5.168)               | 12.60               | 99               |
| 15+20+20+20+22+60        | 1.22                  | 1.62   | 1.62   | 1.62   | 1.79   | 4.87   | 12.75 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 15+20+20+20+22+71        | 1.14                  | 1.52   | 1.52   | 1.52   | 1.67   | 5.39   | 12.75 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+20+20+20+22+80        | 1.08                  | 1.44   | 1.44   | 1.44   | 1.58   | 5.76   | 12.75 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 15+20+20+20+25+25        | 1.54                  | 2.05   | 2.05   | 2.05   | 2.56   | 2.56   | 12.80 (3.50 - 16.00) | 2.854 (0.850 - 5.174)               | 12.53               | 99               |
| 15+20+20+20+25+35        | 1.42                  | 1.90   | 1.90   | 1.90   | 2.37   | 3.32   | 12.80 (3.50 - 16.20) | 2.864 (0.850 - 5.174)               | 12.58               | 99               |
| 15+20+20+20+25+42        | 1.35                  | 1.80   | 1.80   | 1.80   | 2.25   | 3.79   | 12.80 (3.50 - 16.34) | 2.858 (0.850 - 5.168)               | 12.55               | 99               |
| 15+20+20+20+25+50        | 1.28                  | 1.71   | 1.71   | 1.71   | 2.13   | 4.27   | 12.80 (3.50 - 16.50) | 2.868 (0.850 - 5.168)               | 12.60               | 99               |
| 15+20+20+20+25+60        | 1.20                  | 1.60   | 1.60   | 1.60   | 2.00   | 4.80   | 12.80 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 15+20+20+20+25+71        | 1.12                  | 1.50   | 1.50   | 1.50   | 1.87   | 5.31   | 12.80 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+20+20+20+25+80        | 1.07                  | 1.42   | 1.42   | 1.42   | 1.78   | 5.69   | 12.80 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 15+20+20+20+35+35        | 1.32                  | 1.77   | 1.77   | 1.77   | 3.09   | 3.09   | 12.80 (3.50 - 16.40) | 2.874 (0.850 - 5.174)               | 12.62               | 99               |
| 15+20+20+20+35+42        | 1.26                  | 1.68   | 1.68   | 1.68   | 2.95   | 3.54   | 12.80 (3.50 - 16.50) | 2.868 (0.850 - 5.168)               | 12.60               | 99               |
| 15+20+20+20+35+50        | 1.20                  | 1.60   | 1.60   | 1.60   | 2.80   | 4.00   | 12.80 (3.50 - 16.50) | 2.868 (0.850 - 5.168)               | 12.60               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+20+20+20+35+60        | 1.13                  | 1.51   | 1.51   | 1.51   | 2.64   | 4.52   | 12.80 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 15+20+20+20+42+42        | 1.21                  | 1.61   | 1.61   | 1.61   | 3.38   | 3.38   | 12.80 (3.50 - 16.50) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+20+20+20+42+50        | 1.15                  | 1.53   | 1.53   | 1.53   | 3.22   | 3.83   | 12.80 (3.50 - 16.50) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+20+20+20+42+60        | 1.08                  | 1.45   | 1.45   | 1.45   | 3.04   | 4.34   | 12.80 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 15+20+20+20+50+50        | 1.10                  | 1.46   | 1.46   | 1.46   | 3.66   | 3.66   | 12.80 (3.50 - 16.50) | 2.862 (0.850 - 5.162)               | 12.57               | 99               |
| 15+20+20+22+22+22        | 1.58                  | 2.11   | 2.11   | 2.32   | 2.32   | 2.32   | 12.75 (3.50 - 15.92) | 2.847 (0.850 - 5.167)               | 12.50               | 99               |
| 15+20+20+22+22+25        | 1.55                  | 2.06   | 2.06   | 2.27   | 2.27   | 2.58   | 12.80 (3.50 - 15.98) | 2.847 (0.850 - 5.167)               | 12.50               | 99               |
| 15+20+20+22+22+35        | 1.43                  | 1.91   | 1.91   | 2.10   | 2.10   | 3.34   | 12.80 (3.50 - 16.18) | 2.857 (0.850 - 5.167)               | 12.55               | 99               |
| 15+20+20+22+22+42        | 1.36                  | 1.82   | 1.82   | 2.00   | 2.00   | 3.81   | 12.80 (3.50 - 16.32) | 2.851 (0.850 - 5.161)               | 12.52               | 99               |
| 15+20+20+22+22+50        | 1.29                  | 1.72   | 1.72   | 1.89   | 1.89   | 4.30   | 12.80 (3.50 - 16.48) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+22+22+60        | 1.21                  | 1.61   | 1.61   | 1.77   | 1.77   | 4.83   | 12.80 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 15+20+20+22+22+71        | 1.13                  | 1.51   | 1.51   | 1.66   | 1.66   | 5.35   | 12.80 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+20+22+22+80        | 1.07                  | 1.43   | 1.43   | 1.57   | 1.57   | 5.72   | 12.80 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 15+20+20+22+25+25        | 1.52                  | 2.02   | 2.02   | 2.23   | 2.53   | 2.53   | 12.85 (3.50 - 16.04) | 2.847 (0.850 - 5.167)               | 12.50               | 99               |
| 15+20+20+22+25+35        | 1.41                  | 1.88   | 1.88   | 2.06   | 2.34   | 3.28   | 12.85 (3.50 - 16.24) | 2.857 (0.850 - 5.167)               | 12.55               | 99               |
| 15+20+20+22+25+42        | 1.34                  | 1.78   | 1.78   | 1.96   | 2.23   | 3.75   | 12.85 (3.50 - 16.38) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+22+25+50        | 1.27                  | 1.69   | 1.69   | 1.86   | 2.11   | 4.23   | 12.85 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+22+25+60        | 1.19                  | 1.59   | 1.59   | 1.75   | 1.98   | 4.76   | 12.85 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 15+20+20+22+25+71        | 1.11                  | 1.49   | 1.49   | 1.63   | 1.86   | 5.27   | 12.85 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+20+22+35+35        | 1.31                  | 1.75   | 1.75   | 1.92   | 3.06   | 3.06   | 12.85 (3.50 - 16.44) | 2.867 (0.850 - 5.167)               | 12.59               | 99               |
| 15+20+20+22+35+42        | 1.25                  | 1.67   | 1.67   | 1.84   | 2.92   | 3.50   | 12.85 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+22+35+50        | 1.19                  | 1.59   | 1.59   | 1.75   | 2.78   | 3.97   | 12.85 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+22+35+60        | 1.12                  | 1.49   | 1.49   | 1.64   | 2.61   | 4.48   | 12.85 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 15+20+20+22+42+42        | 1.20                  | 1.60   | 1.60   | 1.76   | 3.35   | 3.35   | 12.85 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+20+20+22+42+50        | 1.14                  | 1.52   | 1.52   | 1.67   | 3.19   | 3.80   | 12.85 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+20+20+22+42+60        | 1.08                  | 1.44   | 1.44   | 1.58   | 3.02   | 4.31   | 12.85 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 15+20+20+22+50+50        | 1.09                  | 1.45   | 1.45   | 1.60   | 3.63   | 3.63   | 12.85 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+20+20+25+25+25        | 1.49                  | 1.98   | 1.98   | 2.48   | 2.48   | 2.48   | 12.90 (3.50 - 16.10) | 2.857 (0.850 - 5.167)               | 12.55               | 99               |
| 15+20+20+25+25+35        | 1.38                  | 1.84   | 1.84   | 2.30   | 2.30   | 3.23   | 12.90 (3.50 - 16.30) | 2.857 (0.850 - 5.167)               | 12.55               | 99               |
| 15+20+20+25+25+42        | 1.32                  | 1.76   | 1.76   | 2.19   | 2.19   | 3.69   | 12.90 (3.50 - 16.44) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+25+25+50        | 1.25                  | 1.66   | 1.66   | 2.08   | 2.08   | 4.16   | 12.90 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+25+25+60        | 1.17                  | 1.56   | 1.56   | 1.95   | 1.95   | 4.69   | 12.90 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 15+20+20+25+25+71        | 1.10                  | 1.47   | 1.47   | 1.83   | 1.83   | 5.20   | 12.90 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+20+25+35+35        | 1.29                  | 1.72   | 1.72   | 2.15   | 3.01   | 3.01   | 12.90 (3.50 - 16.50) | 2.867 (0.850 - 5.167)               | 12.59               | 99               |
| 15+20+20+25+35+42        | 1.23                  | 1.64   | 1.64   | 2.05   | 2.88   | 3.45   | 12.90 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+25+35+50        | 1.17                  | 1.56   | 1.56   | 1.95   | 2.74   | 3.91   | 12.90 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+25+35+60        | 1.11                  | 1.47   | 1.47   | 1.84   | 2.58   | 4.42   | 12.90 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 15+20+20+25+42+42        | 1.18                  | 1.57   | 1.57   | 1.97   | 3.30   | 3.30   | 12.90 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+20+20+25+42+50        | 1.13                  | 1.50   | 1.50   | 1.88   | 3.15   | 3.75   | 12.90 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+20+20+25+50+50        | 1.08                  | 1.43   | 1.43   | 1.79   | 3.58   | 3.58   | 12.90 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+20+20+35+35+35        | 1.21                  | 1.61   | 1.61   | 2.82   | 2.82   | 2.82   | 12.90 (3.50 - 16.50) | 2.867 (0.850 - 5.167)               | 12.59               | 99               |
| 15+20+20+35+35+42        | 1.16                  | 1.54   | 1.54   | 2.70   | 2.70   | 3.24   | 12.90 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+35+35+50        | 1.11                  | 1.47   | 1.47   | 2.58   | 2.58   | 3.69   | 12.90 (3.50 - 16.50) | 2.861 (0.850 - 5.161)               | 12.56               | 99               |
| 15+20+20+35+42+42        | 1.11                  | 1.48   | 1.48   | 2.59   | 3.11   | 3.11   | 12.90 (3.50 - 16.50) | 2.855 (0.850 - 5.155)               | 12.54               | 99               |
| 15+20+22+22+22+22        | 1.56                  | 2.08   | 2.29   | 2.29   | 2.29   | 2.29   | 12.80 (3.50 - 15.96) | 2.840 (0.850 - 5.160)               | 12.47               | 99               |
| 15+20+22+22+22+25        | 1.53                  | 2.04   | 2.24   | 2.24   | 2.24   | 2.55   | 12.85 (3.50 - 16.02) | 2.840 (0.850 - 5.160)               | 12.47               | 99               |
| 15+20+22+22+22+35        | 1.42                  | 1.89   | 2.08   | 2.08   | 2.08   | 3.31   | 12.85 (3.50 - 16.22) | 2.850 (0.850 - 5.160)               | 12.52               | 99               |
| 15+20+22+22+22+42        | 1.35                  | 1.80   | 1.98   | 1.98   | 1.98   | 3.77   | 12.85 (3.50 - 16.36) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+22+22+50        | 1.28                  | 1.70   | 1.87   | 1.87   | 1.87   | 4.25   | 12.85 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+22+22+60        | 1.20                  | 1.60   | 1.76   | 1.76   | 1.76   | 4.79   | 12.85 (3.50 - 16.50) | 2.837 (0.850 - 5.137)               | 12.46               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+20+22+22+22+71        | 1.12                  | 1.49   | 1.64   | 1.64   | 1.64   | 5.30   | 12.85 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+20+22+22+25+25        | 1.50                  | 2.00   | 2.20   | 2.20   | 2.50   | 2.50   | 12.90 (3.50 - 16.08) | 2.850 (0.850 - 5.160)               | 12.52               | 99               |
| 15+20+22+22+25+35        | 1.39                  | 1.86   | 2.04   | 2.04   | 2.32   | 3.25   | 12.90 (3.50 - 16.28) | 2.850 (0.850 - 5.160)               | 12.52               | 99               |
| 15+20+22+22+25+42        | 1.33                  | 1.77   | 1.94   | 1.94   | 2.21   | 3.71   | 12.90 (3.50 - 16.42) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+22+25+50        | 1.26                  | 1.68   | 1.84   | 1.84   | 2.09   | 4.19   | 12.90 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+22+25+60        | 1.18                  | 1.57   | 1.73   | 1.73   | 1.97   | 4.72   | 12.90 (3.50 - 16.50) | 2.837 (0.850 - 5.137)               | 12.46               | 99               |
| 15+20+22+22+25+71        | 1.11                  | 1.47   | 1.62   | 1.62   | 1.84   | 5.23   | 12.90 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+20+22+22+35+35        | 1.30                  | 1.73   | 1.90   | 1.90   | 3.03   | 3.03   | 12.90 (3.50 - 16.48) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 15+20+22+22+35+42        | 1.24                  | 1.65   | 1.82   | 1.82   | 2.89   | 3.47   | 12.90 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+22+35+50        | 1.18                  | 1.57   | 1.73   | 1.73   | 2.75   | 3.93   | 12.90 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+22+35+60        | 1.11                  | 1.48   | 1.63   | 1.63   | 2.59   | 4.45   | 12.90 (3.50 - 16.50) | 2.837 (0.850 - 5.137)               | 12.46               | 99               |
| 15+20+22+22+42+42        | 1.19                  | 1.58   | 1.74   | 1.74   | 3.32   | 3.32   | 12.90 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+22+22+42+50        | 1.13                  | 1.51   | 1.66   | 1.66   | 3.17   | 3.77   | 12.90 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+22+22+50+50        | 1.08                  | 1.44   | 1.59   | 1.59   | 3.60   | 3.60   | 12.90 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+22+25+25+25        | 1.47                  | 1.96   | 2.16   | 2.45   | 2.45   | 2.45   | 12.95 (3.50 - 16.14) | 2.850 (0.850 - 5.160)               | 12.52               | 99               |
| 15+20+22+25+25+35        | 1.37                  | 1.82   | 2.01   | 2.28   | 2.28   | 3.19   | 12.95 (3.50 - 16.34) | 2.850 (0.850 - 5.160)               | 12.52               | 99               |
| 15+20+22+25+25+42        | 1.30                  | 1.74   | 1.91   | 2.17   | 2.17   | 3.65   | 12.95 (3.50 - 16.48) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+25+25+50        | 1.24                  | 1.65   | 1.81   | 2.06   | 2.06   | 4.12   | 12.95 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+25+25+60        | 1.16                  | 1.55   | 1.71   | 1.94   | 1.94   | 4.65   | 12.95 (3.50 - 16.50) | 2.837 (0.850 - 5.137)               | 12.46               | 99               |
| 15+20+22+25+25+71        | 1.09                  | 1.46   | 1.60   | 1.82   | 1.82   | 5.17   | 12.95 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+20+22+25+35+35        | 1.28                  | 1.70   | 1.87   | 2.13   | 2.98   | 2.98   | 12.95 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 15+20+22+25+35+42        | 1.22                  | 1.63   | 1.79   | 2.04   | 2.85   | 3.42   | 12.95 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+25+35+50        | 1.16                  | 1.55   | 1.71   | 1.94   | 2.71   | 3.88   | 12.95 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+25+35+60        | 1.10                  | 1.46   | 1.61   | 1.83   | 2.56   | 4.39   | 12.95 (3.50 - 16.50) | 2.837 (0.850 - 5.137)               | 12.46               | 99               |
| 15+20+22+25+42+42        | 1.17                  | 1.56   | 1.72   | 1.95   | 3.28   | 3.28   | 12.95 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+22+25+42+50        | 1.12                  | 1.49   | 1.64   | 1.86   | 3.13   | 3.72   | 12.95 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+22+35+35+35        | 1.20                  | 1.60   | 1.76   | 2.80   | 2.80   | 2.80   | 12.95 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 15+20+22+35+35+42        | 1.15                  | 1.53   | 1.69   | 2.68   | 2.68   | 3.22   | 12.95 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+35+35+50        | 1.10                  | 1.46   | 1.61   | 2.56   | 2.56   | 3.66   | 12.95 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+22+35+42+42        | 1.10                  | 1.47   | 1.62   | 2.58   | 3.09   | 3.09   | 12.95 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+25+25+25+25        | 1.44                  | 1.93   | 2.41   | 2.41   | 2.41   | 2.41   | 13.00 (3.50 - 16.20) | 2.850 (0.850 - 5.160)               | 12.52               | 99               |
| 15+20+25+25+25+35        | 1.34                  | 1.79   | 2.24   | 2.24   | 2.24   | 3.14   | 13.00 (3.50 - 16.40) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 15+20+25+25+25+42        | 1.28                  | 1.71   | 2.14   | 2.14   | 2.14   | 3.59   | 13.00 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+25+25+25+50        | 1.22                  | 1.63   | 2.03   | 2.03   | 2.03   | 4.06   | 13.00 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+25+25+25+60        | 1.15                  | 1.53   | 1.91   | 1.91   | 1.91   | 4.59   | 13.00 (3.50 - 16.50) | 2.837 (0.850 - 5.137)               | 12.46               | 99               |
| 15+20+25+25+35+35        | 1.26                  | 1.68   | 2.10   | 2.10   | 2.94   | 2.94   | 13.00 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 15+20+25+25+35+42        | 1.20                  | 1.60   | 2.01   | 2.01   | 2.81   | 3.37   | 13.00 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+25+25+35+50        | 1.15                  | 1.53   | 1.91   | 1.91   | 2.68   | 3.82   | 13.00 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+25+25+35+60        | 1.08                  | 1.44   | 1.81   | 1.81   | 2.53   | 4.33   | 13.00 (3.50 - 16.50) | 2.837 (0.850 - 5.137)               | 12.46               | 99               |
| 15+20+25+25+42+42        | 1.15                  | 1.54   | 1.92   | 1.92   | 3.23   | 3.23   | 13.00 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+25+25+42+50        | 1.10                  | 1.47   | 1.84   | 1.84   | 3.08   | 3.67   | 13.00 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+25+35+35+35        | 1.18                  | 1.58   | 1.97   | 2.76   | 2.76   | 2.76   | 13.00 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 15+20+25+35+35+42        | 1.13                  | 1.51   | 1.89   | 2.65   | 2.65   | 3.17   | 13.00 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+25+35+35+50        | 1.08                  | 1.44   | 1.81   | 2.53   | 2.53   | 3.61   | 13.00 (3.50 - 16.50) | 2.854 (0.850 - 5.154)               | 12.53               | 99               |
| 15+20+25+35+42+42        | 1.09                  | 1.45   | 1.82   | 2.54   | 3.05   | 3.05   | 13.00 (3.50 - 16.50) | 2.848 (0.850 - 5.148)               | 12.51               | 99               |
| 15+20+35+35+35+35        | 1.11                  | 1.49   | 2.60   | 2.60   | 2.60   | 2.60   | 13.00 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 15+22+22+22+22+22        | 1.54                  | 2.26   | 2.26   | 2.26   | 2.26   | 2.26   | 12.85 (3.50 - 16.00) | 2.833 (0.850 - 5.153)               | 12.44               | 99               |
| 15+22+22+22+22+25        | 1.51                  | 2.22   | 2.22   | 2.22   | 2.22   | 2.52   | 12.90 (3.50 - 16.06) | 2.843 (0.850 - 5.153)               | 12.49               | 99               |
| 15+22+22+22+22+35        | 1.40                  | 2.06   | 2.06   | 2.06   | 2.06   | 3.27   | 12.90 (3.50 - 16.26) | 2.843 (0.850 - 5.153)               | 12.49               | 99               |
| 15+22+22+22+22+42        | 1.33                  | 1.96   | 1.96   | 1.96   | 1.96   | 3.74   | 12.90 (3.50 - 16.40) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+22+22+22+22+50        | 1.26                  | 1.85   | 1.85   | 1.85   | 1.85   | 4.22   | 12.90 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+22+22+60        | 1.19                  | 1.74   | 1.74   | 1.74   | 1.74   | 4.75   | 12.90 (3.50 - 16.50) | 2.830 (0.850 - 5.130)               | 12.43               | 99               |
| 15+22+22+22+22+71        | 1.11                  | 1.63   | 1.63   | 1.63   | 1.63   | 5.26   | 12.90 (3.50 - 16.50) | 2.834 (0.850 - 5.134)               | 12.45               | 99               |
| 15+22+22+22+25+25        | 1.48                  | 2.17   | 2.17   | 2.17   | 2.47   | 2.47   | 12.95 (3.50 - 16.12) | 2.843 (0.850 - 5.153)               | 12.49               | 99               |
| 15+22+22+22+25+35        | 1.38                  | 2.02   | 2.02   | 2.02   | 2.30   | 3.21   | 12.95 (3.50 - 16.32) | 2.843 (0.850 - 5.153)               | 12.49               | 99               |
| 15+22+22+22+25+42        | 1.31                  | 1.93   | 1.93   | 1.93   | 2.19   | 3.68   | 12.95 (3.50 - 16.46) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+22+25+50        | 1.25                  | 1.83   | 1.83   | 1.83   | 2.08   | 4.15   | 12.95 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+22+25+60        | 1.17                  | 1.72   | 1.72   | 1.72   | 1.95   | 4.68   | 12.95 (3.50 - 16.50) | 2.830 (0.850 - 5.130)               | 12.43               | 99               |
| 15+22+22+22+25+71        | 1.10                  | 1.61   | 1.61   | 1.61   | 1.83   | 5.19   | 12.95 (3.50 - 16.50) | 2.834 (0.850 - 5.134)               | 12.45               | 99               |
| 15+22+22+22+35+35        | 1.29                  | 1.89   | 1.89   | 1.89   | 3.00   | 3.00   | 12.95 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+22+22+22+35+42        | 1.23                  | 1.80   | 1.80   | 1.80   | 2.87   | 3.44   | 12.95 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+22+35+50        | 1.17                  | 1.72   | 1.72   | 1.72   | 2.73   | 3.90   | 12.95 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+22+35+60        | 1.10                  | 1.62   | 1.62   | 1.62   | 2.58   | 4.41   | 12.95 (3.50 - 16.50) | 2.830 (0.850 - 5.130)               | 12.43               | 99               |
| 15+22+22+22+42+42        | 1.18                  | 1.73   | 1.73   | 1.73   | 3.30   | 3.30   | 12.95 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+22+22+22+42+50        | 1.12                  | 1.65   | 1.65   | 1.65   | 3.14   | 3.74   | 12.95 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+22+22+25+25+25        | 1.46                  | 2.13   | 2.13   | 2.43   | 2.43   | 2.43   | 13.00 (3.50 - 16.18) | 2.843 (0.850 - 5.153)               | 12.49               | 99               |
| 15+22+22+25+25+35        | 1.35                  | 1.99   | 1.99   | 2.26   | 2.26   | 3.16   | 13.00 (3.50 - 16.38) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+22+22+25+25+42        | 1.29                  | 1.89   | 1.89   | 2.15   | 2.15   | 3.62   | 13.00 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+25+25+50        | 1.23                  | 1.80   | 1.80   | 2.04   | 2.04   | 4.09   | 13.00 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+25+25+60        | 1.15                  | 1.69   | 1.69   | 1.92   | 1.92   | 4.62   | 13.00 (3.50 - 16.50) | 2.830 (0.850 - 5.130)               | 12.43               | 99               |
| 15+22+22+25+25+71        | 1.08                  | 1.59   | 1.59   | 1.81   | 1.81   | 5.13   | 13.00 (3.50 - 16.50) | 2.834 (0.850 - 5.134)               | 12.45               | 99               |
| 15+22+22+25+35+35        | 1.27                  | 1.86   | 1.86   | 2.11   | 2.95   | 2.95   | 13.00 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+22+22+25+35+42        | 1.21                  | 1.78   | 1.78   | 2.02   | 2.83   | 3.39   | 13.00 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+25+35+50        | 1.15                  | 1.69   | 1.69   | 1.92   | 2.69   | 3.85   | 13.00 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+25+35+60        | 1.09                  | 1.60   | 1.60   | 1.82   | 2.54   | 4.36   | 13.00 (3.50 - 16.50) | 2.830 (0.850 - 5.130)               | 12.43               | 99               |
| 15+22+22+25+42+42        | 1.16                  | 1.70   | 1.70   | 1.93   | 3.25   | 3.25   | 13.00 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+22+22+25+42+50        | 1.11                  | 1.63   | 1.63   | 1.85   | 3.10   | 3.69   | 13.00 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+22+22+35+35+35        | 1.19                  | 1.74   | 1.74   | 2.77   | 2.77   | 2.77   | 13.00 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+22+22+35+35+42        | 1.14                  | 1.67   | 1.67   | 2.66   | 2.66   | 3.19   | 13.00 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+35+35+50        | 1.09                  | 1.60   | 1.60   | 2.54   | 2.54   | 3.63   | 13.00 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+22+35+42+42        | 1.10                  | 1.61   | 1.61   | 2.56   | 3.07   | 3.07   | 13.00 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+22+25+25+25+25        | 1.43                  | 2.10   | 2.38   | 2.38   | 2.38   | 2.38   | 13.05 (3.50 - 16.24) | 2.843 (0.850 - 5.153)               | 12.49               | 99               |
| 15+22+25+25+25+35        | 1.33                  | 1.95   | 2.22   | 2.22   | 2.22   | 3.11   | 13.05 (3.50 - 16.44) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+22+25+25+25+42        | 1.27                  | 1.86   | 2.12   | 2.12   | 2.12   | 3.56   | 13.05 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+25+25+25+50        | 1.21                  | 1.77   | 2.01   | 2.01   | 2.01   | 4.03   | 13.05 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+25+25+25+60        | 1.14                  | 1.67   | 1.90   | 1.90   | 1.90   | 4.55   | 13.05 (3.50 - 16.50) | 2.830 (0.850 - 5.130)               | 12.43               | 99               |
| 15+22+25+25+35+35        | 1.25                  | 1.83   | 2.08   | 2.08   | 2.91   | 2.91   | 13.05 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+22+25+25+35+42        | 1.19                  | 1.75   | 1.99   | 1.99   | 2.79   | 3.34   | 13.05 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+25+25+35+50        | 1.14                  | 1.67   | 1.90   | 1.90   | 2.66   | 3.79   | 13.05 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+25+25+42+42        | 1.14                  | 1.68   | 1.91   | 1.91   | 3.21   | 3.21   | 13.05 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+22+25+25+42+50        | 1.09                  | 1.60   | 1.82   | 1.82   | 3.06   | 3.65   | 13.05 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+22+25+35+35+35        | 1.17                  | 1.72   | 1.95   | 2.74   | 2.74   | 2.74   | 13.05 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+22+25+35+35+42        | 1.13                  | 1.65   | 1.88   | 2.63   | 2.63   | 3.15   | 13.05 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+22+35+35+35+35        | 1.11                  | 1.62   | 2.58   | 2.58   | 2.58   | 2.58   | 13.05 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+25+25+25+25+25        | 1.40                  | 2.34   | 2.34   | 2.34   | 2.34   | 2.34   | 13.10 (3.50 - 16.30) | 2.843 (0.850 - 5.153)               | 12.49               | 99               |
| 15+25+25+25+25+35        | 1.31                  | 2.18   | 2.18   | 2.18   | 2.18   | 3.06   | 13.10 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+25+25+25+25+42        | 1.25                  | 2.09   | 2.09   | 2.09   | 2.09   | 3.50   | 13.10 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+25+25+25+25+50        | 1.19                  | 1.98   | 1.98   | 1.98   | 1.98   | 3.97   | 13.10 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+25+25+25+25+60        | 1.12                  | 1.87   | 1.87   | 1.87   | 1.87   | 4.49   | 13.10 (3.50 - 16.50) | 2.830 (0.850 - 5.130)               | 12.43               | 99               |
| 15+25+25+25+35+35        | 1.23                  | 2.05   | 2.05   | 2.05   | 2.87   | 2.87   | 13.10 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 15+25+25+25+35+42        | 1.18                  | 1.96   | 1.96   | 1.96   | 2.75   | 3.29   | 13.10 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+25+25+25+35+50        | 1.12                  | 1.87   | 1.87   | 1.87   | 2.62   | 3.74   | 13.10 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+25+25+25+42+42        | 1.13                  | 1.88   | 1.88   | 1.88   | 3.16   | 3.16   | 13.10 (3.50 - 16.50) | 2.841 (0.850 - 5.141)               | 12.48               | 99               |
| 15+25+25+35+35+35        | 1.16                  | 1.93   | 1.93   | 2.70   | 2.70   | 2.70   | 13.10 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 15+25+25+35+35+42        | 1.11                  | 1.85   | 1.85   | 2.59   | 2.59   | 3.11   | 13.10 (3.50 - 16.50) | 2.847 (0.850 - 5.147)               | 12.50               | 99               |
| 15+25+35+35+35+35        | 1.09                  | 1.82   | 2.55   | 2.55   | 2.55   | 2.55   | 13.10 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 20+20+20+20+20+20        | 2.10                  | 2.10   | 2.10   | 2.10   | 2.10   | 2.10   | 12.60 (3.50 - 15.90) | 2.866 (0.850 - 5.186)               | 12.59               | 99               |
| 20+20+20+20+20+22        | 2.07                  | 2.07   | 2.07   | 2.07   | 2.07   | 2.28   | 12.65 (3.50 - 15.94) | 2.859 (0.850 - 5.179)               | 12.56               | 99               |
| 20+20+20+20+20+25        | 2.03                  | 2.03   | 2.03   | 2.03   | 2.03   | 2.54   | 12.70 (3.50 - 16.00) | 2.859 (0.850 - 5.179)               | 12.56               | 99               |
| 20+20+20+20+20+35        | 1.88                  | 1.88   | 1.88   | 1.88   | 1.88   | 3.29   | 12.70 (3.50 - 16.20) | 2.869 (0.850 - 5.179)               | 12.60               | 99               |
| 20+20+20+20+20+42        | 1.79                  | 1.79   | 1.79   | 1.79   | 1.79   | 3.76   | 12.70 (3.50 - 16.34) | 2.863 (0.850 - 5.173)               | 12.57               | 99               |
| 20+20+20+20+20+50        | 1.69                  | 1.69   | 1.69   | 1.69   | 1.69   | 4.23   | 12.70 (3.50 - 16.50) | 2.873 (0.850 - 5.173)               | 12.62               | 99               |
| 20+20+20+20+20+60        | 1.59                  | 1.59   | 1.59   | 1.59   | 1.59   | 4.76   | 12.70 (3.50 - 16.50) | 2.856 (0.850 - 5.156)               | 12.54               | 99               |
| 20+20+20+20+20+71        | 1.49                  | 1.49   | 1.49   | 1.49   | 1.49   | 5.27   | 12.70 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 20+20+20+20+20+80        | 1.41                  | 1.41   | 1.41   | 1.41   | 1.41   | 5.64   | 12.70 (3.50 - 16.50) | 2.850 (0.850 - 5.150)               | 12.52               | 99               |
| 20+20+20+20+22+22        | 2.05                  | 2.05   | 2.05   | 2.05   | 2.25   | 2.25   | 12.70 (3.50 - 15.98) | 2.852 (0.850 - 5.172)               | 12.53               | 99               |
| 20+20+20+20+22+25        | 2.01                  | 2.01   | 2.01   | 2.01   | 2.21   | 2.51   | 12.75 (3.50 - 16.04) | 2.852 (0.850 - 5.172)               | 12.53               | 99               |
| 20+20+20+20+22+35        | 1.86                  | 1.86   | 1.86   | 1.86   | 2.05   | 3.26   | 12.75 (3.50 - 16.24) | 2.862 (0.850 - 5.172)               | 12.57               | 99               |
| 20+20+20+20+22+42        | 1.77                  | 1.77   | 1.77   | 1.77   | 1.95   | 3.72   | 12.75 (3.50 - 16.38) | 2.866 (0.850 - 5.166)               | 12.59               | 99               |
| 20+20+20+20+22+50        | 1.68                  | 1.68   | 1.68   | 1.68   | 1.85   | 4.19   | 12.75 (3.50 - 16.50) | 2.866 (0.850 - 5.166)               | 12.59               | 99               |
| 20+20+20+20+22+60        | 1.57                  | 1.57   | 1.57   | 1.57   | 1.73   | 4.72   | 12.75 (3.50 - 16.50) | 2.849 (0.850 - 5.149)               | 12.51               | 99               |
| 20+20+20+20+22+71        | 1.47                  | 1.47   | 1.47   | 1.47   | 1.62   | 5.23   | 12.75 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 20+20+20+20+25+25        | 1.97                  | 1.97   | 1.97   | 1.97   | 2.46   | 2.46   | 12.80 (3.50 - 16.10) | 2.862 (0.850 - 5.172)               | 12.57               | 99               |
| 20+20+20+20+25+35        | 1.83                  | 1.83   | 1.83   | 1.83   | 2.29   | 3.20   | 12.80 (3.50 - 16.30) | 2.862 (0.850 - 5.172)               | 12.57               | 99               |
| 20+20+20+20+25+42        | 1.74                  | 1.74   | 1.74   | 1.74   | 2.18   | 3.66   | 12.80 (3.50 - 16.44) | 2.866 (0.850 - 5.166)               | 12.59               | 99               |
| 20+20+20+20+25+50        | 1.65                  | 1.65   | 1.65   | 1.65   | 2.06   | 4.13   | 12.80 (3.50 - 16.50) | 2.866 (0.850 - 5.166)               | 12.59               | 99               |
| 20+20+20+20+25+60        | 1.55                  | 1.55   | 1.55   | 1.55   | 1.94   | 4.65   | 12.80 (3.50 - 16.50) | 2.849 (0.850 - 5.149)               | 12.51               | 99               |
| 20+20+20+20+25+71        | 1.45                  | 1.45   | 1.45   | 1.45   | 1.82   | 5.16   | 12.80 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 20+20+20+20+35+35        | 1.71                  | 1.71   | 1.71   | 1.71   | 2.99   | 2.99   | 12.80 (3.50 - 16.50) | 2.872 (0.850 - 5.172)               | 12.61               | 99               |
| 20+20+20+20+35+42        | 1.63                  | 1.63   | 1.63   | 1.63   | 2.85   | 3.42   | 12.80 (3.50 - 16.50) | 2.866 (0.850 - 5.166)               | 12.59               | 99               |
| 20+20+20+20+35+50        | 1.55                  | 1.55   | 1.55   | 1.55   | 2.72   | 3.88   | 12.80 (3.50 - 16.50) | 2.866 (0.850 - 5.166)               | 12.59               | 99               |
| 20+20+20+20+35+60        | 1.46                  | 1.46   | 1.46   | 1.46   | 2.56   | 4.39   | 12.80 (3.50 - 16.50) | 2.849 (0.850 - 5.149)               | 12.51               | 99               |
| 20+20+20+20+42+42        | 1.56                  | 1.56   | 1.56   | 1.56   | 3.28   | 3.28   | 12.80 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 20+20+20+20+42+50        | 1.49                  | 1.49   | 1.49   | 1.49   | 3.13   | 3.72   | 12.80 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 20+20+20+20+50+50        | 1.42                  | 1.42   | 1.42   | 1.42   | 3.56   | 3.56   | 12.80 (3.50 - 16.50) | 2.860 (0.850 - 5.160)               | 12.56               | 99               |
| 20+20+20+22+22+22        | 2.02                  | 2.02   | 2.02   | 2.23   | 2.23   | 2.23   | 12.75 (3.50 - 16.02) | 2.845 (0.850 - 5.165)               | 12.49               | 99               |
| 20+20+20+22+22+25        | 1.98                  | 1.98   | 1.98   | 2.18   | 2.18   | 2.48   | 12.80 (3.50 - 16.08) | 2.855 (0.850 - 5.165)               | 12.54               | 99               |
| 20+20+20+22+22+35        | 1.84                  | 1.84   | 1.84   | 2.03   | 2.03   | 3.22   | 12.80 (3.50 - 16.28) | 2.855 (0.850 - 5.165)               | 12.54               | 99               |
| 20+20+20+22+22+42        | 1.75                  | 1.75   | 1.75   | 1.93   | 1.93   | 3.68   | 12.80 (3.50 - 16.42) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+22+22+50        | 1.66                  | 1.66   | 1.66   | 1.83   | 1.83   | 4.16   | 12.80 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+22+22+60        | 1.56                  | 1.56   | 1.56   | 1.72   | 1.72   | 4.68   | 12.80 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 20+20+20+22+22+71        | 1.46                  | 1.46   | 1.46   | 1.61   | 1.61   | 5.19   | 12.80 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 20+20+20+22+25+25        | 1.95                  | 1.95   | 1.95   | 2.14   | 2.43   | 2.43   | 12.85 (3.50 - 16.14) | 2.855 (0.850 - 5.165)               | 12.54               | 99               |
| 20+20+20+22+25+35        | 1.81                  | 1.81   | 1.81   | 1.99   | 2.26   | 3.17   | 12.85 (3.50 - 16.34) | 2.855 (0.850 - 5.165)               | 12.54               | 99               |
| 20+20+20+22+25+42        | 1.72                  | 1.72   | 1.72   | 1.90   | 2.16   | 3.62   | 12.85 (3.50 - 16.48) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+22+25+50        | 1.64                  | 1.64   | 1.64   | 1.80   | 2.05   | 4.09   | 12.85 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+22+25+60        | 1.54                  | 1.54   | 1.54   | 1.69   | 1.92   | 4.62   | 12.85 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 20+20+20+22+25+71        | 1.44                  | 1.44   | 1.44   | 1.59   | 1.80   | 5.13   | 12.85 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 20+20+20+22+35+35        | 1.69                  | 1.69   | 1.69   | 1.86   | 2.96   | 2.96   | 12.85 (3.50 - 16.50) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 20+20+20+22+35+42        | 1.62                  | 1.62   | 1.62   | 1.78   | 2.83   | 3.39   | 12.85 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+20+20+22+35+50        | 1.54                  | 1.54   | 1.54   | 1.69   | 2.69   | 3.85   | 12.85 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+22+35+60        | 1.45                  | 1.45   | 1.45   | 1.60   | 2.54   | 4.36   | 12.85 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 20+20+20+22+42+42        | 1.55                  | 1.55   | 1.55   | 1.70   | 3.25   | 3.25   | 12.85 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 20+20+20+22+42+50        | 1.48                  | 1.48   | 1.48   | 1.62   | 3.10   | 3.69   | 12.85 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 20+20+20+25+25+25        | 1.91                  | 1.91   | 1.91   | 2.39   | 2.39   | 2.39   | 12.90 (3.50 - 16.20) | 2.855 (0.850 - 5.165)               | 12.54               | 99               |
| 20+20+20+25+25+35        | 1.78                  | 1.78   | 1.78   | 2.22   | 2.22   | 3.11   | 12.90 (3.50 - 16.40) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 20+20+20+25+25+42        | 1.70                  | 1.70   | 1.70   | 2.12   | 2.12   | 3.56   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+25+25+50        | 1.61                  | 1.61   | 1.61   | 2.02   | 2.02   | 4.03   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+25+25+60        | 1.52                  | 1.52   | 1.52   | 1.90   | 1.90   | 4.55   | 12.90 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 20+20+20+25+35+35        | 1.66                  | 1.66   | 1.66   | 2.08   | 2.91   | 2.91   | 12.90 (3.50 - 16.50) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 20+20+20+25+35+42        | 1.59                  | 1.59   | 1.59   | 1.99   | 2.79   | 3.34   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+25+35+50        | 1.52                  | 1.52   | 1.52   | 1.90   | 2.66   | 3.79   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+25+35+60        | 1.43                  | 1.43   | 1.43   | 1.79   | 2.51   | 4.30   | 12.90 (3.50 - 16.50) | 2.842 (0.850 - 5.142)               | 12.48               | 99               |
| 20+20+20+25+42+42        | 1.53                  | 1.53   | 1.53   | 1.91   | 3.21   | 3.21   | 12.90 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 20+20+20+25+42+50        | 1.46                  | 1.46   | 1.46   | 1.82   | 3.06   | 3.64   | 12.90 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 20+20+20+35+35+35        | 1.56                  | 1.56   | 1.56   | 2.74   | 2.74   | 2.74   | 12.90 (3.50 - 16.50) | 2.865 (0.850 - 5.165)               | 12.58               | 99               |
| 20+20+20+35+35+42        | 1.50                  | 1.50   | 1.50   | 2.63   | 2.63   | 3.15   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+35+35+50        | 1.43                  | 1.43   | 1.43   | 2.51   | 2.51   | 3.58   | 12.90 (3.50 - 16.50) | 2.859 (0.850 - 5.159)               | 12.56               | 99               |
| 20+20+20+35+42+42        | 1.44                  | 1.44   | 1.44   | 2.52   | 3.03   | 3.03   | 12.90 (3.50 - 16.50) | 2.853 (0.850 - 5.153)               | 12.53               | 99               |
| 20+20+22+22+22+22        | 2.00                  | 2.00   | 2.20   | 2.20   | 2.20   | 2.20   | 12.80 (3.50 - 16.06) | 2.848 (0.850 - 5.158)               | 12.51               | 99               |
| 20+20+22+22+22+25        | 1.96                  | 1.96   | 2.16   | 2.16   | 2.16   | 2.45   | 12.85 (3.50 - 16.12) | 2.848 (0.850 - 5.158)               | 12.51               | 99               |
| 20+20+22+22+22+35        | 1.82                  | 1.82   | 2.00   | 2.00   | 2.00   | 3.19   | 12.85 (3.50 - 16.32) | 2.848 (0.850 - 5.158)               | 12.51               | 99               |
| 20+20+22+22+22+42        | 1.74                  | 1.74   | 1.91   | 1.91   | 1.91   | 3.65   | 12.85 (3.50 - 16.46) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+22+22+22+50        | 1.65                  | 1.65   | 1.81   | 1.81   | 1.81   | 4.12   | 12.85 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+22+22+22+60        | 1.55                  | 1.55   | 1.70   | 1.70   | 1.70   | 4.64   | 12.85 (3.50 - 16.50) | 2.835 (0.850 - 5.135)               | 12.45               | 99               |
| 20+20+22+22+22+71        | 1.45                  | 1.45   | 1.60   | 1.60   | 1.60   | 5.15   | 12.85 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 20+20+22+22+25+25        | 1.93                  | 1.93   | 2.12   | 2.12   | 2.41   | 2.41   | 12.90 (3.50 - 16.18) | 2.848 (0.850 - 5.158)               | 12.51               | 99               |
| 20+20+22+22+25+35        | 1.79                  | 1.79   | 1.97   | 1.97   | 2.24   | 3.14   | 12.90 (3.50 - 16.38) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 20+20+22+22+25+42        | 1.71                  | 1.71   | 1.88   | 1.88   | 2.14   | 3.59   | 12.90 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+22+22+25+50        | 1.62                  | 1.62   | 1.78   | 1.78   | 2.03   | 4.06   | 12.90 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+22+22+25+60        | 1.53                  | 1.53   | 1.68   | 1.68   | 1.91   | 4.58   | 12.90 (3.50 - 16.50) | 2.835 (0.850 - 5.135)               | 12.45               | 99               |
| 20+20+22+22+25+71        | 1.43                  | 1.43   | 1.58   | 1.58   | 1.79   | 5.09   | 12.90 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 20+20+22+22+35+35        | 1.68                  | 1.68   | 1.84   | 1.84   | 2.93   | 2.93   | 12.90 (3.50 - 16.50) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 20+20+22+22+35+42        | 1.60                  | 1.60   | 1.76   | 1.76   | 2.80   | 3.37   | 12.90 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+22+22+35+50        | 1.53                  | 1.53   | 1.68   | 1.68   | 2.67   | 3.82   | 12.90 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+22+22+35+60        | 1.44                  | 1.44   | 1.59   | 1.59   | 2.52   | 4.32   | 12.90 (3.50 - 16.50) | 2.835 (0.850 - 5.135)               | 12.45               | 99               |
| 20+20+22+22+42+42        | 1.54                  | 1.54   | 1.69   | 1.69   | 3.23   | 3.23   | 12.90 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 20+20+22+22+42+50        | 1.47                  | 1.47   | 1.61   | 1.61   | 3.08   | 3.66   | 12.90 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 20+20+22+25+25+25        | 1.89                  | 1.89   | 2.08   | 2.36   | 2.36   | 2.36   | 12.95 (3.50 - 16.24) | 2.848 (0.850 - 5.158)               | 12.51               | 99               |
| 20+20+22+25+25+35        | 1.76                  | 1.76   | 1.94   | 2.20   | 2.20   | 3.08   | 12.95 (3.50 - 16.44) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 20+20+22+25+25+42        | 1.68                  | 1.68   | 1.85   | 2.10   | 2.10   | 3.53   | 12.95 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+22+25+25+50        | 1.60                  | 1.60   | 1.76   | 2.00   | 2.00   | 4.00   | 12.95 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+22+25+25+60        | 1.51                  | 1.51   | 1.66   | 1.88   | 1.88   | 4.52   | 12.95 (3.50 - 16.50) | 2.835 (0.850 - 5.135)               | 12.45               | 99               |
| 20+20+22+25+35+35        | 1.65                  | 1.65   | 1.81   | 2.06   | 2.89   | 2.89   | 12.95 (3.50 - 16.50) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 20+20+22+25+35+42        | 1.58                  | 1.58   | 1.74   | 1.97   | 2.76   | 3.32   | 12.95 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+22+25+35+50        | 1.51                  | 1.51   | 1.66   | 1.88   | 2.64   | 3.76   | 12.95 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+22+25+42+42        | 1.51                  | 1.51   | 1.67   | 1.89   | 3.18   | 3.18   | 12.95 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 20+20+22+25+42+50        | 1.45                  | 1.45   | 1.59   | 1.81   | 3.04   | 3.62   | 12.95 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 20+20+22+35+35+35        | 1.55                  | 1.55   | 1.71   | 2.71   | 2.71   | 2.71   | 12.95 (3.50 - 16.50) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 20+20+22+35+35+42        | 1.49                  | 1.49   | 1.64   | 2.60   | 2.60   | 3.13   | 12.95 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+20+25+25+25+25        | 1.86                  | 1.86   | 2.32   | 2.32   | 2.32   | 2.32   | 13.00 (3.50 - 16.30) | 2.848 (0.850 - 5.158)               | 12.51               | 99               |
| 20+20+25+25+25+35        | 1.73                  | 1.73   | 2.17   | 2.17   | 2.17   | 3.03   | 13.00 (3.50 - 16.50) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 20+20+25+25+25+42        | 1.66                  | 1.66   | 2.07   | 2.07   | 2.07   | 3.48   | 13.00 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+25+25+25+50        | 1.58                  | 1.58   | 1.97   | 1.97   | 1.97   | 3.94   | 13.00 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+25+25+25+60        | 1.49                  | 1.49   | 1.86   | 1.86   | 1.86   | 4.46   | 13.00 (3.50 - 16.50) | 2.835 (0.850 - 5.135)               | 12.45               | 99               |
| 20+20+25+25+35+35        | 1.63                  | 1.63   | 2.03   | 2.03   | 2.84   | 2.84   | 13.00 (3.50 - 16.50) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 20+20+25+25+35+42        | 1.56                  | 1.56   | 1.95   | 1.95   | 2.72   | 3.27   | 13.00 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+25+25+35+50        | 1.49                  | 1.49   | 1.86   | 1.86   | 2.60   | 3.71   | 13.00 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+25+25+42+42        | 1.49                  | 1.49   | 1.87   | 1.87   | 3.14   | 3.14   | 13.00 (3.50 - 16.50) | 2.846 (0.850 - 5.146)               | 12.50               | 99               |
| 20+20+25+35+35+35        | 1.53                  | 1.53   | 1.91   | 2.68   | 2.68   | 2.68   | 13.00 (3.50 - 16.50) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 20+20+25+35+35+42        | 1.47                  | 1.47   | 1.84   | 2.57   | 2.57   | 3.08   | 13.00 (3.50 - 16.50) | 2.852 (0.850 - 5.152)               | 12.53               | 99               |
| 20+20+35+35+35+35        | 1.44                  | 1.44   | 2.53   | 2.53   | 2.53   | 2.53   | 13.00 (3.50 - 16.50) | 2.858 (0.850 - 5.158)               | 12.55               | 99               |
| 20+22+22+22+22+22        | 1.98                  | 2.17   | 2.17   | 2.17   | 2.17   | 2.17   | 12.85 (3.50 - 16.10) | 2.841 (0.850 - 5.151)               | 12.48               | 99               |
| 20+22+22+22+22+25        | 1.94                  | 2.13   | 2.13   | 2.13   | 2.13   | 2.42   | 12.90 (3.50 - 16.16) | 2.841 (0.850 - 5.151)               | 12.48               | 99               |
| 20+22+22+22+22+35        | 1.80                  | 1.98   | 1.98   | 1.98   | 1.98   | 3.16   | 12.90 (3.50 - 16.36) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+22+22+22+22+42        | 1.72                  | 1.89   | 1.89   | 1.89   | 1.89   | 3.61   | 12.90 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+22+22+22+50        | 1.63                  | 1.80   | 1.80   | 1.80   | 1.80   | 4.08   | 12.90 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+22+22+22+60        | 1.54                  | 1.69   | 1.69   | 1.69   | 1.69   | 4.61   | 12.90 (3.50 - 16.50) | 2.828 (0.850 - 5.128)               | 12.42               | 99               |
| 20+22+22+22+22+71        | 1.44                  | 1.59   | 1.59   | 1.59   | 1.59   | 5.12   | 12.90 (3.50 - 16.50) | 2.832 (0.850 - 5.132)               | 12.44               | 99               |
| 20+22+22+22+25+25        | 1.90                  | 2.09   | 2.09   | 2.09   | 2.38   | 2.38   | 12.95 (3.50 - 16.22) | 2.841 (0.850 - 5.151)               | 12.48               | 99               |
| 20+22+22+22+25+35        | 1.77                  | 1.95   | 1.95   | 1.95   | 2.22   | 3.10   | 12.95 (3.50 - 16.42) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+22+22+22+25+42        | 1.69                  | 1.86   | 1.86   | 1.86   | 2.12   | 3.55   | 12.95 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+22+22+25+50        | 1.61                  | 1.77   | 1.77   | 1.77   | 2.01   | 4.02   | 12.95 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+22+22+25+60        | 1.51                  | 1.67   | 1.67   | 1.67   | 1.89   | 4.54   | 12.95 (3.50 - 16.50) | 2.828 (0.850 - 5.128)               | 12.42               | 99               |
| 20+22+22+22+35+35        | 1.66                  | 1.83   | 1.83   | 1.83   | 2.91   | 2.91   | 12.95 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+22+22+22+35+42        | 1.59                  | 1.75   | 1.75   | 1.75   | 2.78   | 3.34   | 12.95 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+22+22+35+50        | 1.51                  | 1.67   | 1.67   | 1.67   | 2.65   | 3.79   | 12.95 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+22+22+42+42        | 1.52                  | 1.68   | 1.68   | 1.68   | 3.20   | 3.20   | 12.95 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 20+22+22+22+42+50        | 1.46                  | 1.60   | 1.60   | 1.60   | 3.06   | 3.64   | 12.95 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 20+22+22+25+25+25        | 1.87                  | 2.06   | 2.06   | 2.34   | 2.34   | 2.34   | 13.00 (3.50 - 16.28) | 2.841 (0.850 - 5.151)               | 12.48               | 99               |
| 20+22+22+25+25+35        | 1.74                  | 1.92   | 1.92   | 2.18   | 2.18   | 3.05   | 13.00 (3.50 - 16.48) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+22+22+25+25+42        | 1.67                  | 1.83   | 1.83   | 2.08   | 2.08   | 3.50   | 13.00 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+22+25+25+50        | 1.59                  | 1.74   | 1.74   | 1.98   | 1.98   | 3.96   | 13.00 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+22+25+25+60        | 1.49                  | 1.64   | 1.64   | 1.87   | 1.87   | 4.48   | 13.00 (3.50 - 16.50) | 2.828 (0.850 - 5.128)               | 12.42               | 99               |
| 20+22+22+25+35+35        | 1.64                  | 1.80   | 1.80   | 2.04   | 2.86   | 2.86   | 13.00 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+22+22+25+35+42        | 1.57                  | 1.72   | 1.72   | 1.96   | 2.74   | 3.29   | 13.00 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+22+25+35+50        | 1.49                  | 1.64   | 1.64   | 1.87   | 2.61   | 3.74   | 13.00 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+22+25+42+42        | 1.50                  | 1.65   | 1.65   | 1.88   | 3.16   | 3.16   | 13.00 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 20+22+22+35+35+35        | 1.54                  | 1.69   | 1.69   | 2.69   | 2.69   | 2.69   | 13.00 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+22+22+35+35+42        | 1.48                  | 1.63   | 1.63   | 2.59   | 2.59   | 3.10   | 13.00 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+25+25+25+25        | 1.84                  | 2.02   | 2.30   | 2.30   | 2.30   | 2.30   | 13.05 (3.50 - 16.34) | 2.841 (0.850 - 5.151)               | 12.48               | 99               |
| 20+22+25+25+25+35        | 1.72                  | 1.89   | 2.15   | 2.15   | 2.15   | 3.00   | 13.05 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+22+25+25+25+42        | 1.64                  | 1.81   | 2.05   | 2.05   | 2.05   | 3.45   | 13.05 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+25+25+25+50        | 1.56                  | 1.72   | 1.95   | 1.95   | 1.95   | 3.91   | 13.05 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+25+25+25+60        | 1.47                  | 1.62   | 1.84   | 1.84   | 1.84   | 4.42   | 13.05 (3.50 - 16.50) | 2.828 (0.850 - 5.128)               | 12.42               | 99               |
| 20+22+25+25+35+35        | 1.61                  | 1.77   | 2.01   | 2.01   | 2.82   | 2.82   | 13.05 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+22+25+25+35+42        | 1.54                  | 1.70   | 1.93   | 1.93   | 2.70   | 3.24   | 13.05 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+25+25+35+50        | 1.47                  | 1.62   | 1.84   | 1.84   | 2.58   | 3.69   | 13.05 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+22+25+25+42+42        | 1.48                  | 1.63   | 1.85   | 1.85   | 3.11   | 3.11   | 13.05 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 20+22+25+35+35+35        | 1.52                  | 1.67   | 1.90   | 2.66   | 2.66   | 2.66   | 13.05 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 20+22+25+35+35+42        | 1.46                  | 1.60   | 1.82   | 2.55   | 2.55   | 3.06   | 13.05 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+25+25+25+25+25        | 1.81                  | 2.26   | 2.26   | 2.26   | 2.26   | 2.26   | 13.10 (3.50 - 16.40) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+25+25+25+25+35        | 1.69                  | 2.11   | 2.11   | 2.11   | 2.11   | 2.96   | 13.10 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+25+25+25+25+42        | 1.62                  | 2.02   | 2.02   | 2.02   | 2.02   | 3.40   | 13.10 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+25+25+25+25+50        | 1.54                  | 1.93   | 1.93   | 1.93   | 1.93   | 3.85   | 13.10 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+25+25+25+25+60        | 1.46                  | 1.82   | 1.82   | 1.82   | 1.82   | 4.37   | 13.10 (3.50 - 16.50) | 2.828 (0.850 - 5.128)               | 12.42               | 99               |
| 20+25+25+25+35+35        | 1.59                  | 1.98   | 1.98   | 1.98   | 2.78   | 2.78   | 13.10 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 20+25+25+25+35+42        | 1.52                  | 1.90   | 1.90   | 1.90   | 2.67   | 3.20   | 13.10 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+25+25+25+35+50        | 1.46                  | 1.82   | 1.82   | 1.82   | 2.55   | 3.64   | 13.10 (3.50 - 16.50) | 2.845 (0.850 - 5.145)               | 12.49               | 99               |
| 20+25+25+25+42+42        | 1.46                  | 1.83   | 1.83   | 1.83   | 3.07   | 3.07   | 13.10 (3.50 - 16.50) | 2.839 (0.850 - 5.139)               | 12.47               | 99               |
| 20+25+25+35+35+35        | 1.50                  | 1.87   | 1.87   | 2.62   | 2.62   | 2.62   | 13.10 (3.50 - 16.50) | 2.851 (0.850 - 5.151)               | 12.52               | 99               |
| 22+22+22+22+22+22        | 2.15                  | 2.15   | 2.15   | 2.15   | 2.15   | 2.15   | 12.90 (3.50 - 16.14) | 2.834 (0.850 - 5.144)               | 12.45               | 99               |
| 22+22+22+22+22+25        | 2.11                  | 2.11   | 2.11   | 2.11   | 2.11   | 2.40   | 12.95 (3.50 - 16.20) | 2.834 (0.850 - 5.144)               | 12.45               | 99               |
| 22+22+22+22+22+35        | 1.96                  | 1.96   | 1.96   | 1.96   | 1.96   | 3.13   | 12.95 (3.50 - 16.40) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+22+22+22+22+42        | 1.87                  | 1.87   | 1.87   | 1.87   | 1.87   | 3.58   | 12.95 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+22+22+22+50        | 1.78                  | 1.78   | 1.78   | 1.78   | 1.78   | 4.05   | 12.95 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+22+22+22+60        | 1.68                  | 1.68   | 1.68   | 1.68   | 1.68   | 4.57   | 12.95 (3.50 - 16.50) | 2.821 (0.850 - 5.121)               | 12.39               | 99               |
| 22+22+22+22+25+25        | 2.07                  | 2.07   | 2.07   | 2.07   | 2.36   | 2.36   | 13.00 (3.50 - 16.26) | 2.834 (0.850 - 5.144)               | 12.45               | 99               |
| 22+22+22+22+25+35        | 1.93                  | 1.93   | 1.93   | 1.93   | 2.20   | 3.07   | 13.00 (3.50 - 16.46) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+22+22+22+25+42        | 1.85                  | 1.85   | 1.85   | 1.85   | 2.10   | 3.52   | 13.00 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+22+22+25+50        | 1.75                  | 1.75   | 1.75   | 1.75   | 1.99   | 3.99   | 13.00 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+22+22+25+60        | 1.65                  | 1.65   | 1.65   | 1.65   | 1.88   | 4.51   | 13.00 (3.50 - 16.50) | 2.821 (0.850 - 5.121)               | 12.39               | 99               |
| 22+22+22+22+35+35        | 1.81                  | 1.81   | 1.81   | 1.81   | 2.88   | 2.88   | 13.00 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+22+22+22+35+42        | 1.73                  | 1.73   | 1.73   | 1.73   | 2.76   | 3.31   | 13.00 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+22+22+35+50        | 1.65                  | 1.65   | 1.65   | 1.65   | 2.63   | 3.76   | 13.00 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+22+22+42+42        | 1.66                  | 1.66   | 1.66   | 1.66   | 3.17   | 3.17   | 13.00 (3.50 - 16.50) | 2.832 (0.850 - 5.132)               | 12.44               | 99               |
| 22+22+22+22+42+50        | 1.59                  | 1.59   | 1.59   | 1.59   | 3.03   | 3.61   | 13.00 (3.50 - 16.50) | 2.832 (0.850 - 5.132)               | 12.44               | 99               |
| 22+22+22+25+25+25        | 2.04                  | 2.04   | 2.04   | 2.31   | 2.31   | 2.31   | 13.05 (3.50 - 16.32) | 2.834 (0.850 - 5.144)               | 12.45               | 99               |
| 22+22+22+25+25+35        | 1.90                  | 1.90   | 1.90   | 2.16   | 2.16   | 3.02   | 13.05 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+22+22+25+25+42        | 1.82                  | 1.82   | 1.82   | 2.06   | 2.06   | 3.47   | 13.05 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+22+25+25+50        | 1.73                  | 1.73   | 1.73   | 1.97   | 1.97   | 3.93   | 13.05 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+22+25+25+60        | 1.63                  | 1.63   | 1.63   | 1.85   | 1.85   | 4.45   | 13.05 (3.50 - 16.50) | 2.821 (0.850 - 5.121)               | 12.39               | 99               |
| 22+22+22+25+35+35        | 1.78                  | 1.78   | 1.78   | 2.03   | 2.84   | 2.84   | 13.05 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+22+22+25+35+42        | 1.71                  | 1.71   | 1.71   | 1.94   | 2.72   | 3.26   | 13.05 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+22+25+35+50        | 1.63                  | 1.63   | 1.63   | 1.85   | 2.60   | 3.71   | 13.05 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+22+25+42+42        | 1.64                  | 1.64   | 1.64   | 1.86   | 3.13   | 3.13   | 13.05 (3.50 - 16.50) | 2.832 (0.850 - 5.132)               | 12.44               | 99               |
| 22+22+22+35+35+35        | 1.68                  | 1.68   | 1.68   | 2.67   | 2.67   | 2.67   | 13.05 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+22+22+35+35+42        | 1.61                  | 1.61   | 1.61   | 2.57   | 2.57   | 3.08   | 13.05 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+25+25+25+25        | 2.00                  | 2.00   | 2.27   | 2.27   | 2.27   | 2.27   | 13.10 (3.50 - 16.38) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+22+25+25+25+35        | 1.87                  | 1.87   | 2.13   | 2.13   | 2.13   | 2.98   | 13.10 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+22+25+25+25+42        | 1.79                  | 1.79   | 2.03   | 2.03   | 2.03   | 3.42   | 13.10 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+25+25+25+50        | 1.71                  | 1.71   | 1.94   | 1.94   | 1.94   | 3.88   | 13.10 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+25+25+25+60        | 1.61                  | 1.61   | 1.83   | 1.83   | 1.83   | 4.39   | 13.10 (3.50 - 16.50) | 2.821 (0.850 - 5.121)               | 12.39               | 99               |
| 22+22+25+25+35+35        | 1.76                  | 1.76   | 2.00   | 2.00   | 2.80   | 2.80   | 13.10 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+22+25+25+35+42        | 1.69                  | 1.69   | 1.92   | 1.92   | 2.68   | 3.22   | 13.10 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+25+25+35+50        | 1.61                  | 1.61   | 1.83   | 1.83   | 2.56   | 3.66   | 13.10 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+22+25+25+42+42        | 1.62                  | 1.62   | 1.84   | 1.84   | 3.09   | 3.09   | 13.10 (3.50 - 16.50) | 2.832 (0.850 - 5.132)               | 12.44               | 99               |
| 22+22+25+35+35+35        | 1.66                  | 1.66   | 1.88   | 2.64   | 2.64   | 2.64   | 13.10 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+25+25+25+25+25        | 1.97                  | 2.24   | 2.24   | 2.24   | 2.24   | 2.24   | 13.15 (3.50 - 16.44) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+25+25+25+25+35        | 1.84                  | 2.09   | 2.09   | 2.09   | 2.09   | 2.93   | 13.15 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |

Combination table for MXZ-6F120VGD continues on the next page.

# MXZ-6F120VGD Heating

| Indoor units combination | Heating capacity (kW) |        |        |        |        |        |                      | Outdoor unit power consumption (kW) | Current (A) at 230V | Power factor (%) |
|--------------------------|-----------------------|--------|--------|--------|--------|--------|----------------------|-------------------------------------|---------------------|------------------|
|                          | Unit A                | Unit B | Unit C | Unit D | Unit E | Unit F | Total (Range)        |                                     |                     |                  |
| 22+25+25+25+25+42        | 1.76                  | 2.00   | 2.00   | 2.00   | 2.00   | 3.37   | 13.15 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+25+25+25+25+50        | 1.68                  | 1.91   | 1.91   | 1.91   | 1.91   | 3.82   | 13.15 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+25+25+25+35+35        | 1.73                  | 1.97   | 1.97   | 1.97   | 2.76   | 2.76   | 13.15 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 22+25+25+25+35+42        | 1.66                  | 1.89   | 1.89   | 1.89   | 2.65   | 3.17   | 13.15 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 22+25+25+35+35+35        | 1.63                  | 1.86   | 1.86   | 2.60   | 2.60   | 2.60   | 13.15 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 25+25+25+25+25+25        | 2.20                  | 2.20   | 2.20   | 2.20   | 2.20   | 2.20   | 13.20 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 25+25+25+25+25+35        | 2.06                  | 2.06   | 2.06   | 2.06   | 2.06   | 2.89   | 13.20 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 25+25+25+25+25+42        | 1.98                  | 1.98   | 1.98   | 1.98   | 1.98   | 3.32   | 13.20 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 25+25+25+25+25+50        | 1.89                  | 1.89   | 1.89   | 1.89   | 1.89   | 3.77   | 13.20 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 25+25+25+25+35+35        | 1.94                  | 1.94   | 1.94   | 1.94   | 2.72   | 2.72   | 13.20 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |
| 25+25+25+25+35+42        | 1.86                  | 1.86   | 1.86   | 1.86   | 2.61   | 3.13   | 13.20 (3.50 - 16.50) | 2.838 (0.850 - 5.138)               | 12.46               | 99               |
| 25+25+25+35+35+35        | 1.83                  | 1.83   | 1.83   | 2.57   | 2.57   | 2.57   | 13.20 (3.50 - 16.50) | 2.844 (0.850 - 5.144)               | 12.49               | 99               |



For more information contact

**Call 1300 722 228**

Distributed and guaranteed throughout Australia by

**MITSUBISHI ELECTRIC AUSTRALIA PTY. LTD.**

(Incorporated in New South Wales) A.B.N. 58 001 215 792