

Technical Data Sheet

CODE 45789

VORT QBK HE COMFORT 400 4T

High efficiency soundproof self-supporting cabinet fans




Certifications



Technical and performance data

Absorbed current at 230 V (A)	2,58	Weight (Kg)	52,50
Absorbed current at 400 V (A)	1,49	Max airflow (l/s)	1315
Frequency (Hz)	50	Max airflow (m³/h)	4732
Max absorbed power (W)	570	Max pressure (mmH2O)	46,90
Max ambient temperature for continuous operation (°C)	60	Max pressure (Pa)	459,9
Motor class	F	RPM	1440
Motor protection IP	55	Sound power Lw [dB(A)]	73,00
Voltage (V)	230/400	Sound pressure Lp [dB (A)] at 3 m	52,5

Dimensions



Size A (mm)	690
Size B (mm)	690
Size C (mm)	690
Size D (mm)	590
Size E (mm)	590
Size F (mm)	398
Size G (mm)	25
Size H (mm)	345
Size I (mm)	50
Size J (mm)	717
Size K (mm)	717

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:
prevendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:
sales@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:
export@vortice-italy.com

After Sales:
postvendita@vortice-italy.com

Technical Dept:
technical@vortice.ltd.uk

After Sales:
after-sales@vortice-italy.com

Technical Data Sheet

CODE 45789


VORT QBK HE COMFORT 400 4T

High efficiency soundproof self-supporting cabinet fans



Description

Curves



Accessories



SWT 16
Code 25059



**QBK-HE GP
400**
Code 21570



QBK F
Code 21413



QBK SAVIB 75
Code 21414



QBK-HE RF 400
Code 25065



**QBK-HE
COMFORT RRC
400**
Code 21637



**QBK-HE MFL
400**
Code 26865



**EMC-T FTR 1.2-
2.2A**

Code 21840



**IRET INVERTER
400 2.2A**

Code 12877



**IREM INVERTER
230 4.2A**

Code 12873

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:

prevendita@vortice-italy.com

After Sales:

postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:

sales@vortice.ltd.uk

Technical Dept:

technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:

export@vortice-italy.com

After Sales:

after-sales@vortice-italy.com