

Technical Data Sheet

CODE 45785

VORT QBK HE COMFORT 500 4M

High efficiency soundproof self-supporting cabinet fans




Certifications



Technical and performance data

Frequency (Hz)	50	Weight (Kg)	108,00
Max absorbed current (A)	9,83	Max airflow (l/s)	2652
Max absorbed power (W)	1480	Max airflow (m³/h)	9548
Max ambient temperature for continuous operation (°C)	50	Max pressure (mmH2O)	72,30
Motor class	F	Max pressure (Pa)	709,0
Motor protection IP	55	RPM	1435
Voltage (V)	230	Sound power Lw [dB(A)]	80,00
		Sound pressure Lp [dB (A)] at 3 m	59,5

Dimensions



Size A (mm)	840
Size B (mm)	840
Size C (mm)	840
Size D (mm)	740
Size E (mm)	740
Size F (mm)	498
Size G (mm)	25
Size H (mm)	420
Size I (mm)	50
Size J (mm)	867
Size K (mm)	867

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:
prevendita@vortice-italy.com
After Sales:

UNITED KINGDOM & REP. OF IRELAND

Sales Dept:
sales@vortice.ltd.uk
Technical Dept:

OTHER COUNTRIES

Sales Dept:
export@vortice-italy.com
After Sales:

Technical Data Sheet

CODE 45785


VORT QBK HE COMFORT 500 4M

High efficiency soundproof self-supporting cabinet fans



Description

Curves



Accessories



SWT 16
Code 25059



QBK-HE GP 500
Code 21572



QBK F
Code 21413



QBK SAVIB 235
Code 21415



QBK-HE RF 500
Code 25066



QBK-HE COMFORT RRC 500
Code 21639



QBK-HE MFL 500
Code 26867



QBK SAVIB 110

Code 21586



EMC-M FTR 10A

Code 21839



IREM INVERTER 230 10A

Code 12875

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:

prevendita@vortice-italy.com

After Sales:

postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:

sales@vortice.ltd.uk

Technical Dept:

technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:

export@vortice-italy.com

After Sales:

after-sales@vortice-italy.com