PSL UNIVERSITÉ PARIS

THÈSE DE DOCTORAT
DE L'UNIVERSITÉ PSL

Préparée à Chimie ParisTech

Origines microscopiques de la séparation xénon/krypton dans les matériaux nanoporeux

Microscopic origins of the xenon/krypton separation in nanoporous materials

Présentée par

Emmanuel REN

Soutenance prévue le
XX Septembre 2023

École doctorale n°388

Chimie Physique et Chimie Analytique de Paris Centre

Spécialité

Chimie Physique

Composition du jury :

U Caroline MELLOT-DRAZNIEKS Directrice de Recherche, Collège de France	*Présidente*
U Sofía CALERO Professeure, Universidad Pablo de Olavide	*Rapportrice*
U Paul FLEURAT-LESSARD Professeur, Université de Bourgogne	*Rapporteur*
U Renaud DENOYEL Directeur de Recherche, Aix-Marseille Université	*Examinateur*
U Alain FUCHS Professeur, PSL Université	*Examinateur*
François-Xavier COUDERT Directeur de Recherche, Chimie ParisTech	*Directeur de thèse*

Chimie Paris

PSL

ParisTech

REMERCIEMENTS

En premier lieu, je voudrais adresser ici mes plus vifs remerciements

TABLE OF CONTENTS

GENERAL INTRODUCTION

Nanoporous materials are material

[Just a copy paste from last article]

Gas separation and purification are essential processes since they provide key reactants and inert gases for the chemical industry, as well as medical or food grade gases. Among them, we can find easily extractable or synthesizable molecules such as nitrogen, oxygen, carbon dioxide, noble gases, hydrogen, methane, or nitrous oxide. Moreover, gas separation is crucial in mitigating negative environmental impact at the end of industrial processes, such as facilities emitting green house gases (*e.g.* concrete or steel plants) or treating volatile radioactive wastes like ^{85}Kr. Cryogenic liquefaction or distillation is currently the mainstream technique to achieve industrial gas separation, while adsorbent beds made of nanoporous materials (activated alumina or zeolites) are mostly used as a less energy-intensive pre-purification system.[1]

A wider use of nanoporous materials could reduce the energy consumption of current separation processes since adsorption is way less energy intensive than liquefaction.[2] For instance, some prototypes involving beds of nanoporous materials have been developed for xenon/krypton separation to avoid employing cryogenic distillation.[3] For the process to be viable, materials need to perform even better and many studies focus on synthesizing ever more selective materials by leveraging all chemical intuitions around noble gas adsorption properties.[4–6] In order to speed the discovery process of novel materials with key properties, computational screening can identify factors explaining the performance and pre-select candidates for further experimental studies. As recently conceptualized by Lyu et al., a synergistic workflow combining computational discovery and experimental validation can push material discovery to the next stage.[7, 8] But to efficiently guide experimental discoveries, computational chemists are facing two major challenges: generating reliably more structures and evaluating them with fast and accurate models.

The number of nanoporous materials is potentially unlimited; for the metal–organic frameworks (MOFs) alone, over 90,000 structures have been synthesized [9] and 500,000 computationally constructed [**Wilmer_2012**, 10, 11]. To deal with this ever increasing amount of structures, we need to design more efficient screening procedures as well as faster performance evaluation tools. To go beyond the time-consuming calculations over the whole dataset, computational chemists developed funnel-like screening procedures to reduce the need for expensive simulations and introduced machine learning (ML) models to replace them with faster evaluation tools.[12] To further improve the selectivity screening for Xe/Kr separation, we will need to design better performing structural and energy-based descriptors.

Simon et al. published one of the first articles on an ML-assisted screening approach for the separation of a Xe/Kr mixture extracted from the atmosphere.[13] Their model's performance was highly relying on the Voronoi energy, which is basically an average of the interaction energies of a xenon atom at each Voronoi node.[14] To rationalize this increase in performance, we regarded this Voronoi energy as a faster proxy for the adsorption enthalpy. By comparing it to the standard Widom insertion, we found that although it is faster, it is less accurate; and we developed a more effective alternative, the

surface sampling (RAESS) using symmetry and non accessible volumes blocking.[15] Recently, Shi et al. used an energy grid to generate energy histograms as a descriptor for their ML model, which gives an exhaustive description of the infinitely diluted adsorption energies,[16] but can be computationally expensive.

All the approaches described above can have good accuracy in the prediction of low-pressure adsorption (i.e., in the limit of zero loading) but are not suitable for prediction of adsorption in the high-pressure regime, when the material is near saturation uptake. While this later task is routinely performed by Grand Canonical Monte Carlo (GCMC) simulations, there is a lack of methods at lower computational cost for high-throughput screening. To better frame our challenge, in this work we are essentially trying to predict the selectivity in the nanopores of a material at high pressure, where adsorbates are interacting with each other, while only having information on the interaction at infinite dilution. The comparison between the low and high pressure cases gives key information on the origin of the differences of selectivity. For instance, we previously showed that selectivity could drop between the low and ambient pressure cases in the Xe/Kr separation application, and it was mainly attributed to the presence of different pore sizes and potential reorganizations due to adsorbate–adsorbate interactions.[17]

This thesis presents my work on

1

HIGH-THROUGHPUT COMPUTATIONAL SCREENING OF NANOPOROUS MATERIALS

1.1 Introduction to the main screening tools

1.1.1 Databases

[Ren2021]

In the past decade, large-scale computational screening studies have become an important part of the materials science innovation pipeline,[18, 19] trying to move beyond the serendipitous model of materials discovery.[20, 21] High-throughput computational discovery techniques are used in the generation of novel hypothetical structures for screening,[10, 22] as well as in trying to explore more in depth and more systematically the materials whose structure has already been published, in order to map their physical and chemical properties.[23–25] While the idea of large-scale exploration of materials is not new, and such databases — whether experimental or computational in the source of their data — have been around for several decades now,[9, 26, 27] this field has recently seen a rapid expansion enabled by several factors.

1.1.2 Simulation tools

1.1.3 Machine learning assisted screening

1.2 A literature overview

1.2.1 Thermodynamic adsorption properties

Gas storage

Gas separation

1.2.2 Transport adsorption properties

Kinetic properties

Used in breakthrough simulation

Membrane materials

1.2.3 Non-adsorption properties

Catalytic activity

Mechanical properties

Thermal properties

1.3 Consequences for xenon/krypton separation

1.3.1 Status quo

What is done in Xe/Kr separation

What can be learned in the other fields

1.3.2 Future perspectives

Main improvement points

Faster energy sampling

Integration in ml

Faster diffusion estimation

sqs

Flexibility OMS

2

THERMODYNAMIC EXPLORATION OF XENON/KRYPTON SEPARATION

2.1 Preliminary analyses

2.1.1 Structure–selectivity relationships

2.1.2 Thermodynamic quantities correlations

2.2 Selectivity drop

2.2.1 Thermodynamic analyses

2.2.2 Detailed investigation

dqsdqs

3

ADSORPTION MOLECULAR SIMULATIONS

3.1 Standard simulation tools

3.1.1 Grand canonical monte carlo

3.1.2 Widom's insertion

3.2 New algorithm development

3.2.1 Rapid Adsorption Enthalpy Surface Sampling (RAESS)

3.2.2 Grid Adsorption Energies Sampling (GrAES)

4

UNTITLED CHAPTER

4.1 Machine learning

4.1.1 Introduction

4.1.2 eXtreme Gradient Boosting

4.2 Ambient-pressure prediction

4.2.1 From infinite dilution to ambient pressure

4.2.2 Interpretation of the ML model

Origins of the selectivity drop

5

TRANSPORT PROPERTIES

5.1 Computational simulations

Experiment?

5.1.1 Molecular dynamics

5.1.2 Fast kinetic Monte Carlo

tutrast ctutrast ML descriptors next steps

5.2 ML modeling

Results

6

TOWARDS THE NEXT GENERATION OF SCREENINGS

6.1 Flexibility

Final screening step, easy integration into the workflow of current sreenings

6.1.1 Problem, literature

6.1.2 Snapshot

6.2 Open Metal Sites

6.2.1 Problem, literature

6.2.2 Perpectives

GENERAL CONCLUSIONS

The work presented in this thesis is

This work opens perspectives for



LIST OF PUBLICATIONS

Peer-reviewed papers

1. Emmanuel Ren and François-Xavier Coudert. "Thermodynamic exploration of xenon/krypton separation based on a high-throughput screening". In: *Faraday Discussions* 231 (2021), pp. 201–223. DOI: 10.1039/D1FD00024A.

2. Emmanuel Ren, Philippe Guilbaud, and François-Xavier Coudert. "High-throughput computational screening of nanoporous materials in targeted applications". In: *Digital Discovery* 1.4 (2022), pp. 355–374. DOI: 10.1039/D2DD00018K.

3. Emmanuel Ren and François-Xavier Coudert. "Rapid adsorption enthalpy surface sampling (RAESS) to characterize nanoporous materials". In: *Chemical Science* 14.7 (2023), pp. 1797–1807. DOI: 10.1039/D2SC05810C.

Preprint

4. Emmanuel Ren and François-Xavier Coudert. "Gas Separation Selectivity Prediction Based on Finely Designed Descriptors". In: *ChemRxiv* (2023).

BIBLIOGRAPHY

[1] F. G. Kerry. *Industrial gas handbook: gas separation and purification.* CRC press, 2007.

[2] National Academies of Sciences, Engineering, and Medicine. *A Research Agenda for Transforming Separation Science.* en. Washington, D.C.: The National Academies Press, 2019. ISBN: 978-0-309-49170-9. DOI: 10.17226/25421.

[3] D. Banerjee, C. M. Simon, S. K. Elsaidi, M. Haranczyk, and P. K. Thallapally. "Xenon Gas Separation and Storage Using Metal-Organic Frameworks". In: *Chem* 4 (3 2018), pp. 466–494. DOI: 10.1016/j.chempr.2017.12.025.

[4] L. Chen, P. S. Reiss, S. Y. Chong, D. Holden, K. E. Jelfs, T. Hasell, M. A. Little, A. Kewley, M. E. Briggs, A. Stephenson, K. M. Thomas, J. A. Armstrong, J. Bell, J. Busto, R. Noel, J. Liu, D. M. Strachan, P. K. Thallapally, and A. I. Cooper. "Separation of rare gases and chiral molecules by selective binding in porous organic cages". In: *Nature Mater.* 13.10 (July 2014), pp. 954–960. DOI: 10.1038/nmat4035.

[5] L. Li, L. Guo, Z. Zhang, Q. Yang, Y. Yang, Z. Bao, Q. Ren, and J. Li. "A Robust Squarate-Based Metal–Organic Framework Demonstrates Record-High Affinity and Selectivity for Xenon over Krypton". In: *J. Am. Chem. Soc.* 141.23 (May 2019), pp. 9358–9364. DOI: 10.1021/jacs.9b03422.

[6] J. Pei, X.-W. Gu, C.-C. Liang, B. Chen, B. Li, and G. Qian. "Robust and Radiation-Resistant Hofmann-Type Metal–Organic Frameworks for Record Xenon/Krypton Separation". In: *J. Am. Chem. Soc.* 144.7 (Feb. 2022), pp. 3200–3209. DOI: 10.1021/jacs.1c12873.

[7] H. Lyu, Z. Ji, S. Wuttke, and O. M. Yaghi. "Digital Reticular Chemistry". In: *Chem* 6.9 (Sept. 2020), pp. 2219–2241. DOI: 10.1016/j.chempr.2020.08.008.

[8] K. M. Jablonka, A. S. Rosen, A. S. Krishnapriyan, and B. Smit. "An Ecosystem for Digital Reticular Chemistry". In: *ACS Central Science* (Mar. 2023). DOI: 10.1021/acscentsci.2c01177.

[9] C. R. Groom, I. J. Bruno, M. P. Lightfoot, and S. C. Ward. "The Cambridge Structural Database". In: *Acta Cryst. B* 72.2 (Apr. 2016), pp. 171–179. DOI: 10.1107/s2052520616003954.

[10] P. G. Boyd and T. K. Woo. "A generalized method for constructing hypothetical nanoporous materials of any net topology from graph theory". In: *CrystEngComm* 18.21 (2016), pp. 3777–3792. DOI: 10.1039/c6ce00407e.

[11] Y. J. Colón, D. A. Gómez-Gualdrón, and R. Q. Snurr. "Topologically Guided, Automated Construction of Metal–Organic Frameworks and Their Evaluation for Energy-Related Applications". In: *Cryst. Growth Des.* 17 (11 2017), pp. 5801–5810. DOI: 10.1021/acs.cgd.7b00848.

[12] E. Ren, P. Guilbaud, and F.-X. Coudert. "High-throughput computational screening of nanoporous materials in targeted applications". In: *Digital Discovery* 1.4 (2022), pp. 355–374. DOI: 10.1039/D2DD00018K.

[13] C. M. Simon, R. Mercado, S. K. Schnell, B. Smit, and M. Haranczyk. "What Are the Best Materials To Separate a Xenon/Krypton Mixture?" In: *Chem. Mater.* 27 (12 2015), pp. 4459–4475. DOI: 10.1021/acs.chemmater.5b01475.

[14] C. H. Rycroft. "VORO++: A three-dimensional Voronoi cell library in C++". In: *Chaos* 19.4 (Dec. 2009), p. 041111. DOI: 10.1063/1.3215722.

[15] E. Ren and F.-X. Coudert. "Rapid adsorption enthalpy surface sampling (RAESS) to characterize nanoporous materials". In: *Chemical Science* 14.7 (2023), pp. 1797–1807. DOI: 10.1039/D2SC05810C.

[16] K. Shi, Z. Li, D. M. Anstine, D. Tang, C. M. Colina, D. S. Sholl, J. I. Siepmann, and R. Q. Snurr. "Two-Dimensional Energy Histograms as Features for Machine Learning to Predict Adsorption in Diverse Nanoporous Materials". In: *J. Chem. Theory Comput.* (Feb. 2023). DOI: 10.1021/acs.jctc.2c00798.

[17] E. Ren and F.-X. Coudert. "Thermodynamic exploration of xenon/krypton separation based on a high-throughput screening". In: *Faraday Discussions* 231 (2021), pp. 201–223. DOI: 10.1039/D1FD00024A.

[18] G. Hautier. "Finding the needle in the haystack: Materials discovery and design through computational ab initio high-throughput screening". In: *Comput. Mater. Sci.* 163 (2019), pp. 108–116. DOI: 10.1016/j.commatsci.2019.02.040.

[19] J. M. Cole. "A Design-to-Device Pipeline for Data-Driven Materials Discovery". In: *Acc. Chem. Res.* 53 (3 2020), pp. 599–610. DOI: 10.1021/acs.accounts.9b00470.

[20] A. Ludwig. "Discovery of new materials using combinatorial synthesis and high-throughput characterization of thin-film materials libraries combined with computational methods". In: *npj Comput. Mater.* 5 (1 2019), p. 0121. DOI: 10.1038/s41524-019-0205-0.

[21] H. S. Stein and J. M. Gregoire. "Progress and prospects for accelerating materials science with automated and autonomous workflows". In: *Chem. Sci.* 10 (42 2019), pp. 9640–9649. DOI: 10.1039/C9SC03766G.

[22] C. E. Wilmer, M. Leaf, C. Y. Lee, O. K. Farha, B. G. Hauser, J. T. Hupp, and R. Q. Snurr. "Large-scale screening of hypothetical metal–organic frameworks". In: *Nature Chem.* 4 (2 2012), pp. 83–89. DOI: 10.1038/nchem.1192.

[23] D. A. Gómez-Gualdrón, C. E. Wilmer, O. K. Farha, J. T. Hupp, and R. Q. Snurr. "Exploring the Limits of Methane Storage and Delivery in Nanoporous Materials". In: *J. Phys. Chem. C* 118 (13 2014), pp. 6941–6951. DOI: 10.1021/jp502359q.

[24] M. Moliner, Y. Román-Leshkov, and A. Corma. "Machine Learning Applied to Zeolite Synthesis: The Missing Link for Realizing High-Throughput Discovery". In: *Acc. Chem. Res.* 52 (10 2019), pp. 2971–2980. DOI: 10.1021/acs.accounts.9b00399.

[25] J. L. Salcedo Perez, M. Haranczyk, and N. E. R. Zimmermann. "High-throughput assessment of hypothetical zeolite materials for their synthesizeability and industrial deployability". In: *Z. Kristallogr.* 234 (7-8 2019), pp. 437–450. DOI: 10.1515/zkri-2018-2155.

[26] "Crystallography: Protein Data Bank". In: *Nature New Biology* 233 (42 1971), pp. 223–223. DOI: 10.1038/newbio233223b0.

[27] S. Gražulis, D. Chateigner, R. T. Downs, A. F. T. Yokochi, M. Quirós, L. Lutterotti, E. Manakova, J. Butkus, P. Moeck, and A. Le Bail. "Crystallography Open Database – an open-access collection of crystal structures". In: *J. Appl. Crystallogr.* 42 (4 2009), pp. 726–729. DOI: 10.1107/S0021889809016690.

RÉSUMÉ EN FRANÇAIS

Introduction

[5 à 10 pages]

Les matériaux poreux sont des matériaux

RÉSUMÉ

Durant ma thèse, j'ai

MOTS CLÉS

simulation moléculaire, matériaux nanoporeux,

ABSTRACT

During my PhD, I

KEYWORDS

molecular simulation, porous materials,