

When we create this app we used tailwindCSS and daisyUI. First of all, install those npm to our project folder

<https://tailwindcss.com/docs/installation>

<https://daisyui.com/>

After that,

App.js

```
import { BrowserRouter as Router, Route, Routes } from "react-router-dom"; // we install react-router-dom
import Home from "../pages/Home";
import NotFound from "../pages/NotFound";
import About from "../pages/About";
import Navbar from "../components/layout/Navbar";
import Footer from "../components/layout/Footer";

// We create Component like above.

function App() {
  return (
    <Router>
      <div className="flex flex-col justify-between h-screen">
        <Navbar />
        <main className="container mx-auto px-3 pb-12">
          <Routes>
            <Route path="/" element={<Home />} />
            <Route path="/about" element={<About />} />
            <Route path="/notfound" element={<NotFound />} />
            <Route path="/*" element={<NotFound />} />
          </Routes>
        </main>
        <Footer />
      </div>
    </Router>
  );
}

export default App;
```

```

import { FaGithub } from "react-icons/fa";
import { Link } from "react-router-dom";
import { PropTypes } from "prop-types";

function Navbar({ title }) {
  return ( / All classes comes from tailwindCSS and DaisyUI
    <nav className="navbar mb-12 shadow-lg bg-neutral text-neutral-
content">
      <div className="container mx-auto">
        <div className="flex-none px-2 mx-2">
          <FaGithub className="inline pr-2 text-3xl" />
          <Link to="/" className="text-lg font-bold align-middle">
            {title}
          </Link>
        </div>
        <div className="flex-1 px-2 mx-2">
          <div className="flex justify-end">
            <Link to="/" className="btn btn-ghost btn-sm rounded-
btn">
              Home
            </Link>
            <Link to="/about" className="btn btn-ghost btn-sm
rounded-btn">
              About
            </Link>
          </div>
        </div>
      </div>
    </nav>
  );
}

Navbar.defaultProps = {
  title: "Github Finder", / We set title as GithubFinder default.
};

```

```
Navbar.propTypes = {  
  title: PropTypes.string,  
};  
  
export default Navbar;
```

Footer.jsx

```
function Footer() {  
  const footerYear = new Date().getFullYear(); / We took present  
year and push it our p tag  
  return (  
    <footer className="footer p-10 bg-gray-500 text-primary-content  
footer-center">  
      <div>  
        <p>Copyright &copy; {footerYear} All Rights Reserved</p>  
      </div>  
    </footer>  
  );  
}  
  
export default Footer;
```

Components

Home.Jsx

```
function Home() {  
  return (  

```

```

    <div>
      <h1 className="text-6xl">welcome</h1>
    </div>
  );
}

```

```
export default Home;
```

About.jsx

```

function About() {
  return (
    <div>
      <h1 className="text-6xl mb-4">Github Finder</h1>
    </div>
  );
}

```

```
export default About;
```

NotFound.jsx

```

import { FaHome } from "react-icons/fa"; // we installed react-
icons(fa comes from "Font Awesome")
import { Link } from "react-router-dom";

function NotFound() {
  return (
    <div className="hero">
      <div className="text-center hero-content">
        <div className="max-w-lg">
          <h1 className="text-8xl font-bold mb-8">Oops!</h1>
          <p className="text-5xl mb-8">404 - Page Not Found!</p>
          <Link to="/" className="btn btn-primary btn-lg">
            <FaHome className="mr-2" />
            Back To Home
          </Link>
        </div>
      </div>
    </div>
  );
}

```

```
}
```

```
export default NotFound;
```

```
/ tailwind.config.js
```

```
module.exports = {  
  content: [  
    "./src/**/*.js,jsx,ts,tsx",  
  ],  
  theme: {  
    extend: {},  
  }, / In below we add daisyUI for use it with tailwind.  
  plugins: [require("daisyui")],  
}
```