Cucumber Report

| Start : Mar 30, 5:26:54.073 PM	End : Mar 30, 5:28:37.009 PM	Duration : 1 m 42.936 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0	PASSED - 20 FAILED - 1 SKIPPED - 2

Features: 2 — 50 %

Scenarios: 3 — 66 %

Steps: 23 — 86 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login Functionality	40.277 s	1	1	0	0	3	3	0	0
DataTable Functionality	1 m 2.606 s	2	1	1	0	20	17	1	2

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SmokeTest	1	1	0	0	1	1	0	0
@Regression	3	2	1	0	2	1	1	0

#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	1	0	0	40.277 s
2	DataTable Functionality	2	1	1	0	1 m 2.606 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality	Login with valid username and password	3	3	0	0	40.273 s
2	DataTable Functionality	Create Nationality	10	10	0	0	29.276 s
3	DataTable Functionality	Fee Functionality	10	7	1	2	33.300 s

Login Functionality

PASSED	DURATION - 40.277 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 5:26:54.073 PM // 5:27:34.350 PM /					

Login with valid username and password

PASSED	DURATION - 40.273 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 5:26:54.077 PM // 5:27:34.350 PM /				
Login Functionality				
@SmokeTest @Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	22.821 s
2	When Enter username and password and click login button	PASSED	5.583 s
3	Then User should login succesfully	PASSED	6.675 s

DataTable Functionality

FAILED	DURATION - 1 m 2.606 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Steps Total - 20 Pass - 17 Fail - 1 Skip - 2	20
/ 5:27:34.403 PM // 5:28:37.009 PM /					

Create Nationality

PASSED	DURATION - 29.276 s

/ 5:27:34.404 PM // 5:28:03.680 PM /

DataTable Functionality

@Regression

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	6.408 s
2	When Enter username and password and click login button	PASSED	5.434 s
3	Then User should login succesfully	PASSED	6.639 s
4	And Click on the element in LeftNav setup parameters nationalities	PASSED	1.504 s
5	And Click on the element in Dialog addButton	PASSED	1.451 s
6	And User sending the keys in Dialog Content nameInput gek1tU123lk1	PASSED	0.175 s
7	And Click on the element in Dialog saveButton	PASSED	0.170 s
8	Then Success message should be displayed	PASSED	0.721 s
9	And User delete item from Dialog Content gek1tU123lk1	PASSED	1.069 s
10	Then Success message should be displayed	PASSED	0.569 s

Fee Functionality

FAILED	DURATION - 33.300 s

/ 5:28:03.709 PM // 5:28:37.009 PM /

DataTable Functionality

@Regression

Steps
Total - 10
Pass - 7
Fail - 1
Skip - 2

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	6.406 s
2	When Enter username and password and click login button	PASSED	5.492 s
3	Then User should login succesfully	PASSED	6.748 s
4	And Click on the element in LeftNav setup parameters fees	PASSED	1.363 s
5	And Click on the element in Dialog addButton	PASSED	1.508 s
6	And User sending the keys in Dialog Content nameInput gek1tFee1 codeInput i3434 integrationCode 121 priorityCode 122	PASSED	0.696 s
7	And Click on the element in Dialog toggleBar saveButton	PASSED	0.396 s

8	Then Success message should be displayed
	
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 5 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at Pages.Parent.verifyContainsTextFunction(Parent.java:34)
	    at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:35)
	    at ?.Success message should be displayed(file:///Users/erengk/development/JavaProjectsGit/CucumberDersleri/Cucumber_Kursu5/src/test/java/FeatureFiles/_06_DataTable.feature:77)
		FAILED	5.287 s

#	Step / Hook Details	Status	Duration

	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]"} (Session info: chrome=111.0.5563.146) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.2.1', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8efa9a5d9e0337d3f4ad125dd67bccb9, findElement {using=xpath, value=//div[contains(text(),'successfully')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.146, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: /var/folders/bs/dvlrpbdd1xg...}, goog:chromeOptions: {debuggerAddress: localhost:49620}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:49620/devtoo..., se:cdpVersion: 111.0.5563.146, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8efa9a5d9e0337d3f4ad125dd67bccb9
	  at sun.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at com.sun.proxy.$Proxy25.getText(Unknown Source)
	  at org.openqa.selenium.support.ui.ExpectedConditions$12.apply(ExpectedConditions.java:346)
	  at org.openqa.selenium.support.ui.ExpectedConditions$12.apply(ExpectedConditions.java:342)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	  at Pages.Parent.verifyContainsTextFunction(Parent.java:34)
	  at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:35)
	  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.lang.reflect.Method.invoke(Method.java:498)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:364)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1137)		
	at org.testng.TestNG.runSuites(TestNG.java:1049)		
	at org.testng.TestNG.run(TestNG.java:1017)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
9	And User delete item from Dialog Content	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	gek1tFee1		
10	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.393 s
	screenshot name		