

# Cucumber Report

Mar 29, 2023 10:13:56 PM

Start : Mar 29, 10:12:12.892 PM

End : Mar 29, 10:13:53.333 PM

Duration : 1 m 40.441 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 0

PASSED - 20  
FAILED - 1  
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality</u>	30.867 s	1	1	0	0	3	3	0	0
<u>DataTable Functionality</u>	1 m 9.530 s	2	1	1	0	20	17	1	2

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@SmokeTest	1	1	0	0	1	1	0	0
@Regression	3	2	1	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	1	0	0	30.867 s
2	DataTable Functionality	2	1	1	0	1 m 9.530 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>Login with valid username and password</u>	3	3	0	0	30.864 s
2	<u>DataTable Functionality</u>	<u>Create Nationality</u>	10	10	0	0	32.374 s
3	<u>DataTable Functionality</u>	<u>Fee Functionality</u>	10	7	1	2	37.125 s

## Login Functionality



<b>PASSED</b>	DURATION - 30.867 s	Scenarios		Steps	
/ 10:12:12.892 PM // 10:12:43.759 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Login with valid username and password

<div>PASSED</div> <div>DURATION - 30.864 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:12:12.895 PM // 10:12:43.759 PM /</div>				
<div>Login Functionality</div>				
<div>@SmokeTest @Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	12.300 s
2	When Enter username and password and click login button	PASSED	6.060 s
3	Then User should login succesfully	PASSED	7.297 s

## DataTable Functionality

<b>FAILED</b>	DURATION - 1 m 9.530 s	Scenarios		Steps	
/ 10:12:43.803 PM // 10:13:53.333 PM /		Total - 2		Total - 20	
		Pass - 1		Pass - 17	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

## Create Nationality

<b>PASSED</b>	DURATION - 32.374 s		<b>Steps</b> Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 10:12:43.804 PM // 10:13:16.178 PM /				
DataTable Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	8.590 s
2	When Enter username and password and click login button	PASSED	6.062 s
3	Then User should login succesfully	PASSED	7.112 s
4	And Click on the element in LeftNav	PASSED	1.358 s
	<div>setup</div> <div>parameters</div> <div>nationalities</div>		
5	And Click on the element in Dialog	PASSED	1.309 s
	<div>addButton</div>		
6	And User sending the keys in Dialog Content	PASSED	0.211 s
	<div>nameInput gek1tU123lk1</div>		
7	And Click on the element in Dialog	PASSED	0.161 s
	<div>saveButton</div>		
8	Then Success message should be displayed	PASSED	0.726 s
9	And User delete item from Dialog Content	PASSED	1.141 s
	<div>gek1tU123lk1</div>		
10	Then Success message should be displayed	PASSED	0.564 s

**Fee Functionality**

<b>FAILED</b>	<b>DURATION - 37.125 s</b>		<b>Steps</b> Total - 10 Pass - 7 Fail - 1 Skip - 2	
/ 10:13:16.208 PM // 10:13:53.333 PM /				
DataTable Functionality				
@Regression				

#	Step / Hook Details	Status	Duration	
1	Given Navigate to Campus	PASSED	9.033 s	
2	When Enter username and password and click login button	PASSED	6.015 s	
3	Then User should login succesfully	PASSED	7.359 s	
4	And Click on the element in LeftNav	PASSED	1.376 s	
	setup			
	parameters			
	fees			
5	And Click on the element in Dialog	PASSED	1.550 s	
	addButton			
6	And User sending the keys in Dialog Content	PASSED	0.660 s	
	nameInput			gek1tFee1
	codeInput			i3434
	integrationCode			121
	priorityCode			122
7	And Click on the element in Dialog	PASSED	0.429 s	
	toggleBar			
	saveButton			
8	Then Success message should be displayed	FAILED	5.278 s	
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(), 'successfully')]' (tried for 5 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.verifyContainsTextFunction(Parent.java:34) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:35) at ?.Success message should be displayed(file:///Users/erengk/development/JavaProjectsGit/CucumberDersleri/Cucumber_Kursu5/src/test/java/FeatureFiles/_06_DataTable.feature:77)				



#	Step / Hook Details	Status	Duration
	<p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]"} (Session info: chrome=111.0.5563.110) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.2.1', java.version: '1.8.0_362' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c61c1e9c8e5739f2f5511bb2e582610c, findElement {using=xpath, value="//div[contains(text(),'successfully')]"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.110, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: /var/folders/bs/dvlpbddd1xg...}, goog:chromeOptions: {debuggerAddress: localhost:52369}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se.cdp: ws://localhost:52369/devtoo..., se.cdpVersion: 111.0.5563.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c61c1e9c8e5739f2f5511bb2e582610c</p> <p>at sun.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at com.sun.proxy.\$Proxy25.getText(Unknown Source)  at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:346)  at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:342)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)  at Pages.Parent.verifyContainsTextFunction(Parent.java:34)  at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:35)  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.lang.reflect.Method.invoke(Method.java:498)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
9	And User delete item from Dialog Content	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	gek1tFee1		
10	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.414 s
	screenshot name		
	