

Set up agent

Set up cloud

Dismiss

Configure global settings and paths.



Configure tools, their locations and automatic installers.



Add, remove, disable or enable plugins that can extend the functionality of Jenkins.



Add, remove, control and monitor the various nodes that Jenkins runs jobs on.



Add, remove, and configure cloud instances to provision agents on-demand.



Configure the look and feel of Jenkins

Secure Jenkins; define who is allowed to access/use the system.



Configure credentials



Configure the credential providers and types

JDK installations

+ Add JDK

⋮ JDK ✕

Name

OracleJDK11

JAVA_HOME

/usr/lib/jvm/java-1.11.0-openjdk-amd64

☐ Install automatically ?

+ Add JDK

Save Apply

Tools - Manage Jenkins - Jenkins

192.168.2.137:8080/manage/configureTools/

work

Jenkins

Manage Jenkins

Tools

/usr/lib/jvm/java-1.11.0-openjdk-amd64

Install automatically

JDK

Name

OracleJDK8

JAVA_HOME

/usr/lib/jvm/java-1.8.0-openjdk-amd64

Install automatically

+ Add JDK

Save

Apply

Maven installations

+ Add Maven

⋮ Maven

Name

MAVEN3

☒ Install automatically ?

⋮ Install from Apache

Version

3.9.3

+ Add Installer

+ Add Maven

New Item

Enter an item name

Build-1

Select an item type



Pipeline

Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.



Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.



Multibranch Pipeline

Creates a set of Pipeline projects according to detected branches in one SCM repository.

OK

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

 Git ?

Repositories ?

Repository URL ?

<https://github.com/erfanbehzadi/devops-project>

Credentials ?

- none -

Advanced

+ Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?

```
*/main
```

+ Add Branch

Save

Apply

Jenkins

Build-1

Configure

🔍

⚙️

👤

Configure

⚙️ General

🔗 Source Code Management

🕒 Triggers

🌐 Environment

☰ Build Steps

🏠 Post-build Actions

☐ Terminate a build if it's stuck

☐ With Ant ?

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

⌵ Invoke top-level Maven targets ?

Maven Version

MAVEN3

Goals

clean install

Advanced

+ Add build step

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Save

Apply

Jenkins

Build-1

#1

Status

Changes

Console Output

Edit Build Information

Timings

#1 (Jan 29, 2026, 7:32:26 AM)

Started by user [erfan behzadi](#)

This run spent 0.26 sec waiting in the queue.

No changes.

Progress

Add description

Keep this build forever

Started 11 sec ago

Build has been executing for 11 sec

REST API

Jenkins 2.541.1

Console - #1 - Jenkins

192.168.2.137:8080/job/Build-1/1/console

work

Jenkins

Build-1

#1

Downloaded from central: <https://repo.maven.apache.org/maven2/com/thoughtworks/xstream/xstream/1.4.10/xstream-1.4.10.jar> (590 kB at 283 kB/s)
Progress (1): 262 kB

Downloaded from central: <https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-utils/3.1.0/plexus-utils-3.1.0.jar> (262 kB at 125 kB/s)

[INFO] Packaging webapp

[INFO] Assembling webapp [vprofile] in [/var/lib/jenkins/workspace/Build-1/target/vprofile-v2]

[INFO] Processing war project

[INFO] Copying webapp resources [/var/lib/jenkins/workspace/Build-1/src/main/webapp]

[INFO] Webapp assembled in [437 msecs]

[INFO] Building war: /var/lib/jenkins/workspace/Build-1/target/vprofile-v2.war

[INFO]

[INFO] --- jacoco:0.8.4:report (jacoco-site) @ vprofile ---

[INFO] Loading execution data file /var/lib/jenkins/workspace/Build-1/target/jacoco.exec

[INFO] Analyzed bundle 'Visualpathit VProfile Webapp' with 15 classes

[INFO]

[INFO] --- install:3.1.1:install (default-install) @ vprofile ---

[INFO] Installing /var/lib/jenkins/workspace/Build-1/pom.xml to /var/lib/jenkins/.m2/repository/com/visualpathit/vprofile/v2/vprofile-v2.pom

[INFO] Installing /var/lib/jenkins/workspace/Build-1/target/vprofile-v2.war to /var/lib/jenkins/.m2/repository/com/visualpathit/vprofile/v2/vprofile-v2.war

[INFO] -----

[INFO] BUILD SUCCESS

[INFO] -----

[INFO] Total time: 04:32 min

[INFO] Finished at: 2026-01-29T07:38:43Z

[INFO] -----

Finished: SUCCESS

Jenkins 2.541.1

Jenkins

Build-1

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Goals

clean install

Advanced

Execute shell

Command

See the list of available environment variables

```
mkdir -p versions
cp target/vprofile-v2.war versions/vprofile-v$BUILD_ID-$BUILD_TIMESTAMP.war
```

Advanced

+ Add build step

Post-build Actions

Save

Apply

```
[INFO]
[INFO] --- war:3.2.2:war (default-war) @ vprofile ---
[INFO] Packaging webapp
[INFO] Assembling webapp [vprofile] in [/var/lib/jenkins/workspace/Build-1/target/vprofile-v2]
[INFO] Processing war project
[INFO] Copying webapp resources [/var/lib/jenkins/workspace/Build-1/src/main/webapp]
[INFO] Webapp assembled in [873 msecs]
[INFO] Building war: /var/lib/jenkins/workspace/Build-1/target/vprofile-v2.war
[INFO]
[INFO] --- jacoco:0.8.4:report (jacoco-site) @ vprofile ---
[INFO] Loading execution data file /var/lib/jenkins/workspace/Build-1/target/jacoco.exec
[INFO] Analyzed bundle 'Visualpathit VProfile Webapp' with 15 classes
[INFO]
[INFO] --- install:3.1.1:install (default-install) @ vprofile ---
[INFO] Installing /var/lib/jenkins/workspace/Build-1/pom.xml to /var/lib/jenkins/.m2/repository/com/visualpathit/vprofile/v2/vprofile-v2.pom
[INFO] Installing /var/lib/jenkins/workspace/Build-1/target/vprofile-v2.war to /var/lib/jenkins/.m2/repository/com/visualpathit/vprofile/v2/vprofile-v2.war
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 01:14 min
[INFO] Finished at: 2026-01-29T07:57:34Z
[INFO] -----
[Build-1] $ /bin/sh -xe /tmp/jenkins13784110833745662909.sh
+ mkdir -p versions
+ cp target/vprofile-v2.war versions/vprofile-v4-.war
Finished: SUCCESS
```

```
Waiting for cache lock: Could not get lock /var/lib/dpkg/lock-frontent. It is he
Waiting for cache lock: Could not get lock /var/lib/dpkg/lock-frontent. It is held by process 1115 (unattended-upgr)
Waiting for cache lock: Could not get lock /var/lib/dpkg/lock-frontent. It is held by process 1115 (unattended-upgr)
Waiting for cache lock: Could not get lock /var/lib/dpkg/lock-frontent. It is held by process 1115 (unattended-upgr)
^Citing for cache lock: Could not get lock /var/lib/dpkg/lock-frontent. It is held by process 1115 (unattended-upgr)... 8s
erfan@erfan:~$ ^C
erfan@erfan:~$ kill process 1115
-bash: kill: process: arguments must be process or job IDs
-bash: kill: (1115) - Operation not permitted
erfan@erfan:~$ sudo su
root@erfan:/home/erfan# 19691225
19691225: command not found
root@erfan:/home/erfan# kill 1115
root@erfan:/home/erfan# # Add Docker's official GPG key:
sudo apt update
sudo apt install ca-certificates curl
sudo install -m 0755 -d /etc/apt/keyrings
sudo curl -fsSL https://download.docker.com/linux/ubuntu/gpg -o /etc/apt/keyrings/docker.asc
sudo chmod a+r /etc/apt/keyrings/docker.asc

# Add the repository to Apt sources:
sudo tee /etc/apt/sources.list.d/docker.sources <<EOF
Types: deb
URIs: https://download.docker.com/linux/ubuntu
Suites: $(. /etc/os-release && echo "${UBUNTU_CODENAME:-$VERSION_CODENAME}")
Components: stable
Signed-By: /etc/apt/keyrings/docker.asc
EOF

sudo apt update
Get:1 file:/cdrom/jammy InRelease
Ign:1 file:/cdrom/jammy InRelease
Get:2 file:/cdrom/jammy Release
Err:2 file:/cdrom/jammy Release
  File not found - /cdrom/dists/jammy/Release (2: No such file or directory)
Hit:3 http://ir.archive.ubuntu.com/ubuntu jammy InRelease
Get:4 http://ir.archive.ubuntu.com/ubuntu jammy-updates InRelease [128 kB]
Get:5 http://ir.archive.ubuntu.com/ubuntu jammy-backports InRelease [127 kB]
Get:6 http://ir.archive.ubuntu.com/ubuntu jammy-security InRelease [129 kB]
Get:7 http://ir.archive.ubuntu.com/ubuntu jammy/main Translation-en [510 kB]
Get:8 http://ir.archive.ubuntu.com/ubuntu jammy/restricted Translation-en [18.6 kB]
Get:9 http://ir.archive.ubuntu.com/ubuntu jammy/universe Translation-en [5,652 kB]
28% [9 Translation-en 2,887 kB/5,652 kB 51%]
```

Hello from Docker!
This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:

1. The Docker client contacted the Docker daemon.
2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
(amd64)
3. The Docker daemon created a new container from that image which runs the executable that produces the output you are currently reading.
4. The Docker daemon streamed that output to the Docker client, which sent it to your terminal.

To try something more ambitious, you can run an Ubuntu container with:

```
$ docker run -it ubuntu bash
```

Share images, automate workflows, and more with a free Docker ID:

<https://hub.docker.com/>

For more examples and ideas, visit:

<https://docs.docker.com/get-started/>

```
root@erfan:/home/erfan# docker images
```

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA
hello-world:latest	05813aedc15f	25.9kB	9.52kB	

 Info →  In Use

```
root@erfan:/home/erfan# docker pull sonatype/nexus3
```

Using default tag: latest

latest: Pulling from sonatype/nexus3

04b2b6a1e5a7: Download complete

04b2b6a1e5a7: Pull complete

71481f0d0814: Pull complete

6ba9bb06dde4: Extracting 20 s

6ba9bb06dde4: Pull complete

0d00aa8fd8ba: Download complete

0d00aa8fd8ba: Pull complete

Digest: sha256:8992345a6279649419f2ebc50bd19807b3fbd56630aa854c21b5e6269e9d5211

Status: Downloaded newer image for sonatype/nexus3:latest

docker.io/sonatype/nexus3:latest

```
root@erfan:/home/erfan#
```

```
root@erfan:/home/erfan# docker run -d -p 8080:8081 --name nexus sonatype/nexus3
```

610673085f65b99f01e51acd515312e1ldaf4c15e04722203f7fbf7073514d5d

```
root@erfan:/home/erfan#
```

Welcome

Login to continue

To log in for the first time, use the generated admin password located at:

/nexus-data/admin.password

Username *

Password *

Log in

```
Memory usage: 9%      IPv4 address for docker0: 172.17.0.1
Swap usage:   0%      IPv4 address for ens33: 192.168.2.142
```

293 updates can be applied immediately.
200 of these updates are standard security updates.
To see these additional updates run: `apt list --upgradable`

Failed to connect to <https://changelogs.ubuntu.com/meta-release-lts>. Check your Internet connection or proxy settings

Last login: Fri Jan 30 05:50:45 2026

erfan@erfan:~\$ `docker run ps`

permission denied while trying to connect to the docker API at unix:///var/run/docker.sock

erfan@erfan:~\$ `sudo su`

[sudo] password for erfan:

root@erfan:/home/erfan# `docker ps`

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
--------------	-------	---------	---------	--------	-------	-------

root@erfan:/home/erfan# `docker pull sonarqube`

Using default tag: latest

latest: Pulling from library/sonarqube

4f4fb700ef54: Pull complete

a3629ac5b9f4: Pull complete

220e5f46c255: Pull complete

a3307ab29355: Pull complete

24ebe7eabaf2: Pull complete

df8fd45c97cd: Pull complete

30d803a36141: Pull complete

b499eabd66bb: Pull complete

b687101c3679: Download complete

6410d436758d: Download complete

Digest: sha256:1b1117276ca3ae9a692b1bd9b75cc28289de958675f217079f8d0a776bef64d8

Status: Downloaded newer image for sonarqube:latest

docker.io/library/sonarqube:latest

root@erfan:/home/erfan# `docker images`

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA
hello-world:latest	05813aedc15f	25.9kB	9.52kB	U
sonarqube:latest	1b1117276ca3	2.6GB	1.13GB	
sonatype/nexus3:latest	8992345a6279	1.12GB	397MB	U

root@erfan:/home/erfan#

Plugins

- Updates
- Available plugins
- Installed plugins
- Advanced settings
- Download progress**

Download progress

1

Preparation

- Checking internet connectivity
- Checking update center connectivity
- Success

Nexus Artifact Uploader	Failure - Details
Loading plugin extensions	Success
SonarQube Scanner	Success
Loading plugin extensions	Running
Nexus Artifact Uploader	Pending
Loading plugin extensions	Pending
JSch dependency	Pending
Gerrit Trigger	Pending
Sonar Gerrit	Pending
Loading plugin extensions	Pending

[Go back to the top page](#)
(you can start using the installed plugins right away)

Plugins

- Updates
- Available plugins
- Installed plugins
- Advanced settings
- Download progress**

Download progress

1

Preparation

- Checking internet connectivity
- Checking update center connectivity
- Success

Nexus Artifact Uploader

Failure - Details

Loading plugin extensions

Success

Preparation

nexus-artifact-uploader

Success

→ [Go back to the top page](#)
(you can start using the installed plugins right away)

→ ☐ Restart Jenkins when installation is complete and no jobs are running

Plugins

sonar

Name ↓	Health	Enabled
SonarQube Scanner for Jenkins 2.18.2 This plugin allows an easy integration of SonarQube, the open source platform for Continuous Inspection of code quality. Report an issue with this plugin	84	☒

- Updates 2
- Available plugins
- Installed plugins
- Advanced settings
- Download progress



Plugins

- 📄 Updates
- 📁 Available plugins
- ⚙️ Installed plugins
- ⚙️ **Advanced settings**
- ⋮ Download progress

Advanced settings

2

The Proxy configuration form has been moved to [Configure System](#) page

Deploy Plugin

You can select a plugin file from your local system or provide a URL to install a plugin from outside the configured update site(s).

File

📁 Choose File

pipeline-utility-steps.hpi

Or

URL

Deploy



Jenkins

03.Build-UTest

Configure



Configure



General



Triggers



Pipeline



Advanced

Definition

Pipeline script

Script ?

```
1 pipeline {
2     agent any
3     tools {
4         maven "MAVEN3"
5         jdk "OracleJDK8"
6     }
7
8     stages {
9         stage('Fetch code') {
10             steps {
11                 git branch: 'vp-rem', url: 'https://github.com/erfanbehzadi/devops-project.git'
12             }
13         }
14     }
15 }
```

try sample Pipeline... ▾

Save

Apply

Jenkins

03.Build-UTest

#2

Status

Changes

Console Output

Edit Build Information

Timings

Pipeline Overview

Thread Dump

Pause/resume

Replay

Pipeline Steps

Workspaces

Previous Build

#2 (Jan 30, 2026, 7:42:12 AM)

Progress:

Add description

Keep this build forever

Started by user [erfan behzadi](#)

Started 25 sec ago

Build has been executing for 25 sec

This run spent 0.21 sec waiting in the queue.

No changes.

192.168.2.137:8080/job/03.Build-UTest/2/changes

REST API Jenkins 2.541.1

 **Jenkins** / 03.Build-UTest / #5

Status

Changes

Console Output

Edit Build Information

Timings

Git Build Data

Pipeline Overview

Thread Dump

Pause/resume

Replay

Pipeline Steps

Workspaces

Previous Build

 **#5 (Jan 30, 2026, 7:58:20 AM)**

 Started by user [erfan behzadi](#)

 This run spent 8 ms waiting in the queue.

 **Revision:** b623e03a91dad65e1552bea75cd81cfab79a2583
Repository: <https://github.com/erfanbehzadi/devops-project.git>

- refs/remotes/origin/main

 No changes.

Add description

Keep this build forever

Started 30 sec ago

Build has been executing for 30 sec

<https://github.com/erfanbehzadi/devops-project.git>

```
root@erfan:/home/erfan# docker run -d -p 9000:9000 sonarqube
e2e085afa4baae36663fecc7394ba9569d7dd9563434767c762ac17406c7b26a
```

```
root@erfan:/home/erfan# docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
e2e085afa4ba	sonarqube	"/opt/sonarqube/dock..."	5 seconds ago	Up 5 seconds	0.0.0.0:9000->9000/tcp, [::]:9000->9000/tcp	ecstatic_fermat

```
root@erfan:/home/erfan#
```



SonarQube is starting



extend the functionality of Jenkins.



Add, remove, control and monitor the various nodes that Jenkins runs jobs on.



Add, remove, and configure cloud instances to provision agents on-demand.



Configure the look and feel of Jenkins

Secure Jenkins; define who is allowed to access/use the system.



Configure credentials



Configure the credential providers and types




Create/delete/modify users that can log in to this Jenkins.

System Information

Environmental information to



System log captures output from



Check your resource utilization and see if you need

Configure

- General
- Triggers
- Pipeline
- Advanced

Pipeline

Define your Pipeline using Groovy directly or pull it from source control.

Definition

Pipeline script

Script ?

```
1 pipeline {
2   agent any
3   tools {
4     maven "MAVEN3"
5     jdk "OracleJDK8"
6   }
7   stages{
8     stage('Fetch code') {
9       steps{
10         git branch: 'main', url: 'https://github.com/erfanbehzadi/devops-project.git'
11       }
12     }
13
14     stage('Build') {
15       steps {
```

try sample Pipeline...

☒ Use Groovy Sandbox ?

Save Apply

+ Add SonarQube Scanner

☰ SonarQube Scanner ✕

Name

sonar4.7

☒ Install automatically ?

☰ Install from Maven Central ✕

Version

SonarQube Scanner 4.7.0.2747 ▾

+ Add Installer

+ Add SonarQube Scanner

Save Apply

04.Build-Sonar-CI < 9

Branch: — 59m 17s No changes
Commit: — - Started by user erfan behzadi



Quality Gate - 49m 28s

✓	> MAVEN3 — Use a tool from a predefined Tool Installation	<1s
✓	> Fetches the environment variables for a given tool in a list of 'FOO=bar' strings suitable for the withEnv step.	<1s
✓	> OracleJDK17 — Use a tool from a predefined Tool Installation	<1s
✓	> Fetches the environment variables for a given tool in a list of 'FOO=bar' strings suitable for the withEnv step.	<1s
○	✓ true — Wait for SonarQube analysis to be completed and return quality gate status	49m 26s
1 Checking status of SonarQube task '59ba5cd0-089b-489c-8201-aa902daa181e' on server 'sonarqube'		
2 SonarQube task '59ba5cd0-089b-489c-8201-aa902daa181e' status is 'PENDING'		

Projects - SonarQube Community

192.168.2.142:9000/projects

Not secure

work

Embedded database should be used for evaluation purposes only. It doesn't support scaling, upgrading to a new SonarQube Server version, or migration to another database engine. [Learn more](#)

SonarQube

community

Projects

Issues

Rules

Quality Profiles

Quality Gates

Administration

More

My Favorites

All

Filters

Quality Gate

Security

Passed

1

Failed

0

A

≥ 0 info issues

0

B

≥ 1 low issue

0

C

≥ 1 medium issue

0

D

≥ 1 high issue

0

E

≥ 1 blocker issue

1

Search by project name or key

Search projects (minimum 2 characters)

Perspective

Overall Status

Sort by

Name

1 project(s)

Create Project

vprofile

Public

Passed

Last analysis: 1 hour ago • 9.1k Lines of Code • CSS, JSP, ...

E

1

Security

E

42

Reliability

A

874

Maintainability

E

0.0%

Hotspots Reviewed

0.0%

Coverage

2.6%

Duplications

1 of 1 shown

SonarQube™ technology is powered by SonarSource Sàrl

Community Build • v26.1.0.118079 • MQR MODE

LGPL v3

Community

Documentation

Plugins

Web API

Settings

Repository

Repositories

Blob Stores

Data Store

Proprietary Repositories

Content Selectors

Cleanup Policies

Routing Rules

Security

Support

System

IQ Server

Repositories / Select Recipe

Recipe ↑

 docker (group)

 docker (hosted)

 docker (proxy) gitlfs (hosted)

 go (group)

 go (proxy)

helm (hosted)

helm (proxy)

 huggingface (proxy)

maven2 (group)

 maven2 (hosted)

maven2 (proxy)

 npm (group)

 npm (hosted)

 npm (proxy)

nuget (group)

nuget (hosted)

nuget (proxy)

 [p2 \(prev\)](#)

New credentials

Kind

Username with password

Scope ?

Global (Jenkins, nodes, items, all child items, etc)

Username

admin

☐ Treat username as secret ?

Password

.....

ID ?

nexuslogin

Description ?

nexuslogin

Create

Configure

⚙️ General

🕒 Triggers

📜 Pipeline

🔑 Advanced

Definition

Pipeline script ▾

Script ?

```
66 ~ stage("UploadArtifact"){
67 ~     steps{
68 ~         nexusArtifactUploader{
69 ~             nexusVersion: 'nexus3',
70 ~             protocol: 'http',
71 ~             nexusUrl: '192.168.2.142:8081',
72 ~             groupId: 'QA',
73 ~             version: "${env.BUILD_ID}-${env.BUILD_TIMESTAMP}",
74 ~             repository: 'erfan-repo',
75 ~             credentialsId: 'nexuslogin',
76 ~             artifacts: [
77 ~                 [artifactId: 'vproapp',
78 ~                  classifier: '',
79 ~                  file: 'target/erfan-repo.war',
80 ~                  type: 'war']

```

☒ Use Groovy Sandbox ?

Pipeline Syntax

✓ 06.Pipeline-CI-Build-UTest-CodeAnalysis-Nexus < 32

PipelineChangesTestsArtifacts🔄⚙️🔗Logout✕

Branch: — 6m 24s No changes

Commit: — a few seconds ago Started by user erfan behzadi



UploadArtifact - 1m 38s

[Restart UploadArtifact](#)

✓	> MAVEN3 — Use a tool from a predefined Tool Installation	<1s
✓	> Fetches the environment variables for a given tool in a list of 'FOO=bar' strings suitable for the withEnv step.	<1s
✓	> OracleJDK17 — Use a tool from a predefined Tool Installation	<1s
✓	> Fetches the environment variables for a given tool in a list of 'FOO=bar' strings suitable for the withEnv step.	<1s
✓	> Nexus Artifact Uploader	1m 35s

```
client-certificate-data: LS0tLS1CRUdJTiBDRVJUSUZJQ0FURSB0tLS0tCklJSURLVENDQWhHZ0F3SUJBZ01JYj1VMVZCVnV0amd3RFFZSktvWkloZmNOQVFFTEJRQXZGVEVUTUJFR0ExVUUKQXhNS2EzVmlaWEplWlhSbGN6QWVGdzB5TmpBeElqZ3d0e1F3TWpKYUZ3MH10ekF4TWpnd056UTFNaXphTUR3eApIekFkQmdOVk1JBB1RGbXQXQWw1aFpHMDZzMngxYzNSbGnpMWhaRzFwYm5NeEdUQUVhCz05WQkFNVEVHdDFZbVZ5CmJtVjBaWE10WVdSdGFXNHdnZ0VpTUEwR0N0cUdTSWIZRFFBQkFRVUFBNELCRHdBd2dnRUtBb01CQVFDZ2FYZFoKU01iYUdVS21EOUxtUUX3YkN5SmlFZWZlYUzUwNHJKN0VUeDhkHoyWGUYbHJNZUwrd094Q2hNUUtgVUt1WTloMMapDWTkNnNnS3dmVGtsMUVCOCC9waHZLWEFlMGt6b0Q2Ti93WFV3Y1FYZDFTKlpqTFM0Q3pGwM4wR3ltNHU0RmZBCkw5bG8vaFNPQnZqSFliUW9DYzNlZVFJY1grT0xkUkRtS0dRZktZy3JUS2VvOD12NFBVQWdVcE9Q0Q3JBenc0Q1AKTk5tcjQrV3Z6bkNXSlpTb1Rwd0MrZkMza2U5SE9XTjdXZnNINGFSc3E5cFphSXViSVYrUWhwaTlSc3BPV110VQpFME1WZlRXbG8yRy84Zy8xTTdjUlpIejVOMGVtdDhqMF1Ha3VudXo3dTltRzVpcnV2MU5Kc3N3NGUyb1h0R1B5C1k4WEZCVdZnNVm2Unpzay9BZ01CQUFHa1ZqQ1VNQTRHQTfVZER3RUIvd1FFQXcJRM9EQVRCZ05WSFNVRUREQUsKQmdncjJnRUZCUWNEQWpBTUJnTlZlUklCQWY4RUFGqQUFNQjhHQTfVZE13UV1NQmFBRkhteWhoNHhsVHduK3JoYwpnY3FDZ2oxczN1OGNjQTBHQ1Nxr1NjYjNEUUVQ3dVQUE0SUJBZ01JZ0ZlZ3l1WlR3YkN5SmlFZWZlYUzUwNHJKN0VUeDhkHoyWGUYbHJNZUwrd094Q2hNUUtgVUt1WTloMMapDWTkNnNnS3dmVGtsMUVCOCC9waHZLWEFlMGt6b0Q2Ti93WFV3Y1FYZDFTKlpqTFM0Q3pGwM4wR3ltNHU0RmZBCkw5bG8vaFNPQnZqSFliUW9DYzNlZVFJY1grT0xkUkRtS0dRZktZy3JUS2VvOD12NFBVQWdVcE9Q0Q3JBenc0Q1AKTk5tcjQrV3Z6bkNXSlpTb1Rwd0MrZkMza2U5SE9XTjdXZnNINGFSc3E5cFphSXViSVYrUWhwaTlSc3BPV110VQpFME1WZlRXbG8yRy84Zy8xTTdjUlpIejVOMGVtdDhqMF1Ha3VudXo3dTltRzVpcnV2MU5Kc3N3NGUyb1h0R1B5C1k4WEZCVdZnNVm2Unpzay9BZ01CQUFHa1ZqQ1VNQTRHQTfVZER3RUIvd1FFQXcJRM9EQVRCZ05WSFNVRUREQUsKQmdncjJnRUZCUWNEQWpBTUJnTlZlUklCQWY4RUFGqQUFNQjhHQTfVZE13UV1NQmFBRkhteWhoNHhsVHduK3JoYwpnY3FDZ2oxczN1OGNjQTBHQ1Nxr1NjYjNEUUVQ3dVQUE0SUJBZ01JZ0ZlZ3l1WlR3YkN5SmlFZWZlYUzUwNHJKN0VUeDhkHoyWGUYbHJNZUwrd094Q2hNUUtgVUt1WTloMMapDWTkNnNnS3dmVGtsMUVCOCC9waHZLWEFlMGt6b0Q2Ti93WFV3Y1FYZDFTKlpqTFM0Q3pGwM4wR3ltNHU0RmZBCkw5bG8vaFNPQnZqSFliUW9DYzNlZVFJY1grT0xkUkRtS0dRZktZy3JUS2VvOD12NFBVQWdVcE9Q0Q3JBenc0Q1AKTk5tcjQrV3Z6bkNXSlpTb1Rwd0MrZkMza2U5SE9XTjdXZnNINGFSc3E5cFphSXViSVYrUWhwaTlSc3BPV110VQpFME1WZlRXbG8yRy84Zy8xTTdjUlpIejVOMGVtdDhqMF1Ha3VudXo3dTltRzVpcnV2MU5Kc3N3NGUyb1h0R1B5C1k4WEZCVdZnNVm2Unpzay9BZ01CQUFHa1ZqQ1VNQTRHQTfVZER3RUIvd1FFQXcJRM9EQVRCZ05WSFNVRUREQUsKQmdncjJnRUZCUWNEQWpBTUJnTlZlUklCQWY4RUFGqQUFNQjhHQTfVZE13UV1NQmFBRkhteWhoNHhsVHduK3JoYwpnY3FDZ2oxczN1OGNjQTBHQ1Nxr1NjYjNEUUVQ3dVQUE0SUJBZ01JZ0ZlZ3l1WlR3YkN5SmlFZWZlYUzUwNHJKN0VUeDhkHoyWGUYbHJNZUwrd094Q2hNUUtgVUt1WTloMMapDWTkNnNnS3dmVGtsMUVCOCC9waHZLWEFlMGt6b0Q2Ti93WFV3Y1FYZDFTKlpqTFM0Q3pGwM4wR3ltNHU0RmZBCkw5bG8vaFNPQnZqSFliUW9DYzNlZVFJY1grT0xkUkRtS0dRZktZy3JUS2VvOD12NFBVQWdVcE9Q0Q3JBenc0Q1AKTk5tcjQrV3Z6bkNXSlpTb1Rwd0MrZkMza2U5SE9XTjdXZnNINGFSc3E5cFphSXViSVYrUWhwaTlSc3BPV110VQpFME1WZlRXbG8yRy84Zy8xTTdjUlpIejVOMGVtdDhqMF1Ha3VudXo3dTltRzVpcnV2MU5Kc3N3NGUyb1h0R1B5C1k4WEZCVdZnNVm2Unpzay9BZ01CQUFHa1ZqQ1VNQTRHQTfVZER3RUIvd1FFQXcJRM9EQVRCZ05WSFNVRUREQUsKQmdncjJnRUZCUWNEQWpBTUJnTlZlUklCQWY4RUFGqQUFNQjhHQTfVZE13UV1NQmFBRkhteWhoNHhsVHduK3JoYwpnY3FDZ2oxczN1OGNjQTBHQ1Nxr1NjYjNEUUVQ3dVQUE0SUJBZ01JZ0ZlZ3l1WlR3YkN5SmlFZWZlYUzUwNHJKN0VUeDhkHoyWGUYbHJNZUwrd094Q2hNUUtgVUt1WTloMMapDWTkNnNnS3dmVGtsMUVCOCC9waHZLWEFlMGt6b0Q2Ti93WFV3Y1FYZDFTKlpqTFM0Q3pGwM4wR3ltNHU0RmZBCkw5bG8vaFNPQnZqSFliUW9DYzNlZVFJY1grT0xkUkRtS0dRZktZy3JUS2VvOD12NFBVQWdVcE9Q0Q3JBenc0Q1AKTk5tcjQrV3Z6bkNXSlpTb1Rwd0MrZkMza2U5SE9XTjdXZnNINGFSc3E5cFphSXViSVYrUWhwaTlSc3BPV110VQpFME1WZlRXbG8yRy84Zy8xTTdjUlpIejVOMGVtdDhqMF1Ha3VudXo3dTltRzVpcnV2MU5Kc3N3NGUyb1h0R1B5C1k4WEZCVdZnNVm2Unpzay9BZ01CQUFHa1ZqQ1VNQTRHQTfVZER3RUIvd1FFQXcJRM9EQVRCZ05WSFNVRUREQUsKQmdncjJnRUZCUWNEQWpBTUJnTlZlUklCQWY4RUFGqQUFNQjhHQTfVZE13UV1NQmFBRkhteWhoNHhsVHduK3JoYwpnY3FDZ2oxczN1OGNjQTBHQ1Nxr1NjYjNEUUVQ3dVQUE0SUJBZ01JZ0ZlZ3l1WlR3YkN5SmlFZWZlYUzUwNHJKN0VUeDhkHoyWGUYbHJNZUwrd094Q2hNUUtgVUt1WTloMMapDWTkNnNnS3dmVGtsMUVCOCC9waHZLWEFlMGt6b0Q2Ti93WFV3Y1FYZDFTKlpqTFM0Q3pGwM4wR3ltNHU0RmZBCkw5bG8vaFNPQnZqSFliUW9DYzNlZVFJY1grT0xkUkRtS0dRZktZy3JUS2VvOD12NFBVQWdVcE9Q0Q3JBenc0Q1AKTk5tcjQrV3Z6bkNXSlpTb1Rwd0MrZkMza2U5SE9XTjdXZnNINGFSc3E5cFphSXViSVYrUWhwaTlSc3BPV110VQpFME1WZlRXbG8yRy84Zy8xTTdjUlpIejVOMGVtdDhqMF1Ha3VudXo3dTltRzVpcnV2MU5Kc3N3NGUyb1h0R1B5C1k4WEZCVdZnNVm2Unpzay9BZ01CQUFHa1ZqQ1VNQTRHQTfVZER3RUIvd1FFQXcJRM9EQVRCZ05WSFNVRUREQUsKQmdncjJnRUZCUWNEQWpBTUJnTlZlUklCQWY4RUFGqQUFNQjhHQTfVZE13UV1NQmFBRkhteWhoNHhsVHduK3JoYwpnY3FDZ2oxczN1OGNjQTBHQ1Nxr1NjYjNEUUVQ3dVQUE0SUJBZ01JZ0ZlZ3l1WlR3YkN5SmlFZWZlYUzUwNHJKN0VUeDhkHoyWGUYbHJNZUwrd094Q2hNUUtgVUt1WTloMMapDWTkNnNnS3dmVGtsMUVCOCC9waHZLWEFlMGt6b0Q2Ti93WFV3Y1FYZDFTKlpqTFM0Q3pGwM4wR3ltNHU0RmZBCkw5bG8vaFNPQnZqSFliUW9DYzNlZVFJY1grT0xkUkRtS0dRZktZy3JUS2VvOD12NFBVQWdVcE9Q0Q3JBenc0Q1AKTk5tcjQrV3Z6bkNXSlpTb1Rwd0MrZkMza2U5SE9XTjdXZnNINGFSc3E5cFphSXViSVYrUWhwaTlSc3BPV110VQpFME1WZlRXbG8yRy84Zy8xTTdjUlpIejVOMGVtdDhqMF1Ha3VudXo3dTltRzVpcnV2MU5Kc3N3NGUyb1h0R1B5C1k4WEZCVdZnNVm2Unpzay9BZ01CQUFHa1ZqQ1VNQTRHQTfVZER3RUIvd1FFQXcJRM9EQVRCZ05WSFNVRUREQUsKQmdncjJnRUZCUWNEQWpBTUJnTlZlUklCQWY4RUFGqQUFNQjhHQTfVZE13UV1NQmFBRkhteWhoNHhsVHduK3JoYwpnY3FDZ2oxczN1OGNjQTBHQ1Nxr1NjYjNEUUVQ3dVQUE0SUJBZ01JZ0ZlZ3l1WlR3YkN5SmlFZWZlYUzUwNHJKN0VUeDhkHoyWGUYbHJNZUwrd094Q2hNUUtgVUt1WTloMMapDWTkNnNnS3dmVGtsMUVCOCC9waHZLWEFlMGt6b0Q2Ti93WFV3Y1FYZDFTKlpqTFM0Q3pGwM4wR3ltNHU0RmZBCkw5bG8vaFNPQnZqSFliUW9DYzNlZVFJY1grT0xkUkRtS0dRZktZy3JUS2VvOD12NFBVQWdVcE9Q0Q3JBenc0Q1AKTk5tcjQrV3Z6bkNXSlpTb1Rwd0MrZkMza2U5SE9XTjdXZnNINGFSc3E5cFphSXViSVYrUWhwaTlSc3BPV110VQpFME1WZlRXbG8yRy84Zy8xTTdjUlpIejVOMGVtdDhqMF1Ha3VudXo3dTltRzVpcnV2MU5Kc3N3NGUyb1h0R1B5C1k4WEZCVdZn
```

-  Update
-  Delete
-  Move

Update credentials

Scope ?

Global (Jenkins, nodes, items, all child items, etc) ▾

Secret

 Concealed Change Password

ID ?

kubeconfig

Description ?

kubeconfig

Save

root@jenkins:/# nano ~/.kube/config

```
root@jenkins: /
GNU nano 6.2 /root/.kube/config
server: https://192.168.2.134:6443
apiVersion: v1
clusters:
- cluster:
  certificate-authority-data: LS0tLS1CRUdJTiBDRVJUSUZJQ0FURSOtLS0tCk1JSURCVENDQWUyZ0F3SUJBZ01JSitJM1hxNktINzR3RFFZSktvWklodmNOQVFFTEJRQXdGVEVUTUJFR0ExVUUKQXhNS2EzVm
  server: https://192.168.2.134:6443
  name: kubernetes
contexts:
- context:
  cluster: kubernetes
  user: kubernetes-admin
  name: kubernetes-admin@kubernetes
current-context: kubernetes-admin@kubernetes
kind: Config
preferences: {}
users:
- name: kubernetes-admin
  user:
    client-certificate-data: LS0tLS1CRUdJTiBDRVJUSUZJQ0FURSOtLS0tCk1JSURLVENDQWhHZ0F3SUJBZ01JYj1VMVZCVnV0amd3RFFZSktvWklodmNOQVFFTEJRQXdGVEVUTUJFR0ExVUUKQXhNS2EzVmlaW
    client-key-data: LS0tLS1CRUdJTiBSU0EgUFJJVkFURSBLRVktLS0tLQpNSU1Fb3dJQkFBS0NBUEVUb0dsM1dVaUcyYXGxZGcvUzVrQzhHd2tTWWhIbjEwdWRPS3lleEU4ZkhiYzlsM3RwCmF6SGkvc0RzUW9UR
```

[Read 20 lines]

root@jenkins:/# nano ~/.kube/config

root@jenkins:/# kubectl get nodes

NAME	STATUS	ROLES	AGE	VERSION
k8s-master.devops.local	Ready	control-plane	122d	v1.32.11
k8s-worker1.devops.local	Ready	<none>	122d	v1.32.11
k8s-worker2.devops.local	NotReady	<none>	122d	v1.32.11

root@jenkins:/#

SonarQube رفع ارور

erfanbehzadii/my-small-site tags

New credentials - Jenkins

< > ↺

🔖

⚠️ Not secure 192.168.2.137:8080/manage/credentials/store/system/domain/_/newCredentials

🔗 🔍 🔄 🔒 ⚠️

🏠 📄 📁 📌 🛡️ ☰

🗖️

BTCUSDT

ChatGPT

grok.com

DeepSeek

NotebookLM

LibreMobileOS Chat...

ورود به کلاس دانشگاه

ارژنگ

آموزشیار

حامی

نسخه وب - iGap

آکادمی رمزعلی ، ورود

>>

 **Jenkins**

Manage Jenkins

Credentials

System

Global credentials (unrestr...

🔍 ⚙️ ☰ 👤

Username with password

Scope ?

Global (Jenkins, nodes, items, all child items, etc)

Username

erfanbehzadii

☐ Treat username as secret ?

Password

.....

ID ?

dockerhub

Description ?

dockerhub

Create

```
erfan@jenkins: ~  
^C  
erfan@jenkins:~$ cat ~/.ssh/id_rsa.pub  
ssh-rsa AAAAB3NzaClyc2EAAAADAQABAAQCAQCWFLcgsZbxXU/o40lABRuA87UgfvR2sICHHuXlVeFusbxuEhTcRfGWFrVXgpoIFclXbv3UYCLTBNf7JQfiJYECktnRTJw5Y2pQr2YLqTQId3xUf+E6Lh2YCO4cN5qztWn  
5MRTIHP4usKA8dadWTn7v0R+PPUz9W12v8K60wVp+gKzIuoZdaM0b62bY3fSDEKG/1v9Q14i320ZxenRGThLz39mBEx4fIsV1Pnq9duN3qZPqhd1flAXKXr2c0wT2baprTQeyepOKvBdrYHcBoiJhHRqIx7mZVJhTuIQO4T  
o3jbJpbjAI/Vh76y5tS0vple1816TClaxR0YlOQ7qs3CEbJKVzPD4xYIGVFyIJPnEOcxBC/LkD4zXi+SomEGygkAM1REFErfdnLq9MicdeOkpCW81JEE+qn3jokSssZ8acRgOGbf8961FkeFRdj+m0bUmmv7Q5XwTxfQ/s  
V9VJ4cj9z7H3aweWhEa4c6XSqw4XUmzYwylRn/yX+nTOggvprItDClSq/crGKO85ExPY8bnl+2voBMWKtLgXSfMghSwwijjWvw3td07s/CFVT820DOLP2pWgXelcXQUbxB7g89WVdwzTuD0c0B4S/MjcYqyHtddczKY5z2w  
uaoCLhBZy8oNtiez+3naourt94/SeU8s09e3v7o+HdyoI+pEywwlDQ== erfan@jenkins  
erfan@jenkins:~$ ^C  
erfan@jenkins:~$ ssh root@192.168.2.134  
Welcome to Ubuntu 22.04.1 LTS (GNU/Linux 5.15.0-43-generic x86_64)  
  
* Documentation:  https://help.ubuntu.com  
* Management:    https://landscape.canonical.com  
* Support:       https://ubuntu.com/advantage  
  
System information as of Sat May 30 06:22:08 PM UTC 2026  
  
System load:  1.62890625      Processes:           246  
Usage of /:   58.7% of 9.75GB  Users logged in:     1  
Memory usage: 23%            IPv4 address for ens33: 192.168.2.134  
Swap usage:   0%             IPv4 address for tunl0: 10.10.153.64  
  
273 updates can be applied immediately.  
173 of these updates are standard security updates.  
To see these additional updates run: apt list --upgradable  
  
New release '24.04.4 LTS' available.  
Run 'do-release-upgrade' to upgrade to it.  
  
The programs included with the Ubuntu system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
  
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by  
applicable law.  
  
root@k8s-master:~# exit  
logout  
Connection to 192.168.2.134 closed.  
erfan@jenkins:~$
```


Configure

- General
- Triggers
- Pipeline
- Advanced

Pipeline script

Script ?

```
56     }
57 }
58
59 stage('Deploy to Kubernetes') {
60     steps {
61         sh """
62             ssh root@$K8S_MASTER '
63                 kubectl set image deployment/vprofile vprofile=$IMAGE
64                 kubectl rollout status deployment/vprofile
65             '
66         """
67     }
68 }
69 }
70 }
```

try sample Pipeline...

☒ Use Groovy Sandbox ?

🔍 Search components

[Dashboard](#)

 Search

 Browse Upload Settings

← Collapse Menu

 [Browse](#) / [erfan-repo](#)

[HTML View](#)

[Advanced search...](#)

QA

— vproapp

32

...  vproapp-32.war

... vproapp-32.war.md5

... vproapp-32.war.sha1

✓ CD < 4

Branch: —

Commit: —

🕒 17m 51s

🕒 a few seconds ago

No changes

Started by user erfan behzadi

Pipeline

Changes

Tests

Artifacts

🔄

⚙️

📄

Logout

✕

Start

Download WAR From Nexus

Build Docker Image

Push Docker Image

Deploy Kubernetes

End

Deploy Kubernetes - 5m 21s

🔄 Restart Deploy Kubernetes

📄

⬇️

✓

> ssh root@192.168.2.134 'cat <<EOF | kubectl apply -f -apiVersion: apps/v1kind: Deploymentmetadata: name: vprofilespec: replicas: 1 selector: matchLabels: app: vprofile ...

— Shell Script

5m 20s

```
root@k8s-master:/home/erfan# kubectl get pods -o wide
```

NAME	READY	STATUS	RESTARTS	AGE	IP	NODE	NOMINATED NODE	READINESS GATES
vprofile-848f95559b-g9xht	1/1	Running	0	6m15s	10.10.87.10	k8s-worker1.devops.local	<none>	<none>

```
root@k8s-master:/home/erfan# kubectl get deployments
```

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
vprofile	1/1	1	1	7m23s


```
root@k8s-master:/home/erfan# kubectl get svc
```

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
kubernetes	ClusterIP	10.96.0.1	<none>	443/TCP	122d
vprofile-service	NodePort	10.105.248.192	<none>	80:32567/TCP	7m33s

```
root@k8s-master:/home/erfan# kubectl get svc vprofile-service
```

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
vprofile-service	NodePort	10.105.248.192	<none>	80:32567/TCP	7m45s

```
root@k8s-master:/home/erfan#
```



WELCOME!



HKH Infotech

Username

Password

LOGIN

SIGN UP



Keep Learning ..

Learning is a Treasure that will follow it's Owner Everywhere..

```
apiVersion: v1
kind: ConfigMap
metadata:
  name: prometheus-alert-rules
  namespace: monitoring
data:
  node-down.rules: |
    groups:
    - name: node-alerts
      rules:
      - alert: InstanceDown
        expr: up == 0
        for: 1m
        labels:
          severity: critical
        annotations:
          summary: "Instance {{ $labels.instance }} down"
          description: "{{ $labels.instance }} has been down for more than 1 minute."
```

```
root@k8s-master:/home/erfan# kubectl get pods -n monitoring
```

NAME	READY	STATUS	RESTARTS	AGE
alertmanager-monitoring-kube-prometheus-alertmanager-0	0/2	PodInitializing	0	2m24s
monitoring-grafana-66f46f7cdc-4czmv	0/3	ContainerCreating	0	3m50s
monitoring-kube-prometheus-operator-74b99b776d-z2hkc	1/1	Running	0	3m50s
monitoring-kube-state-metrics-69c7db49f4-6rffk	1/1	Running	0	3m50s
monitoring-prometheus-node-exporter-9gp6c	1/1	Running	0	3m50s
monitoring-prometheus-node-exporter-gcztx	1/1	Running	0	3m50s
monitoring-prometheus-node-exporter-pb6qm	1/1	Running	0	3m51s
prometheus-monitoring-kube-prometheus-prometheus-0	0/2	PodInitializing	0	2m13s

```
root@k8s-master:/home/erfan# ^C
```

```
root@k8s-master:/home/erfan# kubectl get pods -n monitoring
```

NAME	READY	STATUS	RESTARTS	AGE
alertmanager-monitoring-kube-prometheus-alertmanager-0	0/2	PodInitializing	0	3m2s
monitoring-grafana-66f46f7cdc-4czmv	0/3	ContainerCreating	0	4m28s
monitoring-kube-prometheus-operator-74b99b776d-z2hkc	1/1	Running	0	4m28s
monitoring-kube-state-metrics-69c7db49f4-6rffk	1/1	Running	0	4m28s
monitoring-prometheus-node-exporter-9gp6c	1/1	Running	0	4m28s
monitoring-prometheus-node-exporter-gcztx	1/1	Running	0	4m28s
monitoring-prometheus-node-exporter-pb6qm	1/1	Running	0	4m29s
prometheus-monitoring-kube-prometheus-prometheus-0	0/2	PodInitializing	0	2m51s

```
root@k8s-master:/home/erfan#
```