


Long-delay trial 3 | $\tau = 1$ ms


1 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5


Pre-TC
Before onset




Pre-SC
Before onset




Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 298 observed points per stage | No fitting


Coordinates: $x(t)$, $x(t - 1 \text{ ms})$, $x(t - 2 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 2$ ms


2 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5


Pre-TC
Before onset




Pre-SC
Before onset




Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 296 observed points per stage | No fitting


Coordinates: $x(t)$, $x(t - 2 \text{ ms})$, $x(t - 4 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 3$ ms

3 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5


Pre-TC
Before onset




Pre-SC
Before onset




Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 294 observed points per stage | No fitting


Coordinates: $x(t)$, $x(t - 3 \text{ ms})$, $x(t - 6 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 4$ ms

4 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5


Pre-TC
Before onset




Pre-SC
Before onset




Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 292 observed points per stage | No fitting


Coordinates: $x(t)$, $x(t - 4 \text{ ms})$, $x(t - 8 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 5$ ms

5 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset



Pre-SC
Before onset




Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 290 observed points per stage | No fitting


Coordinates: $x(t)$, $x(t - 5 \text{ ms})$, $x(t - 10 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 6$ ms

6 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset




Pre-SC
Before onset




Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 288 observed points per stage | No fitting


Coordinates: $x(t)$, $x(t - 6 \text{ ms})$, $x(t - 12 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 7$ ms

7 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5


Pre-TC
Before onset




Pre-SC
Before onset




Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 286 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 7 \text{ ms})$, $x(t - 14 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 8$ ms

8 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset




Pre-SC
Before onset



Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 284 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 8 \text{ ms})$, $x(t - 16 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 9$ ms

9 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset




Pre-SC
Before onset



Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 282 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 9 \text{ ms})$, $x(t - 18 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 10$ ms


10 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset



Pre-SC
Before onset



Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 280 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 10 \text{ ms})$, $x(t - 20 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 11$ ms

11 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset




Pre-SC
Before onset



Pre-GO
Before onset



Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 278 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 11 \text{ ms})$, $x(t - 22 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 12$ ms

12 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset



Pre-SC
Before onset



Pre-GO
Before onset



Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 276 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 12 \text{ ms})$, $x(t - 24 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 13$ ms

13 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset



Pre-SC
Before onset



Pre-GO
Before onset



Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 274 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 13 \text{ ms})$, $x(t - 26 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 14$ ms

14 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5


Pre-TC
Before onset




Pre-SC
Before onset



Pre-GO
Before onset



Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 272 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 14 \text{ ms})$, $x(t - 28 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 15$ ms

15 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset



Pre-SC
Before onset



Pre-GO
Before onset



Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 270 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 15 \text{ ms})$, $x(t - 30 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 16$ ms

16 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset




Pre-SC
Before onset



Pre-GO
Before onset




Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 268 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 16 \text{ ms})$, $x(t - 32 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 17$ ms

17 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset



Pre-SC
Before onset



Pre-GO
Before onset



Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 266 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 17 \text{ ms})$, $x(t - 34 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 18$ ms

18 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset



Pre-SC
Before onset




Pre-GO
Before onset



Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 264 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 18 \text{ ms})$, $x(t - 36 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 19$ ms

19 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset



Pre-SC
Before onset



Pre-GO
Before onset



Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 262 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 19 \text{ ms})$, $x(t - 38 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units

Long-delay trial 3 | $\tau = 20$ ms

20 / 20

Monkey T | y070316009-12 | Channel 7 | Reach direction 5

Pre-TC
Before onset



Pre-SC
Before onset




Pre-GO
Before onset



Post-TC
After cue offset



Post-SC
After cue offset



Post-GO
After GO



$m = 3$ | 300-ms windows | 260 observed points per stage | No fitting

Coordinates: $x(t)$, $x(t - 20 \text{ ms})$, $x(t - 40 \text{ ms})$ | Common limits across all pages: ± 3.93 normalized signal units