


Original trial 6

1 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.25 . Limits vary between trials. Normalized signal units.


Original trial 9

2 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.38 . Limits vary between trials. Normalized signal units.


Original trial 10

3 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.72 . Limits vary between trials. Normalized signal units.


Original trial 14

4 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.17 . Limits vary between trials. Normalized signal units.


Original trial 16

5 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.59 . Limits vary between trials. Normalized signal units.

Original trial 17


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.93 . Limits vary between trials. Normalized signal units.


Original trial 24

7 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.40 . Limits vary between trials. Normalized signal units.


Original trial 34

8 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.31 . Limits vary between trials. Normalized signal units.


Original trial 36

9 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.21 . Limits vary between trials. Normalized signal units.


Original trial 40

10 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.05 . Limits vary between trials. Normalized signal units.


Original trial 43

11 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.99 . Limits vary between trials. Normalized signal units.


Original trial 44

12 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.70 . Limits vary between trials. Normalized signal units.


Original trial 45

13 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.07 . Limits vary between trials. Normalized signal units.


Original trial 46

14 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.37 . Limits vary between trials. Normalized signal units.


Original trial 48

15 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.54 . Limits vary between trials. Normalized signal units.


Original trial 51

16 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.95 . Limits vary between trials. Normalized signal units.


Original trial 56

17 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.00 . Limits vary between trials. Normalized signal units.


Original trial 63

18 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.74 . Limits vary between trials. Normalized signal units.


Original trial 67

19 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.65 . Limits vary between trials. Normalized signal units.


Original trial 77

20 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.27 . Limits vary between trials. Normalized signal units.


Original trial 80

21 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.54 . Limits vary between trials. Normalized signal units.


Original trial 82

22 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.35 . Limits vary between trials. Normalized signal units.


Original trial 85

23 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.28 . Limits vary between trials. Normalized signal units.


Original trial 86

24 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.96 . Limits vary between trials. Normalized signal units.


Original trial 89

25 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.75 . Limits vary between trials. Normalized signal units.


Original trial 90

26 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.88 . Limits vary between trials. Normalized signal units.


Original trial 91

27 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.79 . Limits vary between trials. Normalized signal units.


Original trial 94

28 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.92 . Limits vary between trials. Normalized signal units.


Original trial 96

29 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.30 . Limits vary between trials. Normalized signal units.


Original trial 98

30 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 6.10 . Limits vary between trials. Normalized signal units.


Original trial 100

31 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.51 . Limits vary between trials. Normalized signal units.


Original trial 105

32 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.82 . Limits vary between trials. Normalized signal units.


Original trial 109

33 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.99 . Limits vary between trials. Normalized signal units.


Original trial 113

34 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.97 . Limits vary between trials. Normalized signal units.


Original trial 116

35 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 6.03 . Limits vary between trials. Normalized signal units.


Original trial 117

36 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.09 . Limits vary between trials. Normalized signal units.


Original trial 119

37 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.77 . Limits vary between trials. Normalized signal units.


Original trial 121

38 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.88 . Limits vary between trials. Normalized signal units.


Original trial 124

39 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.51 . Limits vary between trials. Normalized signal units.


Original trial 128

40 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.95 . Limits vary between trials. Normalized signal units.

Original trial 129


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO




Original trial 131

42 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.13 . Limits vary between trials. Normalized signal units.


Original trial 137

43 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.69 . Limits vary between trials. Normalized signal units.


Original trial 142

44 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.28 . Limits vary between trials. Normalized signal units.


Original trial 143

45 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.35 . Limits vary between trials. Normalized signal units.


Original trial 144

46 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.63 . Limits vary between trials. Normalized signal units.


Original trial 147

47 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.65 . Limits vary between trials. Normalized signal units.


Original trial 150

48 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.66 . Limits vary between trials. Normalized signal units.


Original trial 152

49 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.11 . Limits vary between trials. Normalized signal units.


Original trial 156

50 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.67 . Limits vary between trials. Normalized signal units.


Original trial 157

51 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.74 . Limits vary between trials. Normalized signal units.


Original trial 158

52 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.18 . Limits vary between trials. Normalized signal units.

Original trial 159


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 8.78 . Limits vary between trials. Normalized signal units.


Original trial 164

54 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.69 . Limits vary between trials. Normalized signal units.


Original trial 177

55 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.19 . Limits vary between trials. Normalized signal units.


Original trial 186

56 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.18 . Limits vary between trials. Normalized signal units.


Original trial 187

57 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 3.41 . Limits vary between trials. Normalized signal units.

Original trial 188


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.64 . Limits vary between trials. Normalized signal units.


Original trial 194

59 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.00 . Limits vary between trials. Normalized signal units.


Original trial 195

60 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.53 . Limits vary between trials. Normalized signal units.


Original trial 196

61 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.57 . Limits vary between trials. Normalized signal units.


Original trial 197

62 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.27 . Limits vary between trials. Normalized signal units.


Original trial 198

63 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.35 . Limits vary between trials. Normalized signal units.


Original trial 199

64 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.55 . Limits vary between trials. Normalized signal units.


Original trial 200

65 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.11 . Limits vary between trials. Normalized signal units.


Original trial 205

66 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.59 . Limits vary between trials. Normalized signal units.


Original trial 206

67 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.12 . Limits vary between trials. Normalized signal units.


Original trial 211

68 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.45 . Limits vary between trials. Normalized signal units.


Original trial 216

69 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.10 . Limits vary between trials. Normalized signal units.


Original trial 220

70 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.26 . Limits vary between trials. Normalized signal units.


Original trial 236

71 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.52 . Limits vary between trials. Normalized signal units.


Original trial 241

72 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.15 . Limits vary between trials. Normalized signal units.


Original trial 242

73 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 3.78 . Limits vary between trials. Normalized signal units.

Original trial 243


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 3.37 . Limits vary between trials. Normalized signal units.


Original trial 248

75 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.02 . Limits vary between trials. Normalized signal units.


Original trial 254

76 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.15 . Limits vary between trials. Normalized signal units.


Original trial 258

77 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.76 . Limits vary between trials. Normalized signal units.


Original trial 260

78 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.54 . Limits vary between trials. Normalized signal units.


Original trial 262

79 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.66 . Limits vary between trials. Normalized signal units.


Original trial 263

80 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.53 . Limits vary between trials. Normalized signal units.


Original trial 265

81 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.62 . Limits vary between trials. Normalized signal units.


Original trial 271

82 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.00 . Limits vary between trials. Normalized signal units.


Original trial 275

83 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.50 . Limits vary between trials. Normalized signal units.


Original trial 276

84 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.07 . Limits vary between trials. Normalized signal units.


Original trial 281

85 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.06 . Limits vary between trials. Normalized signal units.


Original trial 283

86 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 3.27 . Limits vary between trials. Normalized signal units.

Original trial 289


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.60 . Limits vary between trials. Normalized signal units.


Original trial 290

88 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.08 . Limits vary between trials. Normalized signal units.


Original trial 291

89 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.80 . Limits vary between trials. Normalized signal units.


Original trial 292

90 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.93 . Limits vary between trials. Normalized signal units.


Original trial 294

91 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.07 . Limits vary between trials. Normalized signal units.


Original trial 300

92 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.21 . Limits vary between trials. Normalized signal units.


Original trial 307

93 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.31 . Limits vary between trials. Normalized signal units.


Original trial 309

94 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.84 . Limits vary between trials. Normalized signal units.


Original trial 312

95 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 3.33 . Limits vary between trials. Normalized signal units.

Original trial 319


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 6.31 . Limits vary between trials. Normalized signal units.


Original trial 323

97 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.15 . Limits vary between trials. Normalized signal units.


Original trial 328

98 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.43 . Limits vary between trials. Normalized signal units.


Original trial 333

99 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.52 . Limits vary between trials. Normalized signal units.


Original trial 339

100 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.88 . Limits vary between trials. Normalized signal units.


Original trial 342

101 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.10 . Limits vary between trials. Normalized signal units.


Original trial 349

102 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.09 . Limits vary between trials. Normalized signal units.


Original trial 361

103 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.10 . Limits vary between trials. Normalized signal units.


Original trial 366

104 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 3.61 . Limits vary between trials. Normalized signal units.

Original trial 367


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO




Original trial 372


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO




$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 3.49 . Limits vary between trials. Normalized signal units.

Original trial 376


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.17 . Limits vary between trials. Normalized signal units.


Original trial 379

108 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.22 . Limits vary between trials. Normalized signal units.


Original trial 382

109 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.49 . Limits vary between trials. Normalized signal units.

Original trial 387


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO




$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 3.89 . Limits vary between trials. Normalized signal units.

Original trial 388


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: +/-4.13. Limits vary between trials. Normalized signal units.


Original trial 389

112 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 3.09 . Limits vary between trials. Normalized signal units.

Original trial 399


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.30 . Limits vary between trials. Normalized signal units.


Original trial 400

114 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 6.11 . Limits vary between trials. Normalized signal units.


Original trial 401

115 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 7.67 . Limits vary between trials. Normalized signal units.


Original trial 403

116 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.43 . Limits vary between trials. Normalized signal units.


Original trial 406

117 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.59 . Limits vary between trials. Normalized signal units.


Original trial 410

118 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.96 . Limits vary between trials. Normalized signal units.


Original trial 412

119 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.93 . Limits vary between trials. Normalized signal units.


Original trial 416

120 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.95 . Limits vary between trials. Normalized signal units.


Original trial 419

121 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.65 . Limits vary between trials. Normalized signal units.


Original trial 420

122 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.04 . Limits vary between trials. Normalized signal units.


Original trial 428

123 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.33 . Limits vary between trials. Normalized signal units.


Original trial 432

124 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.14 . Limits vary between trials. Normalized signal units.


Original trial 436

125 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.18 . Limits vary between trials. Normalized signal units.


Original trial 437

126 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.86 . Limits vary between trials. Normalized signal units.

Original trial 438


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 6.91 . Limits vary between trials. Normalized signal units.


Original trial 440

128 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.20 . Limits vary between trials. Normalized signal units.


Original trial 445

129 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.05 . Limits vary between trials. Normalized signal units.


Original trial 446

130 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.70 . Limits vary between trials. Normalized signal units.


Original trial 457

131 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.93 . Limits vary between trials. Normalized signal units.


Original trial 458

132 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.41 . Limits vary between trials. Normalized signal units.


Original trial 459

133 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.54 . Limits vary between trials. Normalized signal units.


Original trial 462

134 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.17 . Limits vary between trials. Normalized signal units.

Original trial 476


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: +/-4.94. Limits vary between trials. Normalized signal units.


Original trial 477

136 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.38 . Limits vary between trials. Normalized signal units.

Original trial 479


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.61 . Limits vary between trials. Normalized signal units.


Original trial 483

138 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 3.66 . Limits vary between trials. Normalized signal units.

Original trial 485


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.68 . Limits vary between trials. Normalized signal units.


Original trial 494

140 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.56 . Limits vary between trials. Normalized signal units.


Original trial 503

141 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.60 . Limits vary between trials. Normalized signal units.


Original trial 510

142 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.10 . Limits vary between trials. Normalized signal units.


Original trial 511

143 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.20 . Limits vary between trials. Normalized signal units.


Original trial 517

144 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 3.79 . Limits vary between trials. Normalized signal units.

Original trial 520


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 6.61 . Limits vary between trials. Normalized signal units.


Original trial 521

146 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.74 . Limits vary between trials. Normalized signal units.


Original trial 524

147 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.45 . Limits vary between trials. Normalized signal units.


Original trial 526

148 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.74 . Limits vary between trials. Normalized signal units.


Original trial 527

149 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 2.84 . Limits vary between trials. Normalized signal units.


Original trial 530

150 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 6.13 . Limits vary between trials. Normalized signal units.


Original trial 531

151 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.49 . Limits vary between trials. Normalized signal units.


Original trial 536

152 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.56 . Limits vary between trials. Normalized signal units.


Original trial 538

153 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.26 . Limits vary between trials. Normalized signal units.


Original trial 539

154 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.66 . Limits vary between trials. Normalized signal units.


Original trial 540

155 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.96 . Limits vary between trials. Normalized signal units.


Original trial 542

156 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.05 . Limits vary between trials. Normalized signal units.


Original trial 543

157 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.16 . Limits vary between trials. Normalized signal units.


Original trial 550

158 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.17 . Limits vary between trials. Normalized signal units.

Original trial 555


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.94 . Limits vary between trials. Normalized signal units.


Original trial 560

160 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.82 . Limits vary between trials. Normalized signal units.


Original trial 566

161 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 5.99 . Limits vary between trials. Normalized signal units.


Original trial 568

162 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.06 . Limits vary between trials. Normalized signal units.

Original trial 569


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO




$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 5.80 . Limits vary between trials. Normalized signal units.

Original trial 571


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.56 . Limits vary between trials. Normalized signal units.


Original trial 572

165 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 6.09 . Limits vary between trials. Normalized signal units.


Original trial 573

166 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.53 . Limits vary between trials. Normalized signal units.


Original trial 579

167 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.08 . Limits vary between trials. Normalized signal units.


Original trial 580

168 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 2.93 . Limits vary between trials. Normalized signal units.


Original trial 581

169 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.94 . Limits vary between trials. Normalized signal units.


Original trial 589

170 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.32 . Limits vary between trials. Normalized signal units.


Original trial 592

171 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.90 . Limits vary between trials. Normalized signal units.


Original trial 601

172 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.66 . Limits vary between trials. Normalized signal units.


Original trial 606

173 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.10 . Limits vary between trials. Normalized signal units.

Original trial 609


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 6.55 . Limits vary between trials. Normalized signal units.


Original trial 612

175 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.43 . Limits vary between trials. Normalized signal units.


Original trial 615

176 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.17 . Limits vary between trials. Normalized signal units.


Original trial 617

177 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.59 . Limits vary between trials. Normalized signal units.


Original trial 622

178 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.27 . Limits vary between trials. Normalized signal units.


Original trial 628

179 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 3.44 . Limits vary between trials. Normalized signal units.

Original trial 636


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.24 . Limits vary between trials. Normalized signal units.


Original trial 642

181 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.50 . Limits vary between trials. Normalized signal units.


Original trial 647

182 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.85 . Limits vary between trials. Normalized signal units.


Original trial 649

183 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.98 . Limits vary between trials. Normalized signal units.


Original trial 650

184 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 6 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.50 . Limits vary between trials. Normalized signal units.


Original trial 663

185 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.22 . Limits vary between trials. Normalized signal units.


Original trial 669

186 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 3 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.20 . Limits vary between trials. Normalized signal units.

Original trial 670


Monkey T | y070316009-12 | Channel 7 | Reach direction 2 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO




$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 3.59 . Limits vary between trials. Normalized signal units.

Original trial 673


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 5.42 . Limits vary between trials. Normalized signal units.


Original trial 684

189 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.26 . Limits vary between trials. Normalized signal units.


Original trial 690

190 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 1 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.44 . Limits vary between trials. Normalized signal units.


Original trial 691

191 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 3.77 . Limits vary between trials. Normalized signal units.


Original trial 693

192 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.01 . Limits vary between trials. Normalized signal units.


Original trial 695

193 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage

Identical view and limits within this trial: ± 4.40 . Limits vary between trials. Normalized signal units.


Original trial 700

194 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.08 . Limits vary between trials. Normalized signal units.

Original trial 701


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 3.47 . Limits vary between trials. Normalized signal units.


Original trial 704

196 / 198


Monkey T | y070316009-12 | Channel 7 | Reach direction 4 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage


Identical view and limits within this trial: ± 4.00 . Limits vary between trials. Normalized signal units.

Original trial 705


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO




Original trial 706


Monkey T | y070316009-12 | Channel 7 | Reach direction 5 | Short delay

Observed trajectories


Pre-TC | -300 to 0 ms, onset




Pre-SC | -300 to 0 ms, onset




Pre-GO | -300 to 0 ms, onset




Post-TC | 0 to 300 ms, cue end



Post-SC | 0 to 300 ms, cue end



Post-GO | 0 to 300 ms, GO



$m = 3$ | delay = 3 ms | 300-ms windows | 294 observed points per stage
Identical view and limits within this trial: ± 4.68 . Limits vary between trials. Normalized signal units.