

Trial 10 | tau = 1 ms



Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Hilbert envelope



Pre-TC

Post-TC




Pre-SC

Post-SC





Pre-GO

Post-GO





Pre-TC

Post-TC




Pre-SC

Post-SC



Pre-GO

Post-GO



m = 3 | 300-ms windows | 298 observed points per stage

Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units

Coordinates: x(t), x(t - 1 ms), x(t - 2 ms)

Trial 10 | tau = 2 ms



Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Hilbert envelope


Pre-TC

Post-TC




Pre-TC

Post-TC




Pre-SC

Post-SC




Pre-SC

Post-SC




Pre-GO

Post-GO



Pre-GO

Post-GO



m = 3 | 300-ms windows | 296 observed points per stage

Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units

Coordinates: x(t), x(t - 2 ms), x(t - 4 ms)

Trial 10 | $\tau = 3$ ms

3 / 25


Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Pre-TC




Post-TC




Pre-SC



Post-SC



Pre-GO



Post-GO




Hilbert envelope

Pre-TC




Post-TC




Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 294 observed points per stage

Fixed limits: MAD ± 3.56 normalized units | Envelope ± 3135.0 signal units

Coordinates: $x(t)$, $x(t - 3 \text{ ms})$, $x(t - 6 \text{ ms})$

Trial 10 | $\tau = 4$ ms

4 / 25

Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO




Hilbert envelope

Pre-TC



Post-TC



Pre-SC




Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 292 observed points per stage

Fixed limits: MAD ± 3.56 normalized units | Envelope ± 3135.0 signal units

Coordinates: $x(t)$, $x(t - 4 \text{ ms})$, $x(t - 8 \text{ ms})$

Trial 10 | $\tau = 5$ ms

5 / 25

Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 290 observed points per stage

Fixed limits: MAD ± 3.56 normalized units | Envelope ± 3135.0 signal units

Coordinates: $x(t)$, $x(t - 5 \text{ ms})$, $x(t - 10 \text{ ms})$

Trial 10 | $\tau = 6$ ms

6 / 25


Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 288 observed points per stage

Fixed limits: MAD ± 3.56 normalized units | Envelope ± 3135.0 signal units

Coordinates: $x(t)$, $x(t - 6 \text{ ms})$, $x(t - 12 \text{ ms})$

Trial 10 | $\tau = 7$ ms

7 / 25


Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 286 observed points per stage

Fixed limits: MAD ± 3.56 normalized units | Envelope ± 3135.0 signal units

Coordinates: $x(t)$, $x(t - 7 \text{ ms})$, $x(t - 14 \text{ ms})$

Trial 10 | tau = 8 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 2



m = 3 | 300-ms windows | 284 observed points per stage
Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units
Coordinates: x(t), x(t - 8 ms), x(t - 16 ms)

Trial 10 | $\tau = 9\text{ ms}$

9 / 25

Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Pre-TC




Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



Hilbert envelope

Pre-TC




Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 282 observed points per stage

Fixed limits: MAD ± 3.56 normalized units | Envelope ± 3135.0 signal units

Coordinates: $x(t)$, $x(t - 9\text{ ms})$, $x(t - 18\text{ ms})$

Trial 10 | tau = 10 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 2



m = 3 | 300-ms windows | 280 observed points per stage
Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units
Coordinates: x(t), x(t - 10 ms), x(t - 20 ms)

Trial 10 | $\tau = 11$ ms

11 / 25


Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 278 observed points per stage

Fixed limits: MAD ± 3.56 normalized units | Envelope ± 3135.0 signal units

Coordinates: $x(t)$, $x(t - 11 \text{ ms})$, $x(t - 22 \text{ ms})$


Trial 10 | tau = 12 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 2



Trial 10 | tau = 13 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 2



m = 3 | 300-ms windows | 274 observed points per stage
Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units
Coordinates: x(t), x(t - 13 ms), x(t - 26 ms)

Trial 10 | $\tau = 14$ ms

14 / 25

Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Hilbert envelope

Pre-TC

Post-TC



Pre-TC

Post-TC



Pre-SC

Post-SC



Pre-SC

Post-SC



Pre-GO

Post-GO



Pre-GO

Post-GO



$m = 3$ | 300-ms windows | 272 observed points per stage

Fixed limits: MAD ± 3.56 normalized units | Envelope ± 3135.0 signal units

Coordinates: $x(t)$, $x(t - 14 \text{ ms})$, $x(t - 28 \text{ ms})$

Trial 10 | tau = 15 ms


Monkey T | y070316009-12 | channel 7 | short delay | direction 2



m = 3 | 300-ms windows | 270 observed points per stage
Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units
Coordinates: x(t), x(t - 15 ms), x(t - 30 ms)

Trial 10 | tau = 16 ms


Monkey T | y070316009-12 | channel 7 | short delay | direction 2



m = 3 | 300-ms windows | 268 observed points per stage
Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units
Coordinates: x(t), x(t - 16 ms), x(t - 32 ms)

Trial 10 | tau = 17 ms


Monkey T | y070316009-12 | channel 7 | short delay | direction 2



m = 3 | 300-ms windows | 266 observed points per stage
Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units
Coordinates: x(t), x(t - 17 ms), x(t - 34 ms)

Trial 10 | tau = 18 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 2



m = 3 | 300-ms windows | 264 observed points per stage
Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units
Coordinates: x(t), x(t - 18 ms), x(t - 36 ms)

Trial 10 | $\tau = 19$ ms

19 / 25

Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO




$m = 3$ | 300-ms windows | 262 observed points per stage

Fixed limits: MAD ± 3.56 normalized units | Envelope ± 3135.0 signal units

Coordinates: $x(t)$, $x(t - 19 \text{ ms})$, $x(t - 38 \text{ ms})$

Trial 10 | tau = 20 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 2



m = 3 | 300-ms windows | 260 observed points per stage
Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units
Coordinates: x(t), x(t - 20 ms), x(t - 40 ms)

Trial 10 | $\tau = 21$ ms

21 / 25

Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 258 observed points per stage

Fixed limits: MAD ± 3.56 normalized units | Envelope ± 3135.0 signal units

Coordinates: $x(t)$, $x(t - 21 \text{ ms})$, $x(t - 42 \text{ ms})$

Trial 10 | tau = 22 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Hilbert envelope

Pre-TC

Post-TC



Pre-SC

Post-SC



Pre-GO

Post-GO



Pre-TC

Post-TC



Pre-SC

Post-SC



Pre-GO

Post-GO



m = 3 | 300-ms windows | 256 observed points per stage

Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units

Coordinates: x(t), x(t - 22 ms), x(t - 44 ms)

Trial 10 | tau = 23 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Hilbert envelope

Pre-TC

Post-TC




Pre-SC

Post-SC



Pre-GO

Post-GO



Pre-TC

Post-TC



Pre-SC

Post-SC



Pre-GO

Post-GO



m = 3 | 300-ms windows | 254 observed points per stage

Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units

Coordinates: x(t), x(t - 23 ms), x(t - 46 ms)

Trial 10 | tau = 24 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Hilbert envelope

Pre-TC

Post-TC



Pre-SC

Post-SC



Pre-GO

Post-GO



Pre-TC

Post-TC



Pre-SC

Post-SC



Pre-GO

Post-GO



m = 3 | 300-ms windows | 252 observed points per stage

Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units

Coordinates: x(t), x(t - 24 ms), x(t - 48 ms)

Trial 10 | tau = 25 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 2

Window MAD

Hilbert envelope

Pre-TC

Post-TC



Pre-SC

Post-SC



Pre-GO

Post-GO



Pre-TC

Post-TC



Pre-SC

Post-SC



Pre-GO

Post-GO



m = 3 | 300-ms windows | 250 observed points per stage

Fixed limits: MAD +/-3.56 normalized units | Envelope +/-3135.0 signal units

Coordinates: x(t), x(t - 25 ms), x(t - 50 ms)