


Trial 6 | tau = 1 ms


Monkey T | y070316009-12 | channel 7 | short delay | direction 5



m = 3 | 300-ms windows | 298 observed points per stage
Fixed limits: MAD +/-4.08 normalized units | Envelope +/-3253.5 signal units
Coordinates: x(t), x(t - 1 ms), x(t - 2 ms)

Trial 6 | tau = 2 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5



m = 3 | 300-ms windows | 296 observed points per stage
Fixed limits: MAD +/-4.08 normalized units | Envelope +/-3253.5 signal units
Coordinates: x(t), x(t - 2 ms), x(t - 4 ms)

Trial 6 | $\tau = 3$ ms

3 / 25



Monkey T | y070316009-12 | channel 7 | short delay | direction 5

Window MAD

Hilbert envelope


Pre-TC

Post-TC



Pre-TC

Post-TC



Pre-SC

Post-SC



Pre-SC

Post-SC



Pre-GO

Post-GO



Pre-GO

Post-GO



$m = 3$ | 300-ms windows | 294 observed points per stage

Fixed limits: MAD ± 4.08 normalized units | Envelope ± 3253.5 signal units

Coordinates: $x(t)$, $x(t - 3 \text{ ms})$, $x(t - 6 \text{ ms})$


Trial 6 | $\tau = 4$ ms

4 / 25


Monkey T | y070316009-12 | channel 7 | short delay | direction 5

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO




Post-GO




Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 292 observed points per stage

Fixed limits: MAD ± 4.08 normalized units | Envelope ± 3253.5 signal units

Coordinates: $x(t)$, $x(t - 4 \text{ ms})$, $x(t - 8 \text{ ms})$

Trial 6 | $\tau = 5$ ms

5 / 25

Monkey T | y070316009-12 | channel 7 | short delay | direction 5

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO




Post-GO



Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 290 observed points per stage

Fixed limits: MAD ± 4.08 normalized units | Envelope ± 3253.5 signal units

Coordinates: $x(t)$, $x(t - 5 \text{ ms})$, $x(t - 10 \text{ ms})$

Trial 6 | tau = 6 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5



m = 3 | 300-ms windows | 288 observed points per stage
Fixed limits: MAD +/-4.08 normalized units | Envelope +/-3253.5 signal units
Coordinates: x(t), x(t - 6 ms), x(t - 12 ms)

Trial 6 | $\tau = 7$ ms

7 / 25

Monkey T | y070316009-12 | channel 7 | short delay | direction 5

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 286 observed points per stage

Fixed limits: MAD ± 4.08 normalized units | Envelope ± 3253.5 signal units

Coordinates: $x(t)$, $x(t - 7 \text{ ms})$, $x(t - 14 \text{ ms})$


Trial 6 | $\tau = 8$ ms

8 / 25

Monkey T | y070316009-12 | channel 7 | short delay | direction 5

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 284 observed points per stage

Fixed limits: MAD ± 4.08 normalized units | Envelope ± 3253.5 signal units

Coordinates: $x(t)$, $x(t - 8 \text{ ms})$, $x(t - 16 \text{ ms})$

Trial 6 | $\tau = 9\text{ ms}$

9 / 25

Monkey T | y070316009-12 | channel 7 | short delay | direction 5

Window MAD

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



Hilbert envelope

Pre-TC



Post-TC



Pre-SC



Post-SC



Pre-GO



Post-GO



$m = 3$ | 300-ms windows | 282 observed points per stage

Fixed limits: MAD ± 4.08 normalized units | Envelope ± 3253.5 signal units

Coordinates: $x(t)$, $x(t - 9\text{ ms})$, $x(t - 18\text{ ms})$

Trial 6 | tau = 10 ms


Monkey T | y070316009-12 | channel 7 | short delay | direction 5



m = 3 | 300-ms windows | 280 observed points per stage
Fixed limits: MAD +/-4.08 normalized units | Envelope +/-3253.5 signal units
Coordinates: x(t), x(t - 10 ms), x(t - 20 ms)


Trial 6 | tau = 11 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5




Trial 6 | tau = 12 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5




Trial 6 | tau = 13 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5



Trial 6 | tau = 14 ms


Monkey T | y070316009-12 | channel 7 | short delay | direction 5



m = 3 | 300-ms windows | 272 observed points per stage
Fixed limits: MAD +/-4.08 normalized units | Envelope +/-3253.5 signal units
Coordinates: x(t), x(t - 14 ms), x(t - 28 ms)

Trial 6 | tau = 15 ms


Monkey T | y070316009-12 | channel 7 | short delay | direction 5



m = 3 | 300-ms windows | 270 observed points per stage
Fixed limits: MAD +/-4.08 normalized units | Envelope +/-3253.5 signal units
Coordinates: x(t), x(t - 15 ms), x(t - 30 ms)

Trial 6 | tau = 16 ms


Monkey T | y070316009-12 | channel 7 | short delay | direction 5



m = 3 | 300-ms windows | 268 observed points per stage
Fixed limits: MAD +/-4.08 normalized units | Envelope +/-3253.5 signal units
Coordinates: x(t), x(t - 16 ms), x(t - 32 ms)

Trial 6 | tau = 17 ms


Monkey T | y070316009-12 | channel 7 | short delay | direction 5



m = 3 | 300-ms windows | 266 observed points per stage
Fixed limits: MAD +/-4.08 normalized units | Envelope +/-3253.5 signal units
Coordinates: x(t), x(t - 17 ms), x(t - 34 ms)


Trial 6 | tau = 18 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5




Trial 6 | tau = 19 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5




Trial 6 | tau = 20 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5



Trial 6 | tau = 21 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5




Trial 6 | tau = 22 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5




Trial 6 | tau = 23 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5




Trial 6 | tau = 24 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5



Trial 6 | tau = 25 ms

Monkey T | y070316009-12 | channel 7 | short delay | direction 5



m = 3 | 300-ms windows | 250 observed points per stage
Fixed limits: MAD +/-4.08 normalized units | Envelope +/-3253.5 signal units
Coordinates: x(t), x(t - 25 ms), x(t - 50 ms)