Executive summary

ergoveritas.com

https://ergoveritas.com/test1.html

Completed: 20 Oct 2026, 16:18 PDT (America/Los_Angeles) | Region: Ireland (EU)

Site assessment

GDPR/ePrivacy | Elevated Review Priority

Requests from Google Analytics, Meta Pixel, Microsoft Clarity were observed before a consent choice. Non-essential activity was also observed after Reject was confirmed during the measured observation window. Prioritize these fixes: gate optional integrations before consent; verify that Reject suppresses optional activity. Then re-test this page.

CertScore.ai score

High-priority remediation



Starting-page score

Top issues

12 distinct observations



Gap observed	2
Review signal	1
Other findings	5

Priority findings and next actions

1. Tracking before a consent choice

Gap observed - see issue and actions

2. Activity after the Reject confirmation

Gap observed - see issue and actions

3. Device-identification signals to review

Review signal - see issue and actions

Topic evidence at a glance

Select a topic for its appendix

CMP and consent p.8

OneTrust

Accept	Observed
Reject	Observed
Options	Observed

After Reject: activity observed

Cookies and similar technologies p.12

Cookies	7
Storage	3

Retained inventory

Privacy policy p.14



7	Observed
0	To review
4	Other

7 / 11 disclosures observed

Forms p.16

1 forms → **5** fields

Retained form inventory

Webserver security p.18

Transport security

HTTPS delivery: verified
HTTP redirect: verified
Mixed content: none found
Certificate: validated
Expires 2027-02-19

External services / domains p.21

7 services / 7 domains

Advertising: 1 / Replay: 3

Analytics: 2 / Consent tools: 1

7 services seen before choice

ADA/WCAG p.23

3 rule failures / 3 nodes

Button names
Image text alternatives
Form field labels

63 rules checked / 0 review items

Top issues and remediation

1. Tracking before a consent choice - Gap observed

Pre-consent storage classification review: Review signal

Cookies or browser storage were observed before consent, but the scan could not determine whether every item was essential or non-essential.

Pre-consent non-essential tracking: Gap observed

Tracking-classified requests were observed before consent: Google Analytics, Meta Pixel, Microsoft Clarity. The first qualifying request was Google Analytics at 1.13s after scan start.

high impact; Moderate confidence.

Social / advertising service requests before consent: Gap observed

A social/media embed, plugin, widget, or pixel loaded before any recorded consent action: Meta/Facebook; first seen 1.13s after scan start.

Embedded-service requests before consent: Review signal

third-party embedded content loaded before any recorded consent action, including social embed evidence (www.facebook.com). Review domains by purpose; first seen 1.13s after scan start.

Session recording: Review signal

Session replay or behavioral analytics signals were observed: Microsoft Clarity, Hotjar, and FullStory; first seen 1.13s after scan start; before any recorded consent action.

high impact; Moderate confidence.

Remediation

Developer + tag-manager owner; privacy owner confirms purposes - Estimated effort: medium

Page: https://ergoveritas.com/test1.html

Request to trace: https://www.google-analytics.com/g/collect?v=[redacted]&tid=[redacted]&cid=[redacted]&en=[redacted]

Request to trace: https://www.facebook.com/tr?id=[redacted]&ev=[redacted]&noscript=[redacted]

Request to trace: https://www.clarity.ms/collect?tid=[redacted]

Request to trace: https://rs.fullstory.com/s/fs.js?certscore=[redacted]

Request to trace: https://api.segment.io/v1/track?certscore=[redacted]

Request to trace: https://www.clarity.ms

Cookie names to inspect: _ga_TEST1, _gid, _fbp. Snapshot presence does not identify their exact writer.

For a OneTrust-managed deployment: map each integration to the actual tenant category ID, choose documented Auto-Blocking or script rewriting, and load the blocking configuration before optional tags. Publishing a CMP banner alone does not activate blocking. If using a tag manager, configure the same category grants on every relevant trigger.

OneTrust blocking implementation guidance

1. In DevTools Network, filter each listed hostname/path, reload with site data cleared, and open its Initiator stack. Locate the originating tag, inline script, embed or CMS/plugin configuration; search source files for the hostname if no initiator was retained. Record each integration’s purpose and required consent category with the privacy owner.
2. Move consent-dependent initialization behind the CMP’s confirmed category state: default optional loaders and storage writers to off, and start them only after the matching category is granted. Remove unconditional page-load triggers and duplicate hard-coded tags. A banner, consent cookie, or denied-storage flag alone does not prevent a request.
3. Apply the same gate to deferred callbacks, SPA route changes, timers and retries. For replay tools, exclude sensitive pages and mask inputs; verify with non-sensitive test values in staging. A script download does not prove what was recorded. Do not delete essential or consent-decision storage indiscriminately. Publish the approved source/CMP changes and clear caches.

Re-test: Use three independent fresh sessions: no choice, confirmed Reject, and confirmed Accept. For each relevant category, compare the listed requests and storage writes over equal windows at least as long as the comparison. Consent-dependent collection must not start before a grant or after refusal, and should work after the applicable grant. Inspect payloads and replay masking separately; retain sanitized Network logs and re-scan the same URL.

Top issues and remediation (continued)

2. Activity after the Reject confirmation - Gap observed

Post-choice tracking reduction: Gap observed

Eligible non-essential tracking activity was observed after the refusal confirmation during the measured post-Reject window.

high impact; Limited confidence - verify first.

Remediation

Developer + CMP/tag-manager owner - Estimated effort: medium

Page: https://ergoveritas.com/test1.html

Configured observation target: 8 s. This is a re-test target, not a claim that the early-stop scan measured the whole interval; measured results remain in Appendix A.

Post-refusal request: https://www.google-analytics.com/g/collect (+73 ms from confirmation).

Post-refusal cookie write: _gid; host ergoveritas.com. Verify domain/path in DevTools before targeted cleanup; do not guess them.

1. Filter the cited post-refusal endpoint in DevTools Network and inspect its Initiator stack. Locate its tag, timer, retry, queued callback or storage writer. Use the confirmation-relative timing to separate a new request chain from one already in flight; cookie presence alone does not prove active use.
2. In the Reject handler, persist denied optional categories and apply them to each consent-dependent loader and collection call before queued work can run. Cancel pending optional timers/retries and use the vendor's documented disable/consent mechanism for an already-loaded SDK. Guard SPA navigation and later callbacks against reinitializing it.
3. Stop the cited optional writes at their source. If cleanup is appropriate, remove only the identified optional cookie name/domain/path or web-storage origin/type/key; do not clear essential cookies or the saved refusal. Review browser and corresponding server-side collection settings, validate in staging, publish the approved changes and clear caches.

Re-test: In a fresh session confirm Reject, record confirmation separately from the click, then inspect new request chains and writes for the full configured observation target listed here, not just an early-stop sample. If that target is unavailable, cover at least the measured window in Appendix A and later callbacks. Reload and navigate without submitting forms. The saved refusal must remain in force without newly initiated consent-dependent collection. Compare with a separate confirmed Accept session and retain sanitized results.

3. Device-identification signals to review - Review signal

Device fingerprinting: Review signal

Device-identification or fingerprinting-like browser API signals were observed: HTMLCanvasElement.toDataURL, CanvasRenderingContext2D.getImageData, OfflineAudioContext.startRendering, and canvas; first seen 1.88s after scan start.

Remediation

Developer; privacy owner confirms purpose - Estimated effort: medium

Page: https://ergoveritas.com/test1.html

Use the browser API names in the finding above as source-search terms. If an initiating file/line or transmission link is not retained, trace it before changing functionality; do not assume the APIs identify an offending vendor.

1. Search loaded sources for the listed API names (for example toDataURL, getImageData or startRendering) and set a breakpoint at the actual call site. Reload and inspect the call stack to identify the responsible first-party function or SDK. Do not disable browser APIs globally: graphics and audio can have legitimate uses.
2. Trace the returned values through the calling code and Network payloads using synthetic test data. Check whether results are combined into an identifier, stored or transmitted; API access alone is not proof of fingerprinting. If a minified third-party bundle cannot be traced, obtain the vendor's purpose/configuration documentation before deciding on a change.
3. Remove unnecessary collection in the initiating component, or disable the vendor feature. Where the verified purpose requires consent, gate the call and subsequent storage/transmission on the relevant category, including delayed callbacks. Preserve legitimate graphics/audio functions and document the purpose. Validate in staging, publish the approved change and clear caches.

Top issues and remediation (continued)

Device-identification signals to review - remediation continued

Re-test: Repeat the call-stack and Network inspection before a choice, after Reject and after the relevant Accept choice. Confirm the unnecessary call or data flow has stopped, or document the verified legitimate use. Test affected graphics/audio features and re-scan. An unresolved purpose remains a review item, not a confirmed fingerprinting defect.

4. Policy/behavior conflict - Finding

Policy/behavior conflict: Finding

A policy claim and a directly comparable pre-consent runtime behavior were linked by a deterministic typed comparison bridge.

high impact; Moderate confidence.

Remediation

Developer + privacy/content owner - Estimated effort: medium

Page: https://ergoveritas.com/test1.html

Policy URL: https://ergoveritas.com/test1-privacy-policy.html

Policy claim to reconcile: "Optional analytics, advertising and replay are modeled as consent-based processing under Article 6(1)(a) GDPR."

Linked runtime request: https://www.google-analytics.com/g/collect?v=[redacted]&tid=[redacted]&cid=[redacted]&en=[redacted]

1. Open the cited policy URL and locate the quoted claim. Reproduce the linked runtime behavior on the scanned page in the same choice state; use Network Initiator to identify its controlling integration. Keep the claim and runtime evidence paired rather than treating every vendor request as the same conflict.
2. Agree the intended behavior with the privacy owner. If collection should wait for consent, correct the initiating tag/loader and queued callbacks using the tracking instructions. If the verified practice or policy description is wrong, correct that specific practice or passage after approval; do not merely weaken a consent promise to make a failing implementation appear consistent.
3. Publish the approved configuration and policy together, update the policy date/version as appropriate, and clear relevant caches. Keep the prior version and a rollback path; ensure the notice still describes actual purposes, recipients and choices.
Re-test: Re-open the published claim without signing in and repeat the cited runtime scenario in fresh sessions. Compare the same endpoint, choice state and policy passage. The documented commitment and observed behavior must agree; retain the revised URL, exact passage and sanitized request evidence, then re-scan.

5. Privacy-rights disclosure not found in the inspected policy - Finding

Privacy-rights disclosure not found in the inspected policy: Finding

A complete inspection of English policy text and material linked supplements found no consumer-rights disclosure for non-discrimination when exercising privacy rights. This is a scoped disclosure finding, assessed assuming CCPA/CPRA applies; it does not prove requests would be refused.

medium impact; Moderate confidence.

Remediation

Privacy/content owner approves wording; webmaster publishes - Estimated effort: medium

Page: https://ergoveritas.com/test1.html

Missing disclosure in the scoped assessment: non-discrimination when exercising privacy rights. Applicability is not determined by this report.

Inspected policy URL: https://ergoveritas.com/test1-privacy-policy.html

1. Open each inspected policy document listed with this finding and locate its consumer-rights section. Confirm the exact missing right against the clause assessment. Ask the privacy owner to determine applicability and exceptions; a disclosure finding does not prove requests would be refused.
2. For each confirmed applicable omission, add plain-language wording explaining that right and how to exercise it. For non-discrimination, explain that exercising privacy rights will not result in prohibited discriminatory treatment; have the privacy owner approve any applicable exception or incentive wording. Do not publish an unreviewed blanket promise or a fictional contact channel.

Top issues and remediation (continued)

Privacy-rights disclosure not found in the inspected policy - remediation continued

3. Publish the approved text as readable HTML under a clear rights heading, with a real request/contact route where required. Keep the policy linked from the scanned page, update its version/date, and clear caches. Check the deployed contact destination with the owner; do not send real personal data or submit a request merely to test discovery.
Re-test: Open the revised policy from the scanned page in a fresh signed-out session. Confirm the specific missing right is now stated in its rights context, and that links resolve to the approved route. Retain the exact passage and URL, obtain privacy-owner sign-off, then re-scan. Legal applicability and fulfillment effectiveness remain separate checks.

6. Semantic labeling accessibility issue - Finding

Semantic labeling accessibility issue: Finding

Automated accessibility checks found failures on 1 tested page (2 element failures). Buttons lacked discernible accessible names; Form controls lacked associated labels.

high impact; Moderate confidence.

Remediation

Frontend developer + accessibility reviewer - Estimated effort: medium

Page: https://ergoveritas.com/test1.html

button-name: #test1-unnamed-button

1. Locate the reported button selector and edit its source component. Determine its real action from the handler/design before choosing its name; keep the native button semantics and existing handler.
2. Give the button a meaningful accessible name through its visible text, aria-labelledby or aria-label. Use wording that describes its action.
3. Prefer visible button text. For an icon-only control, an illustrative pattern is <button type="button" aria-label="Open search">...</button>; use its actual action, not this example by default. Keep decorative icon SVGs aria-hidden="true" and update labels/states when the action changes.
Re-test: After publishing the source change and clearing relevant caches, rerun button-name on every listed selector and other instances of the same component. Tab to the button, confirm its announced name describes its action, and test Enter/Space activation in staging without triggering a live transaction. Retain the new automated result and manual check; a passing rule is not a complete accessibility audit.

Rule guidance: button-name

label: #test1-email

1. Locate the reported input selector and edit its form component/CMS field template. Keep its existing data binding and validation behavior; generate a unique id for each repeated field instance.
2. Add a visible label and connect its for attribute to the input's unique id, or use a correctly associated wrapping label.
3. Example pattern (adapt IDs/text to the reported field): <label for="contact-email">Email address</label><input id="contact-email" type="email">. If existing text supplies the name, reference its id with aria-labelledby. A placeholder or title alone is not a substitute for a persistent visible label.
Re-test: After publishing the source change and clearing relevant caches, rerun label on every listed selector and other instances of the same component. Click the visible label and confirm it focuses the intended field; check the field's name in the accessibility tree and with a screen reader. Do not submit personal data. Retain the new automated result and manual check; a passing rule is not a complete accessibility audit.

Rule guidance: label

Top issues and remediation (continued)

7. Text alternative accessibility issue - Finding

Text alternative accessibility issue: Finding

Automated accessibility checks found failures on 1 tested page (1 element failure). Images lacked required text alternatives.

high impact; Moderate confidence.

Remediation

Frontend developer + content/accessibility owner - Estimated effort: medium

Page: https://ergoveritas.com/test1.html

image-alt: #test1-missing-alt

1. Locate the reported selector in DevTools Elements, then find its image component or CMS content entry. Update the source template/content, not only the live DOM; check other instances generated by the same component.
2. In the image component, add an alt attribute that conveys the image's purpose. Use alt="" only for a purely decorative or redundant image.
3. For an image acting as a link or button, describe its destination or action. Example pattern, not inferred image content: <img src="..." alt="Meaningful description">; replace the example text with an accurate equivalent. Do not use the filename or add redundant aria-labels.

Re-test: After publishing the source change and clearing relevant caches, rerun image-alt on every listed selector and other instances of the same component. Check the image's accessible name/text alternative in context; decorative images should be ignored, while informative and functional images convey the equivalent information or action. Retain the new automated result and manual check; a passing rule is not a complete accessibility audit.

Rule guidance: image-alt

Top issues and remediation (continued)

8. Hidden outbound links - Finding

Hidden outbound links: Finding

Outbound links were concealed using off-screen positioning or zero-size styling. Review whether these links were intentionally added.

high impact; Moderate confidence.

Remediation

Developer + content owner - Estimated effort: medium
Source URL: https://ergoveritas.com/test1.html
Destination hostname: promotion.example | Evidence: site_integrity:link:2
Off-screen positioning: concealing element position absolute; bounding box left -9999px, top -9999px relative to the viewport.
DOM excerpt (* marks the concealing element):
<main>
*** **
[link text omitted]

</main>
Sanitized DOM, not a source-file line or unique selector. URL paths, link text and unrelated attributes are omitted.
1. Locate each listed destination hostname in the affected page's rendered DOM using browser developer tools (Elements search). Inspect the anchor and its ancestors against the excerpt and computed styles where available; the excerpt is not a CSS selector.
2. Find the code that produces the link: search page content, CMS blocks, templates, theme/plugin files and tag-manager tags for that hostname. If it appears only after JavaScript runs, trace the inserting script with a DOM subtree-modification breakpoint on its parent.
3. If the link is unintended, remove the anchor and the content or code that inserts it, rather than hiding it with different CSS. If it is intended navigation, remove the concealing rule from the responsible element and give the link visible, meaningful text in the normal layout. Preserve legitimate skip links and responsive controls after checking their intended behavior.
4. If the owner cannot account for the insertion, review recent CMS, template, plugin and tag-manager changes and access logs; address any verified unauthorized change at its source. Concealment alone does not establish compromise.
5. Publish the approved source change and clear any page/CDN caches. Check the rendered page again in a fresh browser session at desktop and mobile widths, including after scripts have run.
Re-test: On each listed source URL, search the rendered DOM again for the destination hostname. Confirm an unwanted link is absent and does not reappear after scripts run, or that intended navigation is visibly and meaningfully labelled and keyboard-operable. Re-scan the same URL and compare its hidden-link evidence. Do not visit the outbound destination to perform these checks.

How to re-test

For every change: back up the source/configuration, reproduce the issue in staging, obtain the named owner's approval, publish the approved version and clear relevant caches. Keep a rollback version. A DevTools-only edit is not a deployed fix.
Use the same exact URL: https://ergoveritas.com/test1.html
Use Ireland (EU), a fresh browser context for each choice state, and equal observation windows when comparing rates. Record click completion separately from consent confirmation.
Close an issue only after its specific verification steps pass and the owner records before/after evidence. Where evidence or applicability remains unresolved, retain the investigation rather than claim a completed repair.
Scan ID: 4374b04f-1164-42cd-954b-105fc5872b86

Appendix A: CMP and consent

ergoveritas.com | GDPR/ePrivacy | Appendix A

CMP checks	First-layer choices observed	CMP provider
13	3 / 3	OneTrust

13 retained checks: 6 observed / 1 to review / 6 limited
Remediation and re-test steps: see Top issues and remediation.

Topic verification checklist

Retest the affected page in fresh browser sessions using the same region. Check control visibility, the saved choice and resulting requests/storage separately before a choice, after Reject and after Accept. Compare with the cited evidence.

Detailed evidence

Consent management audit

CMP identity and consent choices

Provider: OneTrust. Consent experience: CMP details. Preference inspection: Partial.

CMP audit matrix

Criterion	Result
Cookie banner available	Observed
Option to reject cookies available	Observed
Accept / Reject prominence comparison	Observed
Selection by categories available	Not assessed
Individual services identified in the CMP	Not assessed
Link to privacy policy available	Observed
Privacy-policy link reachable before consent interaction	Not assessed
Consent storage observed	Observed
Activity after Accept / Reject	Review recommended
CMP cookie expiry	Observed
CMP cookie declarations compared with pre-consent capture	Not assessed
Unmatched cookie names	Not assessed
Information about cookies available (e.g., storage duration)	Not assessed

Appendix A: CMP and consent (continued)

Detailed evidence

Accept / Reject prominence comparison

Result: Observed. Accept and Reject were compared in the captured view. No material prominence difference met the review threshold.

Control	Bounds: x, y, width, height	Fill contrast / outer emphasis
Accept	643.08, 219.83, 163.25, 48	1.151; 0.011
Reject	277, 219.83, 199.84, 48	1.151; 0.01

Capture skew: 9 ms.

First-layer control evidence

Intent / label	Layer / visibility / actionable	Timing
Reject: Reject optional cookies	First layer; visible Yes; actionable Yes; Unknown; Unknown; locale en	2108 ms after page start
Options: Manage choices	First layer; visible Yes; actionable Yes; Unknown; Unknown; locale en	2108 ms after page start
Accept: Accept all cookies	First layer; visible Yes; actionable Yes; Unknown; Unknown; locale en	2108 ms after page start

Consent control assessment

Accept control: Observed
Reject / necessary-only control: Observed
Options / settings control: Observed
Scope: initial visit, first layer.

Consent mechanism: Observed

Observed in scan evidence; A verified first-layer consent surface with actionable controls was in the tested context.

CMP framework: Observed

Observed in scan evidence; A consent-management framework signal was retained: OneTrust CMP.

Decline consent control: Observed

A refusal path was observed from structured consent-control evidence. This confirms availability, not post-click behavior.

Accept consent control: Observed

An accept consent control was observed from structured consent-control evidence. This confirms availability, not post-click behavior.

Options / settings / preferences control: Observed

An options/settings/preferences control was observed from structured consent-control evidence. This confirms availability, not post-click behavior.

Appendix A: CMP and consent (continued)

Detailed evidence

Accept / Reject results

Each choice was tested in a fresh, independent session. Window lengths apply to the whole session, not separately to each vendor.

Choice	Execution	Measured window	Network events	Consent record change
Accept	Click completed; decision unconfirmed	3 s	0 total; 0 non-essential; 0 detailed records	OptanonConsent: stored
Reject	Click completed; decision confirmed	0.354 s	1 total; 1 non-essential; 1 detailed records	OptanonConsent: updated

Zero requests means none were observed in that bounded session; it is not a vendor-by-vendor pass or proof of future behavior. Different window lengths are not directly comparable rates. Instrumented request/write events and consent-cookie snapshots are separate measurements.

Choice	Service / purpose	Observed request	Timing / classification
Reject	Google; Analytics	www.google-analytics.com/g/collect	+73 ms after click; Non-essential

Accept: Accept was clicked. 0 requests and 0 storage writes were afterward. The bounded after-click window completed. Consent registration is reported separately.
Reject: Reject was confirmed, and eligible non-essential network and storage activity was observed afterward.
Reject evidence: 1 eligible network requests and 1 storage writes. In-flight request chains were excluded. Confirmation time is the observed upper bound.
Google: https://www.google-analytics.com/g/collect started 73 ms after the observed refusal confirmation.

Visit	Time origin	Observed event sequence
Initial page	Page start	1.13 s: First third-party request -> 1.89 s: Cookies first observed -> 2.11 s: Banner visible
Reject session	Refusal confirmation	+0 ms: Reject confirmed -> +73 ms: Request started

Consent-cookie expiry by visit

CMP cookie expiry was captured. Time remaining is shown below.

Visit / cookie	Domain / path	Captured / expires / remaining
Before choice: OptanonConsent	ergoveritas.com /	2026-10-20T23:18:34.031Z / 2026-10-20T23:33:33.061Z / 0.01 days
Accept: OptanonConsent	Not Not retained	2026-10-20T23:18:36.976Z / 2026-10-20T23:33:33.687Z / 0.01 days
Reject: OptanonConsent	Not Not retained	2026-10-20T23:18:33.968Z / 2026-10-20T23:33:33.610Z / 0.01 days

Appendix A: CMP and consent (continued)

Detailed evidence


Privacy choices and notices

Starting-page observations only. Opt-out execution and notice placement at collection points were not assessed.
Topic passages are evidence aids, not disclosure-adequacy assessments.
No verified privacy-choice surface retained; control absence remains unknown.


Other signals - GPC response

Activity with GPC: 6 tracking requests observed with GPC
GPC signal: Observed on the page request and in the browser
Baseline -> GPC page HTTP requests, first 1000 ms after each document commit: advertising/marketing requests 1 -> 1; analytics/replay requests 5 -> 5.
Comparison: no observable response. GPC delivery was verified on the page request and browser setting. GPC request samples include 6 classified advertising, marketing, analytics or replay requests, including 3 collection requests. Paired activity comparison: no observable response.
Signal-delivery proof and comparison deltas are available in the JSON workpaper.

Captured page evidence



First-layer controls - detail from the same capture. Boxes mark observed Accept and Reject controls, not successful consent enforcement.



No post-Reject screenshot is included. The post-Reject conclusion uses the measured request/write evidence, not this pre-choice image.

Appendix B: Cookies and similar technologies

ergoveritas.com | GDPR/ePrivacy | Appendix B

Cookie rows	Local / session storage rows	Retained domains
7	3	1

3 retained checks: 3 to review
Remediation and re-test steps: see Top issues and remediation.

Topic verification checklist

In browser developer tools, inspect Application storage and Network responses for the listed cookie names, domains, paths and storage keys. Retest in fresh sessions before and after the relevant consent choice; confirm the intended attributes, lifetime and write timing.

Detailed evidence

Cookie and storage purposes



Cookie and storage inventory

Each cookie or tracker observation is listed separately. Missing activity means not observed within the bounded scan scope; it does not prove that the activity is absent from every page, session, geography, or consent state.

Inventory summary: 7 cookies; 3 localStorage / sessionStorage rows. Service and domain observations are in Appendix F.

1. _ga_TEST1

Vendor: Google. Purpose: Analytics. Classification: Non-essential. First observed: 1.89s after scan start. Before choice: Yes.
Domain / origin: ergoveritas.com. Setter attribution: Not determined.
Cookie: _ga_TEST1; path /; observed expiry 2026-10-20T23:33:33.060Z; remaining lifetime 899 seconds.
Used by Google Analytics to distinguish browsers and measure site usage and engagement.

2. _gid

Vendor: Google. Purpose: Analytics. Classification: Non-essential. First observed: 1.89s after scan start. Before choice: Yes.
Domain / origin: ergoveritas.com. Setter attribution: Not determined.
Cookie: _gid; path /; observed expiry 2026-10-20T23:33:33.060Z; remaining lifetime 899 seconds.
Used by Google Analytics to distinguish browsers and measure site usage and engagement.

Appendix B: Cookies and similar technologies (continued)

Detailed evidence

3. _fbp

Vendor: Meta. Purpose: Advertising. Classification: Non-essential. First observed: 1.89s after scan start. Before choice: Yes.
Domain / origin: ergoveritas.com. Setter attribution: Not determined.
Cookie: _fbp; path /; observed expiry 2026-10-20T23:33:33.060Z; remaining lifetime 899 seconds.
Used by Meta advertising services to measure advertising activity and associate browser visits with campaigns.

4. _clck

Vendor: Unknown. Purpose: Unknown. Classification: Review. First observed: 1.89s after scan start. Before choice: Yes.
Related service inventory: Microsoft (Session replay). Matched cookie name only; this cookie's purpose and setter remain unconfirmed.
Domain / origin: ergoveritas.com. Setter attribution: Not determined.
Cookie: _clck; path /; observed expiry 2026-10-20T23:33:33.060Z; remaining lifetime 899 seconds.
Purpose is not yet classified in the canonical cookie knowledge base; manual review is recommended.

5. _hjSessionUser_100001

Vendor: Unknown. Purpose: Unknown. Classification: Review. First observed: 1.89s after scan start. Before choice: Yes.
Related service inventory: Hotjar (Session replay). Matched cookie name only; this cookie's purpose and setter remain unconfirmed.
Domain / origin: ergoveritas.com. Setter attribution: Not determined.
Cookie: _hjSessionUser_100001; path /; observed expiry 2026-10-20T23:33:33.061Z; remaining lifetime 899 seconds.
Purpose is not yet classified in the canonical cookie knowledge base; manual review is recommended.

6. fs_uid

Vendor: Unknown. Purpose: Unknown. Classification: Review. First observed: 1.89s after scan start. Before choice: Yes.
Related service inventory: FullStory (Session replay). Matched cookie name only; this cookie's purpose and setter remain unconfirmed.
Domain / origin: ergoveritas.com. Setter attribution: Not determined.
Cookie: fs_uid; path /; observed expiry 2026-10-20T23:33:33.061Z; remaining lifetime 899 seconds.
Purpose is not yet classified in the canonical cookie knowledge base; manual review is recommended.

7. OptanonConsent

Vendor: OneTrust. Purpose: Consent Management. Classification: Essential. First observed: 1.89s after scan start. Before choice: Yes.
Domain / origin: ergoveritas.com. Setter attribution: Not determined.
Cookie: OptanonConsent; path /; observed expiry 2026-10-20T23:33:33.061Z; remaining lifetime 899 seconds.
Stores the visitor's OneTrust consent choices and consent-state metadata.

8. certscore_test1_consent_state

Vendor: Unattributed browser storage. Purpose: Unknown purpose. Classification: Contextual. First observed: 1.88s after scan start. Before choice: Yes.
Domain / origin: ergoveritas.com. Setter attribution: Not determined.

9. certscore_test1_analytics

Vendor: Unattributed browser storage. Purpose: Unknown purpose. Classification: Contextual. First observed: 1.88s after scan start. Before choice: Yes.
Domain / origin: ergoveritas.com. Setter attribution: Not determined.

10. certscore_test1_session_replay

Vendor: Unattributed browser storage. Purpose: Unknown purpose. Classification: Contextual. First observed: 1.88s after scan start. Before choice: Yes.
Domain / origin: ergoveritas.com. Setter attribution: Not determined.

Appendix C: Privacy policy

ergoveritas.com | GDPR/ePrivacy | Appendix C

Disclosure checks	Retained policy source URLs	Retained policy passages
11	1	10

11 retained checks: 7 observed / 4 limited
Remediation and re-test steps: see Top issues and remediation.

Detailed evidence

These rows reproduce the persisted GDPR Transparency checklist projection. They describe policy-surface evidence and do not independently establish legal compliance or disclosure completeness.
Condensed disclosure evidence. Excerpts below are shortened for this PDF; full passages, detailed checks and provenance remain in the JSON workpaper.

Policy sources

S1: https://ergoveritas.com/test1-privacy-policy.html
Document owner entity: ErgoVeritas test 1 | Retrieval timestamp: 2026-10-20T23:18:34.809Z | Detected language: en | Last updated text: Updated 20 October 2026

Transparency checks

Disclosure	Status	Condensed evidence
Privacy notice link/surface discovered	Observed	S1. Observed in policy-surface evidence; Privacy notice evidence was in public policy-surface evidence; policy surface: https://ergoveritas.com/test1-privacy-policy.html;...
Legal basis disclosure	Observed	S1. Excerpt: You have the right to access your personal data, the right to rectification of inaccurate personal data, the right to erasure, restriction of processing, data portability and...
Retention disclosure	Observed	S1. Excerpt: We retain personal data represented by local-storage test identifiers and consent decision markers until you clear this site’s browser data.
Controller/contact disclosure	Observed	S1. Excerpt: ErgoVeritas Canary Publisher is the controller identified in this synthetic test scenario. The scenario’s privacy contact is privacy@test1.example, a reserved, non-deliverable...
Processing purposes disclosure	Observed	S1. Excerpt: Personal data and purposes of processing. We process cookie identifiers, browser and device attributes, page-view events, consent-choice events, and network-request metadata to...
Recipients/vendor categories disclosed	Observed	S1. Excerpt: We share personal data in the form of synthetic cookie identifiers and network-request metadata with analytics providers including Google Analytics, advertising provider Meta,...
Data subject rights disclosure	Observed	S1. Excerpt: You have the right to access your personal data, the right to rectification of inaccurate personal data, the right to erasure, restriction of processing, data portability and...

Appendix C: Privacy policy (continued)

Detailed evidence

Disclosure	Status	Condensed evidence
International transfer disclosure	Not confirmed	S1. No confirmed disclosure retained; this does not establish absence.
DPO contact point (where applicable)	Not confirmed	S1. No confirmed disclosure retained; this does not establish absence.
Supervisory authority complaint	Not confirmed	S1. No confirmed disclosure retained; this does not establish absence.
Profiling / automated decisions disclosure	Not confirmed	S1. No confirmed disclosure retained; this does not establish absence.

Other policy checks: Cookie notice / cookie policy availability: Observed.

Policy-related issues and remediation appear in Top issues and remediation. Detailed technical evidence is in the JSON workpaper.

Appendix D: Forms

ergoveritas.com | GDPR/ePrivacy | Appendix D

Retained forms	Retained fields	Destination request records
1	5	0

1 retained checks: 1 observed
No corrective action is listed for this topic in the report.

Detailed evidence

Field categories



Form events and destinations

Evidence: Observed form transport

Observed. Whether observed forms resolved to HTTPS transport without submitting form data.

Evidence	Detail
Form transport count	5
Form inventory state	complete
Insecure form transport observed	No

Data collection surfaces

This appendix reproduces the persisted CollectionSurfaceAssessment projection from the runtime-evidence lane. It describes form and field structure observed in the rendered main document without submitting forms, entering data, or creating a finding from display context.

Inventory summary: 1 forms; 5 fields; assessment Observed.

The read-only main-document inventory is listed below. Field values are never captured or retained.

Assessed page: https://ergoveritas.com/test1.html

Coverage: Complete; document scope Main Document; interaction mode None; inspected 1 form candidates and 5 field candidates.

Appendix D: Forms (continued)

Detailed evidence

1. Demo service enquiry

Page: https://ergoveritas.com/test1.html | Structure: Native Form | Surface type: Contact | Method: Post
Action: Self (ergoveritas.com) | Fields retained: 5 of 5 | Truncated: No | Confidence: High confidence | Basis: Direct

Field 1: Full name; element Input; input type Text; category Name; required No; state available; autocomplete not retained; confidence High confidence; basis Direct.

Field 2: email; element Input; input type Email; category Email; required No; state available; autocomplete not retained; confidence High confidence; basis Direct.

Field 3: Phone number; element Input; input type Tel; category Phone; required No; state available; autocomplete not retained; confidence High confidence; basis Direct.

Field 4: Postal code; element Input; input type Text; category Address; required No; state available; autocomplete not retained; confidence High confidence; basis Direct.

Field 5: Your enquiry; element Textarea; input type Textarea; category Free Text; required No; state available; autocomplete not retained; confidence High confidence; basis Direct.

Observed form transport: Observed

Observed in scan evidence; No insecure observed form transport was for the scanned page.

Assessment: Checked | Evidence state: Observed | Direction: Neutral Signal

Appendix E: Webserver security

ergoveritas.com | GDPR/ePrivacy | Appendix E

CMS platforms	Plugins	Transport security checks
0	0	4

4 retained checks: 4 observed
Remediation and re-test steps: see Top issues and remediation.

Detailed evidence

CMS, versions and plugins

Evidence: HTTPS delivery for scanned pages

Observed. Whether the scanned page was served over HTTPS.

Evidence	Detail
Final URL	https://ergoveritas.com/test1.html
Final scheme	https
Page HTTPS observed	Yes
Sampled page URLs 1	https://ergoveritas.com/test1.html

Evidence: HTTP redirects to HTTPS

Observed. Whether an explicit HTTP-origin probe redirected to HTTPS.

Evidence	Detail
HTTP probe attempted	Yes
HTTP probe status	200
HTTP probe final scheme	https
HTTP probe final URL	https://ergoveritas.com/
HTTP probe outcome	redirected to HTTPS
HTTP redirects to HTTPS	Yes
HTTP probe redirect chain 1	http://ergoveritas.com/
HTTP probe redirect chain 2	https://ergoveritas.com/

Evidence: Mixed content

Observed. Whether HTTP subresources were observed or blocked on a HTTPS page.

Evidence	Detail
Mixed content observed	No
Mixed content observed count	0

Appendix E: Webserver security (continued)

Detailed evidence

Evidence: Valid SSL/TLS certificate

Observed. Whether a strict TLS probe verified the HTTPS origin certificate separately from the normal scanner runtime.

Evidence	Detail
TLS probe attempted	Yes
Valid TLS certificate	Yes
TLS certificate observations 1 / input URL	https://ergoveritas.com/
TLS certificate observations 1 / subject	CN=ergoveritas.com
TLS certificate observations 1 / issuer	CN=Amazon RSA 2048 M04, O=Amazon
TLS certificate observations 1 / valid from	Aug 6 00:00:00 2026 GMT
TLS certificate observations 1 / valid to	Feb 19 23:59:59 2027 GMT
TLS certificate observations 1 / valid certificate	Yes
TLS certificate observations 1 / chain certificate count	4

Site integrity - High priority

Hidden outbound links

Outbound links were concealed using off-screen positioning or zero-size styling. Review whether these links were intentionally added.
Source page: https://ergoveritas.com/test1.html. Captured: 2026-10-20T23:18:34.000Z.
promotion.example | Offscreen Position | site_integrity:link:2
Remediation: see Top issues and remediation.
Bounded source-page main-document capture only. Destination pages were not opened.
Evidence: CanonicalEvidenceBundle.json#siteIntegrityObservation; source SHA-256: 9ca3ad0be6f3eb2058ffffd9bedb82e0f2860dbc07a0c9d94b764de729a1c79a; observation SHA-256: 7f5166bbfdb93f35bc8e4073ff53886fbf2ce324e53788ffe5da852300bec6a7.
Bounded starting-page transport evidence only. Missing evidence remains unknown; these checks do not establish complete server security.

HTTPS delivery for scanned pages: Observed

Observed in scan evidence; The scanned page was served over HTTPS in the transport observation.

Assessment: Checked | Evidence state: Observed | Direction: Neutral Signal

HTTP redirects to HTTPS: Observed

Observed in scan evidence; The explicit HTTP-origin probe redirected to HTTPS.

Assessment: Checked | Evidence state: Observed | Direction: Neutral Signal

Mixed content: Observed

Observed in scan evidence; No mixed-content HTTP subresources were for the scanned HTTPS page.

Assessment: Checked | Evidence state: Observed | Direction: Neutral Signal

Bounded starting-page transport evidence only. Missing evidence remains unknown; these checks do not establish complete server security.

Appendix E: Webserver security (continued)

Detailed evidence

Valid SSL/TLS certificate: Observed

Observed in scan evidence; certificate validation verified the HTTPS origin certificate. certificate evidence: https://ergoveritas.com/ presented CN=ergoveritas.com certificate valid Aug 6, 2026-Feb 19, 2027.

Assessment: Checked | Evidence state: Observed | Direction: Neutral Signal

Appendix F: External services / domains

ergoveritas.com | GDPR/ePrivacy | Appendix F

Service rows shown	Retained domains	Request evidence rows
7	7	6

4 retained checks: 3 to review / 1 other retained states
Remediation and re-test steps: see Top issues and remediation.

Topic verification checklist

Use Network request initiators to locate the tag, embed or integration calling the listed domain. Retest the same page in fresh sessions with the relevant choices, confirm the intended request behavior, and compare the active vendor inventory with disclosures.

Detailed evidence

Service / tracker purposes



third-party iframes before consent: Not observed

Not observed in scan evidence; iframe inventory did not show known third-party iframe embeds before a recorded consent action.

Service and domain inventory

Each cookie or tracker observation is listed separately. Missing activity means not observed within the bounded scan scope; it does not prove that the activity is absent from every page, session, geography, or consent state.
7 service rows shown from 8 source rows. 0 inventory rows omitted by the export limit.

1. _fbp

Vendor: Meta. Purpose: Advertising. Classification: Non-essential. First observed: 1.13s after scan start. Before choice: Yes.
Observed domains: facebook.com, ergoveritas.com. Vendor attribution: High confidence.

Request	Observed response / purpose
GET facebook.com/tr	Yes; Non Essential

Appendix F: External services / domains (continued)

Detailed evidence

2. fs_uid

Vendor: FullStory. Purpose: Session replay. Classification: Non-essential. First observed: 1.13s after scan start. Before choice: Yes.
Observed domains: rs.fullstory.com, ergoveritas.com. Vendor attribution: High confidence.

Request	Observed response / purpose
GET rs.fullstory.com/s/fs.js	Yes; Non Essential

3. _hjSessionUser_100001

Vendor: Hotjar. Purpose: Session replay. Classification: Non-essential. First observed: 1.13s after scan start. Before choice: Yes.
Observed domains: static.hotjar.com, ergoveritas.com. Vendor attribution: High confidence.

Request	Observed response / purpose
GET static.hotjar.com/c/_redacted_	Yes; Non Essential

4. _clck

Vendor: Microsoft. Purpose: Session replay. Classification: Non-essential. First observed: 1.13s after scan start. Before choice: Yes.
Observed domains: clarity.ms, ergoveritas.com. Vendor attribution: High confidence.

Request	Observed response / purpose
GET clarity.ms/collect	Yes; Non Essential

5. _ga_TEST1, _gid

Vendor: Google. Purpose: Analytics. Classification: Non-essential. First observed: 1.13s after scan start. Before choice: Yes.
Observed domains: google-analytics.com, ergoveritas.com. Vendor attribution: High confidence.

Request	Observed response / purpose
GET google-analytics.com/g/collect	Yes; Non Essential

6. Segment

Vendor: Segment. Purpose: Analytics. Classification: Non-essential. First observed: 1.13s after scan start. Before choice: Yes.
Observed domains: api.segment.io. Vendor attribution: High confidence.

Request	Observed response / purpose
GET api.segment.io/v1/track	Yes; Non Essential

7. OptanonConsent

Vendor: OneTrust. Purpose: Consent management. Classification: Review. First observed: 1.89s after scan start. Before choice: Yes.
Observed domains: ergoveritas.com. Vendor attribution: High confidence.

Appendix G: ADA/WCAG

ergoveritas.com | GDPR/ePrivacy | Appendix G

Failed automated rules	Affected nodes	Rules needing manual review
3	3	0

Remediation and re-test steps: see Top issues and remediation.

Topic verification checklist

Rerun the cited automated rule on the affected page and selectors. Check the corrected elements manually using keyboard navigation and an appropriate assistive-technology workflow; retain the new rule result and manual test outcome.

Detailed evidence

Affected nodes by automated rule



Automated starting-page accessibility evidence supporting ADA/WCAG review. This is not an ADA compliance determination or a complete WCAG conformance audit. Manual review is required.

Automated audit: completed; engine axe-core 4.11.3; failed rules 3; affected nodes 3; rules needing review 0.

Assessed page: https://ergoveritas.com/test1.html

Captured: 2026-10-20T23:18:34.046Z to 2026-10-20T23:18:34.134Z; 63 rules evaluated.

Limitations: None recorded for this bounded audit

Automated rule evidence: button-name

Buttons must have discernible text. Ensure buttons have discernible text

Tags: cat.name-role-value, wcag2a, wcag412, section508, section508.22.a, TTv5, TT6.a, EN-301-549, EN-9.4.1.2, ACT, RGAAv4, RGAA-11.9.1; impact critical; 1 affected nodes.

Guidance: https://dequeuniversity.com/rules/axe/4.11/button-name?application=axeAPI

Affected element	technical evidence
Selector	#test1-unnamed-button
Failure / required review	Fix any of the following: Element does not have inner text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> Element’s default semantics were not overridden with role="none" or role="presentation"
Sanitized element	<button id class type><svg aria-hidden focusable width height viewBox><path d fill stroke stroke-width></path></svg></button>

Appendix G: ADA/WCAG (continued)

Detailed evidence

Automated rule evidence: image-alt

Images must have alternative text. Ensure <img> elements have alternative text or a role of none or presentation

Tags: cat.text-alternatives, wcag2a, wcag111, section508, section508.22.a, TTv5, TT7.a, TT7.b, EN-301-549, EN-9.1.1.1, ACT, RGAAv4, RGAA-1.1.1; impact critical; 1 affected nodes.

Guidance: https://dequeuniversity.com/rules/axe/4.11/image-alt?application=axeAPI

Affected element	technical evidence
Selector	#test1-missing-alt
Failure / required review	Fix any of the following: Element does not have an alt attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element's default semantics were not overridden with role="none" or role="presentation"
Sanitized element	<img id class width height src>

Automated rule evidence: label

Form elements must have labels. Ensure every form element has a label

Tags: cat.forms, wcag2a, wcag412, section508, section508.22.n, TTv5, TT5.c, EN-301-549, EN-9.4.1.2, ACT, RGAAv4, RGAA-11.1.1; impact critical; 1 affected nodes.

Guidance: https://dequeuniversity.com/rules/axe/4.11/label?application=axeAPI

Affected element	technical evidence
Selector	#test1-email
Failure / required review	Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element has no placeholder attribute Element's default semantics were not overridden with role="none" or role="presentation"
Sanitized element	<input id name type>

3 examples retained; 0 omitted. Example limits do not imply complete coverage.

Methodology and limitations

CertScore.ai reports observed risk signals and evidence. It is not a legal certification, a determination of compliance, or legal advice.
Observed from Ireland. Changing review focus uses the same evidence and does not run another scan.
Observations cover the pages, origin and capture windows. Missing evidence does not establish absence.
Sale/sharing opt-out execution is assessed only where a supported, verified bounded observation is retained. Notice placement at collection points remains unassessed. Missing observation does not establish a working or broken opt-out.
Hashes, classifier versions, original evidence references, and full technical packets are available in the JSON workpaper.
Source excerpts are quoted only when their policy-document provenance is available.

Sources and workpaper

Scan ID: 4374b04f-1164-42cd-954b-105fc5872b86
Download the technical workpaper (JSON) alongside this PDF from the scan report.