

```
In [1]: # [1] Gerekli kütüphaneleri yükleyelim
# Açıklama: Metin ön işleme, vektörleştirme ve Zipf analizi için kütüphaneler yüklenir.
# PDF: Gerekli kütüphaneler ve kurulum talimatları.
import requests
import json
import pandas as pd
import nltk
from nltk.tokenize import word_tokenize, sent_tokenize
from nltk.corpus import stopwords
from nltk.stem import WordNetLemmatizer, PorterStemmer
from collections import Counter
import matplotlib.pyplot as plt
import numpy as np
from sklearn.feature_extraction.text import TfidfVectorizer
from gensim.models import Word2Vec
from sklearn.metrics.pairwise import cosine_similarity
from tqdm import tqdm

# NLTK kaynaklarını indir
nltk.download('punkt')
nltk.download('stopwords')
nltk.download('wordnet')

# Çıktı [1]:
# (Kütüphaneler yükleniyor, NLTK kaynakları indiriliyor, çıktı yok.)

# Yorum [1]:
# - Amaç: Ödevin bağımlılıkları (nltk, gensim, sklearn, matplotlib) hazırlandı.
# - PDF Bağlamı: Kurulum talimatları README.md'de: `pip install requests pandas nltk gensim sklearn tqdm ma

# [2] openFDA verisi çekme
# Açıklama: openFDA API'sinden 5.000 ciddi yan etki verisi (JSON formatında) çekilir.
# Veri kaynağı: https://api.fda.gov/drug/event.json
# Boyut: ~50-100 MB, 5.000 kayıt, JSON.
# PDF: Veri seti kaynağı, boyut, örnek.
```

```
[nltk_data] Downloading package punkt to
[nltk_data] C:\Users\erhan\AppData\Roaming\nltk_data...
[nltk_data] Package punkt is already up-to-date!
[nltk_data] Downloading package stopwords to
[nltk_data] C:\Users\erhan\AppData\Roaming\nltk_data...
[nltk_data] Package stopwords is already up-to-date!
[nltk_data] Downloading package wordnet to
[nltk_data] C:\Users\erhan\AppData\Roaming\nltk_data...
[nltk_data] Package wordnet is already up-to-date!
```

```
Out[1]: True
```

[illegible]

```

        drug_names = []
        for drug in drugs:
            for field in ['medicinalproduct', 'brand_name', 'generic_name', 'activesubstance']:
                if drug.get(field):
                    drug_names.append(drug[field])
            if reaction_texts or drug_names:
                results.append({
                    "side_effect": " ".join([str(rt) for rt in reaction_texts if rt]).strip() or "unknown_side_effect",
                    "drug": " ".join([str(dn) for dn in drug_names if dn]).strip() or "unknown_drug"
                })
            else:
                print(f"Skip {skip}: 'results' anahtarı eksik veya boş")
        else:
            print(f"API error at skip {skip}: {response.status_code}")
    except Exception as e:
        print(f"Hata at skip {skip}: {str(e)}")
if not results:
    print("Hata: Hiç veri eklenmedi. API yanıtını kontrol edin.")
else:
    print(f"Toplam {len(results)} kayıt çekildi.")
return results

data = get_openfda_data(use_serious_filter=True)
if not data:
    print("serious:1 filtresiyle veri çekilemedi. Filtresiz deniyor...")
    data = get_openfda_data(use_serious_filter=False)
if not data:
    raise ValueError("Hiç veri çekilemedi. API yanıtını kontrol edin.")
df = pd.DataFrame(data)
if 'side_effect' not in df.columns or 'drug' not in df.columns:
    raise ValueError("DataFrame'de 'side_effect' veya 'drug' sütunları eksik. Veri formatını kontrol edin.")
text = " ".join(df['side_effect'].tolist() + df['drug'].tolist())
print("Metnin ilk 500 karakteri:")
print(text[:500])

```

Veri çekiliyor: 2%|█ 1/50 [00:03<02:55, 3.59s/it]

```

API Kaydı 1: {
  "safetyreportid": "5801206-7",
  "transmissiondateformat": "102",
  "transmissiondate": "20090109",
  "serious": "1",
  "seriousnessdeath": "1",
  "receivedateformat": "102",
  "receivedate": "20080707",
  "receiptdateformat": "102",
  "receiptdate": "20080625",
  "fulfillexpeditecriteria": "1",
  "companynumb": "JACAN16471",
  "primarysource": {
    "reportercountry": "CANADA",
    "qualification": "3"
  },
  "sender": {
    "senderorganization": "FDA-Public Use"
  },
  "receiver": null,
  "patient": {
    "patientonsetage": "26",
    "patientonsetageunit": "801",
    "patientsex": "1",
    "patientdeath": {
      "patientdeathdateformat": null,
      "patientdeathdate": null
    },
    "reaction": [
      {
        "reactionmeddrapt": "DRUG ADMINISTRATION ERROR"
      },
      {
        "reactionmeddrapt": "OVERDOSE"
      }
    ],
    "drug": [
      {
        "drugcharacterization": "1",
        "medicinalproduct": "DURAGESIC-100",
        "drugauthorizationnumb": "019813",
        "drugadministrationroute": "041",
        "drugindication": "DRUG ABUSE"
      }
    ]
  }
}

```

```

}
API Kaydı 2: {
  "safetyreportversion": "1",
  "safetyreportid": "10003300",
  "primarysourcecountry": "US",
  "transmissiondateformat": "102",
  "transmissiondate": "20141002",
  "reporttype": "1",
  "serious": "1",
  "seriousnessdisabling": "1",
  "receivedateformat": "102",
  "receivedate": "20140306",
  "receiptdateformat": "102",
  "receiptdate": "20140306",
  "fulfillexpeditecriteria": "2",
  "companynumb": "1289378",
  "duplicate": "1",
  "reportduplicate": {
    "duplicatesource": "GENENTECH",
    "duplicatenumb": "1289378"
  },
  "primarysource": {
    "reportercountry": "US",
    "qualification": "5"
  },
  "sender": {
    "sendertype": "2",
    "senderorganization": "FDA-Public Use"
  },
  "receiver": {
    "receivertype": "6",
    "receiverorganization": "FDA"
  },
  "patient": {
    "patientonsetage": "77",
    "patientonsetageunit": "801",
    "patientsex": "2",
    "reaction": [
      {
        "reactionmeddraversionpt": "17.0",
        "reactionmeddrapt": "Vomiting"
      },
      {
        "reactionmeddraversionpt": "17.0",
        "reactionmeddrapt": "Diarrhoea"
      },
      {
        "reactionmeddraversionpt": "17.0",
        "reactionmeddrapt": "Arthralgia"
      },
      {
        "reactionmeddraversionpt": "17.0",
        "reactionmeddrapt": "Headache"
      }
    ],
    "drug": [
      {
        "drugcharacterization": "1",
        "medicinalproduct": "BONIVA",
        "drugbatchnumb": "H6200H03",
        "drugauthorizationnumb": "021858",
        "drugstructuredo
API Kaydı 3: {
  "safetyreportversion": "1",
  "safetyreportid": "10003301",
  "primarysourcecountry": "US",
  "transmissiondateformat": "102",
  "transmissiondate": "20141002",
  "reporttype": "1",
  "serious": "1",
  "seriousnessother": "1",
  "receivedateformat": "102",
  "receivedate": "20140228",
  "receiptdateformat": "102",
  "receiptdate": "20140228",
  "fulfillexpeditecriteria": "2",
  "companynumb": "US-JNJFOC-20130719067",
  "duplicate": "1",
  "reportduplicate": {
    "duplicatesource": "JANSSEN",
    "duplicatenumb": "US-JNJFOC-20130719067"
  },
  "primarysource": {


```

Metnin ilk 500 karakteri:

DRUG ADMINISTRATION ERROR OVERDOSE Vomiting Diarrhoea Arthralgia Headache Dyspepsia Renal impairment Oedema periph  
 eral 1 Fluid retention 1 Pneumonia 6 Drug ineffective 6 Death 5 Angioedema 1 Laryngeal oedema 1 Face oedema 1  
 Tuberculosis of central nervous system 5 Cholecystectomy 1 Nephrolithiasis 1 Biliary tract disorder 1 Malaise 6  
 Adenoviral haemorrhagic cystitis 3 Pyrexia 1 Swelling 6 Meconium stain 6 Amniotic cavity infection 6 Maternal ex  
 posure during pregnancy 6 Respiratory failure 1 List

```
tokens = word_tokenize(text.lower())
word_freq = Counter(tokens)
ranks = np.arange(1, len(word_freq) + 1)
frequencies = np.array([freq for _, freq in word_freq.most_common()])
plt.figure(figsize=(10, 6))
plt.loglog(ranks, frequencies, marker=".", label="Ham Veri")
plt.title("Ham Veri için Zipf Log-Log Grafiği")
plt.xlabel("Kelime Sıralaması (Log)")
plt.ylabel("Frekans (Log)")
plt.grid(True)
plt.legend()
plt.savefig("zipf_raw.png")
plt.show()
print(f"Ham veri kelime sayısı: {len(tokens)}, Benzersiz kelime: {len(word_freq)}")
```

Ham Veri için Zipf Log-Log Grafiği



Ham veri kelime sayısı: 103593, Benzersiz kelime: 6775

```
In [9]: # [4] Cümlelere ayırma
# Açıklama: Metin, nltk ile cümlelere ayrılır.
# PDF: Tokenization adımı.
# Yorum [4]:
# - **Tokenization**: Metin, yan etki ve ilaç gruplarına ayrıldı.
# - **PDF Bağlamı**: Noktalama işaretleri zaten az, temizleme açıklandı.
sentences = sent_tokenize(text)
print("İlk 10 cümle:")
print(sentences[:10])
```

İlk 10 cümle:

```
["DRUG ADMINISTRATION ERROR OVERDOSE Vomiting Diarrhoea Arthralgia Headache Dyspepsia Renal impairment Oedema peripheral 1 Fluid retention 1 Pneumonia 6 Drug ineffective 6 Death 5 Angioedema 1 Laryngeal oedema 1 Face oedema 1 Tuberculosis of central nervous system 5 Cholecystectomy 1 Nephrolithiasis 1 Biliary tract disorder 1 Malaise 6 Adenoviral haemorrhagic cystitis 3 Pyrexia 1 Swelling 6 Meconium stain 6 Amniotic cavity infection 6 Maternal exposure during pregnancy 6 Respiratory failure 1 Listeriosis 1 Pyrexia 1 Headache 1 Vomiting 1 Mental status changes 1 Meningitis 1 Pneumonia staphylococcal 1 Type IV hypersensitivity reaction 6 Skin toxicity 1 Palmar-plantar erythrodysaesthesia syndrome 1 Nail toxicity 2 Arthralgia 6 Myalgia 2 Asthenia 2 Diarrhoea 1 Neuropathy peripheral 3 Diarrhoea 1 Abdominal pain 1 Asthenia 1 Diarrhoea 1 Weight decreased 3 Abdominal pain 1 Blood creatinine increased 1 C-reactive protein increased 1 Dysuria 1 Pyrexia 1 Blood creatinine increased 1 C-reactive protein increased 1 Pleural effusion 1 Chemical poisoning 3 Neck pain 3 Back pain 3 Paraesthesia 3 Localised oedema 6 Oedema peripheral 6 Fluid retention 6 Nasal congestion 6 Metastases to spine 6 Anxiety 6 Renal cyst 6 Metastases to thorax 6 Metastases to retroperitoneum 6 Emotional disorder 6 Pancreatic carcinoma metastatic 5 Metastases to liver 6 Metastases to lung 6 Emotional distress 6 Lymphadenopathy 6 Prostate cancer 6 Peripheral venous disease 6 Swollen tongue 1 Pruritus 1 Rash generalised 1 Listeriosis 1 Pyrexia 1 Diarrhoea 1 Meningitis 1 Overdose 6 General physical health deterioration 6 Malaise 6 Drug ineffective 6 Haematoma 2 Thrombocytopenia 2 International normalised ratio increased 2 Device dislocation Cerebrovascular accident 6 Blood pressure increased 6 Pain 6 Aggression 3 Violence-related symptom 3 Anger 6 Blepharospasm 3 Suicidal ideation 6 Haemoglobin decreased 6 Posterior reversible encephalopathy syndrome 1 Cerebral haemorrhage 4 Subarachnoid haemorrhage 4 Erection increased 2 Hypoatraemia 2 Loss of consciousness 1 Listeriosis 1 Pyrexia 1 Headache 1 Vomiting 1 Meningitis 1 Fluid retention 1 Haemoglobin decreased 6 Subdural haematoma 4 Sopor 1 Drug abuse 1 Overdose 1 Hallucination, visual 6 Headache 6 Insomnia 6 Somnolence 6 Confusional state 6 Cognitive disorder 2 Alopecia 2 Ileus paralytic 1 Abdominal pain 6 Nausea 6 Foetal death 6 Abortion late 6 Amniotic cavity infection 6 Maternal exposure during pregnancy 6 Breast cancer 6 Device misuse Uterine perforation Depression Anxiety Depressed mood Device issue Injury Pain Emotional distress Foetal distress syndrome 6 Intraventricular haemorrhage neonatal 6 Low birth weight baby 6 Listeriosis 6 Pyrexia 6 Sepsis 6 Meningitis 6 Pneumonia aspiration 6 Oxygen saturation decreased 6 Foetal exposure during pregnancy 6 Meconium stain 6 Amniotic cavity infection 6 Maternal exposure during pregnancy 6 Oedema peripheral 6 Fluid retention 1 Fatigue 1 Oedema peripheral 1 Drug ineffective 6 Flushing 1 Cardiac failure congestive 6 Fluid retention 6 Swelling 6 Pyelonephritis 1 Maternal exposure during pregnancy 6 Normal newborn 6 Blood pressure fluctuation 6 Dyspepsia 6 Allergic cough 1 Headache 1 Malaise 6 Fluid retention 6 Fluid overload 6 Renal failure acute 1 Disorientation 1 Drug prescribing error 1 Incorrect dose administered 1 Medication error 1 Foetal death 6 Amniotic cavity infection 6 Maternal exposure during pregnancy 6 Pharyngeal oedema 1 Off label use 6 Eye haemorrhage 2 Blood creatinine increased 6 Visual acuity reduced 6 Ophthalmological examination abnormal 6 Alanine aminotransferase increased 6 Aspartate aminotransferase increased 6 Feeling abnormal 6 Somnolence 6 Drug intolerance 6 Spinal column stenosis 6 Diabetes mellitus 6 Blindness 3 Acute graft versus host disease 5 Chronic graft versus host disease 5 Lung disorder 6 Death 5 Infection 5 Mucosal inflammation 6 Gastrointestinal toxicity 6 Cardiotoxicity 6 Neurotoxicity 6 Hepatotoxicity 6 Nephropathy toxic 6 Transplant failure 6 Venooclusive disease 6 Malignant neoplasm progression 5 Off label use 6 Infection 6 Central venous catheterisation 6 Femur fracture 3 Fall 1 Neurotopenia 6 Pain in extremity 1 Hereditary angioedema 1 Anxiety 1 Panic attack 1 Depression 1 Cardiac failure c
```

ongestive 6 Haemoglobin decreased 6 Hepatocellular injury 1 Adnexa uteri pain Drug ineffective Pregnancy with co  
ntraceptive device Embedded device Ovarian cyst Injury Dyspareunia Pain Uterine perforation Post procedural disc  
omfort Pain Device dislocation Pregnancy with contraceptive device 1 Drug ineffective Device difficult to use Ut  
erine haemorrhage Injury Depression Anxiety Stress Device issue Oedema peripheral 1 Gait disturbance 3 Plasma ce  
ll myeloma 5 Respiratory disorder 5 Arrhythmia 5 Chest pain 1 Oedema peripheral 1 Gastroesophageal reflux disea  
se 1 Pulmonary embolism 1 Anaemia 1 Haemoglobin decreased 6 Oesophageal perforation 6 Gastric haemorrhage 6 Hepa  
tic failure 6 Nerve compression 3 Mobility decreased 3 Abasia 3 Death 5 Nasopharyngitis 3 Malaise 6 Pyrexia 3 Na  
sal congestion 3 Headache 6 Diarrhoea 3 Nausea 3 Breast cancer 3 Erythema 3 Monocyte count decreased 2 Gamma-glu  
tamyltransferase increased 2 B-lymphocyte count decreased 2 Skin lesion 2 Mean platelet volume decreased 2 Kapos  
i's sarcoma 2 White blood cell count decreased 2 Lymphocyte count decreased 2 Neutrophil count decreased 2 T-lym  
phocyte count decreased 2 Linear IgA disease 2 Rheumatoid arthritis 3 Arthralgia 3 Rheumatoid factor increased 3  
Neck pain 3 Back pain 3 Musculoskeletal pain 3 Asthenia 6 Palpitations 6 Thirst 6 Gait disturbance 6 Death 5 Inf  
luenza 6 Weight decreased 6 Nasopharyngitis 6 Fall 6 Confusional state 6 Subcutaneous haematoma 1 Hypotension 1  
Anaemia 1 Renal failure chronic 1 Death 5 Sepsis 5 Tonsillectomy 6 Completed suicide 5 Suicidal behaviour 6 Bloo  
d count abnormal 6 Haemoglobin decreased 6 Surgery 1 Loss of consciousness 6 Fall 6 Gait disturbance 6 Convulsio  
n 6 Influenza 2 Speech disorder 6 Malaise 6 Atrioventricular block first degree 1 Angina pectoris 1 Muscle spasm  
s 6 Condition aggravated 6 Pain 6 Hypoaesthesia 6 Abdominal distension 6 Insomnia 1 Fatigue 6 Nausea 2 Alopecia  
6 Transfusion 6 Convulsion 1 Death 5 Mental disorder 3 Panic attack 3 Depression 3 Anxiety 3 Condition aggravate  
d 3 Off label use 6 Acute respiratory distress syndrome 5 Multi-organ failure 5 General physical health deterior  
ation 6 Death 5 Pleural effusion 6 Blister 6 Hypothyroidism 6 Blood potassium decreased 6 Anaemia 6 Nausea 1 Vom  
iting 1 Constipation 6 Blood pressure increased 6 Fluid retention 6 Pollakiuria 6 Local swelling 6 Joint swellin  
g 6 Swelling 6 Grand mal convulsion 6 Malaise 6 Abdominal pain upper 6 Hyperthyroidism 2 Diabetes mellitus 6 Hae  
moglobin decreased 2 Pyrexia 6 Headache 6 Malnutrition 5 Multiple sclerosis 5 Loss of consciousness 6 Weight dec  
reased 6 Fibroadenoma of breast 6 Off label use 6 Hyperthermia malignant 6 Neoplasm malignant 5 Diabetes mellitu  
s 6 Endocarditis staphylococcal 1 Nephrogenic systemic fibrosis 3 Type 2 diabetes mellitus 6 Influenza 2 Pneumon  
ia 2 Nephrogenic systemic fibrosis 5 Neutrophil count increased 6 White blood cell count increased 3 Abnormal be  
haviour 6 Dehydration 1 Hospitalisation 6 Convulsion 6 Convulsion 6 Lower limb fracture 6 Syncope 6 Osteomyeliti  
s 1 Death 5 Death 5 Erysipelas 5 Sepsis 5 Atrial septal defect 1 Bundle branch block right 1 Tachycardia 1 Recta  
l haemorrhage 3 Rectal haemorrhage 3 Asthenia 3 Weight decreased 3 Death 5 Organising pneumonia 1 Fall 1 Lung in  
fection 1 Urinary tract infection bacterial 1 Lower respiratory tract infection bacterial 1 Acute respiratory di  
stress syndrome 1 Loss of consciousness 1 Psoriasis 3 Blood cholesterol increased 3 Amnesia 1 Dyspnoea 1 Headach  
e 1 Exposure to contaminated water 6 Vomiting 1 Nausea 1 Fatigue 2 Lethargy 2 Abdominal pain upper 1 Death 5 Dep  
ression 6 Wheelchair user 6 Drug effect decreased 6 Death 5 Coeliac disease 6 Blindness 3 Hypertension 3 Blood p  
ressure increased 3 Hyperhidrosis 3 Hyperhidrosis 3 Multiple sclerosis 5 Neoplasm malignant 5 Metastasis 5 Fall  
6 Head injury 6 Arthralgia 6 Urinary tract infection 6 Asthenia 1 Ear infection 1 Increased viscosity of bronchi  
al secretion 3 Sinus disorder 1 Chronic obstructive pulmonary disease 3 Endotracheal intubation 6 Acute respirat  
ory failure 3 Hyperglycaemia 3 Bronchitis pneumococcal 3 Bronchitis 3 Nephrogenic systemic fibrosis 3 Rhinalgia  
6 Facial pain 6 Mobility decreased 6 Seizure 6 Blood sodium decreased 2 Cholelithiasis 2 Hepatic mass 2 Hypergly  
caemia 6 Dyspnoea 6 Inappropriate antidiuretic hormone secretion 2 Hyperthermia malignant 6 Fallot's tetralogy 6  
Cleft palate 6 Autism 3 Foetal exposure during pregnancy 6 Chronic obstructive pulmonary disease 6 Emphysema 6 B  
ronchitis 6 Dyspnoea 6 Stress 6 Anxiety 6 Unevaluable event 3 Lung infection 2 Suicide attempt 2 Antipsychotic d  
rug level below therapeutic 3 Mental disorder 6 Antipsychotic drug level above therapeutic 3 Adverse reaction 6  
Suicidal ideation 2 Dizziness 3 Aphasia 3 Syncope 6 Memory impairment 6 Bronchitis 2 Irritability 3 Feeling abno  
rmal 3 Amnesia 6 Conversion disorder 6 Visual impairment 6 Vision blurred 6 Headache 3 Pyrexia 3 Pain 3 Insectio  
n site reaction 3 Injection site haemorrhage 6 Fatigue 6 Confusional state 1 Hyperammonaemia 3 Respiratory distr  
ess 5 Pulmonary oedema 5 Dyspnoea 6 Pulmonary alveolar haemorrhage 6 Pulmonary veno-occlusive disease 6 Therapeu  
tic response decreased 6 Drug ineffective 6 Haemoglobin decreased 3 Weight increased 6 Nephrogenic systemic fibr  
osis 3 Pneumonia 6 Pulmonary valve stenosis congenital 6 Congenital anomaly 6 Foetal exposure during pregnancy 6  
Death 5 Dyspnoea 6 Fatigue 6 Dysphonia 1 Diarrhoea 6 Convulsion 6 Dyspnoea 6 Skin discolouration 6 Lip discolour  
ation 6 Status epilepticus 6 Epilepsy 6 Fall 6 Tooth loss 6 Central nervous system lesion 6 Cognitive disorder 6  
Drug withdrawal syndrome 6 Quality of life decreased 6 General physical health deterioration 6 Mental impairment  
6 Disorientation 6 Affect lability 6 Gait disturbance 6 Speech disorder 6 Anticonvulsant drug level decreased 6  
Drug effect decreased 6 Investigation 6 Liver disorder 6 Transaminases increased 6 Disease progression 5 Abortio  
n induced 1 Unintended pregnancy 1 Medical device complication 6 Product quality issue 6 Drug dose omission 6 Di  
sease progression 5 Renal failure acute 1 Type 2 diabetes mellitus 3 Cholelithiasis 1 Bone marrow failure 2 Bone  
marrow failure 3 Neutrophil count decreased 3 Chronic obstructive pulmonary disease 6 Dementia Alzheimer's type  
6 Hip fracture 6 Cerebrovascular accident 6 Nephrogenic systemic fibrosis 3 Pancreatitis 5 Hypoacusis 2 Pneumoni  
a 1 Disease progression 5 Pancytopenia 6 Low turnover osteopathy 6 Femur fracture 2 Reflux laryngitis 6 Gingival  
recession 6 Intramedullary rod insertion 6 Rib fracture 6 Bone graft 6 Squamous cell carcinoma of skin 6 Osteopo  
rosis 6 Periodontal operation 6 Visual impairment 1 Disease progression 5 Loss of proprioception 2 Fall 2 Gait d  
isturbance 2 Asthenia 2 Embedded device 1 Hyponatraemia 1 Dyspnoea 1 Pyrexia 1 Pancreatitis 1 Influenza 1 Pneumo  
nia 1 Sepsis 1 Disease progression 5 Dizziness 1 Disease progression 5 Myocardial infarction 5 Disease progressi  
on 5 Death 5 Investigation 6 Disease progression 5 Disease progression 5 Disease progression 5 Arthropathy 1 Ost  
eonecrosis 6 Gangrene 2 Gangrene 2 Grand mal convulsion 1 Vomiting 1 Amnesia 3 Disease progression 5 Disease pro  
gression 5 Sepsis 5 Tooth infection 6 Neurological decompensation 5 Disease progression 5 Thrombosis 6 Device is  
sue 3 Arteriovenous fistula site complication 6 Convulsion 2 Pulmonary oedema 2 Rib fracture 6 Gastroenteritis v  
iral 6 Peritonitis bacterial 2 Diarrhoea 6 Fluid overload 1 Infected cyst 1 Febrile neutropenia 1 Febrile neutro  
penia 1 Enterobacter pneumonia 1 Corynebacterium infection 1 Pharyngitis 1 Malaise 6 Hypotension 1 Eye movement  
disorder 1 Heart rate decreased 6 Pulse abnormal 6 Blood pressure diastolic increased 3 Carnitine deficiency 2 H  
yperammonaemia 1 Irritability 2 Affective disorder 2 Condition aggravated 2 Staphylococcal infection 2 Catheter  
site infection 2 Muscular weakness 2 Paraesthesia 2 Pancreatitis 6 Off label use 3 Pulmonary haemorrhage 2 Swell  
ing 2 Anaemia 2 Hypotension 2 Pneumonia 1 Urinary tract infection 3 Malaise 6 Cardiac disorder 3 Cardiovascular  
disorder 3 Blood glucose increased 3 Anaemia 6 Sepsis 5 Mixed liver injury 6 Headache 6 Toothache 6 Peritonitis  
2 Peritoneal dialysis complication 6 Hypotension 3 Pneumonia 3 Post procedural haemorrhage 1 Acidosis 1 Haemorrh  
age 5 Haematocrit decreased 5 Rectal haemorrhage 5 Haematochezia 5 Mouth haemorrhage 5 Epistaxis 5 Pyrexia 3 Ste  
vens-Johnson syndrome 6 Myocardial infarction 5 Mycobacterium tuberculosis complex test positive 3 Headache 3 Ch  
est discomfort 3 Respiratory failure 5 Chronic obstructive pulmonary disease 5 Myocardial infarction 5 Cardiac f  
lutter 6 Therapeutic response decreased 6 Death 5 Parotitis 2 Salivary hypersecretion 2 Ear pain 2 Odynophagia 2  
Parotid gland enlargement 2 Oedema 2 Inflammation 2 Leukocytosis 2 Anaemia 2 Tachycardia 2 Schizoaffective disor  
der bipolar type 2 Drug ineffective 6 Convulsion 6 Bursitis 6 Abscess bacterial 6 Staphylococcal infection 6 Fal  
l 2 Rhabdomyolysis 2 Somnolence 2 Diabetes mellitus 2 Gait disturbance 3 Anaemia 2 Blood triglycerides abnormal  
3 Muscular weakness 3 Blood cholesterol abnormal 3 Cough 2 Influenza 1 Bone disorder 3 Patient-device incompatib  
ility 2 Pain 2 Death 5 Localised infection 2 Diabetic ketoacidosis 2 Abscess limb 2 Transfusion 6 Vision blurred

6 Intraocular pressure increased 6 Rectocele 6 Cardiac arrest 5 Arrhythmia 5 Acidosis 6 Respiratory distress 6 Status epilepticus 6 Death 5 Gastrointestinal stromal tumour 5 Malignant neoplasm progression 5 Intestinal obstruction 6 Pyrexia 6 Abdominal pain upper 6 Blood count abnormal 6 Platelet count decreased 1 Injury General physical health deterioration Cerebrovascular arteriovenous malformation 1 Gastroesophageal reflux disease Peripheral artery thrombosis Pain Anxiety Abdominal pain Emotional distress Platelet count decreased 2 Blood count abnormal 6 Cerebral venous thrombosis 1 Jugular vein thrombosis 1 Subdural haematoma 6 Musculoskeletal stiffness 6 Myalgia 6 Platelet count decreased 3 Stem cell transplant 2 Splenomegaly 2 Contusion 6 Thrombosis Injury Emotional distress Deep vein thrombosis Anxiety Pain Abdominal pain General physical health deterioration Type 2 diabetes mellitus 6 Death 5 International normalised ratio fluctuation 1 Fall 1 Concussion 3 Clavicle fracture 1 Hip fracture 6 Parkinsonism 3 Mobility decreased 6 Faecal incontinence 6 Urinary incontinence 6 Depression 6 Memory impairment 1 Fatigue 6 Fall 6 Pain 6 Fall 6 Fall 2 Gait disturbance 1 Emotional distress 6 Type 2 diabetes mellitus 6 Impaired healing 2 Calciphylaxis 3 Diabetic complication 2 Wound 2 Pancreatitis acute 5 Death 5 Gastrointestinal haemorrhage 2 Pneumonia 2 Pulmonary oedema 2 Failure to thrive 2 Hypophagia 2 Surgery 6 Muscular weakness 6 Alopecia 6 Drug dose omission 6 Type 2 diabetes mellitus 6 Neoplasm malignant 6 Pain in extremity 6 Anaemia 6 Death 5 Histiocytosis haematophagic 6 Type 2 diabetes mellitus 6 Ventricular tachycardia 1 Melaena 2 Asthenia 2 Vertigo 2 Duodenal ulcer 2 Gastritis erosive 2 Gastrointestinal haemorrhage 2 Type 2 diabetes mellitus 6 Haemorrhage 6 Red blood cell count decreased 6 Fatigue 6 Adverse event 6 Type 2 diabetes mellitus 6 Psychotic behaviour 3 Cognitive disorder 3 Bronchopulmonary aspergillosis 6 Myalgia 6 Type 2 diabetes mellitus 6 Vaginal haemorrhage 2 Smear cervix abnormal 2 Febrile convulsion 1 Helicobacter infection 6 Death 5 Nephrogenic systemic fibrosis 3 Circulatory collapse 1 Pneumonia aspiration 1 White blood cell count increased 1 Neutrophil count increased 1 Platelet count decreased 1 Blood lactate dehydrogenase increased 6 White blood cell count increased 6 Epistaxis 2 Headache 6 Influenza 2 Nausea 1 Contusion 6 Wound haemorrhage 6 Blood smear test abnormal 6 Fatigue 2 Adverse drug reaction 2 Disease progression 6 Type 2 diabetes mellitus 6 Visual impairment 6 Neuropathy peripheral 6 Increased appetite 6 Incontinence 6 Off label use 6 Epistaxis 6 Blindness 6 Weight increased 6 Skin cancer 6 Nasopharyngitis 6 Dizziness 6 Dry eye 6 Wrong technique in product usage process 6 Pruritus 6 Increased tendency to bruise 6 Diarrhoea 6 Constipation 6 Type 2 diabetes mellitus 6 Apparent death 6 General physical health deterioration 6 Skin burning sensation 6 Decreased appetite 6 Weight decreased 6 Headache 1 Nausea 1 Pyrexia 1 Rash 1 Myalgia 1 Muscular weakness 1 Gait disturbance 1 Tremor 1 Type 2 diabetes mellitus 6 Peripheral swelling 6 Increased appetite 6 Weight increased 6 Stress 6 Type 2 diabetes mellitus 6 Hypokinesia 4 Dehydration 4 Drug dose omission 6 Paralysis 4 Quality of life decreased 6 Speech disorder 4 Loss of consciousness 4 Withdrawal syndrome 4 Dyskinesia 4 Dysphagia 4 Cardiac arrest 6 Anaphylactic reaction 6 Interstitial lung disease 1 Dyspnoea 1 General physical health deterioration 6 Pleural effusion 6 Oedema 1 Aphthous stomatitis 1 Peritonitis 1 Device malfunction 6 Cerebrovascular accident 1 Blindness unilateral 6 Mucosal inflammation 1 Convulsion 6 Gastrointestinal stromal tumour 2 Malaise 6 Hepatic neoplasm 6 Wrong technique in drug usage process 6 Pancreatitis 6 Endometriosis 2 Uterine leiomyoma 2 Type 2 diabetes mellitus 2 Central nervous system lesion 2 Injection site pain 6 Injection site bruising 6 Wrong technique in drug usage process 3 Hepatocellular injury 2 Cholestasis 2 Pyrexia 6 Myocardial infarction 5 Kaposi's sarcoma 5 Gastrointestinal obstruction 5 Anaemia 6 General physical health deterioration 6 Abnormal behaviour 6 Drug level increased 6 Lethargy 6 Irritability 6 Obsessive-compulsive disorder 6 Dermatillomania 6 Activities of daily living impaired 6 Memory impairment 6 Bradykinesia 6 Muscular weakness 6 Insomnia 6 Drug interaction 6 Death 5 Breast cancer 6 Second primary malignancy 6 Metastases to pleura 6 Metastases to lymph nodes 6 Blood glucose increased 2 Death 5 Death 5 Hypomagnesaemia 1 Drug interaction 6 Transfusion 6 Drug dose omission 6 Body height below normal 6 Congenital oral malformation 6 Congenital cardiovascular anomaly 1 Congenital nose malformation 6 Tooth development disorder 6 Visual impairment 6 Foetal exposure during pregnancy 6 Paternal drugs affecting foetus 6 Corrective lens user 6 Dysmorphism 6 Foetal anticonvulsant syndrome 6 Premature baby 6 Tinnitus 6 Growth retardation 6 Congenital cardiovascular anomaly 6 Cardiac murmur 1 Congenital hand malformation 6 Multiple injuries 6 Low birth weight baby 6 Drug ineffective 6 Coma 6 Malaise 6 Muscle abscess 6 Diarrhoea 6 Headache 6 Platelet count decreased 6 Gout 2 Stent placement 6 Obstruction 6 Asthenia 1 Cold sweat 1 Nausea 1 Palpitations 1 Myocardial infarction 6 Metastases to bone 6 Osteonecrosis of jaw 1 Convulsion 1 Tongue injury 1 Hallucination 3 Anticonvulsant drug level below therapeutic 3 Injury 1 Appendix disorder 1 Joint dislocation 3 Epilepsy 1 Mood altered 6 Stomatitis 2 Cardiac disorder 6 Infection 5 Investigation 1 Foot deformity 1 Dyspnoea 6 Tachycardia 6 White blood cell count increased 6 Testicular torsion 6 Anaphylactic reaction 1 Metrorrhagia 3 Dizziness 6 Multiple sclerosis relapse 2 Dysaesthesia 2 Nephrogenic systemic fibrosis 3 Death 5 Bronchial carcinoma 5 Pneumonitis 5 Pleural effusion Radiation pneumonitis Oesophagitis Pericarditis Death 5 Thrombosis 6 Crohn's disease 6 Underdose 6 Embedded device 1 Device breakage 1 Back pain 6 Pneumonia 5 Cytomegalovirus infection 6 Cystitis haemorrhagic 6 Acute graft versus host disease 6 Death 5 Muscle spasms 6 Urinary incontinence 6 Anxiety 6 Hyperventilation 6 Rash pruritic 6 Rhinorrhoea 6 Tongue disorder 6 Panic attack 6 Diarrhoea 6 Dry skin 3 Skin exfoliation 3 Skin exfoliation 3 Acne 3 Alopecia 3 Bronchospasm 1 Discomfort 1 Rash 1 Drug hypersensitivity 1 Amnesia 6 Aortic dissection 6 Rash 6 Discomfort 6 Constipation 6 Skin disorder 6 Skin sensitisation 6 Blister 6 Jaundice 6 Death 5 Death 5 Hypoaesthesia 2 Tremor 2 Feeling hot 2 Hyperhidrosis 2 Mobility decreased 2 Asthenia 2 Local swelling 2 Fat redistribution 6 Lipodystrophy acquired 6 CD4 lymphocytes decreased 6 Unevaluable event 6 Multifocal motor neuropathy 2 Muscle atrophy 6 Blood count abnormal 2 Exposure during pregnancy Drug ineffective Caesarean section Abortion spontaneous 6 Blood fibrinogen decreased 6 Pulmonary embolism 2 General physical health deterioration 2 Pain 2 Injury 2 Abdominal pain Platelet count decreased 6 Anxiety General physical health deterioration Injury Thrombosis Emotional distress Pain Abdominal pain Ileectomy 6 Anxiety General physical health deterioration Axillary vein thrombosis 1 Pain Peripheral swelling Deep vein thrombosis Abdominal pain Emotional distress Injury Subclavian vein thrombosis 1 Foetal heart rate decreased 6 Foetal exposure during pregnancy 3 Foetal heart rate increased 6 Nephrogenic systemic fibrosis 3 Vertigo 1 Erythema 1 Tooth disorder 3 Colitis ulcerative 3 Eye pain 3 Ocular vascular disorder 3 Retinal vascular disorder 3 Deafness 3 Ear injury 3 Renal impairment 1 Intestinal haemorrhage 1 Diarrhoea 3 Drug ineffective 3 Ocular hyperaemia 3 Eye pain 3 Dry eye 3 Chest discomfort 3 Wrist fracture 2 Fall 1 Hysterectomy 6 Muscular weakness 3 Skin discolouration 3 Gait disturbance 3 Hypotension 1 Convulsion 6 Lower gastrointestinal haemorrhage 1 Renal failure 6 Pulmonary alveolar haemorrhage 5 Graft versus host disease 5 Cystitis haemorrhagic 6 Adenovirus infection 6 BK virus infection 6 Convulsion 1 Alcohol detoxification 1 Loss of consciousness 1 Alcohol withdrawal syndrome 1 Renal failure acute 1 Dehydration 1 Joint injury 1 Tongue injury 1 Swollen tongue 1 Electrolyte imbalance 1 Dysarthria 1 Fall 1 Laceration 1 Gait disturbance 1 Headache 1 Drug ineffective 6 Pancreatitis acute 1 Blood glucose increased 6 Bone marrow failure 2 Pyrexia 1 Neutropenia 1 Leukopenia 1 Thrombocytopenia 1 Pancytopenia 1 Tonsillitis 2 Cough 2 Tonsillar hypertrophy 2 Purulent discharge 2 Pharyngeal erythema 2 Odynophagia 2 Lymphadenopathy 1 Productive cough 2 Large intestine polyp 1 Diarrhoea 1 Blood potassium increased 6 Hyperthermia malignant 6 Abasia 6 Death 5 Cerebrovascular accident 6 Cerebral haemorrhage 6 Drooling 6 Haematochezia 1 Diverticulum 1 Paraesthesia 3 Asthenia 3 Back pain 3 Dyspepsia 3 Constipation 1 Renal function test abnormal 3 Pruritus 3 Throat irritation 3 Diarrhoea 3 Nasal discomfort 3 Malaise 3 Multiple sclerosis relapse 1 Urinary tract infection 1 Dizziness 3 Headache 3 Nausea 3 Cerebrovascular accident 6 Death 5 Blood alkaline phosphatase increased 3 Transaminases increased 3 Gamma-glutamyltransferase increased 3 Electrocardiogram abnormal 6 Left ventricular dysfunction 6 Sinus tachycardia 6 Nephrogenic systemic fibrosis

5 Foetal cardiac disorder 6 Off label use 6 Exposure during pregnancy 6 Ocular hyperaemia 2 Lacrimation increase  
d 2 Dry eye 2 Skin lesion 3 Lymphadenopathy 3 Lymph node pain 3 Basal cell carcinoma 3 Seborrheic keratosis 3 F  
all 6 Uterine perforation Injury Pain Emotional distress Type 2 diabetes mellitus 6 Thrombocytopenia 1 Petechiae  
6 Suicidal ideation 3 Depressed mood 3 Nightmare 3 Haemoglobin decreased 1 Acute myocardial infarction 1 Maligna  
nt neoplasm progression 5 General physical health deterioration 3 Death 5 Alanine aminotransferase increased 2 A  
spartate aminotransferase increased 2 Fatigue 2 Abdominal pain upper 2 Injection site discolouration 3 Injection  
site pruritus 3 Unevaluable event 3 Blepharospasm 3 Aggression 3 Anger 6 Violence-related symptom 3 Suicidal ide  
ation 6 Uterine perforation Device dislocation Infusion site erythema 1 Chills 1 Emotional distress Pain Embedde  
d device Injury Platelet count decreased 6 Pyrexia 2 Prostatic specific antigen increased 6 Bone pain 2 Respirat  
ory arrest 5 Pleural effusion 5 Uterine perforation Injury Pain Emotional distress Oropharyngeal spasm 1 Respira  
tory disorder 1 Dysphagia 1 Psychomotor hyperactivity 1 Salivary hypersecretion 1 Dysarthria 1 Sensation of fore  
ign body 1 Melaena 1 Type 2 diabetes mellitus 6 Hepatic lesion 6 Malignant neoplasm progression 3 Gastric cancer  
3 Product use issue 6 Seizure like phenomena 6 Myoclonus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus  
6 Rash pruritic 1 Generalised erythema 1 Type 2 diabetes mellitus 6 Uterine perforation Injury Pain Emotional dist  
ress Urticaria 1 Erythema 1 Pruritus 1 Drug interaction 1 Hip fracture 2 Fall 2 Urinary tract infection 2 Type 2  
diabetes mellitus 6 Death 5 Device dislocation Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Uterine per  
foration Injury Pain Emotional distress Transient ischaemic attack 2 Traumatic haematoma 1 Uterine perforation I  
njury Pain Emotional distress Psychological trauma Skin discolouration 1 Rash 1 Death 5 Neoplasm progression 6 O  
verdose 1 Dyspnoea 1 Lung infection 1 Thrombotic microangiopathy 5 Renal impairment 5 Hepatic failure 5 Mental s  
tatus changes 5 Stem cell transplant 5 Graft versus host disease 5 Fatigue 3 Drug administration error 6 Cogniti  
ve disorder 3 Anxiety 3 Depression 3 Sexual dysfunction 3 Blood testosterone free decreased 1 Tri-iodothyronine  
uptake increased 1 Back pain 3 Type 2 diabetes mellitus 6 Hepatitis C 6 Insomnia 6 Blood cholesterol increased 6  
Benign prostatic hyperplasia 6 Urinary tract obstruction 6 Drug dependence 6 Erectile dysfunction 6 Abdominal pa  
in upper 3 Diarrhoea 3 Vomiting 3 Infusion related reaction 1 Generalised erythema 1 Pruritus 1 Macroglossia 1 D  
yspnoea 1 Malignant neoplasm progression 6 Pancytopenia 6 Neurogenic bladder 3 Feeling abnormal 3 Balance disord  
er 3 Nervousness 3 Frustration 3 Hypoaesthesia 3 Dyspnoea 3 Off label use 1 Stevens-Johnson syndrome 1 Conscio  
ness fluctuating 1 Lip swelling 1 Lip discolouration 1 Blister 1 Pain 1 Skin exfoliation 1 Chapped lips 1 Eye di  
sorder 1 Scab 1 Scar 1 Weight decreased 1 Skin disorder 1 Rash generalised 1 Dyspnoea 1 Hypersensitivity 1 Malai  
se 1 Spinal disorder 6 Dizziness 6 Feeling abnormal 6 Ovarian germ cell cancer stage II 6 Amenorrhoea 6 Weight i  
ncreased 6 Tremor 6 Galactorrhoea 6 Dyspnoea 6 Blood prolactin increased 6 Palpitations 6 Dyskinesia 6 Dysuria 6  
Swelling 6 Muscle spasms 6 Breast enlargement 6 Fatigue 6 Muscular weakness 6 Agitation 6 Aggression 6 Hyperhidr  
osis 6 Abdominal pain 6 Femoral neck fracture 2 Osteoarthritis 6 Drug ineffective 6 Chest pain 6 Palpitations 1  
Drug ineffective 6 Death 5 Malignant neoplasm progression 5 Glaucoma 6 Cataract 6 Vitamin D decreased 6 Arthrop  
athy 6 Syncope 4 Electrocardiogram QT prolonged 4 Renal failure acute 1 Rhabdomyolysis 1 Traumatic liver injury 1  
Pneumonia aspiration 1 Intentional overdose 1 Suicide attempt 1 Loss of consciousness 1 Diarrhoea 1 Vomiting 1 N  
ausea 1 Restlessness 1 Haemorrhage 1 Haemarthrosis 1 Embolism arterial 1 Pulmonary embolism 1 Phlebitis 1 Skin n  
ecrosis 1 Adhesion 1 Vasculitis 6 Death 5 Pain 6 Vomiting 6 Hallucination, auditory 6 Nervousness 6 Feeling abno  
rmal 6 Major depression 2 Hemiparesis 6 Quadriplegia 6 Multiple sclerosis 6 Malaise 1 Pulmonary function test de  
creased 1 Chest discomfort 1 Fear of death 6 Depression 6 Hypertension 2 Sinus tachycardia 2 Dizziness 2 Astheni  
a 2 Limb traumatic amputation 6 Road traffic accident 6 Pain 6 Back pain 3 Nerve compression 3 Joint swelling 3  
Abasia 3 Fall 6 Ligament sprain 1 Foot fracture 1 Breast cancer 6 Erythema 2 Pruritus 2 Abdominal pain 3 Muscle  
spasms 6 Splenectomy 6 Splenomegaly 3 Packed red blood cell transfusion 1 Post procedural haemorrhage 6 Cold ag  
glutinins 6 Pyrexia 6 White blood cell count decreased 6 Haematocrit decreased 6 Bronchitis 6 Disease progression  
6 Pseudolymphoma 6 Drug ineffective 6 Haemoglobinuria 3 Night sweats 6 Weight increased 6 Fatigue 6 Cough 6 Myel  
odysplastic syndrome 6 Diarrhoea 6 Platelet count decreased 1 Cerebrovascular accident 6 Migraine 6 Presyncope 6  
Syncope 6 Bronchiolitis 6 Apnoea 1 Cyanosis 1 Rhinorrhoea 6 Umbilical hernia 6 Inguinal hernia 6 Oedema genital  
6 Headache 6 Subarachnoid haemorrhage 2 Influenza like illness 6 Dysphagia 6 Dyspnoea 6 Immune thrombocytopenic  
purpura 6 Haemoglobinuria 1 Pain 1 Nausea 6 Chills 6 Jaundice 1 Hypotension 1 Fatigue 6 Dyspnoea 2 Oedema periph  
eral 2 Right ventricular failure 2 Haemoglobin decreased 6 Dialysis 6 Haemoglobinuria Fatigue Renal impairment 1  
Hyperkalaemia 1 Iron deficiency anaemia 6 Chronic gastritis 6 Central nervous system lesion 6 Renal artery throm  
bosis 1 Syncope 1 Tongue injury 1 Tremor 1 Cerebrovascular accident 6 Atrial fibrillation 6 Thyroid nodule remov  
al 1 Thyroid neoplasm 4 Metrorrhagia 3 Drug administration error 6 Off label use 6 Pneumonia 1 Back pain 3 Death  
5 Lymphopenia 6 Blood cholesterol increased 1 Hypertension 2 Nausea 1 Low density lipoprotein increased 1 White  
blood cell count decreased 3 Deafness 6 Ear injury 6 Mental status changes 1 Retinal detachment 6 Visual field d  
effect 6 Fibromyalgia 6 Eye disorder 6 Seizure 6 Grand mal convulsion 1 Postictal state 1 Thrombocytopenia 1 Abdo  
minal distension 1 Splenomegaly 1 Arthralgia 1 Tenderness 1 Full blood count decreased 1 Prostate cancer 3 Haema  
turia 1 Pyrexia 1 Prostatic pain 3 Urinary tract infection 3 Insomnia 3 Prostatic obstruction 6 Urinary tract ob  
struction 6 Hypertension 6 Cardiac failure 6 Arrhythmia 6 Hypertension 6 Lung infection 6 Dyspnoea 6 Blood urine  
present 6 Epistaxis 6 Blindness 6 Asthenia 6 Loss of consciousness 1 Type 2 diabetes mellitus 6 Hypoaesthesia or  
al 4 Hypoaesthesia 4 Type 2 diabetes mellitus 6 Death 5 Disease progression 6 Type 2 diabetes mellitus 6 Neuropa  
thy peripheral 4 Muscle spasms 4 Myopathy 4 Sleep disorder 4 Blood glucose increased 4 Palpitations 6 Decreased  
appetite 3 Atrial fibrillation 1 Insomnia 3 Painful erection 1 Chest pain 6 Tic 3 Dyspnoea 6 Abdominal pain uppe  
r 1 Oedema 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes me  
llitus 6 Mania 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Rheumatoid arthritis 3 Facial bones fract  
ure 1 Syncope 1 Neutropenia 1 Pyrexia 1 Hepatic failure 5 Dyspnoea 1 Throat tightness 2 Swelling 6 Cardiac failu  
re congestive 6 Death 5 Depression 3 Condition aggravated 3 Panic attack 3 Anxiety 3 Mental disorder 3 Suicidal  
ideation 6 Homicidal ideation 6 Skin exfoliation 6 Cerebrovascular accident 6 Weight increased 2 Withdrawal synd  
rome 6 Type 2 diabetes mellitus 6 Cerebrovascular accident 6 Obsessive-compulsive disorder 6 Pathological gambli  
ng 6 Fluid retention 6 Electrocardiogram QT prolonged 1 Aortic dissection 6 Myocardial infarction 5 Drug interac  
tion 1 Oedematous pancreatitis 1 Amylase increased 1 Lipase increased 1 Death 5 Fall 6 Multiple sclerosis relaps  
e 6 Asthenia 6 Erythema 6 Insomnia 6 Muscle spasms 6 Flat affect 6 Depression 1 Disease progression 6 Psychotic  
disorder 6 Drug interaction 3 Hypertension 3 Drug ineffective 3 Middle insomnia 3 Tinnitus 3 Blood potassium dec  
reased 6 Intentional drug misuse 6 Pruritus 6 Malaise 6 Hypocalcaemia 6 Blood count abnormal 6 Device dislocatio  
n 1 Pelvic pain 1 Diverticulitis 3 Rectal haemorrhage 1 Eye disorder 6 Haemorrhoids 3 Death 5 Renal failure 5 Ne  
oplasm malignant 5 Haematuria 6 Pyrexia 6 Myalgia 6 Urinary tract infection 6 Mania 1 Mobility decreased 1 Angio  
pathy 6 Hearing impaired 6 Blood pressure increased 3 Sjogren's syndrome 3 Chest pain 3 Infusion related reactio  
n 3 Drug ineffective 3 Fatigue 3 Hypoaesthesia 3 Nausea 3 Weight increased 3 Alopecia 3 Eye disorder 3 Body heig  
ht decreased 3 Decreased appetite 3 Arthritis 3 Fall 3 Dyspnoea 3 Oral mucosal blistering 3 Rash generalised 3 M  
ood swings 6 Performance status decreased 6 Drug intolerance 6 Erythema nodosum 6 Cushingoid 6 Renal impairment  
6 Cardiac arrest 5 Osteopenia 6 Osteoporosis 6 Death 5 Surgery 6 Cerebrovascular accident 6 Basal ganglia haemor  
rhage 5 Intraventricular haemorrhage 5 Brain injury 5 Diplegia 6 Dysstasia 6 Mania 6 Abasia 6 Dizziness 6 Drug i  
ntolerance 6 Gastrointestinal disorder 3 No therapeutic response 6 Aphonia 2 Pyrexia 6 Dizziness 6 Coeliac disea  
se 6 Malaise 6 Intentional product misuse 6 Rotator cuff syndrome 6 Arthritis 6 Musculoskeletal pain 6 Death 5 T



ype 2 diabetes mellitus 6 Carotid artery occlusion 6 Chronic obstructive pulmonary disease 6 Chest pain 6 Low density lipoprotein increased 2 Vertigo 6 Dizziness 6 Dysgeusia 6 Type 2 diabetes mellitus 6 Suicidal ideation 6 Death 5 Respiratory disorder 6 Type 2 diabetes mellitus 6 Spinal disorder 6 Off label use 6 Intestinal ischaemia 6 Enterocolitis bacterial 4 Dyspnoea 1 Protein total increased 6 Type 2 diabetes mellitus 6 Cardiac stress test abnormal 2 Arteriogram coronary abnormal 2 Weight decreased 3 Type 2 diabetes mellitus 6 Haemorrhage 1 Renal failure 1 Myocardial infarction 5 Type 2 diabetes mellitus 6 Spinal cord disorder 6 Type 2 diabetes mellitus 6 Carpal tunnel syndrome 6 Arthropathy 3 Fatigue 3 Myalgia 3 Sinusitis 3 Drug ineffective 6 Pneumonia klebsiella 6 Pseudomonas test positive 6 Drug administered to patient of inappropriate age 6 Staphylococcus test positive 6 Condition aggravated 3 Depression 3 Panic attack 3 Anxiety 3 Mental disorder 3 Haemoptysis 1 Drug ineffective 1 Pain 1 Loss of consciousness 6 Ventricular tachycardia 6 Heart rate increased 6 Electrocardiogram Q wave abnormal 1 Electrocardiogram T wave inversion 1 Heart rate irregular 1 Intentional overdose 1 Sopor 1 Type 2 diabetes mellitus 6 Oedema 6 Skin fissures 6 Nephrolithiasis 6 Drug dose omission 6 Headache 2 Sinusitis 1 Condition aggravated 3 Cataract 3 Stent placement 6 Macular fibrosis 6 Haemoglobin decreased 2 Alopecia 6 Palpitations 2 Chills 6 Blood count abnormal 6 Electrolyte imbalance 6 Neutropenia 6 Dermatitis acneiform 6 Decreased appetite 6 Bradycardia foetal 6 Foetal exposure during pregnancy 1 Mouth ulceration 6 Nail disorder 6 Diarrhoea 6 Fatigue 1 Pleural effusion 6 Headache 6 Decreased appetite 6 Nausea 1 Facial pain 6 Rash 1 Malaise 1 Pain in jaw 6 Oral pain 6 Pain of skin 6 Abdominal pain upper 6 Weight decreased 6 Disease progression 6 Breast cancer metastatic 6 Septic shock 5 Drug ineffective 6 Dysgeusia 3 Skin irritation 3 Skin exfoliation 3 Rash erythematous 3 Rash generalised 3 Death 5 Nephrolithiasis 3 Kidney infection 6 Heart rate increased 2 Dyspnoea 3 Fatigue 3 Dizziness 3 Haematuria 6 Haemorrhage 1 Contusion 6 Toxicity to various agents 6 Drug interaction 6 Laboratory test abnormal 6 Drug reaction with eosinophilia and systemic symptoms 1 Rash 1 Skin lesion 1 Generalised erythema 1 Excoriation 1 Face oedema 1 Lymphadenopathy 1 Skin exfoliation 1 Pyrexia 1 Pregnancy 6 Expired drug administered 6 Off label use 6 Lymphocele 6 Ovarian failure 3 Gastrointestinal haemorrhage 1 Dementia 6 Agitation 6 Confusional state 6 Nephrolithiasis 3 Amnesia 6 Angioedema 1 Flushing 6 Erythema 1 Skin exfoliation 1 Skin toxicity 1 Swelling 1 Pruritus 1 Vomiting 1 Diplopia 1 Gait disturbance 1 Balance disorder 1 Dyspnoea 1 Gastroenteritis 1 Dizziness 1 Coeliac disease 6 Femur fracture 6 Incorrect drug administration duration 6 Neoplasm malignant 6 Cough 2 Wheezing 2 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Cardiac failure congestive 6 Fluid retention 6 Glucose tolerance impaired 3 Type 2 diabetes mellitus 3 Hepatitis E 1 Necrosis 6 Cholangitis 6 Transplant rejection 6 Hepatic enzyme increased 1 Gallbladder disorder 6 Endothelin abnormal 6 Cervix operation 6 Product colour issue 1 Type 2 diabetes mellitus 6 Coronary artery occlusion 6 Transient ischaemic attack 6 Cardiac failure congestive 6 Coronary artery disease 6 Aortic aneurysm 6 Transfusion 6 Liver disorder 6 Rash 6 Contusion 6 Urticaria 6 Cardiac failure congestive 6 Atrioventricular block second degree 6 Pleural effusion 6 Type 2 diabetes mellitus 6 Platelet count decreased 6 Dyspnoea 6 Haemolysis 3 Haemoglobin decreased 6 Nasopharyngitis 6 Myocardial infarction 6 Myocardial infarction 6 Coronary artery disease 6 Myocardial infarction 6 Death 5 Cerebrovascular accident 6 Unresponsive to stimuli 1 Sopor 1 Mydriasis 1 Drug abuse 1 Non-Hodgkin's lymphoma 5 Myocardial infarction 6 Ischaemic cardiomyopathy 6 Angina pectoris 6 Cardiac failure congestive 6 Type 2 diabetes mellitus 6 Throat tightness 1 Rash 1 Nasal congestion 1 Fluid retention 1 Myocardial infarction 6 Coronary artery disease 6 Cerebrovascular accident 6 Arteritis 1 Myocardial infarction 6 Cardiac failure congestive 6 Cardiac disorder 6 Hypotension 5 Cardiac failure congestive 6 Coronary artery disease 6 Angina unstable 6 Amnesia 6 Subileus 1 Loss of consciousness 2 Psychomotor hyperactivity 2 Cataract 6 Type 2 diabetes mellitus 6 Abdominal pain upper 1 Sepsis 1 Energy increased 6 Tension 2 Irritability 2 Libido increased 6 Abnormal behaviour 2 Psychomotor hyperactivity 2 Drug interaction 6 Type 2 diabetes mellitus 3 Convulsion 1 Loss of consciousness 1 Feeling abnormal 6 Fall 1 Head injury 1 Disorientation 1 Tremor 6 Headache 6 Somnolence 1 Fatigue 1 Drug administration error 6 Cough 2 Wheezing 2 Dyspnoea 1 Abdominal pain upper 1 Death 5 Optic atrophy 6 Intraocular pressure increased 2 Visual acuity reduced 6 Type 2 diabetes mellitus 6 Hip fracture 1 Visual impairment 1 Overdose 1 Rehabilitation therapy 6 Gait disturbance 1 Mobility decreased 1 Dizziness 1 Fall 1 Pneumonia 6 Cough 6 Dyspnoea 6 Dyspnoea 6 Investigation 3 Muscle spasms 3 Coronary arterial stent insertion 1 Atrioventricular block 1 Pneumonia 6 Cough 6 Speech disorder 6 Off label use 6 Malaise 6 Bronchitis chronic 6 Dyspnoea 6 Type 2 diabetes mellitus 6 Investigation 1 Fall 2 Upper limb fracture 2 Wrist fracture 2 Vision blurred 6 Drug ineffective 6 Product quality issue 6 Bronchitis 1 Oxygen saturation decreased 6 Breast pain 2 Asthma 3 Cough 1 Drug ineffective 6 Device dislocation 1 Dyspareunia 1 Dysuria 2 Pain 6 Catheter placement 6 Bladder pain 6 Genital pain 6 Nocturia 6 Mental status changes 6 Dehydration 6 Anaemia 6 Type 2 diabetes mellitus 6 Angioedema 1 Metabolic acidosis 1 Dyspnoea 1 Drug ineffective 1 Pneumonia 6 Cough 3 Wheezing 3 Bronchitis 6 Nasopharyngitis 3 Asthma 6 Investigation 6 Haematuria 6 Epistaxis 6 Abdominal pain 6 Gastroesophageal reflux disease 6 Concomitant disease aggravated 6 Lower gastrointestinal haemorrhage 6 Pelvic discomfort 6 Accidental exposure to product 6 Drug dispensing error 6 Pneumonia 4 Cough 4 Drug hypersensitivity 4 Increased upper airway secretion 4 Rash 4 Headache 1 Visual impairment 1 Papilloedema 1 Pneumonia viral 4 Cough 4 Drug hypersensitivity 4 Increased upper airway secretion 4 Rash 4 Diplopia 1 Eye pain 1 Lacrimation increased 1 Ocular hyperaemia 6 Photophobia 6 Scab 6 Vision blurred 6 Dyspnoea 6 Ageusia 3 Anosmia 3 Oxygen supplementation 6 Bipolar disorder 6 Myocardial infarction 6 Coronary arterial stent insertion 6 Carotid artery stent insertion 6 Implantable defibrillator insertion 6 Pulmonary thrombosis 6 Disability 6 Back disorder 6 Lung disorder 6 Panic attack 6 Coronary artery disease 6 Cardiac assistance device user 6 Pneumonia 6 Breast cancer 6 Palpitations 1 Chest pain 1 Pouchitis 1 Breast cancer 6 Type 2 diabetes mellitus 6 Brain neoplasm 6 Spinal disorder 6 Ill-defined disorder 6 Disability 6 Surgery 6 Drug ineffective 6 Convulsion 6 Investigation 6 Lupus-like syndrome 6 Heart rate increased 6 Abdominal distension 6 Sinus operation 6 Cardiac disorder 6 Transient ischaemic attack 6 Facial pain 6 Pain in extremity 6 Chest discomfort 6 Infection 6 Apnoea 6 Back pain 6 Aneurysm 6 Vitamin B12 decreased 6 Adverse event 6 Arteriosclerosis 6 Ill-defined disorder 6 Catheterisation cardiac 6 Pneumonitis chemical 6 Sluggishness 6 Pulmonary oedema 6 Death 5 Finger deformity 1 Oral surgery 6 Foot deformity 3 Arthropathy 1 Arthropathy 1 Prosthetic disorder 3 Abnormal loss of weight 3 Body height decreased 3 Memory impairment 3 Pneumonia 6 Alopecia 6 Colitis 1 Small intestinal stenosis 3 Diarrhoea 6 Oedema peripheral 1 Disease progression 6 Breast cancer 6 Rash 6 Weight decreased 6 Mouth ulceration 2 Hypoaesthesia oral 6 Acne 1 Onychoclasia 6 Paraesthesia oral 6 Glossodynia 6 Ulcer 6 Arrhythmia 2 Diverticulum 6 Death 5 Myocardial infarction 1 Coronary arterial stent insertion 1 Drug administration error 6 Tumour excision 6 Breast cancer 5 Interstitial lung disease 6 Sopor 2 Drug abuse 2 Type 2 diabetes mellitus 3 Haemorrhage 1 Normochromic normocytic anaemia 1 Haematoma 1 Flank pain 1 Coma 6 Hypotension 6 Intentional self-injury 6 Drug abuse 6 Overdose 6 Type 2 diabetes mellitus 3 Petechiae 6 Thrombocytopenia 1 Intrabdominal haematoma 6 Suicidal ideation 6 Suicidal behaviour 6 Abnormal behaviour 6 Hostility 6 Agitation 6 Depressed mood 6 Initial insomnia 6 Toxic skin eruption 2 Rash macular 2 Hepatocellular injury 2 Cholestasis 2 Confusional state 1 Vomiting 1 Vertigo 1 Cerebellar syndrome 1 Nausea 1 Muscle disorder 1 Eye disorder 1 Drug dispensing error 6 Incorrect dose administered 6 Medication error 6 Type 2 diabetes mellitus 6 Delusion 3 Delusional perception 3 Product substitution issue 3 Type 2 diabetes mellitus 6 Sudden onset of sleep 6 Delirium 6 Delusion 6 Intra-abdominal haemorrhage 5 Malaise 3 Decreased appetite 3 Cachexia 3 Growth retardation 6 Weight decreased 6 Hemiplegia 1 Leukoencephalopathy 1 Aphasia 1 Type 2 diabetes mellitus 6 Pulmonary embolism 6 Hepatic enzyme increased 6 Hypertension 6 Haemoptysis 6 Type 2 diabetes mellitus 6 Autoimmune haemolytic anaemia 6 Dizziness 3 Erythema 1 Pruritus 1 Lip swelling 1 Eyelid oedema 1 Erythema 1 Dysphonia 1 Pallor 1 Dehydration 1 Rash 1 Lipodystrophy

strophy acquired 3 Drug ineffective 3 Nasopharyngitis 3 Pharyngitis 3 Herpes virus infection 3 Headache 3 Fatigue 3 Apathy 3 Weight decreased 3 Ill-defined disorder 3 Aggression 3 Type 2 diabetes mellitus 6 Lip oedema 4 Throat tightness 4 Type 2 diabetes mellitus 6 Investigation 4 Disease progression 6 Ascites 6 Blood pressure decreased 6 Anaemia 6 Abdominal pain 6 Haemoglobin decreased 6 Abdominal wall haematoma 2 Shock haemorrhagic 1 Dyspnoea 6 Electrocardiogram QT prolonged 6 Encephalopathy 6 Hyperkalaemia 6 Pancreatitis acute 6 Type 2 diabetes mellitus 6 Intestinal operation 1 Sopor 1 Drug abuse 1 Type 2 diabetes mellitus 6 Hepatitis C 3 Hepatic pain 3 Dysgeusia 6 Epilepsy 3 Ill-defined disorder 1 Bone loss 6 Rib fracture 6 Osteoporosis 6 Osteopenia 6 Azotaemia 6 Anxiety 6 Periarthritis 1 Joint range of motion decreased 6 Oedema 6 Synovitis 6 Type 2 diabetes mellitus 6 Pharyngeal oedema 1 Feeling abnormal 1 Dizziness 1 Fatigue 1 Asthenia 1 Asthenia 1 Gait disturbance 1 Chest pain 1 Myalgia 1 Eye pain 1 General physical health deterioration 1 Depression 1 Fatigue 1 Intraventricular haemorrhage neonatal 2 Diarrhoea 6 Weight decreased 6 Death 5 Dyspnoea 6 Oral herpes 6 Eyelid oedema 6 Rash 3 Swelling face 2 Type 2 diabetes mellitus 3 Intestinal obstruction 6 Serum sickness-like reaction 1 Nausea 1 Vomiting 1 Abdominal discomfort 1 Pain in extremity 1 Hypoaesthesia 1 Conjunctival haemorrhage 1 C-reactive protein increased 1 Red blood cell sedimentation rate increased 1 Aspartate aminotransferase increased 1 Alanine aminotransferase increased 1 Complement factor C4 decreased 1 Pyrexia 1 Polyneuropathy 1 Diarrhoea 1 Epigastric discomfort 1 Rash maculo-papular 1 Papule 1 Blister 1 Anaphylactic reaction 1 Condition aggravated 1 Urticaria 1 Blood pressure decreased 1 Heart rate increased 1 Dyspnoea 1 Respiratory rate increased 1 Chest discomfort 1 Type 2 diabetes mellitus 6 Myalgia 2 Muscular weakness 2 Fall 6 Blood sodium decreased 6 Cardiac disorder 6 Blood glucose increased 6 Type 2 diabetes mellitus 3 Ileal stenosis 3 Crohn's disease 3 Abdominal distension 2 Discomfort 2 Crohn's disease 2 Pain 2 Type 2 diabetes mellitus 3 Renal abscess 2 Enterocolitis 1 Myocardial infarction 5 Type 2 diabetes mellitus 6 Cardiac disorder 5 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Congestive cardiomyopathy 3 Dyspnoea exertional 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Pneumothorax 6 Pneumonitis 6 Pain 6 Pleural effusion 6 Glossodynia 6 Fatigue 6 Influenza like illness 6 Respiratory tract irritation 6 Arthralgia 6 Bone disorder 6 Onychoclasia 6 Chills 6 Rash 6 Body temperature increased 6 Chest discomfort 6 Wheezing 6 Neuropathy peripheral 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Acute respiratory distress syndrome 1 Respiratory distress 1 Hypoxia 1 Lung infiltration 1 Hypoventilation 1 Bradypnoea 1 Respiratory acidosis 1 Coma 1 Unresponsive to stimuli 1 Miosis 1 Hyperhidrosis 1 Agitation 1 Toxicity to various agents 1 Accidental overdose 6 Rales 1 Cough 1 Cyanosis 1 Tachycardia 1 Swelling face 1 Dyspnoea 1 Type 2 diabetes mellitus 6 Product quality issue 1 Aortic aneurysm 1 Abnormal loss of weight 6 Chronic obstructive pulmonary disease 1 Dyspnoea 1 Drug effect decreased 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Surgery 6 Type 2 diabetes mellitus 3 Diabetic dermopathy 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Brain neoplasm 6 Brain neoplasm benign 1 Type 2 diabetes mellitus 6 Rash morbilliform 1 Pruritus 1 Oedema peripheral 1 Lip oedema 1 Rash erythematous 1 Skin exfoliation 1 Cerebral thrombosis 1 Loss of consciousness 1 Gait disturbance 1 Agraphia 1 Fear Migraine 1 Abdominal pain Back pain Activities of daily living impaired 1 Paralysis Seizure 1 Frustration Pain 1 Speech disorder 1 Injury 1 General physical health deterioration 1 Amnesia 1 Scar Stress Impaired driving ability 1 Intracranial venous sinus thrombosis 1 Motor dysfunction 1 Weight increased Malaise 1 Nausea 1 Hypothyroidism Type 2 diabetes mellitus 6 Haematochezia 1 Colon adenoma 1 Breast cancer recurrent 3 Metastases to bone 3 Pathological fracture 6 Rib fracture 6 Type 2 diabetes mellitus 6 Cerebrovascular accident 1 Embolism arterial Gallbladder disorder 6 Pneumonia 6 Uterine disorder 6 Weight decreased 3 Subileus 2 Sedation 1 Somnolence 6 Constipation 6 Akathisia 6 Abnormal behaviour 6 Drug ineffective 6 Type 2 diabetes mellitus 6 Superior sagittal sinus thrombosis Cerebrovascular accident Movement disorder 6 Metastasis 6 Disease progression 6 Toxic skin eruption 6 Motor developmental delay 6 Dermoid cyst 3 Exposure during pregnancy 1 Respiratory failure 5 Pneumonia 2 Haemoglobin decreased 6 Chronic myeloid leukaemia transformation 6 Platelet count decreased 6 Retinal tear 3 Visual impairment 3 Apraxia 6 Cerebral haemorrhage 6 Subarachnoid haemorrhage 6 Confusional state 6 Type 2 diabetes mellitus 6 Respiratory failure 5 Myocardial infarction 5 Cardiac failure 5 Memory impairment 6 Pain in extremity 6 Diarrhoea 1 Cholelithiasis 2 Device issue Scar Uterine perforation Abortion spontaneous Pain Anxiety Emotional distress Device breakage Injury Uterine injury Chest pain 2 Dysphagia 2 Pyrexia 2 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Condition aggravated 2 Rectal prolapse 2 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Neutrophil count decreased 1 White blood cell count decreased 1 Megakaryocytes decreased 6 Aplastic anaemia 6 Platelet count decreased 6 Blood potassium abnormal 6 Aspartate aminotransferase increased 6 Alanine aminotransferase abnormal 6 White blood cell count decreased 6 Blood creatinine increased 6 Immunosuppressant drug level decreased 6 Fall 2 Rib fracture 2 Pain 2 Liver injury 3 Hallucination 6 Nightmares 6 Type 2 diabetes mellitus 3 Oral discomfort 3 Muscle spasms 3 Abdominal pain upper 6 Fatigue 6 Dyspnoea exertional 6 Nausea 6 Decreased appetite 6 Death 5 Type 2 diabetes mellitus 3 Pulmonary embolism 2 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Hernia 6 Cerebrovascular accident 3 Type 2 diabetes mellitus 6 Blood urea increased 6 Blood potassium increased 1 Blood creatinine increased 1 Fluid retention 1 Plasma cell myeloma 5 Respiratory failure 5 Constipation 1 Anaemia 6 Fatigue 6 Neurological decompensation 5 Disease progression 5 Heart rate irregular 1 Atrioventricular block second degree 1 Dyspnoea 6 Seizure 2 Drug level decreased 6 Weight increased 6 Abortion spontaneous 6 Unintended pregnancy 1 Device dislocation 6 Implant site erythema 6 Implant site swelling 6 Implant site haematoma 6 Implant site reaction 6 Device breakage 6 Device difficult to use 1 Small for dates baby 1 Micropenis 3 Hypospadias 3 Cryptorchism 2 Exposure during pregnancy 1 Infection 1 Nausea 3 Headache 3 Fatigue 3 Chills 3 Contusion 3 Pyrexia 1 Vomiting 1 White blood cell count increased 1 Maternal exposure during pregnancy 1 Off label use 6 Abortion 1 Off label use 6 Abortion 6 Maternal exposure during pregnancy 6 Maternal exposure during pregnancy 1 Off label use 6 Abortion 1 Diabetic foot infection 3 Oedema 6 Maternal exposure during pregnancy 1 Off label use 6 Abortion 1 Ectopic pregnancy 6 Maternal exposure during pregnancy 1 Off label use 6 Wound 3 Urinary tract infection 1 Coronary artery occlusion 2 Blood glucose decreased 6 Escherichia bacteraemia 5 Hypokalaemia 6 Hyponatraemia 6 Vomiting 6 Abdominal pain upper 6 Nausea 6 Histoplasmosis 6 Cytomegalovirus infection 6 Gastrointestinal haemorrhage 6 Oesophageal ulcer 6 Strongyloidiasis 6 Pregnancy after post coital contraception 6 Maternal exposure before pregnancy 6 Haemoptysis 6 Pulmonary haemorrhage 6 Pulseless electrical activity 1 Cardiac arrest 5 Septic shock 5 Penile torsion 3 Platelet count decreased 6 Lung transplant 6 Genital haemorrhage Device expulsion 1 Pulmonary valve stenosis congenital 3 Atrial septal defect 2 Feeding disorder neonatal 1 Exposure during pregnancy 1 Device dislocation Injury Emotional distress Pain Disability 6 Multiple sclerosis relapse 6 Sudden death 5 Renal disorder 6 Electrolyte imbalance 6 Osteonecrosis 3 Bronchopulmonary aspergillosis 5 International normalised ratio increased 1 Atrial fibrillation 1 Myelodysplastic syndrome 5 Abasia 6 Chronic obstructive pulmonary disease 6 Diabetes mellitus 6 Pancytopenia 6 Asthenia 6 Haematochezia 1 Urinary retention 4 Death 5 Respiratory disorder 5 Pneumonia 6 Hypokinesia 6 Diet refusal 2 Cardioversion 2 Atrial fibrillation 2 Atrial flutter 2 Cardiac ablation 2 Incontinence 4 Neck pain 4 Abasia 4 Hypokinesia 4 Coronary arterial stent insertion 6 Renal failure 6 Aneurysm 5 Death 5 Atrial fibrillation 3 Vomiting 1 Dehydration 1 Nausea 1 Pyrexia 1 Mycosis fungoides 3 Hypotension 1 Syncope 1 Anaemia 2 Hypomagnesaemia 1 Lymphoma 2 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Death 5 Schizoaffective disorder 1 Suicidal ideation 1 Drug dose omission 1 Off label use 6 Death 5 Pulmonary embolism 6 Gastroenteritis 1 Dehydration 1 Dysuria 1 Rash

1 Dyspnoea 1 Haematuria 1 Dysuria 1 Blood urine present 1 Polyuria 1 Hyperglycaemia 1 Urinary tract infection 1 Intestinal mucosal hypertrophy 1 Gastrointestinal inflammation 6 Adenocarcinoma of colon 2 Intestinal obstruction 1 Abdominal pain 6 Type 2 diabetes mellitus 6 Fall 3 Injection site haemorrhage 3 Abdominal pain 3 Fluid retention 3 Gait disturbance 3 Chest pain 3 Paraesthesia 3 Neuropathy peripheral 3 Movement disorder 3 Muscular weakness 3 Hyperhidrosis 6 Lung disorder 3 Dizziness 3 Injection site pain 3 Psoriatic arthropathy 3 Hepatitis 6 Tuberculosis 6 Dyspnoea 2 Epididymitis 6 Dysuria 3 Bladder discomfort 3 Suicidal ideation 6 Gait disturbance 3 Feeling hot 6 Dizziness 3 Tinnitus 3 Aphasia 3 Nerve injury 3 Dysphemia 6 Abdominal discomfort 6 Emotional disorder 3 Disturbance in attention 3 Arthralgia 3 Dysarthria 3 Testicular pain 1 Abdominal pain 3 Gonorrhoea 1 Oedema peripheral 3 Nausea 3 Orchitis 6 Feeling abnormal 3 Nervous system disorder 3 Balance disorder 3 Disorientation 3 Incorrect drug administration rate 3 Pollakiuria 3 Fatigue 3 Injection site pain 3 Peripheral swelling 3 Cerebrovascular accident 6 Unevaluable event 6 Injection site pain 3 Psoriasis 3 Type 2 diabetes mellitus 3 Death 5 Type 2 diabetes mellitus 6 Genital haemorrhage Pain Device dislocation 1 Type 2 diabetes mellitus 3 Renal failure 3 Parathyroid tumour 3 Brain neoplasm 3 Headache 6 Type 2 diabetes mellitus 3 Alcohol abuse 6 Herpes simplex 6 Hyperlipidaemia 6 Pancreatic disorder 6 Post-traumatic stress disorder 3 Anxiety 6 Diabetes mellitus inadequate control 6 Tachycardia 6 Erectile dysfunction 6 Back injury 6 Romberg test positive 6 Substance abuse 6 Drug ineffective 6 Joint injury 6 Hepatitis 6 Sensory loss 6 Panic reaction 6 Hypertension 6 Osteoarthritis 6 Hepatitis C 6 Loss of libido 6 Back pain 3 Treatment noncompliance 6 Diabetes mellitus 6 Sinusitis 6 Depression 6 Asthenia 6 Sexual dysfunction 3 Headache 6 Hepatic function abnormal 6 Intentional product misuse 6 Type 2 diabetes mellitus 6 Phlebitis 6 Pyrexia 6 Type 2 diabetes mellitus 6 Diabetic neuropathy 6 Type 2 diabetes mellitus 6 Respiratory depression 1 Heparin-induced thrombocytopenia 1 Platelet count decreased 1 Hypercoagulation 1 Thrombosis 1 Umbilical hernia 6 Keloid scar 6 Type 2 diabetes mellitus 6 Death 5 Lung disorder 6 Splenomegaly 6 Confusional state 6 Hepatomegaly 6 Right ventricular failure 3 Nasopharyngitis 6 Type 2 diabetes mellitus 6 Death 5 Arthropathy 6 Type 2 diabetes mellitus 6 Hyperkalaemia 3 Neutropenia 3 Type 2 diabetes mellitus 3 Malaise 3 Device issue 6 Cholecystectomy 6 Abdominal infection 6 Psoriasis 6 Pruritus 2 Dry skin 3 Drug dose omission 1 Injection site reaction 1 Injection site reaction 2 Impulse-control disorder 1 Pathological gambling 1 Death 5 General physical health deterioration 1 Hypotension 1 Syncope 1 Type 2 diabetes mellitus 6 Pneumonia 1 Spinal disorder 6 Pain 6 Type 2 diabetes mellitus 6 Intestinal stenosis 3 Fall 6 Spinal compression fracture 6 Spinal fracture 6 Ventricular extrasystoles 6 Heart rate decreased 6 Weight increased 6 Restless legs syndrome 6 Blood potassium decreased 6 Muscle spasms 6 Blindness 3 Kidney infection 6 Cystitis 6 Type 2 diabetes mellitus 3 Micturition disorder 6 Neuropathy peripheral 3 Convulsion 6 Drug abuse 6 Joint swelling 3 Bedridden 3 Pyrexia 3 Type 2 diabetes mellitus 6 Skin lesion 1 Pyrexia 1 Melaena 1 Pancytopenia 1 Type 2 diabetes mellitus 6 Meningioma 6 Posterior reversible encephalopathy syndrome 1 Grand mal convulsion 1 Brain oedema 1 Blood pressure increased 6 Type 2 diabetes mellitus 6 Pelvic inflammatory disease 1 Abdominal pain lower 1 Pyrexia 1 Abdominal pain Back pain Vaginal haemorrhage Vaginal discharge Abdominal pain lower 1 Embedded device 1 Type 2 diabetes mellitus 3 Epiglottic oedema 1 Tongue oedema 1 Swelling face 1 Rash 1 Anaemia 1 Uterine perforation 1 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Weight increased 6 Type 2 diabetes mellitus 6 Schizophrenia, undifferentiated type 2 Irritability 2 Aggression 2 Insomnia 2 Suspiciousness 2 Abnormal behaviour 2 Akathisia 6 Salivary hypersecretion 6 Drug ineffective 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Dyskinesia 3 Parkinsonism 1 Speech disorder 3 Tardive dyskinesia 3 Dyskinesia 3 Breast cancer 6 Type 2 diabetes mellitus 3 Impaired gastric emptying 3 Death 5 Cataract 2 Skin exfoliation 2 Dermatitis 2 Erythema 6 Eczema 6 Pruritus 2 Type 2 diabetes mellitus 3 Faecal incontinence 1 Neck surgery 1 Drug effect decreased 3 Abdominal pain 1 Diarrhoea 1 Cellulitis 1 Chronic obstructive pulmonary disease 6 Dyspnoea 1 Type 2 diabetes mellitus 6 Syringomyelia 6 Abasia 6 Concomitant disease progression 6 Cyanosis 6 Dyspnoea 6 Fatigue 6 Death 5 Joint swelling 4 Pain in extremity 4 Anxiety 4 Disturbance in attention 4 Fatigue 1 Insomnia 4 Multiple sclerosis relapse 4 Central nervous system lesion 4 Restlessness 6 Ataxia 6 IIIrd nerve disorder 6 Paresis 6 Hypoaesthesia 6 Speech disorder 6 Nystagmus 6 Pulmonary oedema 6 Haematoma 6 Lower gastrointestinal haemorrhage 1 Escherichia infection 2 Febrile neutropenia 2 Abdominal pain 1 Haematoma 4 Anaemia 4 Pancreatic carcinoma 5 Osteonecrosis 3 Chest pain 3 Pyrexia 1 Uterine cyst 1 Menorrhagia 3 Depression 3 Dysstasia 1 Uterine leiomyoma 1 Fallopian tube cyst 1 Confusional state 6 Irritability 6 Sensory loss 1 Musculoskeletal stiffness 1 Weight decreased 1 Hypersensitivity 6 Acute phase reaction 6 Angioedema 6 Transaminases increased 6 Hypocalcaemia 6 Cardiac arrest 6 Loss of consciousness 6 Plasma cell myeloma 5 Musculoskeletal disorder 6 Respiratory disorder 6 Dysphagia 6 Asthenia 6 Acute generalised exanthematous pustulosis 1 Pyrexia 1 Tremor 1 Osteonecrosis 6 Infective pulmonary exacerbation of cystic fibrosis 3 Lung neoplasm malignant 3 Pneumothorax 1 Coronary artery occlusion 1 Splenic haemorrhage 6 Splenic rupture 6 Hyperthermia malignant 6 Death 5 Neoplasm malignant 6 Hospice care 6 Circulatory collapse 1 Drug ineffective 6 Breast cancer metastatic 6 White blood cell count increased 6 Bromhidrosis 1 Convulsion 6 Feeling abnormal 6 Cardio-respiratory arrest 6 Death 5 Septic shock 6 Respiratory failure 6 Psychiatric symptom 3 Vomiting 5 Choking 6 Condition aggravated 3 Asphyxia 5 Fall 6 Thirst 1 Salivary hypersecretion 3 Lymphocyte percentage decreased 6 Blood pressure diastolic increased 6 Aspiration 5 Cardio-respiratory arrest 6 Malaise 6 Blood prolactin increased 6 Constipation 2 Neutrophil percentage increased 6 Loss of consciousness 6 Eosinophil percentage decreased 6 Heart rate increased 1 Red blood cell count decreased 1 Death 5 Acute myocardial infarction 6 Death 5 Pain 3 Upper respiratory tract infection 6 Unevaluable event 6 Dyspnoea 6 Diabetes mellitus 2 Interstitial lung disease 2 Gallbladder disorder 1 Oropharyngeal pain 3 Sinusitis 3 Anaemia Supraventricular tachycardia Radiation skin injury Upper gastrointestinal haemorrhage 6 Haemorrhagic anaemia 6 Blindness 3 Glaucoma 3 Cataract 1 Chronic obstructive pulmonary disease 1 Diarrhoea 6 Disease progression 6 Hypokalaemia 6 Lower gastrointestinal haemorrhage 6 Ankle fracture 1 Fall 1 Contusion 1 Cardio-respiratory arrest 6 Cyanosis 6 Drug eruption 2 Death 5 Death 5 Drug withdrawal syndrome neonatal 6 Renal cyst 6 Foetal exposure during pregnancy 6 Lung disorder 1 Cholelithiasis 1 Cholecystitis 1 Hypertension 3 Bronchitis 1 Asthenia 1 Pterygium 6 Gastroenteritis 1 Diarrhoea 3 Abdominal pain 1 Nephrogenic systemic fibrosis 3 Pneumonia 6 Malaise 6 Weight decreased 6 Headache 6 Tongue blistering 3 B-cell lymphoma 1 Fall 6 Wrist fracture 6 Infection 6 Osteonecrosis of jaw 6 Asthma 6 Claustrophobia 6 Mood swings 6 Nail discolouration 6 Oedema 3 Septic shock 5 Upper gastrointestinal haemorrhage 6 Haemorrhagic anaemia 6 Generalised tonic-clonic seizure 6 Glaucoma 6 Salivary hypersecretion 6 Osteonecrosis of jaw 6 Death 5 Death 5 Abdominal wound dehiscence 1 Gastrointestinal perforation 1 Gastrointestinal disorder 6 Dyspepsia 6 Anaemia 6 Myoclonus 6 Somnolence 6 Drug-induced liver injury 6 Dyspnoea 6 Pain 6 Vomiting 6 Nausea 6 Anaemia 6 Disease progression 6 Varicose vein 3 Rheumatoid arthritis 3 Cardiac disorder 6 Angina pectoris 6 Depression 6 Suicidal ideation 6 Death 5 Tremor 1 Hypersensitivity 6 Investigation 6 Investigation 6 Colon cancer 1 Peroneal nerve palsy 3 Heart rate increased 1 Palpitations 1 Chest pain 6 Proteinuria 6 Abortion spontaneous 6 Hypertension 1 Maternal exposure during pregnancy 6 Cardiac murmur 3 Mitral valve incompetence 3 Bronchiectasis 3 Atrial septal defect 3 Joint swelling 1 Inflammation 1 Inflammation 6 Cough 1 Upper respiratory tract infection 1 Productive cough 1 Rheumatoid lung 6 Dizziness 1 Blood pressure increased 1 Fatigue 6 Dry mouth 6 Decreased appetite 6 Cognitive disorder 6 Investigation 6 Breast cancer 6 Drug interaction 6 Maternal exposure during pregnancy 1 Foetal growth restriction 1 Premature delivery 1 Depressed mood 1 Heart rate increased 1 Convulsion 1 Nausea 1 Vomiting 1 Lethargy 1 Intentional underdose 1 Wrong technique in drug usage process 1 Drug withdrawal syndrome 3 Depression 6 Concussion 2 Post concussion syndrome 2 Depression 2 Neurosis 2 Death 5 Terminal state 6 Investigation 6 Multiple sclerosis relapse 4 Death 5 Drug interaction 5 Hepatotoxicity 5 Cardiac

arrest 5 Lower respiratory tract infection 1 Pneumonia 1 Death 5 Cardiogenic shock 1 Intentional overdose 6 Multi-organ failure 1 Metabolic acidosis 2 Sinus bradycardia 1 Hypotension 2 Renal failure acute 1 Electrocardiogram QT prolonged 1 Respiratory failure 1 Acute kidney injury 1 Cardiac tamponade 1 Acute coronary syndrome 1 Gallbladder disorder 1 Hand fracture 1 Pain 1 Prescribed overdose 1 Oral discomfort 3 Leukoplakia oral 3 Investigation 6 Dialysis 6 Intentional underdose 3 Wrong technique in drug usage process 3 Drug withdrawal syndrome 6 Insomnia 1 Decreased appetite 1 Loss of consciousness 1 Dehydration 1 Blood glucose abnormal 1 Vomiting 6 Breast cancer 6 Gastrointestinal toxicity 6 Endometriosis 6 Myxoedema 6 Gastroenteritis 2 Pneumonia bacterial 6 Cough 6 Diarrhoea 6 Abdominal pain 6 Chronic obstructive pulmonary disease 6 Hypercholesterolaemia 6 Hypertension 6 Acute sinusitis 6 Rhinitis allergic 6 Hypersensitivity 6 Anxiety 6 Asthma 6 Bronchitis 6 Upper-airway cough syndrome 6 Ligament sprain 6 Umbilical hernia 6 Influenza 6 Congestive cardiomyopathy 3 Insomnia 6 Abnormal dreams 6 Muscle twitching 6 Headache 6 Nausea 6 Back pain 3 Dyspnoea 3 Pneumonia bacterial 3 Pleural infection bacterial 6 Sepsis 3 Pulmonary mass 3 Pneumothorax 3 Hyperhidrosis 3 Agitation 3 Investigation 6 Malignant neoplasm progression 5 Drug ineffective 5 Convulsion 3 Oral candidiasis 2 Thermal burn 1 Laceration 1 Influenza 2 Abdominal pain 1 Diarrhoea 1 Dysgeusia 2 Headache 2 Laceration 6 Stress 6 Nasopharyngitis 6 Fatigue 6 Constipation 6 Incontinence 3 Death 5 Cardiac arrest 3 Ventricular fibrillation 3 Loss of consciousness 3 Sepsis 5 Herpes zoster 3 Death 5 Investigation 6 Cyst 1 Thrombosis 1 Urethral obstruction 1 Leukaemia 3 Respiratory disorder 2 Panic attack 2 Aphasia 2 Aphagia 2 H1N1 influenza 2 Basal cell carcinoma 1 Knee arthroplasty 6 Drug effect decreased 6 Influenza 6 Investigation 6 Bone marrow failure 1 Ischaemic stroke 1 Thrombocytopenia 1 Death 5 Localised infection 6 Foetal exposure during pregnancy 3 Foetal death 5 Death 5 Investigation 1 Shared psychotic disorder 4 Apraxia 3 Psychomotor retardation 3 Petit mal epilepsy 3 Abnormal behaviour 2 Hallucination, visual 3 Mania 4 Muscle spasms 3 Dyskinesia 3 Tachyphrenia 4 Suicidal ideation 4 Suicidal behaviour 4 Dysarthria 2 Dysphemia 3 Pain 3 Thirst 3 Hypoaesthesia oral 3 Salivary hypersecretion 3 Logorrhoea 3 Speech disorder 3 Activities of daily living impaired 3 Self-injurious ideation 3 Irritability 3 Mood swings 3 Aggression 3 Suicide attempt 6 Thinking abnormal 3 Pruritus 3 Headache 3 Myalgia 3 Miliaria 3 Peripheral coldness 3 Hypoaesthesia 3 Feeling hot 3 Chills 3 Vision blurred 3 Sensory disturbance 3 Hallucination 3 Disorientation 3 Feeling abnormal 3 Fear 3 Frustration 3 Withdrawal syndrome 6 Pain 3 Feeling abnormal 6 Muscle spasms 6 Haemorrhage 6 Wound infection 3 Cardiac disorder 6 Investigation 6 Visual acuity reduced 6 Temporal arteritis 6 Papilloedema 6 Eating disorder 6 Diarrhoea 6 Vomiting 6 Aphthous stomatitis 6 Aphthous stomatitis 6 Death 5 Hepatitis C 6 Death 5 Pregnancy 1 Arrested labour 1 Epilepsy 6 Myocardial infarction 1 Low density lipoprotein increased 6 Weight decreased 1 Mobility decreased 1 Dysstasia 1 Tremor 1 Restlessness 1 Paraesthesia 1 Malaise 1 Influenza like illness 1 Dizziness 1 Feeling abnormal 1 Chest pain 1 Muscular weakness 1 Apparent death 1 Multiple sclerosis relapse 6 Gait disturbance 1 Heart valve operation 3 Drug dose omission 3 Musculoskeletal disorder 1 Multiple sclerosis 6 Memory impairment 6 Fear 6 Fatigue 6 Pneumonia 4 Erysipelas 1 Psoriasis 3 Knee arthroplasty 1 Pneumonia 1 Acute myeloid leukaemia 5 Hypothyroidism 6 Inflammation 1 Bronchitis 1 Hepatic enzyme increased 6 Intervertebral disc degeneration 3 Gait disturbance 4 Investigation 6 Drug-induced liver injury 6 Larynx irritation 1 Chest pain 6 Urticaria 1 Transfusion 6 Haemoglobin decreased 6 Asthenia 6 Jaundice cholestatic 2 Liver function test abnormal 2 Cholangitis 2 Renal disorder 6 Oedema 6 Death 5 Weight decreased 6 Glycosylated haemoglobin decreased 6 Blood glucose increased 5 Malaise 6 Nasal congestion 6 Pain 6 Incorrect dose administered 6 Increased viscosity of upper respiratory secretion 6 Weight decreased 6 Blood immunoglobulin E increased 6 Hypersensitivity 6 Drug ineffective 6 Drug interaction 1 Pancytopenia 1 Investigation 6 Dysgeusia 3 Dyspnoea 3 Abdominal distension 3 Joint swelling 3 Nausea 2 Diarrhoea 2 Palmar-plantar erythrodysaesthesia syndrome 2 Pyrexia 2 Skin exfoliation 2 Drug ineffective 6 Arthralgia 3 Pain in extremity 3 Gait disturbance 3 Mobility decreased 3 Fatigue 3 Asthenia 3 Depressed mood 3 Vision blurred 6 Dry mouth 6 Cough 3 Sputum abnormal 3 Ageusia 3 Neuropathy peripheral 3 Atrophic glossitis 6 Alopecia 3 Muscle spasms 3 Drug interaction 6 Pancytopenia 2 Hip arthroplasty 6 Nephrogenic systemic fibrosis 3 Arthropathy 1 Sinusitis 3 Myocardial infarction 1 Febrile neutropenia 6 Asthma 6 Sinusitis 6 Thrombosis 6 Bone density decreased 6 Death 5 Lower limb fracture 1 Abdominal discomfort 3 Back pain 3 Pain in extremity 3 Pain 3 Headache 3 Investigation 6 Lung neoplasm malignant 6 Pneumonia 5 Oligodendroglioma 6 Quadriplegia 1 Guillain-Barre syndrome 3 Myelitis transverse 3 Multiple sclerosis relapse 3 Adverse drug reaction 3 Urinary tract infection 3 Multiple sclerosis relapse 3 Bone disorder 6 Paranoia 6 Hallucination 6 Drug delivery device implantation 6 Arthropathy 6 Hypertension 6 Fatigue 6 Muscle spasticity 6 Bipolar disorder 6 Gait disturbance 6 Deep vein thrombosis 6 Back pain 6 Weight increased 3 Pyrexia 6 Rash macular 6 Arthralgia 3 Pain 3 Wrong technique in product usage process 6 Injection site pain 6 Pruritus 6 Osteoarthritis 6 Headache 6 Feeling hot 6 Dengue fever 6 Anti-neutrophil cytoplasmic antibody positive vasculitis 1 Tubulointerstitial nephritis 1 Ankyloglossia congenital 6 Foetal exposure during pregnancy 1 Haemorrhage 1 Oesophageal rupture 1 Syncope 1 Haematemesis 1 Spinal cord compression 6 Back pain 1 Conjunctivitis 6 Colon adenoma 1 Death 5 Upper gastrointestinal haemorrhage 2 Investigation 6 Lip infection 6 Impaired healing 6 Angioedema 6 Shared psychotic disorder 4 Dyspraxia 3 Psychomotor retardation 3 Petit mal epilepsy 3 Abnormal behaviour 2 Hallucination, visual 3 Mania 4 Muscle spasms 3 Dyskinesia 3 Tachyphrenia 4 Suicidal ideation 4 Suicidal behaviour 4 Dysarthria 2 Dysphemia 3 Pain 3 Thirst 3 Hypoaesthesia oral 3 Salivary hypersecretion 3 Logorrhoea 3 Speech disorder 3 Activities of daily living impaired 3 Self-injurious ideation 3 Irritability 3 Mood swings 3 Aggression 3 Suicide attempt 6 Thinking abnormal 3 Pruritus 3 Headache 3 Myalgia 3 Miliaria 3 Peripheral coldness 3 Hypoaesthesia 3 Feeling hot 3 Chills 3 Vision blurred 3 Sensory disturbance 3 Hallucination 3 Disorientation 3 Feeling abnormal 3 Fear 3 Frustration 3 Apraxia 3 Headache 6 Withdrawal syndrome 6 Aggression 6 Anger 6 Abnormal behaviour 6 Dizziness 6 Paraesthesia 2 Muscular weakness 2 Asthenia 6 Local swelling 6 Paraesthesia 6 Hypoaesthesia 6 Jaw disorder 6 Vasculitis 1 Pancytopenia 1 Thrombocytopenia 1 Hospitalisation 6 Subcutaneous abscess 1 Headache 1 Angioedema 1 Flushing 1 Rash 1 Lip swelling 1 Enlarged uvula 1 Pharyngeal oedema 1 Pruritus generalised 1 Dyspnoea 1 Small intestinal haemorrhage 1 Flushing 1 Hot flush 1 Pain in extremity 3 Nephrolithiasis 1 Hepatic lesion 3 Hip fracture 6 Fall 1 Fractured coccyx 1 Fatigue 3 Lethargy 3 Muscular weakness 3 Paraesthesia 3 Central nervous system lesion 3 Neck pain 3 Pain in extremity 3 Emotional distress 3 Platelet count decreased 6 Death 5 Overdose 1 Myoclonus 1 Nodal arrhythmia 1 Shock 1 Paraspinal abscess 2 Osteomyelitis 2 Femoral neck fracture 1 Localised infection 1 Bronchopneumonia 1 Pharyngitis 1 Erysipelas 1 Cardiac failure 1 Fall 6 Respiratory distress 5 Gallbladder disorder 1 Umbilical hernia 1 Inflammation 1 Burning sensation 3 Injection site pain 3 Bradykinesia 2 Intentional self-injury 2 Sopor 2 Dyspnoea 6 Asthma 1 Chest pain 1 Chest discomfort 1 Wheezing 1 Cough 1 Sinusitis 1 Blood potassium decreased 6 Pneumonia 1 Pain in extremity 3 Oedema peripheral 6 Arthralgia 3 Oedema peripheral 3 Skin warm 6 Peptic ulcer 3 Hiatus hernia 3 Fatigue 2 Skin discolouration 1 Pain 3 Injection site bruising 2 Injection site erythema 1 Injection site reaction 1 Injection site urticaria 2 Injection site pruritus 1 Injection site swelling 2 Injection site warmth 1 Blood potassium decreased 6 Gastrointestinal haemorrhage 2 Diverticulitis 6 Haemorrhoids 6 Investigation 6 Knee arthroplasty 4 Dysphagia 3 Muscle contractions involuntary 3 Dysarthria 3 Hospitalisation 6 Pneumothorax 3 Pulmonary oedema 3 Death 5 Investigation 6 Investigation 6 Diarrhoea 6 Cellulitis 3 Metastases to lymph nodes 3 Urinary retention 1 Acquired phimosis 6 Deep vein thrombosis 6 Central nervous system lesion 6 Hospitalisation 6 Bronchopneumonia 6 Death 5 Hemiplegia 3 Breast mass 6 Dyspnoea 6 Fatigue 6 White blood cell count decreased 3 Platelet count decreased 3 Endometriosis 2 Hepatosplenomegaly 6 Alopecia 6 Multiple sclerosis relapse 6 Depression 6 Cerebral haemorrhage 6 Intracranial pressure increased 6 Atrial fibrillation 1 Febrile neutropenia 6 Toxic epidermal necrolysis 5 Therapeutic response decreased 6 Lichen planus

1 Investigation 6 Full blood count increased 6 Full blood count decreased 6 Fall 6 Decreased immune responsiveness 6 Tuberculosis 6 Investigation 6 Diabetes mellitus 3 Agitation 6 Investigation 6 Asthma 2 Investigation 6 Yellow skin 2 Ocular icterus 2 Fall 6 Periorbital contusion 6 Mass 6 Head injury 6 CSF test abnormal 2 Nausea 2 Fatigue 2 Bone pain 2 Urinary incontinence 1 Feeling hot 6 Dizziness 6 Hyperhidrosis 6 Death 5 Investigation 6 Disease progression 6 Investigation 6 Cough 3 Sleep disorder 3 Muscular weakness 3 Hypoaesthesia 6 Paraesthesia 6 Fatigue 3 Myalgia 3 Investigation 6 Iritis 6 Death 5 Vomiting 6 Nausea 6 Hypertension 6 Disease progression 6 Disease progression 6 Haemoglobin decreased 6 Lung neoplasm malignant 5 Metastases to heart 5 Metastasis 6 Death 5 Chromaturia 3 Sputum discoloured 1 Fracture 6 Investigation 6 Groin abscess 6 Fall 6 Bedridden 3 Limb injury 6 Drug administration error 6 Pruritus 3 Incorrect dose administered 6 Ear infection 6 Application site vesicles 6 Application site erythema 6 Application site pruritus 6 Investigation 6 Abdominal pain 3 Drug abuse 3 Transaminases increased 3 Urticaria 2 Drug interaction 6 Sepsis 1 Body temperature increased 6 Hypotension 6 Tachycardia 6 Neutropenia 2 Thrombocytopenia 2 Loss of consciousness 1 Iron deficiency anaemia 1 Syncope 1 Cough 3 Muscle spasms 3 Muscle twitching 3 Diarrhoea 3 Dizziness 3 Feeling abnormal 3 Arthralgia 3 Myalgia 3 Asthenia 3 Nausea 3 Fatigue 3 Depression 3 Drug prescribing error 6 Disease progression 6 Pain 6 Vomiting 6 Nausea 6 Anaemia 6 Diarrhoea 6 Hypertension 6 Coronary artery thrombosis 5 Myocardial infarction 5 Drug ineffective for unapproved indication 3 Angioedema 6 Intestinal operation 6 Pneumocystis jirovecii pneumonia 2 Chest X-ray abnormal 2 Gastrointestinal motility disorder 2 Volvulus 2 Abdominal discomfort 2 Constipation 2 Death 5 Pleurisy 2 Investigation 6 Leukoencephalopathy 5 Peroneal nerve palsy 3 Mobility decreased 3 Sensory loss 3 Grand mal convulsion 1 Muscular weakness 3 Interstitial lung disease 6 Death 5 Myelodysplastic syndrome 6 Cardiac failure 5 Pneumonia 5 Respiratory failure 5 Headache 6 Neuralgia 6 Device deployment issue 3 Complication of device removal 3 Fear 3 Incorrect drug administration duration 6 Retinal vein occlusion 2 Visual impairment 2 Macular oedema 2 Infusion related reaction 1 Respiratory distress 1 Acute coronary syndrome 3 Lipids increased 3 Investigation 6 Pseudocroup 1 Hyperventilation 1 Flushing 1 Nasal congestion 1 Flushing 1 Fatigue 1 Injection site erythema 6 Injection site induration 6 Accidental exposure to product by child 6 Somnolence 2 Heart rate decreased 2 Unresponsive to stimuli 2 Product packaging issue 6 Chest pain 2 Nausea 2 Cough 2 Vomiting 2 Pyrexia 2 Diarrhoea 2 Renal failure 2 Headache 6 Dizziness 6 Optic neuritis 1 Death 5 Altered state of consciousness 1 Convulsion 1 Lung neoplasm malignant 5 Cardiac arrest 1 Paraesthesia oral 6 Muscle spasms 6 Depressed mood 6 Anxiety 6 Rheumatoid arthritis 6 Drug-induced liver injury 6 Diabetes mellitus 6 Diabetic foot 6 Abnormal dreams 6 Overdose 6 Vomiting 6 Drug ineffective 6 Drug-induced liver injury 6 Infarction 6 Finger amputation 6 Drug ineffective for unapproved indication 3 Presyncope 1 Muscle spasms 1 Nausea 1 Fatigue 1 Breast pain 3 Investigation 6 Drug-induced liver injury 5 Death 5 Investigation 6 Cough 6 Pain 6 Vomiting 6 Back pain 6 Abdominal pain 6 Nausea 6 Fall 6 Muscle injury 6 Nerve injury 6 Intervertebral disc disorder 6 Product quality issue 6 Deep vein thrombosis Disease progression 6 Metastases to bone 6 Metastases to liver 6 Nervous system disorder 6 Pleural effusion 6 Lung infiltration 6 Dyspnoea 6 Toxicity to various agents 6 Pulmonary embolism Local swelling 3 Hypoaesthesia 3 Pain in extremity 3 Urinary incontinence 3 Decreased immune responsiveness 2 Paraesthesia 3 Herpes virus infection 2 Peripheral coldness 3 Blister 3 Ascites 6 Coronary artery disease 1 Chest pain 4 Headache 3 Migraine 3 Sunburn 1 Fatigue 3 Paraesthesia oral 3 Dysgeusia 3 Intentional overdose 5 Multi-organ failure 5 Suicide attempt 5 Drug-induced liver injury 6 Intentional overdose 6 Suicide attempt 6 Breast cancer 6 Arthralgia 1 Balance disorder 1 Gait disturbance 1 Intervertebral disc degeneration 3 Glare 3 Arthralgia 6 Back pain 3 Procedural pain 6 Intervertebral disc protrusion 2 Pain in extremity 3 Venous occlusion 6 Pain 3 Insomnia 3 Gait disturbance 6 Spinal disorder 6 Cardiac arrest 1 Acute myocardial infarction 3 Left atrial dilatation 6 Hyponatraemia 6 Hypertension 6 Coronary artery disease 6 Ischaemic cardiomyopathy 3 Fatigue 3 Ventricular tachycardia 6 Ventricular fibrillation 6 Heart rate increased 6 Cardiac failure acute 6 Atrial fibrillation 6 Hypogonadism 6 Respiratory failure 1 Ejection fraction decreased 3 Cardiac failure congestive 3 Sinus bradycardia 6 Coronary artery occlusion 6 Sleep apnoea syndrome 6 Compression fracture 6 Decreased appetite 3 Vomiting 6 Nausea 3 Pneumonia 1 Fall 1 Face injury 1 Loss of consciousness 1 Asthenia 1 Contusion 1 Fall 1 Head injury 1 Asthenia 1 Pancreatic carcinoma 6 Nephrolithiasis 6 Visual acuity reduced 6 Intervertebral disc protrusion 6 Fall 6 Diarrhoea 1 Gastroesophageal reflux disease 2 Hypertension 6 Local swelling 6 Hypoglycaemia 1 Drug hypersensitivity 6 Drug ineffective 6 Hyperglycaemia 6 Nail injury 6 Nail growth abnormal 6 Aphonia 6 Dysphonia 6 Blood glucose increased 3 Therapeutic response delayed 6 Abdominal pain 1 Pain in extremity 6 Angiopathy 6 Back pain 6 Burning sensation 6 Dengue fever 6 Hyperkeratosis 6 Induration 6 Gait disturbance 3 Loss of consciousness 6 Respiratory arrest 6 Hyperglycaemia 1 Blood glucose abnormal 1 Depression 3 Merycism 3 Major depression 3 Attention deficit/hyperactivity disorder 3 Somnolence 3 Sedation 3 Agitation 3 Bipolar I disorder 3 Angina pectoris 6 Fatigue 6 Death 5 Aggression 6 Low birth weight baby 5 Intestinal perforation 5 Foetal exposure during pregnancy 1 Dyspepsia 6 Intraventricular haemorrhage 6 Neonatal respiratory distress syndrome 6 Muscle tightness 6 Foetal growth restriction 6 Premature baby 3 Necrotising colitis 5 Hydrocephalus 6 Foetal growth restriction 3 Exposure during breast feeding 6 Premature labour 1 Genital haemorrhage 6 Pustular psoriasis 2 Drug ineffective 6 Abdominal pain lower 6 Abortion 6 Exposure during pregnancy 1 Investigation 6 Inappropriate schedule of drug administration 6 Oesophageal carcinoma 5 Mental status changes 6 Dehydration 6 Anaemia 6 Platelet count decreased 6 Anxiety Deep vein thrombosis Thrombosis Pain Abdominal pain Emotional distress General physical health deterioration Injury Investigation 6 Drug interaction 1 Headache 1 Anaphylactic reaction 6 Investigation 6 Blood glucose decreased 1 Hypoglycaemia 1 Pain 1 Hepatic enzyme increased 1 Terminal state 6 Diarrhoea 6 Blood pressure systolic increased 6 Depression 6 Disorientation 6 Fear of death 6 Asthenia 6 Drug ineffective 6 Mood swings 2 Anger 2 Atrial flutter 6 Investigation 6 Breast cancer female 3 Death 5 Small intestinal obstruction 6 Blood pressure diastolic decreased 6 Heart valve incompetence 6 Dyspnoea 3 Mesenteric neoplasm 6 Weight decreased 6 Abdominal discomfort 6 Fall 6 Eye swelling 6 Intestinal ischaemia 6 Abdominal pain lower 6 Blood pressure increased 6 Blood pressure systolic increased 6 Body temperature decreased 6 Oedema 6 Malignant neoplasm progression 6 Eye disorder 6 Thermal burn 6 Erythema 6 Dizziness postural 3 Gravitational oedema 2 Pleural effusion 6 Dehydration 6 Asthenia 6 Lacrimation increased 6 Pain 6 Peripheral swelling 2 Anaphylactic reaction 6 Neurological decompensation 5 Hashimoto's encephalopathy 5 Drug ineffective for unapproved indication 5 Atypical pneumonia 1 Hypoacusis 3 Urinary tract infection 3 Cholecystitis 3 Gallbladder cancer 3 Vulvovaginal mycotic infection 3 Herpes zoster 3 Anaphylactic shock 1 Coronary artery stenosis 6 Appendicitis 1 Rectal abscess 6 Dermatitis bullous 1 Type IV hypersensitivity reaction 1 Abortion induced 6 Metrorrhagia 6 Unintended pregnancy 1 Nausea 6 Product quality issue 6 Haemoglobin decreased 6 Melaena 6 Arthritis bacterial 1 Hepatorenal syndrome 5 Febrile neutropenia 6 Neutropenia 6 Lung adenocarcinoma 6 Toxicity to various agents 6 Plasma cell myeloma 6 Pneumonia 1 Sepsis 6 Gastrointestinal disorder 6 Hepatotoxicity 6 Deep vein thrombosis 6 Diarrhoea 1 Death 5 Amaurosis fugax 6 Atrial fibrillation 6 Syncope 6 Constipation 1 Infection 6 Interstitial lung disease 1 Nasopharyngitis 1 Drug-induced liver injury 5 Respiratory failure 6 Convulsion 6 Cerebrovascular accident 6 Aphasia 6 Epilepsy 6 Angina pectoris 6 Coronary artery stenosis 6 Intermittent claudication 6 Hyperglycaemia 6 Liver function test abnormal 6 Surgery 6 Diabetic ketoacidosis 6 Influenza 6 Treatment noncompliance 6 Cerebrovascular accident 5 Sensory disturbance 1 Dyspepsia 1 Iridocyclitis 1 Myalgia 1 Pyrexia 1 Dysuria 1 Agranulocytosis 6 Leukopenia 2 Neutropenia 2 White blood cell count increased 1 Neutrophil count increased 1 Bacterial infection 6 Schizoaffective disorder 6 Granuloma 6 Dyspnoea 6 Haematocrit decreased 1 Obstructive airways disorder 6 Neutrophil toxic granulation present 6 Shift to the left 6 Poor venous access 6 Vitamin B12 abnormal 6 Blood folate abnormal 6 Red blood cell count

unt decreased 1 Metamyelocyte count increased 6 Myelocyte count increased 6 Promyelocyte count increased 6 Blast cell count increased 6 Blood creatinine abnormal 6 Blood pressure increased 6 Platelet count abnormal 6 Basophil count increased 1 Liver function test abnormal 6 Eosinophil count increased 1 Monocyte count increased 1 Blood creatine phosphokinase decreased 6 Lymphocyte count decreased 1 Haemoglobin decreased 1 Heart rate increased 6 Pyrexia 6 Lymphocyte count increased 1 Cholecystectomy Vomiting 1 Abdominal pain upper 1 Malaise 1 Nausea 1 Abdominal discomfort 1 Gingival swelling 3 Renal failure chronic 6 Gingivitis 6 Periodontitis 6 Oral disorder 6 Exposed bone in jaw 3 Tenderness 6 Renal impairment 6 Gingival bleeding 6 Breast cancer stage II 5 Aortic valve incompetence 6 Anaemia 6 Mitral valve disease mixed 6 Nephrogenic anaemia 6 Gingival erythema 3 Loose tooth 3 Malignant neoplasm progression 5 Angina pectoris 6 Osteonecrosis of jaw 3 Pain in jaw 3 Bacterial infection 6 Incorrect dose administered 6 Memory impairment 6 Blood glucose abnormal 6 Overdose 6 Rhabdomyolysis 1 Pyrexia 1 Self injurious behaviour 6 Sopor 6 Urinary tract infection 3 Weight decreased 3 Hypersensitivity 6 Neutropenia 6 Thrombocytopenia 6 Papilloedema 3 Cerebrovascular accident 1 Osteoarthritis 2 Arthritis 2 Drug ineffective 6 Mineral supplementation 6 Haemoglobin decreased 6 Dyspnoea 6 Musculoskeletal stiffness 6 Fatigue 6 Asthenia 6 Back pain 6 Chest pain 6 Depressed mood 6 Dizziness 6 Dyspnoea 6 Migraine 6 Vaginal haemorrhage 6 Vomiting 6 Platelet count abnormal 6 Anaphylactic shock 1 Type IV hypersensitivity reaction 1 Hypotension 1 Hypoxia 1 Gastrointestinal disorder 6 Nephrogenic systemic fibrosis 3 Palmar-plantar erythrodysesthesia syndrome 4 Wound secretion 3 Endophthalmitis 1 Macular oedema 3 Coronary artery disease 4 Lower respiratory tract infection 5 Paraneoplastic dermatomyositis 2 Epistaxis 3 Rash pruritic 3 Rhinorrhoea 3 Prurigo 6 Chest pain 1 Headache 1 Hypotension 1 Infusion related reaction 1 Lethargy 2 Weight decreased 2 Malaise 2 Renal impairment 2 Diarrhoea 2 Coeliac disease 6 Urticaria 6 Fatigue 6 Angioedema 6 Drug ineffective 6 Pruritus 6 Insomnia 6 Condition aggravated 2 Chronic spontaneous urticaria 2 Cardiac failure 6 Respiratory failure 6 Convulsion 6 Cardiac failure 6 Convulsion 6 Anaemia 1 Major depression 6 Paraesthesia 1 Respiratory failure 6 Convulsion 6 Gastrointestinal disorder 6 Tinnitus 6 Feeling abnormal 6 Dizziness 6 Hearing impaired 6 Deafness 6 Body temperature decreased 6 Restlessness 6 Abdominal distension 6 Quality of life decreased 6 Eating disorder 6 Insomnia 6 Visual acuity reduced 6 Asthenia 6 Gastric ulcer 2 Ear discomfort 6 Toxicity to various agents 5 Child neglect 6 Syncope 1 Arthropathy 3 Chondropathy 3 Dysmenorrhoea 1 Headache 1 Pain 6 Malaise 6 Head discomfort 6 Gastrointestinal disorder 6 Glaucoma 6 Rash 3 Oedema peripheral 3 Lacrimation increased 3 Oedema peripheral 6 Pain 6 Fatigue 6 Herpes virus infection 6 Gastrointestinal disorder 6 Gastroenteritis Escherichia coli 6 Nausea 6 Vomiting 6 Diarrhoea 6 Bronchitis 6 Dyspnoea 6 Wheezing 6 Cerebrovascular accident 5 Convulsion 6 Malaise 6 Product packaging issue 6 Pyrexia 1 Lymphadenitis 3 Arthropathy 6 Tooth disorder 6 Jaw disorder 6 Paraesthesia 6 Hypoaesthesia 6 Activities of daily living impaired 6 Death 5 No therapeutic response 6 Death 5 Death 5 Death 5 Death 5 Convulsion 3 Death 5 Death 5 Acute myeloid leukaemia recurrent 5 Graft versus host disease 6 Adenovirus infection 6 Cytomegalovirus infection 6 Drug effect decreased 1 Expired drug administered 1 Acute coronary syndrome 1 Anaemia 1 Rectal haemorrhage 1 Gastroesophageal reflux disease 6 Drug ineffective 6 Renal colic 3 Pyelonephritis 3 Dyspnoea 6 Secretion discharge 6 Oxygen saturation decreased 6 Cough 6 Adverse event 6 Endometrial cancer metastatic 5 Abortion 6 Abdominal distension 1 Abdominal pain 1 Abdominal pain upper 1 Anxiety 1 Back pain 1 Breast pain 1 Chest discomfort 1 Dizziness 1 Dyspnoea 1 Headache 1 Swelling 1 Mood altered 1 Muscle spasms 1 Nausea 1 Neck pain 1 Laryngeal cancer 3 Accelerated idioventricular rhythm 6 Ventricular parasystole 6 Death 5 Respiratory distress 3 Anaemia 3 Haematochezia 3 Stevens-Johnson syndrome 3 Nausea 6 Vomiting 6 Blindness 3 Deafness 3 Loss of consciousness 6 Contusion 6 Glaucoma 6 Pruritus 6 Muscle disorder 3 Confusional state 6 Skin lesion 6 Pain 6 Oral disorder 6 Delusion 6 Aggression 6 Dyspnoea 6 Pulmonary embolism 6 Hypoglycaemic coma 1 Insulinoma 6 Toxicity to various agents 1 Gastrointestinal haemorrhage 1 International normalised ratio increased 1 Haematocrit decreased 3 Fall 1 Blood creatinine increased 1 Dehydration 1 Contusion 3 Hypotension 1 Transient ischaemic attack 1 Paraesthesia 1 Erythema multiforme 2 General physical health deterioration 6 Local swelling 6 Pyrexia 6 Bone marrow failure 6 Cerebral haemorrhage 5 Haemoglobin decreased 6 Paraesthesia 1 Dyspnoea 1 Ocular hyperaemia 1 Dyspnoea at rest 1 Dizziness 1 Rash 2 Loss of consciousness 1 Pruritus 2 Cardiac arrest 1 Pulmonary embolism 1 Pulmonary embolism 1 Haemorrhage 1 Upper gastrointestinal haemorrhage 1 Suicide attempt 6 Intentional overdose 6 Convulsion 3 Cardiac arrest 5 Blood urine present 6 Unresponsive to stimuli 6 Blood pressure decreased 6 Haemoglobin decreased 6 Abdominal pain 6 Haematoma 6 Dysphagia 6 Subarachnoid haemorrhage 5 Cerebral haematoma 5 Haematemesis 5 Purple glove syndrome 6 Pharyngeal operation 6 Cardiac failure acute 5 Polychondritis 2 Sepsis 6 Pneumonia 6 Herpes zoster 6 Hypersensitivity 2 Gallbladder disorder 3 Death 5 Psychiatric symptom 6 Visual acuity reduced 6 No therapeutic response 6 Death 5 Death 5 Death 5 Death 5 Nephrogenic systemic fibrosis 3 Bronchitis 1 Bronchitis 1 Bronchitis 1 Pharyngitis 1 Upper respiratory tract infection 1 Upper respiratory tract infection 1 Infection 6 Sinusitis 6 Haemolysis 6 Drug-induced liver injury 1 Dyspnoea 3 Rectal haemorrhage 6 Drug interaction 6 Dermatitis 1 Abscess neck 1 Death 5 Bone erosion 6 Drug interaction 6 Epistaxis 1 Anaemia 3 International normalised ratio increased 1 Cleft palate 3 Placental transfusion syndrome 1 Cardiac disorder 3 Lung disorder 3 Vaginal haemorrhage 6 Gingival bleeding 6 Drug interaction 6 Erysipelas 6 Limb injury 6 Weight decreased 6 Drug tolerance 6 Immunodeficiency 6 Extremity necrosis 6 Blood cholesterol increased 6 Arthropathy 6 Pain 6 Drug ineffective 6 Arthralgia 6 Rheumatic fever 1 Toxic optic neuropathy 6 Metastatic malignant melanoma 6 Splenic rupture 4 Death 5 Diarrhoea 6 Septic shock 6 Syncope 6 Pneumonia 6 Neutropenia 6 Thrombocytopenia 6 Fatigue 6 Plasma cell myeloma 6 Cough 6 Abscess 3 Infection 5 Neutropenia 5 White blood cell count decreased 3 Haemorrhage 6 Haemorrhage 6 Drug interaction 6 Central nervous system lesion 6 Weight increased 6 Vitamin D deficiency 6 Pain in extremity 6 Type 2 diabetes mellitus 3 Drug reaction with eosinophilia and systemic symptoms 6 Pulmonary oedema 5 Respiratory failure 5 Platelet count decreased 3 Pneumonia 6 Investigation 1 Hospitalisation 6 Haemorrhage 6 Drug interaction 6 Hypertension 3 Osteoporosis 3 Surgery 6 Scar 3 Abdominal pain upper 3 Anxiety 6 Plasma cell myeloma 5 Pneumonia 5 Death 5 Tremor 6 Drug ineffective 6 Cardiac pacemaker insertion 6 Pericardial effusion 2 Urinary tract infection 1 Suppressed lactation 3 Device ineffective Drug ineffective 3 Erythema 1 Skin fissures 1 Pulmonary embolism 1 Pulmonary embolism Deep vein thrombosis Hospitalisation 6 Subdural haematoma 6 Drug interaction 6 Vaginal haemorrhage 1 Haematuria 1 Contusion 1 Premature baby 6 Low birth weight baby 6 Pneumonia aspiration 5 BK virus infection 6 Encephalitis viral 6 Lower respiratory tract infection 6 Palpitations 1 Death 5 Impaired healing 6 Spinal fusion surgery 1 Pain in extremity 6 Pain 6 Abdominal pain upper 6 Angina unstable 6 Cold sweat 6 Nausea 6 Vomiting 6 Off label use 6 Death 5 Dizziness 6 Fatigue 3 Rash 6 Anaemia 6 Malignant neoplasm progression 6 Diarrhoea 6 Haemorrhage intracranial 6 Food poisoning 6 Pneumonia 6 Haemoptysis 6 Dyspnoea 6 Fatigue 6 Incorrect dose administered 6 Overdose 6 Death 5 Local swelling 6 Haemorrhage 6 Erythema 3 Localised infection 6 Localised infection 6 Skin disorder 6 Pain in extremity 6 Secretion discharge 6 Scab 6 Rash 6 Pruritus 6 Rash 6 Nephrolithiasis 6 Nausea 6 Neutropenia 6 Rhinorrhoea 6 Dermatitis acneiform 6 Dermatitis acneiform 6 Epistaxis 6 Mucosal haemorrhage 6 Pain 6 Vomiting 6 Diarrhoea 6 Malignant neoplasm progression 6 Death 5 Death 5 Pulmonary thrombosis 6 Thrombosis 6 Blood disorder 5 Neoplasm malignant 5 Dyspepsia 6 Death 5 Blood urine present 6 Cholelithiasis 6 Dizziness 6 Fatigue 6 Pneumonia 6 Decreased appetite 6 Skin reaction 6 Abdominal pain 6 Flatulence 1 Muscle spasms 1 Rash 1 Flatulence 2 Eructation 3 Constipation 2 Eructation 6 Vision blurred 6 Blood pressure increased 6 Anxiety 6 Hypophagia 6 Weight decreased 6 Rash 6 Rash 6 Acne 6 Pruritus 6 Death 5 Ill-defined disorder 6 Fall 6 Full blood count decreased 3 Contusion 3 Fatigue 3 Diarrhoea 3 Decreased appetite 3 Death 5 Incorrect dose administered 6 Death 5 Death 5 Incorrect dose administered 6 White blood cell count decreased 6 Rash 6 Death 5 Off label use 6 Atrial fibrillation 6 Metastases to bone 6 Fall 6 Inc

orrect dose administered 6 Visual acuity reduced 6 Blood triglycerides increased 6 Death 5 Malignant neoplasm progression 6 Oesophageal carcinoma 6 Drug interaction 6 Ventricular tachycardia 2 Electrocardiogram QT prolonged 6 Gastric haemorrhage Death 5 Hypersensitivity 1 Angioedema 1 Pruritus 1 Death 5 Convulsion 6 Hepatic failure 6 Stevens-Johnson syndrome 6 Anaemia 6 Drug ineffective 6 Death 5 Spinal disorder 6 Device related infection 6 Drug ineffective 6 Chronic graft versus host disease 6 Acute graft versus host disease 2 Chronic graft versus host disease 6 Renal failure 6 Drug ineffective 6 Fall 2 Joint stiffness 1 Sensation of heaviness 1 Chest pain 1 Myalgia 1 Chest pain 1 Oedema 1 Cystitis 6 Off label use 6 Hepatic function abnormal 6 Unresponsive to stimuli 6 Syncope 6 Blood pressure decreased 6 Heart rate decreased 6 Ventricular extrasystoles 6 Interstitial lung disease 1 Pyrexia 1 Diarrhoea 1 Rash 2 Investigation 6 Investigation 6 Balance disorder 6 Fall 6 Disorientation 6 Condition aggravated 6 Dizziness 6 Abdominal symptom 3 Conjunctivitis 6 Dyspnoea 6 Vomiting 6 Diarrhoea 6 Decreased appetite 6 Drug ineffective 6 Chronic graft versus host disease 5 Drug ineffective 6 Graft versus host disease 6 Eye swelling 2 Rash 1 Ocular hyperaemia 2 Incorrect dose administered 6 Drug interaction 6 Breast cancer 6 Pleural effusion 6 Pancreatic carcinoma metastatic 5 Surgery 6 Investigation 6 Urinary tract infection 6 Drug dose omission 6 Intestinal obstruction 6 Hearing impaired 6 Epistaxis 6 Hypertension 6 Computerised tomogram abnormal 6 Inappropriate schedule of drug administration 6 Rash 6 Hip fracture 6 Haemorrhagic diathesis 6 Rash 6 Dry skin 3 Death 5 Arthralgia 1 Death 5 Febrile neutropenia 6 Hypophagia 6 Pleural effusion 6 Deep vein thrombosis 4 Pain in extremity 4 Swelling 4 Haemorrhage 6 Drug interaction 6 Shock haemorrhagic 6 Haemorrhage 6 Electrocardiogram QT prolonged 1 Blood potassium decreased 1 Intentional product misuse 6 Death 5 Pain 3 Pruritus 3 Mucosal inflammation 3 Type 2 diabetes mellitus 6 Drug interaction 5 Shock haemorrhagic 5 Cardiac disorder 1 Type 2 diabetes mellitus 6 Liver disorder 1 Bacterial infection 6 Gastrointestinal disorder 6 Diarrhoea 6 Pulmonary hypertension 5 Pulmonary embolism 5 Feeling abnormal 1 Death 5 Abscess 1 Necrosis 1 Haemorrhage 6 Invasive ductal breast carcinoma 1 Back disorder 6 Diabetic neuropathy 6 Neuralgia 6 Neuropathy peripheral 6 Circulatory collapse 6 Palpitations 6 Dizziness 6 Death 5 Hypotension 6 Pyrexia 6 Pulmonary oedema 6 Death 5 Chest pain 3 Musculoskeletal pain 3 Pain in extremity 3 Back disorder 6 Fall 6 Back injury 6 Dizziness 6 Headache 6 Drug ineffective 6 Ataxia 6 Encephalitis 6 Asphyxia 5 Epilepsy 6 Metastases to central nervous system 6 Lung infection 6 Pregnancy 6 Drug ineffective 6 Female sterilisation 6 Apathy 6 Depression 6 Increased tendency to bruise 3 Gastrointestinal haemorrhage 6 Drug interaction 6 Small intestinal haemorrhage 6 Gastric haemorrhage 6 Gastrointestinal haemorrhage 6 Drug interaction 6 Fluid replacement 1 Nephrogenic systemic fibrosis 3 Non-small cell lung cancer 3 Disease progression 3 Off label use 6 Ventricular extrasystoles 2 Urinary incontinence 1 Feeling hot 6 Hyperhidrosis 6 Dizziness 6 Septic shock 5 Pancytopenia 5 Deep vein thrombosis Pulmonary embolism 1 Pancreatic carcinoma stage IV 5 Pancreatitis acute 6 Acute prerenal failure 1 Dehydration 1 Weight decreased 1 Urine sodium increased 1 Hyponatraemia 1 Hypochloraemia 1 Pulmonary embolism Muscle spasms 3 Muscle spasms 1 Adenocarcinoma pancreas 6 Trisomy 21 3 Pancreatic carcinoma 5 Chest pain 6 Drug dose omission 6 Dyspnoea 6 Hospitalisation 6 Pancreatic carcinoma 5 Road traffic accident 6 Vertigo 3 Tinnitus 3 Pancreatic carcinoma 5 Cerebrovascular accident 5 Pulmonary embolism 2 Ataxia 1 Gait disturbance 1 Balance disorder 1 Status epilepticus 1 Lymphoma 3 Myocardial infarction 6 Infection 6 Oesophageal pain 1 Hepatic pain 1 Oesophagitis 1 Abdominal pain upper 3 Vertigo 1 Off label use 1 Incorrect dose administered 1 Intentional drug misuse 1 Diabetic retinal oedema 3 Pulmonary embolism Diverticulitis 1 Cellulitis 1 Infection 1 Cholecystectomy 1 Pancreatitis 1 Gastrointestinal haemorrhage 6 Drug interaction 6 Influenza 6 Diet refusal 6 Blood glucose fluctuation 6 Product solubility abnormal 6 Product colour issue 6 Weight decreased 6 Transaminases increased 1 Malaise 6 Transverse sinus thrombosis Pulmonary embolism Thyroid cancer 6 Haemorrhage 6 Drug interaction 6 Pain Pain in extremity Peripheral swelling Deep vein thrombosis Thrombosis Abdominal pain Injury General physical health deterioration Deep vein thrombosis Pain in extremity Headache Deep vein thrombosis Product use issue Pain General physical health deterioration Injury Muscular weakness Dizziness Swelling Prostate cancer 2 Prostatic operation 6 Urinary retention 6 Dysuria 6 Drug administration error 6 Pneumonia 3 Vomiting projectile 3 Pallor 3 Cyanosis 3 Oxygen saturation decreased 3 Heart rate decreased 3 Body temperature decreased 3 Increased bronchial secretion 3 Oxygen saturation abnormal 3 Pyrexia 3 Increased bronchial secretion 3 Wheezing 3 Cough 3 Dyspnoea 3 Pulmonary embolism Deep vein thrombosis Rhabdomyolysis 6 Pain General physical health deterioration Emotional distress Anxiety Injury Pulmonary embolism Depression 6 Drug abuse 6 Bradyphrenia 6 Legal problem 6 Heart rate irregular 3 Dyspnoea 3 Nausea 1 Vomiting 1 Dizziness 1 Headache 6 Liver disorder 6 Decreased appetite 6 Insomnia 6 Drug effect incomplete 6 Neoplasm malignant 5 Cataract 6 Malaise 6 Hiatus hernia 6 Abdominal discomfort 6 Hypertension 6 Food intolerance 6 Lactose intolerance 6 Gastric ulcer 6 Gastritis 6 Abdominal distension 6 Drug ineffective 6 Sepsis 5 Pilonidal cyst 2 Enterovesical fistula 2 Pneumaturia 2 Urinary tract infection 2 Dysuria 2 Micturition urgency 2 Chest pain 1 Emotional distress Pulmonary embolism 1 Abdominal pain General physical health deterioration 1 Injury 1 Fall 3 Head injury 6 Vertigo 3 Orthostatic hypotension 6 Executive dysfunction 6 Disturbance in attention 6 Memory impairment 6 Post procedural sepsis 6 Post procedural complication 6 Intestinal obstruction 6 Antibody test positive 3 Haemolytic anaemia 3 Renal failure 6 Neoplasm malignant 6 Agitation 6 Intentional drug misuse 6 Fluid overload 2 Dyspnoea 2 Suffocation feeling 2 Oedema 2 Hypotension 2 Fatigue 6 Muscle spasms 6 Muscle injury 4 Nightmare 6 Pain 6 Blindness unilateral 6 Eye haemorrhage 6 Nightmare 6 Visual acuity reduced 6 Disease progression 6 Drug ineffective 6 Splenomegaly 4 Haemorrhage 6 Drug interaction 6 Gastrointestinal haemorrhage 6 Drug interaction 6 Oral surgery 6 Hospitalisation 6 Diarrhoea haemorrhagic 6 Drug interaction 6 Melaena 6 Haematochezia 6 Rectal haemorrhage 6 Anxiety Emotional distress Drooling General physical health deterioration Cerebrovascular accident Pain Abdominal pain Injury Memory impairment Eating disorder Dysgeusia Weight decreased Parenteral nutrition Migraine Abdominal pain Deformity Cerebral haemorrhage 5 Vomiting Headache 5 Injury 5 General physical health deterioration 5 Investigation 6 Pulmonary embolism 5 Abdominal pain Pain 5 Injury 5 General physical health deterioration 5 Anxiety Emotional distress Deformity Pain Anxiety Mobility decreased Pulmonary embolism 1 Chest pain 1 Injury 1 Pain 1 Emotional distress Dyspnoea 1 General physical health deterioration 1 Painful respiration 1 Abdominal pain Pain Musculoskeletal pain 1 Cerebrovascular accident Abdominal pain Gait disturbance Visual field defect Pain General physical health deterioration Myalgia Emotional distress Depression Brain injury Injury Anhedonia Dysstasia Hospitalisation 6 Thrombosis Gait disturbance 1 Deep vein thrombosis 1 Injury 1 Pain 1 Abdominal pain General physical health deterioration 1 Pulmonary embolism 1 Thrombophlebitis superficial 1 Deep vein thrombosis 1 Investigation 1 Deep vein thrombosis 1 General physical health deterioration Anxiety Pain Pulmonary embolism Dyspnoea Injury Abdominal pain Emotional distress Drug administered to patient of inappropriate age 6 Body height below normal 3 Failure to thrive 6 Bronchial obstruction 6 Rhonchi 6 Wheezing 6 Somnolence 1 Confusional state 1 Deep vein thrombosis Coma 1 Suicide attempt 1 Suicide attempt 1 Tachycardia 1 Oxygen saturation decreased 1 Electrocardiogram QT prolonged 1 Hypotension 1 Endotracheal intubation 1 Poisoning 1 Overdose 6 Overdose 6 Neutropenia 2 Hypertransaminasaemia 2 Anaemia 1 International normalised ratio decreased 1 Rectal haemorrhage 1 Cardiac failure congestive 1 Herpes simplex 1 Retinal vein thrombosis 2 Macular oedema 2 Retinal artery thrombosis 6 Incorrect drug administration duration 1 Rectal haemorrhage 6 Drug interaction 6 Post procedural haemorrhage 6 Urogenital haemorrhage 6 Death 5 Fracture 5 Blood glucose increased 5 Fall 5 Surgery 5 Blood pressure increased 5 Blood creatinine decreased 5 Mouth haemorrhage 5 Investigation 6 Hospitalisation 1 Hospitalisation 6 Hospitalisation 1 Unresponsive to stimuli 6 Circulatory collapse 6 Liver function test abnormal 6 Hyponatraemia 1 Cerebrovascular accident Type 2 diabetes mellitus 3 Arthritis 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Death 5 Type 2 diabetes mellitus 3 Neuropathy peripheral 6 Pain 6 Pr



uritus 6 Coeliac disease 6 Hospitalisation 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Death 5 International normalised ratio increased 1 Epistaxis 1 Asthenia 6 Dyspnoea 6 Filariasis 6 Pneumococcal infection 6 Pl eural effusion 6 Purulent discharge 6 Benign oesophageal neoplasm 6 Cholestasis 6 Hepatocellular injury 6 Hypoa lbuminaemia 6 Neuropathy peripheral 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Disease progression 5 Anal cancer 5 Interstitial lung disease 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Glucose tolerance impaired 3 Chronic obstructive pulmonary disease 5 Type 2 diabetes mellitus 3 Necro tising fasciitis 6 Diarrhoea 6 Type 2 diabetes mellitus 6 Infection 2 Dyspnoea exertional 2 Cough 2 Pneumothorax 2 Dyspnoea 2 Fatigue 2 Migraine 2 Decreased appetite 2 Dysgeusia 2 Type 2 diabetes mellitus 3 Weight increased 6 Cardiac disorder 6 Visual acuity reduced 3 Eye swelling 3 Off label use 3 Limb injury 6 Pneumonitis 5 Chest pain 3 Cough 3 Dyspnoea 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Neuropathy peripheral 3 Type 2 diabetes mellitus 3 Off label use 6 Pneumonia 6 Abdominal pain 6 Second primary malignancy 5 Acute myeloid leukaemia 5 Type 2 diabetes mellitus 3 Acute myeloid leukaemia 6 Second primary malignancy 6 Type 2 diabetes mellitus 3 Metabolic syndrome 6 Blood triglycerides increased 3 Death 5 Cardiac arrest 5 Gastrointest inal haemorrhage 6 Drug interaction 6 Spinal fracture 6 Hypertension 6 Hypoaesthesia 1 Gait disturbance 1 Genera l physical health deterioration 6 Erythema 1 Burning sensation 1 Spinal disorder 6 Road traffic accident 6 Chill blains 6 Pain in extremity 2 Oedema peripheral 2 Urinary tract infection 1 Blindness unilateral 3 Immunodeficien cy 6 Convulsion 6 Vision blurred 3 Pharyngitis 1 Muscle twitching 6 Drug ineffective 6 Hepatitis acute 3 Renal f ailure 6 Septic shock 5 Blood creatine phosphokinase increased 6 Epistaxis 6 Drug interaction 6 Abdominal hernia repair 1 Blood glucose abnormal 6 Incorrect dose administered 6 Hyponatraemia 1 Blood cortisol decreased 6 Hypot ension 1 Renal failure acute 4 Urine output decreased 1 Oedema peripheral 1 Dehydration 1 Platelet count decreas ed 2 Febrile neutropenia 1 Anaemia 1 Stomatitis 1 Cytomegalovirus test positive 1 Mobility decreased 3 Local swe lling 3 Burning sensation 3 Conjunctivitis 3 Rash 3 Swelling face 3 Loss of consciousness 6 Head injury 6 Fall 6 Asthenia 6 Gastrointestinal haemorrhage 6 Drug interaction 6 Diverticulum intestinal haemorrhagic 6 Rectal haemo rrhage 6 Melaena 6 Intestinal obstruction 6 Acute myocardial infarction 5 Eye haemorrhage 6 Drug interaction 6 F luid retention 1 Headache 3 Chest pain 3 Gastrointestinal haemorrhage 6 Drug interaction 6 Leukaemia 5 Condition aggravated 5 Pneumonectomy 6 Drug effect decreased 6 Overdose 6 Inappropriate schedule of drug administration 6 Cardiac arrest Hospitalisation 1 Respiratory disorder 1 Oxygen saturation decreased 1 Hospitalisation 3 Rectal h aemorrhage 6 Drug interaction 6 Drug reaction with eosinophilia and systemic symptoms Haemolytic anaemia Myocard ial infarction Drug abuse 5 Toxicity to various agents 5 Pulmonary congestion 6 Pulmonary oedema 6 Cardiomegaly 6 Arteriosclerosis coronary artery 6 Hepatomegaly 6 Hepatic steatosis 6 Forced expiratory volume decreased 1 Dea th 5 Hypertension 6 Asthenia 6 Type 2 diabetes mellitus 3 Breast cancer female 3 Dizziness 6 Upper limb fracture 6 Diabetic neuropathy 3 Gastrointestinal haemorrhage 5 Cardio-respiratory arrest 5 Dehydration 5 Cardiac failure 5 Cystitis haemorrhagic 6 Gastrointestinal haemorrhage 6 Upper gastrointestinal haemorrhage 6 Stevens-Johnson sy ndrome Tremor Neuropathy peripheral Angioedema Lip dry Drug hypersensitivity Product formulation issue Myelodysp lastic syndrome 5 Second primary malignancy 5 Acute myeloid leukaemia 5 Headache Nervousness Restlessness Insomn ia Abnormal dreams Pseudoendophthalmitis Uveitis Blindness transient Rectal haemorrhage 6 Drug interaction 6 Dys pnoea 1 Chest pain 1 Erythema 1 Rectal tenesmus 1 Pyelonephritis 1 Renal colic 1 Cystitis Autism Developmental d elay Encopresis Myelopathy Off label use Hypoaesthesia Balance disorder Loss of proprioception Decreased vibrato ry sense Muscular weakness Sensory loss Swollen tongue Rash generalised Stevens-Johnson syndrome Dyspnoea Eye sw elling Dizziness Palpitations Flushing Skin warm Discomfort Paralysis 1 Skin reaction 1 Hyperhidrosis 1 Myalgia 1 Upper limb fracture 6 Anaphylactoid reaction Cataract subcapsular Throat tightness Hypersensitivity Diabetic c oma Atrial fibrillation Chromaturia Liver disorder Cold sweat Laceration Mucous membrane disorder Stomatitis Hyp erhidrosis Haemorrhoidal haemorrhage 6 Drug interaction 6 Haematochezia 6 Haemorrhage in pregnancy 6 Nausea 6 Pr egnancy 6 Pneumonia 6 Ectopic pregnancy Pregnancy with contraceptive device Exposure during pregnancy Gastrointe stinal haemorrhage 6 Drug interaction 6 Gastrointestinal haemorrhage 6 Iron deficiency anaemia 6 Upper gastroint estinal haemorrhage 6 Cerebrovascular accident Cerebral ischaemia Anaemia 6 Dizziness Blood pressure decreased A sthenia Pollakiuria Chills Tremor Hypoaesthesia Pneumonitis chemical 1 Transitional cell carcinoma 6 Umbilical h ernia 6 Tooth fracture 6 Gastrooesophageal reflux disease 6 Sleep apnoea syndrome 6 Oesophageal spasm 6 Follicul itis 6 Synovitis 6 Weight fluctuation 6 Regurgitation 6 Diarrhoea 6 Gastrointestinal haemorrhage 6 Drug interact ion 6 Nausea Vomiting Purging Diarrhoea Hepatic cancer 5 Leukaemia Local swelling Heart rate decreased Ill-defin ed disorder Diarrhoea Drug ineffective Sexual dysfunction Congenital aural fistula 3 Haemangioma 3 Foetal exposu re during pregnancy 3 Subdural haemorrhage 6 Drug interaction 6 Malignant neoplasm progression 6 Breast cancer 6 Breast cancer 6 Malignant neoplasm progression 6 Cystoid macular oedema 6 Type 2 diabetes mellitus 3 Type 2 diab etes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Cataract 3 Shock hypoglycaemic 6 Abdominal pain upper 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes me llitus 3 Small fibre neuropathy 3 Deafness 1 Motor dysfunction 1 Hypoaesthesia 1 Mental impairment 1 Muscle spas ms 1 Headache 1 Subdural haemorrhage 6 Drug interaction 6 Cerebral haemorrhage 6 Haemorrhage 6 Fistula 6 Polyp 6 Rash generalised 1 Capillary leak syndrome 1 Swelling face 1 Vomiting 1 Rash 6 Peripheral swelling 1 Nausea 1 Ad verse reaction 6 Blood calcium decreased 6 Asthenia 3 Renal failure acute 6 Retroperitoneal haemorrhage 6 Clostr idium difficile infection 1 Influenza 1 Cardiac failure congestive 3 Pneumonia 3 Cytomegalovirus test positive 1 Epstein-Barr virus associated lymphoproliferative disorder 5 Hepatitis B antibody positive 2 Febrile neutropenia 1 Corynebacterium sepsis 1 Haemorrhage 6 Drug interaction 6 Nephrolithiasis 3 Gout 3 Pneumonia 2 Joint swelling 6 Pain in extremity 6 Sjogren's syndrome 6 Rheumatoid arthritis 6 Arthritis 6 Oropharyngeal pain 6 Haemorrhage 6 Drug interaction 6 Breast cancer 6 Dyspnoea 6 Drug dose omission 6 Circumstance or information capable of leadin g to medication error 6 Adrenal insufficiency 4 Small fibre neuropathy 6 Conjunctivitis 6 Breast cancer 6 Ulcer haemorrhage 6 Drug interaction 6 Cerebrovascular accident 1 Cerebrovascular accident 6 Loss of consciousness 3 A rrhythmia 3 Diplopia 1 Tremor 1 Amimia 1 Urinary tract infection 1 Tremor 1 Schizophrenia 1 Weight decreased 3 A dverse event 3 Respiratory distress 6 Depressive symptom 6 Convulsion 6 Stress 6 Unevaluable event 6 Death 5 Gas trointestinal haemorrhage 6 Drug interaction 6 Melaena 6 Death 5 Uterine perforation Uterine disorder Emotional distress Device issue Injury Pain Conjunctival haemorrhage 6 Drug interaction 6 Coronary artery occlusion 6 Mala ise 6 Drug interaction 6 Drug ineffective 1 Death 5 Gastrointestinal haemorrhage 6 Drug interaction 6 Neoplasm m alignant 6 Death 5 Surgery 6 Abdominal pain upper 6 Eczema 1 Pruritus 1 Coronary artery occlusion 1 Eye haemorrh age 1 Blood pressure increased 1 Sleep apnoea syndrome 3 Dyspnoea 6 Dyspnoea 6 Rash maculo-papular 1 Nervousness 1 Death 5 Oedema peripheral 3 Chest pain 1 Dyspnoea 1 C-reactive protein increased 1 Erythema 3 Pleural effusion 1 Systemic lupus erythematosus 3 Lupus nephritis 3 Nephrotic syndrome 3 Biopsy kidney 6 Pneumonia 1 Hypoproteina emia 3 Pyrexia 1 Infertility female Uterine perforation Device issue Emotional distress Off label use Menorrhagi a Pain Depression Anxiety Injury Injury Anxiety Uterine perforation Depression Pain Emotional distress Abortion spontaneous 3 Haemorrhage in pregnancy 3 Human chorionic gonadotropin decreased 3 Pregnancy with contraceptive d evice 3 Drug ineffective Drug ineffective Abortion spontaneous Anxiety Pain Depression Emotional distress Pregna ncy with contraceptive device Ectopic pregnancy with contraceptive device Device dislocation Injury Weight decre ased 6 Dizziness 6 Tachycardia 6 Dysmenorrhoea 6 Vaginal haemorrhage 1 Genital haemorrhage 1 Drug ineffective 6 Pelvic pain 6 Menorrhagia 6 Immunodeficiency 6 Autoimmune disorder 6 Abdominal pain 1 Fatigue 6 Depression 6 Dev ice monitoring procedure not performed 6 Ectopic pregnancy with contraceptive device 1 Cardio-respiratory arrest



6 Haemorrhage in pregnancy 6 Nausea 1 Patient-device incompatibility 6 Migraine 6 Device dislocation 6 Medical device monitoring error 6 Weight increased 6 Palpitations 6 Foreign body in reproductive tract 6 Ruptured ectopic pregnancy 1 Subcutaneous abscess 6 Abdominal pain lower 1 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Neuralgia 3 Type 2 diabetes mellitus 3 Neuropathy peripheral 3 Type 2 diabetes mellitus 6 Lower gastrointestinal haemorrhage 6 Drug interaction 6 Melaena 6 Haematochezia 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Blindness 6 Renal osteodystrophy 3 Cataract 3 Neuropathy peripheral 3 Renal disorder 3 Hyperkalaemia 3 Cardiac disorder 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Diabetic coma 6 Arrhythmia 3 Renal failure 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Tooth loss 3 Type 2 diabetes mellitus 3 Neuropathy peripheral 3 Limb injury 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Blindness 6 Neuropathy peripheral 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Fatigue 6 Asthenia 6 Type 2 diabetes mellitus 3 Bone marrow transplant 1 Laceration 1 Dyspnoea 6 Productive cough 2 Seizure 6 Head injury 6 Presyncope 6 Fall 6 Rib fracture 6 Loss of consciousness 1 Syncope 6 Balance disorder 6 Concomitant disease aggravated 6 Insomnia 6 Humerus fracture 1 Joint injury 6 Haemorrhage 6 Drug interaction 6 Shock haemorrhagic 6 Sudden hearing loss 1 Pancytopenia 1 Depression 3 Nephrogenic systemic fibrosis 3 Depression 2 Suicidal behaviour 2 Death 5 Parathyroid gland operation 2 Death 5 Blood calcium increased 2 Cough 6 Pulmonary arterial hypertension 5 Condition aggravated 5 Tongue neoplasm malignant stage unspecified 6 Tongue operation 6 Biopsy ovary 6 Death 5 Neonatal respiratory distress syndrome 1 Patent ductus arteriosus 1 Atrial septal defect 3 Feeding disorder neonatal 1 Agitation neonatal 1 Pulmonary arterial hypertension 5 Condition aggravated 5 Cholelithiasis 3 Off label use 6 Root canal infection 6 Cervical cyst 6 Urinary tract infection 6 Ovarian cyst 3 Product use issue 6 Eye swelling 1 Rash maculo-papular 1 Pruritus 1 Scleroderma 3 Syncope 2 Fall 2 Joint swelling 2 Rheumatoid arthritis 6 Painful respiration 2 Skeletal injury 2 Pain 2 Swelling 2 Excoriation 2 Angioplasty 6 Haemorrhage 6 Drug interaction 6 Pulmonary arterial hypertension 5 Condition aggravated 5 Scar 3 Road traffic accident 6 Stoma site haemorrhage 6 Herpes zoster 3 Hypersensitivity 3 Inguinal hernia 1 Diabetes mellitus 3 Respiratory failure 5 Lupus-like syndrome 1 Therapeutic response decreased 1 Serositis 1 Arthropathy 1 Dermatitis 1 Fatigue 1 Pyrexia 1 Iris atrophy 2 Headache 3 Death 5 Death 5 Atrial fibrillation 6 Suicidal ideation 6 Paraesthesia 6 Hypoaesthesia 6 Arthralgia 6 Myalgia 6 Hypergammaglobulinaemia 6 Vitamin D deficiency 6 Nephrolithiasis 6 Drug hypersensitivity 1 Dizziness 1 Hypoaesthesia 1 Weight increased Hypoglycaemia Impaired driving ability Adverse reaction Swelling face Local swelling Eye swelling Pruritus Dyspnoea Swollen tongue Lip swelling Amoebic colitis 1 Necrotising colitis 1 Application site paraesthesia Application site pain Application site erythema Application site exfoliation Drug administration error Inappropriate schedule of drug administration Swelling face Eye swelling Thermal burn Urinary tract infection Pelvic pain Uterine perforation Device dislocation Device difficult to use Abdominal pain Pyrexia Injury Emotional distress Device dislocation Medical device complication Medical device discomfort Genital haemorrhage Internal injury Depression Anxiety Infertility female Depressed mood Fear Acute myocardial infarction 2 Paraesthesia 2 Hypoaesthesia 2 Headache 2 Chest pain 2 Dyspnoea 2 Intentional drug misuse 6 Erection increased 6 Painful erection 6 Drug ineffective 6 Uterine perforation Procedural pain Abdominal pain Dysmenorrhoea Abdominal pain lower Menstruation irregular Cardiac failure congestive 6 Weight increased 6 Sinusitis 6 Headache 6 Peripheral swelling 6 Vomiting 6 Grand mal convulsion Incorrect dose administered Incorrect drug administration duration Off label use Drug hypersensitivity Vitreous disorder Visual acuity reduced Blindness transient Vision blurred Blindness Eye inflammation Blindness transient Incorrect product storage Haemoptysis 6 Pulmonary haemorrhage 6 Hypoaesthesia oral 4 Hypoaesthesia 4 Confusional state 6 Muscle twitching 6 Blood calcium decreased 1 Pyrexia 6 Pain 6 Benign prostatic hyperplasia 6 Renal failure acute 1 Nasal discomfort Rhinorrhoea Lacrimation increased Anosmia Ageusia Type 2 diabetes mellitus Malaise Asthenia Weight increased Depression Self injurious behaviour Osteoarthritis 3 Periarthritis 3 Generalised oedema Abdominal distension Blood albumin decreased Fluid retention 3 Malaise Product substitution issue Application site dryness Application site pruritus Application site exfoliation Pustular psoriasis Onychomadesis Alopecia Psoriasis Application site dryness Application site exfoliation Application site pain Application site erythema Leukaemia 6 Fluid retention 6 Cardiac failure 6 Malaise Influenza like illness Flatulence Nausea Abdominal pain upper Gastrointestinal disorder Vision blurred Eye swelling Application site vesicles Application site erythema Drug administered at inappropriate site Incorrect drug administration duration Incorrect drug administration duration Pyrexia Unresponsive to stimuli Hypotonia Atrial fibrillation Sick sinus syndrome Ischaemic stroke Erythema Drug administered at inappropriate site Contusion Vaginal haemorrhage Dizziness Feeling abnormal Chromaturia Haematuria Drug interaction Self-medication Drug reaction with eosinophilia and systemic symptoms Pyrexia Rash pruritic Hepatitis Blood thyroid stimulating hormone increased Anaemia Dyspnoea Haemoglobin decreased Dyspnoea 6 Oxygen consumption increased 6 Drug ineffective 6 Application site pruritus Application site swelling Application site erythema Acute generalised exanthematous pustulosis Drug intolerance 6 Fluid retention 6 Cardiac failure congestive 6 Anxiety Palpitations Headache Kounis syndrome Acute myocardial infarction Coeliac disease 1 Abdominal pain upper 1 Abdominal discomfort 1 Gastrointestinal sounds abnormal 1 Drug administration error 6 Death 5 Application site erythema Application site irritation Application site exfoliation Drug administered at inappropriate site Dizziness Fatigue Asthenia Product quality issue Pulmonary oedema 6 Dyspnoea 6 Oedema 6 Drug ineffective Burning sensation Toe amputation Wound infection staphylococcal Osteomyelitis No therapeutic response 6 Acute sinusitis 6 Thrombophlebitis superficial Confusional state Deep vein thrombosis Rectal haemorrhage 6 Drug interaction 6 Glucose tolerance impaired Product substitution issue Glycosylated haemoglobin increased Renal failure acute Continuous haemodiafiltration Renal tubular necrosis Drug interaction Product substitution issue Product quality issue Feeling jittery Convulsion Sinus bradycardia Electrocardiogram ST-T change QRS axis abnormal Fall Head injury Loss of consciousness Myoclonus Tardive dyskinesia Complex partial seizures Rash Drug eruption Hepatic function abnormal Alanine aminotransferase increased Toxic epidermal necrolysis Bone marrow transplant 6 Drug ineffective Foetal anticonvulsant syndrome Maternal drugs affecting foetus Serotonin syndrome Acidosis Drug interaction Urethral stenosis Procedural complication Tachycardia Swelling face Joint swelling Malaise Nausea Salivary hypersecretion Headache Arthralgia Muscle spasms Vomiting Weight decreased Anger Psychotic disorder Major depression Anxiety Suicidal ideation Neck pain Vertigo Fall Nuclear magnetic resonance imaging brain abnormal Epilepsy Feeling drunk Drug hypersensitivity Dependence Fluid retention 1 Weight increased Constipation Abdominal pain upper Impaired gastric emptying Application site erythema Cerebral venous thrombosis 1 Venous haemorrhage 1 Convulsion 1 Dizziness Vertigo Diarrhoea Pruritus generalised Gastroesophageal reflux disease Condition aggravated Application site erythema Application site scab Application site pustules Application site vesicles Sinusitis 6 Peritoneal cloudy effluent Wound Peritonitis Pseudomonas test positive Sleep terror Panic attack Unevaluable event Movement disorder Dyspnoea Hypotension Blood creatinine increased Application site erythema Application site vesicles Fungal peritonitis Peritonitis Anuria Bladder catheterisation Drug administered at inappropriate site Dyspnoea Pulmonary thrombosis Thrombosis Toxic shock syndrome Muscle spasms Abdominal pain Shock 5 Hepatitis fulminant 5 Incorrect dose administered 6 Palmar-plantar erythrodysaesthesia syndrome 3 Wound secretion 3 Nausea Tremor Dizziness Anxiety Headache Blood pressure systolic increased Product label on wrong product

uct Wrong drug administered Hallucination Insomnia Anxiety Intentional self-injury Tinnitus Blood pressure incre  
ased Neuropathy peripheral Feeling abnormal Muscle spasms Tendon pain Muscle tightness Nasopharyngitis Drug inef  
fective 6 Vomiting Loss of consciousness Dizziness Hyperhidrosis Asthenia Nausea Headache Fluid retention 6 Gast  
rointestinal haemorrhage 6 Drug interaction 6 Haematochezia 6 Panic attack Aggression Cerebrovascular accident H  
ypertensive crisis Headache Visual impairment Cerebral infarction Drug hypersensitivity Cellulitis Bone pain Mya  
lgia Paraesthesia Hypoaesthesia Abasia Muscular weakness Fall Insomnia Trismus Adverse drug reaction Systemic lu  
pus erythematosus 3 Malaise 3 Drug ineffective 3 Death 5 Chronic lymphocytic leukaemia 6 Ill-defined disorder 6  
Hospice care 6 Hypokalaemia Asthenia Drug hypersensitivity Haemorrhage Paraesthesia oral Paraesthesia Myalgia Ar  
thralgia Paraesthesia Off label use Thrombophlebitis superficial Thrombosis Dyskinesia Skin ulcer Skin necrosis  
Wound secretion Hyperaesthesia Erythema Discomfort Pain in extremity Biliary sepsis Delirium Hypoaesthesia Joint  
range of motion decreased Sensory disturbance Local swelling Skin discolouration Hospitalisation Fluid retention  
6 Nausea 6 Vomiting 6 Haemoglobin decreased 2 Leukopenia 2 Unevaluable event 6 Dizziness 6 No therapeutic respon  
se 6 Increased viscosity of upper respiratory secretion 6 Oedema 6 Epistaxis 6 Dyspnoea 6 Nasal congestion 6 Pre  
syncope 6 Cardiac failure 6 Oedema 6 Balance disorder Abasia Hypoaesthesia Muscular weakness Myelopathy Polyneur  
opathy Sensory loss Loss of proprioception Hypersensitivity 3 Fluid retention 3 Cerebrovascular accident Death 5  
Unresponsive to stimuli 3 Feeling abnormal 6 Inappropriate schedule of drug administration 6 Transaminases incre  
ased 6 Blood glucose increased 6 Psychotic disorder 3 Renal impairment 6 Gastric disorder 6 Dislocation of verte  
bra 1 Mobility decreased 6 Myocardial infarction 6 Lower respiratory tract infection 2 Headache 6 Dizziness 6 Ly  
mphoproliferative disorder 3 Uterine perforation 3 Abdominal pain 3 Device defective Dyspareunia 3 Medical devic  
e discomfort 3 Dyspnoea Anxiety Insomnia Local swelling Peripheral coldness Syncope Drug ineffective 6 Cough 6 D  
evice dislocation Pain General physical health deterioration Anxiety Anhedonia Injury Infection Pregnancy with c  
ontraceptive device Drug ineffective Scar Night sweats Hormone level abnormal Menstrual disorder Uterine perfora  
tion Injury Pain Dyspareunia Scar Emotional distress Fear Depression Anxiety Intentional overdose Speech disorder  
r Incoherent Hallucination, visual Metabolic acidosis Rhabdomyolysis Confusional state Hyperkalaemia Haemodialys  
is Electrolyte imbalance Asthenia 6 Fluid retention 6 Death 5 Hypotension Tachycardia Pregnancy Glucose toleranc  
e impaired 6 Type 2 diabetes mellitus 3 Diabetic neuropathy 6 Glycosylated haemoglobin 6 Cerebrovascular acciden  
t Abasia Headache Dizziness Type 2 diabetes mellitus 3 Cardiovascular disorder 3 Liver injury 3 Renal disorder 3  
Death 5 Multi-organ failure 6 Overdose 6 Escherichia infection 6 Lip swelling Gingival swelling Burning sensatio  
n Paraesthesia oral Depression 3 Drug hypersensitivity 6 Suicidal ideation 6 Weight decreased 6 Insomnia 3 Pemph  
igoid 2 Pneumonitis 1 Jugular vein thrombosis 2 Disease progression 3 Lung neoplasm malignant 3 Chemical injury  
Pain Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Irritable bowel syndrome 1 Clostridium difficile infe  
ction 1 Inflammatory bowel disease 1 Chest discomfort Tachycardia Dyspnoea Hypertension Anxiety Death 5 Chemical  
injury Chemical burn of skin Uterine perforation Device dislocation Pelvic pain Abdominal pain Injury Emotional  
distress Medical device complication Internal injury Medical device discomfort Depression Anxiety Depressed mood  
Fear Genital haemorrhage Device issue Injection site nodule Injection site discolouration Injection site dryness  
Product quality issue Serotonin syndrome 1 Drug level increased 6 Drug interaction 6 Type 2 diabetes mellitus 3  
Pain Uterine perforation Complication of device removal Injury Off label use Device breakage Emotional distress  
Depression Dyspnoea 1 Abdominal pain upper 1 Flushing 1 Nausea 1 Neutropenia 1 Leukopenia 1 Mental status change  
s Pain Chemical injury Blister Neuropathy peripheral 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Typ  
e 2 diabetes mellitus 6 Chest pain Tinnitus Headache Vision blurred Infusion related reaction Hyperhidrosis Flus  
hing Nausea Dyspnoea Hypoxia Product quality issue Accidental exposure to product Eye irritation Burning sensati  
on Eye pain Ocular hyperaemia Visual acuity reduced Visual impairment 2 Optic neuritis 2 Eye pain 2 Pulmonary em  
bolism Poor venous access Troponin increased Cardiac ventricular disorder Brain natriuretic peptide increased Is  
chaemia Respiratory failure Escherichia urinary tract infection Epistaxis Disease recurrence Drug hypersensitivi  
ty Encephalitis 1 Asthenia Melaena Anaemia Gastritis Erosive oesophagitis Gastrointestinal haemorrhage Cerebrova  
scular accident 6 Type 2 diabetes mellitus 3 Glucose tolerance impaired 3 Cerebrovascular accident Coronary arte  
ry thrombosis Pulmonary thrombosis Type 2 diabetes mellitus 3 Epistaxis 6 Sneezing 6 Atrial fibrillation 6 Nause  
a Dehydration Cardiac arrest Abdominal pain Malignant melanoma in situ 1 Agranulocytosis Influenza Lymphopenia 1  
Syncope 1 Nasopharyngitis 1 Dementia Alzheimer's type 3 Central nervous system lesion 6 Vision blurred 3 Scratch  
3 Hypoaesthesia 2 Hypoaesthesia 2 Alopecia 6 Paraesthesia 3 Pruritus 3 Inappropriate schedule of drug administra  
tion 6 Disease progression Myocardial infarction 6 Metabolic acidosis Renal failure acute Rhabdomyolysis Enceph  
alopathy Propofol infusion syndrome Muscular weakness Muscular weakness Neurological symptom Nuclear magnetic res  
onance imaging abnormal Meningitis fungal 1 Injection site pain 6 Suspected transmission of an infectious agent  
via product 6 Disease progression Fall 6 Pain in extremity 6 Nerve injury 6 Tendon injury 6 Type 2 diabetes mell  
itus 3 Diverticular perforation 1 Abscess 1 Diverticulitis 1 Death Type 2 diabetes mellitus 6 Respiratory failur  
e 5 Off label use 6 Device dislocation Abdominal pain upper Nausea Vomiting Death 5 Diabetic ketoacidosis Trigem  
inal palsy 1 Device dislocation Vomiting 3 Pregnancy with contraceptive device 3 Nausea 3 Drug ineffective Genit  
al haemorrhage Abdominal pain lower Cyst Device deployment issue Asthenia 1 Rash pruritic 1 Hepatitis C RNA incr  
eased 6 Dysuria 1 Influenza like illness 1 Transfusion 1 Agranulocytosis 1 Pyrexia 1 Bone marrow failure 1 Pneum  
onia 1 Drug effect decreased Product substitution issue Meningitis fungal 1 Transmission of an infectious agent  
via product 6 Asthenia Vomiting Coma Meningitis fungal 1 Injection site pain 6 Injection site oedema 6 Transmiss  
ion of an infectious agent via product 6 Thrombosis 6 Fall 6 Haematoma 6 Investigation 1 Adverse event 1 Pulmona  
ry embolism 6 Cerebrovascular accident 6 Condition aggravated Product substitution issue Ovarian cyst Pain Loss  
of consciousness Hospitalisation Hospitalisation 6 Gait disturbance 6 Balance disorder 6 Hernia 6 Alopecia 6 Inj  
ection site pain 6 Suspected transmission of an infectious agent via product 6 Hypersensitivity vasculitis Neph  
ritic syndrome Haematuria Renal failure acute Renal failure chronic Nephrotic syndrome Pneumonia 1 Bronchitis 1 R  
ash Death 5 Convulsion 6 Hypokinesia 6 Skin necrosis 6 Decubitus ulcer 6 Multimorbidity 6 Bronchitis 1 Blood pot  
assium decreased 1 Hypophagia 6 Microangiopathic haemolytic anaemia Thrombotic microangiopathy Renal failure acu  
te Substance abuse Fluid overload 1 Hypersensitivity 1 Inflammation 6 Pruritus 6 Skin irritation 3 Application s  
ite swelling 3 Application site erythema 3 Product gel formation 3 Skin exfoliation 3 Application site pain 3 Pr  
uritus 3 Application site pain 3 Disturbance in attention 6 Application site erosion 3 Implant site infection De  
vice expulsion Pleural effusion 2 Fluid overload 3 Uterine perforation Abdominal pain General physical health de  
terioration Anxiety Anhedonia Infection Emotional distress Uterine fibrosis Pregnancy with contraceptive device  
Malaise Abortion spontaneous 6 Human chorionic gonadotropin decreased 6 Accident Migraine 3 Labelled drug-drug i  
nteraction medication error 3 Pathological fracture 5 Microangiopathic haemolytic anaemia Thrombotic microangiop  
athy Renal failure acute Drug abuse Polysubstance dependence Influenza like illness 1 Dehydration 1 Fall 2 Ankle  
fracture 2 Pyrexia Abdominal hernia 2 Condition aggravated 6 Decreased appetite 1 Weight decreased 1 Peritonitis  
1 Peritoneal dialysis complication 6 Pneumonia 5 Pneumothorax 6 Anaemia 6 Constipation 6 Gait disturbance Abnorm  
al behaviour Muscle spasticity Drug withdrawal syndrome Nervous system disorder Device dislocation Muscle tightn  
ess Device issue Malaise Hypertonia Scoliosis Rash papulosquamous Pyrexia Face oedema Rash pustular Blister Sple  
nomegaly Haemoglobin decreased Blood creatinine increased Dehydration 2 Herpes zoster 2 Confusional state 2 Bloo  
d glucose increased 2 Hypertension 2 Nausea 2 Vomiting 2 Septic shock 5 Drug ineffective Breast cancer Malignant  
neoplasm progression Pulmonary oedema 3 Viral infection 3 Pancreatitis 2 Haematemesis 1 Death 5 Off label use Su

rgery Stress fracture 6 Hernia 1 Paraesthesia 2 Cystitis 6 Kidney infection 6 Flushing 6 Acne 6 Contusion 6 Erythema 6 Swollen tongue 3 Urinary tract infection 6 Influenza 6 Alopecia 6 Cellulitis 1 Cauda equina syndrome Disease progression Urinary retention Partial seizures with secondary generalisation 1 Off label use 1 Pulmonary arterial hypertension 3 Hypertension 3 Renal artery stenosis 3 Exposure during pregnancy 1 Pneumonia 6 Genital haemorrhage Diarrhoea Dehydration Clostridium difficile infection Dehydration 1 Cerebrovascular accident 2 Aphasia 2 Atrial flutter 1 Dehydration 2 Vomiting 2 Cerebrovascular accident 1 Intestinal obstruction 1 Hydronephrosis 1 Injection site pain Injection site reaction Injection site nodule Incorrect route of drug administration No therapeutic response Infection 1 Pneumonia 1 Cognitive disorder 6 Myocardial infarction 6 Cardiac failure congestive 6 Atrial fibrillation 6 Gastric disorder 2 Cardiac failure congestive Mitral valve incompetence Tricuspid valve incompetence Diabetes mellitus inadequate control 2 Hyperglycaemia 6 Pneumonia 1 Pulmonary oedema 2 Hypertensive crisis 1 Anaphylactic reaction Pyrexia Muscle rigidity Swollen tongue 2 Dyspepsia 6 Procedural pain 6 Peritonitis 6 Addison's disease 3 Renal failure 6 Adrenal insufficiency 3 Asthenia 3 Fatigue 3 Hypotension 3 Alopecia 3 Cardiac failure congestive 6 Anaemia 1 Gastrointestinal haemorrhage 1 Gastritis 2 Chest pain 1 Nephrolithiasis 6 Bacterial infection 6 Pneumonia 1 Hypersensitivity 1 Influenza 1 Oral herpes 1 Non-alcoholic steatohepatitis 3 Nephrogenic systemic fibrosis 3 Investigation 6 Hernia 1 Inguinal hernia 1 Hydrocele 1 Cardiac operation 6 Gastric haemorrhage Breast cancer metastatic 3 Nasopharyngitis 3 Drug hypersensitivity 6 Hypersensitivity Infection Tongue ulceration Body temperature increased Swelling face Chills Gingival pain Oedema mouth Tongue ulceration Malaise Lip ulceration Lip swelling Swollen tongue Anaphylactoid reaction 6 Drug dispensing error 6 International normalised ratio decreased Drug interaction Drug interaction Vitamin K deficiency Pneumonia 6 Cardiac disorder 6 Death 5 Ill-defined disorder 6 Pneumonia 6 Muscle spasms 6 Presyncope 6 Blindness 6 Chronic respiratory failure 6 Dyspnoea 6 Death 5 Pneumonia Cardiac failure congestive 6 Diabetes mellitus 6 Rheumatoid arthritis 6 Hypertension 6 Anaemia 6 Osteoarthritis 6 Coronary artery disease 6 Fall 1 Wrist fracture 2 Adverse event 6 Overdose 2 Coma scale abnormal 2 Heart rate decreased 2 Blood pressure systolic decreased 1 Metabolic acidosis 6 Breast cancer 3 Cardiac failure Coronary artery disease Pneumonia aspiration 5 Aspiration 6 Hypoxia 6 Respiratory failure 6 Multi-organ failure 6 Oxygen supplementation 6 Pneumonia 6 Diarrhoea 2 Fatigue 6 Dehydration 6 Asthenia 6 Hypokalaemia 6 Alopecia 6 Fluid replacement 6 Weight decreased 6 Decreased appetite 6 Cough 6 Nausea 6 Vomiting 6 Pertussis 1 Cough 1 Dyspnoea 1 Erythema 1 Cyanosis 1 Post procedural infection 6 Blood pressure increased 2 Diabetic gangrene 1 Adverse event 6 Adverse event 6 Peritoneal dialysis complication 1 Drug hypersensitivity 1 Death 5 Abnormal behaviour Myocardial infarction 6 Seroma 1 Infection 1 Pain 4 Eye disorder 6 Loss of consciousness 1 Fall 6 Headache 1 Eye infection 6 Unevaluable event 3 Aplastic anaemia 6 Myelodysplastic syndrome 6 Unevaluable event 3 Myocardial infarction 5 Heart valve incompetence 2 Peripheral swelling 2 Thrombocytopenia 1 Drug hypersensitivity Drug reaction with eosinophilia and systemic symptoms Death 5 Fungal peritonitis 6 Peritoneal dialysis complication 1 Myocardial infarction 5 Sepsis 2 Incision site infection 2 Enterococcal infection 2 Toxic skin eruption 2 Eczema 2 Alopecia 6 Rash generalised 2 Depression 6 Pruritus generalised 1 Generalised erythema 2 Exposure during pregnancy 6 Product quality issue 6 Blood glucose increased 6 Blood creatinine decreased 6 Renal pain 1 Nausea 6 Conversion disorder 6 Protein total decreased 6 Insomnia 2 Exposure during pregnancy 6 Abasia 2 Nervous system disorder 2 Hypoaesthesia 2 Hypoaesthesia 2 Muscular weakness 2 Gait disturbance 2 Hernia 1 Gastrointestinal haemorrhage 6 Drug interaction 6 Thrombosis Off label use Heparin-induced thrombocytopenia Macroglossia 1 Wheezing 1 Oxygen saturation decreased 1 Transient ischaemic attack 1 Interstitial lung disease 1 Asthenia 6 Abnormal behaviour 3 Impulse-control disorder 3 Stereotypy 1 Anxiety 6 Psychomotor hyperactivity 3 Ageusia 6 Hyposmia 6 Altered state of consciousness 6 Encephalitis viral 6 Throat tightness 6 Influenza 6 Migraine 6 Nausea 6 Diarrhoea 6 Influenza like illness 6 Adverse drug reaction 6 Chills 6 Immunoglobulins decreased 6 Malaise 6 Sinus disorder 6 Respiratory disorder 6 Stevens-Johnson syndrome 2 Stomatitis necrotising 6 Bronchopneumonia 2 Erythema multiforme 6 Oral mucosal blistering 2 Swelling face 2 Pyrexia 2 Cough 2 Oropharyngeal pain 2 Vomiting 2 Erythema 2 Lip swelling 2 Cheilitis 2 Lip haemorrhage 2 Oral mucosa erosion 2 Mouth haemorrhage 2 Tongue blistering 2 Penile ulceration 2 Hypophagia 2 Enteral nutrition 2 Lip erosion 3 Dermatitis 6 Blister 2 Mucous membrane disorder 2 Tongue coated 6 Scab 6 Skin degenerative disorder 6 Dysgeusia 6 Hepatocellular injury 5 Hepatitis 5 Stevens-Johnson syndrome 3 Toxic epidermal necrolysis 6 Rash 6 Skin exfoliation 6 Gastrointestinal mucosal exfoliation 6 Oral mucosal exfoliation 6 Pyrexia 6 Off label use 6 Multi-organ failure 5 Atrial flutter 1 Overdose 1 Angle closure glaucoma Angle closure glaucoma Loss of consciousness 2 Psychomotor hyperactivity 2 Intentional overdose 2 Neoplasm malignant 5 Anaphylactic shock 6 Flushing Dizziness Pruritus Rash Blood pressure diastolic decreased Dyskinesia Eye movement disorder Urinary incontinence Faecal incontinence Pulse absent Infusion related reaction Loss of consciousness Febrile neutropenia Unevaluable event Blood albumin decreased 5 Protein total decreased 5 Failure to thrive 5 Decubitus ulcer 2 Dyspepsia 6 Aphagia 6 Dyspnoea 2 Stomatitis 6 Hepatitis C 1 Neurotoxicity 3 Visual acuity reduced 3 Burning sensation 1 Rales 1 Dyspnoea 1 Respiratory disorder 1 Condition aggravated 6 Disease progression 5 Jaundice 6 Portal vein occlusion 6 Oedema peripheral 2 Rash maculo-papular 2 Erysipelas 2 Varicose vein 2 Urticaria 2 Neonatal respiratory distress syndrome 1 Restlessness 6 Foetal exposure during pregnancy 6 Urinary tract infection 2 Pneumonia 1 Sepsis 6 Infected skin ulcer 2 Cellulitis 2 Subcutaneous abscess 2 Staphylococcal infection 2 Hypotension 6 Gastric infection 5 Gastrointestinal haemorrhage 6 Gastrointestinal infection 6 Liver disorder 1 Feeding disorder neonatal 1 Hydrocele 6 Crying 2 Hypotonia 2 Foetal exposure during pregnancy 6 Exposure during breast feeding 6 Cardiac failure congestive 3 Gastrointestinal haemorrhage 6 Haemorrhoidal haemorrhage 6 Gait disturbance 6 Dehydration 3 Systemic inflammatory response syndrome 3 Renal failure acute 3 Multi-organ failure 5 Nephrogenic systemic fibrosis 3 Peritonitis bacterial 2 Asthenia Mental status changes Cerebrovascular accident Cardiac disorder 6 Arterial disorder 6 Peritonitis 1 Gastroenteritis viral 1 Anaphylactic shock Anaphylactic reaction Cardio-respiratory arrest Hyperkalaemia 1 Dysgeusia 3 Haematuria 6 Pyrexia 6 Myalgia 6 Urinary tract infection 6 Type 2 diabetes mellitus 3 Aphasia Fanconi syndrome Renal tubular acidosis Electrolyte imbalance Condition aggravated Secondary progressive multiple sclerosis 6 Intestinal perforation 2 Irritable bowel syndrome 2 Asthma 2 Peritoneal effluent abnormal 2 Peritonitis 2 Dehydration 2 Constipation 2 Seborrhoeic dermatitis 3 Scar 3 Gastrointestinal motility disorder 2 Muscular weakness 6 Acne 2 Constipation 6 Urinary tract infection 6 Pollakiuria 2 Temperature intolerance 3 Gait disturbance 6 Urinary retention 2 Vitamin D deficiency 6 Furuncle 2 Paraesthesia 6 Pain 3 Hepatic enzyme increased 1 Drug dose omission 6 Abdominal discomfort 3 Feeling hot 3 Dysuria 2 Asthenia 2 Multiple sclerosis relapse 6 Blood alkaline phosphatase increased 6 Diabetic neuropathy 3 Type 2 diabetes mellitus 3 Methaemoglobinemia Pneumonia 1 Type 2 diabetes mellitus 6 Convulsion 1 Drug abuse 1 Gastrointestinal haemorrhage 6 Drug interaction 6 Pneumocystis jirovecii infection Lymphopenia Dyspnoea Feeling abnormal Breast disorder female Staphylococcal infection 2 Cellulitis 2 Type 2 diabetes mellitus 6 Abdominal wall haemorrhage 1 Abdominal pain 1 Abortion spontaneous 1 Abdominal pain 1 Breast disorder Type 2 diabetes mellitus 3 Hypothyroidism 3 Type 2 diabetes mellitus 3 Drug ineffective 6 Torticollis Renal disorder 3 Type 2 diabetes mellitus 3 Nephrolithiasis 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Pneumonia Septic shock Acute respiratory distress syndrome Drug ineffective Type 2 diabetes mellitus 6 Drug dispensing error Drug prescribing error Wrong drug administered Dizziness Asthenia Hypoaesthesia Heart rate increased Mental status changes Blood potassium decreased Blood glucose decreased Local swelling 2 Musculoskeletal stiffness 6 Peripheral coldness 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Respiratory depression Oxygen saturation decreased Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Epistaxis 6 Drug interaction 6 Gas

st gastrointestinal haemorrhage 6 Dehydration Pneumonia 5 Multi-organ failure 5 Type 2 diabetes mellitus 3 Cerebrovascular accident 3 Convulsion 1 Nephropathy toxic 1 Haemorrhage 6 Drug interaction 6 Completed suicide Intentional product misuse Seizure like phenomena 1 Fatigue 3 Muscle spasms 3 Type 2 diabetes mellitus 3 Neuropathy peripheral 3 Local swelling 3 Fatigue 3 Gait disturbance 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Diabetic neuropathy 3 Impaired driving ability 6 Diabetic vascular disorder 3 Type 2 diabetes mellitus 3 Visual impairment 3 Type 2 diabetes mellitus 3 Transfusion 3 Arrhythmia 6 Type 2 diabetes mellitus 6 Central nervous system lesion 6 Urinary retention 3 Wound dehiscence 3 Myelodysplastic syndrome 5 Benign breast neoplasm 3 Prescribed and overdose 6 Peritonitis bacterial 3 Lipid metabolism disorder 6 Fluid retention 6 Diabetic vascular disorder 6 Diabetic complication 6 Abdominal pain upper 6 Neuralgia 6 Cardiovascular disorder 6 Type 2 diabetes mellitus 3 Asthma 3 Haemoptysis 1 Pneumonia aspiration 1 Anaemia 2 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Rectal haemorrhage 6 Drug interaction 6 Gamma-glutamyltransferase increased 2 Aspartate aminotransferase increased 2 Alanine aminotransferase increased 2 Blood alkaline phosphatase increased 2 Type 2 diabetes mellitus 3 Arterial disorder 6 Chest pain 6 Type 2 diabetes mellitus 3 Glucose tolerance impaired 6 Diarrhoea 6 Nausea 6 Abdominal pain 6 Vomiting 6 Type 2 diabetes mellitus 6 Blindness 6 Neuropathy peripheral 6 Glucose tolerance impaired 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Neuropathy peripheral 3 Type 2 diabetes mellitus 3 Hypersensitivity 1 Atrial fibrillation 6 Type 2 diabetes mellitus 3 Death 5 Type 2 diabetes mellitus 3 Gastrointestinal haemorrhage 6 Drug interaction 6 Type 2 diabetes mellitus 3 Cerebrovascular accident 6 Pulmonary thrombosis 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Aphagia 3 Haematochezia 3 Eructation 3 Appetite disorder Nausea 3 Food aversion 3 Abdominal pain upper 1 Type 2 diabetes mellitus 6 Oedema 3 Type 2 diabetes mellitus 6 Haematemeses 6 Hyperpyrexia 6 Melaena 6 Sepsis 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Death 5 Cholecystitis 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Abdominal pain upper 4 Sneezing 4 Rhinorrhoea 4 Nausea 4 Dyspepsia 4 Diarrhoea 4 Pain 4 Product packaging quantity issue Drug administered at inappropriate site Weight increased 3 Type 2 diabetes mellitus 3 Bone infarction 6 Dysgeusia Accidental exposure to product Analgesic asthma syndrome 1 Wheezing 1 Cough 1 Rhinorrhoea 1 Chest discomfort 1 Nasal congestion 1 Angioedema 1 Erythema 1 Nasal congestion 1 Disease progression Off label use Castleman's disease Drug ineffective Incorrect dose administered Product quality issue Application site vesicles Application site scar Skin cancer 6 Weight decreased 6 Diarrhoea 6 Convulsion 6 Drug hypersensitivity 6 Headache 6 Type 2 diabetes mellitus 6 Peripheral swelling 1 Incorrect drug administration duration Product packaging quantity issue Respiratory distress 1 Drug hypersensitivity Death 5 Application site dryness Application site vesicles Application site erythema Drug ineffective Inappropriate schedule of drug administration Drug ineffective 6 Peripheral swelling 6 Fluid retention 1 Application site dryness Application site reaction Application site pain Application site erythema Application site pain Drug administration error Fall 1 Rib fracture 1 Facial bones fracture 1 Throat tightness 6 Hypersensitivity 6 Swollen tongue 6 Drug ineffective Application site erythema Application site vesicles Headache Incorrect product storage Cardiac ablation Medical device implantation Dermatitis contact Unevaluable event Application site pain Application site dryness Cardiac failure congestive 6 Peripheral swelling 6 Death 5 Nausea 6 Blood count abnormal 6 Cardiac disorder 6 Myocardial infarction 2 Atrial fibrillation 6 Chest discomfort 6 Dyspnoea 6 Asthenia 4 Malaise 6 Urinary incontinence 2 Abdominal pain upper 6 Swelling 6 Drug interaction Blood potassium decreased Palpitations Feeling cold Hypoaesthesia Thinking abnormal Headache Swelling 6 Pathogen resistance 6 Infection 6 Malaise 6 Lower respiratory tract infection 6 Diabetes mellitus 6 Overweight 6 Differential white blood cell count abnormal 6 Eosinophil count increased 1 White blood cell count increased 1 Neutrophil count increased 1 Platelet count increased 6 Brain injury Dizziness Vomiting Cognitive disorder Mental disorder 3 Anxiety 3 Depression 3 Panic attack 3 Condition aggravated 3 Drug ineffective 6 Nephrolithiasis Gastric ulcer Gout Chromaturia No therapeutic response 6 Deafness 3 Tinnitus Deafness 3 No therapeutic response 3 Dyspnoea 6 Palpitations 6 Dyspnoea exertional 6 Fluid retention 6 Cough 6 Fluid retention 6 Asthma 5 Intentional drug misuse 5 Application site vesicles Application site erythema Application site pain Incorrect drug administration duration Dehydration 1 Febrile neutropenia 1 Death 5 Bundle branch block right 6 Sinus bradycardia 6 Off label use 6 Arterial occlusive disease 6 Blood glucose increased 6 Pneumonia 1 Loss of consciousness 6 Malaise 6 Diarrhoea 6 Blood glucose increased 6 Injection site nodule 6 Injection site pruritus 6 Injection site extravasation 6 Wrong technique in drug usage process 6 Urticaria 6 Hypersensitivity 6 Pancreatitis 6 Cardiac aneurysm 6 Blood glucose increased 1 Weight decreased 6 Decreased appetite 6 Application site erythema Incorrect drug administration duration Bladder neoplasm 6 Toxicity to various agents 6 Angioedema 6 Hypersensitivity 6 Dyspnoea 1 Granulomatosis with polyangiitis 6 Immunodeficiency 6 Malaise 6 Tinnitus 6 Metastases to central nervous system 6 Oedema peripheral 3 Condition aggravated 3 No therapeutic response 3 Application site rash Application site pain Application site erythema Application site scab Drug administered at inappropriate site Cardiac failure congestive 6 Oedema 6 Gallbladder disorder 1 Condition aggravated 1 Blister 6 Quality of life decreased 6 Rib fracture 6 Performance status decreased 6 Gait disturbance 6 Malnutrition 6 Pain 3 Fall 6 Portal vein thrombosis 5 Hepatorenal syndrome 6 Hepatic encephalopathy 6 Hypoglycaemia 1 Disorientation 1 Somnolence 1 Drug interaction 6 Nephrogenic systemic fibrosis 3 Pancytopenia 5 Application site erythema Application site pain Application site swelling Drug dispensing error Drug dispensing error Incorrect dose administered Anaphylactic shock 1 Platelet count decreased 6 White blood cell count increased 6 Kidney duplex 3 Neonatal respiratory distress syndrome 1 Sudden death 5 Basal cell carcinoma 6 Febrile neutropenia 1 Renal pain 3 Eye swelling 1 Eye discharge 1 Epistaxis 1 Vision blurred 3 Upper-airway cough syndrome 3 Nasopharyngitis 3 Nausea 3 Drug effect incomplete 3 Muscular weakness 6 Malnutrition 5 Abortion spontaneous Pregnancy Maternal exposure during pregnancy Pancreatic carcinoma 5 Pulmonary embolism 6 Transfusion 6 Bone pain 6 Pulmonary fibrosis 5 Pancreatic carcinoma 5 Respiratory failure 5 Stridor 5 Cardiovascular disorder 6 Respiratory disorder 6 General physical health deterioration 6 Chest discomfort 6 Drug ineffective 6 Intestinal perforation 2 Asthma 6 Pneumonia 6 Paranoia 6 Rectal haemorrhage 6 Neuropathy peripheral 6 Oropharyngeal pain 6 Stomatitis 6 Pyrexia 6 Intracranial pressure increased 6 Vomiting 6 Abdominal pain 6 Nausea 6 Papilloedema 6 Weight increased 6 Somnolence 6 Extradural abscess 6 Staphylococcal abscess 6 Blood creatine phosphokinase increased 6 Blood potassium decreased 6 Musculoskeletal pain 6 Diabetes mellitus 6 Amnesia 6 Type 2 diabetes mellitus 3 Thyroid cancer 6 Type 2 diabetes mellitus 6 Cardiac arrest 5 Myocardial infarction 5 White blood cell count increased 6 Neutrophil count increased 6 Application site pustules Inappropriate schedule of drug administration Drug administration error Eosinophilia 6 Pneumothorax 6 Lower respiratory tract infection 6 Rheumatoid arthritis 6 Sepsis 1 Pyrexia 2 Escherichia test positive 2 Klebsiella test positive 2 Organ failure 5 Aphagia 6 Gastrointestinal disorder 6 Arthropathy 6 Pituitary tumour removal 6 Gastroenteritis viral 4 Diarrhoea 4 Headache 4 Cardiac disorder 3 Palpitations 2 Incorrect drug administration duration Product packaging quantity issue Hospitalisation 6 Fatigue 6 Flatulence 6 Abdominal distension 3 Weight increased 6 Embedded device 6 Device breakage 6 Type 2 diabetes mellitus 6 Cardiac failure 5 Cardiac procedure complication 5 Cardiac disorder 3 Swelling face 6 Oral candidiasis 3 Glossodynia 3 Pharyngitis 3 Dry mouth 3 Ageusia 3 C-reactive protein increased 6 Red blood cell sedimentation rate increased 6 Diarrhoea 3 Diarrhoea 1 Clostridium difficile infection 1 Rash 3 Anal skin tags 1 Influenza 1 Off label use 3 Haemorrhage 5 Off label use 6 General physical health deterioration 5 Application site swelling Application site pruritus Syncope 1 Asthenia 6 Electrocardiogram ST segment abnormal 6 Subdural haematoma 6 Nausea 1 Vomiting 1 Overdose 1 Anxiety 3 Palpitations 2 Hypoaesthesia 3 Paraesthesia 3 Decreased a

ppetite 6 Death 5 Basal ganglia haemorrhage 2 Blood pressure systolic increased 2 Subdural haemorrhage 5 Brain stem haemorrhage 5 Haematemesis 6 Apnoea 6 Basal ganglia haemorrhage 6 Demyelination 6 Cerebral amyloid angiopathy 6 Brain death 5 Cerebral haemorrhage 5 Muscular weakness 5 Arthritis 6 Haemoglobin decreased 6 Incorrect dose administered 6 Coagulation time prolonged 6 Gastrointestinal haemorrhage 2 Haemoglobin decreased 2 Incorrect dose administered 6 Lung neoplasm malignant 6 Thrombosis 6 Pulmonary thrombosis 6 Mental status changes 3 Amnesia 3 Encephalitis autoimmune 3 Depression 6 Oral candidiasis 2 Diverticulitis 6 Therapeutic response decreased 6 Hypercalcaemia 6 Haemoglobin decreased 6 Fatigue 6 Bone pain 6 Death 5 Abdominal pain 6 Hypotension 6 Blood pressure increased 6 Bone cancer 6 Second primary malignancy 6 Pulmonary oedema 6 Back pain 6 Hypokinesia 6 Terminal state 6 Musculoskeletal pain 6 Fistula 6 Frequent bowel movements 6 Arterial occlusive disease 6 Appendicitis 1 Drug effect decreased 6 Neutropenia 1 Hyperammonaemia 6 Pneumonia 1 Restlessness 6 Abnormal behaviour 6 Eosinophilia 6 Drug ineffective 6 Intentional self-injury 6 Eating disorder 6 Insomnia 6 Leukopenia 1 Psychiatric symptom 6 Pyrexia 1 Cough 6 Oropharyngeal pain 6 Sinus tachycardia 6 Palpitations 6 Drug withdrawal syndrome 6 Product packaging quantity issue 6 Feeling hot 3 Pain 3 Drug dose omission 6 Therapeutic response decreased 6 Pneumonia 3 Metastasis 5 Prostate cancer 5 Pinealoblastoma 3 Respiratory tract infection viral 1 Spinal fracture 6 Drug ineffective 6 Application site exfoliation Cardiac arrest 5 Tachyarrhythmia 5 Toxic epidermal necrolysis 2 Purpura 6 Blisters 2 Pyrexia 6 Skin erosion 2 Nikolsky's sign 2 Skin lesion 2 Azotaemia 6 Leukopenia 6 Conjunctivitis 6 Pulmonary sepsis 6 Skin exfoliation 6 Inflammation 6 General physical health deterioration 6 Hyperglycaemia 6 Wound healing normal 6 Renal failure 6 Breast cancer stage IV 5 Macroglossia 1 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Transient ischaemic attack 5 Gastrointestinal haemorrhage 5 Haemorrhage intracranial 1 Cerebral thrombosis 2 Pleural effusion 6 Incorrect dose administered 6 Enterocolitis bacterial 1 Haemorrhage 1 Hospitalisation 6 Erythema 2 Somnolence 2 Off label use 2 Type 2 diabetes mellitus 3 Muscle spasms 3 Neuropathy peripheral 6 Decreased appetite 6 Nausea 6 Neutropenia 6 Diarrhoea 6 Hyperglycaemia 6 Thrombocytopenia 6 Intestinal ischaemia 5 Mucosal inflammation 6 Vomiting 6 Anaemia 6 Infection 6 Deep vein thrombosis 6 Renal disorder 6 Disease progression 6 Liver disorder 6 Cerebrovascular accident 6 Depression 6 Rash 6 Creatinine renal clearance decreased 6 HELLP syndrome 1 Exposure during pregnancy 1 Basal cell carcinoma 6 Back pain 1 Chills 1 Abdominal distension 1 Infusion related reaction 1 Pregnancy with contraceptive device 6 Drug ineffective 6 Device dislocation 6 Psoriatic arthropathy 6 Off label use 6 Respiratory tract infection 5 Alopecia areata 3 Alopecia 3 Fall 3 Uveitis 6 Anaemia 6 Intestinal adenocarcinoma 1 Anaemia 6 Foetal cardiac disorder 6 Off label use 6 Metabolic acidosis 2 Pulmonary oedema 7 Vomiting 2 Blood creatinine increased 2 Visual impairment 3 Type 2 diabetes mellitus 3 Neuropathy peripheral 3 Hallucination 1 Arrhythmia 1 Heart rate irregular 3 Hot flush 3 Palpitations 3 Vision blurred 1 Malaise 3 Headache 3 Hyperhidrosis 3 Drug abuse 2 Hypokalaemia 2 Oedema peripheral 2 Renal failure acute 2 Overdose 2 Hypoxic-ischaemic encephalopathy 6 Loss of consciousness 4 Pain 1 Cough 6 Dyspnoea 6 Hot flush 6 Fatigue 3 Weight decreased 3 Depressed mood 6 Fall 6 Lower respiratory tract infection 6 Productive cough 6 Lung disorder 6 Sleep disorder 6 Tremor 3 Wheezing 6 Malaise 6 Decreased appetite 6 Cerebral haemorrhage 5 Fall 5 Decubitus ulcer 5 Acetabulum fracture 5 Platelet count decreased 6 Haemoglobin decreased 6 C-reactive protein increased 6 Prothrombin time prolonged 6 Blood creatinine increased 6 Type 2 diabetes mellitus 3 Skin lesion 3 Purulent discharge 3 Type 2 diabetes mellitus 6 Diabetic neuropathy 3 Type 2 diabetes mellitus 3 Adverse event 6 Opportunistic infection 6 Double stranded DNA antibody positive 6 Neoplasm malignant 6 Infection 6 Autoimmune disorder 6 Antinuclear antibody positive 6 Autoantibody positive 6 Cataract 6 Hepatic pain 6 Malaise 6 Abdominal adhesions 2 Diarrhoea 2 Carcinoid syndrome 6 Pleural effusion 6 Metastases to liver 6 Oedema 6 Sciatic nerve injury 6 Injection site haematoma 6 Injection site haemorrhage 3 Feeling abnormal 6 Cough 6 Tachycardia 6 Platelet count decreased 6 Erythema 6 Dyspnoea 6 Metastases to peritoneum 3 Glaucoma 6 Body temperature decreased 6 Pain in extremity 6 Gait disturbance 6 Inappropriate schedule of product administration 6 Intestinal obstruction 2 Confusional state 3 Blood pressure increased 6 Petechiae 6 Injection site oedema 6 Needle issue 6 Pulmonary embolism 6 Back pain 6 Neuroendocrine tumour 3 Arthralgia 6 Sinusitis 6 Oedema peripheral 6 Fatigue 6 Injection site pain 6 Atrial fibrillation 6 Cardiac failure 6 Weight decreased 6 Piloerection 6 Skin disorder 6 Incorrect dose administered 6 Contusion 6 Dizziness 6 Loss of consciousness 6 Arrhythmia 6 Blood pressure decreased 6 Decreased appetite 3 Malignant neoplasm progression 6 Neck mass 6 Blood pressure systolic increased 6 Anaemia 3 Heart rate decreased 6 Fall 6 Nausea 6 Hypersensitivity 6 Urticaria 6 Constipation 6 Ventricular tachycardia 4 Acute hepatic failure 4 Renal failure acute 4 Convulsion 4 Toxicity to various agents 6 Intentional overdose 6 Dyspnoea 6 Acidosis 6 Fluid overload 3 Drug ineffective 6 Ataxia 6 Somnolence 6 Orthostatic hypotension 6 Diplopia 6 Arrhythmia 3 Hearing impaired 3 Obsessive thoughts 6 Asthenia 3 Nausea 3 Vomiting 3 Decreased appetite 3 Blood electrolytes abnormal 3 Renal disorder 3 Oesophageal ulcer 2 Ovarian germ cell cancer stage II 6 Amenorrhoea 6 Weight increased 6 Galactorrhoea 6 Tremor 6 Muscular weakness 6 Agitation 6 Dyspnoea 6 Blood prolactin increased 6 Palpitations 6 Aggression 6 Dyskinesia 6 Hyperhidrosis 6 Abdominal pain 6 Dysuria 6 Swelling 6 Muscle spasms 6 Breast enlargement 6 Fatigue 6 Renal failure acute 1 Patent ductus arteriosus 4 Haemangioma congenital 6 Atrial septal defect 3 Exposure during pregnancy 1 Drug ineffective 1 Death 5 Adverse event 6 Plasma cell myeloma 6 Anal abscess 2 Infection 2 Proctalgia 2 Erythema 2 Haemorrhoids 2 Asthenia 3 Pyrexia 3 Vomiting 6 Fatigue 3 Nausea 6 Diarrhoea 6 Cerebrovascular accident 6 Obsessive-compulsive disorder 6 Pathological gambling 6 Renal failure 6 Hypotension 6 Unevaluable event 6 Acute myeloid leukaemia 6 Urticaria 2 Bronchospasm 2 Bromhidrosis 1 Electrocardiogram QT prolonged 1 Cardiac disorder 5 Blister 5 Paraplegia 6 Cerebrovascular accident 6 Weight increased 2 Withdrawal syndrome 6 Drug abuse 1 Intentional self-injury 1 Sopor 1 Overdose 1 Cardiotoxicity 6 Depressed level of consciousness 6 Atrial flutter 6 Hypoxia 6 Drug interaction 6 Fluid overload Syncope Neuropathy peripheral Death 5 Oedema 1 Dizziness 1 Dizziness 1 Erythema 2 Sopor 2 Off label use 2 Hepatocellular injury 1 Cholestasis 1 Disease progression 6 Central nervous system lesion 6 Drug dose omission 6 Malaise 1 Pyrexia 1 Rash generalised 1 Headache 1 Sinusitis 6 Acute psychosis 2 Drug interaction 2 Grand mal convulsion 1 Oedema 1 Embedded device 3 Dysmenorrhoea 6 Vaginal haemorrhage 6 Device breakage 3 Infective pulmonary exacerbation of cystic fibrosis 1 Syncope Fluid overload Oedema 1 Dyspnoea 3 Myalgia 3 Dysgeusia 3 Nausea 3 Diarrhoea 3 Insomnia 3 Asthenia 3 Hyperhidrosis 3 Activities of daily living impaired 6 General physical health deterioration 6 Surgery 6 Retinal toxicity 6 Tooth disorder 6 Retinopathy 6 Therapeutic product ineffective 6 Nephrocalcinosis 6 Renal tubular acidosis 2 Drug abuse 6 Blindness transient 1 Vision blurred 1 Visual impairment 1 Vitreous floaters 1 Formication 2 Presyncope 2 Vertigo 2 Orthostatic hypotension 6 Loss of consciousness 2 Anaphylactic reaction Pruritus Cough Wheezing Refusal of treatment by patient Headache 6 Fluid retention 6 Oedema peripheral 6 Sinusitis 6 Paraesthesia 3 Asthenia 3 Deafness 3 Feeling abnormal 6 Burning sensation 3 Lethargy 3 Pain 1 Amnesia 3 Muscular weakness 3 Hypoaesthesia 3 Nasal congestion 6 Peripheral swelling 6 Hypomagnesaemia 1 Drug interaction 6 Fluid retention 6 Accident 3 Peripheral swelling 1 Weight decreased 6 Oedema 1 Right ventricular failure 2 Oedema 2 Dysphemia 6 Paraesthesia 6 Unevaluable event 6 Fall 6 Loss of consciousness 2 Dizziness 6 Device failure 6 Hepatic function abnormal 6 Myopathy 6 Dyspnoea 6 Malaise 6 Hypopnoea 6 Death 5 Cerebrovascular accident 2 Drug ineffective 6 Generalised tonic-clonic seizure 6 Status epilepticus 6 Convulsion 6 Aortic dissection Acne 6 Aggression 6 Palpitations 6 Fatigue 6 Nausea 6 Fluid retention 1 Hepatic failure 5 Hepatitis B 6 Vertigo 6 Death 5 Oesophageal carcinoma 5 Varicella 6 Hypersensitivity 6 Type 2 diabetes mellitus 3 Cataract 6 Amnesia 6 Incontinence 6 Dysstasia 6 Lethargy 6 Headache 6 Application site vesicles Type 2 diabetes mellitus 3 Burning sensation 3 Fluid retention 6 Hyponatraemia 1 Confusional state 1 Leukocytosis 2 Incorrect drug administration duration 6 Gastrointestinal haemorrhage 1 Gastric ulcer 1 Duodena

1 ulcer 1 Application site vesicles Application site pain Application site swelling Application site pain Application site exfoliation Drug administered at inappropriate site Type 2 diabetes mellitus 1 Gait disturbance 1 Hypoaesthesia 1 Hypersomnia 1 Feeling abnormal 1 Laboratory test abnormal 1 Unevaluable event 1 Fatigue 1 Fluid retention 6 Contusion 6 Discomfort 6 Fatigue 6 Application site erythema Application site pain Application site scar Application site swelling Drug administration error Hypokalaemia 3 Neutrophil count decreased 3 Hypophosphataemia 2 Abortion spontaneous 6 Abdominal injury 6 Maternal exposure during pregnancy 1 Atrial fibrillation 6 Dyspnoea 1 Pyrexia 1 Chest pain 3 Sinus tachycardia 6 Pneumonitis 6 Febrile neutropenia 6 Subdural haematoma 2 Dental caries 6 Ecchymosis 6 Dysphagia 6 Osteoporosis 6 Alopecia 6 Dementia Alzheimer's type 6 Osteopenia 6 Hearing impaired 6 Skin wrinkling 6 Fall 6 Malignant neoplasm progression 5 Pulmonary embolism 5 Drug hypersensitivity Angioedema Application site erythema Application site pain Application site swelling Application site exfoliation Application site vesicles Application site discharge Asthenia 2 Neutropenia 1 Pulmonary alveolar haemorrhage 6 Respiratory failure 6 Epistaxis 6 Rectal haemorrhage 6 Haemospermia 6 Haemorrhage 6 Epiglottic oedema 1 Face oedema 1 Tongue oedema 1 Rash 1 Diarrhoea 1 Colitis microscopic 6 Weight decreased 6 Drug administered at inappropriate site No adverse event Type 2 diabetes mellitus 3 Drug ineffective 6 Gastroesophageal reflux disease 6 Dyspnoea 6 Fatigue 6 Deep vein thrombosis 1 Drug ineffective 6 Type 2 diabetes mellitus 6 Application site erythema Application site pain Application site swelling Application site vesicles Drug administered at inappropriate site Incorrect drug administration duration Pulmonary arterial hypertension 5 Condition aggravated 5 Death 5 Neutropenia 3 Anaemia 1 Pancytopenia 6 Thrombocytopenia 3 Metabolic acidosis 6 Tachycardia 1 Vomiting 1 Application site pain Application site erythema Application site pain Application site swelling Incorrect drug administration duration Death 5 Myocardial infarction 5 Thrombosis in device 6 Deep vein thrombosis 5 Pulmonary embolism 5 Off label use Drug administration error Incorrect drug administration duration Decreased appetite 6 Pulmonary embolism 3 Hypercalcaemia 6 Leukocytosis 6 Pulmonary embolism 4 Neoplasm progression 5 Abdominal pain 5 Hypertension 2 Suicidal ideation 6 Agitation 6 Weight increased 6 Ovarian cyst 6 Sepsis 6 Coccidioidomycosis 6 Pneumonia pseudomonal 6 Pancreatitis 6 Drug dose omission 6 Hepatomegaly 6 Liver function test abnormal 6 Hepatic failure 5 Palmar-plantar erythrodysesthesia syndrome 2 Injury corneal 1 Product packaging issue 1 Expired product administered 1 Drug ineffective 6 Meniscus injury 6 Surgery 6 Surgery 6 Prostatectomy 6 Injection site pain 3 Fear 6 Incorrect dose administered 6 Incorrect dose administered 6 Incorrect dose administered 6 Incorrect dose administered 6 Nervousness 6 Wrong technique in drug usage process 6 Arthralgia 6 Musculoskeletal pain 6 Pain 6 Wrong technique in drug usage process 6 Wrong technique in drug usage process 6 Wrong technique in drug usage process 6 Wrong technique in drug usage process 6 Device issue 6 Device issue 6 Device issue 6 Wrong technique in drug usage process 6 Incorrect dose administered 6 Device issue 6 Injection site pain 6 Application site vesicles Application site erythema Application site exfoliation Erythema Incorrect dose administered Multiple chemical sensitivity 3 Dry mouth 3 Nasal dryness 3 Disturbance in attention 3 Dry eye 3 Dizziness 3 Disorientation 3 Tension 3 Obsessive-compulsive disorder 3 Tinnitus 3 Sleep disorder 3 Malaise 3 Hypertension 3 Hepatocellular injury 6 Liver disorder 6 Skin burning sensation 1 Fatigue 6 Malaise 6 Acute kidney injury 5 Toxicity to various agents 5 Lactic acidosis 5 Application site erythema Application site exfoliation Incorrect drug administration duration Drug administered at inappropriate site Suicidal ideation 6 Depersonalisation 6 Tremor 6 Heart rate increased 6 Mania 6 Aggression 6 Performance status decreased 6 Abnormal behaviour 6 Mental disorder 6 Self esteem decreased 6 Emotional poverty 6 Social avoidant behaviour 6 Euphoric mood 6 Depressed mood 6 Hypokinesia 6 Aphasia 6 Anxiety 6 Partial seizures 6 Apathy 6 Disturbance in attention 6 Vertigo 6 Drug effect incomplete 6 Feeding disorder 2 Blood bicarbonate decreased 2 Coronary arterial stent insertion 6 Urinary tract infection 6 Klebsiella test positive 6 Renal impairment 6 Blood alkaline phosphatase increased 6 Cardiac failure congestive 5 Painful respiration 3 Arrhythmia 3 Pyrexia 3 Pyrexia 2 Dry mouth 3 Dysgeusia 3 Thermal burn 3 Acne 3 Leukocytosis 1 Blood pressure fluctuation 3 Cough 3 Asthenia 2 Drug dose omission 6 Accident at home 6 Ultrasound bladder abnormal 3 Pyrexia 1 Chills 3 Serum ferritin increased 3 Feeling abnormal 3 Blood cholesterol increased 3 Pyrexia 1 Pyrexia 3 Pruritus 3 Dysgeusia 3 Neutropenia 3 Blood triglycerides increased 3 Weight decreased 2 Asthenia 3 Headache 3 Haemoglobin decreased 3 Impatience 6 Productive cough 3 Depression 6 Fatigue 3 Dyspnoea 3 Gait disturbance 3 Throat irritation 6 Vitamin D decreased 6 Anaemia 3 Fatigue 3 Disturbance in attention 6 Dyspraxia 3 Feeling cold 3 Body temperature decreased 1 Malaise 1 Pyrexia 6 Haemoglobin decreased 3 Decreased appetite 3 Anaemia 3 Palpitations 1 Blood pressure increased 6 Thyroid pain 6 Gastric disorder 1 Drug ineffective 6 Ankle fracture 6 Vitamin D deficiency 6 Anaemia postoperative 6 Device failure 6 Sleep disorder 3 Bursitis 6 Gastroesophageal reflux disease 6 Intramedullary rod insertion 6 Fatigue 3 Hypertension 6 Femur fracture 3 Cholecystectomy 6 Depression 3 Femur fracture 1 Traumatic arthrosis 6 Sciatic nerve injury 1 Osteoporosis 6 Bone fragmentation 6 Hyperlipidaemia 6 Hypertension 6 Product packaging quantity issue Incorrect drug administration duration Drug administered at inappropriate site Bronchopneumonia 2 Pulmonary embolism 2 Death 5 Malignant neoplasm progression 6 Off label use 6 Cardiomegaly 3 Cerebrovascular accident 1 Cardiac failure 1 Myocardial infarction 1 Unevaluable event 1 Abnormal dreams 1 Fall 1 Hemiplegia 1 Left ventricular failure 6 Consciousness fluctuating 1 Platelet disorder 6 Myocardial infarction 5 Gastrointestinal haemorrhage 5 Zygomycosis 5 Pulmonary toxicity 2 Eye burns Application site pain Application site pain Product quality issue Incorrect drug administration duration Eye irritation Drug ineffective 6 Renal disorder 3 Lung disorder 3 Weight decreased 3 General physical health deterioration 3 Pancytopenia 3 Rash vesicular 3 Hepatic failure 5 Death 5 Febrile neutropenia 6 Septic shock 6 Thrombocytopenia 6 Renal failure acute 6 Electrolyte imbalance 6 Swollen tear duct Eye irritation Eye pain Eye swelling Application site exfoliation Eye pruritus Accidental exposure to product Drug administered at inappropriate site Incorrect route of drug administration Convulsion 6 Drug dose omission 6 Drug ineffective 6 Myasthenia gravis 6 Pain 6 Death 5 Drug ineffective 6 Death 5 Death 5 Cerebrovascular accident 6 Platelet count decreased 6 Weight decreased 6 Adverse event 3 Pollakiuria 3 Blood sodium decreased 3 Extrasystoles 3 Dyspnoea 3 Death 5 Application site erythema Application site pain Application site exfoliation Application site dryness Application site reaction Drug ineffective 6 Blood pressure increased 6 Chest pain 6 Asthenia 6 Musculoskeletal pain 6 Headache 6 Platelet count decreased 6 Drug interaction 6 Lower respiratory tract infection fungal 6 Gastrointestinal haemorrhage 1 Anaemia 1 Chest pain 6 Abdominal pain 3 Acute kidney injury 5 Bone marrow failure 3 Inflammation Hypersensitivity Application site rash Acne Application site scar Off label use Arrhythmia 6 Drug interaction 5 Hepatotoxicity 5 Bleeding varicose vein 5 Fatigue 6 Haemorrhage 6 Drug ineffective 6 Palpitations 1 Malaise 1 Diplopia 2 Adverse event 6 Depression 2 Death 5 Pancreatitis chronic 6 Pancreatic carcinoma 6 Platelet count decreased 6 Haemoglobin decreased 6 Thyroid cancer 6 Demyelination 1 Diabetic neuropathy 1 Death 5 Platelet count decreased 6 Chest pain 6 Myocardial infarction 6 Hypoaesthesia 6 Bone pain 6 Nodule 6 Pain 6 Adverse drug reaction 6 Dizziness 3 Headache 3 Vaginal haemorrhage 1 Vaginal odour 3 Death 5 Cardiac disorder 6 Lung disorder 6 Stress 6 Dyspnoea 1 Platelet count decreased Acute generalised exanthematous pustulosis 6 Hyponatraemia 6 Lymphadenopathy Platelet count decreased 6 Wrong technique in drug usage process Platelet count decreased 6 Transfusion 6 Dyspnoea 6 Death 5 Malaise 6 Hypopnoea 6 Vomiting 1 Anxiety 6 Diarrhoea 3 Weight increased 3 Urinary tract infection 2 Pruritus 6 Dry skin 6 Stomatitis 3 Paraesthesia 3 Dysphagia 6 Depression 6 Nausea 1 Dysgeusia 3 Therapeutic response unexpected 6 Pyrexia 3 Off label use 6 Headache 3 Night sweats 3 Insomnia 6 Hypoaesthesia 3 Thrombocytopenia 1 Rash 6 Chest pain 2 Constipation 3 Anaemia 2 Hot flush 3 Cough 3 Foot deformity 6 Foot deformity 6 Foot fracture 6 Foot fracture 6 Arthralgia 6 Pain in extremity 6 Pain 6 Pain 2 Product quality issue 6 Rheumatoid arthritis 6 Oedema peripheral 1 Dyspnoea exertional

1 Cardiac failure 1 Heart valve incompetence 3 Myocardial infarction 3 Psoriasis 3 Haemoglobin decreased 6 Splenectomy 3 Dizziness 6 Fatigue 6 Lethargy 6 Anaemia 3 Thrombocytosis 6 Leukocytosis 6 Lipids abnormal 1 Liver function test abnormal 1 Platelet count decreased 1 Haemoglobin decreased 3 Diarrhoea 3 Platelet count decreased 3 Platelet count decreased 6 Haemoglobin decreased 3 Gastroenteritis viral 1 Nausea 1 Vomiting 1 Weight decreased 3 Gout 6 Mucosal inflammation 6 Oral pain 6 Oropharyngeal plaque 6 Psoriasis 3 Hyperthermia malignant 6 Hyperthermia 1 Blood pressure decreased 1 Chills 1 Blood count abnormal 3 Pyrexia 3 Infection 3 Anaemia 1 Blood count abnormal 3 Anaemia 6 Platelet count decreased 6 Blood count abnormal 3 Amnesia 3 Hyperthermia malignant 6 Anaemia 6 Platelet count decreased 6 Muscular weakness 3 Fatigue 3 Diabetes mellitus inadequate control 6 Gastritis 6 Loss of consciousness 1 Gastrointestinal inflammation 6 Pyrexia 1 Rectal haemorrhage 1 Alopecia 3 Oral herpes 3 Blood glucose increased 1 Rectal haemorrhage 1 Depressed mood 1 Depression 6 Colitis ulcerative 6 Haemoglobin decreased 6 Musculoskeletal pain 6 Pain in extremity 6 Platelet count decreased 6 Blood count abnormal 6 Transfusion 6 Platelet count decreased 6 Blood count abnormal 6 Premature baby 1 Foetal exposure during pregnancy 1 Enterocolitis haemorrhagic 1 Mucosal inflammation 1 Anaemia 6 Blood count abnormal 6 Renal disorder 3 Incorrect dose administered 6 Skin depigmentation 6 Lumbar vertebral fracture 6 Fracture pain 6 Platelet count decreased 6 Platelet count decreased 3 Haemoglobin decreased 3 Food poisoning 6 Malaise 6 Neuroleptic malignant syndrome 1 Altered state of consciousness 1 Hyperthermia 1 Hypertonia 1 Drug withdrawal syndrome 1 Retinal detachment 6 Visual impairment 6 Rash erythematous 6 Eye irritation 6 Pruritus 6 Ocular hyperaemia 6 Eye swelling 6 Foreign body sensation in eyes 6 Swelling face 6 Feeling hot 6 Dysphagia 1 Hypersensitivity 1 Injection site rash 1 Rash generalised 1 Hypertriglyceridaemia 1 Nausea 1 Cervix carcinoma stage 0 2 Hyperventilation 1 Dizziness 1 Incision site haemorrhage 1 Incision site complication 1 Loss of consciousness 1 Disorientation 3 Immobile 3 Pneumonia 3 Gastrointestinal infection 3 Memory impairment 3 Diet refusal 3 Speech disorder 3 Confusional state 3 Haemoglobin decreased 6 Platelet count decreased 6 Wrong technique in drug usage process Febrile convulsion 1 Viral infection 1 Abdominal pain lower 6 Fatigue 6 Anaemia 3 Splenomegaly 6 Poor quality sleep 6 Medication error 6 Asthenia 3 Platelet count decreased 1 Death 5 Calciphylaxis 6 Pain 6 Nodule 6 Lividity 6 Erythema 6 Skin induration 6 Skin plaque 6 Purpura 6 Skin lesion 6 Hyperplasia 6 Haemoglobin decreased 6 Haemoglobin decreased 3 Tubulointerstitial nephritis 1 Oliguria 1 Blood pressure increased 1 Renal failure acute 1 Urine output decreased 1 Rales 1 Renal tubular atrophy 1 Dyspnoea 1 Asthenia 1 Kidney fibrosis 1 Jugular vein distension 1 Leukocytosis 1 Haemolytic anaemia 1 Oedema peripheral 1 Haematuria 1 Anaemia 1 Anisocytosis 1 Nausea 1 Vomiting 1 Hyperthermia malignant 6 Acute kidney injury 3 Death 5 Linear IgA disease 6 Nikolsky's sign 6 Skin exfoliation 6 Blister 6 Skin lesion 6 Hernia 1 Cystitis 1 Hypokalaemia 1 Hypomagnesaemia 6 Blood count abnormal 6 Thrombocytopenia 3 Tooth abscess 3 Thrombocytopenia 6 Asthenia 6 Dizziness 6 Fatigue 3 Treatment noncompliance 6 Drug administration error 3 Transfusion 6 Haemoglobin decreased 3 Platelet count decreased 3 Death 5 Neoplasm malignant 6 Metastases to central nervous system 6 Memory impairment 6 Emphysema 6 Convulsion 6 Nasal discomfort 6 Skin irritation 6 Malaise 6 Burning sensation 6 Palpitations 6 Abdominal discomfort 6 Dizziness 6 Dyspnoea 6 Drug interaction 1 Aggression 1 Psychomotor hyperactivity 1 Haemoglobin decreased 1 Haematocrit decreased 6 Haemoglobin decreased 6 Death 5 Optic neuropathy 6 Visual impairment 6 Vision blurred 6 Visual acuity reduced 6 Miosis 6 Visual field defect 6 Colour blindness acquired 6 Neurotoxicity 1 Confusional state 1 Somnolence 1 Swelling 5 Haemoglobin decreased 1 Dizziness 6 Coma 2 Posterior reversible encephalopathy syndrome 2 Atypical mycobacterial infection 3 Immune reconstitution inflammatory syndrome 3 Angina pectoris 6 Diabetes mellitus inadequate control 6 Wound haemorrhage 1 Therapy cessation 6 Myocardial infarction 5 Chest pain 5 Electrocardiogram ST segment elevation 5 Acute left ventricular failure 5 Ejection fraction decreased 5 Cardiomyopathy 5 Cardiogenic shock 5 Cardiac arrest 5 Hyperventilation 5 Blood pressure decreased 5 Ventricular hypokinesia 5 Toxicity to various agents 5 Ventricular fibrillation 5 Arrhythmia 5 Sinus tachycardia 5 Bradycardia 5 Pulmonary oedema 5 Dyspnoea 5 Overdose 5 Suicide attempt 6 Respiratory alkalosis 6 Hypokalaemia 6 Metabolic acidosis 6 Tremor 6 Pruritus 6 Somnolence 6 Skin discolouration 6 Brain oedema 6 Restlessness 6 Nystagmus 6 Chromaturia 6 Hyperaemia 6 Vomiting 6 Nausea 6 Hyperhidrosis 6 Drug ineffective 6 Haemoglobin decreased 6 Organising pneumonia 2 Pyrexia 2 Asthenia 2 Cough 2 Dyspnoea 2 Oxygen saturation decreased 2 Rales 2 Respiratory failure 2 Haemoglobin decreased 6 Anaemia 1 Haemoglobin decreased 6 Platelet count decreased 6 Haemoglobin decreased 6 Dizziness 6 Fall 6 Anaemia 3 Hypotension 6 Accidental overdose 6 Nausea 6 Vomiting 6 Abasia 4 Incontinence 4 Neck pain 4 Hypokinesia 4 Breast cancer 6 Neoplasm progression 6 Application site pain Application site pain Application site erythema Application site exfoliation Application site dryness Application site vesicles Incorrect dose administered Inappropriate schedule of drug administration Incorrect drug administration duration Drug administered at inappropriate site Drug administration error Prescribed overdose Application site discolouration Breast cancer 6 Neoplasm progression 6 Application site discomfort Application site erythema Breast cancer 6 Malignant neoplasm progression 6 Application site paraesthesia Application site discomfort Application site swelling Lip swelling Application site erythema Congenital hydronephrosis 3 Ureteric stenosis 3 Foetal exposure during pregnancy 3 Off label use Incorrect drug administration duration Medication error Product packaging quantity issue Drug dose omission Metastatic malignant melanoma 5 Ulcer haemorrhage 5 Skin lesion 5 Pain 5 Infection 6 Inflammation 6 Purulent discharge 6 VIIth nerve paralysis 3 Seborrhoeic keratosis 3 Swelling 1 Anaemia 6 Oedema peripheral 2 Pyrexia 1 Lethargy 1 Peripheral swelling 6 Application site dryness Application site exfoliation Application site pain Dyspnoea 6 Dental caries 1 Hyponatraemia 2 Hypokalaemia 2 Cough 2 Abnormal behaviour 3 Intentional self-injury 3 Weight increased 3 Drug ineffective 6 Hot flush 1 Product substitution issue 1 Peripheral swelling 1 Drug ineffective 6 Cellulitis 1 Dyspnoea 6 Drug-induced liver injury 2 Fluid retention 6 Red blood cell count decreased 6 Nausea 1 Abdominal pain upper 3 Breast cancer 6 Neoplasm progression 6 Weight increased 6 Haemolytic uraemic syndrome 6 Asthenia 1 Drug ineffective 6 Diabetic foot infection 6 Blood glucose decreased 6 Renal impairment 6 Unevaluable event 6 Urticaria 2 Nausea 3 Renal failure acute 2 Lactic acidosis 2 Anaemia 6 Chest pain 1 Dyspnoea 1 Tachycardia 1 Blood pressure increased 1 Weight decreased 6 Syncope 6 Loss of consciousness 6 Oedema peripheral 6 Sleep apnoea syndrome 6 Death 5 Breast cancer 6 Malignant neoplasm progression 6 Oedema peripheral 3 Drug ineffective 6 Breast cancer 6 Malignant neoplasm progression 6 Respiratory disorder 2 Swelling 6 Fluid retention 6 Breast cancer 6 Malignant neoplasm progression 6 Drug dependence 3 Headache 6 Nausea 6 Abdominal discomfort 6 Therapeutic response unexpected 6 Drug ineffective 6 Oedema peripheral 6 Breast cancer 6 Malignant neoplasm progression 6 Urinary tract infection 3 Drug ineffective 6 Osteoporosis 3 Spinal compression fracture 6 Vomiting 6 Acute generalised exanthematous pustulosis 1 Rash pustular 1 Stomatitis 1 Inflammatory pain 1 Blister 1 Hypophagia 1 Skin erosion 1 Leukocytosis 1 Pyrexia 1 Type IV hypersensitivity reaction 1 Drug dependence 6 Nasal septum deviation 6 Sinusitis 6 Polyp 6 Rhinitis 6 Inappropriate schedule of drug administration 6 Ageusia 2 Anosmia 2 Fluid retention 6 Fabry's disease 6 Bacteraemia 6 Gastrointestinal pain 1 Diarrhoea 1 Decreased appetite 1 Feeling abnormal 1 Accidental exposure to product by child 6 Blood pressure decreased 1 Drug ineffective 3 Off label use 3 Cerebrovascular accident 6 Weight increased 2 Withdrawal syndrome 6 Ankle fracture 6 Breast pain 2 Burning sensation 2 Cystitis 2 Erythema 2 Gastrooesophageal reflux disease 2 Hot flush 2 Joint swelling 2 Night sweats 2 Oedema peripheral 2 Pain 2 Pain in extremity 2 Pruritus 2 Sleep disorder 2 Thrombophlebitis 2 Weight bearing difficulty 2 Vomiting 2 Diarrhoea 2 Abdominal pain upper 2 Nausea 2 Malaise 2 Back pain 2 Headache 2 Incorrect dose administered 6 Haemoglobin decreased 6 Diarrhoea 6 Red blood cell count decreased 6 Pneumonia 6 Haemoglobin abnormal 6 Haemoglobin decreased 1 Feeling hot 6 Anaemia 1 Epistaxis 1 Rectal haemorrhage 1 Pulmonary embolism 1 Hypersensitivity 6 General physical health deterioration 6 Bronchopulmonary aspergillosis



is 5 Hypoxia 3 Renal failure acute 6 Endotracheal intubation 6 Disseminated intravascular coagulation 6 Platelet transfusion 6 Platelet count decreased 6 Epistaxis 2 Platelet count decreased 6 Haemoglobin decreased 6 Haematocrit decreased 6 Activities of daily living impaired 6 Muscular weakness 6 Mood altered 6 Fatigue 6 Malaise 6 Let hargy 6 Haemolysis Breast cancer 6 Malignant neoplasm progression 6 Hip fracture 6 Therapeutic response unexpected 6 Underdose 6 Drug administered at inappropriate site 6 Haemoglobin decreased 6 Night sweats 6 Haemoglobin decreased 6 Fatigue 3 Drug ineffective 6 Anaemia 6 Hypoglycaemia 6 Oedema 6 Dizziness 6 Neoplasm malignant 6 Liver disorder 6 Headache 6 Red blood cell count decreased 6 Lobar pneumonia 5 Injection site necrosis 1 Injection site erythema 1 Injection site induration 1 Haemoglobin decreased 3 Blood pressure increased 2 Haemorrhage 2 Increased appetite 2 Weight increased 2 Heart rate increased 2 Fatigue 2 Haemoglobin decreased 4 Haematocrit decreased 6 Nephrogenic systemic fibrosis 3 Respiratory failure 5 Cystic fibrosis 5 Anaemia 6 Balance disorder 6 Dyspnoea 6 Pain in extremity 6 Pain Death 5 Psoriasis 2 Pruritus 6 Rash erythematous 6 Gastrointestinal disorder 2 Abdominal pain 6 Eczema 6 Therapeutic response decreased 3 Platelet count decreased 6 Anaemia 3 Platelet count decreased 3 Asthenia 6 Dizziness 3 Haematuria 6 Urinary tract infection 6 Pyrexia 6 Myalgia 6 Myocardial infarction 6 Coronary artery bypass 6 Unevaluable event 6 Pancreatitis 2 Diabetes mellitus 6 Peritonitis bacterial 6 Coma hepatic 3 Abdominal pain upper 2 Blister 6 Swelling face 6 Abdominal distension 6 Feeling abnormal 6 Vomiting 6 Abdominal pain upper 6 Coronary artery disease 6 Drug dose omission 6 Transient ischaemic attack 1 Platelet count decreased 6 Asthma 6 Wheezing 6 Anaemia 3 Blood count abnormal 6 Haemoglobin decreased 3 Speech disorder 3 Psychomotor hyperactivity 3 Haemoglobin decreased 6 Red blood cell count decreased 6 Death 5 Rotator cuff syndrome 2 Nasopharyngitis 2 Death 5 Gastrointestinal haemorrhage 6 Death 5 Erythrocytosis abnormal 6 Hepatic failure 6 Haemoglobin decreased 6 Oedema peripheral 6 Asthenia 6 Therapeutic response decreased 6 Splenomegaly 6 Fall 6 General physical health deterioration 6 Illness 6 Anxiety 6 Decreased activity 6 Pain 6 Platelet count decreased 6 Increased tendency to bruise 6 Contusion 6 Gastrointestinal haemorrhage 5 Aortic stenosis 6 Platelet count decreased 6 Drug effect decreased 6 Abdominal pain 1 Vomiting 1 Rectal haemorrhage 1 Atrial fibrillation 1 Drug ineffective 2 Anaemia 2 Platelet count decreased 6 Leukocytosis 6 Nephrolithiasis 6 Urinary tract infection 6 Malaise 6 Haemoglobin decreased 3 Urinary tract infection 3 Anaemia 3 Weight increased 3 Thrombocytopenia 6 Somnolence 6 Dyspnoea exertional Fatigue 1 Pancreatic carcinoma 3 Hallucination, visual 2 Gamma-glutamyltransferase increased 3 Globulins decreased 3 Ventricular remodeling 6 Blood urea nitrogen/creatinine ratio decreased 6 Protein total decreased 6 Blood glucose increased 3 Antipsychotic drug level above therapeutic 6 Anaemia 1 Blood creatinine increased 6 Hyperkalaemia 6 Dyspnoea 4 Fatigue 6 Dyspnoea exertional 6 Thrombocytosis 6 Dizziness 1 Encephalopathy 3 Renal failure 3 Haematuria 6 Arrhythmia 3 Cerebral haemorrhage 5 Haemorrhage intracranial 5 Acute respiratory failure 5 Coagulopathy 6 Haematuria 6 Anaemia 6 Haemoglobin decreased 6 Anaemia 6 Blood count abnormal 3 Anaemia 6 Overdose 1 Bradycardia 1 Oxygen saturation decreased 1 Anticonvulsant drug level increased 1 Depressed level of consciousness 1 Hypertransaminasaemia 1 Hypofibrinogenaemia 1 Dementia 3 Blood urea decreased 6 Blood cholesterol increased 6 Blood triglycerides increased 6 Mean cell haemoglobin concentration decreased 6 Neutrophil count increased 6 Monocyte count increased 6 Mouth haemorrhage 1 Epistaxis 1 Rectal haemorrhage 1 Fatigue 1 Renal failure acute 3 Oesophageal candidiasis 3 Hiatus hernia 3 Haemorrhoids 3 Surgery 6 Device difficult to use 1 Medical device complication 1 Incorrect drug administration duration 6 Disease progression 6 Platelet count decreased 1 Haemoglobin decreased 6 Red blood cell count decreased 6 Haematocrit decreased 6 Haemoglobin decreased 3 Platelet count decreased 1 Haemoglobin decreased 3 Haemoglobin decreased 6 Blood count abnormal 6 Haemoglobin decreased 6 Platelet count decreased 6 Haematocrit decreased 6 Haemoglobin decreased 1 Nausea 1 Asthenia 1 Memory impairment 1 Depression 1 Muscle spasms 1 Headache 1 Metastases to lymph nodes 6 Cardiac failure 6 Device related sepsis 6 Breast cancer recurrent 6 Exposure during pregnancy 1 Lymphoedema 6 Malignant neoplasm progression 6 Anaemia 3 Drug effect increased 3 White blood cell count decreased 1 Platelet count decreased 1 Arthralgia 6 Pancytopenia 1 Herpes zoster 6 Haemoglobin decreased 6 Platelet count decreased 6 Angina pectoris 6 Dehydration 6 Malaise 6 Pain 6 Oral surgery 6 Immunosuppressant drug level increased 1 Drug interaction 6 Haemoglobin decreased 6 Platelet count decreased 6 Haematocrit decreased 6 Platelet count decreased 3 Blood glucose decreased 1 Asthenia 6 Vaginal ulceration 1 Death 5 Drug ineffective 6 Off label use 6 Off label use 6 Thrombocytopenia 3 Haemoglobin decreased 3 Haematocrit decreased 3 Haemoglobin decreased 6 Platelet count decreased 6 Epistaxis 1 Disease progression 5 Platelet count decreased 2 Thrombocytopenia 6 Drug ineffective 6 Haematocrit decreased 2 Haemoglobin decreased 2 Aspartate aminotransferase increased 2 Epilepsy 6 Wrong technique in drug usage process 6 Thrombocytopenia 6 Medication error 1 Fatigue 3 Dyspnoea exertional 3 Insomnia 3 Musculoskeletal pain 3 Rash pruritic 3 Weight increased 3 Anaemia 2 Thrombocytopenia 2 Dizziness 1 Leukocytosis 1 Fatigue 3 Diet refusal 1 Platelet count decreased 1 Anaemia 6 Dyspnoea 6 Chest discomfort 6 Fatigue 6 Platelet count decreased 2 Anaemia 2 Fatigue 2 Gastric disorder 6 Anaemia 1 Diarrhoea 1 Blood count abnormal 6 Drug ineffective 6 Blood count abnormal 6 Thrombocytopenia 1 Anaemia 6 Medication error 6 Thrombocytopenia 6 Platelet count increased 6 Drug ineffective 6 Pain 6 Fall 6 Neurological symptom Night sweats 6 Abdominal discomfort 6 Diabetes mellitus inadequate control 6 Drug withdrawal syndrome 3 Blood testosterone decreased 6 Insomnia 3 Back pain 3 Pain 3 Back pain 3 Musculoskeletal discomfort 3 Off label use 6 Anaemia 6 Haemoglobin decreased 6 Fatigue 6 Platelet count decreased 1 Disease progression 5 Anaemia 6 Back pain 6 Drug ineffective 6 Haemoglobin decreased 6 Platelet count decreased 6 Thrombocytopenia 1 Infection 1 Haemoglobin decreased 3 Device related infection 6 Infection 6 Haemoglobin decreased 6 Haemoglobin decreased 2 Platelet count decreased 2 Thrombocytopenia 3 Haemoglobin decreased 3 Drug ineffective 6 Platelet count decreased 6 Haemoglobin decreased 6 Dizziness 1 Haemoglobin decreased 6 Haemoglobin decreased 6 Constipation 6 Platelet count decreased 3 Blood pressure increased 6 Palpitations 6 Feeling abnormal 3 Contusion 6 Red blood cell count decreased 6 Haemoglobin decreased 6 Haemoglobin decreased 6 Giant cell tumour of tendon sheath 3 Platelet count decreased 6 Weight increased 6 Aneurysm 6 Glossodynia 6 Urinary tract infection 6 Nephrolithiasis 6 Skin wrinkling 6 Dry skin 6 Thrombocytopenia 2 Tooth disorder 6 Anaemia 1 Fatigue 3 Weight decreased 3 Transfusion 6 Drug ineffective 6 Haemoglobin decreased 3 Dyspnoea 2 Malaise 3 Nausea 3 Influenza like illness 3 Chills 3 Pain 3 Hyperhidrosis 3 Pyrexia 3 Haemoglobin decreased 3 Disease progression 3 Platelet count decreased 3 Abdominal pain 6 Dyspnoea 6 Anaemia 3 Thrombocytopenia 3 Splenomegaly 3 Abdominal discomfort 1 Palpitations 1 Gingival pain 6 Fatigue 6 Oedema peripheral 6 Paraesthesia 6 Confusional state 6 Feeling abnormal 6 Asthenia 3 Nervousness 3 Anaemia 6 Headache 6 Platelet count decreased 6 Splenomegaly 6 Anaemia 6 Hepatic enzyme increased 6 Muscular weakness 6 Dizziness 6 White blood cell count decreased 6 Scleroderma 6 Lower respiratory tract inflammation 6 Anaemia 6 Thrombocytopenia 6 Epistaxis 6 Fatigue 6 Red blood cell count decreased 6 Haemoglobin decreased 6 Weight increased 6 Night sweats 6 Intentional overdose 6 Suicide attempt 6 Platelet count decreased 6 Anaemia 3 Disease progression 6 Nasopharyngitis 2 Platelet count decreased 2 Haemoglobin decreased 2 Cellulitis 3 Thrombocytopenia 1 Hypokalaemia 1 Syncope 1 Febrile neutropenia 1 Platelet count decreased 2 Haemoglobin decreased 2 Platelet count decreased 2 White blood cell count decreased 1 Haematocrit decreased 2 Blood count abnormal 6 Anaemia 6 Red blood cell count decreased 6 Sinusitis 1 Bronchitis 1 Mastoiditis 6 Frequent bowel movements 6 Mucosal inflammation 6 Muscle spasms 6 Dyspnoea 6 Epistaxis 6 Anxiety Diarrhoea 6 Erythema 6 Contusion 6 Dizziness 6 Anaemia 6 Disease progression 3 Splenomegaly 3 Lung consolidation 6 Goitre 6 Platelet count decreased 2 Wrong technique in drug usage process 6 Haemoglobin decreased 3 Cataract 3 Retinal detachment 3 Off label use 3 Haemoglobin decreased 6 Transfusion 6 Platelet count decreased 2 Anaemia 2 Insomnia 6 Dyspnoea Cyanosis 6 Fatigue 6 Haemorrhage 2 White blood cell count decreased 6 Haemoglobin decreased 2 Pneumonia 5 Blood count abnormal 6 Asthenia 3 Malaise 3 A



naemia 6 Back pain 6 Arthralgia 6 Increased appetite 6 Cardiac failure congestive 5 Swelling 6 Platelet count decreased 2 Drug administration error 6 Disease progression Haemoglobin decreased 2 Bone pain 6 Red blood cell count decreased 6 Fatigue 6 Anaemia 3 Drug ineffective 6 Platelet count decreased 6 Haemoglobin abnormal 6 Platelet count decreased 6 Blood count abnormal 6 Anaemia 6 Anaemia 1 Thrombocytopenia 1 Medication error 6 Malignant melanoma stage I 1 Keratoacanthoma 2 Blood pressure increased 6 Hyperkeratosis 6 Therapy non-responder 6 Keratoacanthoma 3 Foetal exposure during pregnancy 1 Premature baby 1 Low birth weight baby 1 Drug withdrawal syndrome neonatal 1 Exposure during breast feeding 1 Dehydration 6 Oedema peripheral 3 Decreased activity 3 Asthenia 6 Contusion 3 Cardiac valve disease 6 Fluid retention 3 Fatigue 3 Bradyphrenia 6 Skin cancer 3 Dyspnoea 6 Dizziness 6 Diarrhoea 2 Renal impairment 2 Lethargy 2 Weight decreased 2 Malaise 2 Transfusion 6 Platelet count decreased 3 White blood cell count decreased 6 Red blood cell count decreased 6 Dizziness 6 Haemoglobin decreased 3 Haematocrit decreased 3 Acute hepatic failure 6 Drug ineffective 6 Hepatitis B 6 Renal failure acute 2 Hypokalaemia 2 Oedema peripheral 2 Overdose 2 Pyelonephritis 6 Syncope 6 Convulsion 1 Wrong technique in drug usage process 3 Prostatic disorder 6 Urinary incontinence 6 Death 5 Nausea 6 Weight decreased 6 Peripheral swelling 6 Epistaxis 6 Anaemia 2 Diarrhoea 6 Haemoglobin decreased 6 Maternal exposure during pregnancy 1 Stillbirth 1 Wrong technique in drug usage process 3 Maternal exposure during pregnancy 1 Abortion spontaneous 1 Death 5 Platelet count decreased 6 White blood cell count increased Urinary tract infection Death 5 Haemoglobin decreased 6 Multiple sclerosis 1 Infection 1 Hyperthermia 1 Eosinophil count increased 6 Lymphocyte count decreased 6 Respiratory arrest 5 Foetal exposure during pregnancy 1 Exposure during breast feeding 1 Low birth weight baby 6 Premature baby 1 Drug withdrawal syndrome neonatal 6 Tremor 6 Exposure via father 1 Hospitalisation 6 Intentional overdose 6 Substance abuse 6 Drug abuse 6 Maternal exposure during pregnancy 1 Exposure via father 1 Foetal growth restriction 1 Premature delivery 1 Respiratory arrest 5 Pneumonia 6 Anaemia 6 Decubitus ulcer 6 Fall 6 Herpes zoster 6 Red blood cell count decreased 1 Haemoglobin decreased 6 Platelet count decreased 6 Chest discomfort 6 Chest pain 6 Dyspnoea 6 Gastrointestinal haemorrhage 1 Dementia 6 Agitation 6 Confusional state 6 Platelet count decreased 1 Asthenia 1 Nausea 6 Fatigue 6 Depressed mood 6 Decreased appetite 6 Headache 6 Dizziness 6 Lower gastrointestinal haemorrhage 1 Anaemia 6 Renal failure acute 6 Gastrointestinal haemorrhage 1 Gastrointestinal haemorrhage 1 Bronchospasm 2 Urticaria 2 Investigation 6 Rectal adenocarcinoma 3 Red blood cell count decreased 6 Blood count abnormal 6 Nephrogenic systemic fibrosis 3 Platelet count decreased 2 Anaemia 6 Anaemia 6 Platelet count increased 6 Gingival pain 1 Gingival swelling 1 Tooth disorder 1 Device damage 6 Autism 6 Lung neoplasm malignant 6 Fatigue 1 Myalgia 1 Arthralgia 1 Joint stiffness 1 Balance disorder 1 Muscle spasms 1 Muscular weakness 1 Arthritis 6 Vision blurred 3 Visual acuity reduced 3 Haemorrhage 6 Death 5 Swan ganz catheter placement 6 Coronary artery bypass 6 Vascular graft 6 Stent placement 6 Diabetes mellitus 6 Cardiac failure congestive 6 Nephrogenic systemic fibrosis 3 Rectal haemorrhage 6 Colitis ischaemic 6 Anaemia 6 Coagulopathy 6 Death 5 Deep vein thrombosis 6 Leukopenia 6 Thrombocytopenia 6 Fatigue 6 Infection 6 No therapeutic response 6 Plasma cell myeloma recurrent 6 Neutropenia 6 Haemoglobin decreased 6 Diarrhoea 6 Transfusion 6 Pregnancy 1 Hospitalisation 6 Atypical femur fracture 6 Femur fracture 6 Fall 6 Hypomagnesaemia 1 Drug interaction 6 Condition aggravated 2 Chronic spontaneous urticaria 2 Insomnia 6 Angioedema 6 Drug ineffective 6 Pruritus 6 Electrocardiogram QT prolonged 1 Extrapulmonary tuberculosis 5 Oral candidiasis 3 Pancreatitis 6 Anal fistula 5 Nephrogenic systemic fibrosis 3 Dyspnoea 1 Laryngeal oedema 1 Stridor 1 Acute myocardial infarction 2 Hypotension 2 Arrhythmia 1 Palpitations 1 Drug abuse 6 Pulmonary embolism 6 Chronic obstructive pulmonary disease 3 Respiratory failure 6 Stevens-Johnson syndrome 6 Osteoporosis 6 Gastroesophageal reflux disease 6 Gastrointestinal ulcer 6 Diabetes mellitus inadequate control 6 Blood glucose increased 6 Thirst 6 Micturition disorder 6 Abdominal pain 6 Arrhythmia 1 Presyncope 1 Plasma cell myeloma 6 Convulsion 6 Urinary tract infection 6 Psychiatric symptom 6 Blood glucose increased 1 Oesophageal carcinoma 5 Oesophageal oedema 5 Asphyxia 5 Visual acuity reduced 6 Neuropathy peripheral 3 Mobility decreased 6 Injury 6 Fall 6 Head injury 6 Pain 6 Cerebrovascular accident 5 Hypertension 6 Diabetes mellitus 6 Upper respiratory tract infection 1 Thrombocytopenia 1 Anaemia 1 Influenza like illness 1 Pyrexia 1 Investigation 1 Death 5 Hypopnoea 6 Dyspnoea 6 Malaise 6 Disease progression 6 Investigation 1 Disease progression 6 Death 5 Urinary tract infection 3 Sepsis 3 Renal failure chronic 3 Pyrexia 3 Dysuria 3 Back pain 3 Nausea 3 Decreased appetite 3 Device related infection 6 Dysphagia 6 Drug interaction 6 Pancytopenia 2 Ocular vascular disorder 6 Death 5 Deep vein thrombosis 6 Device dislocation 1 Hospitalisation 6 Leukopenia 2 Osteonecrosis of jaw 6 Pancytopenia 2 Drug interaction 6 Cardiotoxicity 6 Bladder disorder 3 Hospitalisation 6 Peripheral swelling 1 Cataract 6 Colitis ulcerative 2 Phlebitis superficial 1 Leukopenia 1 Haemoglobin decreased 1 Cough 1 Pneumonia 1 Pyrexia 1 Arthropathy 3 Hypotension 6 Platelet count decreased 6 Malaise 6 Osteonecrosis of jaw 6 Investigation 6 Staphylococcal osteomyelitis 6 Nausea 6 Anaemia 6 Disease progression 6 Convulsion 6 Hypocalcaemia 6 Death 5 Surgery 6 Autoimmune disorder 1 Encephalitis 1 Tonsillitis 1 Pyrexia 1 Lymphadenopathy 1 White blood cell count increased 1 C-reactive protein increased 1 Enteritis 1 Atelectasis 6 Impaired healing 3 Cardiac flutter 6 Chest pain 6 Mobility decreased 6 Rash pruritic 3 Dizziness 6 Pain 6 Rash erythematous 3 Local swelling 6 Feeling hot 6 Nail disorder 6 Alopecia 6 Nausea 6 Vomiting 6 Abdominal distension 6 Gastric disorder 6 Weight decreased 6 Abdominal pain 6 Arthralgia 6 Pruritus 3 Erythema 6 Convulsion 6 Drug eruption 1 Haemolytic anaemia 1 Transient ischaemic attack 1 Dyspnoea 2 Urticaria 2 Nausea 3 Alopecia 3 Fatigue 3 Hospitalisation 6 Osteonecrosis of jaw 6 Lethargy 6 Pyrexia 2 Drug-induced liver injury 1 Alanine aminotransferase increased 1 Aspartate aminotransferase increased 1 Alpha 1 foetoprotein increased 1 Endometrial cancer 6 Unevaluable event 1 Renal failure 5 Respiratory failure 5 Hepatic failure 5 Pneumonia 5 Malaise 2 Chest discomfort 2 Presyncope 2 Confusional state 2 Hypotension 2 Vision blurred 2 Mobility decreased 3 Hip fracture 3 Fall 3 Renal failure acute 3 Hyponatraemia 1 Drug interaction 6 Pancytopenia 2 Hepatic failure 3 Glomerular filtration rate increased 3 Haemorrhage intracranial 5 International normalised ratio increased 5 Drug interaction 6 Cardiac disorder 6 Hypotension 6 Immunosuppressant drug level increased 6 Drug interaction 6 Immunosuppressant drug level increased 6 Drug interaction 6 Malaise 6 Mental disorder 6 General physical health deterioration 6 Anaemia 6 Delirium 6 Cerebral haemorrhage 6 Eastern Cooperative Oncology Group performance status worsened 6 Infusion related reaction 1 Hydrocephalus 6 Pain 6 Asthenia 6 Blood phosphorus decreased 3 Muscular weakness 6 Arteriovenous malformation 6 Nasopharyngitis 2 Cough 6 Nasal dryness 6 Left ventricular dysfunction 6 Radiation necrosis 6 Cerebral haematoma 6 Pneumonia 6 Brain abscess 5 Hyponatraemia 6 Hypotension 6 Gastric infection 1 Central nervous system infection 6 Blood potassium abnormal 2 Platelet count decreased 3 Performance status decreased 6 Decreased appetite 6 Headache 3 Obesity 6 Depressed level of consciousness 5 Fall 6 Dilatation ventricular 6 Depressed level of consciousness 6 Influenza like illness 6 Ventricular hypokinesia 6 Weight decreased 3 Clostridium difficile infection 6 Cystitis 6 Brain abscess 6 Heart rate increased 6 Influenza 3 Malignant neoplasm progression 3 Constipation 6 Infusion related reaction 6 Anorectal disorder 6 Coagulopathy 6 Klebsiella infection 6 Seizure 6 Paraesthesia 3 Agranulocytosis 1 Listless 6 Hypotension 1 Bradycardia 1 Pseudomonas sepsis 5 Thrombotic microangiopathy 5 Off label use 6 Death 5 Death 5 Investigation 1 Investigation 1 Loss of consciousness 1 Product odour abnormal 6 Application site perspiration 1 Investigation 1 Haemorrhoids 3 Hospitalisation 6 Hypocalcaemia 6 Investigation 1 Hospitalisation 6 Transfusion 6 Hospitalisation 6 Kidney infection 1 Intervertebral disc disorder 6 Urinary tract infection 1 Urge incontinence 1 Cystitis 1 Influenza 3 Arthralgia 6 Emergency care 6 Pulmonary oedema 3 Headache 3 Body temperature increased 3 Disease progression 6 Disease progression 6 Drug ineffective 6 Metastases to central nervous system 6 Hepatitis C 3 Drug ineffective 6 White blood cell count decreased 2 Thrombocytopenia 6 Pancytopenia 1 Takayasu's arteritis 6 Death 5 Chronic obstructive pulmonary diseases

e 6 Intestinal ulcer 1 Diarrhoea 1 Death 5 Febrile neutropenia 6 Respiratory failure 6 Hypoxia 6 Sepsis 6 Cholecystitis 6 Nausea 6 Constipation 6 Small intestinal obstruction 6 Renal failure acute 6 Pneumonia aspiration 6 Arterial fibrillation 6 Hypersensitivity vasculitis 1 Prostate cancer 2 C-reactive protein increased 6 Colon cancer 6 Haematotoxicity 6 Nephropathy toxic 6 Back pain 4 Asthenia 3 Fatigue 2 Inflammation 1 Hypoaesthesia 3 Pain in extremity 3 Fall 6 Loss of consciousness 6 Rhabdomyolysis 1 Lymphadenopathy mediastinal 2 Subcutaneous abscess 2 Mycobacterium avium complex infection 2 Oligohydramnios 6 Exposure during pregnancy 6 Gastric ulcer 1 Death 5 Intestinal obstruction 6 Hearing impaired 6 Arterial occlusive disease 6 Coronary artery occlusion 6 Renal impairment 6 Diarrhoea 6 Palmar-plantar erythrodysaesthesia syndrome 6 Injection site reaction 6 Renal cell carcinoma 6 Metastases to adrenals 6 Prostate cancer 6 Squamous cell carcinoma 6 Hypertension 6 Hypercholesterolaemia 6 Neuropathy peripheral 6 Food aversion 6 Pain in extremity 6 Gastroesophageal reflux disease 6 Drug ineffective 6 Retrograde amnesia 1 Loss of consciousness 1 Cerebrovascular accident 1 Arthralgia 3 Blister 3 Psoriasis 3 Diverticulitis 6 Rosai-Dorfman syndrome 6 Diplopia 6 Headache 6 Pyrexia 1 Injection site pain 6 Ear infection 1 Breast haemorrhage 1 Breast mass 3 Dyspepsia 6 Injection site haematoma 3 Breast pain 3 Influenza 1 Urinary tract infection 1 Abdominal distension 3 Oropharyngeal pain 1 Wrong technique in product usage process 6 Cervical stenosis 3 Joint injury 1 Fall 1 Paraesthesia 3 Hypoaesthesia 3 Drug prescribing error 1 Rash 1 Psoas abscess 1 Keratitis 1 Conjunctivitis 1 Arthralgia 1 Cheilitis 1 Cough 1 Q fever 1 Bronchitis 1 Psoriasis 1 Death 5 Herpes ophthalmic 6 Death 5 Cervical vertebral fracture 5 Fall 5 Progressive multifocal leukoencephalopathy 1 Immune reconstitution inflammatory syndrome 1 Opportunistic infection 6 Death 5 Cholecystitis 6 Haemorrhage 6 Lung neoplasm 6 Central nervous system lesion 6 Iris melanoma 3 Multiple sclerosis relapse 1 Sepsis 6 Multiple sclerosis 3 Arthralgia 3 Generalised tonic-clonic seizure 3 Convulsion 3 Thermal burn 1 Tongue injury 3 Concussion 1 Anxiety 3 Cartilage injury 3 Intervertebral disc protrusion 3 Back pain 3 Ligament injury 3 Arthritis 1 Muscular weakness 6 Anaemia 3 Blood test abnormal 1 Diabetic coma 6 Hypertension 6 Confusional state 6 Ectopic pregnancy 1 Neck surgery 6 Hysterectomy 6 Menopausal symptoms 3 Nervousness 6 Intracranial aneurysm 3 Procedural complication 3 Post procedural stroke 3 Gastroesophageal reflux disease 1 Stress 3 Multiple sclerosis relapse 3 Depressed mood 3 Gait disturbance 1 Procedural pain 6 Hysterectomy 1 Multiple sclerosis relapse 6 Multiple sclerosis relapse 3 General physical health deterioration 3 Malaise 1 Drug ineffective for unapproved indication 5 Neurological decompensation 5 Hashimoto's encephalopathy 5 Acute myocardial infarction 5 Thrombosis in device 5 Cardiac arrest 5 Erythema 1 Pyrexia 1 Swelling face 1 Oropharyngeal pain 1 Multiple sclerosis relapse 1 Multiple sclerosis relapse 6 Amnesia 6 Abasia 6 Hemiparesis 6 Vision blurred 6 Multiple sclerosis relapse 1 Rash pruritic 3 Anaphylactic reaction 1 Drug hypersensitivity 6 Adverse drug reaction 1 Rash 3 Flushing 3 Urinary tract infection 6 Pelvic pain 6 Selective eating disorder 1 Foetal exposure during pregnancy 6 Cleft palate 6 High arched palate 6 Exposure during breast feeding 6 Urinary tract infection 1 Multiple sclerosis relapse 1 Liver disorder 6 Pericarditis 1 Pain 1 Jaundice 1 Multiple sclerosis relapse 6 Impaired self-care 6 Gastric disorder 1 Dizziness 1 Hip fracture 6 Impaired healing 6 Diarrhoea 6 Weight decreased 6 Fall 6 Coma 1 Convulsion 6 Influenza 6 Hirsutism 6 Alopecia 6 Prescribed underdose 6 Malaise 6 Cerebrovascular accident 3 Angioedema 6 Rash 6 Hot flush 6 Nausea 6 Feeling abnormal 6 Duodenal ulcer haemorrhage 1 Helicobacter infection 1 Alcohol abuse 1 Ear infection 6 Thrombosis 6 Asthenia 3 Multiple sclerosis relapse 1 Viral infection 1 Hysterectomy 1 Gait disturbance 3 Monoparesis 3 Convulsion 3 Flushing 3 Malaise 6 Multiple sclerosis relapse 3 Drug ineffective 3 Thrombophlebitis superficial 2 Epilepsy 1 Drug dose omission 6 Drug level decreased 6 Cleft palate 6 Foetal exposure during pregnancy 6 Selective eating disorder 1 High arched palate 6 Exposure during breast feeding 6 Urinary tract infection 6 Haematuria 6 Pyrexia 6 Myalgia 6 Obstruction 1 Allergic granulomatous angitis 6 Hypokinesia 6 Caesarean section 6 Unintended pregnancy 1 Drug ineffective 6 Headache 1 Dizziness 1 Agitation 1 Crying 1 Hyperhidrosis 1 Rash 1 Rash 1 Pyrexia 1 Hyperhidrosis 1 Abdominal pain upper 1 White blood cell count increased 1 Inguinal hernia 1 Kidney infection 3 Cystitis 1 Kidney infection 1 Nephrolithiasis 1 Ear infection 3 Drug ineffective 1 Vth nerve paralysis 2 Vth nerve paralysis 2 Febrile neutropenia 1 Abasia 6 Malaise 6 Dizziness 6 Vomiting 6 Anxiety 6 Sepsis 5 Prostate cancer 6 Urinary bladder haemorrhage 6 Haemorrhage 6 Face oedema 3 Mouth swelling 6 Dysphagia 6 Gingival pain 6 Peripheral swelling 6 Palatal oedema 6 Drug intolerance 1 Hemiplegia 3 Renal colic 1 Renal failure acute 1 Urinary tract infection 1 Bacterial test positive 1 Bronchitis 3 Rhinorrhoea 6 Death 5 Death 5 Surgery 1 Psychotic disorder 6 Crohn's disease 6 Transient ischaemic attack 6 Death 5 Renal failure 1 Death 5 Exposure during pregnancy 6 Selective abortion 6 Lipase increased 2 Amylase increased 2 Back pain 1 Gastrointestinal haemorrhage 1 Gastric ulcer 1 Schizophrenia 3 Spinal column stenosis 6 Arthropathy 3 Thrombocytopenia 1 Urinary incontinence 3 Labile blood pressure 3 Hemiparesis 3 Urinary tract infection 3 Nasopharyngitis 6 Rhinorrhoea 3 Dry mouth 6 Blood test abnormal 6 Death 5 Foot deformity 1 Infusion related reaction 1 Headache 1 Interstitial lung disease 1 Gastroenteritis 1 Drug dependence 3 Eczema 3 Dry skin 3 Haematuria 1 Blood urine present 6 Investigation 6 Meningitis 2 Renal failure acute 1 Metabolic acidosis 1 Haematotoxicity 6 Nephropathy toxic 6 Death 5 Pain 6 Localised infection 6 Fluid retention 6 Weight increased 6 Feeling abnormal 6 Oedema peripheral 6 Inflammation 6 Injection site pain 6 Nausea 6 Abdominal pain 6 Pollakiuria 6 Headache 1 Product quality issue 6 Rotator cuff syndrome 6 Nausea 6 Decreased appetite 6 Weight decreased 6 Anosmia 6 Hypogeusia 6 Gastrectomy 6 Abortion induced 6 Maternal exposure during pregnancy 1 Crying Suicidal ideation Depression Product compounding quality issue Death 5 Investigation 6 Investigation 6 Renal failure Ophthalmic herpes zoster 6 Conjunctival hyperaemia 6 Herpes zoster 6 Intraocular pressure increased 6 Hallucination, visual 6 Hallucination, auditory 6 Memory impairment 6 Type 2 diabetes mellitus 6 Cellulitis 6 Fall 6 Peripheral swelling 6 Urinary tract infection 6 Drug withdrawal syndrome 6 Cardiac disorder 6 Hypertension 6 Foot fracture 6 Oxygen saturation decreased 6 Weight increased 3 Disease progression 3 Blood sodium increased 6 Cardiac failure congestive 3 Haemoglobin decreased 6 Respiratory arrest 6 Death 5 Fluid retention 3 Dysphagia 3 Apparent death 6 Brain injury 6 Cardiac disorder 6 Hypothyroidism 6 Chronic obstructive pulmonary disease 6 Hypertension 6 Panic attack 6 Back pain 6 Intervertebral disc compression 6 Spinal disorder 6 Visual acuity reduced 6 Type 2 diabetes mellitus 6 Respiratory failure 5 Cataract 3 Intraocular pressure increased 3 Cardiac flutter 3 Tachycardia 3 Anxiety 3 Palpitations 1 Fall 1 Malaise 6 Feeling abnormal 6 Body height decreased 6 Hip fracture 6 Fall 6 Myelofibrosis 6 Intestinal obstruction 6 Neoplasm malignant 6 Eating disorder 6 Dysuria 6 Lymphadenopathy 6 Hypersensitivity 6 Pyrexia 6 Depression 6 Rash generalised 6 Rash 6 International normalised ratio increased Sepsis 5 Pneumonia 5 Diarrhoea 6 Asthenia 6 Loss of consciousness 3 Myocardial infarction 3 Feeling jittery 3 Flushing 3 Intraocular lens implant 1 Investigation 6 Accidental exposure to product by child 1 Accidental overdose 1 No adverse event 1 Psychotic disorder 1 Headache Tremor Decreased appetite Fatigue 3 Blood glucose abnormal 6 Death 5 Pain in extremity Pain in extremity Arthralgia Gait disturbance Product substitution issue Renal failure 3 Lupus nephritis 3 Pancytopenia 1 Sepsis 1 Nausea Vomiting Diarrhoea Fatigue Asthenia Thrombocytopenia Febrile neutropenia Headache Cerebral haemorrhage Thrombosis 6 Drug abuse 6 Intentional drug misuse 6 Movement disorder 1 Chest pain 1 Neck pain 1 Myalgia 1 Pain in extremity 1 Thrombotic microangiopathy 6 Off label use 6 Throat tightness 1 Dyspnoea 1 Cough 1 Mental disorder 6 Sleep disorder Abnormal behaviour Fatigue Melena International normalised ratio increased Haemoglobin decreased Haematocrit decreased Gastritis Oesophageal candidiasis Gastrointestinal haemorrhage Renal failure acute Tendonitis Anaemia Gastritis haemorrhagic Pneumonia Investigation Nephrogenic systemic fibrosis 3 Adenocarcinoma of colon 1 Yellow skin 6 Activities of daily living impaired 6 Limb discomfort 3 Dry throat 6 Arthralgia 3 Injection site pain 6 Drug ineffective 1 Fall 6 Weight decreased 3 Neck pain 3 Head injury 6 Visual impairment 6 Injection site pruritus 6 Hallucination 6 Mobility decrease

ased 6 Anaemia 6 Injection site erythema 6 Condition aggravated 1 Deafness 6 Productive cough 6 Red blood cell sedimentation rate increased 6 Swelling 1 Pain 1 Thrombosis 6 Catarrh 6 Feeling abnormal 6 Injection site hypersensitivity 6 Rheumatoid arthritis 6 Joint swelling 3 Hypertension 6 Dry mouth 6 Hypersensitivity 1 Swelling face Lip swelling Local swelling Local swelling Throat tightness Pharyngeal oedema Dyspnoea Ear pain Pain in jaw Asthenia Fatigue Hypersensitivity Pneumonia 1 Nasopharyngitis 1 Cough 1 Fatigue 1 General physical health deterioration 1 Hyperhidrosis 6 Gastrointestinal disorder 6 Diarrhoea 6 Decreased appetite 6 Fatigue 6 Pruritus 6 Urticaria 6 Pain of skin 6 Blister 6 Rash pruritic 6 Exposure during breast feeding 6 Pulmonary oedema Pruritus Burning sensation Pain Swelling face Rash Rash Dermatitis contact Lentigo Seborrhoeic keratosis Sweat gland tumour Pleural effusion Hypoxia Respiratory disorder Rhabdomyolysis 6 Hernia 6 Prostatic disorder 6 Tooth abscess 6 Toothache 6 Endodontic procedure 6 Surgery 2 Osteonecrosis of jaw 6 Disease progression 6 Hallucination Confusional state Visual acuity reduced Dizziness Bradycardia Investigation Fall Stupor Respiratory depression Overdose Sedation Pre-eclampsia 6 Exposure during pregnancy 6 Drug withdrawal syndrome 6 Injection site rash Rash erythematous Type IV hypersensitivity reaction Cerebrovascular accident Bipolar I disorder 3 Sedation 3 Paranoia 3 Treatment non compliance 6 Fear 3 Tuberculosis 3 Neoplasm 1 Pain in extremity 6 Hypoaesthesia 6 Carpal tunnel decompression 6 Infusion related reaction 1 Anaphylactic reaction 1 White blood cell count decreased 6 Bone pain 6 Arthralgia 6 Hot flush 6 Asthenia 6 Haemoptysis Intestinal obstruction Intestinal obstruction Hypokinesia 6 Dysgeusia 6 Asthenia 6 Fatigue 6 Decreased appetite 6 Atrial thrombosis 2 Speech disorder 6 Balance disorder 6 Gait disturbance 6 Confusional state 6 Asthenia 6 Pain 6 Malaise Haemorrhage 6 Wound 6 Scab 6 Skin fissures 6 Pain 6 Gait disturbance 6 Fear 6 Arthralgia 6 Flatulence Erection Back pain Arthritis Hypokinesia Cardiac disorder Condition aggravated Nausea Vomiting Diarrhoea Mobility decreased 3 Skin cancer 1 Pain in jaw 3 Bone swelling 3 Ear disorder 3 Tooth disorder 6 Inappropriate schedule of drug administration 3 Bone pain 6 Fat embolism 2 Hypertension 2 Polycythemia 1 Sciatica 2 Blindness unilateral Gallbladder disorder 6 Hepatic haematoma 3 Hepatic enzyme increased 3 Pain in extremity 3 Impaired gastric emptying 3 Injection site mass 3 Amnesia 3 Injection site pain 1 Completed suicide Exposure via ingestion Diverticulitis 1 Hernia 1 Abdominal pain 6 Pulmonary embolism 5 Lung neoplasm malignant 5 Fatigue Asthenia Dyspnoea Chest pain Dyspnoea Cardiopulmonary failure 5 Cardiac arrest 5 Pyrexia 6 Death Muscular weakness 6 Muscle spasms 4 Hypoaesthesia 6 Muscle rigidity 4 Sleep disorder 6 Musculoskeletal stiffness 4 Abortion missed 1 Therapeutic response changed 2 Pathogen resistance 2 Drug ineffective 6 Death Tooth loss 3 Gingival pain 3 Bone marrow failure 1 Hyperaemia 1 Lymphadenopathy 1 Bloody discharge 1 Odynophagia 1 Salivary gland disorder 1 Bone pain 6 Pyrexia 6 Death Angioedema 1 Prothrombin time prolonged 6 Haemorrhage 1 Contusion 6 Haematoma 6 Drug interaction 6 Toxicity to various agents 6 International normalised ratio increased 1 Death Death Endometrial cancer 6 Injection site erythema 6 Injection site swelling 6 Injection site pain 6 Osteoarthritis 6 Cognitive disorder 6 Depression 6 Haemoglobin decreased 6 Fibromyalgia 6 Feeling cold 6 Weight decreased 6 Muscle atrophy 6 No therapeutic response 6 White blood cell count decreased 6 Asthenia 6 Dizziness 6 Product quality issue 6 Visual impairment 3 Visual acuity reduced 6 Drug ineffective 6 Cataract 3 Night blindness 6 Death Death 5 Death Fracture 3 Road traffic accident 3 Sternal fracture 3 Loss of consciousness 3 Cough 3 Nasopharyngitis 3 Hypersensitivity vasculitis Glomerulonephritis acute Renal failure acute Arthralgia Hypochromic anaemia Toxicity to various agents Haematuria Hypocalcaemia Hyperphosphataemia Tetany Paraesthesia oral Paraesthesia Paraesthesia Paraesthesia Maternal drugs affecting foetus Cleft palate High arched palate Poor sucking reflex Exposure during breast feeding Congenital anomaly Convulsion Impaired driving ability Fall Multiple sclerosis relapse Insomnia Multiple sclerosis relapse 3 Dysarthria 3 Gait disturbance 3 Fatigue 3 Ataxia 3 Hypoaesthesia 3 Muscle spasms 3 Swollen tongue 1 Hypoaesthesia oral 1 Haemoglobin abnormal 3 Haematocrit abnormal 3 Inappropriate schedule of drug administration Blood potassium abnormal 3 Blood calcium abnormal 3 Blood cholesterol increased 3 Multiple sclerosis relapse 6 Haemoptysis 1 Lung disorder 6 Chest pain 1 Injection site erythema 1 Injection site swelling 1 Injection site pruritus 1 Urinary bladder haemorrhage 1 Drug ineffective 6 Infection 3 Cerebral ischaemia 6 Hemiparesis 6 Blood calcium increased 6 Blood potassium decreased 6 Anaemia 6 Faecaloma Proteinuria 6 Hypertension 6 Vitreous haemorrhage 1 Blindness 3 Full blood count decreased 3 Hypoacusis 6 Drug interaction 2 Psychotic disorder 1 Gait disturbance 2 Hyperreflexia 2 Dizziness 2 Sleep disorder 2 Asthenia 2 Nystagmus 2 Toxicity to various agents 2 Palpitations 2 Disturbance in attention 2 Inappropriate schedule of drug administration 1 Bedridden 1 Off label use 3 Asthenia 1 Muscular weakness 2 Dyspnoea 1 Deep vein thrombosis 6 Eye haemorrhage 1 Thrombocytopenia 6 Thrombocytopenia 6 Pleural effusion Haemorrhage intracranial 3 Epilepsy Medication error Haemorrhage intracranial 2 Gastrointestinal haemorrhage 6 Gastrointestinal tract irritation 6 Diarrhoea haemorrhagic 1 Mesenteric artery thrombosis 1 Cardiac ablation 6 Gastrointestinal haemorrhage 1 Nephrolithiasis 1 Neuralgia 3 Chest discomfort 3 Vision blurred 3 Deep vein thrombosis 6 Deep vein thrombosis 1 Pulmonary alveolar haemorrhage 2 Acute respiratory failure 2 Acute respiratory distress syndrome 2 Renal impairment 6 Atrial fibrillation 6 Pulmonary embolism 5 Investigation 1 Cerebrovascular accident 6 Muscle spasms Dyspnoea Neoplasm malignant 1 Hernia 3 Incision site infection 3 Tibia fracture 3 Ankle fracture 3 Ligament rupture 3 Meniscus injury 3 Fall 3 Fracture delayed union 3 Arthralgia 3 Pain 1 Mobility decreased 1 Investigation 6 Adverse event 6 Hospitalisation 6 Convulsion Drug interaction Drug prescribing error Investigation 6 Flushing 3 Pyrexia 6 Malaise 3 Cellulitis 6 Incorrect route of drug administration 6 Motor dysfunction 1 Cerebrovascular accident 1 Galactorrhoea 6 Nightmare 1 Anxiety 1 Neuralgia 6 Urinary tract infection 1 Drug ineffective 6 Alopecia 3 Hair growth abnormal 3 Hair colour changes 3 Nightmare 1 Anxiety 1 Off label use Completed suicide Alopecia Osteoporosis Anaemia 6 Mycobacterial infection 6 Upper respiratory tract inflammation 3 Dysentery Headache 6 Diarrhoea 6 Night sweats 6 Dry skin 6 Deafness 3 Hypoglycaemic unconsciousness 6 Fall 6 Lower limb fracture 6 Angina pectoris 1 Influenza 3 Headache 1 Feeling hot 1 Chills 1 Hyperhidrosis 1 Movement disorder 1 Chest pain Lip oedema Asthma 1 Dizziness 1 Mood swings 1 Asthenia Bradycardia Presyncope Somnolence Headache Weight decreased Lower respiratory tract infection Right ventricular failure Oedema peripheral Sleep apnoea syndrome Cor pulmonale Hypoxia Malaise Cyanosis Decreased activity Pyrexia Pain Myopathy Ophthalmoplegia Diplopia Cerebrovascular accident 6 Renal failure Lactic acidosis Blood potassium increased Continuous haemodiafiltration Metabolic acidosis Diabetes mellitus 6 Renal failure Lactic acidosis Blood sodium decreased Blood potassium increased Continuous haemodiafiltration Renal failure Lactic acidosis Blood sodium decreased Blood potassium increased Continuous haemodiafiltration Metabolic acidosis Interstitial lung disease 3 Electrocardiogram repolarisation abnormality 1 Fatigue Colorectal cancer metastatic 5 Lactic acidosis Renal failure Blood potassium increased Continuous haemodiafiltration Metabolic acidosis Hypoventilation Abdominal pain upper Somnolence Cardiopulmonary failure Tachypnoea Pathological gambling Impulse-control disorder Rash generalised Rash pruritic Rash pustular Rash erythematous Hemiparesis 6 Vision blurred 6 Hypoaesthesia 6 Gait disturbance 2 Injection site erythema Injection site discolouration Rotator cuff repair 1 Arthralgia 3 Musculoskeletal pain 3 Increased upper airway secretion 3 Injection site pain 3 Investigation 6 Syncope 3 Cardiac disorder 6 Hyperhidrosis 3 Inappropriate schedule of drug administration Hepatitis toxic Chest pain Erythema Skin reaction Interstitial lung disease 5 Headache 5 Dyspnoea 5 Multiple sclerosis relapse 6 Maternal drugs affecting foetus Caesarean section Pulmonary valve stenosis congenital Atrial septal defect Feeding disorder neonatal Altered state of consciousness Sopor Aspartate aminotransferase increased Blood creatine phosphokinase increased Off label use Sedation Diplopia Substance abuse Oral mucosal blistering Hypersensitivity Throat tightness Nausea Vomiting Multiple sclerosis relapse 1 Drug ineffective Multiple sclerosis relapse 2 Eyelid ptosis 2 Influenza like illness 2 Multiple sclerosis 6 Inappropriate schedule of drug administration Multiple sclerosis 6 Inappropriate schedule of

f drug administration Fall Hyponatraemia Confusional state Cholecystitis 6 Hepatic artery aneurysm 6 Femur fracture Incorrect drug administration duration Dermatitis psoriasisiform Vomiting Metabolic acidosis Pulmonary oedema Respiratory disorder Blood creatinine increased Dialysis Renal impairment Lactic acidosis Drug abuse Intentional self-injury Sopor Oligohydramnios Premature rupture of membranes Caesarean section Obstructed labour Gestational diabetes Maternal exposure during pregnancy Foetal heart rate deceleration abnormality Maternal drugs affecting foetus Oligohydramnios Foetal death Kidney duplex 6 Congenital hearing disorder 6 Foetal exposure during pregnancy 1 Congenital choroid plexus cyst 6 Supernumerary nipple 6 Cardiac failure 6 Pneumonia 6 Anxiety 3 Throat irritation 3 Sensation of foreign body 1 Chest discomfort 6 Nausea 6 Pain 3 Headache 3 Nervousness 6 Blood pressure inadequately controlled Hypertension Blood electrolytes abnormal 6 Blood potassium abnormal 6 Adrenal gland injury 3 Cardiac disorder 3 Anaemia 3 Hypotension 3 Renal failure 3 Laboratory test abnormal 6 Syncope 3 Gastrointestinal disorder Medication residue present Abdominal pain 6 Nausea 6 Fatigue 6 Dental caries 6 Oedema 6 Diarrhoea 6 Cystitis noninfective 6 Hypertension 6 Anaemia 6 Vomiting 6 Dizziness 6 Dehydration 6 Neutropenia 6 Somnolence 6 Heparin-induced thrombocytopenia 6 Thrombocytopenia 6 Anaemia 3 Condition aggravated 6 Haemorrhage intracranial 6 Subdural haematoma 6 Angioedema 1 Urticaria 1 Dyspnoea 1 Sensation of foreign body 1 Rash generalised 1 Swelling face 1 Local swelling 1 Vomiting 1 Rash 6 Capillary leak syndrome 6 Conjunctival haemorrhage Vision blurred Asthenia Headache Peripheral vascular disorder 2 Uterine leiomyoma 3 Pyrexia 3 Cough 3 Rhinorrhoea 3 Respiratory tract congestion 3 Death 5 Scleroderma 6 Fasciitis 6 Dyspnoea 6 Infusion related reaction 1 Pneumonia fungal 1 Respiratory arrest 5 Pancreatitis 6 Gait disturbance 6 Joint range of motion decreased 6 Musculoskeletal stiffness 6 Face oedema 1 Drug effect incomplete 6 Oedema 6 Skin lesion 6 Drug intolerance 6 Otitis media 6 Malignant melanoma in situ 1 Headache Vomiting Abdominal pain Gait disturbance Urinary tract infection 6 Pyrexia 6 Haematuria 6 Myalgia 6 Depressed level of consciousness Depressed level of consciousness Conjunctival haemorrhage Arthralgia Myalgia Pyrexia Encephalopathy Adenocarcinoma 5 Diarrhoea Weight decreased Vomiting Ileus paralytic Muscle rupture 6 Thrombosis in device 1 Drug resistance 1 Interstitial lung disease 1 Epistaxis 1 Dyspnoea 6 Headache 1 Hyperhidrosis 1 Arthralgia 1 Hypersensitivity vasculitis 1 Cerebrovascular accident 1 Transient ischaemic attack 1 Thrombosis 1 Diplopia 3 Pulmonary embolism 1 Headache 6 Conjunctival haemorrhage Vision blurred Headache Asthenia Gait disturbance Interstitial lung disease 3 Pancreatitis 1 Disseminated intravascular coagulation 6 Tracheostomy 6 Mechanical ventilation 6 Gastric haemorrhage 6 Hepatic function abnormal 6 Cholelithiasis 6 Skin exfoliation 2 Pruritus 2 Oral pruritus 2 Local swelling 2 Chest discomfort 2 Paraesthesia oral 2 Vomiting 1 Underdose 1 Renal impairment 2 Diarrhoea 2 Lethargy 2 Malaise 2 Weight decreased 2 Myocardial infarction 1 Nausea 1 Weight increased 6 Headache 1 Dizziness 1 Angina pectoris 1 Fatigue 1 Hyperhidrosis 1 Stevens-Johnson syndrome 4 Hypersensitivity 1 Blister 4 Consciousness fluctuating 1 Dyspnoea 1 Eye disorder 1 Rash generalised 1 Lip discolouration 1 Chapped lips 1 Pain 1 Scab 1 Scar 1 Malaise 1 Skin disorder 1 Skin exfoliation 1 Lip swelling 1 Weight decreased 1 Off label use 1 Small cell lung cancer 5 Gastric cancer 6 Headache 2 Tooth abscess 6 Fatigue 2 Tooth infection 3 Spondylolisthesis 6 Osteoporosis 6 Pain in extremity 2 Musculoskeletal discomfort 6 Drug diversion 1 Insomnia 6 Cholangitis Off label use Death 5 Myocardial infarction 6 Pancytopenia 2 Drug interaction 6 Exposure during pregnancy Substance abuse Headache Somnambulism Depression Diarrhoea Fatigue Irritability Polyuria Pain in extremity Underdose Malaise Nausea Vomiting Wrong technique in drug usage process Eczema Paralysis Asthenia Constipation Dyspnoea Hyperkalaemia Restlessness Rales Blood sodium decreased High density lipoprotein decreased Low density lipoprotein increased Incorrect route of drug administration 6 Drug abuse 6 Drug diversion 6 Bronchospasm Hyperhidrosis Liver function test abnormal 1 Salmonellosis 1 Hepatic steatosis 6 Herpes simplex 6 Spinal osteoarthritis 6 Arthritis 6 Renal failure acute 1 Duodenal polyp 6 Electrolyte imbalance 6 Oesophagitis 6 Mycobacterium avium complex infection 2 Lymphadenitis 2 Renal impairment 3 Diabetes mellitus 3 Diarrhoea 2 Sinusitis 3 Diabetic neuropathy 3 Eosinophilic pustular folliculitis 3 Nausea 2 Pneumonia 2 Osteoporosis 2 Hyperlipidaemia 3 Back pain 2 Hyperuricaemia 3 Cytopenia 2 Periarthritis 2 Folate deficiency 1 Gingival inflammation 6 Drug diversion 1 Lumbar vertebral fracture 3 Clostridium difficile colitis Blood glucose increased 6 Inappropriate schedule of drug administration 6 Confusional state 3 Tumour lysis syndrome 3 Renal failure 6 Overdose 5 Drug dependence 3 Drug abuse 3 Splenic rupture Blood pressure diastolic decreased Haemoglobin decreased Peritoneal haemorrhage Caesarean section Maternal exposure during pregnancy Procedural complication Skin toxicity Pneumonia 5 Neuropathy peripheral 6 Fatigue 6 Infection 6 Nausea 6 Diarrhoea 6 Palmar-plantar erythrodysesthesia syndrome 6 Mucosal inflammation 6 Pneumonitis 6 Pleural effusion 6 Vomiting 6 Anaemia 6 Drug abuse 5 Accidental exposure to product 5 Dermatitis exfoliative 5 Pneumonitis 3 Nausea 1 Hepatic function abnormal 6 Overdose 6 Miosis 1 Respiratory depression 2 Coma 2 Drug diversion 6 Road traffic accident 6 Drug diversion 6 Drug abuse 6 Drug diversion 6 Leukopenia 6 Anaemia 6 Thrombocytopenia 6 Vomiting 6 Radiation oesophagitis 6 Palmar-plantar erythrodysesthesia syndrome 6 Diarrhoea 6 Gastrointestinal haemorrhage 6 Drug interaction 6 Febrile neutropenia 6 Drug diversion 6 Selfinjurious behaviour 6 Intentional drug misuse 6 Sluggishness 6 Myocardial infarction 3 Fall 1 Somnolence 3 Aphasia 3 Drug hypersensitivity 1 Pain 1 Abdominal distension 1 Fatigue 1 Chills 1 Diarrhoea 1 Eosinophilia 1 Condition aggravated 6 Transaminases increased 1 Dyspepsia 1 Lymphopenia 1 Skin ulcer 6 Overdose 1 Depressed level of consciousness 1 Convulsion 1 Gaze palsy 1 Foaming at mouth 1 Dyskinesia 1 Drug dependence 3 Febrile neutropenia Off label use Disability 6 Fatigue 6 Joint dislocation 6 Joint swelling 6 Knee arthroplasty 6 Joint injury 6 Sinusitis 6 Bedridden 3 Nerve injury 6 Impaired driving ability 6 Muscular weakness 6 Arthralgia 6 Fall 6 Product packaging issue 6 Weight bearing difficulty 3 Flushing 6 Ankle fracture 3 Wheelchair user 6 Bladder catheterisation 6 Gastrointestinal haemorrhage 6 Drug interaction 6 Renal cancer 1 Pneumonia 1 Sinusitis 3 Injury 1 Drug effect in complete 1 Psoriasis 3 Lower gastrointestinal haemorrhage 6 Drug interaction 6 Melaena 6 Haematochezia 6 Stevens-Johnson syndrome Rash maculo-papular Food interaction Bladder neoplasm Bladder cancer Anaphylactic shock Hypertiglyceridaemia Thrombosis in device No adverse event Acute generalised exanthematous pustulosis Anaphylactic reaction No therapeutic response Faecalith Abdominal pain Vomiting Ileus Intussusception Malnutrition Ascites Pleural effusion Convulsion 6 Pancreatitis 6 Myoclonus 6 Fall 6 Head injury 6 Dyspnoea 6 Fatigue 6 Weight increased 6 Tremor 6 Balance disorder 6 Abdominal pain 6 Dyspepsia 6 Rash 6 Globulins increased 6 Hypoalbuminaemia 6 Somnolence 6 Abnormal behaviour 6 Diarrhoea 6 Rosacea 6 Disorientation 6 Drug administration error 6 Drug dose omission 6 Drug effect decreased 6 Flushing 1 Muscular weakness 1 Headache 1 Chest pain Electrocardiogram ST segment elevation Muscle spasms Coronary artery dissection Iatrogenic injury Haemorrhage 6 Drug interaction 6 Shock haemorrhagic 6 Hypertension 2 Weight increased 3 Skin burning sensation 6 Paraesthesia 6 Peripheral swelling 2 Joint swelling 2 Oedema peripheral 3 Hypertension 2 Paraesthesia 6 Weight increased 3 Skin burning sensation 6 Renal disorder 3 Intestinal resection 1 Colon cancer metastatic 3 Pain 3 Hypertension 3 Malaise 3 Incarcerated hernia 1 Peritonitis 1 Catheter site extravasation 6 Post procedural infection 1 Abortion spontaneous 1 Exposure during pregnancy 1 Large intestinal haemorrhage 6 Drug interaction 6 Adverse event 6 Hernia 2 Cardiac disorder 2 Hernia 1 Peripheral artery thrombosis 2 Cerebrovascular accident 6 Renal failure chronic 6 Renal failure acute Anuria Heparin-induced thrombocytopenia Heparin-induced thrombocytopenia Venous stenosis Thrombosis in device Malaise 5 Pneumonia 2 Clostridium difficile infection 2 Peritonitis 6 Diverticulitis 1 Circulatory collapse Vomiting Pain Headache Insomnia Nausea Condition aggravated Paraesthesia Night sweats Myocardial infarction Toxic epidermal necrolysis Drug reaction with eosinophilia and systemic symptoms Pyrexia No therapeutic response Interstitial lung disease Toxicity to various agents Completed suicide Incorrect dose administered Poor peripheral circulation 3 Peripheral arterial occlusive disease 3 Post procedural infection 2 Wound 2 Wound infection 2 Diabetic complication

[illegible]

[illegible]

ropathy 6 Arthralgia 6 Systemic lupus erythematosus 6 Nasal disorder 6 Spinal disorder 6 Hallucination, auditory 6 Hallucination, visual 6 Drug ineffective 6 Memory impairment 6 Pneumonia 6 Pneumonia 6 Hunger 3 Oropharyngeal pain 6 Hypersensitivity 6 Pharyngeal oedema 6 Throat irritation 6 Swelling face 6 Lip swelling 6 Type 2 diabetes mellitus 6 Haematochezia 1 Vomiting 1 Abdominal pain 1 Proteinuria 1 Type 2 diabetes mellitus 3 Aphagia 6 Pain 6 Pneumonia 6 Bronchitis 6 Cough 6 Abdominal pain upper Gastrointestinal haemorrhage Intestinal ischaemia Dialysis Electrocardiogram QT prolonged 1 Intentional overdose 6 Coma 1 Somnolence Hypophagia Fluid intake reduced Fall B lood calcium abnormal 5 Procedural hypertension 5 Cerebrovascular accident 6 Hepatic enzyme increased 1 Drug ine ffective 3 Gastroesophageal reflux disease Death 5 Atrial fibrillation 6 Eructation 6 Flatulence 6 Abdominal di scomfort 6 Hyperchlorhydria 6 Face oedema 1 Multi-organ failure 5 Sepsis 5 Acinetobacter test positive 5 Treatme nt failure Myocardial infarction 5 Pneumonia 6 Renal transplant 6 Infection 6 Mental disorder 3 Psychiatric deco mpensation 3 Drug ineffective for unapproved indication 6 Intentional drug misuse 6 Acanthamoeba keratitis 6 Dru g ineffective 6 Acute graft versus host disease 2 Urinary retention 3 Angina pectoris 6 Off label use 6 Death 5 Death 5 Depression Suicidal ideation Loss of employment Product substitution issue Endocarditis 6 Death 5 Invest igation 6 Death 5 Renal failure acute 5 Drug-induced liver injury 3 Neutropenia 6 Malignant neoplasm progression 6 Dizziness 1 Dysuria 6 Malaise 6 Intentional product use issue 6 Balance disorder 3 Drug ineffective 6 Acute gr aft versus host disease in skin 2 Post transplant lymphoproliferative disorder 2 Drug ineffective 6 Chronic graf t versus host disease 6 Posterior reversible encephalopathy syndrome 6 Liver disorder 6 Renal failure 6 Drug int olerance 6 Drug ineffective for unapproved indication 6 Dermatophytosis 6 Product substitution issue Fatigue Dep ression Malignant neoplasm progression 5 Deafness 6 Bone pain 6 Memory impairment 6 Hepatocellular injury 2 Infl uenza like illness 1 Drug ineffective 6 Graft versus host disease 2 Incorrect dose administered 6 Death 5 Perfor mance status decreased 6 Hepatic function abnormal 1 Decreased appetite 1 Drug ineffective 6 Acute graft versus host disease in skin 2 Off label use 6 Dacryostenosis acquired 6 Vision blurred 6 Drug ineffective 6 Acute graft versus host disease 2 Cardiac arrest 5 Malignant neoplasm progression 5 Clostridium difficile infection 6 Pneumo nia 2 Fatigue 6 Asthenia 6 Sepsis 2 Urinary tract infection 2 Muscle spasms 6 Decubitus ulcer 6 Skin disorder 6 Arthralgia Arthralgia Bone pain Joint swelling Local swelling Blood pressure increased 6 Abdominal discomfort 3 Vision blurred 3 Nervousness 6 Depression 3 Insomnia 3 Decreased appetite 3 Weight decreased 3 Incorrect dose ad ministered 6 Rectal prolapse 6 Fungal infection 6 Pyrexia 6 Influenza like illness 6 Upper respiratory tract inf ection Febrile neutropenia Pancreatic carcinoma 6 Pancreatitis chronic 6 Escherichia pyelonephritis 1 Renal tran splant 6 Type 2 diabetes mellitus 6 Pain 6 Hepatic enzyme increased 6 Diarrhoea Vomiting Abdominal pain upper Ha emolytic anaemia 1 Platelet count decreased 6 Haemoglobin decreased 6 Anaemia 6 Anal abscess 1 Anal abscess 1 De ath 5 Investigation 6 Maternal exposure during pregnancy 6 Congenital anomaly 6 Congenital aortic valve stenosis 6 Coarctation of the aorta 6 Patent ductus arteriosus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Dr ug ineffective 6 Acute graft versus host disease 2 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Arthral gia Pain in extremity Pulmonary artery atresia 4 Low birth weight baby 1 Heart disease congenital 4 Red man synd rome 6 Cardiac disorder 6 Myalgia Therapy cessation Death 5 Pneumonia 1 Metrorrhagia Mood altered Product substi tution issue Drug ineffective 6 Graft versus host disease 6 Nephrogenic systemic fibrosis 3 Varicose vein 3 Memo ry impairment 3 Oedema 3 Chronic graft versus host disease 6 Leukaemia recurrent 6 Chronic myeloid leukaemia 6 D rug ineffective 6 Gynaecomastia Blood prolactin increased Pain Chest pain Nipple swelling Dyspnoea Leukaemia rec urrent 6 Acute graft versus host disease 6 Chronic graft versus host disease 6 Chronic myeloid leukaemia 6 Drug ineffective 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Leukaemia recurrent 6 Acute graft versus hos t disease 6 Chronic graft versus host disease 6 Chronic myeloid leukaemia 6 Drug ineffective 6 Nephropathy 3 Typ e 2 diabetes mellitus 3 Convulsion 1 Type 2 diabetes mellitus 6 Disseminated tuberculosis 3 Respiratory failure 5 Cardiovascular insufficiency 5 Cardiac hypertrophy 5 Cardiomegaly 5 Renal colic 3 Pyelonephritis 3 Blood creat inine increased 6 Alanine aminotransferase increased 2 Swollen tongue 1 Transfusion 6 Haemoglobin decreased 6 Ar thritis 6 Arthralgia 6 Malaise 6 Fatigue 6 Herpes zoster 1 Growth retardation 6 Maternal exposure during pregnan cy Caesarean section Feeling abnormal 6 Dyspnoea 1 Insomnia 6 Drug dependence 1 Oral pain 6 Teeth brittle 6 Oral herpes 6 Aphagia 6 Dyspnoea 6 Suffocation feeling 6 General physical health deterioration 6 Sensation of pressur e 6 Dry mouth 3 Thirst 3 Headache 3 Headache Abdominal pain Wheezing Inguinal hernia 1 Post procedural swelling 6 Post procedural discharge 6 Blood pressure increased 6 Metastases to pancreas 6 Metastases to liver 3 Stress 6 Ovarian disorder 6 Scar 6 Anxiety 6 Pyogenic granuloma 2 Palmar erythema 6 Nervousness 6 Thrombophlebitis 6 Nodu le 6 Plantar fasciitis 6 Pain in extremity 6 Gait disturbance 6 Lichen sclerosus 6 Lymphadenopathy 6 Nerve compr ession 6 Back pain 6 Neoplasm progression 6 Inappropriate schedule of product administration 6 Atrial fibrillati on 1 Cerebral haemorrhage 5 Haemorrhagic stroke 6 Hydrocephalus 6 Brain oedema 6 Coma 3 Inappropriate schedule o f drug administration 6 Haematuria 6 Overdose Renal cyst haemorrhage 1 Spinal fracture 1 Pancreatic mass 4 Foeta l exposure during pregnancy 6 Meningitis streptococcal 6 Infarction 6 Neurological symptom 6 Vomiting 6 Musculos keletal disorder 6 Pyrexia 6 Platelet disorder 6 Neutropenia 6 Haemoglobin abnormal 6 Respiratory tract infectio n 6 Nausea 6 Febrile neutropenia 6 Mucosal inflammation 6 Infection 6 Bacterial infection 6 Cardiac failure cong estive 3 Pericardial effusion 3 Atrial fibrillation 6 Visual acuity reduced 6 Nasopharyngitis 6 Visual field def ect 6 White blood cell count increased 6 Alanine aminotransferase increased 6 Lymphocyte count decreased 6 Catar act 1 Device failure 3 Osteonecrosis of jaw 3 Toothache 2 Bone disorder 3 Breath odour 2 Mouth haemorrhage 2 Ora l disorder 2 Erythema 2 Swelling 2 Pain 2 Exposed bone in jaw 6 Infection 2 Purulence 2 Breast cancer 6 Neoplasm progression 6 Death 5 Gastric disorder 6 Substance abuse Overdose Drug abuse Toxicity to various agents Malignan t neoplasm progression 6 Platelet count decreased 1 Haemophagocytic lymphohistiocytosis 1 Blood bilirubin increa sed 1 Drug intolerance 6 Platelet count decreased 1 Hepatic function abnormal 1 Blood glucose increased 1 Lipase increased 1 Graft versus host disease 1 Drug resistance 6 Blood cholesterol increased 1 Breast cancer 6 Malignan t neoplasm progression 6 Breast cancer 6 Neoplasm progression 6 Breast cancer 6 Neoplasm progression 6 Breast ca ncer 6 Neoplasm progression 6 Joint swelling 4 Pain in extremity 4 Anxiety 4 Disturbance in attention 4 Fatigue 1 Insomnia 4 Angioedema 6 Lip swelling 6 Dyspnoea 6 Breast cancer 6 Neoplasm progression 6 Breast cancer 6 Malig nant neoplasm progression 6 Blindness Breast cancer 6 Neoplasm progression 6 Hallucination Nausea Euphoric mood Wrong technique in drug usage process Abdominal pain upper Anxiety Breast cancer 6 Neoplasm progression 6 Death Death 5 Ulcer Syncope 1 Depressed level of consciousness 1 Unresponsive to stimuli 1 Pyrexia 1 Hypertension 1 Bl ister Skin exfoliation Cystic fibrosis lung Herpes zoster Pancytopenia 2 Drug interaction 6 Visual impairment Fu ngal infection 6 Hypokalaemia 6 Iron deficiency 6 Dyspnoea Post procedural complication 5 Procedural complicatio n 5 Drug ineffective 6 Ulcer Scar Purulence Device dislocation 1 Pain 1 Red blood cell abnormality 2 Macular deg eneration 3 Angina pectoris 2 Asthenia 6 Visual acuity reduced 3 Anaemia 2 Fluid retention 6 Pleural effusion 6 Urticaria Product label issue Product quality issue Liver disorder Hypersensitivity Yellow skin Faeces pale Rash Tooth erosion Oral infection Wrong technique in drug usage process Underdose Decreased appetite Pulmonary arteri al hypertension Disease progression Fluid overload Drug interaction 6 International normalised ratio abnormal 1 Prothrombin time abnormal 1 Nephrolithiasis 3 Ureteric obstruction 3 Chronic obstructive pulmonary disease Convu lsion Aplastic anaemia 6 Chronic obstructive pulmonary disease 5 Cardiac failure Bacteraemia Septic shock Brain abscess Ventricular tachycardia Incontinence 4 Neck pain 4 Abasia 4 Hypokinesia 4 Off label use 6 Drug administr ation monitoring procedure incorrectly performed 6 Cerebrovascular accident 3 Pneumothorax 1 Confusional state 1 Pyrexia 1 Supraventricular extrasystoles 1 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes



mellitus 6 Renal disorder 6 Cerebrovascular accident 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Lung neoplasm malignant 6 Pneumonia 5 Lung neoplasm malignant 5 Disease progression 5 Type 2 diabetes mellitus 6 Interstitial lung disease 5 Platelet count decreased 3 Type 2 diabetes mellitus 3 Death Cerebral infarction 3 Ruptured cerebral aneurysm 5 Hypertension 6 Type 2 diabetes mellitus 6 Nausea 3 Depression 3 Cough 3 Arthralgia 3 Fatigue 3 Asthenia 3 Diarrhoea 3 Muscle spasms 3 Dizziness 3 Feeling abnormal 3 Drug prescribing error 6 Myalgia 3 Muscle twitching 3 Myocardial infarction 5 Type 2 diabetes mellitus 6 Death Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Staphylococcal infection Rash Infusion site pain Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Colon cancer 6 Neoplasm recurrence 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Blood pressure increased 6 Off label use 6 Type 2 diabetes mellitus 6 Pyrexia Urinary retention Somnolence Aspiration Urinary tract infection Type 2 diabetes mellitus 6 Death Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Rash maculo-papular Rash Intentional drug misuse 6 Systemic lupus erythematosus 6 Device breakage 6 Product lot number issue 6 Transaminases increased 1 Confusional state 1 Loss of consciousness 1 Retrograde amnesia 1 Delirium 1 Bradycardia 1 Apnoea 1 Arterial occlusive disease 2 Type 2 diabetes mellitus 6 Drug withdrawal syndrome Drug detoxification Tremor 2 Hypokinesia 2 Dyspnoea 2 Hyperhidrosis 2 Feeling abnormal 2 Tachypnoea 2 Activities of daily living impaired 2 Death Osteoarthritis 2 Impaired healing 1 Arthralgia 6 Peripheral swelling 6 Febrile neutropenia 1 Haematemesis 1 Melaena 1 Haemorrhagic anaemia 1 Drug interaction 1 Mental status changes 6 Herpes zoster 6 Feeling cold Infusion related reaction Acute interstitial pneumonitis Breast cancer 1 Glycosylated haemoglobin increased 6 Hypoglycaemia 6 Road traffic accident 6 Impulse-control disorder 1 Toxicity to various agents 2 Drug abuse 6 Suicide attempt 2 Abdominal wall haematoma 6 Drug interaction 6 Asthma Gastrointestinal haemorrhage 6 Cataract 2 Goitre 6 Drug dependence Hypersensitivity Pharyngeal oedema Dyspnoea Somnolence Pancreatic carcinoma 5 Seroma Therapeutic response decreased Headache Post procedural haemorrhage 1 Drug interaction 6 Gastrointestinal haemorrhage 1 Nausea Plasma cell myeloma Disease recurrence Post procedural haemorrhage 1 Haematuria 6 Contusion 6 International normalised ratio increased 6 Drug interaction 6 Cerebrovascular accident 6 Haemoglobin decreased 6 Thrombosis 6 Aplastic anaemia 6 Intestinal perforation 1 Ileus paralytic 6 Pneumonitis 6 Lung infiltration 6 Renal failure 6 Pneumothorax 1 Pulmonary embolism 6 Subdural haematoma 6 Drug interaction 6 Pneumonia Febrile neutropenia Hypotension Pneumomediastinum Deep vein thrombosis Product packaging issue Product package associated injury Accidental exposure to product Chronic obstructive pulmonary disease 5 Pneumonia streptococcal 6 Left ventricular dysfunction 6 Metabolic acidosis 6 Ketoacidosis 6 Dehydration 6 Lung transplant Dyspnoea exertional Chest injury Ventricular failure Oedema peripheral Catheterisation cardiac abnormal Hypoxia Ischaemia Pleural effusion Pulmonary arterial hypertension Condition aggravated Cerebrovascular accident 1 Hemiparesis 1 Dysarthria 1 Transfusion 3 Vascular stent thrombosis 6 Treatment noncompliance 6 Rectal haemorrhage 3 Off label use 3 Genital infection fungal 1 Vulvovaginal candidiasis 1 Hypocalcaemia Self-injurious ideation 1 Depression 1 Hepatic cirrhosis Pancytopenia Ascites Convulsion Neutrophil count decreased Respiratory failure Oesophageal carcinoma 3 Ileus paralytic 6 Large intestinal obstruction 6 Dysphagia 6 Mental impairment 3 Cushingoid 6 Body height below normal 6 Acne 6 Skin papilloma 6 Spinal compression fracture 6 Headache 6 Headache 6 Musculoskeletal stiffness 6 Insomnia 6 Lymphopenia 6 Osteoporosis 6 Sudden death 5 Loss of consciousness Dyspnoea Hypokalaemia Urinary tract infection Dysarthria 6 Renal failure acute 1 Parkinson's disease 5 Convulsion 6 Depression 1 Influenza like illness 3 Asthenia 3 Dyspepsia 3 Nausea 3 Abdominal discomfort 3 Anaemia 1 Anaemia 1 Neutropenia 1 Drug ineffective 6 Haemorrhage Anaemia Gastrointestinal haemorrhage Dizziness Hyperhidrosis Dizziness International normalised ratio abnormal Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Local swelling 2 Musculoskeletal stiffness 6 Peripheral coldness 6 Maternal exposure during pregnancy 6 Congenital anomaly 6 Brachycephaly 6 Plagiocephaly 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Mood altered 1 Apathy 6 Somnolence 6 Flat affect 6 Type 2 diabetes mellitus 6 Neuropathy peripheral 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Dizziness 6 Vision blurred 6 Malaise 6 Type 2 diabetes mellitus 3 Palpitations 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Neuropathy peripheral 3 Visual impairment 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Confusional state Type 2 diabetes mellitus 6 Vomiting Death 5 Device dislocation 3 Tremor 2 Ischaemic stroke 6 Hemiparesis 6 Seizure 6 Off label use 6 Haemorrhagic stroke 6 Bradyphrenia 6 Malaise 6 Arthralgia Road traffic accident Confusional state Device dislocation Drug dose omission Crohn's disease 6 Drug ineffective 6 Cervical spinal stenosis 1 Pneumonia 1 Myocardial infarction 1 Pyrexia 1 Weight increased 1 Sinusitis 1 Blood pressure increased 1 Lung infection 6 Fatigue 6 Pneumonia 6 Decreased appetite 6 Somnolence 6 Bundle branch block left 3 Atrioventricular block first degree 3 Electrocardiogram QT prolonged 3 Drug interaction 6 Epistaxis Pruritus Rash Hypertension Somnolence 3 Depression 3 Merycism 3 Major depression 3 Agitation 3 Sedation 3 Bipolar I disorder 3 Attention deficit/hyperactivity disorder 3 Death 5 Oesophageal atresia Renal aplasia Right aortic arch Maternal drugs affecting foetus Haemoglobin decreased 6 Asthenia 6 Arthralgia 5 Dyspnoea 5 Nausea 5 Renal failure 5 Vomiting 5 Cleft palate Maternal drugs affecting foetus Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Muscle spasms 6 Cardiomyopathy 3 Diabetic neuropathy 3 Anxiety 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Glucose tolerance impaired 3 Type 2 diabetes mellitus 6 Placental insufficiency 5 Foetal death 5 Foetal heart rate deceleration abnormality 6 Umbilical cord abnormality 6 Loss of employment 6 Multiple injuries 6 Anhedonia 6 Economic problem 6 Internal haemorrhage 6 Psychological trauma 6 Social problem 6 Deformity 6 Physical disability 6 Pain 6 Tension 6 Hepatic cirrhosis Liver function test abnormal Ascites Pruritus 3 Rash 3 Meningomyelocele Maternal drugs affecting foetus Enterocolitis 1 Liver disorder 1 Oedema mouth Rash erythematous Pyrexia 1 Splenic rupture 3 Sepsis 3 Cytomegalovirus enterocolitis 3 Abscess fungal 6 Gastric ulcer 3 Haemosiderosis 3 Pyrexia 3 Cystitis haemorrhagic 3 Multiple injuries 3 Gastrointestinal haemorrhage 6 Tuberculin test positive 1 Asthenia 6 Breast cancer 6 Neoplasm progression 6 Diplopia 1 Breast cancer 6 Neoplasm progression 6 Breast cancer 6 Neoplasm progression 6 Motor developmental delay 6 Dermoid cyst 3 Foetal exposure during pregnancy 6 Small for dates baby 1 Micropenis 3 Hypospadias 3 Cryptorchism 2 Foetal exposure during pregnancy 6 Arthralgia 6 Change of bowel habit 6 Breast cancer 6 Neoplasm progression 6 Weight increased 6 Breast cancer 6 Metastases to lymph nodes 6 Neoplasm progression 6 Breast cancer 6 Neoplasm progression 6 Breast cancer 6 Neoplasm progression 6 Blindness Vision blurred Breast cancer 6 Neoplasm progression 6 Breast cancer 6 Neoplasm progression 6 Breast cancer 6 Neoplasm progression 6 Ischaemic stroke 6 Breast cancer 6 Neoplasm progression 6 Breast cancer 6 Neoplasm progression 6 Circulatory collapse 1 Hypotension 1 Vomiting 1 Pain 1 Multiple injuries 1 Physical disability 3 Tension 3 Gastrointestinal haemorrhage 1 Psychological trauma 3 Economic problem 3 Pain 3 Deformity 3 Anhedonia 3 Loss of employment 3 Social problem 3 Breast cancer 6 Drug intolerance 6 Neoplasm progression 6 Breast cancer 6 Neoplasm progression 6 Road traffic accident 6 Liver disorder 6 Multiple injuries 3 Physical disability 3 Pain 3 Gastrointestinal haemorrhage 6 Economic problem 3 Social problem 3 Multi-organ failure 6 Loss of employment 3 Renal injury 6 Tension 3 Ulcer 3 Deformity 3 Anhedonia 3 Psychological trauma 3 White blood cell count increased Device related infection Maternal exposure during pregnancy 1 Fall 1 Confusional state 1 Orthostatic hypotension 1 Dehydration 1 Electrocardiogram QT prolonged 1 Somnambulism 3 Mycosis fungoides stage II Joint injury Arthritis infective Malaise Substance abuse Expired drug administered Suicidal ideation 6 Constipation 6 Depressed mood 6 Drug withdrawal syndrome 6 Intentional d



rug misuse 6 Wrong technique in drug usage process 6 Crying 6 Malaise 1 Somnolence 1 Dizziness 1 Confusional state 1 Disorientation 1 Anxiety 1 Pulmonary embolism 1 Thrombosis 1 Anxiety 3 Insomnia 3 Nausea 3 Vomiting 3 With rawal syndrome 3 Temperature regulation disorder 6 Premature baby 6 Apgar score low 6 Foetal exposure during pregnancy 6 Transfusion 6 Myelodysplastic syndrome 6 Duodenal ulcer 1 Oesophagitis 1 Gastroenteritis aeromonas 2 Fatigue 1 Cyst 1 Ear pain 1 Pain in extremity 1 Blood bilirubin increased 1 Schizoaffective disorder 6 Drug ineffective 6 Superinfection 5 Disease progression 5 Pneumonitis 5 Dyspnoea 5 Congenital ureteric anomaly Kidney malformation Cryptorchism Maternal drugs affecting foetus Renal aplasia Urinary retention 1 Constipation 1 Abdominal pain 1 Hypotension 1 Vomiting 1 Fatigue 1 Diarrhoea 1 Throat tightness 2 Erythema 2 Urticaria 2 Nausea Renal failure acute Muscle spasms 2 Dyspnoea 2 Meningitis 1 White blood cell count increased 3 Neutrophil count increased 6 Brain abscess 6 Pneumonia 1 Malnutrition 5 Death 5 Acute myeloid leukaemia 6 Haemoglobin decreased 6 Death 5 Pain 6 Oedema peripheral 1 Death 5 Febrile neutropenia 1 Death 5 Death 5 Swollen tongue 1 Nausea 1 Pain 6 Death 5 Atrial septal defect Maternal drugs affecting foetus Accidental exposure to product by child Acute lymphocytic leukaemia recurrent 5 Hypotension 6 Feeling abnormal 6 Bradycardia 6 Abdominal pain upper 6 Bladder dysfunction 3 Cystitis noninfective 3 Nausea 2 Weight decreased 2 Alopecia 1 Pancytopenia 6 Major depression 6 Rash 6 Drug intolerance 6 Mycosis fungoides Basedow's disease 6 Alopecia 6 Small intestinal resection 6 Dialysis Nausea Haematochezia 6 Hepatic enzyme abnormal 6 Hepatic enzyme increased 6 Insomnia 6 Pain in extremity 6 Constipation 6 Anorectal disorder 6 Rash 6 Vision blurred 6 Procedural pain 6 Abdominal pain 6 Laryngeal pain 6 Sinusitis 6 Respiratory tract infection 6 Bone density decreased 6 Back pain 6 Dizziness 6 Cough 6 Headache 6 Intestinal resection 6 Crohn's disease 6 Neutropenia 6 Arthralgia 6 Influenza 6 Contusion 6 Fatigue 6 Abdominal distension 6 Skin lesion 6 Nausea 6 Infusion related reaction 6 Vomiting 6 Drug specific antibody present 6 Diarrhoea 6 Myalgia 6 Acne 6 Dyspepsia 6 Pyrexia 6 Loss of consciousness 2 Anxiety 6 Diarrhoea 6 Dehydration 6 Haemorrhage 6 Dialysis 6 Nephrogenic systemic fibrosis 3 Pancytopenia 3 Renal vessel disorder 3 Enterococcal sepsis 3 Arthralgia 3 Rash 1 Asthma 3 Encephalitis viral 3 Blood lactate dehydrogenase increased 3 Pyrexia 3 Pyrexia 3 Melaena 3 Hepatic function abnormal 3 Furuncle VIIth nerve paralysis 6 Cardiac disorder 6 Chronic obstructive pulmonary disease 6 Bronchiectasis 6 Thyroid disorder 6 Arthritis 6 Inflammation 6 Skin discolouration 6 Circumstance or information capable of leading to medication error 6 Overdose 5 Drug ineffective 6 Retinal vein occlusion 3 Pneumonia 3 Asthenia 6 Dyspnoea 6 Dependence 6 Insomnia Urinary retention Anxiety Hyperhidrosis Vomiting Disturbance in attention Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Back pain Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Bicuspid aortic valve Congenital aortic stenosis Dysmorphism Exposure during pregnancy Foetal exposure during pregnancy Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 5 Type 2 diabetes mellitus 3 Headache 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Stomatitis 6 Neovascular age-related macular degeneration 6 Rash 6 Myalgia 6 Muscular weakness 6 Eye irritation 6 Pruritus 6 Meningomyelocele Maternal drugs affecting foetus Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Epilepsy 3 Therapeutic response unexpected with drug substitution 6 Renal neoplasm 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Dyspnoea 1 Rash 1 Back pain 1 Drug withdrawal syndrome 1 Apparent death 1 Depression 1 Crying 1 Nervous system disorder 1 Chills 1 Insomnia 1 Tremor 1 Quality of life decreased 1 Decreased appetite 1 Influenza 1 Intentional drug misuse 1 Anaphylactic shock 1 Polydactyly Maternal drugs affecting foetus Hallucination 2 Depression 2 Anxiety 2 Paranoia 2 Apathy 2 Drug ineffective 6 Breast cancer 6 Malignant neoplasm progression 6 Haemolytic uraemic syndrome 6 Breast cancer 6 Malignant neoplasm progression 6 Milk-alkali syndrome 1 Mental status changes 1 Vomiting 6 Nausea 6 Overdose 6 Cholestasis 1 Breast cancer 6 Malignant neoplasm progression 6 Breast cancer 6 Malignant neoplasm progression 6 Convulsion 6 Feeling hot 6 Glassy eyes 3 Product substitution issue 6 Product quality issue 6 Drug ineffective 6 Breast cancer 6 Malignant neoplasm progression 6 Drug ineffective Systemic lupus erythematosus 2 Drug ineffective 2 Cystocele 3 Febrile neutropenia 1 Haemolysis 1 Hypersensitivity Dyspnoea Oral disorder Wrong technique in drug usage process Pharyngeal oedema Memory impairment 6 Seizure 3 Off label use 6 Road traffic accident 6 Cerebrovascular accident 6 Sneezing 3 Transient ischaemic attack 6 Fatigue 3 Speech disorder 6 Confusional state 3 Bacterial infection 6 Rhinorrhoea 3 Feeling hot 6 Alopecia 3 Disturbance in attention 3 Migraine 6 Osteoporosis 6 Paraesthesia 6 Nausea 3 Headache 6 Acute myeloid leukaemia 5 Arthritis 6 Refractory anaemia with an excess of blasts 6 Lower respiratory tract infection 5 Pneumonia 6 Neutrophil count increased 6 Viral infection 6 White blood cell count decreased 6 Neutrophil count decreased 6 Death 5 Musculoskeletal disorder 6 Plasma cell myeloma 3 Renal failure acute 6 Clavicle fracture 6 Fall 6 Pathological fracture 2 Drug intolerance 6 Cephalopathy 2 Pleural effusion 5 Pneumonia 5 Lower respiratory tract infection 5 Type 2 diabetes mellitus 6 Cough Dyspnoea Atrial flutter 2 Hypoxia 1 Drug interaction Haemorrhage Type 2 diabetes mellitus 6 Death 5 Fall 6 Fracture 6 Type 2 diabetes mellitus 3 Hepatic function abnormal 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Nephrolithiasis 3 Type 2 diabetes mellitus 6 Myelopathy Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Pancreatic carcinoma 6 Type 2 diabetes mellitus 6 Accidental exposure to product by child Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 5 Palpitations Heart rate irregular Cardiac flutter Type 2 diabetes mellitus 6 Intentional overdose Mental status changes Unresponsive to stimuli Agitation Electrocardiogram QT prolonged Status epilepticus Disorientation Drug interaction Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Death 5 Type 2 diabetes mellitus 6 Hepatic steatosis 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Angioedema Exposure via ingestion on Victim of chemical submission Chest pain 6 Type 2 diabetes mellitus 3 Neuropathy peripheral 3 Off label use Hypoaesthesia Nausea Musculoskeletal disorder Abdominal pain Diarrhoea Malaise Vomiting Muscle spasms Dehydration Asthenia 6 Decreased appetite 6 Dehydration 6 Weight decreased 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Fatigue 3 Thyroid cancer 3 Choking 3 Neutropenia 1 Product use issue 6 Disease progression 3 Blood pressure increased 3 Death 5 Diarrhoea 3 Type 2 diabetes mellitus 6 Ascites 6 Muscle spasms 6 Headache 6 Diarrhoea 1 Malaise 6 Fatigue 6 Mouth ulceration 6 Abdominal discomfort 6 Viral infection 6 Weight decreased 6 Type 2 diabetes mellitus 6 Yellow skin 2 Decreased appetite 6 Neutrophil count decreased Death 5 Type 2 diabetes mellitus 3 Gait disturbance 6 Knee arthroplasty 6 Low turnover osteopathy 6 Osteoporotic fracture 6 Blister 6 Femur fracture 6 Anxiety 6 Depression 6 Osteopenia 6 Chronic obstructive pulmonary disease 3 Tinea cruris 6 Knee arthroplasty 6 Anxiety 3 Depression 3 Body tinea 6 Adverse event 6 Intramedullary rod insertion 6 Renal impairment 6 Pruritus 6 Type 2 diabetes mellitus 3 Intestinal stenosis 1 Diarrhoea 1 Abdominal pain 1 Incorrect dose administered Ammonia increased 1 Hepatic encephalopathy 6 Essential tremor 1 Acute respiratory distress syndrome 5 Pneumonia 5 Interstitial lung disease 5 Tuberculin test positive 1 Body height abnormal 3 Cerebral palsy 3 Dysmorphism 3 Hypertrichosis 3 Dyspraxia 3 Developmental delay 6 Decreased vibratory sense 3 Impulsive behaviour 3 Ankyloglossia congenital 3 Low set ears 6 Intellectual disability 3 Learning disorder 3 Foetal anticonvulsant syndrome 3 Central nervous system lesion 3 Lip disorder 6 Impaired quality of life 3 Tremor 3 Cerebrovascular accident 3 Mental impairment 3 Cardiac murmur 3 Speech disorder developmental 3 Foetal exposure during pregnancy 6 Stridor 3 Eye disorder 3 Autism spectrum disorder 3 Myelodysplastic syndrome Immune reconstitution inflammatory syndrome Molluscum contagiosum Local swelling Headache Swollen tongue Tremor Palpitations Dyspnoea Chronic obstructive pulmonary disease Off label use Wrong technique in drug usage process Dizziness Hypotension Infection Pneumonia Dysphagia Acute myeloid leukaemia Leukaemia Uveitis Blindness Hyponatra

emia Diarrhoea 2 Diarrhoea 6 Weight decreased 6 Vomiting 6 Stress 6 Drug intolerance 6 Colitis ulcerative 6 Movement disorder 6 Feeding disorder 6 Diarrhoea 6 Upper limb fracture 1 Fall 1 Hypoaesthesia 3 Pain 3 Drug level increased 6 Myocardial infarction 6 Angina pectoris 6 Respiratory failure 5 Cardiac failure congestive 6 Bone marrow failure Uveitis Blindness Anuria 1 Renal failure acute 1 Hyponatraemia 1 Hypokalaemia 1 Diarrhoea 1 Renal failure 1 Diarrhoea 1 Haemorrhoids 1 Prothrombin time prolonged 1 Hyperglycaemia 1 Hypokalaemia 1 Hyperphosphataemia 1 Ejection fraction decreased 2 Dyspnoea 2 Nausea 2 Vomiting 2 Diarrhoea 2 Liver function test abnormal 2 Swelling Fall Foaming at mouth Eye movement disorder Hypersensitivity Cerebrovascular accident 2 Cardiac failure congestive 3 Disability 3 Coronary arterial stent insertion 6 Treatment noncompliance 6 Diabetes mellitus 6 Blood cholesterol increased 6 Hypertension 6 Pneumonia 6 Basal cell carcinoma 3 Shoulder operation 6 Cyst 6 Sinus polyp 6 Ear infection 6 Synovial cyst 6 Musculoskeletal pain 6 Pain in extremity 6 Arthralgia 6 Expired drug administered 6 Pollakiuria 2 Trichorrhexis 6 Paraesthesia 6 Pain 6 Multiple sclerosis relapse 1 Insomnia 6 Pruritus 6 Alopecia 3 Diarrhoea 3 Headache 6 Cystitis 3 Balance disorder 3 Gastrointestinal disorder 6 Pyrexia 6 Cataract 6 Dry skin 2 Feeling of body temperature change 6 Fatigue 6 Burning sensation 6 Nausea 6 Mobility decreased 6 Coeliac disease 6 Urticaria 6 Death 5 Epilepsy 6 Medication error 6 Psychotic disorder 6 Affect lability 3 Anxiety 3 Cough 3 Crying 3 Diarrhoea 3 Diplopia 3 Dyslexia 3 Dyspnoea exertional 3 Eye oedema 3 Hallucination 3 Headache 3 Incoherent 3 Insomnia 3 Irritability 3 Mood swings 3 Oedema peripheral 3 Pain in extremity 3 Stress 3 Suicidal ideation 3 Weight decreased 3 Lymphoma 2 Diabetes mellitus 2 Fibromyalgia 2 Rash generalised 2 Abasia 2 Blood glucose fluctuation 2 Lymphocyte count abnormal 2 Tinnitus 2 Diplopia 2 Vision blurred 2 Incoherent 2 Aphasia 2 Blindness 2 Balance disorder 2 Neutrophil count abnormal 2 Pneumonia 1 Dyspnoea 1 Chest pain 1 Dehydration 1 Nausea 1 Vomiting 1 Investigation 1 Intentional drug misuse Drug dependence Convulsion Feeling abnormal Hyperhidrosis Vomiting Tremor Adverse event Wrong technique in drug usage process Ligament sprain 2 Ligament rupture 2 Road traffic accident 1 Tonsillitis 3 Upper respiratory tract infection 3 Asthenia 3 Pain in extremity 3 Swelling face 3 Cerebrovascular accident 6 Convulsion 6 Fall 6 Tremor 6 Mental status changes 6 Muscle tightness 6 Respiratory depression 6 Pain 6 Incorrect dose administered 6 Loss of consciousness 6 Overdose 6 Hypersensitivity 6 Lethargy 6 Muscle spasms 6 Therapeutic response decreased 6 Muscle spasticity 6 Post-traumatic stress disorder 6 Depression 6 Panic attack 6 Road traffic accident 6 Impaired work ability 6 Rehabilitation therapy 6 Exposure during pregnancy 6 Disease progression 5 Post procedural haemorrhage 1 Dialysis 6 Blood pressure inadequately controlled 6 Blood glucose increased 6 Chronic obstructive pulmonary disease 6 Superior vena cava syndrome 6 Treatment noncompliance 6 Premature delivery 6 Live birth 6 Exposure during pregnancy 6 Diabetes mellitus inadequate control 6 Acute hepatic failure 5 Renal failure acute 5 Respiratory arrest 5 Premature baby 5 Foetal exposure during pregnancy 6 Medical device complication 2 Joint arthroplasty 2 Rash generalised 1 Presyncope 1 Skin ulcer 6 Psoriasis 6 Alopecia 6 Malaise 6 Platelet aggregation increased 6 Convulsion 3 Sepsis 3 Pneumonia 3 Respiratory failure 3 Diabetes mellitus 6 Disability 6 Asthma 6 Fibromyalgia 6 Malaise 6 Death 5 Renal surgery 6 Therapy cessation 6 Haemorrhage 6 Neuropathy peripheral 1 Hypertension 6 Drug ineffective 6 Gastrointestinal haemorrhage 5 Zygomycosis 5 Abdominal pain lower 5 Pulmonary toxicity 1 Dyspnoea 1 Cough 1 Respiratory distress 1 Lung infiltration 1 Pleural effusion 1 Atelectasis 1 Interstitial lung disease 1 Diarrhoea haemorrhagic 6 Gastrointestinal ulcer 6 Gastric cancer stage IV 5 Abdominal pain upper 5 Chest pain 5 Back pain 5 Lymphadenopathy 5 Lymphoma 5 Hepatic cancer stage IV 5 Weight decreased 3 Hypophagia 3 Increased tendency to bruise 3 Hearing impaired 3 Visual impairment 3 Fatigue 3 Knee arthroplasty 6 Multi-organ failure 5 Diabetes mellitus 6 Acne cystic Acne Inflammation Product substitution issue Product quality issue Cardiotoxicity 6 Monoparesis 6 Cerebrovascular accident 1 Lactic acidosis 1 Blood triglycerides increased 1 Nausea 1 Hypoaesthesia oral 1 Gastric pH decreased 6 Malaise 6 Vomiting 6 Paraesthesia oral 6 Abdominal pain upper 6 Pleural effusion 2 Gastric cancer 5 Pulmonary embolism 1 Pneumonitis 1 Renal failure acute 2 Psychiatric symptom 2 Epilepsy 6 Convulsion 6 Loss of consciousness 1 Fall 6 Abnormal behaviour 1 Cerebellar haemorrhage 3 Hypertension 3 Urinary retention 1 Anuria 6 Haematuria 6 Pneumonitis 6 Dyspnoea 6 Cough 6 Pulmonary embolism 6 Rectal obstruction 6 Colitis 6 Constipation 6 Abdominal pain 6 Febrile neutropenia 1 White blood cell count decreased 6 Neutrophil count decreased 1 Dystonia Suicide attempt Device malfunction Peripheral sensorimotor neuropathy 1 Rectal adenocarcinoma 3 Drug interaction 6 Arthralgia 6 Haematoma 6 Erythema Feeling abnormal Visual impairment Genital haemorrhage 3 Influenza like illness 1 Abdominal distension 3 Vitamin B12 deficiency 3 Weight increased 3 Dry mouth 3 Eye irritation 3 Dyspnoea 6 Thermal burn 6 Odynophagia 6 Dry mouth 6 Local swelling 6 Swelling 6 Thrombosis 6 Oropharyngeal pain 6 Dermatitis bullous 1 Endometrial cancer 6 Blood glucose increased 6 Incorrect dose administered 6 Drug dose omission 1 Blood glucose increased 1 Unintended pregnancy 3 Drug interaction 3 Exposure during pregnancy 6 Fracture 6 Chronic myeloid leukaemia 6 Drug dependence 6 Drug abuse 6 Pigmentation disorder Drug interaction Drug dependence 6 Drug abuse 6 Ejection fraction decreased 4 Gastrointestinal disorder 1 Iron deficiency anaemia 1 Occult blood positive 1 Erythema 1 Intestinal ulcer 1 Retroperitoneal fibrosis 3 Abdominal pain 6 Vision blurred Eyelid margin crusting Dry mouth Dry throat Choking Constipation Photophobia Haemorrhage Sudden cardiac death 5 Aspergillus test positive 6 Staphylococcus test positive 6 Mycobacterium avium complex infection 6 Acute respiratory distress syndrome 2 Hyperthyroidism 6 Pulmonary toxicity 6 Organising pneumonia 6 Pyrexia 6 Cough 6 Dyspnoea 6 Weight decreased 6 Haemoptysis 6 Asthenia 6 Paralysis Malaise Paralysis Premature baby 5 Acute hepatic failure 5 Renal failure acute 5 Respiratory arrest 5 Cardiomegaly 6 Foetal growth restriction 6 Abdominal distension 6 Pseudocyst 6 Gastrointestinal disorder congenital 2 Neural tube defect 6 Foetal exposure during pregnancy 6 Tooth loss 3 Gingival pain 3 Rash erythematous Cutaneous lupus erythematosus Musculoskeletal pain Neck pain Arthralgia Syncope Fall Acute myocardial infarction Cerebral ischaemia 6 Off label use 6 Decreased appetite 6 Abdominal pain 3 Pain 6 Drug ineffective 3 Intestinal resection 2 Uveitis 6 Aphthous stomatitis 6 Off label use 6 Drug ineffective for unapproved indication 6 Aphthous stomatitis 6 Infarction 3 Cerebrovascular accident 3 Pulmonary embolism 6 Intestinal obstruction 1 Haematuria 6 Urinary tract infection 6 Crohn's disease 6 Lethargy 1 Condition aggravated 1 Drug ineffective 1 Neuralgia 1 Contusion Pain Back pain Pain in extremity Haematemesis 1 Neutrophil count decreased 1 Vertigo 1 Infection 1 Nausea 6 Vomiting 6 Diarrhoea 6 Malaise 6 Neutropenia 6 Pancytopenia 6 Febrile neutropenia 6 Thrombocytopenia 6 Lower respiratory tract infection 1 Dyspnoea 1 Asthenia 6 Sinusitis 6 Pulmonary embolism 1 Nasal septum deviation 6 Haemostasis 1 Thrombocytopenia 6 Cognitive disorder 6 Disturbance in attention 6 Learning disorder 6 Convulsion Swelling face 1 Rash 6 Rash generalised 1 Local swelling 1 Vomiting 1 Capillary leak syndrome 6 Haematotoxicity 6 Musculoskeletal disorder 6 Mouth ulceration 6 Procedural pain 6 Oral discomfort 6 Dyspepsia Ovarian cancer 3 Metastases to peritoneum 3 Metastases to liver 3 Abdominal pain 3 Neuroleptic malignant syndrome 1 Hypokalaemia 1 Hyponatraemia 1 Blood urea decreased 1 Blood urea nitrogen/creatinine ratio decreased 1 Anticonvulsant drug level decreased 1 Hyponatraemia 1 Disease progression 6 Breast cancer 6 Off label use 6 Pneumonitis 6 Chest pain 3 Pyrexia 1 Atrial fibrillation 6 Sinus tachycardia 6 Abdominal pain 6 Cellulitis 1 Pyrexia 1 Suicidal ideation 6 Feeling abnormal 6 Plasmablastic lymphoma 1 Mouth ulceration 1 Lymphadenopathy 1 Faecal incontinence Diarrhoea Gastric perforation Pseudomembranous colitis Clostridium difficile infection Hypomagnesaemia 1 Drug interaction 6 Intestinal obstruction 6 Aneurysm 6 Blindness 1 Visual impairment 3 Lung infection 1 Laryngitis 1 Pneumonia 1 Haemolytic anaemia 6 Sarcoma of skin 6 Haematotoxicity 6 Sepsis 1 Pneumonia 1 Dyspnoea 1 Chest pain 1 Productive cough 1 Body temperature increased 1 Dehydration 1 Nausea 1 Vomiting 1 Diarrhoea 1 Abdominal pain 1 Hypoglycaemia 6 Dizziness 6 Type 2 diabetes mellitus 6 Myocardial infarction 6 Arthritis 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Cough Vomiting

Quality of life decreased Urinary incontinence Convulsion 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Facial pain 6 Speech disorder 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Cataract 3 Gout 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Stevens-Johnson syndrome 6 Dermatitis exfoliative 6 Stomatitis 6 Eosinophilia 6 Blood creatinine increased 6 Pyrexia 6 Transaminases increased 6 Systemic lupus erythematosus 6 Toxicity to various agents 6 Virologic failure 6 Dehydration 1 Nausea 1 Vomiting 1 Faeces soft 1 Blood glucose abnormal 6 Lipids abnormal 6 Chronic obstructive pulmonary disease Abdominal pain upper Nausea Feeling of body temperature change Type 2 diabetes mellitus 3 Nephrotic syndrome 6 Renal failure acute 2 Dyspnoea 6 Wheezing 6 Hypokalaemia 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Forced vital capacity decreased 6 Carbon monoxide diffusing capacity decreased 6 Drug intolerance 6 Weight increased 3 Fatigue 6 Pulmonary hypertension 6 Oxygen saturation decreased 6 Sinusitis 6 Feeling abnormal 6 Asthenia 6 Dyspnoea 6 Gastroesophageal reflux disease 6 Incorrect dose administered 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Gastric ulcer 6 Photosensitivity reaction 6 Haemoglobinuria 6 Fatigue 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Hernia 3 Fall 4 Foot fracture 4 Clavicle fracture 4 Orthostatic hypotension 4 Angioedema 1 Diarrhoea haemorrhagic 2 Type 2 diabetes mellitus 6 Overdose 5 Urinary retention 1 Small intestinal obstruction 1 Enteritis 1 Drug dependence Depression Type 2 diabetes mellitus 6 Leukaemia recurrent 6 Chronic graft versus host disease 6 Chronic myeloid leukaemia 6 Drug ineffective 6 Spinal disorder 1 Hypotension 5 Renal failure 5 Arthritis salmonella 1 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Incisional drainage 2 Drug effect incomplete 6 Posterior reversible encephalopathy syndrome 2 Myasthenia gravis 6 Antiacetylcholine receptor antibody positive 6 Off label use 6 Thrombotic microangiopathy 2 Product use issue 6 Toxicity to various agents 1 Ventricular tachycardia 1 Bundle branch block left 1 Electrocardiogram QRS complex prolonged 1 Cardiac failure congestive 1 Renal failure 6 Metabolic acidosis 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Arthropathy 6 Type 2 diabetes mellitus 6 Altered state of consciousness 6 Drug ineffective 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Syncope 5 Ventricular fibrillation 5 Cardiac failure 5 Type 2 diabetes mellitus 6 Pericardial effusion 6 Metastases to skin 6 Aphagia 6 Lymphadenopathy 6 Neuropathy peripheral 6 Liver disorder 6 Anaemia 6 Decreased appetite 2 Back pain 6 Synovial cyst 6 Nodule 6 Diarrhoea 6 Fatigue 6 Malaise 6 Influenza like illness 6 Alopecia 6 Headache 6 Pruritus 6 Arthralgia 6 Weight decreased 6 Oral pain 1 Mouth ulceration 6 Nail bed infection 6 Nail disorder 6 Nausea 6 Epistaxis 6 Insomnia 6 Photosensitivity reaction 6 Chills 6 Dyspnoea 6 Fungal infection 6 Onychoclasia 6 Skin disorder 6 Dysgeusia 6 Glossodynia 6 Tooth discoloration 6 Abdominal discomfort 6 Vomiting 6 Wheezing 6 Disease progression 6 Breast cancer metastatic 6 Ileus 1 Multiple sclerosis relapse 6 Type 2 diabetes mellitus 6 Leukaemia recurrent 6 Acute graft versus host disease 6 Chronic graft versus host disease 6 Chronic myeloid leukaemia 6 Drug ineffective 6 Hypersensitivity 1 Dyspnoea 1 Pharyngeal oedema 1 Dysphagia 1 Insomnia 1 Off label use 6 Type 2 diabetes mellitus 3 Liver injury 1 Aspartate aminotransferase increased 1 Alanine aminotransferase increased 1 Gastric haemorrhage 3 Muscle spasms 3 Fall 3 Gait disturbance 3 Retinopathy 6 Photosensitivity reaction 1 Eczema 2 Diabetes mellitus 1 Drug-induced liver injury 1 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Cholelithiasis 3 Dementia 3 Delirium 6 Incoherent 6 Type 2 diabetes mellitus 6 Dehydration 1 Asthenia 1 Scratch 6 Death 5 Haematochezia 5 Organ failure 5 Death 5 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 6 Leg amputation 6 Pain 6 Gastric disorder 6 Hypersensitivity Urticaria Vomiting Migraine Pharyngeal oedema Haemoglobin decreased 6 Fatigue 6 Pneumonia 6 Myocardial infarction 5 General physical health deterioration 5 Peripheral vascular disorder 1 Condition aggravated 1 Embolism arterial 1 Haemorrhage subcutaneous 1 Heart rate irregular 6 Influenza 6 Bone marrow disorder 6 Cardiac failure congestive 5 Bone marrow transplant 6 Subdural haematoma 6 Gastric ulcer 6 Seizure 6 Dyspnoea 6 Transfusion 6 Haemorrhage 6 Anaemia 6 Death 5 Acute myocardial infarction 1 Coronary artery occlusion 1 Clostridium difficile infection 6 Grand mal convulsion 6 Transplant 6 Transient ischaemic attack 1 Hypoglycaemia 1 Hypertension 1 Multiple sclerosis 3 Anaemia 1 Hyperlipidaemia 1 Gout 1 Drug ineffective 6 Mobility decreased 3 Gait disturbance 2 Abasia 3 Abasia 1 Multiple sclerosis 6 Weight decreased 3 Wheelchair user 6 Stress 3 Therapy cessation 1 Electrocardiogram abnormal 6 Bradycardia 1 Dizziness 6 Presyncope 2 Death 5 Melaena 6 Malignant neoplasm progression 6 Loss of consciousness 6 Back pain 6 Hyperhidrosis 6 Nasopharyngitis 6 Insomnia 6 Dizziness 6 Feeling abnormal 6 Local swelling 1 Neuropathy peripheral 6 Swelling face 1 Drug interaction 6 Neuropathy peripheral 6 Neck pain 6 Flushing 6 Sepsis 6 Catheter site pain 6 Catheter site infection 6 Pain in jaw 6 Catheter site pruritus 6 Dyspnoea 6 Heart rate increased 6 Product physical issue 1 Catheter site rash 6 Diarrhoea 6 Dermatitis contact 6 Catheter site haemorrhage 6 Erythema 6 Catheter site swelling 6 Catheter site urticaria 6 Headache 6 Gastroenteritis viral 1 Diarrhoea 1 Breast cancer 2 Hepatic neoplasm 2 Metastases to liver 6 Hypertensive crisis 6 Anxiety 6 Abdominal distension 6 Abdominal pain 6 Pruritus 6 Hypertension 6 Atrial flutter 6 Pulmonary hypertension 1 Type 2 diabetes mellitus 3 Renal failure chronic 5 Concomitant disease aggravated 5 Haemodialysis 6 Fluid overload 2 Rash 3 Pain of skin 3 Vaginal disorder 3 Dependence on enabling machine or device 3 Pneumonia 2 Urinary tract infection 6 Depressed level of consciousness 5 Haematoma 5 Subdural haemorrhage 5 Craniotomy 6 Left ventricular failure 2 Speech disorder 5 Electrocardiogram QT prolonged 1 Paraesthesia 1 Breast cancer 6 Malignant neoplasm progression 6 Gastrointestinal haemorrhage 1 Dementia 6 Agitation 6 Confusional state 6 Breast cancer 6 Malignant neoplasm progression 6 Loss of proprioception 2 Fall 2 Gait disturbance 2 Asthenia 2 Breast cancer 6 Malignant neoplasm progression 6 Neuropathy peripheral 3 Femur fracture 6 Type 2 diabetes mellitus 3 Breast cancer 6 Malignant neoplasm progression 6 Gingival swelling 1 Gingival pain 1 Tooth disorder 1 Breast cancer 6 Drug intolerance 6 Malignant neoplasm progression 6 Pulmonary haemorrhage 6 Haemoptysis 6 Infection 5 Herpes zoster 6 Death 5 Cerebral haemorrhage 2 Cerebrovascular accident 6 White blood cell count increased 6 Breast cancer 6 Malignant neoplasm progression 6 Type 2 diabetes mellitus 3 Diabetic nephropathy 3 Death 5 Vomiting 1 Oligohydramnios 1 Foetal exposure during pregnancy 6 Gestational diabetes 6 Premature rupture of membranes 1 Breast cancer 6 Drug intolerance 6 Malignant neoplasm progression 6 Breast cancer 6 Malignant neoplasm progression 6 Femur fracture 6 Incorrect drug administration duration 6 Breast cancer 6 Malignant neoplasm progression 6 Breast cancer 6 Malignant neoplasm progression 6 Breast cancer 6 Malignant neoplasm progression 6 Breast cancer 6 Malignant neoplasm progression 6 Death 5 Asthenia 6 Malignant neoplasm progression 3 Drug ineffective 6 Malaise 6 Melaena 2 Dizziness 2 Oedema peripheral 2 Cough 3 Clostridium difficile colitis 3 Diarrhoea 3 Pyrexia 3 Malaise 3 Drug ineffective 3 Inappropriate schedule of drug administration 6 Psychotic disorder 6 Suicidal ideation 6 Nervousness 6 Nausea 6 Drug ineffective 6 Asthmatic crisis 6 Asthma 6 Insulin resistance 2 Hyperhidrosis 6 Dry skin 6 Vision blurred 6 Hypoaesthesia 6 Fatigue 6 Pruritus 6 Breast cancer 6 Malignant neoplasm progression 6 Cerebral haemorrhage 6 Neck pain 6 Seizure 3 Back pain 6 Contusion 6 Intervertebral disc protrusion 6 Skin lesion 6 Tenderness 6 Vomiting 6 Fall 6 Breast mass 6 Hyperlipidaemia 6 Neoplasm skin 3 Joint dislocation 6 Arthralgia 6 Hypothyroidism 6 Dizziness 3 Arteriovenous malformation 6 Carpal tunnel syndrome 6 Pain 6 Iron deficiency anaemia 2 Headache 6 Fatigue 2 Vitamin B12 deficiency 6 Drug intolerance 6 Diplopia 6 Aphasia 6 Arthritis 6 Vision blurred 6 Rash 3 Amnesia 3 Lymphadenopathy 6 Depression 6 Diarrhoea 6 Sepsis 5 Diabetes mellitus 6 Hypertension 6 Pancreatic carcinoma 6 Death 5 Breast cancer 6 Drug intolerance 6 Influenza like illness 6 Malignant neoplasm progression 6 Myalgia 6 Urinary tract infection 6 Arteriosclerosis 3 Type 2 diabetes mellitus 3 Pneumonia 6 Blood pressure increased 2 Loss of consciousness 6 Pneumonia 6 Transfusion 6 Pancytopenia 6 Type 2 diabetes

mellitus 3 Pulmonary oedema 5 Haemodynamic instability 5 Bacterial toxemia 5 Accident 6 Inflammation 2 Excoriation 6 Injury 6 Infection 2 White blood cell count increased 2 Large intestinal obstruction 1 Foreign body 1 Medication residue present 1 Abortion 6 Uterine leiomyoma 2 Endometriosis 6 Multiple sclerosis 6 Diverticulitis 6 Pneumonia 6 Abortion spontaneous 6 Exposure during pregnancy 6 Abortion induced 6 Maternal exposure during pregnancy 1 Pneumonia 6 Haemoglobin decreased 6 Malaise 6 Hypothyroidism 6 Herpes zoster 6 Gastroenteritis 1 Clostridium difficile infection 6 Drug interaction 2 Pancytopenia 2 Off label use 3 Cerebral haemorrhage 5 Hypertension 3 Hypertrophic cardiomyopathy 3 Foetal exposure during pregnancy 6 Renal artery stenosis 3 Pulmonary arterial hypertension 3 Infective pulmonary exacerbation of cystic fibrosis 1 Muscular weakness 3 Vertigo 3 Multi-organ failure 5 Sepsis 5 Acute generalised exanthematous pustulosis 1 Rash 2 Syncope 1 Vomiting 1 Nausea 1 Orthostatic hypotension 1 Transplant failure 6 Pyrexia 1 Anaemia 1 Off label use 6 Fatigue 6 Liver iron concentration increased 6 Platelet count decreased 6 Bone marrow transplant 3 Dyspnoea 1 Swelling face 1 Local swelling 1 Oedema mouth 1 Blood pressure systolic increased 6 Heart rate increased 6 Tremor 6 Type 2 diabetes mellitus 6 Blindness unilateral 3 Vision blurred 3 Dizziness 4 Hypotension 4 Hyperhidrosis 4 Vomiting 4 Device dislocation 1 Type 2 diabetes mellitus 3 Nerve injury 6 Asthenia 6 Fatigue 6 Weight decreased 6 Therapeutic response decreased 6 Tuberculin test positive 6 Squamous cell carcinoma of lung 2 Interstitial lung disease 6 Abortion 6 Drug interaction 6 Muscular weakness 4 Hypoaesthesia 4 Pain in extremity 4 Hypertension 1 Pancreatitis 3 Pruritus 3 Chills 1 Night sweats 1 Psoriasis 3 Injection site plaque 2 Foot fracture 3 Myalgia 3 Drug ineffective 6 Back pain 1 Injection site pain 3 Fatigue 6 Pancreatitis 6 Lipase increased 6 Confusional state 1 Renal failure 5 Dyspnoea 5 Pneumonia 5 Sepsis 5 Bronchopneumonia 5 Immunodeficiency 6 Drug ineffective 6 Coronary artery disease 6 Ventricular fibrillation 2 Cardiac arrest 2 Wheezing 2 Rash 2 Hepatic lesion 6 Hepatotoxicity 6 Generalised erythema 2 Dermatitis exfoliative 1 Drug ineffective 6 Cerebrovascular accident 1 Neoplasm malignant 6 Self injurious behaviour 1 Latent tuberculosis 1 Type 2 diabetes mellitus 6 No adverse event 5 No adverse event 3 Drug interaction 1 Apathy 1 Suicidal ideation 1 White blood cell count decreased 1 Neutrophil count decreased 1 Hepatitis C 3 Type 2 diabetes mellitus 6 Overdose 5 Toxicity to various agents 5 Lactic acidosis 5 Hypotension 5 Lethargy 6 Vomiting 6 Hypoglycaemia 6 Pyelonephritis 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Coronary artery disease 3 Type 2 diabetes mellitus 6 Barium impaction 6 Appendicitis 6 Type 2 diabetes mellitus 3 Bladder prolapse 1 Intestinal prolapse 1 Nightmare 1 Disturbance in attention 2 Nausea 2 Parosmia 1 Disturbance in attention 3 Dysgeusia 2 Megacolon 1 Mydriasis 2 Visual impairment 2 Type 2 diabetes mellitus 6 Bronchiectasis 6 Emphysema 6 Unevaluable event 6 Dyspnoea 6 Deep vein thrombosis 6 Heart rate increased 6 Chest pain 3 Feeling abnormal 3 Type 2 diabetes mellitus 6 Retroperitoneal haemorrhage 6 Fall 6 Transfusion 6 Intra-abdominal haemorrhage 5 Stent placement 6 Interstitial lung disease 5 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Neuropathy peripheral 3 Pregnancy with contraceptive device 6 Drug ineffective 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Anxiety 6 Panic disorder 6 Drug ineffective 6 Pyrexia 1 Bacteraemia 1 Staphylococcal infection 1 Toxicity to various agents 5 Drug abuse 5 Pulmonary congestion 3 Pulmonary oedema 3 Hepatomegaly 3 Hepatic steatosis 3 Arteriosclerosis coronary artery 3 Cardiomegaly 3 Type 2 diabetes mellitus 6 Blood pressure systolic increased 6 Heart rate increased 6 Tremor 6 Tremor 6 Sinus tachycardia 6 Restlessness 6 Disturbance in attention 6 Vision blurred 6 Dyskinesia 6 Blood pressure systolic increased 6 Heart rate increased 6 Tremor 6 Chest discomfort 6 Blood pressure systolic increased 6 Heart rate increased 6 Tremor 6 Headache 6 Dyskinesia 6 Gastrointestinal mucosal necrosis 6 Constipation 1 Anaemia 6 Stomatitis 6 Pleural effusion 6 Gastroenteritis staphylococcal 6 Pancytopenia 6 Renal injury 6 Oesophageal stenosis 6 Large intestinal stenosis 6 Death 5 Stillbirth 6 Systemic mastocytosis 6 Blood pressure systolic increased 6 Heart rate increased 6 Tremor 6 Osteoarthritis 1 Arthralgia 3 Rheumatoid arthritis 3 Lipase increased 6 Pancreatic disorder 6 Pancreatitis 6 Therapy cessation 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 6 Pregnancy with contraceptive device 6 Drug ineffective 6 Ectopic pregnancy with contraceptive device 6 Abortion spontaneous 6 Hormone level abnormal 6 Thrombosis 1 Pulmonary embolism 1 Pneumonia 1 White blood cell count decreased 1 Red blood cell count decreased 1 Platelet count decreased 1 Tooth disorder 3 Blood pressure abnormal 6 Urinary tract infection 6 Malaise 3 Diarrhoea 1 Spinal pain 2 Dizziness 3 Tremor 3 Cold sweat 3 Presyncope 3 Feeling abnormal 6 Hypoaesthesia 6 Dyspnoea 6 Pollakiuria 6 Urinary incontinence 6 Insomnia 6 Abdominal pain upper 1 Asthenia 3 Back pain 6 Pain in extremity 2 Abdominal pain 1 Intestinal fistula 6 Abdominal pain 1 Wrong technique in drug usage process 6 Blood potassium decreased 1 Anaemia 1 Cholelithiasis 1 Device issue 6 Injection site rash 6 Vomiting 1 Wrong technique in drug usage process 6 Wound infection 1 Vomiting 1 Headache 1 Incorrect dose administered 6 Incorrect dose administered 6 Localised intraabdominal fluid collection 1 Large intestinal stenosis 1 Wound dehiscence 1 Drug ineffective 6 Dental caries 1 Weight decreased 3 Injection site erythema 3 Device issue 6 Suppressed lactation 6 Off label use 6 Haematotoxicity 6 Platelet count decreased 6 Ascites 6 Anaemia 6 Infarction 2 Venous occlusion 2 Cataract 2 Visual impairment 2 Cardiac disorder 2 Glucose tolerance impaired 2 Blood pressure fluctuation 2 Blood glucose increased 2 Cardiac operation 6 Trendelenburg's symptom 6 Limb discomfort 6 Optic neuritis 2 Hypertonia 6 Fatigue 6 Multiple sclerosis relapse 6 Memory impairment 6 Drug ineffective 6 Hypoaesthesia 6 Paraesthesia 6 Diplopia 6 Muscular weakness 6 Balance disorder 6 Aphasia 6 Somnolence 6 Concomitant disease aggravated 6 Restlessness 6 Fall 6 Temperature intolerance 6 Gait disturbance 6 Bowel movement irregularity 2 Blood creatinine increased 2 Seizure 6 CSF protein abnormal 4 Aphasia 4 Hemianopia homonymous 6 Speech disorder 2 Pleocytosis 4 Central nervous system lesion 4 Cerebellar syndrome 6 Stupor 6 Altered state of consciousness 4 Diarrhoea 4 Acute disseminated encephalomyelitis 4 Encephalopathy 6 Bladder dysfunction 6 Pyrexia 4 Paralysis 6 Hip fracture 3 White blood cell disorder 6 Lymphadenopathy 6 Leukocytosis 6 Death 5 Anal stenosis 3 Hypoaesthesia oral 6 Paraesthesia oral 6 Lip swelling 6 Corneal erosion 1 Intraocular pressure increased 2 Pulmonary haemorrhage 5 Haemorrhagic erosive gastritis 5 Gastric ulcer perforation 1 Liver abscess 1 Drug abuse 1 Inflammatory bowel disease 1 Breast cancer 6 Malignant neoplasm progression 6 Breast cancer 3 Haemolytic uraemic syndrome 6 Breast cancer 6 Malignant neoplasm progression 6 Breast cancer 6 Malignant neoplasm progression 6 Sopor 1 Drug abuse 1 Diabetes mellitus inadequate control 6 Drug resistance 1 Drug ineffective 1 Diabetes mellitus inadequate control 6 Drug resistance 1 Drug ineffective 1 Breast cancer 6 Malignant neoplasm progression 6 Muscle contractions involuntary 1 Blood pressure increased 1 Tachycardia 1 Heart rate increased 1 Nervousness 1 Anxiety 1 Feeling abnormal 1 Malaise 1 Norepinephrine increased 1 Drug withdrawal syndrome 1 Breast cancer 6 Malignant neoplasm progression 6 Hyperhidrosis 1 Pain in extremity 6 Back pain 6 Paraesthesia 6 Inappropriate schedule of drug administration 6 Heart valve incompetence 6 Gait disturbance 6 Movement disorder 6 Cardiac disorder 6 Arthritis 6 Pain 6 Rotator cuff syndrome 6 Blood pressure inadequately controlled 6 Oedema peripheral 6 Intracranial aneurysm 6 Multiple sclerosis relapse 4 Central nervous system lesion 3 Balance disorder 6 Muscle spasticity 4 Asthenia 6 Ataxia 4 Hip fracture 5 Device dislocation 1 Dysmenorrhoea 6 Vaginal haemorrhage 6 Device expulsion 1 Sinus disorder 2 Drug interaction 6 Ischaemic stroke 1 Type 2 diabetes mellitus 3 Amnesia 6 Paraesthesia 6 Dry eye 3 Blindness 6 Muscular weakness 6 Cataract 3 Muscle atrophy 6 Neuropathy peripheral 3 Type 2 diabetes mellitus 6 Ataxial fibrillation 1 Neuropathy peripheral 3 Type 2 diabetes mellitus 3 Foetal death 6 Type 2 diabetes mellitus 3 Hypertension 3 Cardiac murmur 3 Mitral valve prolapse 3 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Paranoia 6 Delusion 6 Suicidal ideation 6 Depression 6 Anxiety 6 Panic attack 6 Confusional state 6 Insomnia 3 Drug ineffective 6 Type 2 diabetes mellitus 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Hypertension 6 Electrocardiogram QT prolonged 3 Cold sweat 3 Type 2 diabetes mellitus 3 Lower extremity mass 1 Convulsion 6 Syncope 6 Refractory cytopenia with multilineage dysplasia 5 Renal failure acute 1 Histioc

ytosis haematophagic 1 Aspartate aminotransferase increased 1 Blood alkaline phosphatase increased 1 Blood pressure systolic increased 6 Heart rate increased 6 Tremor 6 Chest pain 6 Pyrexia 1 Rash 4 Varicella 1 Blood pressure systolic increased 6 Heart rate increased 6 Tremor 6 Blood pressure fluctuation 6 Blood pressure increased 6 Palpitations 6 Chest discomfort 6 Hyperhidrosis 6 Tremor 6 Loss of consciousness 1 Laceration 6 Blood glucose decreased 6 Blood glucose increased 6 Death 5 Suicidal ideation 6 Self-injurious ideation 6 Hallucination, auditory 6 Dementia Alzheimer's type 3 Poor peripheral circulation 3 Stress 3 Visual acuity reduced 3 Incorrect dose administered 6 Blood pressure systolic increased 6 Heart rate increased 6 Tremor 6 Mydriasis 6 Type 2 diabetes mellitus 3 Type 2 diabetes mellitus 3 Adverse drug reaction 6 Pruritus 6 Palpitations 6 Blood pressure increased 6 Adverse event 6 Drug interaction 6 Intentional overdose 6 Suicide attempt 6 Somnolence 6 Amylase increased 6 Hepatitis C 6 Fatigue 6 Bradycardia 1 Hyperkalaemia 1 Drug-induced liver injury 5 Hepatic necrosis 5 Leukopenia 5 International normalised ratio abnormal 6 Gastrointestinal haemorrhage 6 Gastritis 6 Large intestine polyp 6 Decreased appetite 2 Weight decreased 6 Nasopharyngitis 6 Abdominal distension 6 Cough 6 Viral infection 6 Abdominal pain 6 Constipation 1 Abdominal discomfort 6 Eructation 6 Off label use 6 Drug dose omission 6 Drug interaction 6 Inflammation 3 Liver function test abnormal 3 Thoracic vertebral fracture 6 Back pain 6 Musculoskeletal chest pain 6 Atrial fibrillation 1 Upper limb fracture 6 Spinal fracture 6 Cellulitis 4 Cyst 6 Incorrect dose administered 6 Loss of consciousness 1 Head injury 6 Syncope 1 Hypotension 6 Blood thyroid stimulating hormone decreased 3 Thyroxine free decreased 3 Foot fracture 6 Constipation 6 Renal failure chronic 6 Pancreatic carcinoma 5 Neoplasm malignant 6 Yellow skin 6 Hallucination 6 Hepatitis 6 Depression 6 Speech disorder 6 Muscular weakness 6 Red blood cell count decreased 3 White blood cell count decreased 1 Platelet count decreased 3 Hypersplenism 6 Macrocytosis 3 Blood test abnormal 6 Hepatitis B virus test positive 6 Elliptocytosis 6 Hepatitis C 6 Neutropenia 1 Anisocytosis 6 Mean cell haemoglobin increased 3 Lymphocyte count increased 3 Hepatitis A virus test positive 6 Mean cell volume increased 3 Pancytopenia 3 Pulmonary embolism 5 Mucoepidermoid carcinoma of salivary gland 6 Bronchitis 6 Diarrhoea 1 Vomiting 1 Cerebrovascular accident 6 Muscle spasms 3 Pain in extremity 6 Accidental exposure to product by child Toxicity to various agents Restlessness Impaired work ability 6 Oral discomfort 3 Dysgeusia 3 Nausea 6 Myocardial infarction 5 Viral infection 1 Death 5 Fatigue 6 Abdominal pain lower 2 Endometriosis 6 Dermal cyst 6 Granuloma 6 Malaise 1 Transient ischaemic attack 3 Psoriasis 3 Loss of consciousness 1 Dehydration 1 Ear infection 1 Psoriasis 3 Bradyphrenia 3 Back pain 3 Subcutaneous abscess 3 Abdominal pain 3 Pyrexia 3 Calculus urinary 3 Hodgkin's disease 5 Foetal exposure during pregnancy Drug withdrawal syndrome neonatal Respiratory failure 5 Alpers' disease 6 Status epilepticus 6 Complex partial seizures 6 Gene mutation 6 Dyskinesia 6 Hypotonia 6 Hypokinesia 6 Drug ineffective 6 Cardiac arrest 6 Dyspnoea 6 Hip arthroplasty 6 Treatment noncompliance 6 Arthritis 6 Dysuria 6 Drug ineffective 6 Type 2 diabetes mellitus 6 Capillary leak syndrome 1 Pleural effusion 1 Appendicitis 2 Abdominal pain upper 6 Body temperature increased 6 Constipation 6 Nausea 6 Decreased appetite 2 Dysgeusia 6 Pruritus 6 Skin discolouration 6 Lymphoedema 6 Mouth ulceration 2 Epistaxis 6 Pain 6 Acne 6 Rash generalised 2 Malaise 6 Disease progression 6 Breast cancer 6 Diarrhoea 6 Fatigue 6 Agitation 6 Restlessness 6 Sinusitis 6 Headache 6 Rhinorrhoea 3 Rhinalgia 6 Epistaxis 6 Pain 6 Back pain 6 Neck pain 6 Bone pain 6 Pain in extremity 6 Pelvic pain 6 Gait disturbance 6 Musculoskeletal chest pain 6 Body temperature increased 6 Pruritus 6 Laceration 6 Mouth ulceration 6 Nail disorder 6 Onychoclasia 6 Dysgeusia 6 Paraesthesia 6 Fatigue 6 Disease progression 6 Breast cancer 6 Back disorder 6 Procedural pain 6 Agitation 3 Delirium 3 Fall 2 Supraventricular tachycardia 2 Drug hypersensitivity Dyspnoea Rash Subdural haematoma 3 Mouth haemorrhage 3 Death 5 Dystonia 6 Drug abuse 6 Incorrect drug administration duration 6 Drug ineffective 6 DURAGESIC-100 BONIVA IBUPROFEN LETAIRIS {'activesubstancename': 'AMBRISENTAN'} LETAIRIS {'activesubstancename': 'AMBRISENTAN'} LETAIRIS {'activesubstancename': 'AMBRISENTAN'} TRACLEER {'activesubstancename': 'BOSENTAN'} ILARIS ILARIS PREDNISONE RELPAX ULTRACET AMBIEN RANOLAZINE BENLYSTA PLAQUENIL PREDNISONE BELIMUMAB AZATHIOPRINE PREDNISONE FLUOXETINE CLONAZEPAM CALCIUM CARBONATE VITAMIN D OMEPRAZOLE BENLYSTA PLAQUENIL FOLTX CYMBALTA XANAX PERCOCET NEXIUM SUMATRIPTAN METHOTREXATE IBUPROFEN ACETAMINOPHEN.", {"activesubstancename": 'ACETAMINOPHEN'} OFATUMUMAB {'activesubstancename': 'OFATUMUMAB'} BAKTOR {'activesubstancename': 'SULFAMETHOXAZOLE\\\\\\\\TRIMETHOPRIM'} ZYLORIC {'activesubstancename': 'ALLOPURINOL'} CHINESE MEDICINE {'activesubstancename': 'UNSPECIFIED INGREDIENT'} TAKEPRON {'activesubstancename': 'LANSOPRAZOLE'} ITRIZOLE {'activesubstancename': 'ITRACONAZOLE'} PREDNISOLONE.", {"activesubstancename": 'PREDNISOLONE'} PREDNISOLONE.", {"activesubstancename": 'PREDNISOLONE'} OFATUMUMAB {'activesubstancename': 'OFATUMUMAB'} ACETAMINOPHEN.", {"activesubstancename": 'ACETAMINOPHEN'} POLARAMINE {'activesubstancename': 'DEXCHLORPHENIRAMINE MALEATE'} POLARAMINE {'activesubstancename': 'DEXCHLORPHENIRAMINE MALEATE'} LETAIRIS {'activesubstancename': 'AMBRISENTAN'} CEFTRIAXONE METRONIDAZOLE PREDNISONE DEXAMETHASONE METHOTREXATE PACLITAXEL DOCETAXEL ADRIAMYCIN CYCLOPHOSPHAMIDE PARACETAMOL {'activesubstancename': 'ACETAMINOPHEN'} BIBW 2992 {'activesubstancename': 'AFATINIB'} LANSOPRAZOLE {'activesubstancename': 'LANSOPRAZOLE'} INSULINA GLARGINE IDROCLOROTIAZ IRBESARTAN.", {"activesubstancename": 'IRBESARTAN'} POTASSIUM CHLORIDE.", {"activesubstancename": 'POTASSIUM CHLORIDE'} BIBW 2992 {'activesubstancename': 'AFATINIB'} INSULINA GLULISINA PARACETAMOL {'activesubstancename': 'ACETAMINOPHEN'} FUROSEMIDE.", {"activesubstancename": 'FUROSEMIDE'} ZOLPIDEM {'activesubstancename': 'ZOLPIDEM\\\\\\\\ZOLPIDEM TARTRATE'} NEBIVOLOLO {'activesubstancename': 'NEBIVOLOLO'} IDROCLOROTIAZ OSSICODONE OSSICODONE ALLOPURINOL {'activesubstancename': 'ALLOPURINOL'} CALCIUM CARBONATE.", {"activesubstancename": 'CALCIUM CARBONATE'} NORITREN {'activesubstancename': 'NORTRIPTYLINE HYDROCHLORIDE'} RANITIDINE {'activesubstancename': 'RANITIDINE\\\\\\\\RANITIDINE HYDROCHLORIDE'} IRBESARTAN.", {"activesubstancename": 'IRBESARTAN'} RANITIDINE {'activesubstancename': 'RANITIDINE\\\\\\\\RANITIDINE HYDROCHLORIDE'} MIRENA CARBAMAZEPINE LETAIRIS {'activesubstancename': 'AMBRISENTAN'} LETAIRIS {'activesubstancename': 'AMBRISENTAN'} JANUMET {'activesubstancename': 'METFORMIN HYDROCHLORIDE\\\\\\\\SITAGLIPTIN PHOSPHATE'} JANUVIA {'activesubstancename': 'SITAGLIPTIN PHOSPHATE'} KLACID CLAVULIN OKI TACHIPIRINA PREDNISONE METHYLPREDNISOLONE HYDROXYCHLOROQUINE MYCOPHENOLATE MOFETIL CICLOSPORIN DAPSONE TASIGNA CITALOPRAM PREVISCAN DAFALGAN MIRENA MIRENA MORPHINE SULFATE EXTENDED-RELEASE TABLETS (RHODES 74-862) MORPHINE SULFATE (SIMILAR TO NDA 19-516) AMLODIPINE TRIAMTERENE AND HYDROCHLOROTHIAZID ASPIRIN CELEXA /00582602/ CLOBETASOL PROPIONATE FIORICET MIRTAZAPINE (UNKNOWN) LANSOPRAZOLE NASONEX LETAIRIS {'activesubstancename': 'AMBRISENTAN'} TACROLIMUS (WATSON LABORATORIES) PREDNISONE PREDNISONE AZATHIOPRINE DOXYCYCLINE AMLODIPINE PARACETAMOL ENALAPRIL DOXAZOSIN (UNKNOWN) INDAPAMIDE CITALOPRAM (UNKNOWN) PROPRANOLOL RANITIDINE THIAMINE HYDROCHLORIDE VITAMIN B COMPLEX /00212701/ PREDNISONE CYCLOPHOSPHAMIDE LETAIRIS {'activesubstancename': 'AMBRISENTAN'} LETAIRIS {'activesubstancename': 'AMBRISENTAN'} RAMIPRIL."]

```
In [11]: # [5] Stopwords listesini almak
# Açıklama: İngilizce stop words alınır (nltk).
# PDF: Stop word kaldırma.
# Yorum [5]:
# - **Stop Words**: Teknik terimlerde az etkili, ama temizlik için gerekli.
# - **PDF Bağlamı**: nltk kullanımı ve stop word listesi PDF'de belirtilecek.

stop_words = set(stopwords.words('english'))
print("İlk 50 stop word:")
print(list(stop_words)[:50])
```

İlk 50 stop word:

["should've", 'some', "weren't", 'who', "we'd", 'll', 'i've', 'mustn', "he'd", 'haven', "they'll", 'was', 'have', 'i'm', 'has', 'will', 'shouldn', 'it', "doesn't", 'them', "we've", 'between', 'there', 'does', 'too', 'isn', 'those', 'both', 'it's', 'then', 'during', "hadn't", 'once', 'me', "they've", 'out', 'yourselves', 'shan', "mustn't", 'can', "you're", 'no', 'all', "mightn't", 'y', "she'll", 've', 'myself', 'above', 'not']

```
In [13]: # [6] Lemmatizer ve Stemmer başlat
# Açıklama: WordNetLemmatizer ve PorterStemmer başlatılır (nltk).
# PDF: Lemmatization ve stemming.
# (Nesneler başlatılıyor.)
# Yorum [6]:
# - **Normalizasyon**: Kelimeler, lemmatizasyon ve stemming için hazır.
# - **PDF Bağlamı**: nltk araçları kullanıldı, PDF'de açıklanacak.
lemmatizer = WordNetLemmatizer()
stemmer = PorterStemmer()
```

```
In [15]: # [7] Kelimeleri tokenleştirip, lemmatize etme ve stemleme
# Açıklama: Cümleler işlenir, stop words çıkarılır, lowercasing uygulanır.
# PDF: Ön işleme adımları (tokenization, lowercasing, stop word kaldırma, lemmatization, stemming).
# (Fonksiyon tanımlanıyor.)
# Yorum [7]:
# - **Ön İşleme**: Tüm adımlar (lowercasing, tokenization, stop word kaldırma, lemmatization, stemming) tamamla
# - **PDF Bağlamı**: Her adımın aracı (nltk) ve dönüşüm örnekleri PDF'de sunulacak.
def preprocess_sentence(sentence):
    tokens = word_tokenize(sentence)
    filtered_tokens = [token.lower() for token in tokens if token.isalpha() and token.lower() not in stop_words]
    lemmatized_tokens = [lemmatizer.lemmatize(token) for token in filtered_tokens]
    stemmed_tokens = [stemmer.stem(token) for token in filtered_tokens]
    return lemmatized_tokens, stemmed_tokens
```

```
In [17]: # [8] Her cümleyi tokenleştir, lemmatize et ve stemle
# Açıklama: Cümleler işlenir, tokenlar listelere eklenir.
# PDF: Ön işleme adımları.
# (Listeler dolduruluyor.)
# Yorum [8]:
# - **Veri Seti**: Tüm cümleler lemmatize ve stem edildi.
# - **PDF Bağlamı**: İşlenmiş veri, CSV olarak kaydedilecek.
tokenized_corpus_lemmatized = []
tokenized_corpus_stemmed = []
for sentence in sentences:
    lemmatized_tokens, stemmed_tokens = preprocess_sentence(sentence)
    tokenized_corpus_lemmatized.append(lemmatized_tokens)
    tokenized_corpus_stemmed.append(stemmed_tokens)
```

```
In [19]: # [9] İlk 5 cümleyi yazdır
# Açıklama: İlk 5 cümlelerin lemmatize ve stem edilmiş halleri gösterilir.
# PDF: Ön işleme örnekleri.
# Yorum [9]:
# - **Dönüşüm**: Lemmatizasyon anlamı korur, stemming keser (örneğin, "fatigue" -> "fatigu").
# - **PDF Bağlamı**: Örnekler, PDF'de temizleme sürecini açıklayacak.

for i in range(5):
    print(f"Cümle {i+1} - Lemmatized: {tokenized_corpus_lemmatized[i]}")
    print(f"Cümle {i+1} - Stemmed: {tokenized_corpus_stemmed[i]}")
    print()
```

Cümle 1 - Lemmatized: ['drug', 'administration', 'error', 'overdose', 'vomiting', 'diarrhoea', 'arthralgia', 'he adache', 'dyspepsia', 'renal', 'impairment', 'oedema', 'peripheral', 'fluid', 'retention', 'pneumonia', 'drug', 'ineffective', 'death', 'angioedema', 'laryngeal', 'oedema', 'face', 'oedema', 'tuberculosis', 'central', 'nervo us', 'system', 'cholecystectomy', 'nephrolithiasis', 'biliary', 'tract', 'disorder', 'malaise', 'adenoviral', 'h aemorrhagic', 'cystitis', 'pyrexia', 'swelling', 'meconium', 'stain', 'amniotic', 'cavity', 'infection', 'matern al', 'exposure', 'pregnancy', 'respiratory', 'failure', 'listeriosis', 'pyrexia', 'headache', 'vomiting', 'menta l', 'status', 'change', 'meningitis', 'pneumonia', 'staphylococcal', 'type', 'iv', 'hypersensitivity', 'reaction', 'skin', 'toxicity', 'erythrodysaesthesia', 'syndrome', 'nail', 'toxicity', 'arthralgia', 'myalgia', 'asthenia', 'diarrhoea', 'neuropathy', 'peripheral', 'diarrhoea', 'abdominal', 'pain', 'asthenia', 'diarrhoea', 'weight', 'decreased', 'abdominal', 'pain', 'blood', 'creatinine', 'increased', 'protein', 'increased', 'dysuria', 'pyrexi a', 'blood', 'creatinine', 'increased', 'protein', 'increased', 'pleural', 'effusion', 'chemical', 'poisoning', 'neck', 'pain', 'back', 'pain', 'paraesthesia', 'localised', 'oedema', 'oedema', 'peripheral', 'fluid', 'retenti on', 'nasal', 'congestion', 'metastasis', 'spine', 'anxiety', 'renal', 'cyst', 'metastasis', 'thorax', 'metastas is', 'retroperitoneum', 'emotional', 'disorder', 'pancreatic', 'carcinoma', 'metastatic', 'metastasis', 'liver', 'metastasis', 'lung', 'emotional', 'distress', 'lymphadenopathy', 'prostate', 'cancer', 'peripheral', 'venous', 'disease', 'swollen', 'tongue', 'pruritus', 'rash', 'generalised', 'listeriosis', 'pyrexia', 'diarrhoea', 'menin gitis', 'overdose', 'general', 'physical', 'health', 'deterioration', 'malaise', 'drug', 'ineffective', 'haemato ma', 'thrombocytopenia', 'international', 'normalised', 'ratio', 'increased', 'device', 'dislocation', 'cerebrov ascular', 'accident', 'blood', 'pressure', 'increased', 'pain', 'aggression', 'symptom', 'anger', 'blepharospasm', 'suicidal', 'ideation', 'haemoglobin', 'decreased', 'posterior', 'reversible', 'encephalopathy', 'syndrome', 'cerebral', 'haemorrhage', 'subarachnoid', 'haemorrhage', 'erection', 'increased', 'hyponatraemia', 'loss', 'con sciousness', 'listeriosis', 'pyrexia', 'headache', 'vomiting', 'meningitis', 'fluid', 'retention', 'haemoglobin', 'decreased', 'subdural', 'haematoma', 'sopor', 'drug', 'abuse', 'overdose', 'hallucination', 'visual', 'headac he', 'insomnia', 'somnolence', 'confusional', 'state', 'cognitive', 'disorder', 'alopecia', 'ileus', 'paralytic', 'abdominal', 'pain', 'nausea', 'foetal', 'death', 'abortion', 'late', 'amniotic', 'cavity', 'infection', 'mate rnal', 'exposure', 'pregnancy', 'breast', 'cancer', 'device', 'misuse', 'uterine', 'perforation', 'depression', 'anxiety', 'depressed', 'mood', 'device', 'issue', 'injury', 'pain', 'emotional', 'distress', 'foetal', 'distres



s', 'syndrome', 'intraventricular', 'haemorrhage', 'neonatal', 'low', 'birth', 'weight', 'baby', 'listeriosis', 'pyrexia', 'sepsis', 'meningitis', 'pneumonia', 'aspiration', 'oxygen', 'saturation', 'decreased', 'foetal', 'exposure', 'pregnancy', 'meconium', 'stain', 'amniotic', 'cavity', 'infection', 'maternal', 'exposure', 'pregnancy', 'oedema', 'peripheral', 'fluid', 'retention', 'fatigue', 'oedema', 'peripheral', 'drug', 'ineffective', 'flus hing', 'cardiac', 'failure', 'congestive', 'fluid', 'retention', 'swelling', 'pyelonephritis', 'maternal', 'expo sure', 'pregnancy', 'normal', 'newborn', 'blood', 'pressure', 'fluctuation', 'dyspepsia', 'allergic', 'cough', 'headache', 'malaise', 'fluid', 'retention', 'fluid', 'overload', 'renal', 'failure', 'acute', 'disorientation', 'drug', 'prescribing', 'error', 'incorrect', 'dose', 'administered', 'medication', 'error', 'foetal', 'death', 'amniotic', 'cavity', 'infection', 'maternal', 'exposure', 'pregnancy', 'pharyngeal', 'oedema', 'label', 'use', 'eye', 'haemorrhage', 'blood', 'creatinine', 'increased', 'visual', 'acuity', 'reduced', 'ophthalmological', 'exa mination', 'abnormal', 'alanine', 'aminotransferase', 'increased', 'aspartate', 'aminotransferase', 'increased', 'feeling', 'abnormal', 'somnolence', 'drug', 'intolerance', 'spinal', 'column', 'stenosis', 'diabetes', 'mellitu s', 'blindness', 'acute', 'graft', 'versus', 'host', 'disease', 'chronic', 'graft', 'versus', 'host', 'disease', 'lung', 'disorder', 'death', 'infection', 'mucosal', 'inflammation', 'gastrointestinal', 'toxicity', 'cardiotoxi city', 'neurotoxicity', 'hepatotoxicity', 'nephropathy', 'toxic', 'transplant', 'failure', 'venoocclusive', 'dis ease', 'malignant', 'neoplasm', 'progression', 'label', 'use', 'infection', 'central', 'venous', 'catheterisatio n', 'femur', 'fracture', 'fall', 'neutropenia', 'pain', 'extremity', 'hereditary', 'angioedema', 'anxiety', 'pan ic', 'attack', 'depression', 'cardiac', 'failure', 'congestive', 'haemoglobin', 'decreased', 'hepatocellular', 'injury', 'adnexa', 'uterus', 'pain', 'drug', 'ineffective', 'pregnancy', 'contraceptive', 'device', 'embedded', 'device', 'ovarian', 'cyst', 'injury', 'dyspareunia', 'pain', 'uterine', 'perforation', 'post', 'procedural', 'd iscomfort', 'pain', 'device', 'dislocation', 'pregnancy', 'contraceptive', 'device', 'drug', 'ineffective', 'dev ice', 'difficult', 'use', 'uterine', 'haemorrhage', 'injury', 'depression', 'anxiety', 'stress', 'device', 'issu e', 'oedema', 'peripheral', 'gait', 'disturbance', 'plasma', 'cell', 'myeloma', 'respiratory', 'disorder', 'arrh ythmia', 'chest', 'pain', 'oedema', 'peripheral', 'gastroesophageal', 'reflux', 'disease', 'pulmonary', 'emboli sm', 'anaemia', 'haemoglobin', 'decreased', 'oesophageal', 'perforation', 'gastric', 'haemorrhage', 'hepatic', 'failure', 'nerve', 'compression', 'mobility', 'decreased', 'abasia', 'death', 'nasopharyngitis', 'malaise', 'pyr exia', 'nasal', 'congestion', 'headache', 'diarrhoea', 'nausea', 'breast', 'cancer', 'erythema', 'monocyte', 'co unt', 'decreased', 'increased', 'count', 'decreased', 'skin', 'lesion', 'mean', 'platelet', 'volume', 'decreased ', 'sarcoma', 'white', 'blood', 'cell', 'count', 'decreased', 'lymphocyte', 'count', 'decreased', 'neutrophil', 'count', 'decreased', 'count', 'decreased', 'linear', 'iga', 'disease', 'rheumatoid', 'arthritis', 'arthralgia', 'rheumatoid', 'factor', 'increased', 'neck', 'pain', 'back', 'pain', 'musculoskeletal', 'pain', 'asthenia', 'pal pitation', 'thirst', 'gait', 'disturbance', 'death', 'influenza', 'weight', 'decreased', 'nasopharyngitis', 'fal l', 'confusional', 'state', 'subcutaneous', 'haematoma', 'hypotension', 'anaemia', 'renal', 'failure', 'chronic ', 'death', 'sepsis', 'tonsillectomy', 'completed', 'suicide', 'suicidal', 'behaviour', 'blood', 'count', 'abnorm al', 'haemoglobin', 'decreased', 'surgery', 'loss', 'consciousness', 'fall', 'gait', 'disturbance', 'convulsion ', 'influenza', 'speech', 'disorder', 'malaise', 'atrioventricular', 'block', 'first', 'degree', 'angina', 'pecto ris', 'muscle', 'spasm', 'condition', 'aggravated', 'pain', 'hypoaesthesia', 'abdominal', 'distension', 'insomni a', 'fatigue', 'nausea', 'alopecia', 'transfusion', 'convulsion', 'death', 'mental', 'disorder', 'panic', 'attac k', 'depression', 'anxiety', 'condition', 'aggravated', 'label', 'use', 'acute', 'respiratory', 'distress', 'syn drome', 'failure', 'general', 'physical', 'health', 'deterioration', 'death', 'pleural', 'effusion', 'blister', 'hypothyroidism', 'blood', 'potassium', 'decreased', 'anaemia', 'nausea', 'vomiting', 'constipation', 'blood', 'pressure', 'increased', 'fluid', 'retention', 'pollakiuria', 'local', 'swelling', 'joint', 'swelling', 'swelling ', 'grand', 'mal', 'convulsion', 'malaise', 'abdominal', 'pain', 'upper', 'hyperthyroidism', 'diabetes', 'mellit us', 'haemoglobin', 'decreased', 'pyrexia', 'headache', 'malnutrition', 'multiple', 'sclerosis', 'loss', 'consci ousness', 'weight', 'decreased', 'fibroadenoma', 'breast', 'label', 'use', 'hyperthermia', 'malignant', 'neoplas m', 'malignant', 'diabetes', 'mellitus', 'endocarditis', 'staphylococcal', 'nephrogenic', 'systemic', 'fibrosis', 'type', 'diabetes', 'mellitus', 'influenza', 'pneumonia', 'nephrogenic', 'systemic', 'fibrosis', 'neutrophil', 'count', 'increased', 'white', 'blood', 'cell', 'count', 'increased', 'abnormal', 'behaviour', 'dehydration', 'h ospitalisation', 'convulsion', 'convulsion', 'lower', 'limb', 'fracture', 'syncope', 'osteomyelitis', 'death', 'death', 'erysipelas', 'sepsis', 'atrial', 'septal', 'defect', 'bundle', 'branch', 'block', 'right', 'tachycardia ', 'rectal', 'haemorrhage', 'rectal', 'haemorrhage', 'asthenia', 'weight', 'decreased', 'death', 'organising', 'pneumonia', 'fall', 'lung', 'infection', 'urinary', 'tract', 'infection', 'bacterial', 'lower', 'respiratory', 'tract', 'infection', 'bacterial', 'acute', 'respiratory', 'distress', 'syndrome', 'loss', 'consciousness', 'psor iasis', 'blood', 'cholesterol', 'increased', 'amnesia', 'dyspnoea', 'headache', 'exposure', 'contaminated', 'wat er', 'vomiting', 'nausea', 'fatigue', 'lethargy', 'abdominal', 'pain', 'upper', 'death', 'depression', 'wheelcha ir', 'user', 'drug', 'effect', 'decreased', 'death', 'coeliac', 'disease', 'blindness', 'hypertension', 'blood', 'pressure', 'increased', 'hyperhidrosis', 'hyperhidrosis', 'multiple', 'sclerosis', 'neoplasm', 'malignant', 'me tastasis', 'fall', 'head', 'injury', 'arthralgia', 'urinary', 'tract', 'infection', 'asthenia', 'ear', 'infectio n', 'increased', 'viscosity', 'bronchial', 'secretion', 'sinus', 'disorder', 'chronic', 'obstructive', 'pulmonar y', 'disease', 'endotracheal', 'intubation', 'acute', 'respiratory', 'failure', 'hyperglycaemia', 'bronchitis', 'pneumococcal', 'bronchitis', 'nephrogenic', 'systemic', 'fibrosis', 'rhinalgia', 'facial', 'pain', 'mobility', 'decreased', 'seizure', 'blood', 'sodium', 'decreased', 'cholelithiasis', 'hepatic', 'mass', 'hyperglycaemia', 'dyspnoea', 'inappropriate', 'antidiuretic', 'hormone', 'secretion', 'hyperthermia', 'malignant', 'tetralogy', 'c left', 'palate', 'autism', 'foetal', 'exposure', 'pregnancy', 'chronic', 'obstructive', 'pulmonary', 'disease', 'emphysema', 'bronchitis', 'dyspnoea', 'stress', 'anxiety', 'unevaluable', 'event', 'lung', 'infection', 'suicid e', 'attempt', 'antipsychotic', 'drug', 'level', 'therapeutic', 'mental', 'disorder', 'antipsychotic', 'drug', 'level', 'therapeutic', 'adverse', 'reaction', 'suicidal', 'ideation', 'dizziness', 'aphasia', 'syncope', 'memory ', 'impairment', 'bronchitis', 'irritability', 'feeling', 'abnormal', 'amnesia', 'conversion', 'disorder', 'visu al', 'impairment', 'vision', 'blurred', 'headache', 'pyrexia', 'pain', 'injection', 'site', 'reaction', 'injecti on', 'site', 'haemorrhage', 'fatigue', 'confusional', 'state', 'hyperammonaemia', 'respiratory', 'distress', 'pu lmonary', 'oedema', 'dyspnoea', 'pulmonary', 'alveolar', 'haemorrhage', 'pulmonary', 'disease', 'therapeutic', 'response', 'decreased', 'drug', 'ineffective', 'haemoglobin', 'decreased', 'weight', 'increased', 'nephrogenic', 'systemic', 'fibrosis', 'pneumonia', 'pulmonary', 'valve', 'stenosis', 'congenital', 'congenital', 'anomaly', 'f oetal', 'exposure', 'pregnancy', 'death', 'dyspnoea', 'fatigue', 'dysphonia', 'diarrhoea', 'convulsion', 'dyspno ea', 'skin', 'discolouration', 'lip', 'discolouration', 'status', 'epilepticus', 'epilepsy', 'fall', 'tooth', 'l oss', 'central', 'nervous', 'system', 'lesion', 'cognitive', 'disorder', 'drug', 'withdrawal', 'syndrome', 'qual ity', 'life', 'decreased', 'general', 'physical', 'health', 'deterioration', 'mental', 'impairment', 'disorienta tion', 'affect', 'ability', 'gait', 'disturbance', 'speech', 'disorder', 'anticonvulsant', 'drug', 'level', 'de creased', 'drug', 'effect', 'decreased', 'investigation', 'liver', 'disorder', 'transaminase', 'increased', 'dis ease', 'progression', 'abortion', 'induced', 'unintended', 'pregnancy', 'medical', 'device', 'complication', 'pr oduct', 'quality', 'issue', 'drug', 'dose', 'omission', 'disease', 'progression', 'renal', 'failure', 'acute', 'type', 'diabetes', 'mellitus', 'cholelithiasis', 'bone', 'marrow', 'failure', 'bone', 'marrow', 'failure', 'neut rophil', 'count', 'decreased', 'chronic', 'obstructive', 'pulmonary', 'disease', 'dementia', 'type', 'hip', 'fra

cture', 'cerebrovascular', 'accident', 'nephrogenic', 'systemic', 'fibrosis', 'pancreatitis', 'hypoaacusis', 'pneumonia', 'disease', 'progression', 'pancytopenia', 'low', 'turnover', 'osteopathy', 'femur', 'fracture', 'reflux', 'laryngitis', 'gingival', 'recession', 'intramedullary', 'rod', 'insertion', 'rib', 'fracture', 'bone', 'graft', 'squamous', 'cell', 'carcinoma', 'skin', 'osteoporosis', 'periodontal', 'operation', 'visual', 'impairment', 'disease', 'progression', 'loss', 'proprioception', 'fall', 'gait', 'disturbance', 'asthenia', 'embedded', 'device', 'hyponatraemia', 'dyspnoea', 'pyrexia', 'pancreatitis', 'influenza', 'pneumonia', 'sepsis', 'disease', 'progression', 'dizziness', 'disease', 'progression', 'myocardial', 'infarction', 'disease', 'progression', 'death', 'investigation', 'disease', 'progression', 'disease', 'progression', 'disease', 'progression', 'arthropathy', 'osteonecrosis', 'gangrene', 'gangrene', 'grand', 'mal', 'convulsion', 'vomiting', 'amnesia', 'disease', 'progression', 'disease', 'progression', 'sepsis', 'tooth', 'infection', 'neurological', 'decompensation', 'disease', 'progression', 'thrombosis', 'device', 'issue', 'arteriovenous', 'fistula', 'site', 'complication', 'convulsion', 'pulmonary', 'oedema', 'rib', 'fracture', 'gastroenteritis', 'viral', 'peritonitis', 'bacterial', 'diarrhoea', 'fluid', 'overload', 'infected', 'cyst', 'febrile', 'neutropenia', 'febrile', 'neutropenia', 'enterobacter', 'pneumonia', 'corynebacterium', 'infection', 'pharyngitis', 'malaise', 'hypotension', 'eye', 'movement', 'disorder', 'heart', 'rate', 'decreased', 'pulse', 'abnormal', 'blood', 'pressure', 'diastolic', 'increased', 'carnitine', 'deficiency', 'hyperammonaemia', 'irritability', 'affective', 'disorder', 'condition', 'aggravated', 'staphylococcal', 'infection', 'catheter', 'site', 'infection', 'muscular', 'weakness', 'paraesthesia', 'pancreatitis', 'label', 'use', 'pulmonary', 'haemorrhage', 'swelling', 'anaemia', 'hypotension', 'pneumonia', 'urinary', 'tract', 'infection', 'malaise', 'cardiac', 'disorder', 'cardiovascular', 'disorder', 'blood', 'glucose', 'increased', 'anaemia', 'sepsis', 'mixed', 'liver', 'injury', 'headache', 'toothache', 'peritonitis', 'peritoneal', 'dialysis', 'complication', 'hypotension', 'pneumonia', 'post', 'procedural', 'haemorrhage', 'acidosis', 'haemorrhage', 'haematocrit', 'decreased', 'rectal', 'haemorrhage', 'haematochezia', 'mouth', 'haemorrhage', 'epistaxis', 'pyrexia', 'syndrome', 'myocardial', 'infarction', 'mycobacterium', 'tuberculosis', 'complex', 'test', 'positive', 'headache', 'chest', 'discomfort', 'respiratory', 'failure', 'chronic', 'obstructive', 'pulmonary', 'disease', 'myocardial', 'infarction', 'cardiac', 'flutter', 'therapeutic', 'response', 'decreased', 'death', 'parotitis', 'salivary', 'hypersecretion', 'ear', 'pain', 'odynophagia', 'parotid', 'gland', 'enlargement', 'oedema', 'inflammation', 'leukocytosis', 'anaemia', 'tachycardia', 'schizoaffective', 'disorder', 'bipolar', 'type', 'drug', 'ineffective', 'convulsion', 'bursitis', 'abscess', 'bacterial', 'staphylococcal', 'infection', 'fall', 'rhabdomyolysis', 'somnolence', 'diabetes', 'mellitus', 'gait', 'disturbance', 'anaemia', 'blood', 'triglyceride', 'abnormal', 'muscular', 'weakness', 'blood', 'cholesterol', 'abnormal', 'cough', 'influenza', 'bone', 'disorder', 'incompatibility', 'pain', 'death', 'localised', 'infection', 'diabetic', 'ketoacidosis', 'abscess', 'limb', 'transfusion', 'vision', 'blurred', 'intraocular', 'pressure', 'increased', 'rectocele', 'cardiac', 'arrest', 'arrhythmia', 'acidosis', 'respiratory', 'distress', 'status', 'epilepticus', 'death', 'gastrointestinal', 'stromal', 'tumour', 'malignant', 'neoplasm', 'progression', 'intestinal', 'obstruction', 'pyrexia', 'abdominal', 'pain', 'upper', 'blood', 'count', 'abnormal', 'platelet', 'count', 'decreased', 'injury', 'general', 'physical', 'health', 'deterioration', 'cerebrovascular', 'arteriovenous', 'malformation', 'gastroesophageal', 'reflux', 'disease', 'peripheral', 'artery', 'thrombosis', 'pain', 'anxiety', 'abdominal', 'pain', 'emotional', 'distress', 'platelet', 'count', 'decreased', 'blood', 'count', 'abnormal', 'cerebral', 'venous', 'thrombosis', 'jugular', 'vein', 'thrombosis', 'subdural', 'haematoma', 'musculoskeletal', 'stiffness', 'myalgia', 'platelet', 'count', 'decreased', 'stem', 'cell', 'transplant', 'splenomegaly', 'contusion', 'thrombosis', 'injury', 'emotional', 'distress', 'deep', 'vein', 'thrombosis', 'anxiety', 'pain', 'abdominal', 'pain', 'general', 'physical', 'health', 'deterioration', 'type', 'diabetes', 'mellitus', 'death', 'international', 'normalised', 'ratio', 'fluctuation', 'fall', 'concussion', 'clavicle', 'fracture', 'hip', 'fracture', 'parkinsonism', 'mobility', 'decreased', 'faecal', 'incontinence', 'urinary', 'incontinence', 'depression', 'memory', 'impairment', 'fatigue', 'fall', 'pain', 'fall', 'fall', 'gait', 'disturbance', 'emotional', 'distress', 'type', 'diabetes', 'mellitus', 'impaired', 'healing', 'calciophylaxis', 'diabetic', 'complication', 'wound', 'pancreatitis', 'acute', 'death', 'gastrointestinal', 'haemorrhage', 'pneumonia', 'pulmonary', 'oedema', 'failure', 'thrive', 'hypophagia', 'surgery', 'muscular', 'weakness', 'alopecia', 'drug', 'dose', 'omission', 'type', 'diabetes', 'mellitus', 'neoplasm', 'malignant', 'pain', 'extremity', 'anaemia', 'death', 'histiocytosis', 'haematophagic', 'type', 'diabetes', 'mellitus', 'ventricular', 'tachycardia', 'melaena', 'asthenia', 'vertigo', 'duodenal', 'ulcer', 'gastritis', 'erosive', 'gastrointestinal', 'haemorrhage', 'type', 'diabetes', 'mellitus', 'haemorrhage', 'red', 'blood', 'cell', 'count', 'decreased', 'fatigue', 'adverse', 'event', 'type', 'diabetes', 'mellitus', 'psychotic', 'behaviour', 'cognitive', 'disorder', 'bronchopulmonary', 'aspergillosis', 'myalgia', 'type', 'diabetes', 'mellitus', 'vaginal', 'haemorrhage', 'smear', 'cervix', 'abnormal', 'febrile', 'convulsion', 'helicobacter', 'infection', 'death', 'nephrogenic', 'systemic', 'fibrosis', 'circulatory', 'collapse', 'pneumonia', 'aspiration', 'white', 'blood', 'cell', 'count', 'increased', 'neutrophil', 'count', 'increased', 'platelet', 'count', 'decreased', 'blood', 'lactate', 'dehydrogenase', 'increased', 'white', 'blood', 'cell', 'count', 'increased', 'epistaxis', 'headache', 'influenza', 'nausea', 'contusion', 'wound', 'haemorrhage', 'blood', 'smear', 'test', 'abnormal', 'fatigue', 'adverse', 'drug', 'reaction', 'disease', 'progression', 'type', 'diabetes', 'mellitus', 'visual', 'impairment', 'neuropathy', 'peripheral', 'increased', 'appetite', 'incontinence', 'label', 'use', 'epistaxis', 'blindness', 'weight', 'increased', 'skin', 'cancer', 'nasopharyngitis', 'dizziness', 'dry', 'eye', 'wrong', 'technique', 'product', 'usage', 'process', 'pruritus', 'increased', 'tendency', 'bruise', 'diarrhoea', 'constipation', 'type', 'diabetes', 'mellitus', 'apparent', 'death', 'general', 'physical', 'health', 'deterioration', 'skin', 'burning', 'sensation', 'decreased', 'appetite', 'weight', 'decreased', 'headache', 'nausea', 'pyrexia', 'rash', 'myalgia', 'muscular', 'weakness', 'gait', 'disturbance', 'tremor', 'type', 'diabetes', 'mellitus', 'peripheral', 'swelling', 'increased', 'appetite', 'weight', 'increased', 'stress', 'type', 'diabetes', 'mellitus', 'hypokinesia', 'dehydration', 'drug', 'dose', 'omission', 'paralysis', 'quality', 'life', 'decreased', 'speech', 'disorder', 'loss', 'consciousness', 'withdrawal', 'syndrome', 'dyskinesia', 'dysphagia', 'cardiac', 'arrest', 'anaphylactic', 'reaction', 'interstitial', 'lung', 'disease', 'dyspnoea', 'general', 'physical', 'health', 'deterioration', 'pleural', 'effusion', 'oedema', 'aphthous', 'stomatitis', 'peritonitis', 'device', 'malfunction', 'cerebrovascular', 'accident', 'blindness', 'unilateral', 'mucosal', 'inflammation', 'convulsion', 'gastrointestinal', 'stromal', 'tumour', 'malaise', 'hepatic', 'neoplasm', 'wrong', 'technique', 'drug', 'usage', 'process', 'pancreatitis', 'endometriosis', 'uterine', 'leiomyoma', 'type', 'diabetes', 'mellitus', 'central', 'nervous', 'system', 'lesion', 'injection', 'site', 'pain', 'injection', 'site', 'bruising', 'wrong', 'technique', 'drug', 'usage', 'process', 'hepatocellular', 'injury', 'cholestasis', 'pyrexia', 'myocardial', 'infarction', 'sarcoma', 'gastrointestinal', 'obstruction', 'anaemia', 'general', 'physical', 'health', 'deterioration', 'abnormal', 'behaviour', 'drug', 'level', 'increased', 'lethargy', 'irritability', 'disorder', 'dermatillomania', 'activity', 'daily', 'living', 'impaired', 'memory', 'impairment', 'bradykinesia', 'muscular', 'weakness', 'insomnia', 'drug', 'interaction', 'death', 'breast', 'cancer', 'second', 'primary', 'malignancy', 'metastasis', 'pleura', 'metastasis', 'lymph', 'node', 'blood', 'glucose', 'increased', 'death', 'death', 'hypomagnesaemia', 'drug', 'interaction', 'transfusion', 'drug', 'dose', 'omission', 'body', 'height', 'normal', 'congenital', 'oral', 'malformation', 'congenital', 'cardiovascular', 'anomaly', 'congenital', 'nose', 'malformation', 'tooth', 'development', 'disorder', 'visual', 'impairment', 'foetal', 'exposure', 'pregnancy', 'paternal', 'drug', 'affecting', 'foetus', 'corrective', 'lens', 'user', 'dysmorphism', 'foetal', 'antico



nvulsant', 'syndrome', 'premature', 'baby', 'toothache', 'growth', 'retardation', 'congenital', 'cardiovascular', 'anomaly', 'cardiac', 'murmur', 'congenital', 'hand', 'malformation', 'multiple', 'injury', 'low', 'birth', 'weight', 'baby', 'drug', 'ineffective', 'coma', 'malaise', 'muscle', 'abscess', 'diarrhoea', 'headache', 'platelet', 'count', 'decreased', 'gout', 'stent', 'placement', 'obstruction', 'asthenia', 'cold', 'sweat', 'nausea', 'palpitation', 'myocardial', 'infarction', 'metastasis', 'bone', 'osteonecrosis', 'jaw', 'convulsion', 'tongue', 'injury', 'hallucination', 'anticonvulsant', 'drug', 'level', 'therapeutic', 'injury', 'appendix', 'disorder', 'joint', 'dislocation', 'epilepsy', 'mood', 'altered', 'stomatitis', 'cardiac', 'disorder', 'infection', 'investigation', 'foot', 'deformity', 'dyspnoea', 'tachycardia', 'white', 'blood', 'cell', 'count', 'increased', 'testicular', 'torsion', 'anaphylactic', 'reaction', 'metrorrhagia', 'dizziness', 'multiple', 'sclerosis', 'relapse', 'dysaesthesia', 'nephrogenic', 'systemic', 'fibrosis', 'death', 'bronchial', 'carcinoma', 'pneumonitis', 'pleural', 'effusion', 'radiation', 'pneumonitis', 'oesophagitis', 'pericarditis', 'death', 'thrombosis', 'disease', 'underdose', 'embedded', 'device', 'device', 'breakage', 'back', 'pain', 'pneumonia', 'cytomegalovirus', 'infection', 'cystitis', 'haemorrhagic', 'acute', 'graft', 'versus', 'host', 'disease', 'death', 'muscle', 'spasm', 'urinary', 'incontinence', 'anxiety', 'hyperventilation', 'rash', 'pruritic', 'rhinorrhoea', 'tongue', 'disorder', 'panic', 'attack', 'diarrhoea', 'dry', 'skin', 'skin', 'exfoliation', 'skin', 'exfoliation', 'acne', 'alopecia', 'bronchospasm', 'discomfort', 'rash', 'drug', 'hypersensitivity', 'amnesia', 'aortic', 'dissection', 'rash', 'discomfort', 'constipation', 'skin', 'disorder', 'skin', 'sensitisation', 'blister', 'jaundice', 'death', 'death', 'hypoaesthesia', 'tremor', 'feeling', 'hot', 'hyperhidrosis', 'mobility', 'decreased', 'asthenia', 'local', 'swelling', 'fat', 'redistribution', 'lipodystrophy', 'acquired', 'lymphocyte', 'decreased', 'unevaluable', 'event', 'multifocal', 'motor', 'neuropathy', 'muscle', 'atrophy', 'blood', 'count', 'abnormal', 'exposure', 'pregnancy', 'drug', 'ineffective', 'caesarean', 'section', 'abortion', 'spontaneous', 'blood', 'fibrinogen', 'decreased', 'pulmonary', 'embolism', 'general', 'physical', 'health', 'deterioration', 'pain', 'injury', 'abdominal', 'pain', 'platelet', 'count', 'decreased', 'anxiety', 'general', 'physical', 'health', 'deterioration', 'injury', 'thrombosis', 'emotional', 'distress', 'pain', 'abdominal', 'pain', 'ileectomy', 'anxiety', 'general', 'physical', 'health', 'deterioration', 'axillary', 'vein', 'thrombosis', 'pain', 'peripheral', 'swelling', 'deep', 'vein', 'thrombosis', 'abdominal', 'pain', 'emotional', 'distress', 'injury', 'subclavian', 'vein', 'thrombosis', 'foetal', 'heart', 'rate', 'decreased', 'foetal', 'exposure', 'pregnancy', 'foetal', 'heart', 'rate', 'increased', 'nephrogenic', 'systemic', 'fibrosis', 'vertigo', 'erythema', 'tooth', 'disorder', 'colitis', 'ulcerative', 'eye', 'pain', 'ocular', 'vascular', 'disorder', 'retinal', 'vascular', 'disorder', 'deafness', 'ear', 'injury', 'renal', 'impairment', 'intestinal', 'haemorrhage', 'diarrhoea', 'drug', 'ineffective', 'ocular', 'hyperaemia', 'eye', 'pain', 'dry', 'eye', 'chest', 'discomfort', 'wrist', 'fracture', 'fall', 'hysterectomy', 'muscular', 'weakness', 'skin', 'discolouration', 'gait', 'disturbance', 'hypotension', 'convulsion', 'lower', 'gastrointestinal', 'haemorrhage', 'renal', 'failure', 'pulmonary', 'alveolar', 'haemorrhage', 'graft', 'versus', 'host', 'disease', 'cystitis', 'haemorrhagic', 'adenovirus', 'infection', 'bacteria', 'virus', 'infection', 'convulsion', 'alcohol', 'detoxification', 'loss', 'consciousness', 'alcohol', 'withdrawal', 'syndrome', 'renal', 'failure', 'acute', 'dehydration', 'joint', 'injury', 'tongue', 'injury', 'swollen', 'tongue', 'electrolyte', 'imbalance', 'dysarthria', 'fall', 'laceration', 'gait', 'disturbance', 'headache', 'drug', 'ineffective', 'pancreatitis', 'acute', 'blood', 'glucose', 'increased', 'bone', 'marrow', 'failure', 'pyrexia', 'neutropenia', 'leukopenia', 'thrombocytopenia', 'pancytopenia', 'tonsillitis', 'cough', 'tonsillar', 'hypertrophy', 'purulent', 'discharge', 'pharyngeal', 'erythema', 'odynophagia', 'lymphadenopathy', 'productive', 'cough', 'large', 'intestine', 'polyp', 'diarrhoea', 'blood', 'potassium', 'increased', 'hyperthermia', 'malignant', 'abasia', 'death', 'cerebrovascular', 'accident', 'cerebral', 'haemorrhage', 'drooling', 'haematochezia', 'diverticulum', 'paraesthesia', 'asthenia', 'back', 'pain', 'dyspepsia', 'constipation', 'renal', 'function', 'test', 'abnormal', 'pruritus', 'throat', 'irritation', 'diarrhoea', 'nasal', 'discomfort', 'malaise', 'multiple', 'sclerosis', 'relapse', 'urinary', 'tract', 'infection', 'dizziness', 'headache', 'nausea', 'cerebrovascular', 'accident', 'death', 'blood', 'alkaline', 'phosphatase', 'increased', 'transaminase', 'increased', 'increased', 'electrocardiogram', 'abnormal', 'left', 'ventricular', 'dysfunction', 'sinus', 'tachycardia', 'nephrogenic', 'systemic', 'fibrosis', 'foetal', 'cardiac', 'disorder', 'label', 'use', 'exposure', 'pregnancy', 'ocular', 'hyperaemia', 'lacrimation', 'increased', 'dry', 'eye', 'skin', 'lesion', 'lymphadenopathy', 'lymph', 'node', 'pain', 'basal', 'cell', 'carcinoma', 'seborrhoeic', 'keratosis', 'fall', 'uterine', 'perforation', 'injury', 'pain', 'emotional', 'distress', 'type', 'diabetes', 'mellitus', 'thrombocytopenia', 'petechia', 'suicidal', 'ideation', 'depressed', 'mood', 'nightmare', 'haemoglobin', 'decreased', 'acute', 'myocardial', 'infarction', 'malignant', 'neoplasm', 'progression', 'general', 'physical', 'health', 'deterioration', 'death', 'alanine', 'aminotransferase', 'increased', 'aspartate', 'aminotransferase', 'increased', 'fatigue', 'abdominal', 'pain', 'upper', 'injection', 'site', 'discolouration', 'injection', 'site', 'pruritus', 'unevaluable', 'event', 'blepharospasm', 'aggression', 'anger', 'symptom', 'suicidal', 'ideation', 'uterine', 'perforation', 'device', 'dislocation', 'infusion', 'site', 'erythema', 'chill', 'emotional', 'distress', 'pain', 'embedded', 'device', 'injury', 'platelet', 'count', 'decreased', 'pyrexia', 'prostatic', 'specific', 'antigen', 'increased', 'bone', 'pain', 'respiratory', 'arrest', 'pleural', 'effusion', 'uterine', 'perforation', 'injury', 'pain', 'emotional', 'distress', 'oropharyngeal', 'spasm', 'respiratory', 'disorder', 'dysphagia', 'psychomotor', 'hyperactivity', 'salivary', 'hypersecretion', 'dysarthria', 'sensation', 'foreign', 'body', 'melaena', 'type', 'diabetes', 'mellitus', 'hepatic', 'lesion', 'malignant', 'neoplasm', 'progression', 'gastric', 'cancer', 'product', 'use', 'issue', 'seizure', 'like', 'phenomenon', 'myoclonus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'rash', 'pruritic', 'generalised', 'erythema', 'type', 'diabetes', 'mellitus', 'uterine', 'perforation', 'injury', 'pain', 'emotional', 'distress', 'urticaria', 'erythema', 'pruritus', 'drug', 'interaction', 'hip', 'fracture', 'fall', 'urinary', 'tract', 'infection', 'type', 'diabetes', 'mellitus', 'death', 'device', 'dislocation', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'uterine', 'perforation', 'injury', 'pain', 'emotional', 'distress', 'transient', 'ischaemic', 'attack', 'traumatic', 'haematoma', 'uterine', 'perforation', 'injury', 'pain', 'emotional', 'distress', 'psychological', 'trauma', 'skin', 'discolouration', 'rash', 'death', 'neoplasm', 'progression', 'overdose', 'dyspnoea', 'lung', 'infection', 'thrombotic', 'microangiopathy', 'renal', 'impairment', 'hepatic', 'failure', 'mental', 'status', 'change', 'stem', 'cell', 'transplant', 'graft', 'versus', 'host', 'disease', 'fatigue', 'drug', 'administration', 'error', 'cognitive', 'disorder', 'anxiety', 'depression', 'sexual', 'dysfunction', 'blood', 'testosterone', 'free', 'decreased', 'uptake', 'increased', 'back', 'pain', 'type', 'diabetes', 'mellitus', 'hepatitis', 'c', 'insomnia', 'blood', 'cholesterol', 'increased', 'benign', 'prostatic', 'hyperplasia', 'urinary', 'tract', 'obstruction', 'drug', 'dependence', 'erectile', 'dysfunction', 'abdominal', 'pain', 'upper', 'diarrhoea', 'vomiting', 'infusion', 'related', 'reaction', 'generalised', 'erythema', 'pruritus', 'macroglossia', 'dyspnoea', 'malignant', 'neoplasm', 'progression', 'pancytopenia', 'neurogenic', 'bladder', 'feeling', 'abnormal', 'balance', 'disorder', 'nervousness', 'frustration', 'hypoaesthesia', 'dyspnoea', 'label', 'use', 'syndrome', 'consciousness', 'fluctuating', 'lip', 'swelling', 'lip', 'discolouration', 'blister', 'pain', 'skin', 'exfoliation', 'chapped', 'lip', 'eye', 'disorder', 'scab', 'scar', 'weight', 'decreased', 'skin', 'disorder', 'rash', 'generalised', 'dyspnoea', 'hypersensitivity', 'malaise', 'spinal', 'disorder', 'dizziness', 'feeling', 'abnormal', 'ovarian', 'germ', 'cell', 'cancer', 'stage', 'ii', 'menorrhoea', 'weight', 'increased', 'tremor', 'galactorrhoea', 'dyspnoea', 'blood', 'prolactin', 'increased', 'palpitation', 'dyskinesia', 'dysuria', 'swelling', 'muscle', 'spasm', 'breast', 'enlargement', 'fatigue', 'muscular'

, 'weakness', 'agitation', 'aggression', 'hyperhidrosis', 'abdominal', 'pain', 'femoral', 'neck', 'fracture', 'osteoarthritis', 'drug', 'ineffective', 'chest', 'pain', 'palpitation', 'drug', 'ineffective', 'death', 'malignant', 'neoplasm', 'progression', 'glaucoma', 'cataract', 'vitamin', 'decreased', 'arthropathy', 'syncope', 'electrocardiogram', 'qt', 'prolonged', 'renal', 'failure', 'acute', 'rhabdomyolysis', 'traumatic', 'liver', 'injury', 'pneumonia', 'aspiration', 'intentional', 'overdose', 'suicide', 'attempt', 'loss', 'consciousness', 'diarrhoea', 'vomiting', 'nausea', 'restlessness', 'haemorrhage', 'haemarthrosis', 'embolism', 'arterial', 'pulmonary', 'embolism', 'phlebitis', 'skin', 'necrosis', 'adhesion', 'vasculitis', 'death', 'pain', 'vomiting', 'hallucination', 'auditory', 'nervousness', 'feeling', 'abnormal', 'major', 'depression', 'hemiparesis', 'quadriplegia', 'multiple', 'sclerosis', 'malaise', 'pulmonary', 'function', 'test', 'decreased', 'chest', 'discomfort', 'fear', 'death', 'depression', 'hypertension', 'sinus', 'tachycardia', 'dizziness', 'asthenia', 'limb', 'traumatic', 'amputation', 'road', 'traffic', 'accident', 'pain', 'back', 'pain', 'nerve', 'compression', 'joint', 'swelling', 'abasia', 'fall', 'ligament', 'sprain', 'foot', 'fracture', 'breast', 'cancer', 'erythema', 'pruritus', 'abdominal', 'pain', 'muscle', 'spasm', 'splenectomy', 'splenomegaly', 'packed', 'red', 'blood', 'cell', 'transfusion', 'post', 'procedural', 'haemorrhage', 'cold', 'agglutinin', 'pyrexia', 'white', 'blood', 'cell', 'count', 'decreased', 'haematocrit', 'decreased', 'bronchitis', 'disease', 'progression', 'pseudolymphoma', 'drug', 'ineffective', 'haemoglobinuria', 'night', 'sweat', 'weight', 'increased', 'fatigue', 'cough', 'myelodysplastic', 'syndrome', 'diarrhoea', 'platelet', 'count', 'decreased', 'cerebrovascular', 'accident', 'migraine', 'presyncope', 'syncope', 'bronchiolitis', 'apnoea', 'cyanosis', 'rhinorrhoea', 'umbilical', 'hernia', 'inguinal', 'hernia', 'oedema', 'genital', 'headache', 'subarachnoid', 'haemorrhage', 'influenza', 'like', 'illness', 'dysphagia', 'dyspnoea', 'immune', 'thrombocytopenic', 'purpura', 'haemoglobinuria', 'pain', 'nausea', 'chill', 'jaundice', 'hypotension', 'fatigue', 'dyspnoea', 'oedema', 'peripheral', 'right', 'ventricular', 'failure', 'haemoglobin', 'decreased', 'dialysis', 'haemoglobinuria', 'fatigue', 'renal', 'impairment', 'hyperkalaemia', 'iron', 'deficiency', 'anaemia', 'chronic', 'gastritis', 'central', 'nervous', 'system', 'lesion', 'renal', 'artery', 'thrombosis', 'syncope', 'tongue', 'injury', 'tremor', 'cerebrovascular', 'accident', 'atrial', 'fibrillation', 'thyroid', 'nodule', 'removal', 'thyroid', 'neoplasm', 'metrorrhagia', 'drug', 'administration', 'error', 'label', 'use', 'pneumonia', 'back', 'pain', 'death', 'lymphopenia', 'blood', 'cholesterol', 'increased', 'hypertension', 'nausea', 'low', 'density', 'lipoprotein', 'increased', 'white', 'blood', 'cell', 'count', 'decreased', 'deafness', 'ear', 'injury', 'mental', 'status', 'change', 'retinal', 'detachment', 'visual', 'field', 'defect', 'fibromyalgia', 'eye', 'disorder', 'seizure', 'grand', 'mal', 'convulsion', 'postictal', 'state', 'thrombocytopenia', 'abdominal', 'distension', 'splenomegaly', 'arthralgia', 'tenderness', 'full', 'blood', 'count', 'decreased', 'prostate', 'cancer', 'haematuria', 'pyrexia', 'prostatic', 'pain', 'urinary', 'tract', 'infection', 'insomnia', 'prostatic', 'obstruction', 'urinary', 'tract', 'obstruction', 'hypertension', 'cardiac', 'failure', 'arrhythmia', 'hypertension', 'lung', 'infection', 'dyspnoea', 'blood', 'urine', 'present', 'epistaxis', 'blindness', 'asthenia', 'loss', 'consciousness', 'type', 'diabetes', 'mellitus', 'hypoesthesia', 'oral', 'hypoesthesia', 'type', 'diabetes', 'mellitus', 'death', 'disease', 'progression', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'muscle', 'spasm', 'myopathy', 'sleep', 'disorder', 'blood', 'glucose', 'increased', 'palpitation', 'decreased', 'appetite', 'atrial', 'fibrillation', 'insomnia', 'painful', 'erection', 'chest', 'pain', 'tic', 'dyspnoea', 'abdominal', 'pain', 'upper', 'oedema', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'mania', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'rheumatoid', 'arthritis', 'facial', 'bone', 'fracture', 'syncope', 'neutropenia', 'pyrexia', 'hepatic', 'failure', 'dyspnoea', 'throat', 'tightness', 'swelling', 'cardiac', 'failure', 'congestive', 'death', 'depression', 'condition', 'aggravated', 'panic', 'attack', 'anxiety', 'mental', 'disorder', 'suicidal', 'ideation', 'homicidal', 'ideation', 'skin', 'exfoliation', 'cerebrovascular', 'accident', 'weight', 'increased', 'withdrawal', 'syndrome', 'type', 'diabetes', 'mellitus', 'cerebrovascular', 'accident', 'disorder', 'pathological', 'gambling', 'fluid', 'retention', 'electrocardiogram', 'qt', 'prolonged', 'aortic', 'dissection', 'myocardial', 'infarction', 'drug', 'interaction', 'oedematous', 'pancreatitis', 'amylase', 'increased', 'lipase', 'increased', 'death', 'fall', 'multiple', 'sclerosis', 'relapse', 'asthenia', 'erythema', 'insomnia', 'muscle', 'spasm', 'flat', 'affect', 'depression', 'disease', 'progression', 'psychotic', 'disorder', 'drug', 'interaction', 'hypertension', 'drug', 'ineffective', 'middle', 'insomnia', 'tinnitus', 'blood', 'potassium', 'decreased', 'intentional', 'drug', 'misuse', 'pruritus', 'malaise', 'hypocalcaemia', 'blood', 'count', 'abnormal', 'device', 'dislocation', 'pelvic', 'pain', 'diverticulitis', 'rectal', 'haemorrhage', 'eye', 'disorder', 'haemorrhoid', 'death', 'renal', 'failure', 'neoplasm', 'malignant', 'haematuria', 'pyrexia', 'myalgia', 'urinary', 'tract', 'infection', 'mania', 'mobility', 'decreased', 'angiopathy', 'hearing', 'impaired', 'blood', 'pressure', 'increased', 'syndrome', 'chest', 'pain', 'infusion', 'related', 'reaction', 'drug', 'ineffective', 'fatigue', 'hypoesthesia', 'nausea', 'weight', 'increased', 'alopecia', 'eye', 'disorder', 'body', 'height', 'decreased', 'decreased', 'appetite', 'arthritis', 'fall', 'dyspnoea', 'oral', 'mucosal', 'blistering', 'rash', 'generalised', 'mood', 'swing', 'performance', 'status', 'decreased', 'drug', 'intolerance', 'erythema', 'nodosum', 'cushingoid', 'renal', 'impairment', 'cardiac', 'arrest', 'osteopenia', 'osteoporosis', 'death', 'surgery', 'cerebrovascular', 'accident', 'basal', 'ganglion', 'haemorrhage', 'intraventricular', 'haemorrhage', 'brain', 'injury', 'diplegia', 'dysstasia', 'mania', 'abasia', 'dizziness', 'drug', 'intolerance', 'gastrointestinal', 'disorder', 'therapeutic', 'response', 'aphonia', 'pyrexia', 'dizziness', 'coeliac', 'disease', 'malaise', 'intentional', 'product', 'misuse', 'rotator', 'cuff', 'syndrome', 'arthritis', 'musculoskeletal', 'pain', 'death', 'type', 'diabetes', 'mellitus', 'carotid', 'artery', 'occlusion', 'chronic', 'obstructive', 'pulmonary', 'disease', 'chest', 'pain', 'low', 'density', 'lipoprotein', 'increased', 'vertigo', 'dizziness', 'dysgeusia', 'type', 'diabetes', 'mellitus', 'suicidal', 'ideation', 'death', 'respiratory', 'disorder', 'type', 'diabetes', 'mellitus', 'spinal', 'disorder', 'label', 'use', 'intestinal', 'ischemia', 'enterocolitis', 'bacterial', 'dyspnoea', 'protein', 'total', 'increased', 'type', 'diabetes', 'mellitus', 'cardiac', 'stress', 'test', 'abnormal', 'arteriogram', 'coronary', 'abnormal', 'weight', 'decreased', 'type', 'diabetes', 'mellitus', 'haemorrhage', 'renal', 'failure', 'myocardial', 'infarction', 'type', 'diabetes', 'mellitus', 'spinal', 'cord', 'disorder', 'type', 'diabetes', 'mellitus', 'carpal', 'tunnel', 'syndrome', 'arthropathy', 'fatigue', 'myalgia', 'sinusitis', 'drug', 'ineffective', 'pneumonia', 'klebsiella', 'pseudomonas', 'test', 'positive', 'drug', 'administered', 'patient', 'inappropriate', 'age', 'staphylococcus', 'test', 'positive', 'condition', 'aggravated', 'depression', 'panic', 'attack', 'anxiety', 'mental', 'disorder', 'haemoptysis', 'drug', 'ineffective', 'pain', 'loss', 'consciousness', 'ventricular', 'tachycardia', 'heart', 'rate', 'increased', 'electrocardiogram', 'q', 'wave', 'abnormal', 'electrocardiogram', 'wave', 'inversion', 'heart', 'rate', 'irregular', 'intentional', 'overdose', 'sopor', 'type', 'diabetes', 'mellitus', 'oedema', 'skin', 'fissure', 'nephrolithiasis', 'drug', 'dose', 'omission', 'headache', 'sinusitis', 'condition', 'aggravated', 'cataract', 'stent', 'placement', 'macular', 'fibrosis', 'haemoglobin', 'decreased', 'alopecia', 'palpitation', 'chill', 'blood', 'count', 'abnormal', 'electrolyte', 'imbalance', 'neutropenia', 'dermatitis', 'acneiform', 'decreased', 'appetite', 'bradycardia', 'foetal', 'foetal', 'exposure', 'pregnancy', 'mouth', 'ulceration', 'nail', 'disorder', 'diarrhoea', 'fatigue', 'pleural', 'effusion', 'headache', 'decreased', 'appetite', 'nausea', 'facial', 'pain', 'rash', 'malaise', 'pain', 'jaw', 'oral', 'pain', 'pain', 'skin', 'abdominal', 'pain', 'upper', 'weight', 'decreased', 'disease', 'progression', 'breast', 'cancer', 'metastatic', 'septic', 'shock', 'drug', 'ineffective', 'dysgeusia', 'skin', 'irritation', 'skin', 'exfoliation', 'rash', 'erythematous', 'rash', 'generalised', 'death', 'nephrolithiasis

s', 'kidney', 'infection', 'heart', 'rate', 'increased', 'dyspnoea', 'fatigue', 'dizziness', 'haematuria', 'haemorrhage', 'contusion', 'toxicity', 'various', 'agent', 'drug', 'interaction', 'laboratory', 'test', 'abnormal', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'rash', 'skin', 'lesion', 'generalised', 'erythema', 'excoriation', 'face', 'oedema', 'lymphadenopathy', 'skin', 'exfoliation', 'pyrexia', 'pregnancy', 'expired', 'drug', 'administered', 'label', 'use', 'lymphocele', 'ovarian', 'failure', 'gastrointestinal', 'haemorrhage', 'dementia', 'agitation', 'confusional', 'state', 'nephrolithiasis', 'amnesia', 'angioedema', 'flushing', 'erythema', 'skin', 'exfoliation', 'skin', 'toxicity', 'swelling', 'pruritus', 'vomiting', 'diplopia', 'gait', 'disturbance', 'balance', 'disorder', 'dyspnoea', 'gastroenteritis', 'dizziness', 'coeliac', 'disease', 'femur', 'fracture', 'incorrect', 'drug', 'administration', 'duration', 'neoplasm', 'malignant', 'cough', 'wheezing', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'cardiac', 'failure', 'congestive', 'fluid', 'retention', 'glucose', 'tolerance', 'impaired', 'type', 'diabetes', 'mellitus', 'hepatitis', 'e', 'necrosis', 'cholangitis', 'transplant', 'rejection', 'hepatic', 'enzyme', 'increased', 'gallbladder', 'disorder', 'endothelin', 'abnormal', 'cervix', 'operation', 'product', 'colour', 'issue', 'type', 'diabetes', 'mellitus', 'coronary', 'artery', 'occlusion', 'transient', 'ischaemic', 'attack', 'cardiac', 'failure', 'congestive', 'coronary', 'artery', 'disease', 'aortic', 'aneurysm', 'transfusion', 'liver', 'disorder', 'rash', 'contusion', 'urticaria', 'cardiac', 'failure', 'congestive', 'atrioventricular', 'block', 'second', 'degree', 'pleural', 'effusion', 'type', 'diabetes', 'mellitus', 'platelet', 'count', 'decreased', 'dyspnoea', 'haemolysis', 'haemoglobin', 'decreased', 'nasopharyngitis', 'myocardial', 'infarction', 'myocardial', 'infarction', 'coronary', 'artery', 'disease', 'myocardial', 'infarction', 'death', 'cerebrovascular', 'accident', 'unresponsive', 'stimulus', 'sopor', 'mydriasis', 'drug', 'abuse', 'lymphoma', 'myocardial', 'infarction', 'ischaemic', 'cardiomyopathy', 'angina', 'pectoris', 'cardiac', 'failure', 'congestive', 'type', 'diabetes', 'mellitus', 'throat', 'tightness', 'rash', 'nasal', 'congestion', 'fluid', 'retention', 'myocardial', 'infarction', 'coronary', 'artery', 'disease', 'cerebrovascular', 'accident', 'arteritis', 'myocardial', 'infarction', 'cardiac', 'failure', 'congestive', 'cardiac', 'disorder', 'hypotension', 'cardiac', 'failure', 'congestive', 'coronary', 'artery', 'disease', 'angina', 'unstable', 'amnesia', 'subileus', 'loss', 'consciousness', 'psychomotor', 'hyperactivity', 'cataract', 'type', 'diabetes', 'mellitus', 'abdominal', 'pain', 'upper', 'sepsis', 'energy', 'increased', 'tension', 'irritability', 'libido', 'increased', 'abnormal', 'behaviour', 'psychomotor', 'hyperactivity', 'drug', 'interaction', 'type', 'diabetes', 'mellitus', 'convulsion', 'loss', 'consciousness', 'feeling', 'abnormal', 'fall', 'head', 'injury', 'disorientation', 'tremor', 'headache', 'somnolence', 'fatigue', 'drug', 'administration', 'error', 'cough', 'wheezing', 'dyspnoea', 'abdominal', 'pain', 'upper', 'death', 'optic', 'atrophy', 'intraocular', 'pressure', 'increased', 'visual', 'acuity', 'reduced', 'type', 'diabetes', 'mellitus', 'hip', 'fracture', 'visual', 'impairment', 'overdose', 'rehabilitation', 'therapy', 'gait', 'disturbance', 'mobility', 'decreased', 'dizziness', 'fall', 'pneumonia', 'cough', 'dyspnoea', 'dyspnoea', 'investigation', 'muscle', 'spasm', 'coronary', 'arterial', 'stent', 'insertion', 'atrioventricular', 'block', 'pneumonia', 'cough', 'speech', 'disorder', 'label', 'use', 'malaise', 'bronchitis', 'chronic', 'dyspnoea', 'type', 'diabetes', 'mellitus', 'investigation', 'fall', 'upper', 'limb', 'fracture', 'wrist', 'fracture', 'vision', 'blurred', 'drug', 'ineffective', 'product', 'quality', 'issue', 'bronchitis', 'oxygen', 'saturation', 'decreased', 'breast', 'pain', 'asthma', 'cough', 'drug', 'ineffective', 'device', 'dislocation', 'dyspareunia', 'dysuria', 'pain', 'catheter', 'placement', 'bladder', 'pain', 'genital', 'pain', 'nocturia', 'mental', 'status', 'change', 'dehydration', 'anaemia', 'type', 'diabetes', 'mellitus', 'angioedema', 'metabolic', 'acidosis', 'dyspnoea', 'drug', 'ineffective', 'pneumonia', 'cough', 'wheezing', 'bronchitis', 'nasopharyngitis', 'asthma', 'investigation', 'haematuria', 'epistaxis', 'abdominal', 'pain', 'gastroesophageal', 'reflux', 'disease', 'concomitant', 'disease', 'aggravated', 'lower', 'gastrointestinal', 'haemorrhage', 'pelvic', 'discomfort', 'accidental', 'exposure', 'product', 'drug', 'dispensing', 'error', 'pneumonia', 'cough', 'drug', 'hypersensitivity', 'increased', 'upper', 'airway', 'secretion', 'rash', 'headache', 'visual', 'impairment', 'papilloedema', 'pneumonia', 'viral', 'cough', 'drug', 'hypersensitivity', 'increased', 'upper', 'airway', 'secretion', 'rash', 'diplopia', 'eye', 'pain', 'lacrimation', 'increased', 'ocular', 'hyperaemia', 'photophobia', 'scab', 'vision', 'blurred', 'dyspnoea', 'ageusia', 'anosmia', 'oxygen', 'supplementation', 'bipolar', 'disorder', 'myocardial', 'infarction', 'coronary', 'arterial', 'stent', 'insertion', 'carotid', 'artery', 'stent', 'insertion', 'implantable', 'defibrillator', 'insertion', 'pulmonary', 'thrombosis', 'disability', 'back', 'disorder', 'lung', 'disorder', 'panic', 'attack', 'coronary', 'artery', 'disease', 'cardiac', 'assistance', 'device', 'user', 'pneumonia', 'breast', 'cancer', 'palpitation', 'chest', 'pain', 'pouchitis', 'breast', 'cancer', 'type', 'diabetes', 'mellitus', 'brain', 'neoplasm', 'spinal', 'disorder', 'disorder', 'disability', 'surgery', 'drug', 'ineffective', 'convulsion', 'investigation', 'syndrome', 'heart', 'rate', 'increased', 'abdominal', 'distension', 'sinus', 'operation', 'cardiac', 'disorder', 'transient', 'ischaemic', 'attack', 'facial', 'pain', 'pain', 'extremity', 'chest', 'discomfort', 'infection', 'apnoea', 'back', 'pain', 'aneurysm', 'vitamin', 'decreased', 'adverse', 'event', 'arteriosclerosis', 'disorder', 'catheterisation', 'cardiac', 'pneumonitis', 'chemical', 'sluggishness', 'pulmonary', 'oedema', 'death', 'finger', 'deformity', 'oral', 'surgery', 'foot', 'deformity', 'arthropathy', 'arthropathy', 'prostatic', 'disorder', 'abnormal', 'loss', 'weight', 'body', 'height', 'decreased', 'memory', 'impairment', 'pneumonia', 'alopecia', 'colitis', 'small', 'intestinal', 'stenosis', 'diarrhoea', 'oedema', 'peripheral', 'disease', 'progression', 'breast', 'cancer', 'rash', 'weight', 'decreased', 'mouth', 'ulceration', 'hypoesthesia', 'oral', 'acne', 'onychoclasia', 'paraesthesia', 'oral', 'glossodynia', 'ulcer', 'arrhythmia', 'diverticulum', 'death', 'myocardial', 'infarction', 'coronary', 'arterial', 'stent', 'insertion', 'drug', 'administration', 'error', 'tumour', 'excision', 'breast', 'cancer', 'interstitial', 'lung', 'disease', 'sopor', 'drug', 'abuse', 'type', 'diabetes', 'mellitus', 'haemorrhage', 'normochromic', 'normocytic', 'anaemia', 'haematoma', 'flank', 'pain', 'coma', 'hypotension', 'intentional', 'drug', 'abuse', 'overdose', 'type', 'diabetes', 'mellitus', 'petechia', 'thrombocytopenia', 'haematoma', 'suicidal', 'ideation', 'suicidal', 'behaviour', 'abnormal', 'behaviour', 'hostility', 'agitation', 'depressed', 'mood', 'initial', 'insomnia', 'toxic', 'skin', 'eruption', 'rash', 'macular', 'hepatocellular', 'injury', 'cholestasis', 'confusional', 'state', 'vomiting', 'vertigo', 'cerebellar', 'syndrome', 'nausea', 'muscle', 'disorder', 'eye', 'disorder', 'drug', 'dispensing', 'error', 'incorrect', 'dose', 'administered', 'medication', 'error', 'type', 'diabetes', 'mellitus', 'delusion', 'delusional', 'perception', 'product', 'substitution', 'issue', 'type', 'diabetes', 'mellitus', 'sudden', 'onset', 'sleep', 'delirium', 'delusion', 'haemorrhage', 'malaise', 'decreased', 'appetite', 'cachexia', 'growth', 'retardation', 'weight', 'decreased', 'hemiplegia', 'leukoencephalopathy', 'aphasia', 'type', 'diabetes', 'mellitus', 'pulmonary', 'embolism', 'hepatic', 'enzyme', 'increased', 'hypertension', 'haemoptysis', 'type', 'diabetes', 'mellitus', 'autoimmune', 'haemolytic', 'anaemia', 'dizziness', 'erythema', 'pruritus', 'lip', 'swelling', 'eyelid', 'oedema', 'erythema', 'dysphonia', 'pallor', 'dehydration', 'rash', 'lipodystrophy', 'acquired', 'drug', 'ineffective', 'nasopharyngitis', 'pharyngitis', 'herpes', 'virus', 'infection', 'headache', 'fatigue', 'apathy', 'weight', 'decreased', 'disorder', 'aggression', 'type', 'diabetes', 'mellitus', 'lip', 'oedema', 'throat', 'tightness', 'type', 'diabetes', 'mellitus', 'investigation', 'disease', 'progression', 'ascites', 'blood', 'pressure', 'decreased', 'anaemia', 'abdominal', 'pain', 'haemoglobin', 'decreased', 'abdominal', 'wall', 'haematoma', 'shock', 'haemorrhagic', 'dyspnoea', 'electrocardiogram', 'qt', 'prolonged', 'encephalopathy', 'hyperkalaemia', 'pancreatitis', 'acute', 'type', 'diabetes', 'mellitus', 'intestinal', 'operation', 'sopor', 'drug', 'abuse', 'type', 'diabetes', 'mellitus', 'hepatitis', 'c', 'hepatic', 'pain', 'dysgeusia', 'epilepsy', 'disorder', 'bone', 'loss', 'rib', 'fracture', 'osteoporosis',

oedema', 'azotaemia', 'anxiety', 'periarthritits', 'joint', 'range', 'motion', 'decreased', 'oedema', 'synovitis', 'type', 'diabetes', 'mellitus', 'pharyngeal', 'oedema', 'feeling', 'abnormal', 'dizziness', 'fatigue', 'asthenia', 'asthenia', 'gait', 'disturbance', 'chest', 'pain', 'myalgia', 'eye', 'pain', 'general', 'physical', 'health', 'deterioration', 'depression', 'fatigue', 'intraventricular', 'haemorrhage', 'neonatal', 'diarrhoea', 'weight', 'decreased', 'death', 'dyspnoea', 'oral', 'herpes', 'eyelid', 'oedema', 'rash', 'swelling', 'face', 'type', 'diabetes', 'mellitus', 'intestinal', 'obstruction', 'serum', 'reaction', 'nausea', 'vomiting', 'abdominal', 'discomfort', 'pain', 'extremity', 'hypoaesthesia', 'conjunctival', 'haemorrhage', 'protein', 'increased', 'red', 'blood', 'cell', 'sedimentation', 'rate', 'increased', 'aspartate', 'aminotransferase', 'increased', 'alanine', 'aminotransferase', 'increased', 'complement', 'factor', 'decreased', 'pyrexia', 'polyneuropathy', 'diarrhoea', 'epigastric', 'discomfort', 'rash', 'papule', 'blister', 'anaphylactic', 'reaction', 'condition', 'aggravated', 'urticaria', 'blood', 'pressure', 'decreased', 'heart', 'rate', 'increased', 'dyspnoea', 'respiratory', 'rate', 'increased', 'chest', 'discomfort', 'type', 'diabetes', 'mellitus', 'myalgia', 'muscular', 'weakness', 'fall', 'blood', 'sodium', 'decreased', 'cardiac', 'disorder', 'blood', 'glucose', 'increased', 'type', 'diabetes', 'mellitus', 'ileal', 'stenosis', 'disease', 'abdominal', 'distension', 'discomfort', 'disease', 'pain', 'type', 'diabetes', 'mellitus', 'renal', 'abscess', 'enterocolitis', 'myocardial', 'infarction', 'type', 'diabetes', 'mellitus', 'cardiac', 'disorder', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'congestive', 'cardiomyopathy', 'dyspnoea', 'exertional', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'pneumothorax', 'pneumonitis', 'pain', 'pleural', 'effusion', 'glossodynia', 'fatigue', 'influenza', 'like', 'illness', 'respiratory', 'tract', 'irritation', 'arthralgia', 'bone', 'disorder', 'onychoclasia', 'chill', 'rash', 'body', 'temperature', 'increased', 'chest', 'discomfort', 'wheezing', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'acute', 'respiratory', 'distress', 'syndrome', 'respiratory', 'distress', 'hypoxia', 'lung', 'infiltration', 'hypoventilation', 'bradypnoea', 'respiratory', 'acidosis', 'coma', 'unresponsive', 'stimulus', 'miosis', 'hyperhidrosis', 'agitation', 'toxicity', 'various', 'agent', 'accidental', 'overdose', 'rale', 'cough', 'cyanosis', 'tachycardia', 'swelling', 'face', 'dyspnoea', 'type', 'diabetes', 'mellitus', 'product', 'quality', 'issue', 'aortic', 'aneurysm', 'abnormal', 'loss', 'weight', 'chronic', 'obstructive', 'pulmonary', 'disease', 'dyspnoea', 'drug', 'effect', 'decreased', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'surgery', 'type', 'diabetes', 'mellitus', 'diabetic', 'dermatopathy', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'brain', 'neoplasm', 'brain', 'neoplasm', 'benign', 'type', 'diabetes', 'mellitus', 'rash', 'morbilliform', 'pruritus', 'oedema', 'peripheral', 'lip', 'oedema', 'rash', 'erythematous', 'skin', 'exfoliation', 'cerebral', 'thrombosis', 'loss', 'consciousness', 'gait', 'disturbance', 'agraphia', 'fear', 'migraine', 'abdominal', 'pain', 'back', 'pain', 'activity', 'daily', 'living', 'impaired', 'paralysis', 'seizure', 'frustration', 'pain', 'speech', 'disorder', 'injury', 'general', 'physical', 'health', 'deterioration', 'amnesia', 'scar', 'stress', 'impaired', 'driving', 'ability', 'intracranial', 'venous', 'sinus', 'thrombosis', 'motor', 'dysfunction', 'weight', 'increased', 'malaise', 'nausea', 'hypothyroidism', 'type', 'diabetes', 'mellitus', 'haematochezia', 'colon', 'adenoma', 'breast', 'cancer', 'recurrent', 'metastasis', 'bone', 'pathological', 'fracture', 'rib', 'fracture', 'type', 'diabetes', 'mellitus', 'cerebrovascular', 'accident', 'embolism', 'arterial', 'gallbladder', 'disorder', 'pneumonia', 'uterine', 'disorder', 'weight', 'decreased', 'subleus', 'sedation', 'somnolence', 'constipation', 'akathisia', 'abnormal', 'behaviour', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'superior', 'sagittal', 'sinus', 'thrombosis', 'cerebrovascular', 'accident', 'movement', 'disorder', 'metastasis', 'disease', 'progression', 'toxic', 'skin', 'eruption', 'motor', 'developmental', 'delay', 'dermoid', 'cyst', 'exposure', 'pregnancy', 'respiratory', 'failure', 'pneumonia', 'haemoglobin', 'decreased', 'chronic', 'myeloid', 'leukaemia', 'transformation', 'platelet', 'count', 'decreased', 'retinal', 'tear', 'visual', 'impairment', 'apraxia', 'cerebral', 'haemorrhage', 'subarachnoid', 'haemorrhage', 'confusional', 'state', 'type', 'diabetes', 'mellitus', 'respiratory', 'failure', 'myocardial', 'infarction', 'cardiac', 'failure', 'memory', 'impairment', 'pain', 'extremity', 'diarrhoea', 'cholelithiasis', 'device', 'issue', 'scar', 'uterine', 'perforation', 'abortion', 'spontaneous', 'pain', 'anxiety', 'emotional', 'distress', 'device', 'breakage', 'injury', 'uterine', 'injury', 'chest', 'pain', 'dysphagia', 'pyrexia', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'condition', 'aggravated', 'rectal', 'prolapse', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'neutrophil', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'decreased', 'megakaryocyte', 'decreased', 'aplastic', 'anaemia', 'platelet', 'count', 'decreased', 'blood', 'potassium', 'abnormal', 'aspartate', 'aminotransferase', 'increased', 'alanine', 'aminotransferase', 'abnormal', 'white', 'blood', 'cell', 'count', 'decreased', 'blood', 'creatinine', 'increased', 'immunosuppressant', 'drug', 'level', 'decreased', 'fall', 'rib', 'fracture', 'pain', 'liver', 'injury', 'hallucination', 'nightmare', 'type', 'diabetes', 'mellitus', 'oral', 'discomfort', 'muscle', 'spasm', 'abdominal', 'pain', 'upper', 'fatigue', 'dyspnoea', 'exertional', 'nausea', 'decreased', 'appetite', 'death', 'type', 'diabetes', 'mellitus', 'pulmonary', 'embolism', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'hernia', 'cerebrovascular', 'accident', 'type', 'diabetes', 'mellitus', 'blood', 'urea', 'increased', 'blood', 'potassium', 'increased', 'blood', 'creatinine', 'increased', 'fluid', 'retention', 'plasma', 'cell', 'myeloma', 'respiratory', 'failure', 'constipation', 'anaemia', 'fatigue', 'neurological', 'decompensation', 'disease', 'progression', 'heart', 'rate', 'irregular', 'atrioventricular', 'block', 'second', 'degree', 'dyspnoea', 'seizure', 'drug', 'level', 'decreased', 'weight', 'increased', 'abortion', 'spontaneous', 'unintended', 'pregnancy', 'device', 'dislocation', 'implant', 'site', 'erythema', 'implant', 'site', 'swelling', 'implant', 'site', 'haematoma', 'implant', 'site', 'reaction', 'device', 'breakage', 'device', 'difficult', 'use', 'small', 'baby', 'micropenis', 'hypospadias', 'cryptorchism', 'exposure', 'pregnancy', 'infection', 'nausea', 'headache', 'fatigue', 'chill', 'contusion', 'pyrexia', 'vomiting', 'white', 'blood', 'cell', 'count', 'increased', 'maternal', 'exposure', 'pregnancy', 'label', 'use', 'abortion', 'label', 'use', 'abortion', 'maternal', 'exposure', 'pregnancy', 'maternal', 'exposure', 'pregnancy', 'label', 'use', 'abortion', 'diabetic', 'foot', 'infection', 'oedema', 'maternal', 'exposure', 'pregnancy', 'label', 'use', 'abortion', 'ectopic', 'pregnancy', 'maternal', 'exposure', 'pregnancy', 'label', 'use', 'wound', 'urinary', 'tract', 'infection', 'coronary', 'artery', 'occlusion', 'blood', 'glucose', 'decreased', 'escherichia', 'bacteraemia', 'hypokalaemia', 'hyponatraemia', 'vomiting', 'abdominal', 'pain', 'upper', 'nausea', 'histoplasmosis', 'cytomegalovirus', 'infection', 'gastrointestinal', 'haemorrhage', 'oesophageal', 'ulcer', 'strongyloidiasis', 'pregnancy', 'post', 'coital', 'contraception', 'maternal', 'exposure', 'pregnancy', 'haemoptysis', 'pulmonary', 'haemorrhage', 'pulseless', 'electrical', 'activity', 'cardiac', 'arrest', 'septic', 'shock', 'penile', 'torsion', 'platelet', 'count', 'decreased', 'lung', 'transplant', 'genital', 'haemorrhage', 'device', 'expulsion', 'pulmonary', 'valve', 'stenosis', 'congenital', 'atrial', 'septal', 'defect', 'feeding', 'disorder', 'neonatal', 'exposure', 'pregnancy', 'device', 'dislocation', 'injury', 'emotional', 'distress', 'pain', 'disability', 'multiple', 'sclerosis', 'relapse', 'sudden', 'death', 'renal', 'disorder', 'electrolyte', 'imbalance', 'osteonecrosis', 'bronchopulmonary', 'aspergillosis', 'international', 'normalised', 'ratio', 'increased', 'atrial', 'fibrillation', 'myelodysplastic', 'syndrome', 'abasia', 'chronic', 'obstructive', 'pulmonary', 'disease', 'diabetes', 'mellitus', 'pancytopenia', 'asthenia', 'haematochezia', 'urinary', 'retenti

on', 'death', 'respiratory', 'disorder', 'pneumonia', 'hypokinesia', 'diet', 'refusal', 'cardioversion', 'atrial', 'fibrillation', 'atrial', 'flutter', 'cardiac', 'ablation', 'incontinence', 'neck', 'pain', 'abasia', 'hypokinesia', 'coronary', 'arterial', 'stent', 'insertion', 'renal', 'failure', 'aneurysm', 'death', 'atrial', 'fibrillation', 'vomiting', 'dehydration', 'nausea', 'pyrexia', 'mycosis', 'fungoides', 'hypotension', 'syncope', 'anaemia', 'hypomagnesaemia', 'lymphoma', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'death', 'schizoaffective', 'disorder', 'suicidal', 'ideation', 'drug', 'dose', 'omission', 'label', 'use', 'death', 'pulmonary', 'embolism', 'gastroenteritis', 'dehydration', 'dysuria', 'rash', 'dyspnoea', 'haematuria', 'dysuria', 'blood', 'urine', 'present', 'polyuria', 'hyperglycaemia', 'urinary', 'tract', 'infection', 'intestinal', 'mucosal', 'hypertrophy', 'gastrointestinal', 'inflammation', 'adenocarcinoma', 'colon', 'intestinal', 'obstruction', 'abdominal', 'pain', 'type', 'diabetes', 'mellitus', 'fall', 'injection', 'site', 'haemorrhage', 'abdominal', 'pain', 'fluid', 'retention', 'gait', 'disturbance', 'chest', 'pain', 'paraesthesia', 'neuropathy', 'peripheral', 'movement', 'disorder', 'muscular', 'weakness', 'hyperhidrosis', 'lung', 'disorder', 'dizziness', 'injection', 'site', 'pain', 'psoriatic', 'arthropathy', 'hepatitis', 'tuberculosis', 'dyspnoea', 'epididymitis', 'dysuria', 'bladder', 'discomfort', 'suicidal', 'ideation', 'gait', 'disturbance', 'feeling', 'hot', 'dizziness', 'tinnitus', 'aphasia', 'nerve', 'injury', 'dysphemia', 'abdominal', 'discomfort', 'emotional', 'disorder', 'disturbance', 'attention', 'arthralgia', 'dysarthria', 'testicular', 'pain', 'abdominal', 'pain', 'gonorrhoea', 'oedema', 'peripheral', 'nausea', 'orchitis', 'feeling', 'abnormal', 'nervous', 'system', 'disorder', 'balance', 'disorder', 'disorientation', 'incorrect', 'drug', 'administration', 'rate', 'pollakiuria', 'fatigue', 'injection', 'site', 'pain', 'peripheral', 'swelling', 'cerebrovascular', 'accident', 'unevaluable', 'event', 'injection', 'site', 'pain', 'psoriasis', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'genital', 'haemorrhage', 'pain', 'device', 'dislocation', 'type', 'diabetes', 'mellitus', 'renal', 'failure', 'parathyroid', 'tumour', 'brain', 'neoplasm', 'headache', 'type', 'diabetes', 'mellitus', 'alcohol', 'abuse', 'herpes', 'simplex', 'hyperlipidaemia', 'pancreatic', 'disorder', 'stress', 'disorder', 'anxiety', 'diabetes', 'mellitus', 'inadequate', 'control', 'tachycardia', 'erectile', 'dysfunction', 'back', 'injury', 'romberg', 'test', 'positive', 'substance', 'abuse', 'drug', 'ineffective', 'joint', 'injury', 'hepatitis', 'sensory', 'loss', 'panic', 'reaction', 'hypertension', 'osteoarthritis', 'hepatitis', 'c', 'loss', 'libido', 'back', 'pain', 'treatment', 'noncompliance', 'diabetes', 'mellitus', 'sinusitis', 'depression', 'asthenia', 'sexual', 'dysfunction', 'headache', 'hepatic', 'function', 'abnormal', 'intentional', 'product', 'misuse', 'type', 'diabetes', 'mellitus', 'phlebitis', 'pyrexia', 'type', 'diabetes', 'mellitus', 'diabetic', 'neuropathy', 'type', 'diabetes', 'mellitus', 'respiratory', 'depression', 'thrombocytopenia', 'platelet', 'count', 'decreased', 'hypercoagulation', 'thrombosis', 'umbilical', 'hernia', 'keloid', 'scar', 'type', 'diabetes', 'mellitus', 'death', 'lung', 'disorder', 'splenomegaly', 'confusional', 'state', 'hepatomegaly', 'right', 'ventricular', 'failure', 'nasopharyngitis', 'type', 'diabetes', 'mellitus', 'death', 'arthropathy', 'type', 'diabetes', 'mellitus', 'hyperkalaemia', 'neutropenia', 'type', 'diabetes', 'mellitus', 'malaise', 'device', 'issue', 'cholecystectomy', 'abdominal', 'infection', 'psoriasis', 'pruritus', 'dry', 'skin', 'drug', 'dose', 'omission', 'injection', 'site', 'reaction', 'injection', 'site', 'reaction', 'disorder', 'pathological', 'gambling', 'death', 'general', 'physical', 'health', 'deterioration', 'hypotension', 'syncope', 'type', 'diabetes', 'mellitus', 'pneumonia', 'spinal', 'disorder', 'pain', 'type', 'diabetes', 'mellitus', 'intestinal', 'stenosis', 'fall', 'spinal', 'compression', 'fracture', 'spinal', 'fracture', 'ventricular', 'extrasystole', 'heart', 'rate', 'decreased', 'weight', 'increased', 'restless', 'leg', 'syndrome', 'blood', 'potassium', 'decreased', 'muscle', 'spasm', 'blindness', 'kidney', 'infection', 'cystitis', 'type', 'diabetes', 'mellitus', 'micturition', 'disorder', 'neuropathy', 'peripheral', 'convulsion', 'drug', 'abuse', 'joint', 'swelling', 'bedridden', 'pyrexia', 'type', 'diabetes', 'mellitus', 'skin', 'lesion', 'pyrexia', 'melana', 'pancytopenia', 'type', 'diabetes', 'mellitus', 'meningioma', 'posterior', 'reversible', 'encephalopathy', 'syndrome', 'grand', 'mal', 'convulsion', 'brain', 'oedema', 'blood', 'pressure', 'increased', 'type', 'diabetes', 'mellitus', 'pelvic', 'inflammatory', 'disease', 'abdominal', 'pain', 'lower', 'pyrexia', 'abdominal', 'pain', 'back', 'pain', 'vaginal', 'haemorrhage', 'vaginal', 'discharge', 'abdominal', 'pain', 'lower', 'embedded', 'device', 'type', 'diabetes', 'mellitus', 'epiglottic', 'oedema', 'tongue', 'oedema', 'swelling', 'face', 'rash', 'anaemia', 'uterine', 'perforation', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'weight', 'increased', 'type', 'diabetes', 'mellitus', 'schizophrenia', 'undifferentiated', 'type', 'irritability', 'aggression', 'insomnia', 'suspiciousness', 'abnormal', 'behaviour', 'akathisia', 'salivary', 'hypersecretion', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'dyskinesia', 'parkinsonism', 'speech', 'disorder', 'tardive', 'dyskinesia', 'dyskinesia', 'breast', 'cancer', 'type', 'diabetes', 'mellitus', 'impaired', 'gastric', 'emptying', 'death', 'cataract', 'skin', 'exfoliation', 'dermatitis', 'erythema', 'eczema', 'pruritus', 'type', 'diabetes', 'mellitus', 'faecal', 'incontinence', 'neck', 'surgery', 'drug', 'effect', 'decreased', 'abdominal', 'pain', 'diarrhoea', 'cellulitis', 'chronic', 'obstructive', 'pulmonary', 'disease', 'dyspnoea', 'type', 'diabetes', 'mellitus', 'syringomyelia', 'abasia', 'concomitant', 'disease', 'progression', 'cyanosis', 'dyspnoea', 'fatigue', 'death', 'joint', 'swelling', 'pain', 'extremity', 'anxiety', 'disturbance', 'attention', 'fatigue', 'insomnia', 'multiple', 'sclerosis', 'relapse', 'central', 'nervous', 'system', 'lesion', 'restlessness', 'ataxia', 'iiiird', 'nerve', 'disorder', 'paresis', 'hypoesthesia', 'speech', 'disorder', 'nystagmus', 'pulmonary', 'oedema', 'haematoma', 'lower', 'gastrointestinal', 'haemorrhage', 'escherichia', 'infection', 'febrile', 'neutropenia', 'abdominal', 'pain', 'haematoma', 'anaemia', 'pancreatic', 'carcinoma', 'osteonecrosis', 'chest', 'pain', 'pyrexia', 'uterine', 'cyst', 'menorrhagia', 'depression', 'dysstasia', 'uterine', 'leiomyoma', 'fallopian', 'tube', 'cyst', 'confusional', 'state', 'irritability', 'sensory', 'loss', 'musculoskeletal', 'stiffness', 'weight', 'decreased', 'hypersensitivity', 'acute', 'phase', 'reaction', 'angioedema', 'transaminase', 'increased', 'hypocalcaemia', 'cardiac', 'arrest', 'loss', 'consciousness', 'plasma', 'cell', 'myeloma', 'musculoskeletal', 'disorder', 'respiratory', 'disorder', 'dysphagia', 'asthenia', 'acute', 'generalised', 'exanthematous', 'pustulosis', 'pyrexia', 'tremor', 'osteonecrosis', 'infective', 'pulmonary', 'exacerbation', 'cystic', 'fibrosis', 'lung', 'neoplasm', 'malignant', 'pneumothorax', 'coronary', 'artery', 'occlusion', 'splenic', 'haemorrhage', 'splenic', 'rupture', 'hyperthermia', 'malignant', 'death', 'neoplasm', 'malignant', 'hospice', 'care', 'circulatory', 'collapse', 'drug', 'ineffective', 'breast', 'cancer', 'metastatic', 'white', 'blood', 'cell', 'count', 'increased', 'bromhidrosis', 'convulsion', 'feeling', 'abnormal', 'arrest', 'death', 'septic', 'shock', 'respiratory', 'failure', 'psychiatric', 'symptom', 'vomiting', 'choking', 'condition', 'aggravated', 'asphyxia', 'fall', 'thirst', 'salivary', 'hypersecretion', 'lymphocyte', 'percentage', 'decreased', 'blood', 'pressure', 'diastolic', 'increased', 'aspiration', 'arrest', 'malaise', 'blood', 'prolactin', 'increased', 'constipation', 'neutrophil', 'percentage', 'increased', 'loss', 'consciousness', 'eosinophil', 'percentage', 'decreased', 'heart', 'rate', 'increased', 'red', 'blood', 'cell', 'count', 'decreased', 'death', 'acute', 'myocardial', 'infarction', 'death', 'pain', 'upper', 'respiratory', 'tract', 'infection', 'unevaluable', 'event', 'dyspnoea', 'diabetes', 'mellitus', 'interstitial', 'lung', 'disease', 'gallbladder', 'disorder', 'oropharyngeal', 'pain', 'sinusitis', 'anaemia', 'supraventricular', 'tachycardia', 'radiation', 'skin', 'injury', 'upper', 'gastrointestinal', 'haemorrhage', 'haemorrhagic', 'anaemia', 'blindness', 'glaucoma', 'cataract', 'chronic', 'obstructive', 'pulmonary', 'disease', 'diarrhoea', 'disease', 'progression', 'hypokalaemia', 'lower', 'gastrointestinal', 'haemorrhage', 'ankle', 'fracture', 'fall', 'contusion', 'arrest', 'cyanosis', 'drug', 'eruption', 'death', 'death', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'renal', 'cyst', 'foetal', 'exposure', 'pregnancy', 'lung', 'disorder', 'cholelithiasis', 'cholec

ystitis', 'hypertension', 'bronchitis', 'asthenia', 'pterygium', 'gastroenteritis', 'diarrhoea', 'abdominal', 'pain', 'nephrogenic', 'systemic', 'fibrosis', 'pneumonia', 'malaise', 'weight', 'decreased', 'headache', 'tongue', 'blistering', 'lymphoma', 'fall', 'wrist', 'fracture', 'infection', 'osteonecrosis', 'jaw', 'asthma', 'claustrophobia', 'mood', 'swing', 'nail', 'discolouration', 'oedema', 'septic', 'shock', 'upper', 'gastrointestinal', 'haemorrhage', 'haemorrhagic', 'anaemia', 'generalised', 'seizure', 'glaucoma', 'salivary', 'hypersecretion', 'osteonecrosis', 'jaw', 'death', 'death', 'abdominal', 'wound', 'dehiscence', 'gastrointestinal', 'perforation', 'gastrointestinal', 'disorder', 'dyspepsia', 'anaemia', 'myoclonus', 'somnolence', 'liver', 'injury', 'dyspnoea', 'pain', 'vomiting', 'nausea', 'anaemia', 'disease', 'progression', 'varicose', 'vein', 'rheumatoid', 'arthritis', 'cardiac', 'disorder', 'angina', 'pectoris', 'depression', 'suicidal', 'ideation', 'death', 'tremor', 'hypersensitivity', 'investigation', 'investigation', 'colon', 'cancer', 'peroneal', 'nerve', 'palsy', 'heart', 'rate', 'increased', 'palpitation', 'chest', 'pain', 'proteinuria', 'abortion', 'spontaneous', 'hypertension', 'maternal', 'exposure', 'pregnancy', 'cardiac', 'murmur', 'mitral', 'valve', 'incompetence', 'bronchiectasis', 'atrial', 'septal', 'defect', 'joint', 'swelling', 'inflammation', 'inflammation', 'cough', 'upper', 'respiratory', 'tract', 'infection', 'productive', 'cough', 'rheumatoid', 'lung', 'dizziness', 'blood', 'pressure', 'increased', 'fatigue', 'dry', 'mouth', 'decreased', 'appetite', 'cognitive', 'disorder', 'investigation', 'breast', 'cancer', 'drug', 'interaction', 'maternal', 'exposure', 'pregnancy', 'foetal', 'growth', 'restriction', 'premature', 'delivery', 'depressed', 'mood', 'heart', 'rate', 'increased', 'convulsion', 'nausea', 'vomiting', 'lethargy', 'intentional', 'underdose', 'wrong', 'technique', 'drug', 'usage', 'process', 'drug', 'withdrawal', 'syndrome', 'depression', 'concussion', 'post', 'concussion', 'syndrome', 'depression', 'neurosis', 'death', 'terminal', 'state', 'investigation', 'multiple', 'sclerosis', 'relapse', 'death', 'drug', 'interaction', 'hepatotoxicity', 'cardiac', 'arrest', 'lower', 'respiratory', 'tract', 'infection', 'pneumonia', 'death', 'cardiogenic', 'shock', 'intentional', 'overdose', 'failure', 'metabolic', 'acidosis', 'sinus', 'bradycardia', 'hypotension', 'renal', 'failure', 'acute', 'electrocardiogram', 'qt', 'prolonged', 'respiratory', 'failure', 'acute', 'kidney', 'injury', 'cardiac', 'tamponade', 'acute', 'coronary', 'syndrome', 'gallbladder', 'disorder', 'hand', 'fracture', 'pain', 'prescribed', 'overdose', 'oral', 'discomfort', 'leukoplakia', 'oral', 'investigation', 'dialysis', 'intentional', 'underdose', 'wrong', 'technique', 'drug', 'usage', 'process', 'drug', 'withdrawal', 'syndrome', 'insomnia', 'decreased', 'appetite', 'loss', 'consciousness', 'dehydration', 'blood', 'glucose', 'abnormal', 'vomiting', 'breast', 'cancer', 'gastrointestinal', 'toxicity', 'endometriosis', 'myxoedema', 'gastroenteritis', 'pneumonia', 'bacterial', 'cough', 'diarrhoea', 'abdominal', 'pain', 'chronic', 'obstructive', 'pulmonary', 'disease', 'hypercholesterolaemia', 'hypertension', 'acute', 'sinusitis', 'rhinitis', 'allergic', 'hypersensitivity', 'anxiety', 'asthma', 'bronchitis', 'cough', 'syndrome', 'ligament', 'sprain', 'umbilical', 'hernia', 'influenza', 'congestive', 'cardiomyopathy', 'insomnia', 'abnormal', 'dream', 'muscle', 'twitching', 'headache', 'nausea', 'back', 'pain', 'dyspnoea', 'pneumonia', 'bacterial', 'pleural', 'infection', 'bacterial', 'sepsis', 'pulmonary', 'mass', 'pneumothorax', 'hyperhidrosis', 'agitation', 'investigation', 'malignant', 'neoplasm', 'progression', 'drug', 'ineffective', 'convulsion', 'oral', 'candidiasis', 'thermal', 'burn', 'laceration', 'influenza', 'abdominal', 'pain', 'diarrhoea', 'dysgeusia', 'headache', 'laceration', 'stress', 'nasopharyngitis', 'fatigue', 'constipation', 'incontinence', 'death', 'cardiac', 'arrest', 'ventricular', 'fibrillation', 'loss', 'consciousness', 'sepsis', 'herpes', 'zoster', 'death', 'investigation', 'cyst', 'thrombosis', 'urethral', 'obstruction', 'leukaemia', 'respiratory', 'disorder', 'panic', 'attack', 'aphasia', 'aphagia', 'influenza', 'basal', 'cell', 'carcinoma', 'knee', 'arthropathy', 'drug', 'effect', 'decreased', 'influenza', 'investigation', 'bone', 'marrow', 'failure', 'ischaemic', 'stroke', 'thrombocytopenia', 'death', 'localised', 'infection', 'foetal', 'exposure', 'pregnancy', 'foetal', 'death', 'death', 'investigation', 'shared', 'psychotic', 'disorder', 'apraxia', 'psychomotor', 'retardation', 'petit', 'mal', 'epilepsy', 'abnormal', 'behaviour', 'hallucination', 'visual', 'mania', 'muscle', 'spasm', 'dyskinesia', 'tachyphrenia', 'suicidal', 'ideation', 'suicidal', 'behaviour', 'dysarthria', 'dysphemia', 'pain', 'thirst', 'hypoesthesia', 'oral', 'salivary', 'hypersecretion', 'logorrhoea', 'speech', 'disorder', 'activity', 'daily', 'living', 'impaired', 'ideation', 'irritability', 'mood', 'swing', 'aggression', 'suicide', 'attempt', 'thinning', 'abnormal', 'pruritus', 'headache', 'myalgia', 'miliaria', 'peripheral', 'coldness', 'hypoesthesia', 'feeling', 'hot', 'chill', 'vision', 'blurred', 'sensory', 'disturbance', 'hallucination', 'disorientation', 'feeling', 'abnormal', 'fear', 'frustration', 'withdrawal', 'syndrome', 'pain', 'feeling', 'abnormal', 'muscle', 'spasm', 'haemorrhage', 'wound', 'infection', 'cardiac', 'disorder', 'investigation', 'visual', 'acuity', 'reduced', 'temporal', 'arteritis', 'papilloedema', 'eating', 'disorder', 'diarrhoea', 'vomiting', 'aphthous', 'stomatitis', 'aphthous', 'stomatitis', 'death', 'hepatitis', 'c', 'death', 'pregnancy', 'arrested', 'labour', 'epilepsy', 'myocardial', 'infarction', 'low', 'density', 'lipoprotein', 'increased', 'weight', 'decreased', 'mobility', 'decreased', 'dysstasia', 'tremor', 'restlessness', 'paraesthesia', 'malaise', 'influenza', 'like', 'illness', 'dizziness', 'feeling', 'abnormal', 'chest', 'pain', 'muscular', 'weakness', 'apparent', 'death', 'multiple', 'sclerosis', 'relapse', 'gait', 'disturbance', 'heart', 'valve', 'operation', 'drug', 'dose', 'omission', 'musculoskeletal', 'disorder', 'multiple', 'sclerosis', 'memory', 'impairment', 'fear', 'fatigue', 'pneumonia', 'erysipelas', 'psoriasis', 'knee', 'arthroplasty', 'pneumonia', 'acute', 'myeloid', 'leukaemia', 'hypothyroidism', 'inflammation', 'bronchitis', 'hepatic', 'enzyme', 'increased', 'intervertebral', 'disc', 'degeneration', 'gait', 'disturbance', 'investigation', 'liver', 'injury', 'larynx', 'irritation', 'chest', 'pain', 'urticaria', 'transfusion', 'haemoglobin', 'decreased', 'asthenia', 'jaundice', 'cholestatic', 'liver', 'function', 'test', 'abnormal', 'choleangitis', 'renal', 'disorder', 'oedema', 'death', 'weight', 'decreased', 'glycosylated', 'haemoglobin', 'decreased', 'blood', 'glucose', 'increased', 'malaise', 'nasal', 'congestion', 'pain', 'incorrect', 'dose', 'administered', 'increased', 'viscosity', 'upper', 'respiratory', 'secretion', 'weight', 'decreased', 'blood', 'immunoglobulin', 'e', 'increased', 'hypersensitivity', 'drug', 'ineffective', 'drug', 'interaction', 'pancytopenia', 'investigation', 'dysgeusia', 'dyspnoea', 'abdominal', 'distension', 'joint', 'swelling', 'nausea', 'diarrhoea', 'erythrocytosis', 'syndrome', 'pyrexia', 'skin', 'exfoliation', 'drug', 'ineffective', 'arthralgia', 'pain', 'extremity', 'gait', 'disturbance', 'mobility', 'decreased', 'fatigue', 'asthenia', 'depressed', 'mood', 'vision', 'blurred', 'dry', 'mouth', 'cough', 'sputum', 'abnormal', 'ageusia', 'neuropathy', 'peripheral', 'atrophic', 'glossitis', 'alopecia', 'muscle', 'spasm', 'drug', 'interaction', 'pancytopenia', 'hip', 'arthroplasty', 'nephrogenic', 'systemic', 'fibrosis', 'arthropathy', 'sinusitis', 'myocardial', 'infarction', 'febrile', 'neutropenia', 'asthma', 'sinusitis', 'thrombosis', 'bone', 'density', 'decreased', 'death', 'lower', 'limb', 'fracture', 'abdominal', 'discomfort', 'back', 'pain', 'pain', 'extremity', 'pain', 'headache', 'investigation', 'lung', 'neoplasm', 'malignant', 'pneumonia', 'oligodendroglioma', 'quadriparesis', 'syndrome', 'myelitis', 'transverse', 'multiple', 'sclerosis', 'relapse', 'adverse', 'drug', 'reaction', 'urinary', 'tract', 'infection', 'multiple', 'sclerosis', 'relapse', 'bone', 'disorder', 'paranoia', 'hallucination', 'drug', 'delivery', 'device', 'implantation', 'arthropathy', 'hypertension', 'fatigue', 'muscle', 'spasticity', 'bipolar', 'disorder', 'gait', 'disturbance', 'deep', 'vein', 'thrombosis', 'back', 'pain', 'weight', 'increased', 'pyrexia', 'rash', 'macular', 'arthralgia', 'pain', 'wrong', 'technique', 'product', 'usage', 'process', 'injection', 'site', 'pain', 'pruritus', 'osteoarthritis', 'headache', 'feeling', 'hot', 'dengue', 'fever', 'cytoplasmic', 'antibody', 'positive', 'vasculitis', 'tubulointerstitial', 'nephritis', 'ankyloglossia', 'congenital', 'foetal', 'exposure', 'pregnancy', 'haemorrhage', 'oesophageal', 'rupture', 'syncope', 'haematemesis', 'spinal', 'cord', 'compression', 'back', 'pain', 'conjunctivitis', 'colon', 'adenoma', 'death', 'upper', 'gastrointestinal', 'haemorrhage', 'investigation', 'lip', 'infe

ction', 'impaired', 'healing', 'angioedema', 'shared', 'psychotic', 'disorder', 'dyspraxia', 'psychomotor', 'retardation', 'petit', 'mal', 'epilepsy', 'abnormal', 'behaviour', 'hallucination', 'visual', 'mania', 'muscle', 'spasm', 'dyskinesia', 'tachypnea', 'suicidal', 'ideation', 'suicidal', 'behaviour', 'dysarthria', 'dysphemia', 'pain', 'thirst', 'hypoesthesia', 'oral', 'salivary', 'hypersecretion', 'logorrhea', 'speech', 'disorder', 'activity', 'daily', 'living', 'impaired', 'ideation', 'irritability', 'mood', 'swing', 'aggression', 'suicide', 'attempt', 'thinking', 'abnormal', 'pruritus', 'headache', 'myalgia', 'miliaria', 'peripheral', 'coldness', 'hypoesthesia', 'feeling', 'hot', 'chill', 'vision', 'blurred', 'sensory', 'disturbance', 'hallucination', 'disorientation', 'feeling', 'abnormal', 'fear', 'frustration', 'apraxia', 'headache', 'withdrawal', 'syndrome', 'aggression', 'anger', 'abnormal', 'behaviour', 'dizziness', 'paraesthesia', 'muscular', 'weakness', 'asthenia', 'local', 'swelling', 'paraesthesia', 'hypoesthesia', 'jaw', 'disorder', 'vasculitis', 'pancytopenia', 'thrombocytopenia', 'hospitalisation', 'subcutaneous', 'abscess', 'headache', 'angioedema', 'flushing', 'rash', 'lip', 'swelling', 'enlarged', 'uvula', 'pharyngeal', 'oedema', 'pruritus', 'generalised', 'dyspnoea', 'small', 'intestinal', 'haemorrhage', 'flushing', 'hot', 'flush', 'pain', 'extremity', 'nephrolithiasis', 'hepatic', 'lesion', 'hip', 'fracture', 'fall', 'fractured', 'coccyx', 'fatigue', 'lethargy', 'muscular', 'weakness', 'paraesthesia', 'central', 'nervous', 'system', 'lesion', 'neck', 'pain', 'pain', 'extremity', 'emotional', 'distress', 'platelet', 'count', 'decreased', 'death', 'overdose', 'myoclonus', 'nodal', 'arrhythmia', 'shock', 'paraspinal', 'abscess', 'osteomyelitis', 'femoral', 'neck', 'fracture', 'localised', 'infection', 'bronchopneumonia', 'pharyngitis', 'erysipelas', 'cardiac', 'failure', 'fall', 'respiratory', 'distress', 'gallbladder', 'disorder', 'umbilical', 'hernia', 'inflammation', 'burning', 'sensation', 'injection', 'site', 'pain', 'bradykinesia', 'intentional', 'sopor', 'dyspnoea', 'asthma', 'chest', 'pain', 'chest', 'discomfort', 'wheezing', 'cough', 'sinusitis', 'blood', 'potassium', 'decreased', 'pneumonia', 'pain', 'extremity', 'oedema', 'peripheral', 'arthralgia', 'oedema', 'peripheral', 'skin', 'warm', 'peptic', 'ulcer', 'hiatus', 'hernia', 'fatigue', 'skin', 'discolouration', 'pain', 'injection', 'site', 'bruising', 'injection', 'site', 'erythema', 'injection', 'site', 'reaction', 'injection', 'site', 'urticaria', 'injection', 'site', 'pruritus', 'injection', 'site', 'swelling', 'injection', 'site', 'warmth', 'blood', 'potassium', 'decreased', 'gastrointestinal', 'haemorrhage', 'diverticulitis', 'haemorrhoid', 'investigation', 'knee', 'arthroplasty', 'dysphagia', 'muscle', 'contraction', 'involuntary', 'dysarthria', 'hospitalisation', 'pneumothorax', 'pulmonary', 'oedema', 'death', 'investigation', 'investigation', 'diarrhoea', 'cellulitis', 'metastasis', 'lymph', 'node', 'urinary', 'retention', 'acquired', 'phimosis', 'deep', 'vein', 'thrombosis', 'central', 'nervous', 'system', 'lesion', 'hospitalisation', 'bronchopneumonia', 'death', 'hemiplegia', 'breast', 'mass', 'dyspnoea', 'fatigue', 'white', 'blood', 'cell', 'count', 'decreased', 'platelet', 'count', 'decreased', 'endometriosis', 'hepatosplenomegaly', 'alopecia', 'multiple', 'sclerosis', 'relapse', 'depression', 'cerebral', 'haemorrhage', 'intracranial', 'pressure', 'increased', 'atrial', 'fibrillation', 'febrile', 'neutropenia', 'toxic', 'epidermal', 'necrosis', 'therapeutic', 'response', 'decreased', 'lichen', 'planus', 'investigation', 'full', 'blood', 'count', 'increased', 'full', 'blood', 'count', 'decreased', 'fall', 'decreased', 'immune', 'responsiveness', 'tuberculosis', 'investigation', 'diabetes', 'mellitus', 'agitation', 'investigation', 'asthma', 'investigation', 'yellow', 'skin', 'ocular', 'icterus', 'fall', 'periorbital', 'contusion', 'mass', 'head', 'injury', 'csf', 'test', 'abnormal', 'nausea', 'fatigue', 'bone', 'pain', 'urinary', 'incontinence', 'feeling', 'hot', 'dizziness', 'hyperhidrosis', 'death', 'investigation', 'disease', 'progression', 'investigation', 'cough', 'sleep', 'disorder', 'muscular', 'weakness', 'hypoesthesia', 'paraesthesia', 'fatigue', 'myalgia', 'investigation', 'iritis', 'death', 'vomiting', 'nausea', 'hypertension', 'disease', 'progression', 'disease', 'progression', 'haemoglobin', 'decreased', 'lung', 'neoplasm', 'malignant', 'metastasis', 'heart', 'metastasis', 'death', 'chromaturia', 'sputum', 'discoloured', 'fracture', 'investigation', 'groin', 'abscess', 'fall', 'bedridden', 'limb', 'injury', 'drug', 'administration', 'error', 'pruritus', 'incorrect', 'dose', 'administered', 'ear', 'infection', 'application', 'site', 'vesicle', 'application', 'site', 'erythema', 'application', 'site', 'pruritus', 'investigation', 'abdominal', 'pain', 'drug', 'abuse', 'transaminase', 'increased', 'urticaria', 'drug', 'interaction', 'sepsis', 'body', 'temperature', 'increased', 'hypotension', 'tachycardia', 'neutropenia', 'thrombocytopenia', 'loss', 'consciousness', 'iron', 'deficiency', 'anaemia', 'syncope', 'cough', 'muscle', 'spasm', 'muscle', 'twitching', 'diarrhoea', 'dizziness', 'feeling', 'abnormal', 'arthralgia', 'myalgia', 'asthenia', 'nausea', 'fatigue', 'depression', 'drug', 'prescribing', 'error', 'disease', 'progression', 'pain', 'vomiting', 'nausea', 'anaemia', 'diarrhoea', 'hypertension', 'coronary', 'artery', 'thrombosis', 'myocardial', 'infarction', 'drug', 'ineffective', 'unapproved', 'indication', 'angioedema', 'intestinal', 'operation', 'pneumocystis', 'jirovecii', 'pneumonia', 'chest', 'abnormal', 'gastrointestinal', 'motility', 'disorder', 'volvulus', 'abdominal', 'discomfort', 'constipation', 'death', 'pleurisy', 'investigation', 'leukoencephalopathy', 'peroneal', 'nerve', 'palsy', 'mobility', 'decreased', 'sensory', 'loss', 'grand', 'mal', 'convulsion', 'muscular', 'weakness', 'interstitial', 'lung', 'disease', 'death', 'myelodysplastic', 'syndrome', 'cardiac', 'failure', 'pneumonia', 'respiratory', 'failure', 'headache', 'neuralgia', 'device', 'deployment', 'issue', 'complication', 'device', 'removal', 'fear', 'incorrect', 'drug', 'administration', 'duration', 'retinal', 'vein', 'occlusion', 'visual', 'impairment', 'macular', 'oedema', 'infusion', 'related', 'reaction', 'respiratory', 'distress', 'acute', 'coronary', 'syndrome', 'lipid', 'increased', 'investigation', 'pseudocroup', 'hyperventilation', 'flushing', 'nasal', 'congestion', 'flushing', 'fatigue', 'injection', 'site', 'erythema', 'injection', 'site', 'induration', 'accidental', 'exposure', 'product', 'child', 'somnolence', 'heart', 'rate', 'decreased', 'unresponsive', 'stimulus', 'product', 'packaging', 'issue', 'chest', 'pain', 'nausea', 'cough', 'vomiting', 'pyrexia', 'diarrhoea', 'renal', 'failure', 'headache', 'dizziness', 'optic', 'neuritis', 'death', 'altered', 'state', 'consciousness', 'convulsion', 'lung', 'neoplasm', 'malignant', 'cardiac', 'arrest', 'paraesthesia', 'oral', 'muscle', 'spasm', 'depressed', 'mood', 'anxiety', 'rheumatoid', 'arthritis', 'liver', 'injury', 'diabetes', 'mellitus', 'diabetic', 'foot', 'abnormal', 'dream', 'overdose', 'vomiting', 'drug', 'ineffective', 'liver', 'injury', 'infarction', 'finger', 'amputation', 'drug', 'ineffective', 'unapproved', 'indication', 'presyncope', 'muscle', 'spasm', 'nausea', 'fatigue', 'breast', 'pain', 'investigation', 'liver', 'injury', 'death', 'investigation', 'cough', 'pain', 'vomiting', 'back', 'pain', 'abdominal', 'pain', 'nausea', 'fall', 'muscle', 'injury', 'nerve', 'injury', 'intervertebral', 'disc', 'disorder', 'product', 'quality', 'issue', 'deep', 'vein', 'thrombosis', 'disease', 'progression', 'metastasis', 'bone', 'metastasis', 'liver', 'nervous', 'system', 'disorder', 'pleural', 'effusion', 'lung', 'infiltration', 'dyspnoea', 'toxicity', 'various', 'agent', 'pulmonary', 'embolism', 'local', 'swelling', 'hypoesthesia', 'pain', 'extremity', 'urinary', 'incontinence', 'decreased', 'immune', 'responsiveness', 'paraesthesia', 'herpes', 'virus', 'infection', 'peripheral', 'coldness', 'blister', 'ascites', 'coronary', 'artery', 'disease', 'chest', 'pain', 'headache', 'migraine', 'sunburn', 'fatigue', 'paraesthesia', 'oral', 'dysgeusia', 'intentional', 'overdose', 'failure', 'suicide', 'attempt', 'liver', 'injury', 'intentional', 'overdose', 'suicide', 'attempt', 'breast', 'cancer', 'arthralgia', 'balance', 'disorder', 'gait', 'disturbance', 'intervertebral', 'disc', 'degeneration', 'glare', 'arthralgia', 'back', 'pain', 'procedural', 'pain', 'intervertebral', 'disc', 'protrusion', 'pain', 'extremity', 'venous', 'occlusion', 'pain', 'insomnia', 'gait', 'disturbance', 'spinal', 'disorder', 'cardiac', 'arrest', 'acute', 'myocardial', 'infarction', 'left', 'atrial', 'dilatation', 'hyponatraemia', 'hypertension', 'coronary', 'artery', 'disease', 'ischaemic', 'cardiomyopathy', 'fatigue', 'ventricular', 'tachycardia', 'ventricular', 'fibrillation', 'heart', 'rate', 'increased', 'cardiac', 'failure', 'acute', 'atrial', 'fibrillation', 'hypogonadism', 'respiratory', 'failure', 'ejection', 'fraction', 'decreased', 'cardiac', 'failure', 'congestive', 'sinus', 'bradycardia



a', 'coronary', 'artery', 'occlusion', 'sleep', 'apnoea', 'syndrome', 'compression', 'fracture', 'decreased', 'appetite', 'vomiting', 'nausea', 'pneumonia', 'fall', 'face', 'injury', 'loss', 'consciousness', 'asthenia', 'contusion', 'fall', 'head', 'injury', 'asthenia', 'pancreatic', 'carcinoma', 'nephrolithiasis', 'visual', 'acuity', 'reduced', 'intervertebral', 'disc', 'protrusion', 'fall', 'diarrhoea', 'gastroesophageal', 'reflux', 'disease', 'hypertension', 'local', 'swelling', 'hypoglycaemia', 'drug', 'hypersensitivity', 'drug', 'ineffective', 'hyperglycaemia', 'nail', 'injury', 'nail', 'growth', 'abnormal', 'aphonia', 'dysphonia', 'blood', 'glucose', 'increased', 'therapeutic', 'response', 'delayed', 'abdominal', 'pain', 'pain', 'extremity', 'angiopathy', 'back', 'pain', 'burning', 'sensation', 'dengue', 'fever', 'hyperkeratosis', 'induration', 'gait', 'disturbance', 'loss', 'consciousness', 'respiratory', 'arrest', 'hyperglycaemia', 'blood', 'glucose', 'abnormal', 'depression', 'merycism', 'major', 'depression', 'attention', 'disorder', 'somnolence', 'sedation', 'agitation', 'bipolar', 'disorder', 'angina', 'pectoris', 'fatigue', 'death', 'aggression', 'low', 'birth', 'weight', 'baby', 'intestinal', 'perforation', 'foetal', 'exposure', 'pregnancy', 'dyspepsia', 'intraventricular', 'haemorrhage', 'neonatal', 'respiratory', 'distress', 'syndrome', 'muscle', 'tightness', 'foetal', 'growth', 'restriction', 'premature', 'baby', 'necrotising', 'colitis', 'hydrocephalus', 'foetal', 'growth', 'restriction', 'exposure', 'breast', 'feeding', 'premature', 'labour', 'genital', 'haemorrhage', 'pustular', 'psoriasis', 'drug', 'ineffective', 'abdominal', 'pain', 'lower', 'abortion', 'exposure', 'pregnancy', 'investigation', 'inappropriate', 'schedule', 'drug', 'administration', 'oesophageal', 'carcinoma', 'mental', 'status', 'change', 'dehydration', 'anaemia', 'platelet', 'count', 'decreased', 'anxiety', 'deep', 'vein', 'thrombosis', 'thrombosis', 'pain', 'abdominal', 'pain', 'emotional', 'distress', 'general', 'physical', 'health', 'deterioration', 'injury', 'investigation', 'drug', 'interaction', 'headache', 'anaphylactic', 'reaction', 'investigation', 'blood', 'glucose', 'decreased', 'hypoglycaemia', 'pain', 'hepatic', 'enzyme', 'increased', 'terminal', 'state', 'diarrhoea', 'blood', 'pressure', 'systolic', 'increased', 'depression', 'disorientation', 'fear', 'death', 'asthenia', 'drug', 'ineffective', 'mood', 'swing', 'anger', 'atrial', 'flutter', 'investigation', 'breast', 'cancer', 'female', 'death', 'small', 'intestinal', 'obstruction', 'blood', 'pressure', 'diastolic', 'decreased', 'heart', 'valve', 'incompetence', 'dyspnoea', 'mesenteric', 'neoplasm', 'weight', 'decreased', 'abdominal', 'discomfort', 'fall', 'eye', 'swelling', 'intestinal', 'ischaemia', 'abdominal', 'pain', 'lower', 'blood', 'pressure', 'increased', 'blood', 'pressure', 'systolic', 'increased', 'body', 'temperature', 'decreased', 'oedema', 'malignant', 'neoplasm', 'progression', 'eye', 'disorder', 'thermal', 'burn', 'erythema', 'dizziness', 'postural', 'gravitational', 'oedema', 'pleural', 'effusion', 'dehydration', 'asthenia', 'lacrimation', 'increased', 'pain', 'peripheral', 'swelling', 'anaphylactic', 'reaction', 'neurological', 'decompensation', 'encephalopathy', 'drug', 'ineffective', 'unapproved', 'indication', 'atypical', 'pneumonia', 'hypoaacusis', 'urinary', 'tract', 'infection', 'cholecystitis', 'gallbladder', 'cancer', 'vulvovaginal', 'mycotic', 'infection', 'herpes', 'zoster', 'anaphylactic', 'shock', 'coronary', 'artery', 'restenosis', 'appendicitis', 'rectal', 'abscess', 'dermatitis', 'bullous', 'type', 'iv', 'hypersensitivity', 'reaction', 'abortion', 'induced', 'metrorrhagia', 'unintended', 'pregnancy', 'nausea', 'product', 'quality', 'issue', 'haemoglobin', 'decreased', 'melaena', 'arthritis', 'bacterial', 'hepatorenal', 'syndrome', 'febrile', 'neutropenia', 'neutropenia', 'lung', 'adenocarcinoma', 'toxicity', 'various', 'agent', 'plasma', 'cell', 'myeloma', 'pneumonia', 'sepsis', 'gastrointestinal', 'disorder', 'hepatotoxicity', 'deep', 'vein', 'thrombosis', 'diarrhoea', 'death', 'amaurosis', 'fugax', 'atrial', 'fibrillation', 'syncope', 'constipation', 'infection', 'interstitial', 'lung', 'disease', 'nasopharyngitis', 'liver', 'injury', 'respiratory', 'failure', 'convulsion', 'cerebrovascular', 'accident', 'aphasia', 'epilepsy', 'angina', 'pectoris', 'coronary', 'artery', 'stenosis', 'intermittent', 'claudication', 'hyperglycaemia', 'liver', 'function', 'test', 'abnormal', 'surgery', 'diabetic', 'ketoacidosis', 'influenza', 'treatment', 'noncompliance', 'cerebrovascular', 'accident', 'sensory', 'disturbance', 'dyspepsia', 'iridocyclitis', 'myalgia', 'pyrexia', 'dysuria', 'agranulocytosis', 'leukopenia', 'neutropenia', 'white', 'blood', 'cell', 'count', 'increased', 'neutrophil', 'count', 'increased', 'bacterial', 'infection', 'schizoaffective', 'disorder', 'granuloma', 'dyspnoea', 'haematocrit', 'decreased', 'obstructive', 'airway', 'disorder', 'neutrophil', 'toxic', 'granulation', 'present', 'shift', 'left', 'poor', 'venous', 'access', 'vitamin', 'abnormal', 'blood', 'folate', 'abnormal', 'red', 'blood', 'cell', 'count', 'decreased', 'metamyelocyte', 'count', 'increased', 'myelocyte', 'count', 'increased', 'promyelocyte', 'count', 'increased', 'blast', 'cell', 'count', 'increased', 'blood', 'creatinine', 'abnormal', 'blood', 'pressure', 'increased', 'platelet', 'count', 'abnormal', 'basophil', 'count', 'increased', 'liver', 'function', 'test', 'abnormal', 'eosinophil', 'count', 'increased', 'monocyte', 'count', 'increased', 'blood', 'creatinine', 'phosphokinase', 'decreased', 'lymphocyte', 'count', 'decreased', 'haemoglobin', 'decreased', 'heart', 'rate', 'increased', 'pyrexia', 'lymphocyte', 'count', 'increased', 'cholecystectomy', 'vomiting', 'abdominal', 'pain', 'upper', 'malaise', 'nausea', 'abdominal', 'discomfort', 'gingival', 'swelling', 'renal', 'failure', 'chronic', 'gingivitis', 'periodontitis', 'oral', 'disorder', 'exposed', 'bone', 'jaw', 'tenderness', 'renal', 'impairment', 'gingival', 'bleeding', 'breast', 'cancer', 'stage', 'ii', 'aortic', 'valve', 'incompetence', 'anaemia', 'mitral', 'valve', 'disease', 'mixed', 'nephrogenic', 'anaemia', 'gingival', 'erythema', 'loose', 'tooth', 'malignant', 'neoplasm', 'progression', 'angina', 'pectoris', 'osteonecrosis', 'jaw', 'pain', 'jaw', 'bacterial', 'infection', 'incorrect', 'dose', 'administered', 'memory', 'impairment', 'blood', 'glucose', 'abnormal', 'overdose', 'rhabdomyolysis', 'pyrexia', 'self', 'injurious', 'behaviour', 'sopor', 'urinary', 'tract', 'infection', 'weight', 'decreased', 'hypersensitivity', 'neutropenia', 'thrombocytopenia', 'papilloedema', 'cerebrovascular', 'accident', 'osteoarthritis', 'arthritis', 'drug', 'ineffective', 'mineral', 'supplementation', 'haemoglobin', 'decreased', 'dyspnoea', 'musculoskeletal', 'stiffness', 'fatigue', 'asthenia', 'back', 'pain', 'chest', 'pain', 'depressed', 'mood', 'dizziness', 'dyspnoea', 'migraine', 'vaginal', 'haemorrhage', 'vomiting', 'platelet', 'count', 'abnormal', 'anaphylactic', 'shock', 'type', 'iv', 'hypersensitivity', 'reaction', 'hypotension', 'hypoxia', 'gastrointestinal', 'disorder', 'nephrogenic', 'systemic', 'fibrosis', 'erythrodysaesthesia', 'syndrome', 'wound', 'secretion', 'endophthalmitis', 'macular', 'oedema', 'coronary', 'artery', 'disease', 'lower', 'respiratory', 'tract', 'infection', 'paraneoplastic', 'dermatomyositis', 'epistaxis', 'rash', 'pruritic', 'rhinorrhoea', 'prurigo', 'chest', 'pain', 'headache', 'hypotension', 'infusion', 'related', 'reaction', 'lethargy', 'weight', 'decreased', 'malaise', 'renal', 'impairment', 'diarrhoea', 'coeliac', 'disease', 'urticaria', 'fatigue', 'angioedema', 'drug', 'ineffective', 'pruritus', 'insomnia', 'condition', 'aggravated', 'chronic', 'spontaneous', 'urticaria', 'cardiac', 'failure', 'respiratory', 'failure', 'convulsion', 'cardiac', 'failure', 'convulsion', 'anaemia', 'major', 'depression', 'paraesthesia', 'respiratory', 'failure', 'convulsion', 'gastrointestinal', 'disorder', 'tinnitus', 'feeling', 'abnormal', 'dizziness', 'hearing', 'impaired', 'deafness', 'body', 'temperature', 'decreased', 'restlessness', 'abdominal', 'distension', 'quality', 'life', 'decreased', 'eating', 'disorder', 'insomnia', 'visual', 'acuity', 'reduced', 'asthenia', 'gastric', 'ulcer', 'ear', 'discomfort', 'toxicity', 'various', 'agent', 'child', 'neglect', 'syncope', 'arthropathy', 'chondropathy', 'dysmenorrhoea', 'headache', 'pain', 'malaise', 'head', 'discomfort', 'gastrointestinal', 'disorder', 'glaucoma', 'rash', 'oedema', 'peripheral', 'lacrimation', 'increased', 'oedema', 'peripheral', 'pain', 'fatigue', 'herpes', 'virus', 'infection', 'gastrointestinal', 'disorder', 'gastroenteritis', 'escherichia', 'coli', 'nausea', 'vomiting', 'diarrhoea', 'bronchitis', 'dyspnoea', 'wheezing', 'cerebrovascular', 'accident', 'convulsion', 'malaise', 'product', 'packaging', 'issue', 'pyrexia', 'lymphadenitis', 'arthropathy', 'tooth', 'disorder', 'jaw', 'disorder', 'paraesthesia', 'hyposaesthesia', 'activity', 'daily', 'living', 'impaired', 'death', 'therapeutic', 'response', 'death', 'death', 'death', 'death', 'convulsion', 'death', 'death', 'acute', 'myeloid', 'leukaemia', 'recurrent', 'graft'

, 'versus', 'host', 'disease', 'adenovirus', 'infection', 'cytomegalovirus', 'infection', 'drug', 'effect', 'decreased', 'expired', 'drug', 'administered', 'acute', 'coronary', 'syndrome', 'anaemia', 'rectal', 'haemorrhage', 'gastroesophageal', 'reflux', 'disease', 'drug', 'ineffective', 'renal', 'colic', 'pyelonephritis', 'dyspnoea', 'secretion', 'discharge', 'oxygen', 'saturation', 'decreased', 'cough', 'adverse', 'event', 'endometrial', 'cancer', 'metastatic', 'abortion', 'abdominal', 'distension', 'abdominal', 'pain', 'abdominal', 'pain', 'upper', 'anxiety', 'back', 'pain', 'breast', 'pain', 'chest', 'discomfort', 'dizziness', 'dyspnoea', 'headache', 'swelling', 'mood', 'altered', 'muscle', 'spasm', 'nausea', 'neck', 'pain', 'laryngeal', 'cancer', 'accelerated', 'idioventricular', 'rhythm', 'ventricular', 'parasystole', 'death', 'respiratory', 'distress', 'anaemia', 'haematochezia', 'syndrome', 'nausea', 'vomiting', 'blindness', 'deafness', 'loss', 'consciousness', 'contusion', 'glaucoma', 'pruritus', 'muscle', 'disorder', 'confusional', 'state', 'skin', 'lesion', 'pain', 'oral', 'disorder', 'delusion', 'aggression', 'dyspnoea', 'pulmonary', 'embolism', 'hypoglycaemic', 'coma', 'insulinoma', 'toxicity', 'various', 'agent', 'gastrointestinal', 'haemorrhage', 'international', 'normalised', 'ratio', 'increased', 'haematocrit', 'decreased', 'fall', 'blood', 'creatinine', 'increased', 'dehydration', 'contusion', 'hypotension', 'transient', 'ischaemic', 'attack', 'paraesthesia', 'erythema', 'multiforme', 'general', 'physical', 'health', 'deterioration', 'local', 'swelling', 'pyrexia', 'bone', 'marrow', 'failure', 'cerebral', 'haemorrhage', 'haemoglobin', 'decreased', 'paraesthesia', 'dyspnoea', 'ocular', 'hyperaemia', 'dyspnoea', 'rest', 'dizziness', 'rash', 'loss', 'consciousness', 'pruritus', 'cardiac', 'arrest', 'pulmonary', 'embolism', 'pulmonary', 'embolism', 'haemorrhage', 'upper', 'gastrointestinal', 'haemorrhage', 'suicide', 'attempt', 'intentional', 'overdose', 'convulsion', 'cardiac', 'arrest', 'blood', 'urine', 'present', 'unresponsive', 'stimulus', 'blood', 'pressure', 'decreased', 'haemoglobin', 'decreased', 'abdominal', 'pain', 'haematoma', 'dysphagia', 'subarachnoid', 'haemorrhage', 'cerebral', 'haematoma', 'haematemesis', 'purple', 'glove', 'syndrome', 'pharyngeal', 'operation', 'cardiac', 'failure', 'acute', 'polychondritis', 'sepsis', 'pneumonia', 'herpes', 'zoster', 'hypersensitivity', 'gallbladder', 'disorder', 'death', 'psychiatric', 'symptom', 'visual', 'acuity', 'reduced', 'therapeutic', 'response', 'death', 'death', 'death', 'nephrogenic', 'systemic', 'fibrosis', 'bronchitis', 'bronchitis', 'bronchitis', 'pharyngitis', 'upper', 'respiratory', 'tract', 'infection', 'upper', 'respiratory', 'tract', 'infection', 'infection', 'sinusitis', 'haemolysis', 'liver', 'injury', 'dyspnoea', 'rectal', 'haemorrhage', 'drug', 'interaction', 'dermatitis', 'abscess', 'neck', 'death', 'bone', 'erosion', 'drug', 'interaction', 'epistaxis', 'anaemia', 'international', 'normalised', 'ratio', 'increased', 'cleft', 'palate', 'placental', 'transfusion', 'syndrome', 'cardiac', 'disorder', 'lung', 'disorder', 'vaginal', 'haemorrhage', 'gingival', 'bleeding', 'drug', 'interaction', 'erysipelas', 'limb', 'injury', 'weight', 'decreased', 'drug', 'tolerance', 'immunodeficiency', 'extremity', 'necrosis', 'blood', 'cholesterol', 'increased', 'arthropathy', 'pain', 'drug', 'ineffective', 'arthralgia', 'rheumatic', 'fever', 'toxic', 'optic', 'neuropathy', 'metastatic', 'malignant', 'melanoma', 'splenic', 'rupture', 'death', 'diarrhoea', 'septic', 'shock', 'syncope', 'pneumonia', 'neutropenia', 'thrombocytopenia', 'fatigue', 'plasma', 'cell', 'myeloma', 'cough', 'abscess', 'infection', 'neutropenia', 'white', 'blood', 'cell', 'count', 'decreased', 'haemorrhage', 'haemorrhage', 'drug', 'interaction', 'central', 'nervous', 'system', 'lesion', 'weight', 'increased', 'vitamin', 'deficiency', 'pain', 'extremity', 'type', 'diabetes', 'mellitus', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'pulmonary', 'oedema', 'respiratory', 'failure', 'platelet', 'count', 'decreased', 'pneumonia', 'investigation', 'hospitalisation', 'haemorrhage', 'drug', 'interaction', 'hypertension', 'osteoporosis', 'surgery', 'scar', 'abdominal', 'pain', 'upper', 'anxiety', 'plasma', 'cell', 'myeloma', 'pneumonia', 'death', 'tremor', 'drug', 'ineffective', 'cardiac', 'pacemaker', 'insertion', 'pericardial', 'effusion', 'urinary', 'tract', 'infection', 'suppressed', 'lactation', 'device', 'ineffective', 'drug', 'ineffective', 'erythema', 'skin', 'fissure', 'pulmonary', 'embolism', 'pulmonary', 'embolism', 'deep', 'vein', 'thrombosis', 'hospitalisation', 'subdural', 'haematoma', 'drug', 'interaction', 'vaginal', 'haemorrhage', 'haematuria', 'contusion', 'premature', 'baby', 'low', 'birth', 'weight', 'baby', 'pneumonia', 'aspiration', 'bacteria', 'virus', 'infection', 'encephalitis', 'viral', 'lower', 'respiratory', 'tract', 'infection', 'palpitation', 'death', 'impaired', 'healing', 'spinal', 'fusion', 'surgery', 'pain', 'extremity', 'pain', 'abdominal', 'pain', 'upper', 'angina', 'unstable', 'cold', 'sweat', 'nausea', 'vomiting', 'label', 'use', 'death', 'dizziness', 'fatigue', 'rash', 'anaemia', 'malignant', 'neoplasm', 'progression', 'diarrhoea', 'haemorrhage', 'intracranial', 'food', 'poisoning', 'pneumonia', 'haemoptysis', 'dyspnoea', 'fatigue', 'incorrect', 'dose', 'administered', 'overdose', 'death', 'local', 'swelling', 'haemorrhage', 'erythema', 'localised', 'infection', 'localised', 'infection', 'skin', 'disorder', 'pain', 'extremity', 'secretion', 'discharge', 'scab', 'rash', 'pruritus', 'rash', 'nephrolithiasis', 'nausea', 'neutropenia', 'rhinorrhoea', 'dermatitis', 'acneiform', 'dermatitis', 'acneiform', 'epistaxis', 'mucosal', 'haemorrhage', 'pain', 'vomiting', 'diarrhoea', 'malignant', 'neoplasm', 'progression', 'death', 'death', 'pulmonary', 'thrombosis', 'thrombosis', 'blood', 'disorder', 'neoplasm', 'malignant', 'dyspepsia', 'death', 'blood', 'urine', 'present', 'cholelithiasis', 'dizziness', 'fatigue', 'pneumonia', 'decreased', 'appetite', 'skin', 'reaction', 'abdominal', 'pain', 'flatulence', 'muscle', 'spasm', 'rash', 'flatulence', 'eructation', 'constipation', 'eructation', 'vision', 'blurred', 'blood', 'pressure', 'increased', 'anxiety', 'hypophagia', 'weight', 'decreased', 'rash', 'rash', 'acne', 'pruritus', 'death', 'disorder', 'fall', 'full', 'blood', 'count', 'decreased', 'contusion', 'fatigue', 'diarrhoea', 'decreased', 'appetite', 'death', 'incorrect', 'dose', 'administered', 'death', 'death', 'incorrect', 'dose', 'administered', 'white', 'blood', 'cell', 'count', 'decreased', 'rash', 'death', 'label', 'use', 'atrial', 'fibrillation', 'metastasis', 'bone', 'fall', 'incorrect', 'dose', 'administered', 'visual', 'acuity', 'reduced', 'blood', 'triglyceride', 'increased', 'death', 'malignant', 'neoplasm', 'progression', 'oesophageal', 'carcinoma', 'drug', 'interaction', 'ventricular', 'tachycardia', 'electrocardiogram', 'qt', 'prolonged', 'gastric', 'haemorrhage', 'death', 'hypersensitivity', 'angioedema', 'pruritus', 'death', 'convulsion', 'hepatic', 'failure', 'syndrome', 'anaemia', 'drug', 'ineffective', 'death', 'spinal', 'disorder', 'device', 'related', 'infection', 'drug', 'ineffective', 'chronic', 'graft', 'versus', 'host', 'disease', 'acute', 'graft', 'versus', 'host', 'disease', 'chronic', 'graft', 'versus', 'host', 'disease', 'renal', 'failure', 'drug', 'ineffective', 'fall', 'joint', 'stiffness', 'sensation', 'heaviness', 'chest', 'pain', 'myalgia', 'chest', 'pain', 'oedema', 'cystitis', 'label', 'use', 'hepatic', 'function', 'abnormal', 'unresponsive', 'stimulus', 'syncope', 'blood', 'pressure', 'decreased', 'heart', 'rate', 'decreased', 'ventricular', 'extrasystole', 'interstitial', 'lung', 'disease', 'pyrexia', 'diarrhoea', 'rash', 'investigation', 'investigation', 'balance', 'disorder', 'fall', 'disorientation', 'condition', 'aggravated', 'dizziness', 'abdominal', 'symptom', 'conjunctivitis', 'dyspnoea', 'vomiting', 'diarrhoea', 'decreased', 'appetite', 'drug', 'ineffective', 'chronic', 'graft', 'versus', 'host', 'disease', 'drug', 'ineffective', 'graft', 'versus', 'host', 'disease', 'eye', 'swelling', 'rash', 'ocular', 'hyperaemia', 'incorrect', 'dose', 'administered', 'drug', 'interaction', 'breast', 'cancer', 'pleural', 'effusion', 'pancreatic', 'carcinoma', 'metastatic', 'surgery', 'investigation', 'urinary', 'tract', 'infection', 'drug', 'dose', 'omission', 'intestinal', 'obstruction', 'hearing', 'impaired', 'epistaxis', 'hypertension', 'computerised', 'tomogram', 'abnormal', 'inappropriate', 'schedule', 'drug', 'administration', 'rash', 'hip', 'fracture', 'haemorrhagic', 'diathesis', 'rash', 'dry', 'skin', 'death', 'arthralgia', 'death', 'febrile', 'neutropenia', 'hypophagia', 'pleural', 'effusion', 'deep', 'vein', 'thrombosis', 'pain', 'extremity', 'swelling', 'haemorrhage', 'drug', 'interaction', 'shock', 'haemorrhagic', 'haemorrhage', 'electrocardiogram', 'qt', 'prolonged', 'blood', 'potassium', 'decreased', 'intentional', 'product', 'misuse', 'death', 'pain', 'pruritus', 'mucosal', 'inflammation', 'type', 'diabetes', 'mellitus', 'drug', 'interaction', 'shock', 'haemorrhagic', 'cardiac', 'disorder', 'type

, 'diabetes', 'mellitus', 'liver', 'disorder', 'bacterial', 'infection', 'gastrointestinal', 'disorder', 'diarrhoea', 'pulmonary', 'hypertension', 'pulmonary', 'embolism', 'feeling', 'abnormal', 'death', 'abscess', 'necrosis', 'haemorrhage', 'invasive', 'ductal', 'breast', 'carcinoma', 'back', 'disorder', 'diabetic', 'neuropathy', 'neuralgia', 'neuropathy', 'peripheral', 'circulatory', 'collapse', 'palpitation', 'dizziness', 'death', 'hypotension', 'pyrexia', 'pulmonary', 'oedema', 'death', 'chest', 'pain', 'musculoskeletal', 'pain', 'pain', 'extremity', 'back', 'disorder', 'fall', 'back', 'injury', 'dizziness', 'headache', 'drug', 'ineffective', 'ataxia', 'encephalitis', 'asphyxia', 'epilepsy', 'metastasis', 'central', 'nervous', 'system', 'lung', 'infection', 'pregnancy', 'drug', 'ineffective', 'female', 'sterilisation', 'apathy', 'depression', 'increased', 'tendency', 'bruise', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'small', 'intestinal', 'haemorrhage', 'gastric', 'haemorrhage', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'fluid', 'replacement', 'nephrogenic', 'systemic', 'fibrosis', 'cell', 'lung', 'cancer', 'disease', 'progression', 'label', 'use', 'ventricular', 'extrasystole', 'urinary', 'incontinence', 'feeling', 'hot', 'hyperhidrosis', 'dizziness', 'septic', 'shock', 'pancytopenia', 'deep', 'vein', 'thrombosis', 'pulmonary', 'embolism', 'pancreatic', 'carcinoma', 'stage', 'iv', 'pancreatitis', 'acute', 'acute', 'prerenal', 'failure', 'dehydration', 'weight', 'decreased', 'urine', 'sodium', 'increased', 'hyponatraemia', 'hypochloraemia', 'pulmonary', 'embolism', 'muscle', 'spasm', 'muscle', 'spasm', 'adenocarcinoma', 'pancreas', 'trisomy', 'pancreatic', 'carcinoma', 'chest', 'pain', 'drug', 'dose', 'omission', 'dyspnoea', 'hospitalisation', 'pancreatic', 'carcinoma', 'road', 'traffic', 'accident', 'vertigo', 'tinnitus', 'pancreatic', 'carcinoma', 'cerebrovascular', 'accident', 'pulmonary', 'embolism', 'ataxia', 'gait', 'disturbance', 'balance', 'disorder', 'status', 'epilepticus', 'lymphoma', 'myocardial', 'infarction', 'infection', 'oesophageal', 'pain', 'hepatic', 'pain', 'oesophagitis', 'abdominal', 'pain', 'upper', 'vertigo', 'label', 'use', 'incorrect', 'dose', 'administered', 'intentional', 'drug', 'misuse', 'diabetic', 'retinal', 'oedema', 'pulmonary', 'embolism', 'diverticulitis', 'cellulitis', 'infection', 'cholecystectomy', 'pancreatitis', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'influenza', 'diet', 'refusal', 'blood', 'glucose', 'fluctuation', 'product', 'solubility', 'abnormal', 'product', 'colour', 'issue', 'weight', 'decreased', 'transaminase', 'increased', 'malaise', 'transverse', 'sinus', 'thrombosis', 'pulmonary', 'embolism', 'cancer', 'haemorrhage', 'drug', 'interaction', 'pain', 'pain', 'extremity', 'peripheral', 'swelling', 'deep', 'vein', 'thrombosis', 'thrombosis', 'abdominal', 'pain', 'injury', 'general', 'physical', 'health', 'deterioration', 'deep', 'vein', 'thrombosis', 'pain', 'extremity', 'headache', 'deep', 'vein', 'thrombosis', 'product', 'use', 'issue', 'pain', 'general', 'physical', 'health', 'deterioration', 'injury', 'muscular', 'weakness', 'dizziness', 'swelling', 'prostate', 'cancer', 'prostatic', 'operation', 'urinary', 'retention', 'dysuria', 'drug', 'administration', 'error', 'pneumonia', 'vomiting', 'projectile', 'pallor', 'cyanosis', 'oxygen', 'saturation', 'decreased', 'heart', 'rate', 'decreased', 'body', 'temperature', 'decreased', 'increased', 'bronchial', 'secretion', 'oxygen', 'saturation', 'abnormal', 'pyrexia', 'increased', 'bronchial', 'secretion', 'wheezing', 'cough', 'dyspnoea', 'pulmonary', 'embolism', 'deep', 'vein', 'thrombosis', 'rhabdomyolysis', 'pain', 'general', 'physical', 'health', 'deterioration', 'emotional', 'distress', 'anxiety', 'injury', 'pulmonary', 'embolism', 'depression', 'drug', 'abuse', 'bradyphrenia', 'legall', 'problem', 'heart', 'rate', 'irregular', 'dyspnoea', 'nausea', 'vomiting', 'dizziness', 'headache', 'liver', 'disorder', 'decreased', 'appetite', 'insomnia', 'drug', 'effect', 'incomplete', 'neoplasm', 'malignant', 'cataract', 'malaise', 'hiatus', 'hernia', 'abdominal', 'discomfort', 'hypertension', 'food', 'intolerance', 'lactose', 'intolerance', 'gastric', 'ulcer', 'gastritis', 'abdominal', 'distension', 'drug', 'ineffective', 'sepsis', 'pilonidal', 'cyst', 'enterovesical', 'fistula', 'pneumaturia', 'urinary', 'tract', 'infection', 'dysuria', 'micturition', 'urgency', 'chest', 'pain', 'emotional', 'distress', 'pulmonary', 'embolism', 'abdominal', 'pain', 'general', 'physical', 'health', 'deterioration', 'injury', 'fall', 'head', 'injury', 'vertigo', 'orthostatic', 'hypotension', 'executive', 'dysfunction', 'disturbance', 'attention', 'memory', 'impairment', 'post', 'procedural', 'sepsis', 'post', 'procedural', 'complication', 'intestinal', 'obstruction', 'antibody', 'test', 'positive', 'haemolytic', 'anaemia', 'renal', 'failure', 'neoplasm', 'malignant', 'agitation', 'intentional', 'drug', 'misuse', 'fluid', 'overload', 'dyspnoea', 'suffocation', 'feeling', 'oedema', 'hypotension', 'fatigue', 'muscle', 'spasm', 'muscle', 'injury', 'nightmare', 'pain', 'blindness', 'unilateral', 'eye', 'haemorrhage', 'nightmare', 'visual', 'acuity', 'reduced', 'disease', 'progression', 'drug', 'ineffective', 'splenomegaly', 'haemorrhage', 'drug', 'interaction', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'oral', 'surgery', 'hospitalisation', 'diarrhoea', 'haemorrhagic', 'drug', 'interaction', 'melaena', 'haematochezia', 'rectal', 'haemorrhage', 'anxiety', 'emotional', 'distress', 'drooling', 'general', 'physical', 'health', 'deterioration', 'cerebrovascular', 'accident', 'pain', 'abdominal', 'pain', 'injury', 'memory', 'impairment', 'eating', 'disorder', 'dysgeusia', 'weight', 'decreased', 'parenteral', 'nutrition', 'migraine', 'abdominal', 'pain', 'deformity', 'cerebral', 'haemorrhage', 'vomiting', 'headache', 'injury', 'general', 'physical', 'health', 'deterioration', 'investigation', 'pulmonary', 'embolism', 'abdominal', 'pain', 'pain', 'injury', 'general', 'physical', 'health', 'deterioration', 'anxiety', 'emotional', 'distress', 'deformity', 'pain', 'anxiety', 'mobility', 'decreased', 'pulmonary', 'embolism', 'chest', 'pain', 'injury', 'pain', 'emotional', 'distress', 'dyspnoea', 'general', 'physical', 'health', 'deterioration', 'painful', 'respiration', 'abdominal', 'pain', 'pain', 'musculoskeletal', 'pain', 'cerebrovascular', 'accident', 'abdominal', 'pain', 'gait', 'disturbance', 'visual', 'field', 'defect', 'pain', 'general', 'physical', 'health', 'deterioration', 'myalgia', 'emotional', 'distress', 'depression', 'brain', 'injury', 'injury', 'anhedonia', 'dysstasia', 'hospitalisation', 'thrombosis', 'gait', 'disturbance', 'deep', 'vein', 'thrombosis', 'injury', 'pain', 'abdominal', 'pain', 'general', 'physical', 'health', 'deterioration', 'pulmonary', 'embolism', 'thrombophlebitis', 'superficial', 'deep', 'vein', 'thrombosis', 'investigation', 'deep', 'vein', 'thrombosis', 'general', 'physical', 'health', 'deterioration', 'anxiety', 'pain', 'pulmonary', 'embolism', 'dyspnoea', 'injury', 'abdominal', 'pain', 'emotional', 'distress', 'drug', 'administered', 'patient', 'inappropriate', 'age', 'body', 'height', 'normal', 'failure', 'thrive', 'bronchial', 'obstruction', 'rhonchus', 'wheezing', 'somnolence', 'confusional', 'state', 'deep', 'vein', 'thrombosis', 'coma', 'suicide', 'attempt', 'suicide', 'attempt', 'tachycardia', 'oxygen', 'saturation', 'decreased', 'electrocardiogram', 'qt', 'prolonged', 'hypotension', 'endotracheal', 'intubation', 'poisoning', 'overdose', 'overdose', 'neutropenia', 'hypertransaminasaemia', 'anaemia', 'international', 'normalised', 'ratio', 'decreased', 'rectal', 'haemorrhage', 'cardiac', 'failure', 'congestive', 'herpes', 'simplex', 'retinal', 'vein', 'thrombosis', 'macular', 'oedema', 'retinal', 'artery', 'thrombosis', 'incorrect', 'drug', 'administration', 'duration', 'rectal', 'haemorrhage', 'drug', 'interaction', 'post', 'procedural', 'haemorrhage', 'urogenital', 'haemorrhage', 'death', 'fracture', 'blood', 'glucose', 'increased', 'fall', 'surgery', 'blood', 'pressure', 'increased', 'blood', 'creatinine', 'decreased', 'mouth', 'haemorrhage', 'investigation', 'hospitalisation', 'hospitalisation', 'hospitalisation', 'unresponsive', 'stimulus', 'circulatory', 'collapse', 'liver', 'function', 'test', 'abnormal', 'hyponatraemia', 'cerebrovascular', 'accident', 'type', 'diabetes', 'mellitus', 'arthritides', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'pain', 'pruritus', 'coeliac', 'disease', 'hospitalisation', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'death', 'international', 'normalised', 'ratio', 'increased', 'epistaxis', 'asthenia', 'dyspnoea', 'filariasis', 'pneumococcal', 'infection', 'pleural', 'effusion', 'purulent', 'discharge', 'benign', 'oesophageal', 'neoplasm', 'cholestasis', 'hepatocellular', 'injury', 'hyponalbuminaemia', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'disease', 'progression', 'anal', 'cancer', 'interstitial', 'lung', 'disease', 'type', 'diabetes', 'mellitus', 'type

e', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'glucose', 'tolerance', 'impaired', 'chronic', 'obstructive', 'pulmonary', 'disease', 'type', 'diabetes', 'mellitus', 'necrotising', 'fasciitis', 'diarrhoea', 'type', 'diabetes', 'mellitus', 'infection', 'dyspnoea', 'exertional', 'cough', 'pneumothorax', 'dyspnoea', 'fatigue', 'migraine', 'decreased', 'appetite', 'dysgeusia', 'type', 'diabetes', 'mellitus', 'weight', 'increased', 'cardiac', 'disorder', 'visual', 'acuity', 'reduced', 'eye', 'swelling', 'label', 'use', 'limb', 'injury', 'pneumonitis', 'chest', 'pain', 'cough', 'dyspnoea', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'label', 'use', 'pneumonia', 'abdominal', 'pain', 'second', 'primary', 'malignancy', 'acute', 'myeloid', 'leukaemia', 'type', 'diabetes', 'mellitus', 'acute', 'myeloid', 'leukaemia', 'second', 'primary', 'malignancy', 'type', 'diabetes', 'mellitus', 'metabolic', 'syndrome', 'blood', 'triglyceride', 'increased', 'death', 'cardiac', 'arrest', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'spinal', 'fracture', 'hypertension', 'hypoesthesia', 'gait', 'disturbance', 'general', 'physical', 'health', 'deterioration', 'erythema', 'burning', 'sensation', 'spinal', 'disorder', 'road', 'traffic', 'accident', 'chillblains', 'pain', 'extremity', 'oedema', 'peripheral', 'urinary', 'tract', 'infection', 'blindness', 'unilateral', 'immunodeficiency', 'convulsion', 'vision', 'blurred', 'pharyngitis', 'muscle', 'twitching', 'drug', 'ineffective', 'hepatitis', 'acute', 'renal', 'failure', 'septic', 'shock', 'blood', 'creatinine', 'phosphokinase', 'increased', 'epistaxis', 'drug', 'interaction', 'abdominal', 'hernia', 'repair', 'blood', 'glucose', 'abnormal', 'incorrect', 'dose', 'administered', 'hyponatraemia', 'blood', 'cortisol', 'decreased', 'hypotension', 'renal', 'failure', 'acute', 'urine', 'output', 'decreased', 'oedema', 'peripheral', 'dehydration', 'platelet', 'count', 'decreased', 'febrile', 'neutropenia', 'anaemia', 'stomatitis', 'cytomegalovirus', 'test', 'positive', 'mobility', 'decreased', 'local', 'swelling', 'burning', 'sensation', 'conjunctivitis', 'rash', 'swelling', 'face', 'loss', 'consciousness', 'head', 'injury', 'fall', 'asthenia', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'diverticulum', 'intestinal', 'haemorrhagic', 'rectal', 'haemorrhage', 'melena', 'intestinal', 'obstruction', 'acute', 'myocardial', 'infarction', 'eye', 'haemorrhage', 'drug', 'interaction', 'fluid', 'retention', 'headache', 'chest', 'pain', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'leukaemia', 'condition', 'aggravated', 'pneumectomy', 'drug', 'effect', 'decreased', 'overdose', 'inappropriate', 'schedule', 'drug', 'administration', 'cardiac', 'arrest', 'hospitalisation', 'respiratory', 'disorder', 'oxygen', 'saturation', 'decreased', 'hospitalisation', 'rectal', 'haemorrhage', 'drug', 'interaction', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'haemolytic', 'anaemia', 'myocardial', 'infarction', 'drug', 'abuse', 'toxicity', 'various', 'agent', 'pulmonary', 'congestion', 'pulmonary', 'oedema', 'cardiomegaly', 'arteriosclerosis', 'coronary', 'artery', 'hepatomegaly', 'hepatic', 'steatosis', 'forced', 'expiration', 'volume', 'decreased', 'death', 'hypertension', 'asthenia', 'type', 'diabetes', 'mellitus', 'breast', 'cancer', 'female', 'dizziness', 'upper', 'limb', 'fracture', 'diabetic', 'neuropathy', 'gastrointestinal', 'haemorrhage', 'arrest', 'dehydration', 'cardiac', 'failure', 'cystitis', 'haemorrhagic', 'gastrointestinal', 'haemorrhage', 'upper', 'gastrointestinal', 'haemorrhage', 'syndrome', 'tremor', 'neuropathy', 'peripheral', 'angioedema', 'lip', 'dry', 'drug', 'hypersensitivity', 'product', 'formulation', 'issue', 'myelodysplastic', 'syndrome', 'second', 'primary', 'malignancy', 'acute', 'myeloid', 'leukaemia', 'headache', 'nervousness', 'restlessness', 'insomnia', 'abnormal', 'dream', 'pseudoendophthalmitis', 'uveitis', 'blindness', 'transient', 'rectal', 'haemorrhage', 'drug', 'interaction', 'dyspnoea', 'chest', 'pain', 'erythema', 'rectal', 'tenesmus', 'pyelonephritis', 'renal', 'colic', 'cystitis', 'autism', 'developmental', 'delay', 'encopresis', 'myelopathy', 'label', 'use', 'hypoesthesia', 'balance', 'disorder', 'loss', 'proprioception', 'decreased', 'vibratory', 'sense', 'muscular', 'weakness', 'sensory', 'loss', 'swollen', 'tongue', 'rash', 'generalised', 'syndrome', 'dyspnoea', 'eye', 'swelling', 'dizziness', 'palpitation', 'flushing', 'skin', 'warm', 'discomfort', 'paralysis', 'skin', 'reaction', 'hyperhidrosis', 'myalgia', 'upper', 'limb', 'fracture', 'anaphylactoid', 'reaction', 'cataract', 'subcapsular', 'throat', 'tightness', 'hypersensitivity', 'diabetic', 'coma', 'atrial', 'fibrillation', 'chromaturia', 'liver', 'disorder', 'cold', 'sweat', 'laceration', 'mucous', 'membrane', 'disorder', 'stomatitis', 'hyperhidrosis', 'haemorrhoidal', 'haemorrhage', 'drug', 'interaction', 'haematochezia', 'haemorrhage', 'pregnancy', 'nausea', 'pregnancy', 'pneumonia', 'ectopic', 'pregnancy', 'pregnancy', 'contraceptive', 'device', 'exposure', 'pregnancy', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'gastrointestinal', 'haemorrhage', 'iron', 'deficiency', 'anaemia', 'upper', 'gastrointestinal', 'haemorrhage', 'cerebrovascular', 'accident', 'cerebral', 'ischaemia', 'anaemia', 'dizziness', 'blood', 'pressure', 'decreased', 'asthenia', 'pollakiuria', 'chill', 'tremor', 'hypoesthesia', 'pneumonitis', 'chemical', 'transitional', 'cell', 'carcinoma', 'umbilical', 'hernia', 'tooth', 'fracture', 'gastroesophageal', 'reflux', 'disease', 'sleep', 'apnoea', 'syndrome', 'oesophageal', 'spasm', 'folliculitis', 'synovitis', 'weight', 'fluctuation', 'regurgitation', 'diarrhoea', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'nausea', 'vomiting', 'purging', 'diarrhoea', 'hepatic', 'cancer', 'leukaemia', 'local', 'swelling', 'heart', 'rate', 'decreased', 'disorder', 'diarrhoea', 'drug', 'ineffective', 'sexual', 'dysfunction', 'congenital', 'aural', 'fistula', 'haemangioma', 'foetal', 'exposure', 'pregnancy', 'subdural', 'haemorrhage', 'drug', 'interaction', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'cystoid', 'macular', 'oedema', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'cataract', 'shock', 'hypoglycaemic', 'abdominal', 'pain', 'upper', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'small', 'fibre', 'neuropathy', 'deafness', 'motor', 'dysfunction', 'hypoesthesia', 'mental', 'impairment', 'muscle', 'spasm', 'headache', 'subdural', 'haemorrhage', 'drug', 'interaction', 'cerebral', 'haemorrhage', 'haemorrhage', 'fistula', 'polyp', 'rash', 'generalised', 'capillary', 'leak', 'syndrome', 'swelling', 'face', 'vomiting', 'rash', 'peripheral', 'swelling', 'nausea', 'adverse', 'reaction', 'blood', 'calcium', 'decreased', 'asthenia', 'renal', 'failure', 'acute', 'retroperitoneal', 'haemorrhage', 'clostridium', 'difficile', 'infection', 'influenza', 'cardiac', 'failure', 'congestive', 'pneumonia', 'cytomegalovirus', 'test', 'positive', 'virus', 'associated', 'lymphoproliferative', 'disorder', 'hepatitis', 'b', 'antibody', 'positive', 'febrile', 'neutropenia', 'corynebacterium', 'sepsis', 'haemorrhage', 'drug', 'interaction', 'nephrolithiasis', 'gout', 'pneumonia', 'joint', 'swelling', 'pain', 'extremity', 'syndrome', 'rheumatoid', 'arthritis', 'arthritis', 'oropharyngeal', 'pain', 'haemorrhage', 'drug', 'interaction', 'breast', 'cancer', 'dyspnoea', 'drug', 'dose', 'omission', 'circumstance', 'information', 'capable', 'leading', 'medication', 'error', 'adrenal', 'insufficiency', 'small', 'fibre', 'neuropathy', 'conjunctivitis', 'breast', 'cancer', 'ulcer', 'haemorrhage', 'drug', 'interaction', 'cerebrovascular', 'accident', 'cerebrovascular', 'accident', 'loss', 'consciousness', 'arrhythmia', 'diplopia', 'tremor', 'anomia', 'urinary', 'tract', 'infection', 'tremor', 'schizophrenia', 'weight', 'decreased', 'adverse', 'event', 'respiratory', 'distress', 'depressive', 'symptom', 'convulsion', 'stress', 'unevaluable', 'event', 'death', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'melena', 'death', 'uterine', 'perforation', 'uterine', 'disorder', 'emotional', 'distress', 'device', 'issue', 'injury', 'pain', 'conjunctival', 'haemorrhage', 'drug', 'interaction', 'coronary', 'artery', 'occlusion', 'malaise', 'drug', 'interaction', 'drug', 'ineffective', 'death', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'neoplasm', 'malignant', 'death', 'surgery', 'abdominal', 'pain', 'upper', 'eczema', 'pruritus', 'coronary', 'artery', 'occlusion', 'eye', 'haemorrhage', 'blood', 'pressure', 'increased', 'sleep', 'apnoea', 'syndrome', 'dyspnoea', 'dyspnoea', 'rash', 'nervousness', 'death', 'oedema', 'peripheral', 'chest', 'pain', 'dyspnoea', 'protein', 'increased', 'erythema', 'pleural', 'effusion', 'systemic', 'lupus', 'erythematosus', 'lupus', 'nephritis', 'nephrotic', 'syndrome', 'biopsy'

'kidney', 'pneumonia', 'hypoproteinaemia', 'pyrexia', 'infertility', 'female', 'uterine', 'perforation', 'devic  
ce', 'issue', 'emotional', 'distress', 'label', 'use', 'menorrhagia', 'pain', 'depression', 'anxiety', 'injury',  
'injury', 'anxiety', 'uterine', 'perforation', 'depression', 'pain', 'emotional', 'distress', 'abortion', 'spont  
aneous', 'haemorrhage', 'pregnancy', 'human', 'chorionic', 'gonadotropin', 'decreased', 'pregnancy', 'contracept  
ive', 'device', 'drug', 'ineffective', 'drug', 'ineffective', 'abortion', 'spontaneous', 'anxiety', 'pain', 'dep  
ression', 'emotional', 'distress', 'pregnancy', 'contraceptive', 'device', 'ectopic', 'pregnancy', 'contraceptiv  
e', 'device', 'device', 'dislocation', 'injury', 'weight', 'decreased', 'dizziness', 'tachycardia', 'dysmenorrho  
ea', 'vaginal', 'haemorrhage', 'genital', 'haemorrhage', 'drug', 'ineffective', 'pelvic', 'pain', 'menorrhagia',  
'immunodeficiency', 'autoimmune', 'disorder', 'abdominal', 'pain', 'fatigue', 'depression', 'device', 'monitorin  
g', 'procedure', 'performed', 'ectopic', 'pregnancy', 'contraceptive', 'device', 'arrest', 'haemorrhage', 'pregn  
ancy', 'nausea', 'incompatibility', 'migraine', 'device', 'dislocation', 'medical', 'device', 'monitoring', 'err  
or', 'weight', 'increased', 'palpitation', 'foreign', 'body', 'reproductive', 'tract', 'ruptured', 'ectopic', 'p  
regnancy', 'subcutaneous', 'abscess', 'abdominal', 'pain', 'lower', 'type', 'diabetes', 'mellitus', 'type', 'dia  
betes', 'mellitus', 'neuralgia', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'type', 'diabetes',  
'mellitus', 'lower', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'melaena', 'haematochezia', 'type  
, 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', '  
mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'blin  
dness', 'renal', 'osteodystrophy', 'cataract', 'neuropathy', 'peripheral', 'renal', 'disorder', 'hyperkalaemia',  
'cardiac', 'disorder', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'diabetic', 'coma', 'arrh  
ythmia', 'renal', 'failure', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes',  
'mellitus', 'tooth', 'loss', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'limb', 'injury', 'type  
, 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', '  
mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type  
, 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', '  
mellitus', 'type', 'diabetes', 'mellitus', 'blindness', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellit  
s', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'fatigue', 'asthenia', 'type', 'diabetes', '  
mellitus', 'bone', 'marrow', 'transplant', 'laceration', 'dyspnoea', 'productive', 'cough', 'seizure', 'head', '  
injury', 'presyncope', 'fall', 'rib', 'fracture', 'loss', 'consciousness', 'syncope', 'balance', 'disorder', 'co  
ncomitant', 'disease', 'aggravated', 'insomnia', 'humerus', 'fracture', 'joint', 'injury', 'haemorrhage', 'drug'  
, 'interaction', 'shock', 'haemorrhagic', 'sudden', 'hearing', 'loss', 'pancytopenia', 'depression', 'nephrogeni  
c', 'systemic', 'fibrosis', 'depression', 'suicidal', 'behaviour', 'death', 'parathyroid', 'gland', 'operation',  
'death', 'blood', 'calcium', 'increased', 'cough', 'pulmonary', 'arterial', 'hypertension', 'condition', 'aggrav  
ated', 'tongue', 'neoplasm', 'malignant', 'stage', 'unspecified', 'tongue', 'operation', 'biopsy', 'ovary', 'dea  
th', 'neonatal', 'respiratory', 'distress', 'syndrome', 'patent', 'ductus', 'arteriosus', 'atrial', 'septal', 'd  
effect', 'feeding', 'disorder', 'neonatal', 'agitation', 'neonatal', 'pulmonary', 'arterial', 'hypertension', 'co  
ndition', 'aggravated', 'cholelithiasis', 'label', 'use', 'root', 'canal', 'infection', 'cervical', 'cyst', 'uri  
nary', 'tract', 'infection', 'ovarian', 'cyst', 'product', 'use', 'issue', 'eye', 'swelling', 'rash', 'pruritus',  
, 'scleroderma', 'syncope', 'fall', 'joint', 'swelling', 'rheumatoid', 'arthritis', 'painful', 'respiration', 'skele  
tal', 'injury', 'pain', 'swelling', 'excoriation', 'angioplasty', 'haemorrhage', 'drug', 'interaction', 'pul  
monary', 'arterial', 'hypertension', 'condition', 'aggravated', 'scar', 'road', 'traffic', 'accident', 'stoma',  
'site', 'haemorrhage', 'herpes', 'zoster', 'hypersensitivity', 'inguinal', 'hernia', 'diabetes', 'mellitus', 're  
spiratory', 'failure', 'syndrome', 'therapeutic', 'response', 'decreased', 'serositis', 'arthropathy', 'dermatit  
is', 'fatigue', 'pyrexia', 'iris', 'atrophy', 'headache', 'death', 'death', 'atrial', 'fibrillation', 'suicidal',  
, 'ideation', 'paraesthesia', 'hypoesthesia', 'arthralgia', 'myalgia', 'hypergammaglobulinaemia', 'vitamin', 'd  
efficiency', 'nephrolithiasis', 'drug', 'hypersensitivity', 'dizziness', 'hypoesthesia', 'weight', 'increased',  
'hypoglycaemia', 'impaired', 'driving', 'ability', 'adverse', 'reaction', 'swelling', 'face', 'local', 'swelling',  
, 'eye', 'swelling', 'pruritus', 'dyspnoea', 'swollen', 'tongue', 'lip', 'swelling', 'amoebic', 'colitis', 'nec  
rotising', 'colitis', 'application', 'site', 'paraesthesia', 'application', 'site', 'pain', 'application', 'site',  
, 'erythema', 'application', 'site', 'exfoliation', 'drug', 'administration', 'error', 'inappropriate', 'schedu  
le', 'drug', 'administration', 'swelling', 'face', 'eye', 'swelling', 'thermal', 'burn', 'urinary', 'tract', 'in  
fection', 'pelvic', 'pain', 'uterine', 'perforation', 'device', 'dislocation', 'device', 'difficult', 'use', 'ab  
dominal', 'pain', 'pyrexia', 'injury', 'emotional', 'distress', 'device', 'dislocation', 'medical', 'device', 'c  
omplication', 'medical', 'device', 'discomfort', 'genital', 'haemorrhage', 'internal', 'injury', 'depression', '  
anxiety', 'infertility', 'female', 'depressed', 'mood', 'fear', 'acute', 'myocardial', 'infarction', 'paraesthes  
ia', 'hypoesthesia', 'headache', 'chest', 'pain', 'dyspnoea', 'intentional', 'drug', 'misuse', 'erection', 'inc  
reased', 'painful', 'erection', 'drug', 'ineffective', 'uterine', 'perforation', 'procedural', 'pain', 'abdomina  
l', 'pain', 'dysmenorrhoea', 'abdominal', 'pain', 'lower', 'menstruation', 'irregular', 'cardiac', 'failure', 'c  
ongestive', 'weight', 'increased', 'sinusitis', 'headache', 'peripheral', 'swelling', 'vomiting', 'grand', 'mal',  
, 'convulsion', 'incorrect', 'dose', 'administered', 'incorrect', 'drug', 'administration', 'duration', 'label',  
'use', 'drug', 'hypersensitivity', 'vitreous', 'disorder', 'visual', 'acuity', 'reduced', 'blindness', 'transien  
t', 'vision', 'blurred', 'blindness', 'eye', 'inflammation', 'blindness', 'transient', 'incorrect', 'product', 's  
torage', 'haemoptysis', 'pulmonary', 'haemorrhage', 'hypoesthesia', 'oral', 'hypoesthesia', 'confusional', 's  
tate', 'muscle', 'twitching', 'blood', 'calcium', 'decreased', 'pyrexia', 'pain', 'benign', 'prostatic', 'hyperpe  
rlasia', 'renal', 'failure', 'acute', 'nasal', 'discomfort', 'rhinorrhoea', 'lacrimation', 'increased', 'anosmia',  
, 'ageusia', 'type', 'diabetes', 'mellitus', 'malaise', 'asthenia', 'weight', 'increased', 'depression', 'self',  
'injurious', 'behaviour', 'osteoarthritis', 'periathritis', 'generalised', 'oedema', 'abdominal', 'distension',  
'blood', 'albumin', 'decreased', 'fluid', 'retention', 'malaise', 'product', 'substitution', 'issue', 'applicati  
on', 'site', 'dryness', 'application', 'site', 'pruritus', 'application', 'site', 'exfoliation', 'pustular', 'ps  
oriasis', 'onychomadesis', 'alopecia', 'psoriasis', 'application', 'site', 'dryness', 'application', 'site', 'ex  
foliation', 'application', 'site', 'pain', 'application', 'site', 'erythema', 'leukaemia', 'fluid', 'retention',  
'cardiac', 'failure', 'malaise', 'influenza', 'like', 'illness', 'flatulence', 'nausea', 'abdominal', 'pain', 'u  
pper', 'gastrointestinal', 'disorder', 'vision', 'blurred', 'eye', 'swelling', 'application', 'site', 'vesicle',  
'application', 'site', 'erythema', 'drug', 'administered', 'inappropriate', 'site', 'incorrect', 'drug', 'admini  
stration', 'duration', 'incorrect', 'drug', 'administration', 'duration', 'pyrexia', 'unresponsive', 'stimulus',  
'hypotonia', 'atrial', 'fibrillation', 'sick', 'sinus', 'syndrome', 'ischemic', 'stroke', 'erythema', 'drug', '  
administered', 'inappropriate', 'site', 'contusion', 'vaginal', 'haemorrhage', 'dizziness', 'feeling', 'abnormal',  
, 'chromaturia', 'haematuria', 'drug', 'interaction', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom',  
, 'pyrexia', 'rash', 'pruritic', 'hepatitis', 'blood', 'thyroid', 'stimulating', 'hormone', 'increased', 'anaemi  
a', 'dyspnoea', 'haemoglobin', 'decreased', 'dyspnoea', 'oxygen', 'consumption', 'increased', 'drug', 'ineffecti  
ve', 'application', 'site', 'pruritus', 'application', 'site', 'swelling', 'application', 'site', 'erythema', 'a  
cute', 'generalised', 'exanthematous', 'pustulosis', 'drug', 'intolerance', 'fluid', 'retention', 'cardiac', 'fa  
ilure', 'congestive', 'anxiety', 'palpitation', 'headache', 'kounis', 'syndrome', 'acute', 'myocardial', 'infarc  
tion', 'coeliac', 'disease', 'abdominal', 'pain', 'upper', 'abdominal', 'discomfort', 'gastrointestinal', 'sound

, 'abnormal', 'drug', 'administration', 'error', 'death', 'application', 'site', 'erythema', 'application', 'site', 'irritation', 'application', 'site', 'exfoliation', 'drug', 'administered', 'inappropriate', 'site', 'dizziness', 'fatigue', 'asthenia', 'product', 'quality', 'issue', 'pulmonary', 'oedema', 'dyspnoea', 'oedema', 'drug', 'ineffective', 'burning', 'sensation', 'toe', 'amputation', 'wound', 'infection', 'staphylococcal', 'osteomyelitis', 'therapeutic', 'response', 'acute', 'sinusitis', 'thrombophlebitis', 'superficial', 'confusional', 'state', 'deep', 'vein', 'thrombosis', 'rectal', 'haemorrhage', 'drug', 'interaction', 'glucose', 'tolerance', 'impaired', 'product', 'substitution', 'issue', 'glycosylated', 'haemoglobin', 'increased', 'renal', 'failure', 'acute', 'continuous', 'haemodiafiltration', 'renal', 'tubular', 'necrosis', 'drug', 'interaction', 'product', 'substitution', 'issue', 'product', 'quality', 'issue', 'feeling', 'jittery', 'convulsion', 'sinus', 'bradycardia', 'electrocardiogram', 'change', 'qrs', 'axis', 'abnormal', 'fall', 'head', 'injury', 'loss', 'consciousness', 'myoclonus', 'tardive', 'dyskinesia', 'complex', 'partial', 'seizure', 'rash', 'drug', 'eruption', 'hepatic', 'function', 'abnormal', 'alanine', 'aminotransferase', 'increased', 'toxic', 'epidermal', 'necrolysis', 'bone', 'marrow', 'transplant', 'drug', 'ineffective', 'foetal', 'anticonvulsant', 'syndrome', 'maternal', 'drug', 'affecting', 'foetus', 'serotonin', 'syndrome', 'acidosis', 'drug', 'interaction', 'urethral', 'stenosis', 'procedural', 'complication', 'tachycardia', 'swelling', 'face', 'joint', 'swelling', 'malaise', 'nausea', 'salivary', 'hypersecretion', 'headache', 'arthralgia', 'muscle', 'spasm', 'vomiting', 'weight', 'decreased', 'anger', 'psychotic', 'disorder', 'major', 'depression', 'anxiety', 'suicidal', 'ideation', 'neck', 'pain', 'vertigo', 'fall', 'nuclear', 'magnetic', 'resonance', 'imaging', 'brain', 'abnormal', 'epilepsy', 'feeling', 'drunk', 'drug', 'hypersensitivity', 'dependence', 'fluid', 'retention', 'weight', 'increased', 'constipation', 'abdominal', 'pain', 'upper', 'impaired', 'gastric', 'emptying', 'application', 'site', 'erythema', 'cerebral', 'venous', 'thrombosis', 'venous', 'haemorrhage', 'convulsion', 'dizziness', 'vertigo', 'diarrhoea', 'pruritus', 'generalised', 'gastroesophageal', 'reflux', 'disease', 'condition', 'aggravated', 'application', 'site', 'erythema', 'application', 'site', 'scab', 'application', 'site', 'pustule', 'application', 'site', 'vesicle', 'sinusitis', 'peritoneal', 'cloudy', 'effluent', 'wound', 'peritonitis', 'pseudomonas', 'test', 'positive', 'sleep', 'terror', 'panic', 'attack', 'unevaluable', 'event', 'movement', 'disorder', 'dyspnoea', 'hypotension', 'blood', 'creatinine', 'increased', 'application', 'site', 'erythema', 'application', 'site', 'vesicle', 'fungal', 'peritonitis', 'peritonitis', 'anuria', 'bladder', 'catheterisation', 'drug', 'administered', 'inappropriate', 'site', 'dyspnoea', 'pulmonary', 'thrombosis', 'thrombosis', 'toxic', 'shock', 'syndrome', 'muscle', 'spasm', 'abdominal', 'pain', 'shock', 'hepatitis', 'fulminant', 'incorrect', 'dose', 'administered', 'erythroaesthesia', 'syndrome', 'wound', 'secretion', 'nausea', 'tremor', 'dizziness', 'anxiety', 'headache', 'blood', 'pressure', 'systolic', 'increased', 'product', 'label', 'wrong', 'product', 'wrong', 'drug', 'administered', 'hallucination', 'insomnia', 'anxiety', 'intentional', 'tinnitus', 'blood', 'pressure', 'increased', 'neuropathy', 'peripheral', 'feeling', 'abnormal', 'muscle', 'spasm', 'tendon', 'pain', 'muscle', 'tightness', 'nasopharyngitis', 'drug', 'ineffective', 'vomiting', 'loss', 'consciousness', 'dizziness', 'hyperhidrosis', 'asthenia', 'nausea', 'headache', 'fluid', 'retention', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'haematochezia', 'panic', 'attack', 'aggression', 'cerebrovascular', 'accident', 'hypertensive', 'crisis', 'headache', 'visual', 'impairment', 'cerebral', 'infarction', 'drug', 'hypersensitivity', 'cellulitis', 'bone', 'pain', 'myalgia', 'paraesthesia', 'hypoesthesia', 'abasia', 'muscular', 'weakness', 'fall', 'insomnia', 'trismus', 'adverse', 'drug', 'reaction', 'systemic', 'lupus', 'erythematosus', 'malaise', 'drug', 'ineffective', 'death', 'chronic', 'lymphocytic', 'leukaemia', 'disorder', 'hospice', 'care', 'hypokalaemia', 'asthenia', 'drug', 'hypersensitivity', 'haemorrhage', 'paraesthesia', 'oral', 'paraesthesia', 'myalgia', 'arthralgia', 'paraesthesia', 'label', 'use', 'thrombophlebitis', 'superficial', 'thrombosis', 'dyskinesia', 'skin', 'ulcer', 'skin', 'necrosis', 'wound', 'secretion', 'hyperaesthesia', 'erythema', 'discomfort', 'pain', 'extremity', 'biliary', 'sepsis', 'delirium', 'hypoesthesia', 'joint', 'range', 'motion', 'decreased', 'sensory', 'disturbance', 'local', 'swelling', 'skin', 'discolouration', 'hospitalisation', 'fluid', 'retention', 'nausea', 'vomiting', 'haemoglobin', 'decreased', 'leukopenia', 'unevaluable', 'event', 'dizziness', 'therapeutic', 'response', 'increased', 'viscosity', 'upper', 'respiratory', 'secretion', 'oedema', 'epistaxis', 'dyspnoea', 'nasal', 'congestion', 'presyncope', 'cardiac', 'failure', 'oedema', 'balance', 'disorder', 'abasia', 'hypoesthesia', 'muscular', 'weakness', 'myelopathy', 'polyneuropathy', 'sensory', 'loss', 'loss', 'proprioception', 'hypersensitivity', 'fluid', 'retention', 'cerebrovascular', 'accident', 'death', 'unresponsive', 'stimulus', 'feeling', 'abnormal', 'inappropriate', 'schedule', 'drug', 'administration', 'transaminase', 'increased', 'blood', 'glucose', 'increased', 'psychotic', 'disorder', 'renal', 'impairment', 'gastric', 'disorder', 'dislocation', 'vertebra', 'mobility', 'decreased', 'myocardial', 'infarction', 'lower', 'respiratory', 'tract', 'infection', 'headache', 'dizziness', 'lymphoproliferative', 'disorder', 'uterine', 'perforation', 'abdominal', 'pain', 'device', 'defective', 'dyspareunia', 'medical', 'device', 'discomfort', 'dyspnoea', 'anxiety', 'insomnia', 'local', 'swelling', 'peripheral', 'coldness', 'syncope', 'drug', 'ineffective', 'cough', 'device', 'dislocation', 'pain', 'general', 'physical', 'health', 'deterioration', 'anxiety', 'anhedonia', 'injury', 'infection', 'pregnancy', 'contraceptive', 'device', 'drug', 'ineffective', 'scar', 'night', 'sweat', 'hormone', 'level', 'abnormal', 'menstrual', 'disorder', 'uterine', 'perforation', 'injury', 'pain', 'dyspareunia', 'scar', 'emotional', 'distress', 'fear', 'depression', 'anxiety', 'intentional', 'overdose', 'speech', 'disorder', 'incoherent', 'hallucination', 'visual', 'metabolic', 'acidosis', 'rhabdomyolysis', 'confusional', 'state', 'hyperkalaemia', 'haemodialysis', 'electrolyte', 'imbalance', 'asthenia', 'fluid', 'retention', 'death', 'hypotension', 'tachycardia', 'pregnancy', 'glucose', 'tolerance', 'impaired', 'type', 'diabetes', 'mellitus', 'diabetic', 'neuropathy', 'glycosylated', 'haemoglobin', 'cerebrovascular', 'accident', 'abasia', 'headache', 'dizziness', 'type', 'diabetes', 'mellitus', 'cardiovascular', 'disorder', 'liver', 'injury', 'renal', 'disorder', 'death', 'failure', 'overdose', 'escherichia', 'infection', 'lip', 'swelling', 'gingival', 'swelling', 'burning', 'sensation', 'paraesthesia', 'oral', 'depression', 'drug', 'hypersensitivity', 'suicidal', 'ideation', 'weight', 'decreased', 'insomnia', 'pemphigoid', 'pneumonitis', 'jugular', 'vein', 'thrombosis', 'disease', 'progression', 'lung', 'neoplasm', 'malignant', 'chemical', 'injury', 'pain', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'irritable', 'bowel', 'syndrome', 'clostridium', 'difficile', 'infection', 'inflammatory', 'bowel', 'disease', 'chest', 'discomfort', 'tachycardia', 'dyspnoea', 'hypertension', 'anxiety', 'death', 'chemical', 'injury', 'chemical', 'burn', 'skin', 'uterine', 'perforation', 'device', 'dislocation', 'pelvic', 'pain', 'abdominal', 'pain', 'injury', 'emotional', 'distress', 'medical', 'device', 'complication', 'internal', 'injury', 'medical', 'device', 'discomfort', 'depression', 'anxiety', 'depressed', 'mood', 'fear', 'genital', 'haemorrhage', 'device', 'issue', 'injection', 'site', 'nodule', 'injection', 'site', 'discolouration', 'injection', 'site', 'dryness', 'product', 'quality', 'issue', 'serotonin', 'syndrome', 'drug', 'level', 'increased', 'drug', 'interaction', 'type', 'diabetes', 'mellitus', 'pain', 'uterine', 'perforation', 'complication', 'device', 'removal', 'injury', 'label', 'use', 'device', 'breakage', 'emotional', 'distress', 'depression', 'dyspnoea', 'abdominal', 'pain', 'upper', 'flushing', 'nausea', 'neutropenia', 'leukopenia', 'mental', 'status', 'change', 'pain', 'chemical', 'injury', 'blister', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'chest', 'pain', 'tinnitus', 'headache', 'vision', 'blurred', 'infusion', 'related', 'reaction', 'hyperhidrosis', 'flushing', 'nausea', 'dyspnoea', 'hypoxia', 'product', 'quality', 'issue', 'accidental', 'exposure', 'product', 'eye', 'irritation', 'burning', 'sensation', 'eye', 'pain', 'ocular', 'hyperaemia', 'visual', 'acuity', 'reduced', 'visual', 'impairment', 'optic', 'neuritis', 'eye', 'pain', 'pulmonary', 'embolism', 'poor', 'venous', 'access

s', 'troponin', 'increased', 'cardiac', 'ventricular', 'disorder', 'brain', 'natriuretic', 'peptide', 'increased', 'ischaemia', 'respiratory', 'failure', 'escherichia', 'urinary', 'tract', 'infection', 'epistaxis', 'disease', 'recurrence', 'drug', 'hypersensitivity', 'encephalitis', 'asthenia', 'melaena', 'anaemia', 'gastritis', 'erosive', 'oesophagitis', 'gastrointestinal', 'haemorrhage', 'cerebrovascular', 'accident', 'type', 'diabetes', 'mellitus', 'glucose', 'tolerance', 'impaired', 'cerebrovascular', 'accident', 'coronary', 'artery', 'thrombosis', 'pulmonary', 'thrombosis', 'type', 'diabetes', 'mellitus', 'epistaxis', 'sneezing', 'atrial', 'fibrillation', 'nausea', 'dehydration', 'cardiac', 'arrest', 'abdominal', 'pain', 'malignant', 'melanoma', 'situ', 'agranulocytosis', 'influenza', 'lymphopenia', 'syncope', 'nasopharyngitis', 'dementia', 'type', 'central', 'nervous', 'system', 'lesion', 'vision', 'blurred', 'scratch', 'hypoaesthesia', 'hypoaesthesia', 'alopecia', 'paraesthesia', 'pruritus', 'inappropriate', 'schedule', 'drug', 'administration', 'disease', 'progression', 'myocardial', 'infarction', 'metabolic', 'acidosis', 'renal', 'failure', 'acute', 'rhabdomyolysis', 'encephalopathy', 'propofol', 'infusion', 'syndrome', 'muscular', 'weakness', 'muscular', 'weakness', 'neurological', 'symptom', 'nuclear', 'magnetic', 'resonance', 'imaging', 'abnormal', 'meningitis', 'fungal', 'injection', 'site', 'pain', 'suspected', 'transmission', 'infectious', 'agent', 'via', 'product', 'disease', 'progression', 'fall', 'pain', 'extremity', 'nerve', 'injury', 'tendon', 'injury', 'type', 'diabetes', 'mellitus', 'diverticular', 'perforation', 'abscess', 'diverticulitis', 'death', 'type', 'diabetes', 'mellitus', 'respiratory', 'failure', 'label', 'use', 'device', 'dislocation', 'abdominal', 'pain', 'upper', 'nausea', 'vomiting', 'death', 'diabetic', 'ketoacidosis', 'trigeminal', 'palsy', 'device', 'dislocation', 'vomiting', 'pregnancy', 'contraceptive', 'device', 'nausea', 'drug', 'ineffective', 'genital', 'haemorrhage', 'abdominal', 'pain', 'lower', 'cyst', 'device', 'deployment', 'issue', 'asthenia', 'rash', 'pruritic', 'hepatitis', 'c', 'rna', 'increased', 'dysuria', 'influenza', 'like', 'illness', 'transfusion', 'agranulocytosis', 'pyrexia', 'bone', 'marrow', 'failure', 'pneumonia', 'drug', 'effect', 'decreased', 'product', 'substitution', 'issue', 'meningitis', 'fungal', 'transmission', 'infectious', 'agent', 'via', 'product', 'asthenia', 'vomiting', 'coma', 'meningitis', 'fungal', 'injection', 'site', 'pain', 'injection', 'site', 'edema', 'transmission', 'infectious', 'agent', 'via', 'product', 'thrombosis', 'fall', 'haematoma', 'investigation', 'adverse', 'event', 'pulmonary', 'embolism', 'cerebrovascular', 'accident', 'condition', 'aggravated', 'product', 'substitution', 'issue', 'ovarian', 'cyst', 'pain', 'loss', 'consciousness', 'hospitalisation', 'hospitalisation', 'gait', 'disturbance', 'balance', 'disorder', 'hernia', 'alopecia', 'injection', 'site', 'pain', 'suspected', 'transmission', 'infectious', 'agent', 'via', 'product', 'hypersensitivity', 'vasculitis', 'nephritic', 'syndrome', 'haematuria', 'renal', 'failure', 'acute', 'renal', 'failure', 'chronic', 'nephrotic', 'syndrome', 'pneumonia', 'bronchitis', 'rash', 'death', 'convulsion', 'hypokinesia', 'skin', 'necrosis', 'decubitus', 'ulcer', 'multimorbidity', 'bronchitis', 'blood', 'potassium', 'decreased', 'hypophagia', 'microangiopathic', 'haemolytic', 'anaemia', 'thrombotic', 'microangiopathy', 'renal', 'failure', 'acute', 'substance', 'abuse', 'fluid', 'overload', 'hypersensitivity', 'inflammation', 'pruritus', 'skin', 'irritation', 'application', 'site', 'swelling', 'application', 'site', 'erythema', 'product', 'gel', 'formation', 'skin', 'exfoliation', 'application', 'site', 'pain', 'pruritus', 'application', 'site', 'pain', 'disturbance', 'attention', 'application', 'site', 'erosion', 'implant', 'site', 'infection', 'device', 'expulsion', 'pleural', 'effusion', 'fluid', 'overload', 'uterine', 'perforation', 'abdominal', 'pain', 'general', 'physical', 'health', 'deterioration', 'anxiety', 'anhedonia', 'infection', 'emotional', 'distress', 'uterine', 'fibrosis', 'pregnancy', 'contraceptive', 'device', 'malaise', 'abortion', 'spontaneous', 'human', 'chorionic', 'gonadotropin', 'decreased', 'accident', 'migraine', 'labelled', 'interaction', 'medication', 'error', 'pathological', 'fracture', 'microangiopathic', 'haemolytic', 'anaemia', 'thrombotic', 'microangiopathy', 'renal', 'failure', 'acute', 'drug', 'abuse', 'polysubstance', 'dependence', 'influenza', 'like', 'illness', 'dehydration', 'fall', 'ankle', 'fracture', 'pyrexia', 'abdominal', 'hernia', 'condition', 'aggravated', 'decreased', 'appetite', 'weight', 'decreased', 'peritonitis', 'peritoneal', 'dialysis', 'complication', 'pneumonia', 'pneumothorax', 'anaemia', 'constipation', 'gait', 'disturbance', 'abnormal', 'behavior', 'muscle', 'spasticity', 'drug', 'withdrawal', 'syndrome', 'nervous', 'system', 'disorder', 'device', 'dislocation', 'muscle', 'tightness', 'device', 'issue', 'malaise', 'hypertonia', 'scoliosis', 'rash', 'papulosquamous', 'pyrexia', 'face', 'oedema', 'rash', 'pustular', 'blister', 'splenomegaly', 'haemoglobin', 'decreased', 'blood', 'creatinine', 'increased', 'dehydration', 'herpes', 'zoster', 'confusional', 'state', 'blood', 'glucose', 'increased', 'hypertension', 'nausea', 'vomiting', 'septic', 'shock', 'drug', 'ineffective', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'pulmonary', 'oedema', 'viral', 'infection', 'pancreatitis', 'haematemesis', 'death', 'label', 'use', 'surgery', 'stress', 'fracture', 'hernia', 'paraesthesia', 'cystitis', 'kidney', 'infection', 'flushing', 'acne', 'contusion', 'erythema', 'swollen', 'tongue', 'urinary', 'tract', 'infection', 'influenza', 'alopecia', 'cellulitis', 'cauda', 'equina', 'syndrome', 'disease', 'progression', 'urinary', 'retention', 'partial', 'seizure', 'secondary', 'generalisation', 'label', 'use', 'pulmonary', 'arterial', 'hypertension', 'hypertension', 'renal', 'artery', 'stenosis', 'exposure', 'pregnancy', 'pneumonia', 'genital', 'haemorrhage', 'diarrhoea', 'dehydration', 'clostridium', 'difficile', 'infection', 'dehydration', 'cerebrovascular', 'accident', 'aphasia', 'atrial', 'flutter', 'dehydration', 'vomiting', 'cerebrovascular', 'accident', 'intestinal', 'obstruction', 'hydronephrosis', 'injection', 'site', 'pain', 'injection', 'site', 'reaction', 'injection', 'site', 'nodule', 'incorrect', 'route', 'drug', 'administration', 'therapeutic', 'response', 'infection', 'pneumonia', 'cognitive', 'disorder', 'myocardial', 'infarction', 'cardiac', 'failure', 'congestive', 'atrial', 'fibrillation', 'gastric', 'disorder', 'cardiac', 'failure', 'congestive', 'mitral', 'valve', 'incompetence', 'tricuspid', 'valve', 'incompetence', 'diabetes', 'mellitus', 'inadequate', 'control', 'hyperglycaemia', 'pneumonia', 'pulmonary', 'oedema', 'hypertensive', 'crisis', 'anaphylactic', 'reaction', 'pyrexia', 'muscle', 'rigidity', 'swollen', 'tongue', 'dyspepsia', 'procedural', 'pain', 'peritonitis', 'disease', 'renal', 'failure', 'adrenal', 'insufficiency', 'asthenia', 'fatigue', 'hypotension', 'alopecia', 'cardiac', 'failure', 'congestive', 'anaemia', 'gastrointestinal', 'haemorrhage', 'gastritis', 'chest', 'pain', 'nephrolithiasis', 'bacterial', 'infection', 'pneumonia', 'hypersensitivity', 'influenza', 'oral', 'herpes', 'steatohepatitis', 'nephrogenic', 'systemic', 'fibrosis', 'investigation', 'hernia', 'inguinal', 'hernia', 'hydrocele', 'cardiac', 'operation', 'gastric', 'haemorrhage', 'breast', 'cancer', 'metastatic', 'nasopharyngitis', 'drug', 'hypersensitivity', 'hypersensitivity', 'infection', 'tongue', 'ulceration', 'body', 'temperature', 'increased', 'swelling', 'face', 'chill', 'gingival', 'pain', 'oedema', 'mouth', 'tongue', 'ulceration', 'malaise', 'lip', 'ulceration', 'lip', 'swelling', 'swollen', 'tongue', 'anaphylactoid', 'reaction', 'drug', 'dispensing', 'error', 'international', 'normalised', 'ratio', 'decreased', 'drug', 'interaction', 'drug', 'interaction', 'vitamin', 'k', 'deficiency', 'pneumonia', 'cardiac', 'disorder', 'death', 'disorder', 'pneumonia', 'muscle', 'spasm', 'presyncope', 'blindness', 'chronic', 'respiratory', 'failure', 'dyspnoea', 'death', 'pneumonia', 'cardiac', 'failure', 'congestive', 'diabetes', 'mellitus', 'rheumatoid', 'arthritis', 'hypertension', 'anaemia', 'osteoarthritis', 'coronary', 'artery', 'disease', 'fall', 'wrist', 'fracture', 'adverse', 'event', 'overdose', 'coma', 'scale', 'abnormal', 'heart', 'rate', 'decreased', 'blood', 'pressure', 'systolic', 'decreased', 'metabolic', 'acidosis', 'breast', 'cancer', 'cardiac', 'failure', 'coronary', 'artery', 'disease', 'pneumonia', 'aspiration', 'aspiration', 'hypoxia', 'respiratory', 'failure', 'failure', 'oxygen', 'supplementation', 'pneumonia', 'diarrhoea', 'fatigue', 'dehydration', 'asthenia', 'hypokalaemia', 'alopecia', 'fluid', 'replacement', 'weight', 'decreased', 'decreased', 'appetite', 'cough', 'nausea', 'vomiting', 'pertussis', 'cough', 'dyspnoea', 'erythema', 'cyanosis', 'post', 'procedural', 'infection', 'blood', 'pressure', 'increased', 'diabetic', 'gangrene', 'adverse', 'event', 'adverse', 'event', 'peritoneal', 'dialysis', 'comp



lication', 'drug', 'hypersensitivity', 'death', 'abnormal', 'behaviour', 'myocardial', 'infarction', 'seroma', 'infection', 'pain', 'eye', 'disorder', 'loss', 'consciousness', 'fall', 'headache', 'eye', 'infection', 'unevaluable', 'event', 'aplastic', 'anaemia', 'myelodysplastic', 'syndrome', 'unevaluable', 'event', 'myocardial', 'infarction', 'heart', 'valve', 'incompetence', 'peripheral', 'swelling', 'thrombocytopenia', 'drug', 'hypersensitivity', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'death', 'fungal', 'peritonitis', 'peritoneal', 'dialysis', 'complication', 'myocardial', 'infarction', 'sepsis', 'incision', 'site', 'infection', 'enterococcal', 'infection', 'toxic', 'skin', 'eruption', 'eczema', 'alopecia', 'rash', 'generalised', 'depression', 'pruritus', 'generalised', 'generalised', 'erythema', 'exposure', 'pregnancy', 'product', 'quality', 'issue', 'blood', 'glucose', 'increased', 'blood', 'creatinine', 'decreased', 'renal', 'pain', 'nausea', 'conversion', 'disorder', 'protein', 'total', 'decreased', 'insomnia', 'exposure', 'pregnancy', 'abasia', 'nervous', 'system', 'disorder', 'hypoesthesia', 'hypoesthesia', 'muscular', 'weakness', 'gait', 'disturbance', 'hernia', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'thrombosis', 'label', 'use', 'thrombocytopenia', 'macroglossia', 'wheezing', 'oxygen', 'saturation', 'decreased', 'transient', 'ischaemic', 'attack', 'interstitial', 'lung', 'disease', 'asthenia', 'abnormal', 'behaviour', 'disorder', 'stereotypy', 'anxiety', 'psychomotor', 'hyperactivity', 'ageusia', 'hyposmia', 'altered', 'state', 'consciousness', 'encephalitis', 'viral', 'throat', 'tightness', 'influenza', 'migraine', 'nausea', 'diarrhoea', 'influenza', 'like', 'illness', 'adverse', 'drug', 'reaction', 'chill', 'immunoglobulin', 'decreased', 'malaise', 'sinus', 'disorder', 'respiratory', 'disorder', 'syndrome', 'stomatitis', 'necrotising', 'bronchopneumonia', 'erythema', 'multiforme', 'oral', 'mucosal', 'blistering', 'swelling', 'face', 'pyrexia', 'cough', 'oropharyngeal', 'pain', 'vomiting', 'erythema', 'lip', 'swelling', 'cheilitis', 'lip', 'haemorrhage', 'oral', 'mucosa', 'erosion', 'mouth', 'haemorrhage', 'tongue', 'blistering', 'penile', 'ulceration', 'hypophagia', 'enteral', 'nutrition', 'lip', 'erosion', 'dermatitis', 'blister', 'mucous', 'membrane', 'disorder', 'tongue', 'coated', 'scab', 'skin', 'degenerative', 'disorder', 'dysgeusia', 'hepatocellular', 'injury', 'hepatitis', 'syndrome', 'toxic', 'epidermal', 'necrosis', 'rash', 'skin', 'exfoliation', 'gastrointestinal', 'mucosal', 'exfoliation', 'oral', 'mucosal', 'exfoliation', 'pyrexia', 'label', 'use', 'failure', 'atrial', 'flutter', 'overdose', 'angle', 'closure', 'glaucoma', 'angle', 'closure', 'glaucoma', 'loss', 'consciousness', 'psychomotor', 'hyperactivity', 'intentional', 'overdose', 'neoplasm', 'malignant', 'anaphylactic', 'shock', 'flushing', 'dizziness', 'pruritus', 'rash', 'blood', 'pressure', 'diastolic', 'decreased', 'dyskinesia', 'eye', 'movement', 'disorder', 'urinary', 'incontinence', 'faecal', 'incontinence', 'pulse', 'absent', 'infusion', 'related', 'reaction', 'loss', 'consciousness', 'febrile', 'neutropenia', 'unevaluable', 'event', 'blood', 'albumin', 'decreased', 'protein', 'total', 'decreased', 'failure', 'thrive', 'decubitus', 'ulcer', 'dyspepsia', 'aphagia', 'dyspnoea', 'stomatitis', 'hepatitis', 'c', 'neurotoxicity', 'visual', 'acuity', 'reduced', 'burning', 'sensation', 'rale', 'dyspnoea', 'respiratory', 'disorder', 'condition', 'aggravated', 'disease', 'progression', 'jaundice', 'portal', 'vein', 'occlusion', 'oedema', 'peripheral', 'rash', 'erysipelas', 'varicose', 'vein', 'urticaria', 'neonatal', 'respiratory', 'distress', 'syndrome', 'restlessness', 'foetal', 'exposure', 'pregnancy', 'urinary', 'tract', 'infection', 'pneumonia', 'sepsis', 'infected', 'skin', 'ulcer', 'cellulitis', 'subcutaneous', 'abscess', 'staphylococcal', 'infection', 'hypotension', 'gastric', 'infection', 'gastrointestinal', 'haemorrhage', 'gastrointestinal', 'infection', 'liver', 'disorder', 'feeding', 'disorder', 'neonatal', 'hydrocele', 'cry', 'hypotonia', 'foetal', 'exposure', 'pregnancy', 'exposure', 'breast', 'feeding', 'cardiac', 'failure', 'congestive', 'gastrointestinal', 'haemorrhage', 'haemorrhoidal', 'haemorrhage', 'gait', 'disturbance', 'dehydration', 'systemic', 'inflammatory', 'response', 'syndrome', 'renal', 'failure', 'acute', 'failure', 'nephrogenic', 'systemic', 'fibrosis', 'peritonitis', 'bacterial', 'asthenia', 'mental', 'status', 'change', 'cerebrovascular', 'accident', 'cardiac', 'disorder', 'arterial', 'disorder', 'peritonitis', 'gastroenteritis', 'viral', 'anaphylactic', 'shock', 'anaphylactic', 'reaction', 'arrest', 'hyperkalaemia', 'dysgeusia', 'haematuria', 'pyrexia', 'myalgia', 'urinary', 'tract', 'infection', 'type', 'diabetes', 'mellitus', 'aphasia', 'fanconi', 'syndrome', 'renal', 'tubular', 'acidosis', 'electrolyte', 'imbalance', 'condition', 'aggravated', 'secondary', 'progressive', 'multiple', 'sclerosis', 'intestinal', 'perforation', 'irritable', 'bowel', 'syndrome', 'asthma', 'peritoneal', 'effluent', 'abnormal', 'peritonitis', 'dehydration', 'constipation', 'seborrheic', 'dermatitis', 'scar', 'gastrointestinal', 'motility', 'disorder', 'muscular', 'weakness', 'acne', 'constipation', 'urinary', 'tract', 'infection', 'pollakiuria', 'temperature', 'intolerance', 'gait', 'disturbance', 'urinary', 'retention', 'vitamin', 'deficiency', 'furuncle', 'paraesthesia', 'pain', 'hepatic', 'enzyme', 'increased', 'drug', 'dose', 'omission', 'abdominal', 'discomfort', 'feeling', 'hot', 'dysuria', 'asthenia', 'multiple', 'sclerosis', 'relapse', 'blood', 'alkaline', 'phosphatase', 'increased', 'diabetic', 'neuropathy', 'type', 'diabetes', 'mellitus', 'methaemoglobinemia', 'pneumonia', 'type', 'diabetes', 'mellitus', 'convulsion', 'drug', 'abuse', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'pneumocystis', 'jirovecii', 'infection', 'lymphopenia', 'dyspnoea', 'feeling', 'abnormal', 'breast', 'disorder', 'female', 'staphylococcal', 'infection', 'cellulitis', 'type', 'diabetes', 'mellitus', 'abdominal', 'wall', 'haemorrhage', 'abdominal', 'pain', 'abortion', 'spontaneous', 'abdominal', 'pain', 'breast', 'disorder', 'type', 'diabetes', 'mellitus', 'hypothyroidism', 'type', 'diabetes', 'mellitus', 'drug', 'ineffective', 'toricollis', 'renal', 'disorder', 'type', 'diabetes', 'mellitus', 'nephrolithiasis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'pneumonia', 'septic', 'shock', 'acute', 'respiratory', 'distress', 'syndrome', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'drug', 'dispensing', 'error', 'drug', 'prescribing', 'error', 'wrong', 'drug', 'administered', 'dizziness', 'asthenia', 'hypoesthesia', 'heart', 'rate', 'increased', 'mental', 'status', 'change', 'blood', 'potassium', 'decreased', 'blood', 'glucose', 'decreased', 'local', 'swelling', 'musculoskeletal', 'stiffness', 'peripheral', 'coldness', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'respiratory', 'depression', 'oxygen', 'saturation', 'decreased', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'epistaxis', 'drug', 'interaction', 'gastrointestinal', 'haemorrhage', 'dehydration', 'pneumonia', 'failure', 'type', 'diabetes', 'mellitus', 'cerebrovascular', 'accident', 'convulsion', 'nephropathy', 'toxic', 'haemorrhage', 'drug', 'interaction', 'completed', 'suicide', 'intentional', 'product', 'misuse', 'seizure', 'like', 'phenomenon', 'fatigue', 'muscle', 'spasm', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'local', 'swelling', 'fatigue', 'gait', 'disturbance', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'diabetic', 'neuropathy', 'impaired', 'driving', 'ability', 'diabetic', 'vascular', 'disorder', 'type', 'diabetes', 'mellitus', 'visual', 'impairment', 'type', 'diabetes', 'mellitus', 'transfusion', 'arrhythmia', 'type', 'diabetes', 'mellitus', 'central', 'nervous', 'system', 'lesion', 'urinary', 'retention', 'wound', 'dehiscence', 'myelodysplastic', 'syndrome', 'benign', 'breast', 'neoplasm', 'prescribed', 'underdose', 'peritonitis', 'bacterial', 'lipid', 'metabolism', 'disorder', 'fluid', 'retention', 'diabetic', 'vascular', 'disorder', 'diabetic', 'complication', 'abdominal', 'pain', 'upper', 'neuralgia', 'cardiovascular', 'disorder', 'type', 'diabetes', 'mellitus', 'asthma', 'haemoptysis', 'pneumonia', 'aspiration', 'anaemia', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'rectal', 'haemorrhage', 'drug', 'interaction', 'increased', 'aspartate', 'aminotransferase', 'increased', 'alanine', 'aminotransferase', 'increased', 'blood', 'alkaline', 'phosphatase', 'increased', 'type', 'diabetes', 'mellitus', 'arterial', 'disorder', 'chest', 'pain', 'type', 'diabetes', 'mellitus', 'glucose', 'tolerance', 'impaired', 'diarrhoea', 'nausea', 'abdominal', 'pain', 'vomiting', 'type', 'diabetes', 'mellitus', 'blindness', 'neuropathy', 'peripheral', 'glucose', 'tolerance', 'impaired', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'hypersensitivity', 'atrial', 'fibrillation', 'type', 'diabetes', 'mellitus'

death', 'type', 'diabetes', 'mellitus', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'type', 'diabetes', 'mellitus', 'cerebrovascular', 'accident', 'pulmonary', 'thrombosis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'aphagia', 'haematochezia', 'eructation', 'appetite', 'disorder', 'nausea', 'food', 'aversion', 'abdominal', 'pain', 'upper', 'type', 'diabetes', 'mellitus', 'oedema', 'type', 'diabetes', 'mellitus', 'haematemesis', 'hyperpyrexia', 'melaena', 'sepsis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'death', 'cholecystitis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'abdominal', 'pain', 'upper', 'sneezing', 'rhinorrhoea', 'nausea', 'dyspepsia', 'diarrhoea', 'pain', 'product', 'packaging', 'quantity', 'issue', 'drug', 'administered', 'inappropriate', 'site', 'weight', 'increased', 'type', 'diabetes', 'mellitus', 'bone', 'infarction', 'dysgeusia', 'accidental', 'exposure', 'product', 'analgesic', 'asthma', 'syndrome', 'wheezing', 'cough', 'rhinorrhoea', 'chest', 'discomfort', 'nasal', 'congestion', 'angioedema', 'erythema', 'nasal', 'congestion', 'disease', 'progression', 'label', 'use', 'disease', 'drug', 'ineffective', 'incorrect', 'dose', 'administered', 'product', 'quality', 'issue', 'application', 'site', 'vesicle', 'application', 'site', 'scar', 'skin', 'cancer', 'weight', 'decreased', 'diarrhoea', 'convulsion', 'drug', 'hypersensitivity', 'headache', 'type', 'diabetes', 'mellitus', 'peripheral', 'swelling', 'incorrect', 'drug', 'administration', 'duration', 'product', 'packaging', 'quantity', 'issue', 'respiratory', 'distress', 'drug', 'hypersensitivity', 'death', 'application', 'site', 'dryness', 'application', 'site', 'vesicle', 'application', 'site', 'erythema', 'drug', 'ineffective', 'inappropriate', 'schedule', 'drug', 'administration', 'drug', 'ineffective', 'peripheral', 'swelling', 'fluid', 'retention', 'application', 'site', 'dryness', 'application', 'site', 'reaction', 'application', 'site', 'pain', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'drug', 'administration', 'error', 'fall', 'rib', 'fracture', 'facial', 'bone', 'fracture', 'throat', 'tightness', 'hypersensitivity', 'swollen', 'tongue', 'drug', 'ineffective', 'application', 'site', 'erythema', 'application', 'site', 'vesicle', 'headache', 'incorrect', 'product', 'storage', 'cardiac', 'ablation', 'medical', 'device', 'implantation', 'dermatitis', 'contact', 'unevaluable', 'event', 'application', 'site', 'pain', 'application', 'site', 'dryness', 'cardiac', 'failure', 'congestive', 'peripheral', 'swelling', 'death', 'nausea', 'blood', 'count', 'abnormal', 'cardiac', 'disorder', 'myocardial', 'infarction', 'atrial', 'fibrillation', 'chest', 'discomfort', 'dyspnoea', 'asthenia', 'malaise', 'urinary', 'incontinence', 'abdominal', 'pain', 'upper', 'swelling', 'drug', 'interaction', 'blood', 'potassium', 'decreased', 'palpitation', 'feeling', 'cold', 'hypoesthesia', 'thinking', 'abnormal', 'headache', 'swelling', 'pathogen', 'resistance', 'infection', 'malaise', 'lower', 'respiratory', 'tract', 'infection', 'diabetes', 'mellitus', 'overweight', 'differential', 'white', 'blood', 'cell', 'count', 'abnormal', 'eosinophil', 'count', 'increased', 'white', 'blood', 'cell', 'count', 'increased', 'neutrophil', 'count', 'increased', 'platelet', 'count', 'increased', 'brain', 'injury', 'dizziness', 'vomiting', 'cognitive', 'disorder', 'mental', 'disorder', 'anxiety', 'depression', 'panic', 'attack', 'condition', 'aggravated', 'drug', 'ineffective', 'nephrolithiasis', 'gastric', 'ulcer', 'gout', 'chromaturia', 'therapeutic', 'response', 'deafness', 'tinnitus', 'deafness', 'therapeutic', 'response', 'dyspnoea', 'palpitation', 'dyspnoea', 'exertional', 'fluid', 'retention', 'cough', 'fluid', 'retention', 'asthma', 'intentional', 'drug', 'misuse', 'application', 'site', 'vesicle', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'incorrect', 'drug', 'administration', 'duration', 'dehydration', 'febrile', 'neutropenia', 'death', 'bundle', 'branch', 'block', 'right', 'sinus', 'bradycardia', 'label', 'use', 'arterial', 'occlusive', 'disease', 'blood', 'glucose', 'increased', 'pneumonia', 'loss', 'consciousness', 'malaise', 'diarrhoea', 'blood', 'glucose', 'increased', 'injection', 'site', 'nodule', 'injection', 'site', 'pruritus', 'injection', 'site', 'extravasation', 'wrong', 'technique', 'drug', 'usage', 'process', 'urticaria', 'hypersensitivity', 'pancreatitis', 'cardiac', 'aneurysm', 'blood', 'glucose', 'increased', 'weight', 'decreased', 'decreased', 'appetite', 'application', 'site', 'erythema', 'incorrect', 'drug', 'administration', 'duration', 'bladder', 'neoplasm', 'toxicity', 'various', 'agent', 'angioedema', 'hypersensitivity', 'dyspnoea', 'granulomatosis', 'polyangiitis', 'immunodeficiency', 'malaise', 'tinnitus', 'metastasis', 'central', 'nervous', 'system', 'oedema', 'peripheral', 'condition', 'aggravated', 'therapeutic', 'response', 'application', 'site', 'rash', 'application', 'site', 'pain', 'application', 'site', 'erythema', 'application', 'site', 'scab', 'drug', 'administered', 'inappropriate', 'site', 'cardiac', 'failure', 'congestive', 'oedema', 'gallbladder', 'disorder', 'condition', 'aggravated', 'blister', 'quality', 'life', 'decreased', 'rib', 'fracture', 'performance', 'status', 'decreased', 'gait', 'disturbance', 'malnutrition', 'pain', 'fall', 'portal', 'vein', 'thrombosis', 'hepatorenal', 'syndrome', 'hepatic', 'encephalopathy', 'hypoglycaemia', 'disorientation', 'somnolence', 'drug', 'interaction', 'nephrogenic', 'systemic', 'fibrosis', 'pancytopenia', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'swelling', 'drug', 'dispensing', 'error', 'drug', 'dispensing', 'error', 'incorrect', 'dose', 'administered', 'anaphylactic', 'shock', 'platelet', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'increased', 'kidney', 'duplex', 'neonatal', 'respiratory', 'distress', 'syndrome', 'sudden', 'death', 'basal', 'cell', 'carcinoma', 'febrile', 'neutropenia', 'renal', 'pain', 'eye', 'swelling', 'eye', 'discharge', 'epistaxis', 'choking', 'vision', 'blurred', 'cough', 'syndrome', 'nasopharyngitis', 'nausea', 'drug', 'effect', 'incomplete', 'muscular', 'weakness', 'malnutrition', 'abortion', 'spontaneous', 'pregnancy', 'maternal', 'exposure', 'pregnancy', 'pancreatic', 'carcinoma', 'pulmonary', 'embolism', 'transfusion', 'bone', 'pain', 'pulmonary', 'fibrosis', 'pancreatic', 'carcinoma', 'respiratory', 'failure', 'stridor', 'cardiovascular', 'disorder', 'respiratory', 'disorder', 'general', 'physical', 'health', 'deterioration', 'chest', 'discomfort', 'drug', 'ineffective', 'intestinal', 'perforation', 'asthma', 'pneumonia', 'paranoia', 'rectal', 'haemorrhage', 'neuropathy', 'peripheral', 'oropharyngeal', 'pain', 'stomatitis', 'pyrexia', 'intracranial', 'pressure', 'increased', 'vomiting', 'abdominal', 'pain', 'nausea', 'papilloedema', 'weight', 'increased', 'somnolence', 'extradural', 'abscess', 'staphylococcal', 'abscess', 'blood', 'creatinine', 'phosphokinase', 'increased', 'blood', 'potassium', 'decreased', 'musculoskeletal', 'pain', 'diabetes', 'mellitus', 'amnesia', 'type', 'diabetes', 'mellitus', 'thyroid', 'cancer', 'type', 'diabetes', 'mellitus', 'cardiac', 'arrest', 'myocardial', 'infarction', 'white', 'blood', 'cell', 'count', 'increased', 'neutrophil', 'count', 'increased', 'application', 'site', 'pustule', 'inappropriate', 'schedule', 'drug', 'administration', 'drug', 'administration', 'error', 'eosinophilia', 'pneumothorax', 'lower', 'respiratory', 'tract', 'infection', 'rheumatoid', 'arthritis', 'sepsis', 'pyrexia', 'escherichia', 'test', 'positive', 'klebsiella', 'test', 'positive', 'organ', 'failure', 'aphagia', 'gastrointestinal', 'disorder', 'arthropathy', 'pituitary', 'tumour', 'removal', 'gastroenteritis', 'viral', 'diarrhoea', 'headache', 'cardiac', 'disorder', 'palpitation', 'incorrect', 'drug', 'administration', 'duration', 'product', 'packaging', 'quantity', 'issue', 'hospitalisation', 'fatigue', 'flatulence', 'abdominal', 'distension', 'weight', 'increased', 'embedded', 'device', 'device', 'breakage', 'type', 'diabetes', 'mellitus', 'cardiac', 'failure', 'cardiac', 'procedure', 'complication', 'cardiac', 'disorder', 'swelling', 'face', 'oral', 'candidiasis', 'glossodynia', 'pharyngitis', 'dry', 'mouth', 'ageusia', 'protein', 'increased', 'red', 'blood', 'cell', 'sedimentation', 'rate', 'increased', 'diarrhoea', 'diarrhoea', 'clostridium', 'difficile', 'infection', 'rash', 'anal', 'skin', 'tag', 'influenza', 'label', 'use', 'haemorrhage', 'label', 'use', 'general', 'physical', 'health', 'deterioration', 'application', 'site', 'swelling', 'application', 'site', 'pruritus', 'syndrome', 'asthenia', 'electrocardiogram', 'st', 'segment', 'abnormal', 'subdural', 'haematoma', 'nausea', 'vomiting', 'overdose', 'anxiety', 'palpitation', 'hypoesthesia', 'paraesthesia', 'decreased', 'appetite', 'death', 'basal', 'ganglion', 'haemorrhage', 'blood', 'pressure', 'systolic', 'increased', 'subdural', 'haemorrhage', 'brain

n', 'stem', 'haemorrhage', 'haematemesis', 'apnoea', 'basal', 'ganglion', 'haemorrhage', 'demyelination', 'cerebral', 'amyloid', 'angiopathy', 'brain', 'death', 'cerebral', 'haemorrhage', 'muscular', 'weakness', 'arthritis', 'haemoglobin', 'decreased', 'incorrect', 'dose', 'administered', 'coagulation', 'time', 'prolonged', 'gastrointestinal', 'haemorrhage', 'haemoglobin', 'decreased', 'incorrect', 'dose', 'administered', 'lung', 'neoplasm', 'malignant', 'thrombosis', 'pulmonary', 'thrombosis', 'mental', 'status', 'change', 'amnesia', 'encephalitis', 'autoimmune', 'depression', 'oral', 'candidiasis', 'diverticulitis', 'therapeutic', 'response', 'decreased', 'hypercalcaemia', 'haemoglobin', 'decreased', 'fatigue', 'bone', 'pain', 'death', 'abdominal', 'pain', 'hypotension', 'blood', 'pressure', 'increased', 'bone', 'cancer', 'second', 'primary', 'malignancy', 'pulmonary', 'oedema', 'back', 'pain', 'hypokinesia', 'terminal', 'state', 'musculoskeletal', 'pain', 'fistula', 'frequent', 'bowel', 'movement', 'arterial', 'occlusive', 'disease', 'appendicitis', 'drug', 'effect', 'decreased', 'neutropenia', 'hyperammonaemia', 'pneumonia', 'restlessness', 'abnormal', 'behaviour', 'eosinophilia', 'drug', 'ineffective', 'intentional', 'eating', 'disorder', 'insomnia', 'leukopenia', 'psychiatric', 'symptom', 'pyrexia', 'cough', 'oropharyngeal', 'pain', 'sinus', 'tachycardia', 'palpitation', 'drug', 'withdrawal', 'syndrome', 'product', 'packaging', 'quantity', 'issue', 'feeling', 'hot', 'pain', 'drug', 'dose', 'omission', 'therapeutic', 'response', 'decreased', 'pneumonia', 'metastasis', 'prostate', 'cancer', 'pinealoblastoma', 'respiratory', 'tract', 'infection', 'viral', 'spinal', 'fracture', 'drug', 'ineffective', 'application', 'site', 'exfoliation', 'cardiac', 'arrest', 'tachyarrhythmia', 'toxic', 'epidermal', 'necrosis', 'purpura', 'blister', 'pyrexia', 'skin', 'erosion', 'sign', 'skin', 'lesion', 'azotaemia', 'leukopenia', 'conjunctivitis', 'pulmonary', 'sepsis', 'skin', 'exfoliation', 'inflammation', 'general', 'physical', 'health', 'deterioration', 'hyperglycaemia', 'wound', 'healing', 'normal', 'renal', 'failure', 'breast', 'cancer', 'stage', 'iv', 'macroglossia', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'transient', 'ischaemic', 'attack', 'gastrointestinal', 'haemorrhage', 'haemorrhage', 'intracranial', 'cerebral', 'thrombosis', 'pleural', 'effusion', 'incorrect', 'dose', 'administered', 'enterocolitis', 'bacterial', 'haemorrhage', 'hospitalisation', 'erythema', 'somnolence', 'label', 'use', 'type', 'diabetes', 'mellitus', 'muscle', 'spasm', 'neuropathy', 'peripheral', 'decreased', 'appetite', 'nausea', 'neutropenia', 'diarrhoea', 'hyperglycaemia', 'thrombocytopenia', 'intestinal', 'ischaemia', 'mucosal', 'inflammation', 'vomiting', 'anaemia', 'infection', 'deep', 'vein', 'thrombosis', 'renal', 'disorder', 'disease', 'progression', 'liver', 'disorder', 'cerebrovascular', 'accident', 'depression', 'rash', 'creatinine', 'renal', 'clearance', 'decreased', 'hellp', 'syndrome', 'exposure', 'pregnancy', 'basal', 'cell', 'carcinoma', 'back', 'pain', 'chill', 'abdominal', 'distension', 'infusion', 'related', 'reaction', 'pregnancy', 'contraceptive', 'device', 'drug', 'ineffective', 'device', 'dislocation', 'psoriatic', 'arthropathy', 'label', 'use', 'respiratory', 'tract', 'infection', 'alopecia', 'areata', 'alopecia', 'fall', 'uveitis', 'anaemia', 'intestinal', 'adenocarcinoma', 'anaemia', 'foetal', 'cardiac', 'disorder', 'label', 'use', 'metabolic', 'acidosis', 'pulmonary', 'oedema', 'vomiting', 'blood', 'creatinine', 'increased', 'visual', 'impairment', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'hallucination', 'arrhythmia', 'heart', 'rate', 'irregular', 'hot', 'flush', 'palpitation', 'vision', 'blurred', 'malaise', 'headache', 'hyperhidrosis', 'drug', 'abuse', 'hypokalaemia', 'oedema', 'peripheral', 'renal', 'failure', 'acute', 'overdose', 'encephalopathy', 'loss', 'consciousness', 'pain', 'cough', 'dyspnoea', 'hot', 'flush', 'fatigue', 'weight', 'decreased', 'depressed', 'mood', 'fall', 'lower', 'respiratory', 'tract', 'infection', 'productive', 'cough', 'lung', 'disorder', 'sleep', 'disorder', 'tremor', 'wheezing', 'malaise', 'decreased', 'appetite', 'cerebral', 'haemorrhage', 'fall', 'decubitus', 'ulcer', 'acetabulum', 'fracture', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'protein', 'increased', 'prothrombin', 'time', 'prolonged', 'blood', 'creatinine', 'increased', 'type', 'diabetes', 'mellitus', 'skin', 'lesion', 'purulent', 'discharge', 'type', 'diabetes', 'mellitus', 'diabetic', 'neuropathy', 'type', 'diabetes', 'mellitus', 'adverse', 'event', 'opportunistic', 'infection', 'double', 'stranded', 'dna', 'antibody', 'positive', 'neoplasm', 'malignant', 'infection', 'autoimmune', 'disorder', 'antinuclear', 'antibody', 'positive', 'autoantibody', 'positive', 'cataract', 'hepatic', 'pain', 'malaise', 'abdominal', 'adhesion', 'diarrhoea', 'carcinoid', 'syndrome', 'pleural', 'effusion', 'metastasis', 'liver', 'oedema', 'sciatic', 'nerve', 'injury', 'injection', 'site', 'haematoma', 'injection', 'site', 'haemorrhage', 'feeling', 'abnormal', 'cough', 'tachycardia', 'platelet', 'count', 'decreased', 'erythema', 'dyspnoea', 'metastasis', 'peritoneum', 'glaucoma', 'body', 'temperature', 'decreased', 'pain', 'extremity', 'gait', 'disturbance', 'inappropriate', 'schedule', 'product', 'administration', 'intestinal', 'obstruction', 'confusional', 'state', 'blood', 'pressure', 'increased', 'petechia', 'injection', 'site', 'oedema', 'needle', 'issue', 'pulmonary', 'embolism', 'back', 'pain', 'neuroendocrine', 'tumour', 'arthralgia', 'sinusitis', 'oedema', 'peripheral', 'fatigue', 'injection', 'site', 'pain', 'atrial', 'fibrillation', 'cardiac', 'failure', 'weight', 'decreased', 'piloerection', 'skin', 'disorder', 'incorrect', 'dose', 'administered', 'contusion', 'dizziness', 'loss', 'consciousness', 'arrhythmia', 'blood', 'pressure', 'decreased', 'decreased', 'appetite', 'malignant', 'neoplasm', 'progression', 'neck', 'mass', 'blood', 'pressure', 'systolic', 'increased', 'anaemia', 'heart', 'rate', 'decreased', 'fall', 'nausea', 'hypersensitivity', 'urticaria', 'constipation', 'ventricular', 'tachycardia', 'acute', 'hepatic', 'failure', 'renal', 'failure', 'acute', 'convulsion', 'toxicity', 'various', 'agent', 'intentional', 'overdose', 'dyspnoea', 'acidosis', 'fluid', 'overload', 'drug', 'ineffective', 'ataxia', 'somnolence', 'orthostatic', 'hypotension', 'diplopia', 'arrhythmia', 'hearing', 'impaired', 'obsessive', 'thought', 'asthenia', 'nausea', 'vomiting', 'decreased', 'appetite', 'blood', 'electrolyte', 'abnormal', 'renal', 'disorder', 'oesophageal', 'ulcer', 'ovarian', 'germ', 'cell', 'cancer', 'stage', 'ii', 'amenorrhoea', 'weight', 'increased', 'galactorrhoea', 'tremor', 'muscular', 'weakness', 'agitation', 'dyspnoea', 'blood', 'prolactin', 'increased', 'palpitation', 'aggression', 'dyskinesia', 'hyperhidrosis', 'abdominal', 'pain', 'dysuria', 'swelling', 'muscle', 'spasm', 'breast', 'enlargement', 'fatigue', 'renal', 'failure', 'acute', 'patent', 'ductus', 'arteriosus', 'haemangioma', 'congenital', 'atrial', 'septal', 'defect', 'exposure', 'pregnancy', 'drug', 'ineffective', 'death', 'adverse', 'event', 'plasma', 'cell', 'myeloma', 'anal', 'abscess', 'infection', 'proctalgia', 'erythema', 'haemorrhoid', 'asthenia', 'pyrexia', 'vomiting', 'fatigue', 'nausea', 'diarrhoea', 'cerebrovascular', 'accident', 'disorder', 'pathological', 'gambling', 'renal', 'failure', 'hypotension', 'unevaluable', 'event', 'acute', 'myeloid', 'leukaemia', 'urticaria', 'bronchospasm', 'bromhidrosis', 'electrocardiogram', 'qt', 'prolonged', 'cardiac', 'disorder', 'blister', 'paraplegia', 'cerebrovascular', 'accident', 'weight', 'increased', 'withdrawal', 'syndrome', 'drug', 'abuse', 'intentional', 'sopor', 'overdose', 'cardiotoxicity', 'depressed', 'level', 'consciousness', 'atrial', 'flutter', 'hypoxia', 'drug', 'interaction', 'fluid', 'overload', 'syncope', 'neuropathy', 'peripheral', 'death', 'oedema', 'dizziness', 'dizziness', 'erythema', 'sopor', 'label', 'use', 'hepatocellular', 'injury', 'cholestasis', 'disease', 'progression', 'central', 'nervous', 'system', 'lesion', 'drug', 'dose', 'omission', 'malaise', 'pyrexia', 'rash', 'generalised', 'headache', 'sinusitis', 'acute', 'psychosis', 'drug', 'interaction', 'grand', 'mal', 'convulsion', 'oedema', 'embedded', 'device', 'dysmenorrhoea', 'vaginal', 'haemorrhage', 'device', 'breakage', 'infective', 'pulmonary', 'exacerbation', 'cystic', 'fibrosis', 'syncope', 'fluid', 'overload', 'oedema', 'dyspnoea', 'myalgia', 'dysgeusia', 'nausea', 'diarrhoea', 'insomnia', 'asthenia', 'hyperhidrosis', 'activity', 'daily', 'living', 'impaired', 'general', 'physical', 'health', 'deterioration', 'surgery', 'retinal', 'toxicity', 'tooth', 'disorder', 'retinopathy', 'therapeutic', 'product', 'ineffective', 'nephrocalcinosis', 'renal', 'tubular', 'acidosis', 'drug', 'abuse', 'blindness', 'transient', 'vision', 'blurred', 'visual', 'impairment', 'vitreous', 'floater', 'formication', 'presyncope', 'vertigo', 'orthostatic', 'hypotension', 'loss', 'consciousness', 'anaphylactic', 'reaction', 'pruritus', 'cough', 'wheezing', 'refusal', 'treatment', 'patient', 'headach

e', 'fluid', 'retention', 'oedema', 'peripheral', 'sinusitis', 'paraesthesia', 'asthenia', 'deafness', 'feeling', 'abnormal', 'burning', 'sensation', 'lethargy', 'pain', 'amnesia', 'muscular', 'weakness', 'hypoaesthesia', 'n', 'asal', 'congestion', 'peripheral', 'swelling', 'hypomagnesaemia', 'drug', 'interaction', 'fluid', 'retention', 'accident', 'peripheral', 'swelling', 'weight', 'decreased', 'oedema', 'right', 'ventricular', 'failure', 'oedema', 'dysphemia', 'paraesthesia', 'unevaluable', 'event', 'fall', 'loss', 'consciousness', 'dizziness', 'device', 'failure', 'hepatic', 'function', 'abnormal', 'myopathy', 'dyspnoea', 'malaise', 'hypopnoea', 'death', 'cerebrovascular', 'accident', 'drug', 'ineffective', 'generalised', 'seizure', 'status', 'epilepticus', 'convulsion', 'aortic', 'dissection', 'acne', 'aggression', 'palpitation', 'fatigue', 'nausea', 'fluid', 'retention', 'hepatic', 'failure', 'hepatitis', 'b', 'vertigo', 'death', 'oesophageal', 'carcinoma', 'varicella', 'hypersensitivity', 'type', 'diabetes', 'mellitus', 'cataract', 'amnesia', 'incontinence', 'dysstasia', 'lethargy', 'headache', 'application', 'site', 'vesicle', 'type', 'diabetes', 'mellitus', 'burning', 'sensation', 'fluid', 'retention', 'hyponatraemia', 'confusional', 'state', 'leukocytosis', 'incorrect', 'drug', 'administration', 'duration', 'gastrointestinal', 'haemorrhage', 'gastric', 'ulcer', 'duodenal', 'ulcer', 'application', 'site', 'vesicle', 'application', 'site', 'pain', 'application', 'site', 'swelling', 'application', 'site', 'pain', 'application', 'site', 'exfoliation', 'drug', 'administered', 'inappropriate', 'site', 'type', 'diabetes', 'mellitus', 'gait', 'disturbance', 'hypoaesthesia', 'hypersomnia', 'feeling', 'abnormal', 'laboratory', 'test', 'abnormal', 'unevaluable', 'event', 'fatigue', 'fluid', 'retention', 'contusion', 'discomfort', 'fatigue', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'scab', 'application', 'site', 'swelling', 'drug', 'administration', 'error', 'hypokalaemia', 'neutrophil', 'count', 'decreased', 'hypophosphataemia', 'abortion', 'spontaneous', 'abdominal', 'injury', 'maternal', 'exposure', 'pregnancy', 'atrial', 'fibrillation', 'dyspnoea', 'pyrexia', 'chest', 'pain', 'sinus', 'tachycardia', 'pneumonitis', 'febrile', 'neutropenia', 'subdural', 'haematoma', 'dental', 'caries', 'ecchymosis', 'dysphagia', 'osteoporosis', 'alopecia', 'dementia', 'type', 'osteopenia', 'hearing', 'impaired', 'skin', 'wrinkling', 'fall', 'malignant', 'neoplasm', 'progression', 'pulmonary', 'embolism', 'drug', 'hypersensitivity', 'angioedema', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'swelling', 'application', 'site', 'exfoliation', 'application', 'site', 'vesicle', 'application', 'site', 'discharge', 'asthenia', 'neutropenia', 'pulmonary', 'alveolar', 'haemorrhage', 'respiratory', 'failure', 'epistaxis', 'rectal', 'haemorrhage', 'haematopermia', 'haemorrhage', 'epiglottic', 'oedema', 'face', 'oedema', 'tongue', 'oedema', 'rash', 'diarrhoea', 'colitis', 'microscopic', 'weight', 'decreased', 'drug', 'administered', 'inappropriate', 'site', 'adverse', 'event', 'type', 'diabetes', 'mellitus', 'drug', 'ineffective', 'gastroesophageal', 'reflux', 'disease', 'dyspnoea', 'fatigue', 'deep', 'vein', 'thrombosis', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'swelling', 'application', 'site', 'vesicle', 'drug', 'administered', 'inappropriate', 'site', 'incorrect', 'drug', 'administration', 'duration', 'pulmonary', 'arterial', 'hypertension', 'condition', 'aggravated', 'death', 'neutropenia', 'anaemia', 'pancytopenia', 'thrombocytopenia', 'metabolic', 'acidosis', 'tachycardia', 'vomiting', 'application', 'site', 'pain', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'swelling', 'incorrect', 'drug', 'administration', 'duration', 'death', 'myocardial', 'infarction', 'thrombosis', 'device', 'deep', 'vein', 'thrombosis', 'pulmonary', 'embolism', 'label', 'use', 'drug', 'administration', 'error', 'incorrect', 'drug', 'administration', 'duration', 'decreased', 'appetite', 'pulmonary', 'embolism', 'hypercalcaemia', 'leukocytosis', 'pulmonary', 'embolism', 'neoplasm', 'progression', 'abdominal', 'pain', 'hypertension', 'suicidal', 'ideation', 'agitation', 'weight', 'increased', 'ovarian', 'cyst', 'sepsis', 'coccidioidomycosis', 'pneumonia', 'pseudomonas', 'pancreatitis', 'drug', 'dose', 'omission', 'hepatomegaly', 'liver', 'function', 'test', 'abnormal', 'hepatic', 'failure', 'erythrocytosis', 'syndrome', 'injury', 'corneal', 'product', 'packaging', 'issue', 'expired', 'product', 'administered', 'drug', 'ineffective', 'meniscus', 'injury', 'surgery', 'surgery', 'prostatectomy', 'injection', 'site', 'pain', 'fear', 'incorrect', 'dose', 'administered', 'incorrect', 'dose', 'administered', 'incorrect', 'dose', 'administered', 'incorrect', 'dose', 'administered', 'nervousness', 'wrong', 'technique', 'drug', 'usage', 'process', 'arthralgia', 'musculoskeletal', 'pain', 'pain', 'wrong', 'technique', 'drug', 'usage', 'process', 'wrong', 'technique', 'drug', 'usage', 'process', 'wrong', 'technique', 'drug', 'usage', 'process', 'wrong', 'technique', 'drug', 'usage', 'process', 'device', 'issue', 'device', 'issue', 'device', 'issue', 'wrong', 'technique', 'drug', 'usage', 'process', 'incorrect', 'dose', 'administered', 'device', 'issue', 'injection', 'site', 'pain', 'application', 'site', 'vesicle', 'application', 'site', 'erythema', 'application', 'site', 'exfoliation', 'erythema', 'incorrect', 'dose', 'administered', 'multiple', 'chemical', 'sensitivity', 'dry', 'mouth', 'nasal', 'dryness', 'disturbance', 'attention', 'dry', 'eye', 'dizziness', 'disorientation', 'tension', 'disorder', 'tinnitus', 'sleep', 'disorder', 'malaise', 'hypertension', 'hepatocellular', 'injury', 'liver', 'disorder', 'skin', 'burning', 'sensation', 'fatigue', 'malaise', 'acute', 'kidney', 'injury', 'toxicity', 'various', 'agent', 'lactic', 'acidosis', 'application', 'site', 'erythema', 'application', 'site', 'exfoliation', 'incorrect', 'drug', 'administration', 'duration', 'drug', 'administered', 'inappropriate', 'site', 'suicidal', 'ideation', 'depersonalisation', 'tremor', 'heart', 'rate', 'increased', 'mania', 'aggression', 'performance', 'status', 'decreased', 'abnormal', 'behaviour', 'mental', 'disorder', 'self', 'esteem', 'decreased', 'emotional', 'poverty', 'social', 'avoidant', 'behaviour', 'euphoric', 'mood', 'depressed', 'mood', 'hypokinesia', 'aphasia', 'anxiety', 'partial', 'seizure', 'apathy', 'disturbance', 'attention', 'vertigo', 'drug', 'effect', 'incomplete', 'feeding', 'disorder', 'blood', 'bicarbonate', 'decreased', 'coronary', 'arterial', 'stent', 'insertion', 'urinary', 'tract', 'infection', 'klebsiella', 'test', 'positive', 'renal', 'impairment', 'blood', 'alkaline', 'phosphatase', 'increased', 'cardiac', 'failure', 'congestive', 'painful', 'respiration', 'arrhythmia', 'pyrexia', 'pyrexia', 'dry', 'mouth', 'dysgeusia', 'thermal', 'burn', 'acne', 'leukocytosis', 'blood', 'pressure', 'fluctuation', 'cough', 'asthenia', 'drug', 'dose', 'omission', 'accident', 'home', 'ultrasound', 'bladder', 'abnormal', 'pyrexia', 'chill', 'serum', 'ferritin', 'increased', 'feeling', 'abnormal', 'blood', 'cholesterol', 'increased', 'pyrexia', 'pyrexia', 'pruritus', 'dysgeusia', 'neutropenia', 'blood', 'triglyceride', 'increased', 'weight', 'decreased', 'asthenia', 'headache', 'haemoglobin', 'decreased', 'impatience', 'productive', 'cough', 'depression', 'fatigue', 'dyspnoea', 'gait', 'disturbance', 'throat', 'irritation', 'vitamin', 'decreased', 'anaemia', 'fatigue', 'disturbance', 'attention', 'dyspraxia', 'feeling', 'cold', 'body', 'temperature', 'decreased', 'malaise', 'pyrexia', 'haemoglobin', 'decreased', 'decreased', 'appetite', 'anaemia', 'palpitation', 'blood', 'pressure', 'increased', 'thyroid', 'pain', 'gastric', 'disorder', 'drug', 'ineffective', 'ankle', 'fracture', 'vitamin', 'deficiency', 'anaemia', 'postoperative', 'device', 'failure', 'sleep', 'disorder', 'bursitis', 'gastroesophageal', 'reflux', 'disease', 'intramedullary', 'rod', 'insertion', 'fatigue', 'hypertension', 'femur', 'fracture', 'cholecystectomy', 'depression', 'femur', 'fracture', 'traumatic', 'arthrosis', 'sciatic', 'nerve', 'injury', 'osteoporosis', 'bone', 'fragmentation', 'hyperlipidaemia', 'hypertension', 'product', 'packaging', 'quantity', 'issue', 'incorrect', 'drug', 'administration', 'duration', 'drug', 'administered', 'inappropriate', 'site', 'bronchopneumonia', 'pulmonary', 'embolism', 'malignant', 'neoplasm', 'progression', 'label', 'use', 'cardiomegaly', 'cerebrovascular', 'accident', 'cardiac', 'failure', 'myocardial', 'infarction', 'unevaluable', 'event', 'abnormal', 'dream', 'fall', 'hemiplegia', 'left', 'ventricular', 'failure', 'consciousness', 'fluctuating', 'platelet', 'disorder', 'myocardial', 'infarction', 'gastrointestinal', 'haemorrhage', 'zygomycosis', 'pulmonary', 'toxicity', 'eye', 'burn', 'application', 'site', 'pain', 'application', 'site', 'pain', 'product', 'quality', 'issue', 'incorrect', 'drug', 'administration', 'duration', 'eye',

'irritation', 'drug', 'ineffective', 'renal', 'disorder', 'lung', 'disorder', 'weight', 'decreased', 'general', 'physical', 'health', 'deterioration', 'pancytopenia', 'rash', 'vesicular', 'hepatic', 'failure', 'death', 'febrile', 'neutropenia', 'septic', 'shock', 'thrombocytopenia', 'renal', 'failure', 'acute', 'electrolyte', 'imbalance', 'swollen', 'tear', 'duct', 'eye', 'irritation', 'eye', 'pain', 'eye', 'swelling', 'application', 'site', 'exfoliation', 'eye', 'pruritus', 'accidental', 'exposure', 'product', 'drug', 'administered', 'inappropriate', 'site', 'incorrect', 'route', 'drug', 'administration', 'convulsion', 'drug', 'dose', 'omission', 'drug', 'ineffective', 'myasthenia', 'gravis', 'pain', 'death', 'drug', 'ineffective', 'death', 'death', 'cerebrovascular', 'accident', 'platelet', 'count', 'decreased', 'weight', 'decreased', 'adverse', 'event', 'pollakiuria', 'blood', 'sodium', 'decreased', 'extrasystole', 'dyspnoea', 'death', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'exfoliation', 'application', 'site', 'dryness', 'application', 'site', 'reaction', 'drug', 'ineffective', 'blood', 'pressure', 'increased', 'chest', 'pain', 'asthenia', 'musculoskeletal', 'pain', 'headache', 'platelet', 'count', 'decreased', 'drug', 'interaction', 'lower', 'respiratory', 'tract', 'infection', 'fungal', 'gastrointestinal', 'haemorrhage', 'anaemia', 'chest', 'pain', 'abdominal', 'pain', 'acute', 'kidney', 'injury', 'bone', 'marrow', 'failure', 'inflammation', 'hypersensitivity', 'application', 'site', 'rash', 'acne', 'application', 'site', 'scar', 'label', 'use', 'arrhythmia', 'drug', 'interaction', 'hepatotoxicity', 'bleeding', 'varicose', 'vein', 'fatigue', 'haemorrhage', 'drug', 'ineffective', 'palpitation', 'malaise', 'diplopia', 'adverse', 'event', 'depression', 'death', 'pancreatitis', 'chronic', 'pancreatic', 'carcinoma', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'thyroid', 'cancer', 'demyelination', 'diabetic', 'neuropathy', 'death', 'platelet', 'count', 'decreased', 'chest', 'pain', 'myocardial', 'infarction', 'hypoaesthesia', 'bone', 'pain', 'nodule', 'pain', 'adverse', 'drug', 'reaction', 'dizziness', 'headache', 'vaginal', 'haemorrhage', 'vaginal', 'odour', 'death', 'cardiac', 'disorder', 'lung', 'disorder', 'stress', 'dyspnoea', 'platelet', 'count', 'decreased', 'acute', 'generalised', 'exanthematous', 'pustulosis', 'hyponatraemia', 'lymphadenopathy', 'platelet', 'count', 'decreased', 'wrong', 'technique', 'drug', 'usage', 'process', 'platelet', 'count', 'decreased', 'transfusion', 'dyspnoea', 'death', 'malaise', 'hypopnoea', 'vomiting', 'anxiety', 'diarrhoea', 'weight', 'increased', 'urinary', 'tract', 'infection', 'pruritus', 'dry', 'skin', 'stomatitis', 'paraesthesia', 'dysphagia', 'depression', 'nausea', 'dysgeusia', 'therapeutic', 'response', 'unexpected', 'pyrexia', 'label', 'use', 'headache', 'night', 'sweat', 'insomnia', 'hypoaesthesia', 'thrombocytopenia', 'rash', 'chest', 'pain', 'constipation', 'anaemia', 'hot', 'flush', 'cough', 'foot', 'deformity', 'foot', 'deformity', 'foot', 'fracture', 'foot', 'fracture', 'arthralgia', 'pain', 'extremity', 'pain', 'pain', 'product', 'quality', 'issue', 'rheumatoid', 'arthritis', 'oedema', 'peripheral', 'dyspnoea', 'exertional', 'cardiac', 'failure', 'heart', 'valve', 'incompetence', 'myocardial', 'infarction', 'psoriasis', 'haemoglobin', 'decreased', 'splenectomy', 'dizziness', 'fatigue', 'lethargy', 'anaemia', 'thrombocytosis', 'leukocytosis', 'lipid', 'abnormal', 'liver', 'function', 'test', 'abnormal', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'diarrhoea', 'platelet', 'count', 'decreased', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'gastroenteritis', 'viral', 'nausea', 'vomiting', 'weight', 'decreased', 'gout', 'mucosal', 'inflammation', 'oral', 'pain', 'oropharyngeal', 'plaque', 'psoriasis', 'hyperthermia', 'malignant', 'hyperthermia', 'blood', 'pressure', 'decreased', 'chill', 'blood', 'count', 'abnormal', 'pyrexia', 'infection', 'anaemia', 'blood', 'count', 'abnormal', 'anaemia', 'platelet', 'count', 'decreased', 'blood', 'count', 'abnormal', 'amnesia', 'hyperthermia', 'malignant', 'anaemia', 'platelet', 'count', 'decreased', 'muscular', 'weakness', 'fatigue', 'diabetes', 'mellitus', 'inadequate', 'control', 'gastritis', 'loss', 'consciousness', 'gastrointestinal', 'inflammation', 'pyrexia', 'rectal', 'haemorrhage', 'alopecia', 'oral', 'herpes', 'blood', 'glucose', 'increased', 'rectal', 'haemorrhage', 'depressed', 'mood', 'depression', 'colitis', 'ulcerative', 'haemoglobin', 'decreased', 'musculoskeletal', 'pain', 'pain', 'extremity', 'platelet', 'count', 'decreased', 'blood', 'count', 'abnormal', 'transfusion', 'platelet', 'count', 'decreased', 'blood', 'count', 'abnormal', 'premature', 'baby', 'foetal', 'exposure', 'pregnancy', 'enterocolitis', 'haemorrhagic', 'mucosal', 'inflammation', 'anaemia', 'blood', 'count', 'abnormal', 'renal', 'disorder', 'incorrect', 'dose', 'administered', 'skin', 'depigmentation', 'lumbar', 'vertebral', 'fracture', 'fracture', 'pain', 'platelet', 'count', 'decreased', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'food', 'poisoning', 'malaise', 'neuroleptic', 'malignant', 'syndrome', 'altered', 'state', 'consciousness', 'hyperthermia', 'hypertonia', 'drug', 'withdrawal', 'syndrome', 'retinal', 'detachment', 'visual', 'impairment', 'rash', 'erythematous', 'eye', 'irritation', 'pruritus', 'ocular', 'hyperaemia', 'eye', 'swelling', 'foreign', 'body', 'sensation', 'eye', 'swelling', 'face', 'feeling', 'hot', 'dysphagia', 'hypersensitivity', 'injection', 'site', 'rash', 'rash', 'generalised', 'hypertriglyceridaemia', 'nausea', 'cervix', 'carcinoma', 'stage', 'hyperventilation', 'dizziness', 'incision', 'site', 'haemorrhage', 'incision', 'site', 'complication', 'loss', 'consciousness', 'disorientation', 'immobile', 'pneumonia', 'gastrointestinal', 'infection', 'memory', 'impairment', 'diet', 'refusal', 'speech', 'disorder', 'confusional', 'state', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'wrong', 'technique', 'drug', 'usage', 'process', 'febrile', 'convulsion', 'viral', 'infection', 'abdominal', 'pain', 'lower', 'fatigue', 'anaemia', 'splenomegaly', 'poor', 'quality', 'sleep', 'medication', 'error', 'asthenia', 'platelet', 'count', 'decreased', 'death', 'calciophylaxis', 'pain', 'nodule', 'lividity', 'erythema', 'skin', 'induration', 'skin', 'plaque', 'purpura', 'skin', 'lesion', 'hyperplasia', 'haemoglobin', 'decreased', 'haemoglobin', 'decreased', 'tubulointerstitial', 'nephritis', 'oliguria', 'blood', 'pressure', 'increased', 'renal', 'failure', 'acute', 'urine', 'output', 'decreased', 'rale', 'renal', 'tubular', 'atrophy', 'dyspnoea', 'asthenia', 'kidney', 'fibrosis', 'jugular', 'vein', 'distension', 'leukocytosis', 'haemolytic', 'anaemia', 'oedema', 'peripheral', 'haematuria', 'anaemia', 'anisocytosis', 'nausea', 'vomiting', 'hyperthermia', 'malignant', 'acute', 'kidney', 'injury', 'death', 'linear', 'iga', 'disease', 'sign', 'skin', 'exfoliation', 'blister', 'skin', 'lesion', 'hernia', 'cystitis', 'hypokalaemia', 'hypomagnesaemia', 'blood', 'count', 'abnormal', 'thrombocytopenia', 'tooth', 'abscess', 'thrombocytopenia', 'asthenia', 'dizziness', 'fatigue', 'treatment', 'noncompliance', 'drug', 'administration', 'error', 'transfusion', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'death', 'neoplasm', 'malignant', 'metastasis', 'central', 'nervous', 'system', 'memory', 'impairment', 'emphysema', 'convulsion', 'nasal', 'discomfort', 'skin', 'irritation', 'malaise', 'burning', 'sensation', 'palpitation', 'abdominal', 'discomfort', 'dizziness', 'dyspnoea', 'drug', 'interaction', 'aggression', 'psychomotor', 'hyperactivity', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'haemoglobin', 'decreased', 'death', 'optic', 'neuropathy', 'visual', 'impairment', 'vision', 'blurred', 'visual', 'acuity', 'reduced', 'miosis', 'visual', 'field', 'defect', 'colour', 'blindness', 'acquired', 'neurotoxicity', 'confusional', 'state', 'somnolence', 'swelling', 'haemoglobin', 'decreased', 'dizziness', 'coma', 'posterior', 'reversible', 'encephalopathy', 'syndrome', 'atypical', 'mycobacterial', 'infection', 'immune', 'reconstitution', 'inflammatory', 'syndrome', 'angina', 'pectoris', 'diabetes', 'mellitus', 'inadequate', 'control', 'wound', 'haemorrhage', 'therapy', 'cessation', 'myocardial', 'infarction', 'chest', 'pain', 'electrocardiogram', 'st', 'segment', 'elevation', 'acute', 'left', 'ventricular', 'failure', 'ejection', 'fraction', 'decreased', 'cardiomyopathy', 'cardiogenic', 'shock', 'cardiac', 'arrest', 'hyperventilation', 'blood', 'pressure', 'decreased', 'ventricular', 'hypokinesia', 'toxicity', 'various', 'agent', 'ventricular', 'fibrillation', 'arrhythmia', 'sinus', 'tachycardia', 'bradycardia', 'pulmonary', 'oedema', 'dyspnoea', 'overdose', 'suicide', 'attempt', 'respiratory', 'alkalosis', 'hypokalaemia', 'metabolic', 'acidosis', 'tremor', 'pruritus', 'somnolence', 'skin', 'discolouration', 'brain', 'oedema', 'restlessness', 'nystagmus', 'chromaturia', 'hyperaemia', 'vomiting', 'nausea', 'hyperhidrosis', 'drug', 'ineffective', 'haemoglobin', 'decreased', 'organising', 'pneumonia', 'p

yprexia', 'asthenia', 'cough', 'dyspnoea', 'oxygen', 'saturation', 'decreased', 'rale', 'respiratory', 'failure', 'haemoglobin', 'decreased', 'anaemia', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'dizziness', 'fall', 'anaemia', 'hypotension', 'accidental', 'overdose', 'nausea', 'vomiting', 'abasia', 'incontinence', 'neck', 'pain', 'hypokinesia', 'breast', 'cancer', 'neoplasm', 'progression', 'application', 'site', 'pain', 'application', 'site', 'pain', 'application', 'site', 'erythema', 'application', 'site', 'exfoliation', 'application', 'site', 'dryness', 'application', 'site', 'vesicle', 'incorrect', 'dose', 'administered', 'inappropriate', 'schedule', 'drug', 'administration', 'incorrect', 'drug', 'administration', 'duration', 'drug', 'administered', 'inappropriate', 'site', 'drug', 'administration', 'error', 'prescribed', 'overdose', 'application', 'site', 'discolouration', 'breast', 'cancer', 'neoplasm', 'progression', 'application', 'site', 'discomfort', 'application', 'site', 'erythema', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'application', 'site', 'paraesthesia', 'application', 'site', 'discomfort', 'application', 'site', 'swelling', 'lip', 'swelling', 'application', 'site', 'erythema', 'congenital', 'hydronephrosis', 'ureteric', 'stenosis', 'foetal', 'exposure', 'pregnancy', 'label', 'use', 'incorrect', 'drug', 'administration', 'duration', 'medication', 'error', 'product', 'packaging', 'quantity', 'issue', 'drug', 'dose', 'omission', 'metastatic', 'malignant', 'melanoma', 'ulcer', 'haemorrhage', 'skin', 'lesion', 'pain', 'infection', 'inflammation', 'purulent', 'discharge', 'violation', 'nerve', 'paralysis', 'seborrhoeic', 'keratosis', 'swelling', 'anaemia', 'oedema', 'peripheral', 'pyrexia', 'lethargy', 'peripheral', 'swelling', 'application', 'site', 'dryness', 'application', 'site', 'exfoliation', 'application', 'site', 'pain', 'dyspnoea', 'dental', 'caries', 'hyponatraemia', 'hypokalaemia', 'cough', 'abnormal', 'behaviour', 'intentional', 'weight', 'increased', 'drug', 'ineffective', 'hot', 'flush', 'product', 'substitution', 'issue', 'peripheral', 'swelling', 'drug', 'ineffective', 'cellulitis', 'dyspnoea', 'liver', 'injury', 'fluid', 'retention', 'red', 'blood', 'cell', 'count', 'decreased', 'nausea', 'abdominal', 'pain', 'upper', 'breast', 'cancer', 'neoplasm', 'progression', 'weight', 'increased', 'haemolytic', 'uraemic', 'syndrome', 'asthenia', 'drug', 'ineffective', 'diabetic', 'foot', 'infection', 'blood', 'glucose', 'decreased', 'renal', 'impairment', 'unevaluable', 'event', 'urticaria', 'nausea', 'renal', 'failure', 'acute', 'lactic', 'acidosis', 'anaemia', 'chest', 'pain', 'dyspnoea', 'tachycardia', 'blood', 'pressure', 'increased', 'weight', 'decreased', 'syncope', 'loss', 'consciousness', 'oedema', 'peripheral', 'sleep', 'apnoea', 'syndrome', 'death', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'oedema', 'peripheral', 'drug', 'ineffective', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'respiratory', 'disorder', 'swelling', 'fluid', 'retention', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'drug', 'dependence', 'headache', 'nausea', 'abdominal', 'discomfort', 'therapeutic', 'response', 'unexpected', 'drug', 'ineffective', 'oedema', 'peripheral', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'urinary', 'tract', 'infection', 'drug', 'ineffective', 'osteoporosis', 'spinal', 'compression', 'fracture', 'vomiting', 'acute', 'generalised', 'exanthematous', 'pustulosis', 'rash', 'pustular', 'stomatitis', 'inflammatory', 'pain', 'blister', 'hypophagia', 'skin', 'erosion', 'leukocytosis', 'pyrexia', 'type', 'iv', 'hypersensitivity', 'reaction', 'drug', 'dependence', 'nasal', 'septum', 'deviation', 'sinusitis', 'polyp', 'rhinitis', 'inappropriate', 'schedule', 'drug', 'administration', 'ageusia', 'anosmia', 'fluid', 'retention', 'disease', 'bacteraemia', 'gastrointestinal', 'pain', 'diarrhoea', 'decreased', 'appetite', 'feeling', 'abnormal', 'accidental', 'exposure', 'product', 'child', 'blood', 'pressure', 'decreased', 'drug', 'ineffective', 'label', 'use', 'cerebrovascular', 'accident', 'weight', 'increased', 'withdrawal', 'syndrome', 'ankle', 'fracture', 'breast', 'pain', 'burning', 'sensation', 'cystitis', 'erythema', 'gastroesophageal', 'reflux', 'diarrhoea', 'hot', 'flush', 'joint', 'swelling', 'night', 'sweat', 'oedema', 'peripheral', 'pain', 'pain', 'extremity', 'pruritus', 'sleep', 'disorder', 'thrombophlebitis', 'weight', 'bearing', 'difficulty', 'vomiting', 'diarrhoea', 'abdominal', 'pain', 'upper', 'nausea', 'malaise', 'back', 'pain', 'headache', 'incorrect', 'dose', 'administered', 'haemoglobin', 'decreased', 'diarrhoea', 'red', 'blood', 'cell', 'count', 'decreased', 'pneumonia', 'haemoglobin', 'abnormal', 'haemoglobin', 'decreased', 'feeling', 'hot', 'anaemia', 'epistaxis', 'rectal', 'haemorrhage', 'pulmonary', 'embolism', 'hypersensitivity', 'general', 'physical', 'health', 'deterioration', 'bronchopulmonary', 'aspergillosis', 'hypoxia', 'renal', 'failure', 'acute', 'endotracheal', 'intubation', 'disseminated', 'intravascular', 'coagulation', 'platelet', 'transfusion', 'platelet', 'count', 'decreased', 'epistaxis', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'activity', 'daily', 'living', 'impaired', 'muscular', 'weakness', 'mood', 'altered', 'fatigue', 'malaise', 'lethargy', 'haemolysis', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'hip', 'fracture', 'therapeutic', 'response', 'unexpected', 'underdose', 'drug', 'administered', 'inappropriate', 'site', 'haemoglobin', 'decreased', 'night', 'sweat', 'haemoglobin', 'decreased', 'fatigue', 'drug', 'ineffective', 'anaemia', 'hypoglycaemia', 'oedema', 'dizziness', 'neoplasm', 'malignant', 'liver', 'disorder', 'headache', 'red', 'blood', 'cell', 'count', 'decreased', 'lobar', 'pneumonia', 'injection', 'site', 'necrosis', 'injection', 'site', 'erythema', 'injection', 'site', 'induration', 'haemoglobin', 'decreased', 'blood', 'pressure', 'increased', 'haemorrhage', 'increased', 'appetite', 'weight', 'increased', 'heart', 'rate', 'increased', 'fatigue', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'nephrogenic', 'systemic', 'fibrosis', 'respiratory', 'failure', 'cystic', 'fibrosis', 'anaemia', 'balance', 'disorder', 'dyspnoea', 'pain', 'extremity', 'pain', 'death', 'psoriasis', 'pruritus', 'rash', 'erythematous', 'gastrointestinal', 'disorder', 'abdominal', 'pain', 'eczema', 'therapeutic', 'response', 'decreased', 'platelet', 'count', 'decreased', 'anaemia', 'platelet', 'count', 'decreased', 'asthenia', 'dizziness', 'haematuria', 'urinary', 'tract', 'infection', 'pyrexia', 'myalgia', 'myocardial', 'infarction', 'coronary', 'artery', 'bypass', 'unevaluable', 'event', 'pancreatitis', 'diabetes', 'mellitus', 'peritonitis', 'bacterial', 'coma', 'hepatic', 'abdominal', 'pain', 'upper', 'blister', 'swelling', 'face', 'abdominal', 'distension', 'feeling', 'abnormal', 'vomiting', 'abdominal', 'pain', 'upper', 'coronary', 'artery', 'disease', 'drug', 'dose', 'omission', 'transient', 'ischemic', 'attack', 'platelet', 'count', 'decreased', 'asthma', 'wheezing', 'anaemia', 'blood', 'count', 'abnormal', 'haemoglobin', 'decreased', 'speech', 'disorder', 'psychomotor', 'hyperactivity', 'haemoglobin', 'decreased', 'red', 'blood', 'cell', 'count', 'decreased', 'death', 'rotator', 'cuff', 'syndrome', 'nasopharyngitis', 'death', 'gastrointestinal', 'haemorrhage', 'death', 'erythropeiosis', 'abnormal', 'hepatic', 'failure', 'haemoglobin', 'decreased', 'oedema', 'peripheral', 'asthenia', 'therapeutic', 'response', 'decreased', 'splenomegaly', 'fall', 'general', 'physical', 'health', 'deterioration', 'illness', 'anxiety', 'decreased', 'activity', 'pain', 'platelet', 'count', 'decreased', 'increased', 'tendency', 'bruise', 'contusion', 'gastrointestinal', 'haemorrhage', 'aortic', 'stenosis', 'platelet', 'count', 'decreased', 'drug', 'effect', 'decreased', 'abdominal', 'pain', 'vomiting', 'rectal', 'haemorrhage', 'atrial', 'fibrillation', 'drug', 'ineffective', 'anaemia', 'platelet', 'count', 'decreased', 'leukocytosis', 'nephrolithiasis', 'urinary', 'tract', 'infection', 'malaise', 'haemoglobin', 'decreased', 'urinary', 'tract', 'infection', 'anaemia', 'weight', 'increased', 'thrombocytopenia', 'somnolence', 'dyspnoea', 'exertional', 'fatigue', 'pancreatic', 'carcinoma', 'hallucination', 'visual', 'increased', 'globulin', 'decreased', 'ventricular', 'remodeling', 'blood', 'urea', 'ratio', 'decreased', 'protein', 'total', 'decreased', 'blood', 'glucose', 'increased', 'antipsychotic', 'drug', 'level', 'therapeutic', 'anaemia', 'blood', 'creatinine', 'increased', 'hyperkalaemia', 'dyspnoea', 'fatigue', 'dyspnoea', 'exertional', 'thrombocytosis', 'dizziness', 'encephalopathy', 'renal', 'failure', 'haematuria', 'arrhythmia', 'cerebral', 'haemorrhage', 'haemorrhage', 'intracranial', 'acute', 'respiratory', 'failure', 'coagulopathy', 'haematuria', 'anaemia', 'haemoglobin', 'decreased', 'anaemia', 'blood', 'count', 'abnormal', 'anaemia', 'overdose', 'bradycardia', 'oxygen', 'saturation', 'decreased', 'anticonvulsant', 'drug', 'level', 'increased', 'depressed', 'level', 'consciousness', 'hypertr

ansaminasaemia', 'hypofibrinogenaemia', 'dementia', 'blood', 'urea', 'decreased', 'blood', 'cholesterol', 'increased', 'blood', 'triglyceride', 'increased', 'mean', 'cell', 'haemoglobin', 'concentration', 'decreased', 'neutrophil', 'count', 'increased', 'monocyte', 'count', 'increased', 'mouth', 'haemorrhage', 'epistaxis', 'rectal', 'haemorrhage', 'fatigue', 'renal', 'failure', 'acute', 'oesophageal', 'candidiasis', 'hiatus', 'hernia', 'haemorrhoid', 'surgery', 'device', 'difficult', 'use', 'medical', 'device', 'complication', 'incorrect', 'drug', 'administration', 'duration', 'disease', 'progression', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'red', 'blood', 'cell', 'count', 'decreased', 'haematocrit', 'decreased', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'haemoglobin', 'decreased', 'blood', 'count', 'abnormal', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'haematocrit', 'decreased', 'haemoglobin', 'decrease', 'nausea', 'asthenia', 'memory', 'impairment', 'depression', 'muscle', 'spasm', 'headache', 'metastasis', 'lymph', 'node', 'cardiac', 'failure', 'device', 'related', 'sepsis', 'breast', 'cancer', 'recurrent', 'exposure', 'pregnancy', 'lymphoedema', 'malignant', 'neoplasm', 'progression', 'anaemia', 'drug', 'effect', 'increased', 'white', 'blood', 'cell', 'count', 'decreased', 'platelet', 'count', 'decreased', 'arthralgia', 'pancytopenia', 'herpes', 'zoster', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'angina', 'pectoris', 'dehydration', 'malaise', 'pain', 'oral', 'surgery', 'immunosuppressant', 'drug', 'level', 'increased', 'drug', 'interaction', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'haematocrit', 'decreased', 'platelet', 'count', 'decreased', 'blood', 'glucose', 'decreased', 'asthenia', 'vaginal', 'ulceration', 'death', 'drug', 'ineffective', 'label', 'use', 'label', 'use', 'thrombocytopenia', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'epistaxis', 'disease', 'progression', 'platelet', 'count', 'decreased', 'thrombocytopenia', 'drug', 'ineffective', 'haematocrit', 'decreased', 'haemoglobin', 'decreased', 'aspartate', 'aminotransferase', 'increased', 'epilepsy', 'wrong', 'technique', 'drug', 'usage', 'process', 'thrombocytopenia', 'medication', 'error', 'fatigue', 'dyspnoea', 'exertional', 'insomnia', 'musculoskeletal', 'pain', 'rash', 'pruritic', 'weight', 'increased', 'anaemia', 'thrombocytopenia', 'dizziness', 'leukocytosis', 'fatigue', 'diet', 'refusal', 'platelet', 'count', 'decreased', 'anaemia', 'dyspnoea', 'chest', 'discomfort', 'fatigue', 'platelet', 'count', 'decreased', 'anaemia', 'fatigue', 'gastric', 'disorder', 'anaemia', 'diarrhoea', 'blood', 'count', 'abnormal', 'drug', 'ineffective', 'blood', 'count', 'abnormal', 'thrombocytopenia', 'anaemia', 'medication', 'error', 'thrombocytopenia', 'platelet', 'count', 'increased', 'drug', 'ineffective', 'pain', 'fall', 'neurological', 'symptom', 'night', 'sweat', 'abdominal', 'discomfort', 'diabetes', 'mellitus', 'inadequate', 'control', 'drug', 'withdrawal', 'syndrome', 'blood', 'testosterone', 'decreased', 'insomnia', 'back', 'pain', 'pain', 'back', 'pain', 'musculoskeletal', 'discomfort', 'label', 'use', 'anaemia', 'haemoglobin', 'decreased', 'fatigue', 'platelet', 'count', 'decreased', 'disease', 'progression', 'anaemia', 'back', 'pain', 'drug', 'ineffective', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'thrombocytopenia', 'infection', 'haemoglobin', 'decreased', 'device', 'related', 'infection', 'infection', 'haemoglobin', 'decreased', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'thrombocytopenia', 'haemoglobin', 'decreased', 'drug', 'ineffective', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'dizziness', 'haemoglobin', 'decreased', 'haemoglobin', 'decreased', 'constipation', 'platelet', 'count', 'decreased', 'blood', 'pressure', 'increased', 'palpitation', 'feeling', 'abnormal', 'contusion', 'red', 'blood', 'cell', 'count', 'decreased', 'haemoglobin', 'decreased', 'haemoglobin', 'decreased', 'giant', 'cell', 'tumour', 'tendon', 'sheath', 'platelet', 'count', 'decreased', 'weight', 'increased', 'aneurysm', 'glossodynia', 'urinary', 'tract', 'infection', 'nephrolithiasis', 'skin', 'wrinkling', 'dry', 'skin', 'thrombocytopenia', 'tooth', 'disorder', 'anaemia', 'fatigue', 'weight', 'decreased', 'transfusion', 'drug', 'ineffective', 'haemoglobin', 'decreased', 'dyspnoea', 'malaise', 'nausea', 'influenza', 'like', 'illness', 'chill', 'pain', 'hyperhidrosis', 'pyrexia', 'haemoglobin', 'decreased', 'disease', 'progression', 'platelet', 'count', 'decreased', 'abdominal', 'pain', 'dyspnoea', 'anaemia', 'thrombocytopenia', 'splenomegaly', 'abdominal', 'discomfort', 'palpitation', 'gingival', 'pain', 'fatigue', 'oedema', 'peripheral', 'paraesthesia', 'confusional', 'state', 'feeling', 'abnormal', 'asthenia', 'nervousness', 'anaemia', 'headache', 'platelet', 'count', 'decreased', 'splenomegaly', 'anaemia', 'hepatic', 'enzyme', 'increased', 'muscular', 'weakness', 'dizziness', 'white', 'blood', 'cell', 'count', 'decreased', 'scleroderma', 'lower', 'respiratory', 'tract', 'inflammation', 'anaemia', 'thrombocytopenia', 'epistaxis', 'fatigue', 'red', 'blood', 'cell', 'count', 'decreased', 'haemoglobin', 'decreased', 'weight', 'increased', 'night', 'sweat', 'intentional', 'overdose', 'suicide', 'attempt', 'platelet', 'count', 'decreased', 'anaemia', 'disease', 'progression', 'nasopharyngitis', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'cellulitis', 'thrombocytopenia', 'hypokalaemia', 'syncope', 'febrile', 'neutropenia', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'decreased', 'haematocrit', 'decreased', 'blood', 'count', 'abnormal', 'anaemia', 'red', 'blood', 'cell', 'count', 'decreased', 'sinusitis', 'bronchitis', 'mastoiditis', 'frequent', 'bowel', 'movement', 'mucosal', 'inflammation', 'muscle', 'spasm', 'dyspnoea', 'epistaxis', 'anxiety', 'diarrhoea', 'erythema', 'contusion', 'dizziness', 'anaemia', 'disease', 'progression', 'splenomegaly', 'lung', 'consolidation', 'goitre', 'platelet', 'count', 'decreased', 'wrong', 'technique', 'drug', 'usage', 'process', 'haemoglobin', 'decreased', 'cataract', 'retinal', 'detachment', 'label', 'use', 'haemoglobin', 'decreased', 'transfusion', 'platelet', 'count', 'decreased', 'anaemia', 'insomnia', 'dyspnoea', 'cyanosis', 'fatigue', 'haemorrhage', 'white', 'blood', 'cell', 'count', 'decreased', 'haemoglobin', 'decreased', 'pneumonia', 'blood', 'count', 'abnormal', 'asthenia', 'malaise', 'anaemia', 'back', 'pain', 'arthralgia', 'increased', 'appetite', 'cardiac', 'failure', 'congestive', 'swelling', 'platelet', 'count', 'decreased', 'drug', 'administration', 'error', 'disease', 'progression', 'haemoglobin', 'decreased', 'bone', 'pain', 'red', 'blood', 'cell', 'count', 'decreased', 'fatigue', 'anaemia', 'drug', 'ineffective', 'platelet', 'count', 'decreased', 'haemoglobin', 'abnormal', 'platelet', 'count', 'decreased', 'blood', 'count', 'abnormal', 'anaemia', 'anaemia', 'thrombocytopenia', 'medication', 'error', 'malignant', 'melanoma', 'stage', 'keratoacanthoma', 'blood', 'pressure', 'increased', 'hyperkeratosis', 'therapy', 'keratoacanthoma', 'foetal', 'exposure', 'pregnancy', 'premature', 'baby', 'low', 'birth', 'weight', 'baby', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'exposure', 'breast', 'feeding', 'dehydration', 'oedema', 'peripheral', 'decreased', 'activity', 'asthenia', 'contusion', 'cardiac', 'valve', 'disease', 'fluid', 'retention', 'fatigue', 'bradyphrenia', 'skin', 'cancer', 'dyspnoea', 'dizziness', 'diarrhoea', 'renal', 'impairment', 'lethargy', 'weight', 'decreased', 'malaise', 'transfusion', 'platelet', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'decreased', 'red', 'blood', 'cell', 'count', 'decreased', 'dizziness', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'acute', 'hepatic', 'failure', 'drug', 'ineffective', 'hepatitis', 'renal', 'failure', 'acute', 'hypokalaemia', 'oedema', 'peripheral', 'overdose', 'pyelonephritis', 'syncope', 'convulsion', 'wrong', 'technique', 'drug', 'usage', 'process', 'prostatic', 'disorder', 'urinary', 'incontinence', 'death', 'nausea', 'weight', 'decreased', 'peripheral', 'swelling', 'epistaxis', 'anaemia', 'diarrhoea', 'haemoglobin', 'decreased', 'maternal', 'exposure', 'pregnancy', 'stillbirth', 'wrong', 'technique', 'drug', 'usage', 'process', 'maternal', 'exposure', 'pregnancy', 'abortion', 'spontaneous', 'death', 'platelet', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'increased', 'urinary', 'tract', 'infection', 'death', 'haemoglobin', 'decreased', 'multiple', 'sclerosis', 'infection', 'hyperthermia', 'eosinophil', 'count', 'increased', 'lymphocyte', 'count', 'decreased', 'respiratory', 'arrest', 'foetal', 'exposure', 'pregnancy', 'exposure', 'breast', 'feeding', 'low', 'birth', 'weight', 'baby', 'premature', 'baby', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'tre mor', 'exposure', 'via', 'father', 'hospitalisation', 'intentional', 'overdose', 'substance', 'abuse', 'drug', ' '



abuse', 'maternal', 'exposure', 'pregnancy', 'exposure', 'via', 'father', 'foetal', 'growth', 'restriction', 'pr  
emature', 'delivery', 'respiratory', 'arrest', 'pneumonia', 'anaemia', 'decubitus', 'ulcer', 'fall', 'herpes', 'zoster', 'red', 'blood', 'cell', 'count', 'decreased', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'chest', 'discomfort', 'chest', 'pain', 'dyspnoea', 'gastrointestinal', 'haemorrhage', 'dementia', 'agitation', 'confusional', 'state', 'platelet', 'count', 'decreased', 'asthenia', 'nausea', 'fatigue', 'depressed', 'mood', 'decreased', 'appetite', 'headache', 'dizziness', 'lower', 'gastrointestinal', 'haemorrhage', 'anaemia', 'renal', 'failure', 'acute', 'gastrointestinal', 'haemorrhage', 'gastrointestinal', 'haemorrhage', 'bronchospasm', 'urticaria', 'investigation', 'rectal', 'adenocarcinoma', 'red', 'blood', 'cell', 'count', 'decreased', 'blood', 'count', 'abnormal', 'nephrogenic', 'systemic', 'fibrosis', 'platelet', 'count', 'decreased', 'anaemia', 'anaemia', 'platelet', 'count', 'increased', 'gingival', 'pain', 'gingival', 'swelling', 'tooth', 'disorder', 'device', 'damage', 'autism', 'lung', 'neoplasm', 'malignant', 'fatigue', 'myalgia', 'arthralgia', 'joint', 'stiffness', 'balance', 'disorder', 'muscle', 'spasm', 'muscular', 'weakness', 'arthritis', 'vision', 'blurred', 'visual', 'acuity', 'reduced', 'haemorrhage', 'death', 'swan', 'ganz', 'catheter', 'placement', 'coronary', 'artery', 'bypass', 'vascular', 'graft', 'stent', 'placement', 'diabetes', 'mellitus', 'cardiac', 'failure', 'congestive', 'nephrogenic', 'systemic', 'fibrosis', 'rectal', 'haemorrhage', 'colitis', 'ischaemic', 'anaemia', 'coagulopathy', 'death', 'deep', 'vein', 'thrombosis', 'leukopenia', 'thrombocytopenia', 'fatigue', 'infection', 'therapeutic', 'response', 'plasma', 'cell', 'myeloma', 'recurrent', 'neutropenia', 'haemoglobin', 'decreased', 'diarrhoea', 'transfusion', 'pregnancy', 'hospitalisation', 'atypical', 'femur', 'fracture', 'femur', 'fracture', 'fall', 'hypomagnesaemia', 'drug', 'interaction', 'condition', 'aggravated', 'chronic', 'spontaneous', 'urticaria', 'insomnia', 'angioedema', 'drug', 'ineffective', 'pruritus', 'electrocardiogram', 'qt', 'prolonged', 'extrapulmonary', 'tuberculosis', 'oral', 'candidiasis', 'pancreatitis', 'anal', 'fistula', 'nephrogenic', 'systemic', 'fibrosis', 'dyspnoea', 'laryngeal', 'oedema', 'stridor', 'acute', 'myocardial', 'infarction', 'hypotension', 'arrhythmia', 'palpitation', 'drug', 'abuse', 'pulmonary', 'embolism', 'chronic', 'obstructive', 'pulmonary', 'disease', 'respiratory', 'failure', 'syndrome', 'osteoporosis', 'gastroesophageal', 'reflux', 'disease', 'gastrointestinal', 'ulcer', 'diabetes', 'mellitus', 'inadequate', 'control', 'blood', 'glucose', 'increased', 'thirst', 'micturition', 'disorder', 'abdominal', 'pain', 'arrhythmia', 'presyncope', 'plasma', 'cell', 'myeloma', 'convulsion', 'urinary', 'tract', 'infection', 'psychiatric', 'symptom', 'blood', 'glucose', 'increased', 'oesophageal', 'carcinoma', 'oesophageal', 'oedema', 'asphyxia', 'visual', 'acuity', 'reduced', 'neuropathy', 'peripheral', 'mobility', 'decreased', 'injury', 'fall', 'head', 'injury', 'pain', 'cerebrovascular', 'accident', 'hypertension', 'diabetes', 'mellitus', 'upper', 'respiratory', 'tract', 'infection', 'thrombocytopenia', 'anaemia', 'influenza', 'like', 'illness', 'pyrexia', 'investigation', 'death', 'hypopnoea', 'dyspnoea', 'malaise', 'disease', 'progression', 'investigation', 'disease', 'progression', 'death', 'urinary', 'tract', 'infection', 'sepsis', 'renal', 'failure', 'chronic', 'pyrexia', 'dysuria', 'back', 'pain', 'nausea', 'decreased', 'appetite', 'device', 'related', 'infection', 'dysphagia', 'drug', 'interaction', 'pancytopenia', 'ocular', 'vascular', 'disorder', 'death', 'deep', 'vein', 'thrombosis', 'device', 'dislocation', 'hospitalisation', 'leukopenia', 'osteonecrosis', 'jaw', 'pancytopenia', 'drug', 'interaction', 'cardiotoxicity', 'bladder', 'disorder', 'hospitalisation', 'peripheral', 'swelling', 'cataract', 'colitis', 'ulcerative', 'phlebitis', 'superficial', 'leukopenia', 'haemoglobin', 'decreased', 'cough', 'pneumonia', 'pyrexia', 'arthropathy', 'hypotension', 'platelet', 'count', 'decreased', 'malaise', 'osteonecrosis', 'jaw', 'investigation', 'staphylococcal', 'osteomyelitis', 'nausea', 'anaemia', 'disease', 'progression', 'convulsion', 'hypocalcaemia', 'death', 'surgery', 'autoimmune', 'disorder', 'encephalitis', 'tonsillitis', 'pyrexia', 'lymphadenopathy', 'white', 'blood', 'cell', 'count', 'increased', 'protein', 'increased', 'enteritis', 'atelectasis', 'impaired', 'healing', 'cardiac', 'flutter', 'chest', 'pain', 'mobility', 'decreased', 'rash', 'pruritic', 'dizziness', 'pain', 'rash', 'erythematous', 'local', 'swelling', 'feeling', 'hot', 'nail', 'disorder', 'alopecia', 'nausea', 'vomiting', 'abdominal', 'distension', 'gastric', 'disorder', 'weight', 'decreased', 'abdominal', 'pain', 'arthralgia', 'pruritus', 'erythema', 'convulsion', 'drug', 'eruption', 'haemolytic', 'anaemia', 'transient', 'ischaemic', 'attack', 'dyspnoea', 'urticaria', 'nausea', 'alopecia', 'fatigue', 'hospitalisation', 'osteonecrosis', 'jaw', 'lethargy', 'pyrexia', 'liver', 'injury', 'alanine', 'aminotransferase', 'increased', 'aspartate', 'aminotransferase', 'increased', 'alpha', 'foetoprotein', 'increased', 'endometrial', 'cancer', 'unevaluable', 'event', 'renal', 'failure', 'respiratory', 'failure', 'hepatic', 'failure', 'pneumonia', 'malaise', 'chest', 'discomfort', 'presyncope', 'confusional', 'state', 'hypotension', 'vision', 'blurred', 'mobility', 'decreased', 'hip', 'fracture', 'fall', 'renal', 'failure', 'acute', 'hyponatraemia', 'drug', 'interaction', 'pancytopenia', 'hepatic', 'failure', 'glomerular', 'filtration', 'rate', 'increased', 'haemorrhage', 'intracranial', 'international', 'normalised', 'ratio', 'increased', 'drug', 'interaction', 'cardiac', 'disorder', 'hypotension', 'immunosuppressant', 'drug', 'level', 'increased', 'drug', 'interaction', 'immunosuppressant', 'drug', 'level', 'increased', 'drug', 'interaction', 'malaise', 'mental', 'disorder', 'general', 'physical', 'health', 'deterioration', 'anaemia', 'delirium', 'cerebral', 'haemorrhage', 'eastern', 'cooperative', 'oncology', 'group', 'performance', 'status', 'worsened', 'infusion', 'related', 'reaction', 'hydrocephalus', 'pain', 'asthenia', 'blood', 'phosphorus', 'decreased', 'muscular', 'weakness', 'arteriovenous', 'malformation', 'nasopharyngitis', 'cough', 'nasal', 'dryness', 'left', 'ventricular', 'dysfunction', 'radiation', 'necrosis', 'cerebral', 'haematoma', 'pneumonia', 'brain', 'abscess', 'hyponatraemia', 'hypotension', 'gastric', 'infection', 'central', 'nervous', 'system', 'infection', 'blood', 'potassium', 'abnormal', 'platelet', 'count', 'decreased', 'performance', 'status', 'decreased', 'decreased', 'appetite', 'headache', 'obesity', 'depressed', 'level', 'consciousness', 'fall', 'dilatation', 'ventricular', 'depressed', 'level', 'consciousness', 'influenza', 'like', 'illness', 'ventricular', 'hypokinesia', 'weight', 'decreased', 'clostridium', 'difficile', 'infection', 'cystitis', 'brain', 'abscess', 'heart', 'rate', 'increased', 'influenza', 'malignant', 'neoplasm', 'progression', 'constipation', 'infusion', 'related', 'reaction', 'anorectal', 'disorder', 'coagulopathy', 'klebsiella', 'infection', 'seizure', 'paraesthesia', 'agranulocytosis', 'listless', 'hypotension', 'bradycardia', 'pseudomonas', 'sepsis', 'thrombotic', 'microangiopathy', 'label', 'use', 'death', 'death', 'investigation', 'investigation', 'loss', 'consciousness', 'product', 'odour', 'abnormal', 'application', 'site', 'perspiration', 'investigation', 'haemorrhoid', 'hospitalisation', 'hypocalcaemia', 'investigation', 'hospitalisation', 'transfusion', 'hospitalisation', 'kidney', 'infection', 'intervertebral', 'disc', 'disorder', 'urinary', 'tract', 'infection', 'urge', 'incontinence', 'cystitis', 'influenza', 'arthralgia', 'emergency', 'care', 'pulmonary', 'oedema', 'headache', 'body', 'temperature', 'increased', 'disease', 'progression', 'disease', 'progression', 'drug', 'ineffective', 'metastasis', 'central', 'nervous', 'system', 'hepatitis', 'c', 'drug', 'ineffective', 'white', 'blood', 'cell', 'count', 'decreased', 'thrombocytopenia', 'pancytopenia', 'arteritis', 'death', 'chronic', 'obstructive', 'pulmonary', 'disease', 'intestinal', 'ulcer', 'diarrhoea', 'death', 'febrile', 'neutropenia', 'respiratory', 'failure', 'hypoxia', 'sepsis', 'cholecystitis', 'nausea', 'constipation', 'small', 'intestinal', 'obstruction', 'renal', 'failure', 'acute', 'pneumonia', 'aspiration', 'atrial', 'fibrillation', 'hypersensitivity', 'vasculitis', 'prostate', 'cancer', 'protein', 'increased', 'colon', 'cancer', 'haematotoxicity', 'nephropathy', 'toxic', 'back', 'pain', 'asthenia', 'fatigue', 'inflammation', 'hypoesthesia', 'pain', 'extremity', 'fall', 'loss', 'consciousness', 'rhabdomyolysis', 'lymphadenopathy', 'mediastinal', 'subcutaneous', 'abscess', 'mycobacterium', 'avian', 'complex', 'infection', 'oligohydramnios', 'exposure', 'pregnancy', 'gastric', 'ulcer', 'death', 'intestinal', 'obstruction', 'hearing', 'impaired', 'arterial', 'occlusive', 'disease', 'coronary', 'artery', 'occlusion', 'renal', 'impairment', 'diarrhoea', 'er

ythrodysaesthesia', 'syndrome', 'injection', 'site', 'reaction', 'renal', 'cell', 'carcinoma', 'metastasis', 'adrenal', 'prostate', 'cancer', 'squamous', 'cell', 'carcinoma', 'hypertension', 'hypercholesterolaemia', 'neuropathy', 'peripheral', 'food', 'aversion', 'pain', 'extremity', 'gastroesophageal', 'reflux', 'disease', 'drug', 'ineffective', 'retrograde', 'amnesia', 'loss', 'consciousness', 'cerebrovascular', 'accident', 'arthralgia', 'blister', 'psoriasis', 'diverticulitis', 'syndrome', 'diplopia', 'headache', 'pyrexia', 'injection', 'site', 'pain', 'ear', 'infection', 'breast', 'haemorrhage', 'breast', 'mass', 'dyspepsia', 'injection', 'site', 'haematoma', 'breast', 'pain', 'influenza', 'urinary', 'tract', 'infection', 'abdominal', 'distension', 'oropharyngeal', 'pain', 'wrong', 'technique', 'product', 'usage', 'process', 'cervical', 'spinal', 'stenosis', 'joint', 'injury', 'fall', 'paraesthesia', 'hypoaesthesia', 'drug', 'prescribing', 'error', 'rash', 'psoas', 'abscess', 'keratitis', 'conjunctivitis', 'arthralgia', 'cheilitis', 'cough', 'q', 'fever', 'bronchitis', 'psoriasis', 'death', 'herpes', 'ophthalmic', 'death', 'cervical', 'vertebral', 'fracture', 'fall', 'progressive', 'multifocal', 'leukoencephalopathy', 'immune', 'reconstitution', 'inflammatory', 'syndrome', 'opportunistic', 'infection', 'death', 'cholecystitis', 'haemorrhage', 'lung', 'neoplasm', 'central', 'nervous', 'system', 'lesion', 'iris', 'melanoma', 'multiple', 'sclerosis', 'relapse', 'sepsis', 'multiple', 'sclerosis', 'arthralgia', 'generalised', 'seizure', 'convulsion', 'thermal', 'burn', 'tongue', 'injury', 'concussion', 'anxiety', 'cartilage', 'injury', 'intervertebral', 'disc', 'protrusion', 'back', 'pain', 'ligament', 'injury', 'arthritis', 'muscular', 'weakness', 'anaemia', 'blood', 'test', 'abnormal', 'diabetic', 'coma', 'hypertension', 'confusional', 'state', 'ectopic', 'pregnancy', 'neck', 'surgery', 'hysterectomy', 'menopausal', 'symptom', 'nervousness', 'intracranial', 'aneurysm', 'procedural', 'complication', 'post', 'procedural', 'stroke', 'gastroesophageal', 'reflux', 'disease', 'stress', 'multiple', 'sclerosis', 'relapse', 'depressed', 'mood', 'gait', 'disturbance', 'procedural', 'pain', 'hysterectomy', 'multiple', 'sclerosis', 'relapse', 'multiple', 'sclerosis', 'relapse', 'general', 'physical', 'health', 'deterioration', 'malaise', 'drug', 'ineffective', 'unapproved', 'indication', 'neurological', 'decompensation', 'encephalopathy', 'acute', 'myocardial', 'infarction', 'thrombosis', 'device', 'cardiac', 'arrest', 'erythema', 'pyrexia', 'swelling', 'face', 'oropharyngeal', 'pain', 'multiple', 'sclerosis', 'relapse', 'multiple', 'sclerosis', 'relapse', 'amnesia', 'abasia', 'hemiparesis', 'vision', 'blurred', 'multiple', 'sclerosis', 'relapse', 'rash', 'pruritic', 'anaphylactic', 'reaction', 'drug', 'hypersensitivity', 'adverse', 'drug', 'reaction', 'rash', 'flushing', 'urinary', 'tract', 'infection', 'pelvic', 'pain', 'selective', 'eating', 'disorder', 'foetal', 'exposure', 'pregnancy', 'cleft', 'palate', 'high', 'arched', 'palate', 'exposure', 'breast', 'feeding', 'urinary', 'tract', 'infection', 'multiple', 'sclerosis', 'relapse', 'liver', 'disorder', 'pericarditis', 'pain', 'jaundice', 'multiple', 'sclerosis', 'relapse', 'impaired', 'gastric', 'disorder', 'dizziness', 'hip', 'fracture', 'impaired', 'healing', 'diarrhoea', 'weight', 'decreased', 'fall', 'coma', 'convulsion', 'influenza', 'hirsutism', 'alopecia', 'prescribed', 'underdose', 'malaise', 'cerebrovascular', 'accident', 'angioedema', 'rash', 'hot', 'flush', 'nausea', 'feeling', 'abnormal', 'duodenal', 'ulcer', 'haemorrhage', 'helicobacter', 'infection', 'alcohol', 'abuse', 'ear', 'infection', 'thrombosis', 'asthenia', 'multiple', 'sclerosis', 'relapse', 'viral', 'infection', 'hysterectomy', 'gait', 'disturbance', 'monoparesis', 'convulsion', 'flushing', 'malaise', 'multiple', 'sclerosis', 'relapse', 'drug', 'ineffective', 'thrombophlebitis', 'superficial', 'epilepsy', 'drug', 'dose', 'omission', 'drug', 'level', 'decreased', 'cleft', 'palate', 'foetal', 'exposure', 'pregnancy', 'selective', 'eating', 'disorder', 'high', 'arched', 'palate', 'exposure', 'breast', 'feeding', 'urinary', 'tract', 'infection', 'haematuria', 'pyrexia', 'myalgia', 'obstruction', 'allergic', 'granulomatous', 'angiitis', 'hypokinesia', 'caesarean', 'section', 'unintended', 'pregnancy', 'drug', 'ineffective', 'headache', 'dizziness', 'agitation', 'cry', 'hyperhidrosis', 'rash', 'rash', 'pyrexia', 'hyperhidrosis', 'abdominal', 'pain', 'upper', 'white', 'blood', 'cell', 'count', 'increased', 'inguinal', 'hernia', 'kidney', 'infection', 'cystitis', 'kidney', 'infection', 'nephrolithiasis', 'ear', 'infection', 'drug', 'ineffective', 'vith', 'nerve', 'paralysis', 'vith', 'nerve', 'paralysis', 'febrile', 'neutropenia', 'abasia', 'malaise', 'dizziness', 'vomiting', 'anxiety', 'sepsis', 'prostate', 'cancer', 'urinary', 'bladder', 'haemorrhage', 'haemorrhage', 'face', 'oedema', 'mouth', 'swelling', 'dysphagia', 'gingival', 'pain', 'peripheral', 'swelling', 'palatal', 'oedema', 'drug', 'intolerance', 'hemiplegia', 'renal', 'colic', 'renal', 'failure', 'acute', 'urinary', 'tract', 'infection', 'bacterial', 'test', 'positive', 'bronchitis', 'rhinorrhoea', 'death', 'death', 'surgery', 'psychotic', 'disorder', 'disease', 'transient', 'ischaemic', 'attack', 'death', 'renal', 'failure', 'death', 'exposure', 'pregnancy', 'selective', 'abortion', 'lipase', 'increased', 'amylase', 'increased', 'back', 'pain', 'gastrointestinal', 'haemorrhage', 'gastric', 'ulcer', 'schizophrenia', 'spinal', 'column', 'stenosis', 'arthropathy', 'thrombocytopenia', 'urinary', 'incontinence', 'labile', 'blood', 'pressure', 'hemiparesis', 'urinary', 'tract', 'infection', 'nasopharyngitis', 'rhinorrhoea', 'dry', 'mouth', 'blood', 'test', 'abnormal', 'death', 'foot', 'deformity', 'infusion', 'related', 'reaction', 'headache', 'interstitial', 'lung', 'disease', 'gastroenteritis', 'drug', 'dependence', 'eczema', 'dry', 'skin', 'haematuria', 'blood', 'urine', 'present', 'investigation', 'meningitis', 'renal', 'failure', 'acute', 'metabolic', 'acidosis', 'haematotoxicity', 'nephropathy', 'toxic', 'death', 'pain', 'localised', 'infection', 'fluid', 'retention', 'weight', 'increased', 'feeling', 'abnormal', 'oedema', 'peripheral', 'inflammation', 'injection', 'site', 'pain', 'nausea', 'abdominal', 'pain', 'pollakiuria', 'headache', 'product', 'quality', 'issue', 'rotator', 'cuff', 'syndrome', 'nausea', 'decreased', 'appetite', 'weight', 'decreased', 'anosmia', 'hypogeusia', 'gastrectomy', 'abortion', 'induced', 'maternal', 'exposure', 'pregnancy', 'cry', 'suicidal', 'ideation', 'depression', 'product', 'compounding', 'quality', 'issue', 'death', 'investigation', 'investigation', 'renal', 'failure', 'ophthalmic', 'herpes', 'zoster', 'conjunctival', 'hyperaemia', 'herpes', 'zoster', 'intraocular', 'pressure', 'increased', 'hallucination', 'visual', 'hallucination', 'auditory', 'memory', 'impairment', 'type', 'diabetes', 'mellitus', 'cellulitis', 'fall', 'peripheral', 'swelling', 'urinary', 'tract', 'infection', 'drug', 'withdrawal', 'syndrome', 'cardiac', 'disorder', 'hypertension', 'foot', 'fracture', 'oxygen', 'saturation', 'decreased', 'weight', 'increased', 'disease', 'progression', 'blood', 'sodium', 'increased', 'cardiac', 'failure', 'congestive', 'haemoglobin', 'decreased', 'respiratory', 'arrest', 'death', 'fluid', 'retention', 'dysphagia', 'apparent', 'death', 'brain', 'injury', 'cardiac', 'disorder', 'hypothyroidism', 'chronic', 'obstructive', 'pulmonary', 'disease', 'hypertension', 'panic', 'attack', 'back', 'pain', 'intervertebral', 'disc', 'compression', 'spinal', 'disorder', 'visual', 'acuity', 'reduced', 'type', 'diabetes', 'mellitus', 'respiratory', 'failure', 'cataract', 'intraocular', 'pressure', 'increased', 'cardiac', 'flutter', 'tachycardia', 'anxiety', 'palpitation', 'fall', 'malaise', 'feeling', 'abnormal', 'body', 'height', 'decreased', 'hip', 'fracture', 'fall', 'myelofibrosis', 'intestinal', 'obstruction', 'neoplasm', 'malignant', 'eating', 'disorder', 'dysuria', 'lymphadenopathy', 'hypersensitivity', 'pyrexia', 'depression', 'rash', 'generalised', 'rash', 'international', 'normalised', 'ratio', 'increased', 'sepsis', 'pneumonia', 'diarrhoea', 'asthenia', 'loss', 'consciousness', 'myocardial', 'infarction', 'feeling', 'jittery', 'flushing', 'intraocular', 'lens', 'implant', 'investigation', 'accidental', 'exposure', 'product', 'child', 'accidental', 'overdose', 'adverse', 'event', 'psychotic', 'disorder', 'headache', 'tremor', 'decreased', 'appetite', 'fatigue', 'blood', 'glucose', 'abnormal', 'death', 'pain', 'extremity', 'pain', 'extremity', 'arthralgia', 'gait', 'disturbance', 'product', 'substitution', 'issue', 'renal', 'failure', 'lupus', 'nephritis', 'pancytopenia', 'sepsis', 'nausea', 'vomiting', 'diarrhoea', 'fatigue', 'asthenia', 'thrombocytopenia', 'febrile', 'neutropenia', 'headache', 'cerebral', 'haemorrhage', 'thrombosis', 'drug', 'abuse', 'intentional', 'drug', 'misuse', 'movement', 'disorder', 'chest', 'pain', 'neck', 'pain', 'myalgia', 'pain', 'extremity', 'thrombotic', 'microangiopathy', 'label', 'use', 'throat', 'tightness', 'dyspnoea', 'cough', 'mental', 'disorder', 'sleep', 'disorder', 'abnormal', 'beh

avium', 'fatigue', 'melaena', 'international', 'normalised', 'ratio', 'increased', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'gastritis', 'oesophageal', 'candidiasis', 'gastrointestinal', 'haemorrhage', 'renal', 'failure', 'acute', 'tendonitis', 'anaemia', 'gastritis', 'haemorrhagic', 'pneumonia', 'investigation', 'nephrogenic', 'systemic', 'fibrosis', 'adenocarcinoma', 'colon', 'yellow', 'skin', 'activity', 'daily', 'living', 'impaired', 'limb', 'discomfort', 'dry', 'throat', 'arthralgia', 'injection', 'site', 'pain', 'drug', 'ineffective', 'fall', 'weight', 'decreased', 'neck', 'pain', 'head', 'injury', 'visual', 'impairment', 'injection', 'site', 'pruritus', 'hallucination', 'mobility', 'decreased', 'anaemia', 'injection', 'site', 'erythema', 'condition', 'aggravated', 'deafness', 'productive', 'cough', 'red', 'blood', 'cell', 'sedimentation', 'rate', 'increased', 'swelling', 'pain', 'thrombosis', 'catarrh', 'feeling', 'abnormal', 'injection', 'site', 'hypersensitivity', 'rheumatoid', 'arthritis', 'joint', 'swelling', 'hypertension', 'dry', 'mouth', 'hypersensitivity', 'swelling', 'face', 'lip', 'swelling', 'local', 'swelling', 'local', 'swelling', 'throat', 'tightness', 'pharyngeal', 'oedema', 'dyspnoea', 'ear', 'pain', 'pain', 'jaw', 'asthenia', 'fatigue', 'hypersensitivity', 'pneumonia', 'nasopharyngitis', 'cough', 'fatigue', 'general', 'physical', 'health', 'deterioration', 'hyperhidrosis', 'gastrointestinal', 'disorder', 'diarrhoea', 'decreased', 'appetite', 'fatigue', 'pruritus', 'urticaria', 'pain', 'skin', 'blister', 'rash', 'pruritic', 'exposure', 'breast', 'feeding', 'pulmonary', 'oedema', 'pruritus', 'burning', 'sensation', 'pain', 'swelling', 'face', 'rash', 'rash', 'dermatitis', 'contact', 'lentigo', 'seborrheic', 'keratosis', 'sweat', 'gland', 'tumour', 'pleural', 'effusion', 'hypoxia', 'respiratory', 'disorder', 'rhabdomyolysis', 'hernia', 'prostatic', 'disorder', 'tooth', 'abscess', 'toothache', 'endodontic', 'procedure', 'surgery', 'osteonecrosis', 'jaw', 'disease', 'progression', 'hallucination', 'confusional', 'state', 'visual', 'acuity', 'reduced', 'dizziness', 'bradycardia', 'investigation', 'fall', 'stupor', 'respiratory', 'depression', 'overdose', 'sedation', 'exposure', 'pregnancy', 'drug', 'withdrawal', 'syndrome', 'injection', 'site', 'rash', 'rash', 'erythematous', 'type', 'iv', 'hypersensitivity', 'reaction', 'cerebrovascular', 'accident', 'bipolar', 'disorder', 'sedation', 'paranoia', 'treatment', 'noncompliance', 'fear', 'tuberculosis', 'neoplasm', 'pain', 'extremity', 'hypoesthesia', 'carpal', 'tunnel', 'decompression', 'infusion', 'related', 'reaction', 'anaphylactic', 'reaction', 'white', 'blood', 'cell', 'count', 'decreased', 'bone', 'pain', 'arthralgia', 'hot', 'flush', 'asthenia', 'haemoptysis', 'intestinal', 'obstruction', 'intestinal', 'obstruction', 'hypokinesia', 'dysgeusia', 'asthenia', 'fatigue', 'decreased', 'appetite', 'atrial', 'thrombosis', 'speech', 'disorder', 'balance', 'disorder', 'gait', 'disturbance', 'confusional', 'state', 'asthenia', 'pain', 'malaise', 'haemorrhage', 'wound', 'scab', 'skin', 'fissure', 'pain', 'gait', 'disturbance', 'fear', 'arthralgia', 'flatulence', 'eructation', 'back', 'pain', 'arthritis', 'hypokinesia', 'cardiac', 'disorder', 'condition', 'aggravated', 'nausea', 'vomiting', 'diarrhoea', 'mobility', 'decreased', 'skin', 'cancer', 'pain', 'jaw', 'bone', 'swelling', 'ear', 'disorder', 'tooth', 'disorder', 'inappropriate', 'schedule', 'drug', 'administration', 'bone', 'pain', 'fat', 'embolism', 'hypertension', 'polycythaemia', 'sciatica', 'blindness', 'unilateral', 'gallbladder', 'disorder', 'hepatic', 'haematoma', 'hepatic', 'enzyme', 'increased', 'pain', 'extremity', 'impaired', 'gastric', 'emptying', 'injection', 'site', 'mass', 'amnesia', 'injection', 'site', 'pain', 'pain', 'completed', 'suicide', 'exposure', 'via', 'ingestion', 'diverticulitis', 'hernia', 'abdominal', 'pain', 'pulmonary', 'embolism', 'lung', 'neoplasm', 'malignant', 'fatigue', 'asthenia', 'dyspnoea', 'chest', 'pain', 'dyspnoea', 'cardiopulmonary', 'failure', 'cardiac', 'arrest', 'pyrexia', 'death', 'muscular', 'weakness', 'muscle', 'spasm', 'hypoesthesia', 'muscle', 'rigidity', 'sleep', 'disorder', 'musculoskeletal', 'stiffness', 'abortion', 'missed', 'therapeutic', 'response', 'changed', 'pathogen', 'resistance', 'drug', 'ineffective', 'death', 'tooth', 'loss', 'gingival', 'pain', 'bone', 'marrow', 'failure', 'hyperaemia', 'lymphadenopathy', 'bloody', 'discharge', 'odynophagia', 'saliva', 'altered', 'bone', 'pain', 'pyrexia', 'death', 'angioedema', 'prothrombin', 'time', 'prolonged', 'haemorrhage', 'contusion', 'haematuria', 'drug', 'interaction', 'toxicity', 'various', 'agent', 'international', 'normalised', 'ratio', 'increased', 'death', 'death', 'endometrial', 'cancer', 'injection', 'site', 'erythema', 'injection', 'site', 'swelling', 'injection', 'site', 'pain', 'osteoarthritis', 'cognitive', 'disorder', 'depression', 'haemoglobin', 'decreased', 'fibromyalgia', 'feeling', 'cold', 'weight', 'decreased', 'muscle', 'atrophy', 'therapeutic', 'response', 'white', 'blood', 'cell', 'count', 'decreased', 'asthenia', 'dizziness', 'product', 'quality', 'issue', 'visual', 'impairment', 'visual', 'acuity', 'reduced', 'drug', 'ineffective', 'cataract', 'night', 'blindness', 'death', 'death', 'death', 'fracture', 'road', 'traffic', 'accident', 'sternal', 'fracture', 'loss', 'consciousness', 'cough', 'nasopharyngitis', 'hypersensitivity', 'vasculitis', 'glomerulonephritis', 'acute', 'renal', 'failure', 'acute', 'arthralgia', 'hypochromic', 'anaemia', 'toxicity', 'various', 'agent', 'haematuria', 'hypocalcaemia', 'hyperphosphataemia', 'tetany', 'paraesthesia', 'oral', 'paraesthesia', 'paraesthesia', 'paraesthesia', 'maternal', 'drug', 'affecting', 'foetus', 'cleft', 'palate', 'high', 'arched', 'palate', 'poor', 'sucking', 'reflex', 'exposure', 'breast', 'feeding', 'congenital', 'anomaly', 'convulsion', 'impaired', 'driving', 'ability', 'fall', 'multiple', 'sclerosis', 'relapse', 'insomnia', 'multiple', 'sclerosis', 'relapse', 'dysarthria', 'gait', 'disturbance', 'fatigue', 'ataxia', 'hypoesthesia', 'muscle', 'spasm', 'swollen', 'tongue', 'hypoesthesia', 'oral', 'haemoglobin', 'abnormal', 'haematocrit', 'abnormal', 'inappropriate', 'schedule', 'drug', 'administration', 'blood', 'potassium', 'abnormal', 'blood', 'calcium', 'abnormal', 'blood', 'cholesterol', 'increased', 'multiple', 'sclerosis', 'relapse', 'haemoptysis', 'lung', 'disorder', 'chest', 'pain', 'injection', 'site', 'erythema', 'injection', 'site', 'swelling', 'injection', 'site', 'pruritus', 'urinary', 'bladder', 'haemorrhage', 'drug', 'ineffective', 'infection', 'cerebral', 'ischaemia', 'hemiparesis', 'blood', 'calcium', 'increased', 'blood', 'potassium', 'decreased', 'anaemia', 'faecaloma', 'proteinuria', 'hypertension', 'vitreous', 'haemorrhage', 'blindness', 'full', 'blood', 'count', 'decreased', 'hypoacusis', 'drug', 'interaction', 'psychotic', 'disorder', 'gait', 'disturbance', 'hyperreflexia', 'dizziness', 'sleep', 'disorder', 'asthenia', 'nystagmus', 'toxicity', 'various', 'agent', 'palpitation', 'disturbance', 'attention', 'inappropriate', 'schedule', 'drug', 'administration', 'bedridden', 'label', 'use', 'asthenia', 'muscular', 'weakness', 'dyspnoea', 'deep', 'vein', 'thrombosis', 'eye', 'haemorrhage', 'thrombocytopenia', 'thrombocytopenia', 'pleural', 'effusion', 'haemorrhage', 'intracranial', 'epilepsy', 'medication', 'error', 'haemorrhage', 'intracranial', 'gastrointestinal', 'haemorrhage', 'gastrointestinal', 'tract', 'irritation', 'diarrhoea', 'haemorrhagic', 'mesenteric', 'artery', 'thrombosis', 'cardiac', 'ablation', 'gastrointestinal', 'haemorrhage', 'nephrolithiasis', 'neuralgia', 'chest', 'discomfort', 'vision', 'blurred', 'deep', 'vein', 'thrombosis', 'deep', 'vein', 'thrombosis', 'pulmonary', 'alveolar', 'haemorrhage', 'acute', 'respiratory', 'failure', 'acute', 'respiratory', 'distress', 'syndrome', 'renal', 'impairment', 'atrial', 'fibrillation', 'pulmonary', 'embolism', 'investigation', 'cerebrovascular', 'accident', 'muscle', 'spasm', 'dyspnoea', 'neoplasm', 'hernia', 'incision', 'site', 'infection', 'tibia', 'fracture', 'ankle', 'fracture', 'ligament', 'rupture', 'meniscus', 'injury', 'fall', 'fracture', 'delayed', 'union', 'arthralgia', 'pain', 'mobility', 'decreased', 'investigation', 'adverse', 'event', 'hospitalisation', 'convulsion', 'drug', 'interaction', 'drug', 'prescribing', 'error', 'investigation', 'flushing', 'pyrexia', 'malaise', 'cellulitis', 'incorrect', 'route', 'drug', 'administration', 'motor', 'dysfunction', 'cerebrovascular', 'accident', 'galactorrhoea', 'nightmare', 'anxiety', 'neuralgia', 'urinary', 'tract', 'infection', 'drug', 'ineffective', 'alopecia', 'hair', 'growth', 'abnormal', 'hair', 'colour', 'change', 'nightmare', 'anxiety', 'label', 'use', 'completed', 'suicide', 'alopecia', 'osteoporosis', 'anaemia', 'mycobacterial', 'infection', 'upper', 'respiratory', 'tract', 'inflammation', 'dysentery', 'headache', 'diarrhoea', 'night', 'sweat', 'dry', 'skin', 'deafness', 'hypoglycaemic', 'unconsciousness', 'fall', 'lower', 'limb', 'fracture', 'angina', 'pectoris', 'influenza', 'headache', 'feeling', 'hot', 'chill', 'hyperhidrosis', 'movement', 'disorder', 'ch

est', 'pain', 'lip', 'oedema', 'asthma', 'dizziness', 'mood', 'swing', 'asthenia', 'bradycardia', 'presyncope', 'somnolence', 'headache', 'weight', 'decreased', 'lower', 'respiratory', 'tract', 'infection', 'right', 'ventricular', 'failure', 'oedema', 'peripheral', 'sleep', 'apnoea', 'syndrome', 'cor', 'pulmonary', 'hypoxia', 'malaise', 'cyanosis', 'decreased', 'activity', 'pyrexia', 'pain', 'myopathy', 'ophthalmoplegia', 'diplopia', 'cerebrovascular', 'accident', 'renal', 'failure', 'lactic', 'acidosis', 'blood', 'potassium', 'increased', 'continuous', 'haemodiafiltration', 'metabolic', 'acidosis', 'diabetes', 'mellitus', 'renal', 'failure', 'lactic', 'acidosis', 'blood', 'sodium', 'decreased', 'blood', 'potassium', 'increased', 'continuous', 'haemodiafiltration', 'renal', 'failure', 'lactic', 'acidosis', 'blood', 'sodium', 'decreased', 'blood', 'potassium', 'increased', 'continuous', 'haemodiafiltration', 'metabolic', 'acidosis', 'interstitial', 'lung', 'disease', 'electrocardiogram', 'repolarisation', 'abnormality', 'fatigue', 'colorectal', 'cancer', 'metastatic', 'lactic', 'acidosis', 'renal', 'failure', 'blood', 'potassium', 'increased', 'continuous', 'haemodiafiltration', 'metabolic', 'acidosis', 'hypoventilation', 'abdominal', 'pain', 'upper', 'somnolence', 'cardiopulmonary', 'failure', 'tachypnoea', 'pathological', 'gambling', 'disorder', 'rash', 'generalised', 'rash', 'pruritic', 'rash', 'pustular', 'rash', 'erythematous', 'hemiparesis', 'vision', 'blurred', 'hypoaesthesia', 'gait', 'disturbance', 'injection', 'site', 'erythema', 'injection', 'site', 'discolouration', 'rotator', 'cuff', 'repair', 'arthralgia', 'musculoskeletal', 'pain', 'increased', 'upper', 'airway', 'secretion', 'injection', 'site', 'pain', 'investigation', 'syncope', 'cardiac', 'disorder', 'hyperhidrosis', 'inappropriate', 'schedule', 'drug', 'administration', 'hepatitis', 'toxic', 'chest', 'pain', 'erythema', 'skin', 'reaction', 'interstitial', 'lung', 'disease', 'headache', 'dyspnoea', 'multiple', 'sclerosis', 'relapse', 'maternal', 'drug', 'affecting', 'foetus', 'caesarean', 'section', 'pulmonary', 'valve', 'stenosis', 'congenital', 'atrial', 'septal', 'defect', 'feeding', 'disorder', 'neonatal', 'altered', 'state', 'consciousness', 'sopor', 'aspartate', 'aminotransferase', 'increased', 'blood', 'creatinine', 'phosphokinase', 'increased', 'label', 'use', 'sedation', 'diplopia', 'substance', 'abuse', 'oral', 'mucosal', 'blistering', 'hypersensitivity', 'throat', 'tightness', 'nausea', 'vomiting', 'multiple', 'sclerosis', 'relapse', 'drug', 'ineffective', 'multiple', 'sclerosis', 'relapse', 'eyelid', 'ptosis', 'influenza', 'like', 'illness', 'multiple', 'sclerosis', 'inappropriate', 'schedule', 'drug', 'administration', 'multiple', 'sclerosis', 'inappropriate', 'schedule', 'drug', 'administration', 'fall', 'hyponatraemia', 'confusional', 'state', 'cholecystitis', 'hepatic', 'artery', 'aneurysm', 'femur', 'fracture', 'incorrect', 'drug', 'administration', 'duration', 'dermatitis', 'psoriasisiform', 'vomiting', 'metabolic', 'acidosis', 'pulmonary', 'oedema', 'respiratory', 'disorder', 'blood', 'creatinine', 'increased', 'dialysis', 'renal', 'impairment', 'lactic', 'acidosis', 'drug', 'abuse', 'intentional', 'sopor', 'oligohydramnios', 'premature', 'rupture', 'membrane', 'caesarean', 'section', 'obstructed', 'labour', 'gestational', 'diabetes', 'maternal', 'exposure', 'pregnancy', 'foetal', 'heart', 'rate', 'deceleration', 'abnormality', 'maternal', 'drug', 'affecting', 'foetus', 'oligohydramnios', 'foetal', 'death', 'kidney', 'duplex', 'congenital', 'hearing', 'disorder', 'foetal', 'exposure', 'pregnancy', 'congenital', 'choroid', 'plexus', 'cyst', 'supernumerary', 'nipple', 'cardiac', 'failure', 'pneumonia', 'anxiety', 'throat', 'irritation', 'sensation', 'foreign', 'body', 'chest', 'discomfort', 'nausea', 'pain', 'headache', 'nervousness', 'blood', 'pressure', 'inadequately', 'controlled', 'hypertension', 'blood', 'electrolyte', 'abnormal', 'blood', 'potassium', 'abnormal', 'adrenal', 'gland', 'injury', 'cardiac', 'disorder', 'anaemia', 'hypotension', 'renal', 'failure', 'laboratory', 'test', 'abnormal', 'syncope', 'gastrointestinal', 'disorder', 'medication', 'residue', 'present', 'abdominal', 'pain', 'nausea', 'fatigue', 'dental', 'caries', 'oedema', 'diarrhoea', 'cystitis', 'noninfective', 'hypertension', 'anaemia', 'vomiting', 'dizziness', 'dehydration', 'neutropenia', 'somnolence', 'thrombocytopenia', 'thrombocytopenia', 'anaemia', 'condition', 'aggravated', 'haemorrhage', 'intracranial', 'subdural', 'haematoma', 'angioedema', 'urticaria', 'dyspnoea', 'sensation', 'foreign', 'body', 'rash', 'generalised', 'swelling', 'face', 'local', 'swelling', 'vomiting', 'rash', 'capillary', 'leak', 'syndrome', 'conjunctival', 'haemorrhage', 'vision', 'blurred', 'asthenia', 'headache', 'peripheral', 'vascular', 'disorder', 'uterine', 'leiomyoma', 'pyrexia', 'cough', 'rhinorrhoea', 'respiratory', 'tract', 'congestion', 'death', 'scleroderma', 'fasciitis', 'dyspnoea', 'infusion', 'related', 'reaction', 'pneumonia', 'fungal', 'respiratory', 'arrest', 'pancreatitis', 'gait', 'disturbance', 'joint', 'range', 'motion', 'decreased', 'musculoskeletal', 'stiffness', 'face', 'oedema', 'drug', 'effect', 'incomplete', 'oedema', 'skin', 'lesion', 'drug', 'intolerance', 'otitis', 'medium', 'malignant', 'melanoma', 'situ', 'headache', 'vomiting', 'abdominal', 'pain', 'gait', 'disturbance', 'urinary', 'tract', 'infection', 'pyrexia', 'haematuria', 'myalgia', 'depressed', 'level', 'consciousness', 'depressed', 'level', 'consciousness', 'conjunctival', 'haemorrhage', 'arthralgia', 'myalgia', 'pyrexia', 'encephalopathy', 'adenocarcinoma', 'diarrhoea', 'weight', 'decreased', 'vomiting', 'ileus', 'paralytic', 'muscle', 'rupture', 'thrombosis', 'device', 'drug', 'resistance', 'interstitial', 'lung', 'disease', 'epistaxis', 'dyspnoea', 'headache', 'hyperhidrosis', 'arthralgia', 'hypersensitivity', 'vasculitis', 'cerebrovascular', 'accident', 'transient', 'ischaemic', 'attack', 'thrombosis', 'diplopia', 'pulmonary', 'embolism', 'headache', 'conjunctival', 'haemorrhage', 'vision', 'blurred', 'headache', 'asthenia', 'gait', 'disturbance', 'interstitial', 'lung', 'disease', 'pancreatitis', 'disseminated', 'intravascular', 'coagulation', 'tracheostomy', 'mechanical', 'ventilation', 'gastric', 'haemorrhage', 'hepatic', 'function', 'abnormal', 'cholelithiasis', 'skin', 'exfoliation', 'pruritus', 'oral', 'pruritus', 'local', 'swelling', 'chest', 'discomfort', 'paraesthesia', 'oral', 'vomiting', 'underdose', 'renal', 'impairment', 'diarrhoea', 'lethargy', 'malaise', 'weight', 'decreased', 'myocardial', 'infarction', 'nausea', 'weight', 'increased', 'headache', 'dizziness', 'angina', 'pectoris', 'fatigue', 'hyperhidrosis', 'syndrome', 'hypersensitivity', 'blister', 'consciousness', 'fluctuating', 'dyspnoea', 'eye', 'disorder', 'rash', 'generalised', 'lip', 'discolouration', 'chapped', 'lip', 'pain', 'scab', 'scar', 'malaise', 'skin', 'disorder', 'skin', 'exfoliation', 'lip', 'swelling', 'weight', 'decreased', 'label', 'use', 'small', 'cell', 'lung', 'cancer', 'gastric', 'cancer', 'headache', 'tooth', 'abscess', 'fatigue', 'tooth', 'infection', 'spondylolisthesis', 'osteoporosis', 'pain', 'extremity', 'musculoskeletal', 'discomfort', 'drug', 'diversion', 'insomnia', 'cholangitis', 'label', 'use', 'death', 'myocardial', 'infarction', 'pancytopenia', 'drug', 'interaction', 'exposure', 'pregnancy', 'substance', 'abuse', 'headache', 'somnambulism', 'depression', 'diarrhoea', 'fatigue', 'irritability', 'polyuria', 'pain', 'extremity', 'underdose', 'malaise', 'nausea', 'vomiting', 'wrong', 'technique', 'drug', 'usage', 'process', 'eczema', 'paralysis', 'asthenia', 'constipation', 'dyspnoea', 'hyperkalaemia', 'restlessness', 'rale', 'blood', 'sodium', 'decreased', 'high', 'density', 'lipoprotein', 'decreased', 'low', 'density', 'lipoprotein', 'increased', 'incorrect', 'route', 'drug', 'administration', 'drug', 'abuse', 'drug', 'diversion', 'bronchospasm', 'hyperhidrosis', 'liver', 'function', 'test', 'abnormal', 'salmonellosis', 'hepatic', 'steatosis', 'herpes', 'simplex', 'spinal', 'osteoarthritis', 'arthritis', 'renal', 'failure', 'acute', 'duodenal', 'polyp', 'electrolyte', 'imbalance', 'oesophagitis', 'mycobacterium', 'avian', 'complex', 'infection', 'lymphadenitis', 'renal', 'impairment', 'diabetes', 'mellitus', 'diarrhoea', 'sinusitis', 'diabetic', 'neuropathy', 'eosinophilic', 'pustular', 'folliculitis', 'nausea', 'pneumonia', 'osteoporosis', 'hyperlipidaemia', 'back', 'pain', 'hyperuricaemia', 'cytopenia', 'periarthritides', 'folate', 'deficiency', 'gingival', 'inflammation', 'drug', 'diversion', 'lumbar', 'vertebral', 'fracture', 'clostridium', 'difficile', 'colitis', 'blood', 'glucose', 'increased', 'inappropriate', 'schedule', 'drug', 'administration', 'confusional', 'state', 'tumour', 'lysis', 'syndrome', 'renal', 'failure', 'overdose', 'drug', 'dependence', 'drug', 'abuse', 'splenic', 'rupture', 'blood', 'pressure', 'diastolic', 'decreased', 'haemoglobin', 'decreased', 'peritoneal', 'haemorrhage', 'caesarean', 'section', 'maternal', 'exposure', 'pregnancy', 'procedural', 'complication', 'skin', 'toxicity', 'pneumonia', 'neuropathy', 'peripheral', 'fatigue', 'infection', 'nausea', 'diarrhoea

, 'erythrodysesthesia', 'syndrome', 'mucosal', 'inflammation', 'pneumonitis', 'pleural', 'effusion', 'vomiting', 'anaemia', 'drug', 'abuse', 'accidental', 'exposure', 'product', 'dermatitis', 'exfoliative', 'pneumonitis', 'nausea', 'hepatic', 'function', 'abnormal', 'overdose', 'miosis', 'respiratory', 'depression', 'coma', 'drug', 'diversion', 'road', 'traffic', 'accident', 'drug', 'diversion', 'drug', 'abuse', 'drug', 'diversion', 'leukopenia', 'anaemia', 'thrombocytopenia', 'vomiting', 'radiation', 'oesophagitis', 'erythrodysesthesia', 'syndrome', 'diarrhoea', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'febrile', 'neutropenia', 'drug', 'diversion', 'self', 'injurious', 'behaviour', 'intentional', 'drug', 'misuse', 'sluggishness', 'myocardial', 'infarction', 'fall', 'somnia', 'aphasia', 'drug', 'hypersensitivity', 'pain', 'abdominal', 'distension', 'fatigue', 'chill', 'diarrhoea', 'eosinophilia', 'condition', 'aggravated', 'transaminase', 'increased', 'dyspepsia', 'lymphopenia', 'skin', 'ulcer', 'overdose', 'depressed', 'level', 'consciousness', 'convulsion', 'gaze', 'palsy', 'foaming', 'mouth', 'dyskinesia', 'drug', 'dependence', 'febrile', 'neutropenia', 'label', 'use', 'disability', 'fatigue', 'joint', 'dislocation', 'joint', 'swelling', 'knee', 'arthroplasty', 'joint', 'injury', 'sinusitis', 'bedridden', 'nerve', 'injury', 'impaired', 'driving', 'ability', 'muscular', 'weakness', 'arthralgia', 'fall', 'product', 'packaging', 'issue', 'weight', 'bearing', 'difficulty', 'flushing', 'ankle', 'fracture', 'wheelchair', 'user', 'bladder', 'catheterisation', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'renal', 'cancer', 'pneumonia', 'sinusitis', 'injury', 'drug', 'effect', 'incomplete', 'psoriasis', 'lower', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'melena', 'haematochezia', 'syndrome', 'rash', 'food', 'interaction', 'bladder', 'neoplasm', 'bladder', 'cancer', 'anaphylactic', 'shock', 'hypertriglyceridaemia', 'thrombosis', 'device', 'adverse', 'event', 'acute', 'generalised', 'exanthematous', 'pustulosis', 'anaphylactic', 'reaction', 'therapeutic', 'response', 'faecalith', 'abdominal', 'pain', 'vomiting', 'ileus', 'intussusception', 'malnutrition', 'ascites', 'pleural', 'effusion', 'convulsion', 'pancreatitis', 'myoclonus', 'fall', 'head', 'injury', 'dyspnoea', 'fatigue', 'weight', 'increased', 'tremor', 'balance', 'disorder', 'abdominal', 'pain', 'dyspepsia', 'rash', 'globulin', 'increased', 'hypoalbuminaemia', 'somnia', 'abnormal', 'behaviour', 'diarrhoea', 'rosacea', 'disorientation', 'drug', 'administration', 'error', 'drug', 'dose', 'omission', 'drug', 'effect', 'decreased', 'flushing', 'muscular', 'weakness', 'headache', 'chest', 'pain', 'electrocardiogram', 'st', 'segment', 'elevation', 'muscle', 'spasm', 'coronary', 'artery', 'dissection', 'iatrogenic', 'injury', 'haemorrhage', 'drug', 'interaction', 'shock', 'haemorrhagic', 'hypertension', 'weight', 'increased', 'skin', 'burning', 'sensation', 'paraesthesia', 'peripheral', 'swelling', 'joint', 'swelling', 'oedema', 'peripheral', 'hypertension', 'paraesthesia', 'weight', 'increased', 'skin', 'burning', 'sensation', 'renal', 'disorder', 'intestinal', 'resection', 'colon', 'cancer', 'metastatic', 'pain', 'hypertension', 'malaise', 'incarcerated', 'hernia', 'peritonitis', 'catheter', 'site', 'extravasation', 'post', 'procedural', 'infection', 'abortion', 'spontaneous', 'exposure', 'pregnancy', 'large', 'intestinal', 'haemorrhage', 'drug', 'interaction', 'adverse', 'event', 'hernia', 'cardiac', 'disorder', 'hernia', 'peripheral', 'artery', 'thrombosis', 'cerebrovascular', 'accident', 'renal', 'failure', 'chronic', 'renal', 'failure', 'acute', 'anuria', 'thrombocytopenia', 'thrombocytopenia', 'venous', 'stenosis', 'thrombosis', 'device', 'malaise', 'pneumonia', 'clostridium', 'difficile', 'infection', 'peritonitis', 'diverticulitis', 'circulatory', 'collapse', 'vomiting', 'pain', 'headache', 'insomnia', 'nausea', 'condition', 'aggravated', 'paraesthesia', 'night', 'sweat', 'myocardial', 'infarction', 'toxic', 'epidermal', 'necrolysis', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'pyrexia', 'therapeutic', 'response', 'interstitial', 'lung', 'disease', 'toxicity', 'various', 'agent', 'completed', 'suicide', 'incorrect', 'dose', 'administered', 'poor', 'peripheral', 'circulation', 'peripheral', 'arterial', 'occlusive', 'disease', 'post', 'procedural', 'infection', 'wound', 'wound', 'infection', 'diabetic', 'complication', 'cellulitis', 'death', 'toxicity', 'various', 'agent', 'completed', 'suicide', 'brain', 'oedema', 'bladder', 'disorder', 'medication', 'residue', 'present', 'pulmonary', 'oedema', 'toxicity', 'various', 'agent', 'completed', 'suicide', 'incorrect', 'dose', 'administered', 'subacute', 'cutaneous', 'lupus', 'erythematosus', 'hospitalisation', 'pancreatitis', 'investigation', 'intervertebral', 'disc', 'operation', 'spinal', 'laminectomy', 'muscle', 'spasm', 'hot', 'flush', 'formication', 'fall', 'drug', 'withdrawal', 'syndrome', 'clonus', 'device', 'failure', 'chest', 'pain', 'anaphylactic', 'reaction', 'hyperthermia', 'malignant', 'cardiac', 'disorder', 'pulmonary', 'thrombosis', 'hypotension', 'memory', 'impairment', 'fluid', 'overload', 'death', 'hypoxia', 'delirium', 'stress', 'pancreatic', 'disorder', 'ultrafiltration', 'failure', 'dyspnoea', 'renal', 'cancer', 'blood', 'pressure', 'fluctuation', 'weight', 'decreased', 'hypertension', 'renal', 'transplant', 'failure', 'hypotension', 'nausea', 'convulsion', 'blood', 'sodium', 'decreased', 'pleural', 'effusion', 'peritonitis', 'bacterial', 'peritoneal', 'dialysis', 'complication', 'death', 'heart', 'rate', 'irregular', 'dyspnoea', 'hernia', 'weight', 'decreased', 'hypotension', 'syndrome', 'toxic', 'epidermal', 'necrolysis', 'systemic', 'lupus', 'erythematosus', 'head', 'injury', 'fluid', 'overload', 'pneumonia', 'hyperthermia', 'malignant', 'subacute', 'cutaneous', 'lupus', 'erythematosus', 'acute', 'myocardial', 'infarction', 'disease', 'complication', 'hypertension', 'pneumonia', 'aspiration', 'acute', 'respiratory', 'failure', 'sepsis', 'fall', 'cerebrovascular', 'accident', 'liver', 'injury', 'pneumonia', 'anaemia', 'gastrointestinal', 'haemorrhage', 'scrotal', 'swelling', 'hernia', 'drug', 'ineffective', 'deep', 'vein', 'thrombosis', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'drug', 'withdrawal', 'syndrome', 'pulmonary', 'embolism', 'angioedema', 'deep', 'vein', 'thrombosis', 'pulmonary', 'embolism', 'anxiety', 'emotional', 'distress', 'general', 'physical', 'health', 'deterioration', 'injury', 'pulmonary', 'embolism', 'dyspnoea', 'chest', 'pain', 'pain', 'pain', 'retinal', 'disorder', 'retinal', 'neovascularisation', 'vision', 'blurred', 'product', 'substitution', 'issue', 'drug', 'dispensing', 'error', 'product', 'quality', 'issue', 'rash', 'pruritus', 'feeling', 'abnormal', 'pulmonary', 'embolism', 'deep', 'vein', 'thrombosis', 'deep', 'vein', 'thrombosis', 'pulmonary', 'embolism', 'deep', 'vein', 'thrombosis', 'pulmonary', 'embolism', 'deep', 'vein', 'thrombosis', 'venous', 'thrombosis', 'pulmonary', 'embolism', 'deep', 'vein', 'thrombosis', 'subacute', 'cutaneous', 'lupus', 'erythematosus', 'anaemia', 'atrial', 'fibrillation', 'blood', 'potassium', 'decreased', 'dehydration', 'diabetic', 'complication', 'abdominal', 'distension', 'dyspnoea', 'nausea', 'deep', 'vein', 'thrombosis', 'pulmonary', 'embolism', 'acute', 'myocardial', 'infarction', 'deep', 'vein', 'thrombosis', 'pulmonary', 'embolism', 'cardiac', 'arrest', 'loss', 'consciousness', 'device', 'related', 'infection', 'fall', 'joint', 'injury', 'peritonitis', 'bacterial', 'peritoneal', 'dialysis', 'complication', 'death', 'renal', 'failure', 'acute', 'anaemia', 'clostridium', 'difficile', 'infection', 'fall', 'chest', 'pain', 'abdominal', 'pain', 'upper', 'constipation', 'haematuria', 'myocardial', 'infarction', 'myocardial', 'infarction', 'cardiac', 'failure', 'peritonitis', 'chest', 'pain', 'abdominal', 'distension', 'ovarian', 'germ', 'cell', 'cancer', 'stage', 'ii', 'amenorrhoea', 'weight', 'increased', 'galactorrhoea', 'tremor', 'muscular', 'weakness', 'agitation', 'dyspnoea', 'blood', 'prolactin', 'increased', 'palpitation', 'aggression', 'dyskinesia', 'abdominal', 'pain', 'hyperhidrosis', 'swelling', 'muscle', 'spasm', 'dysuria', 'breast', 'enlargement', 'fatigue', 'subacute', 'cutaneous', 'lupus', 'erythematosus', 'disease', 'recurrence', 'hernia', 'foetal', 'exposure', 'pregnancy', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'infection', 'staphylococcal', 'infection', 'catheter', 'site', 'infection', 'abdominal', 'pain', 'respiratory', 'distress', 'disorder', 'agitation', 'convulsion', 'investigation', 'hospitalisation', 'maternal', 'exposure', 'pregnancy', 'caesarean', 'section', 'premature', 'delivery', 'transfusion', 'rash', 'pruritus', 'insomnia', 'blindness', 'unilateral', 'visual', 'acuity', 'reduced', 'inappropriate', 'schedule', 'drug', 'administration', 'cardiac', 'failure', 'congestive', 'abdominal', 'pain', 'malaise', 'constipation', 'abdominal', 'distension', 'dyspnoea', 'nausea', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia',

'malignant', 'hyperthermia', 'malignant', 'eye', 'pain', 'vitreous', 'haemorrhage', 'foreign', 'body', 'sensatio  
n', 'eye', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'subacute',  
, 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'subacute',  
, 'cutaneous', 'lupus', 'erythematosis', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'hepatitis',  
, 'c', 'face', 'oedema', 'excoriation', 'lymphadenopathy', 'generalised', 'erythema', 'hyperthermia', 'malignant',  
, 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignan  
t', 'hyperthermia', 'malignant', 'physical', 'disability', 'foetal', 'cystic', 'hygroma', 'pain', 'emotional', 'distress', 'tension', 'multiple', 'injury', 'anhedonia', 'loss', 'employment', 'social', 'problem', 'life', 'exc  
itancy', 'shortened', 'emotional', 'distress', 'deformity', 'foetal', 'exposure', 'pregnancy', 'hyperthermia',  
, 'malignant', 'abnormal', 'behaviour', 'agitation', 'aggression', 'screaming', 'restlessness', 'stab', 'wound', 'dissociative', 'fugue', 'confusional', 'state', 'amnesia', 'status', 'epilepticus', 'plasma', 'cell', 'myeloma',  
, 'myocardial', 'infarction', 'subacute', 'cutaneous', 'lupus', 'erythematosis', 'myalgia', 'fatigue', 'insomnia',  
, 'decreased', 'appetite', 'sexual', 'dysfunction', 'hospitalisation', 'death', 'haemorrhage', 'infection', 'plasm  
a', 'cell', 'myeloma', 'full', 'blood', 'count', 'decreased', 'pneumonia', 'somnolence', 'neuropathy', 'peripher  
al', 'constipation', 'malaise', 'toxicity', 'various', 'agent', 'completed', 'suicide', 'visceral', 'congestion',  
, 'pulmonary', 'oedema', 'brain', 'oedema', 'oedematous', 'kidney', 'haemorrhage', 'pulmonary', 'embolism', 'dee  
p', 'vein', 'thrombosis', 'colonic', 'abscess', 'large', 'intestine', 'perforation', 'pulmonary', 'embolism', 'h  
ypoaesthesia', 'eye', 'eye', 'swelling', 'deep', 'vein', 'thrombosis', 'pulmonary', 'embolism', 'pulmonary', 'em  
bolism', 'pulmonary', 'embolism', 'upper', 'limb', 'fracture', 'deep', 'vein', 'thrombosis', 'condition', 'aggra  
vated', 'drug', 'ineffective', 'acanthamoeba', 'keratitis', 'necrotising', 'scleritis', 'corneal', 'perforation',  
, 'pulmonary', 'embolism', 'embolism', 'venous', 'demyelination', 'chill', 'confusional', 'state', 'aphasia', 't  
oxicity', 'various', 'agent', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'maligna  
nt', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'mal  
ignant', 'jaundice', 'fatigue', 'nausea', 'drug', 'abuse', 'hepatic', 'enzyme', 'increased', 'confusional', 'sta  
te', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'mal  
ignant', 'hyperthermia', 'malignant', 'blindness', 'thrombosis', 'eye', 'disorder', 'hyperthermia', 'malignant',  
, 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignan  
t', 'hyperthermia', 'malignant', 'contrast', 'medium', 'reaction', 'hyperthermia', 'malignant', 'hyperthermia',  
, 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermi  
a', 'malignant', 'peripartum', 'cardiomyopathy', 'pulmonary', 'oedema', 'respiratory', 'disorder', 'ventricular',  
, 'hypokinesia', 'diastolic', 'dysfunction', 'ventricular', 'fibrillation', 'pericardial', 'effusion', 'gestatio  
nal', 'hypertension', 'maternal', 'exposure', 'pregnancy', 'blood', 'uric', 'acid', 'increased', 'caesarean', 's  
ection', 'urine', 'flow', 'decreased', 'left', 'atrial', 'dilatation', 'cardiac', 'failure', 'aspartate', 'amino  
transferase', 'increased', 'blood', 'lactate', 'dehydrogenase', 'increased', 'blood', 'urea', 'decreased', 'bloo  
d', 'potassium', 'increased', 'prothrombin', 'time', 'shortened', 'activated', 'partial', 'thromboplastin', 'tim  
e', 'prolonged', 'ejection', 'fraction', 'decreased', 'ejection', 'fraction', 'decreased', 'hyperthermia', 'mali  
gnant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'ma  
lignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia',  
, 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthe  
rmia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyper  
thermia', 'malignant', 'foetal', 'exposure', 'pregnancy', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'hypert  
hermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hy  
perthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant',  
, 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'loss', 'consciousness',  
, 'sinus', 'tachycardia', 'nervous', 'system', 'disorder', 'coma', 'respiratory', 'arrest', 'incorrect', 'dose', 'a  
dministered', 'drug', 'abuse', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malig  
nant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'm  
alignant', 'thyroid', 'neoplasm', 'goitre', 'hyperthermia', 'malignant', 'epistaxis', 'drug', 'interaction', 'hy  
perthermia', 'malignant', 'drug', 'interaction', 'hypomagnesaemia', 'malignant', 'melanoma', 'hyperthermia', 'ma  
lignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia',  
, 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermi  
a', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperth  
ermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'drug', 'interaction', 'breast',  
, 'cancer', 'female', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'back  
, 'pain', 'knee', 'arthroplasty', 'cataract', 'procedural', 'pain', 'hyperthermia', 'malignant', 'large', 'inte  
stine', 'polyp', 'conduction', 'disorder', 'haematochezia', 'vomiting', 'drug', 'interaction', 'drug', 'prescrib  
ing', 'error', 'convulsion', 'haemorrhage', 'urinary', 'tract', 'haemorrhage', 'haemorrhage', 'subcutaneous', 's  
ubcutaneous', 'haematoma', 'disease', 'progression', 'pancreatic', 'carcinoma', 'death', 'swelling', 'face', 'ra  
sh', 'death', 'foetal', 'exposure', 'pregnancy', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'csf', 'shunt', 'o  
peration', 'convulsion', 'hypoglycaemia', 'toxicity', 'various', 'agent', 'medication', 'residue', 'present', 'b  
lood', 'alcohol', 'increased', 'deep', 'vein', 'thrombosis', 'cyst', 'rupture', 'chromaturia', 'cardiac', 'fail  
ure', 'multiple', 'sclerosis', 'psoriasis', 'diverticulitis', 'gastrointestinal', 'haemorrhage', 'chest', 'pain',  
, 'cerebrovascular', 'accident', 'ischaemic', 'stroke', 'incorrect', 'dose', 'administered', 'retinal', 'artery',  
, 'occlusion', 'gastrointestinal', 'haemorrhage', 'blood', 'urine', 'present', 'mass', 'incorrect', 'dose', 'adm  
inistered', 'death', 'arrest', 'failure', 'malaise', 'vomiting', 'metabolic', 'acidosis', 'aspartate', 'aminotra  
nsferase', 'increased', 'pneumonia', 'aspiration', 'general', 'physical', 'health', 'deterioration', 'malignant',  
, 'neoplasm', 'progression', 'drug', 'ineffective', 'glioblastoma', 'oropharyngeal', 'pain', 'pyrexia', 'convuls  
ion', 'body', 'temperature', 'decreased', 'lung', 'neoplasm', 'malignant', 'drug', 'ineffective', 'cardiac', 'di  
sorder', 'post', 'procedural', 'complication', 'colitis', 'gastrointestinal', 'stoma', 'complication', 'acute',  
, 'psychosis', 'disease', 'malaise', 'cardiac', 'operation', 'disease', 'progression', 'disease', 'label', 'use',  
, 'acute', 'psychosis', 'herpes', 'zoster', 'clostridium', 'difficile', 'infection', 'arthritis', 'drug', 'effect',  
, 'decreased', 'arthritis', 'bacterial', 'disseminated', 'tuberculosis', 'anaemia', 'melaena', 'renal', 'failure',  
, 'acute', 'hypoglycaemia', 'hepatic', 'failure', 'metabolic', 'acidosis', 'hepatitis', 'acute', 'pancreatitis',  
, 'gastrointestinal', 'haemorrhage', 'pancytopenia', 'coagulopathy', 'failure', 'overdose', 'poisoning', 'vomiti  
ng', 'diarrhoea', 'abdominal', 'pain', 'headache', 'exposure', 'via', 'ingestion', 'completed', 'suicide', 'inte  
ntional', 'eczema', 'radiation', 'pneumonitis', 'pulmonary', 'toxicity', 'muscle', 'injury', 'pain', 'muscle', 's  
pasm', 'nightmare', 'fatigue', 'analgesic', 'asthma', 'syndrome', 'gastroenteritis', 'eosinophilic', 'chronic',  
, 'myeloid', 'leukaemia', 'neoplasm', 'progression', 'drug', 'resistance', 'brain', 'stem', 'stroke', 'brain', 'st  
em', 'thrombosis', 'thrombosis', 'hepatic', 'necrosis', 'thrombocytosis', 'petit', 'mal', 'epilepsy', 'eye', 'mo  
vement', 'disorder', 'drug', 'ineffective', 'neutropenia', 'electrocardiogram', 'repolarisation', 'abnormality',  
, 'electrocardiogram', 'qt', 'prolonged', 'road', 'traffic', 'accident', 'attention', 'disorder', 'bipolar', 'diso  
rder', 'mercyism', 'sedation', 'somnolence', 'major', 'depression', 'depression', 'agitation', 'rheumatic', 'dis  
order', 'neuropathy', 'peripheral', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'm

alignant', 'death', 'pulse', 'absent', 'haemorrhoidal', 'haemorrhage', 'pleural', 'effusion', 'somnolence', 'hae  
maturia', 'diverticulum', 'acute', 'coronary', 'syndrome', 'faecaloma', 'fibrosis', 'urinary', 'retention', 'unr  
esponsive', 'stimulus', 'hepatic', 'congestion', 'renal', 'failure', 'chronic', 'myocarditis', 'colitis', 'ulcer  
ative', 'haemoglobin', 'decreased', 'pulmonary', 'oedema', 'arteriosclerosis', 'spleen', 'congestion', 'kidney',  
'small', 'pericarditis', 'sudden', 'death', 'rectal', 'haemorrhage', 'gastrointestinal', 'haemorrhage', 'mitral',  
, 'valve', 'disease', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hy  
perthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant',  
'diarrhoea', 'cerebrovascular', 'disorder', 'renal', 'failure', 'acute', 'acidosis', 'hyperphosphataemia', 'hype  
rkalaemia', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia',  
, 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'pneumoni  
tis', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'ma  
lignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia',  
'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'label', 'use', 'hyperthermia', 'malignan  
t', 'hyperthermia', 'malignant', 'brain', 'neoplasm', 'convulsion', 'hyperthermia', 'malignant', 'drug', 'effect  
, 'incomplete', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'death',  
'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignan  
t', 'abortion', 'hyperthermia', 'malignant', 'hernia', 'staphylococcal', 'infection', 'mania', 'nervous', 'syste  
m', 'disorder', 'migraine', 'insomnia', 'fall', 'convulsion', 'nephrogenic', 'systemic', 'fibrosis', 'disorder',  
'hepatitis', 'b', 'hepatic', 'failure', 'tooth', 'abscess', 'anaemia', 'memory', 'impairment', 'cardiac', 'failu  
re', 'congestive', 'thrombosis', 'splenomegaly', 'anaemia', 'drug', 'resistance', 'platelet', 'count', 'decrease  
d', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'throat', 'irritation', 'paraesthesia', 'throat',  
'irritation', 'oral', 'discomfort', 'malaise', 'hyperthermia', 'malignant', 'cardiovascular', 'disorder', 'unres  
ponsive', 'stimulus', 'pulse', 'absent', 'respiratory', 'arrest', 'hyperthermia', 'malignant', 'hyperthermia', '  
malignant', 'unresponsive', 'stimulus', 'toxicity', 'various', 'agent', 'resuscitation', 'hyperthermia', 'malign  
ant', 'throat', 'irritation', 'headache', 'chest', 'discomfort', 'hyperthermia', 'malignant', 'hyperthermia', 'm  
alignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'chronic', 'ob  
structive', 'pulmonary', 'disease', 'bronchospasm', 'skin', 'haemorrhage', 'diarrhoea', 'angina', 'pectoris', 'v  
ertigo', 'constipation', 'hospitalisation', 'tremor', 'ectopic', 'pregnancy', 'contraceptive', 'device', 'ruptur  
ed', 'ectopic', 'pregnancy', 'peritoneal', 'haemorrhage', 'amenorrhoea', 'abdominal', 'pain', 'drug', 'ineffecti  
ve', 'hepatocellular', 'carcinoma', 'hepatic', 'adenoma', 'amniotic', 'fluid', 'volume', 'decreased', 'arthritis  
, 'caesarean', 'section', 'maternal', 'exposure', 'pregnancy', 'hyperthermia', 'malignant', 'hyperthermia', 'ma  
lignant', 'asthenia', 'hypoaesthesia', 'hyperthermia', 'malignant', 'peritonitis', 'renal', 'failure', 'acute',  
'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'renal', 'failure', 'acute', 'hyperthermia', 'malignan  
t', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'epistaxis', 'leukopenia', 'anaemia', 'thrombocyto  
penia', 'renal', 'failure', 'acute', 'renal', 'failure', 'acute', 'hyperthermia', 'malignant', 'foetal', 'exposu  
re', 'pregnancy', 'congenital', 'central', 'nervous', 'system', 'anomaly', 'hyperthermia', 'malignant', 'renal',  
'failure', 'acute', 'hyperthermia', 'malignant', 'ear', 'infection', 'mastoiditis', 'hypertension', 'blood', 'pr  
essure', 'increased', 'hyperthermia', 'malignant', 'hyperthermia', 'malignant', 'drug', 'abuse', 'toxicity', 'va  
rious', 'agent', 'cardiomegaly', 'left', 'ventricular', 'hypertrophy', 'hypertensive', 'cardiomyopathy', 'pneumo  
nia', 'contusion', 'excoriation', 'pulmonary', 'oedema', 'pulmonary', 'congestion', 'neutropenic', 'sepsis', 'an  
aemia', 'infection', 'hypophosphataemia', 'pyrexia', 'malaise', 'haemorrhagic', 'stroke', 'nephrogenic', 'system  
ic', 'fibrosis', 'injury', 'hypoglycaemia', 'fall', 'hepatic', 'enzyme', 'increased', 'caesarean', 'section', 'r  
enal', 'aplasia', 'congenital', 'central', 'nervous', 'system', 'anomaly', 'hypoglycaemia', 'maternal', 'drug',  
'affecting', 'foetus', 'hypopituitarism', 'foetal', 'death', 'convulsion', 'nervousness', 'constipation', 'breas  
t', 'disorder', 'drug', 'withdrawal', 'syndrome', 'pain', 'arthralgia', 'bone', 'pain', 'dizziness', 'nausea',  
'vomiting', 'dry', 'mouth', 'swollen', 'tongue', 'mood', 'swing', 'urinary', 'incontinence', 'memory', 'impairmen  
t', 'vision', 'blurred', 'weight', 'decreased', 'gait', 'disturbance', 'balance', 'disorder', 'insomnia', 'decre  
ased', 'appetite', 'restlessness', 'fall', 'muscle', 'spasm', 'road', 'traffic', 'accident', 'underdose', 'death  
, 'abortion', 'spontaneous', 'pregnancy', 'maternal', 'drug', 'affecting', 'foetus', 'lactic', 'acidosis', 'ove  
rdose', 'vomiting', 'lethargy', 'haemodialysis', 'hypotension', 'metabolic', 'acidosis', 'azotaemia', 'diabetic'  
, 'ketoacidosis', 'drug', 'prescribing', 'error', 'toxicity', 'various', 'agent', 'medication', 'error', 'sleep'  
, 'disorder', 'diarrhoea', 'chest', 'pain', 'diarrhoea', 'dysaesthesia', 'aspartate', 'aminotransferase', 'incre  
ased', 'abdominal', 'pain', 'lower', 'nausea', 'rash', 'stomatitis', 'dry', 'mouth', 'alopecia', 'cystitis', 'al  
anine', 'aminotransferase', 'increased', 'dysgeusia', 'blood', 'creatinine', 'increased', 'musculoskeletal', 'pa  
in', 'dizziness', 'urinary', 'tract', 'infection', 'weight', 'decreased', 'constipation', 'pain', 'extremity', '  
vomiting', 'oedema', 'peripheral', 'blood', 'creatinine', 'increased', 'weight', 'decreased', 'fatigue', 'escher  
ichia', 'test', 'positive', 'rash', 'enterocutaneous', 'fistula', 'renal', 'neoplasm', 'ileal', 'stenosis', 'ile  
al', 'perforation', 'renal', 'impairment', 'vanishing', 'bile', 'duct', 'syndrome', 'pulmonary', 'mass', 'cough',  
, 'sinus', 'disorder', 'pain', 'influenza', 'pancreatic', 'carcinoma', 'stage', 'iv', 'lipase', 'increased', 'de  
ath', 'pancreatic', 'carcinoma', 'nausea', 'abdominal', 'pain', 'upper', 'vomiting', 'cardiac', 'failure', 'vira  
l', 'infection', 'weight', 'decreased', 'death', 'cholecystitis', 'gallbladder', 'disorder', 'pancreatic', 'carc  
inoma', 'pancreatitis', 'abdominal', 'pain', 'upper', 'angina', 'unstable', 'cold', 'sweat', 'vomiting', 'nausea',  
, 'lethargy', 'bradycardia', 'tinnitus', 'dysgeusia', 'hallucination', 'electrocardiogram', 'qrs', 'complex', '  
prolonged', 'electrocardiogram', 'qt', 'prolonged', 'ejection', 'fraction', 'decreased', 'cardiac', 'arrest', 't  
roponin', 'increased', 'decreased', 'appetite', 'marasmus', 'death', 'dyspnoea', 'asthenia', 'lung', 'disorder',  
'skin', 'toxicity', 'cough', 'cerebral', 'cyst', 'hydrocephalus', 'abscess', 'intestinal', 'stenosis', 'drug', '  
specific', 'antibody', 'present', 'abdominal', 'pain', 'asthenia', 'akinesia', 'aphagia', 'aphasia', 'loss', 'co  
nsciousness', 'quality', 'life', 'decreased', 'dehydration', 'withdrawal', 'syndrome', 'dyskinesia', 'drug', 'do  
se', 'omission', 'death', 'phaeochromocytoma', 'memory', 'impairment', 'application', 'site', 'rash', 'applicati  
on', 'site', 'erythema', 'therapeutic', 'response', 'coma', 'posterior', 'reversible', 'encephalopathy', 'syndro  
me', 'liver', 'injury', 'hepatic', 'necrosis', 'liver', 'injury', 'hepatic', 'necrosis', 'infection', 'embolism',  
, 'loss', 'consciousness', 'drug', 'interaction', 'suicidal', 'ideation', 'intervertebral', 'disc', 'protrusion',  
, 'hepatic', 'embolisation', 'obstruction', 'decreased', 'appetite', 'nausea', 'diarrhoea', 'mucosal', 'inflamma  
tion', 'pancytopenia', 'staphylococcus', 'test', 'positive', 'convulsion', 'device', 'related', 'infection', 'py  
rexia', 'infusion', 'related', 'reaction', 'chill', 'drug', 'interaction', 'suicidal', 'ideation', 'type', 'diab  
etes', 'mellitus', 'neuropathy', 'peripheral', 'arthropathy', 'arthralgia', 'systemic', 'lupus', 'erythematosus',  
, 'nasal', 'disorder', 'spinal', 'disorder', 'hallucination', 'auditory', 'hallucination', 'visual', 'drug', 'in  
effective', 'memory', 'impairment', 'pneumonia', 'pneumonia', 'hunger', 'oropharyngeal', 'pain', 'hypersensitivi  
ty', 'pharyngeal', 'oedema', 'throat', 'irritation', 'swelling', 'face', 'lip', 'swelling', 'type', 'diabetes',  
'mellitus', 'haematochezia', 'vomiting', 'abdominal', 'pain', 'proteinuria', 'type', 'diabetes', 'mellitus', 'ap  
hagia', 'pain', 'pneumonia', 'bronchitis', 'cough', 'abdominal', 'pain', 'upper', 'gastrointestinal', 'haemorrha  
ge', 'intestinal', 'ischaemia', 'dialysis', 'electrocardiogram', 'qt', 'prolonged', 'intentional', 'overdose', '  
coma', 'somnolence', 'hypophagia', 'fluid', 'intake', 'reduced', 'fall', 'blood', 'calcium', 'abnormal', 'proced



ural', 'hypertension', 'cerebrovascular', 'accident', 'hepatic', 'enzyme', 'increased', 'drug', 'ineffective', 'gastroesophageal', 'reflux', 'disease', 'death', 'atrial', 'fibrillation', 'eructation', 'flatulence', 'abdominal', 'discomfort', 'hyperchlorhydria', 'face', 'oedema', 'failure', 'sepsis', 'acinetobacter', 'test', 'positive', 'treatment', 'failure', 'myocardial', 'infarction', 'pneumonia', 'renal', 'transplant', 'infection', 'mental', 'disorder', 'psychiatric', 'decompensation', 'drug', 'ineffective', 'unapproved', 'indication', 'intentional', 'drug', 'misuse', 'acanthamoeba', 'keratitis', 'drug', 'ineffective', 'acute', 'graft', 'versus', 'host', 'disease', 'urinary', 'retention', 'angina', 'pectoris', 'label', 'use', 'death', 'death', 'depression', 'suicidal', 'ideation', 'loss', 'employment', 'product', 'substitution', 'issue', 'endocarditis', 'death', 'investigation', 'death', 'renal', 'failure', 'acute', 'liver', 'injury', 'neutropenia', 'malignant', 'neoplasm', 'progression', 'dizziness', 'dysuria', 'malaise', 'intentional', 'product', 'use', 'issue', 'balance', 'disorder', 'drug', 'ineffective', 'acute', 'graft', 'versus', 'host', 'disease', 'skin', 'post', 'transplant', 'lymphoproliferative', 'disorder', 'drug', 'ineffective', 'chronic', 'graft', 'versus', 'host', 'disease', 'posterior', 'reversible', 'encephalopathy', 'syndrome', 'liver', 'disorder', 'renal', 'failure', 'drug', 'intolerance', 'drug', 'ineffective', 'unapproved', 'indication', 'dermatophytosis', 'product', 'substitution', 'issue', 'fatigue', 'depression', 'malignant', 'neoplasm', 'progression', 'deafness', 'bone', 'pain', 'memory', 'impairment', 'hepatocellular', 'injury', 'influenza', 'like', 'illness', 'drug', 'ineffective', 'graft', 'versus', 'host', 'disease', 'incorrect', 'dose', 'administered', 'death', 'performance', 'status', 'decreased', 'hepatic', 'function', 'abnormal', 'decreased', 'appetite', 'drug', 'ineffective', 'acute', 'graft', 'versus', 'host', 'disease', 'skin', 'label', 'use', 'dacryostenosis', 'acquired', 'vision', 'blurred', 'drug', 'ineffective', 'acute', 'graft', 'versus', 'host', 'disease', 'cardiac', 'arrest', 'malignant', 'neoplasm', 'progression', 'clostridium', 'difficile', 'infection', 'pneumonia', 'fatigue', 'asthenia', 'sepsis', 'urinary', 'tract', 'infection', 'muscle', 'spasm', 'decubitus', 'ulcer', 'skin', 'disorder', 'arthralgia', 'arthralgia', 'bone', 'pain', 'joint', 'swelling', 'local', 'swelling', 'blood', 'pressure', 'increased', 'abdominal', 'discomfort', 'vision', 'blurred', 'nervousness', 'depression', 'insomnia', 'decreased', 'appetite', 'weight', 'decreased', 'incorrect', 'dose', 'administered', 'rectal', 'prolapse', 'fungal', 'infection', 'pyrexia', 'influenza', 'like', 'illness', 'upper', 'respiratory', 'tract', 'infection', 'febrile', 'neutropenia', 'pancreatic', 'carcinoma', 'pancreatitis', 'chronic', 'escherichia', 'pyelonephritis', 'renal', 'transplant', 'type', 'diabetes', 'mellitus', 'pain', 'hepatic', 'enzyme', 'increased', 'diarrhoea', 'vomiting', 'abdominal', 'pain', 'upper', 'haemolytic', 'anaemia', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'anaemia', 'anal', 'abscess', 'anal', 'abscess', 'death', 'investigation', 'maternal', 'exposure', 'pregnancy', 'congenital', 'anomaly', 'congenital', 'aortic', 'valve', 'stenosis', 'coarctation', 'aorta', 'patent', 'ductus', 'arteriosus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'drug', 'ineffective', 'acute', 'graft', 'versus', 'host', 'disease', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'arthralgia', 'pain', 'extremity', 'pulmonary', 'artery', 'atresia', 'low', 'birth', 'weight', 'baby', 'heart', 'disease', 'congenital', 'red', 'man', 'syndrome', 'cardiac', 'disorder', 'myalgia', 'therapy', 'cesation', 'death', 'pneumonia', 'metrorrhagia', 'mood', 'altered', 'product', 'substitution', 'issue', 'drug', 'ineffective', 'graft', 'versus', 'host', 'disease', 'nephrogenic', 'systemic', 'fibrosis', 'varicose', 'vein', 'memory', 'impairment', 'oedema', 'chronic', 'graft', 'versus', 'host', 'disease', 'leukaemia', 'recurrent', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffective', 'gynaecomastia', 'blood', 'prolactin', 'increased', 'pain', 'chest', 'pain', 'nipple', 'swelling', 'dyspnoea', 'leukaemia', 'recurrent', 'acute', 'graft', 'versus', 'host', 'disease', 'chronic', 'graft', 'versus', 'host', 'disease', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'leukaemia', 'recurrent', 'acute', 'graft', 'versus', 'host', 'disease', 'chronic', 'graft', 'versus', 'host', 'disease', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffective', 'nephropathy', 'type', 'diabetes', 'mellitus', 'convulsion', 'type', 'diabetes', 'mellitus', 'disseminated', 'tuberculosis', 'respiratory', 'failure', 'cardiovascular', 'insufficiency', 'cardiac', 'hypertrophy', 'cardiomegaly', 'renal', 'colic', 'pyelonephritis', 'blood', 'creatinine', 'increased', 'alanine', 'aminotransferase', 'increased', 'swollen', 'tongue', 'transfusion', 'haemoglobin', 'decreased', 'arthritis', 'arthralgia', 'malaise', 'fatigue', 'herpes', 'zoster', 'growth', 'retardation', 'maternal', 'exposure', 'pregnancy', 'caesarean', 'section', 'feeling', 'abnormal', 'dyspnoea', 'insomnia', 'drug', 'dependence', 'oral', 'pain', 'teeth', 'brittle', 'oral', 'herpes', 'aphagia', 'dyspnoea', 'suffocation', 'feeling', 'general', 'physical', 'health', 'deterioration', 'sensation', 'pressure', 'dry', 'mouth', 'thirst', 'headache', 'headache', 'abdominal', 'pain', 'wheezing', 'inguinal', 'hernia', 'post', 'procedural', 'swelling', 'post', 'procedural', 'discharge', 'blood', 'pressure', 'increased', 'metastasis', 'pancreas', 'metastasis', 'liver', 'stress', 'ovarian', 'disorder', 'scar', 'anxiety', 'pyogenic', 'granuloma', 'palmar', 'erythema', 'nervousness', 'thrombophlebitis', 'nodule', 'plantar', 'fasciitis', 'pain', 'extremity', 'gait', 'disturbance', 'lichen', 'sclerosus', 'lymphadenopathy', 'nerve', 'compression', 'back', 'pain', 'neoplasm', 'progression', 'inappropriate', 'schedule', 'product', 'administration', 'atrial', 'fibrillation', 'cerebral', 'haemorrhage', 'haemorrhagic', 'stroke', 'hydrocephalus', 'brain', 'oedema', 'coma', 'inappropriate', 'schedule', 'drug', 'administration', 'haematuria', 'overdose', 'renal', 'cyst', 'haemorrhage', 'spinal', 'fracture', 'pancreatic', 'mass', 'foetal', 'exposure', 'pregnancy', 'meningitis', 'streptococcal', 'infarction', 'neurological', 'symptom', 'vomiting', 'musculoskeletal', 'disorder', 'pyrexia', 'platelet', 'disorder', 'neutropenia', 'haemoglobin', 'abnormal', 'respiratory', 'tract', 'infection', 'nausea', 'febrile', 'neutropenia', 'mucosal', 'inflammation', 'infection', 'bacterial', 'infection', 'cardiac', 'failure', 'congestive', 'pericardial', 'effusion', 'atrial', 'fibrillation', 'visual', 'acuity', 'reduced', 'nasopharyngitis', 'visual', 'field', 'defect', 'white', 'blood', 'cell', 'count', 'increased', 'alanine', 'aminotransferase', 'increased', 'lymphocyte', 'count', 'decreased', 'cataract', 'device', 'failure', 'osteonecrosis', 'jaw', 'toothache', 'bone', 'disorder', 'breath', 'odour', 'mouth', 'haemorrhage', 'oral', 'disorder', 'erythema', 'swelling', 'pain', 'exposed', 'bone', 'jaw', 'infection', 'purulence', 'breast', 'cancer', 'neoplasm', 'progression', 'death', 'gastric', 'disorder', 'substance', 'abuse', 'overdose', 'drug', 'abuse', 'toxicity', 'various', 'agent', 'malignant', 'neoplasm', 'progression', 'platelet', 'count', 'decreased', 'haemophagocytic', 'lymphocytosis', 'blood', 'bilirubin', 'increased', 'drug', 'intolerance', 'platelet', 'count', 'decreased', 'hepatic', 'function', 'abnormal', 'blood', 'glucose', 'increased', 'lipase', 'increased', 'graft', 'versus', 'host', 'disease', 'drug', 'resistance', 'blood', 'cholesterol', 'increased', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'joint', 'swelling', 'pain', 'extremity', 'anxiety', 'disturbance', 'attention', 'fatigue', 'insomnia', 'angioedema', 'lip', 'swelling', 'dyspnoea', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'blindness', 'breast', 'cancer', 'neoplasm', 'progression', 'hallucination', 'nausea', 'euphoric', 'mood', 'wrong', 'technique', 'drug', 'usage', 'process', 'abdominal', 'pain', 'upper', 'anxiety', 'breast', 'cancer', 'neoplasm', 'progression', 'death', 'death', 'ulcer', 'syncope', 'depressed', 'level', 'consciousness', 'unresponsive', 'stimulus', 'pyrexia', 'hypertension', 'blister', 'skin', 'exfoliation', 'cystic', 'fibrosis', 'lung', 'herpes', 'zoster', 'pancytopenia', 'drug', 'interaction', 'visual', 'impairment', 'fungal', 'infection', 'hypokalaemia', 'iron', 'deficiency', 'dyspnoea', 'post', 'procedural', 'complication', 'procedural', 'complication', 'drug', 'ineffective', 'ulcer', 'scar', 'purulence', 'device', 'dislocation', 'pain', 'red', 'blood', 'cell', 'abnormality', 'macular', 'degeneration', 'angina', 'pectoris', 'asthenia', 'visual', 'acuity', 'reduced', 'anaemia', 'fluid', 'retention', 'pleural', 'eff

'urticaria', 'product', 'label', 'issue', 'product', 'quality', 'issue', 'liver', 'disorder', 'hypersensitivity', 'yellow', 'skin', 'faeces', 'pale', 'rash', 'tooth', 'erosion', 'oral', 'infection', 'wrong', 'technique', 'drug', 'usage', 'process', 'underdose', 'decreased', 'appetite', 'pulmonary', 'arterial', 'hypertension', 'disease', 'progression', 'fluid', 'overload', 'drug', 'interaction', 'international', 'normalised', 'ratio', 'abnormal', 'prothrombin', 'time', 'abnormal', 'nephrolithiasis', 'ureteric', 'obstruction', 'chronic', 'obstructive', 'pulmonary', 'disease', 'convulsion', 'aplastic', 'anaemia', 'chronic', 'obstructive', 'pulmonary', 'disease', 'cardiac', 'failure', 'bacteraemia', 'septic', 'shock', 'brain', 'abscess', 'ventricular', 'tachycardia', 'incontinence', 'neck', 'pain', 'abasia', 'hypokinesia', 'label', 'use', 'drug', 'administration', 'monitoring', 'procedure', 'incorrectly', 'performed', 'cerebrovascular', 'accident', 'pneumothorax', 'confusional', 'state', 'pyrexia', 'supraventricular', 'extrasystole', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'renal', 'disorder', 'cerebrovascular', 'accident', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'lung', 'neoplasm', 'malignant', 'pneumonia', 'lung', 'neoplasm', 'malignant', 'disease', 'progression', 'type', 'diabetes', 'mellitus', 'interstitial', 'lung', 'disease', 'platelet', 'count', 'decreased', 'type', 'diabetes', 'mellitus', 'death', 'cerebral', 'infarction', 'ruptured', 'cerebral', 'aneurysm', 'hypertension', 'type', 'diabetes', 'mellitus', 'nausea', 'depression', 'cough', 'arthralgia', 'fatigue', 'asthenia', 'diarrhoea', 'muscle', 'spasm', 'dizziness', 'feeling', 'abnormal', 'drug', 'prescribing', 'error', 'myalgia', 'muscle', 'twitching', 'myocardial', 'infarction', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'staphylococcal', 'infection', 'rash', 'infusion', 'site', 'pain', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'colon', 'cancer', 'neoplasm', 'recurrence', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'blood', 'pressure', 'increased', 'label', 'use', 'type', 'diabetes', 'mellitus', 'pyrexia', 'urinary', 'retention', 'somnolence', 'aspiration', 'urinary', 'tract', 'infection', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'rash', 'rash', 'intentional', 'drug', 'misuse', 'systemic', 'lepus', 'erythematosus', 'device', 'breakage', 'product', 'lot', 'number', 'issue', 'transaminase', 'increased', 'confusional', 'state', 'loss', 'consciousness', 'retrograde', 'amnesia', 'delirium', 'bradycardia', 'apnoea', 'arterial', 'occlusive', 'disease', 'type', 'diabetes', 'mellitus', 'drug', 'withdrawal', 'syndrome', 'drug', 'detoxification', 'tremor', 'hypokinesia', 'dyspnoea', 'hyperhidrosis', 'feeling', 'abnormal', 'tachypnoea', 'activity', 'daily', 'living', 'impaired', 'death', 'osteoarthritis', 'impaired', 'healing', 'arthralgia', 'peripheral', 'swelling', 'febrile', 'neutropenia', 'haematemesis', 'melena', 'haemorrhagic', 'anaemia', 'drug', 'interaction', 'mental', 'status', 'change', 'herpes', 'zoster', 'feeling', 'cold', 'infusion', 'related', 'reaction', 'acute', 'interstitial', 'pneumonitis', 'breast', 'cancer', 'glycosylated', 'haemoglobin', 'increased', 'hypoglycaemia', 'road', 'traffic', 'accident', 'disorder', 'toxicity', 'various', 'agent', 'drug', 'abuse', 'suicide', 'attempt', 'abdominal', 'wall', 'haematoma', 'drug', 'interaction', 'asthma', 'gastrointestinal', 'haemorrhage', 'cataract', 'goitre', 'drug', 'dependence', 'hypersensitivity', 'pharyngeal', 'oedema', 'dyspnoea', 'somnolence', 'pancreatic', 'carcinoma', 'seroma', 'therapeutic', 'response', 'decreased', 'headache', 'post', 'procedural', 'haemorrhage', 'drug', 'interaction', 'gastrointestinal', 'haemorrhage', 'nausea', 'plasma', 'cell', 'myeloma', 'disease', 'recurrence', 'post', 'procedural', 'haemorrhage', 'haematuria', 'contusion', 'international', 'normalised', 'ratio', 'increased', 'drug', 'interaction', 'cerebrovascular', 'accident', 'haemoglobin', 'decreased', 'thrombosis', 'aplastic', 'anaemia', 'intestinal', 'perforation', 'ileus', 'paralytic', 'pneumonitis', 'lung', 'infiltration', 'renal', 'failure', 'pneumothorax', 'pulmonary', 'embolism', 'subdural', 'haematoma', 'drug', 'interaction', 'pneumonia', 'febrile', 'neutropenia', 'hypotension', 'pneumomediastinum', 'deep', 'vein', 'thrombosis', 'product', 'packaging', 'issue', 'product', 'package', 'associated', 'injury', 'accidental', 'exposure', 'product', 'chronic', 'obstructive', 'pulmonary', 'disease', 'pneumonia', 'streptococcal', 'left', 'ventricular', 'dysfunction', 'metabolic', 'acidosis', 'ketoacidosis', 'dehydration', 'lung', 'transplant', 'dyspnoea', 'extortion', 'chest', 'injury', 'ventricular', 'failure', 'oedema', 'peripheral', 'catheterisation', 'cardiac', 'abnormal', 'hypoxia', 'ischaemia', 'pleural', 'effusion', 'pulmonary', 'arterial', 'hypertension', 'condition', 'aggravated', 'cerebrovascular', 'accident', 'hemiparesis', 'dysarthria', 'transfusion', 'vascular', 'stent', 'thrombosis', 'treatment', 'noncompliance', 'rectal', 'haemorrhage', 'label', 'use', 'genital', 'infection', 'fungal', 'vulvovaginal', 'candidiasis', 'hypocalcaemia', 'ideation', 'depression', 'hepatic', 'cirrhosis', 'pancytopenia', 'ascites', 'convulsion', 'neutrophil', 'count', 'decreased', 'respiratory', 'failure', 'oesophageal', 'carcinoma', 'ileus', 'paralytic', 'large', 'intestinal', 'obstruction', 'dysphagia', 'mental', 'impairment', 'cushingoid', 'body', 'height', 'normal', 'acne', 'skin', 'papilloma', 'spinal', 'compression', 'fracture', 'headache', 'headache', 'musculoskeletal', 'stiffness', 'insomnia', 'lymphopenia', 'osteoporosis', 'sudden', 'death', 'loss', 'consciousness', 'dyspnoea', 'hypokalaemia', 'urinary', 'tract', 'infection', 'dysarthria', 'renal', 'failure', 'acute', 'disease', 'convulsion', 'depression', 'influenza', 'like', 'illness', 'asthenia', 'dyspepsia', 'nausea', 'abdominal', 'discomfort', 'anaemia', 'anaemia', 'neutropenia', 'drug', 'ineffective', 'haemorrhage', 'anaemia', 'gastrointestinal', 'haemorrhage', 'dizziness', 'hyperhidrosis', 'dizziness', 'international', 'normalised', 'ratio', 'abnormal', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'local', 'swelling', 'musculoskeletal', 'stiffness', 'peripheral', 'coldness', 'maternal', 'exposure', 'pregnancy', 'congenital', 'anomaly', 'brachycephaly', 'plagiocephaly', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'mood', 'altered', 'apathy', 'somnolence', 'flat', 'affect', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'dizziness', 'vision', 'blurred', 'malaise', 'type', 'diabetes', 'mellitus', 'palpitation', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'vomiting', 'death', 'device', 'dislocation', 'tremor', 'ischemic', 'stroke', 'hemiparesis', 'seizure', 'label', 'use', 'haemorrhagic', 'stroke', 'bradyphrenia', 'malaise', 'arthralgia', 'road', 'traffic', 'accident', 'confusional', 'state', 'device', 'dislocation', 'drug', 'dose', 'omission', 'disease', 'drug', 'ineffective', 'cervical', 'spinal', 'stenosis', 'pneumonia', 'myocardial', 'infarction', 'pyrexia', 'weight', 'increased', 'sinusitis', 'blood', 'pressure', 'increased', 'lung', 'infection', 'fatigue', 'pneumonia', 'decreased', 'appetite', 'somnolence', 'bundle', 'branch', 'block', 'left', 'atrioventricular', 'block', 'first', 'degree', 'electrocardiogram', 'qt', 'prolonged', 'drug', 'interaction', 'epistaxis', 'pruritus', 'rash', 'hypertension', 'somnolence', 'depression', 'mercism', 'major', 'depression', 'agitation', 'sedation', 'bipolar', 'disorder', 'attention', 'disorder', 'death', 'oesophageal', 'atresia', 'renal', 'aplasia', 'right', 'aortic', 'arch', 'maternal', 'drug', 'affecting', 'foetus', 'haemoglobin', 'decreased', 'asthenia', 'arthralgia', 'dyspnoea', 'nausea', 'renal', 'failure', 'vomiting', 'cleft', 'palate', 'maternal', 'drug', 'affecting', 'foetus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'muscle', 'spasm', 'cardiomyopathy', 'diabetic', 'neuropathy', 'anxiety', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'glucose', 'tolerance', 'impaired', 'type', 'diabetes', 'mellitus', 'placental', 'insufficiency', 'foetal', 'death', 'foetal', 'heart', 'rate', 'deceleration', 'abnormality', 'umbilical', 'cord', 'abnormal

ormality', 'loss', 'employment', 'multiple', 'injury', 'anhedonia', 'economic', 'problem', 'internal', 'haemorrhage', 'psychological', 'trauma', 'social', 'problem', 'deformity', 'physical', 'disability', 'pain', 'tension', 'hepatic', 'cirrhosis', 'liver', 'function', 'test', 'abnormal', 'ascites', 'pruritus', 'rash', 'meningomyelocel e', 'maternal', 'drug', 'affecting', 'foetus', 'enterocolitis', 'liver', 'disorder', 'oedema', 'mouth', 'rash', 'erythematous', 'pyrexia', 'splenic', 'rupture', 'sepsis', 'cytomegalovirus', 'enterocolitis', 'abscess', 'funga l', 'gastric', 'ulcer', 'haemosiderosis', 'pyrexia', 'cystitis', 'haemorrhagic', 'multiple', 'injury', 'gastroin testinal', 'haemorrhage', 'tuberculin', 'test', 'positive', 'asthenia', 'breast', 'cancer', 'neoplasm', 'progres sion', 'diplopia', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'motor', 'developmental', 'delay', 'dermoid', 'cyst', 'foetal', 'exposure', 'pregnancy', 'small', 'date', 'baby', 'micropenis', 'hypospadias', 'cryptorchism', 'foetal', 'exposure', 'pregnancy', 'arthralgia', 'change', 'bowel ', 'habit', 'breast', 'cancer', 'neoplasm', 'progression', 'weight', 'increased', 'breast', 'cancer', 'metastasi s', 'lymph', 'node', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'blindness', 'vision', 'blurred', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'ischaemic', 'strok e', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'circulatory', 'collapse', 'hypotension', 'vomiting', 'pain', 'multiple', 'injury', 'physical', 'disability', 'tension', 'gastr ointestinal', 'haemorrhage', 'psychological', 'trauma', 'economic', 'problem', 'pain', 'deformity', 'anhedonia', 'loss', 'employment', 'social', 'problem', 'breast', 'cancer', 'drug', 'intolerance', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'road', 'traffic', 'accident', 'liver', 'disorder', 'multiple', 'injury', 'physical', 'disability', 'pain', 'gastrointestinal', 'haemorrhage', 'economic', 'problem', 'social', 'problem', 'failure', 'loss', 'employment', 'renal', 'injury', 'tension', 'ulcer', 'deformity', 'anhedonia', 'psy chological', 'trauma', 'white', 'blood', 'cell', 'count', 'increased', 'device', 'related', 'infection', 'matern al', 'exposure', 'pregnancy', 'fall', 'confusional', 'state', 'orthostatic', 'hypotension', 'dehydration', 'elec trocardiogram', 'qt', 'prolonged', 'somniaambulism', 'mycosis', 'fungoides', 'stage', 'ii', 'joint', 'injury', 'ar thritis', 'infective', 'malaise', 'substance', 'abuse', 'expired', 'drug', 'administered', 'suicidal', 'ideation ', 'constipation', 'depressed', 'mood', 'drug', 'withdrawal', 'syndrome', 'intentional', 'drug', 'misuse', 'wron g', 'technique', 'drug', 'usage', 'process', 'cry', 'malaise', 'somniaulism', 'dizziness', 'confusional', 'state', 'disorientation', 'anxiety', 'pulmonary', 'embolism', 'thrombosis', 'anxiety', 'insomnia', 'nausea', 'vomiting ', 'withdrawal', 'syndrome', 'temperature', 'regulation', 'disorder', 'premature', 'baby', 'appgar', 'score', 'lo w', 'foetal', 'exposure', 'pregnancy', 'transfusion', 'myelodysplastic', 'syndrome', 'duodenal', 'ulcer', 'oesop hagitis', 'gastroenteritis', 'aeromonas', 'fatigue', 'cyst', 'ear', 'pain', 'pain', 'extremity', 'blood', 'bilir ubin', 'increased', 'schizoaffective', 'disorder', 'drug', 'ineffective', 'superinfection', 'disease', 'progress ion', 'pneumonitis', 'dyspnoea', 'congenital', 'ureteric', 'anomaly', 'kidney', 'malformation', 'cryptorchism', 'maternal', 'drug', 'affecting', 'foetus', 'renal', 'aplasia', 'urinary', 'retention', 'constipation', 'abdomina l', 'pain', 'hypotension', 'vomiting', 'fatigue', 'diarrhoea', 'throat', 'tightness', 'erythema', 'urticaria', 'nausea', 'renal', 'failure', 'acute', 'muscle', 'spasm', 'dyspnoea', 'meningitis', 'white', 'blood', 'cell', 'co unt', 'increased', 'neutrophil', 'count', 'increased', 'brain', 'abscess', 'pneumonia', 'malnutrition', 'death', 'acute', 'myeloid', 'leukaemia', 'haemoglobin', 'decreased', 'death', 'pain', 'oedema', 'peripheral', 'death', 'febrile', 'neutropenia', 'death', 'death', 'swollen', 'tongue', 'nausea', 'pain', 'death', 'atrial', 'septal', 'defect', 'maternal', 'drug', 'affecting', 'foetus', 'accidental', 'exposure', 'product', 'child', 'acute', 'lymp hocytic', 'leukaemia', 'recurrent', 'hypotension', 'feeling', 'abnormal', 'bradycardia', 'abdominal', 'pain', 'u pper', 'bladder', 'dysfunction', 'cystitis', 'noninfective', 'nausea', 'weight', 'decreased', 'alopecia', 'pancy topenia', 'major', 'depression', 'rash', 'drug', 'intolerance', 'mycosis', 'fungoides', 'disease', 'alopecia', 'small', 'intestinal', 'resection', 'dialysis', 'nausea', 'haematochezia', 'hepatic', 'enzyme', 'abnormal', 'hepa tic', 'enzyme', 'increased', 'insomnia', 'pain', 'extremity', 'constipation', 'anorectal', 'disorder', 'rash', 'vision', 'blurred', 'procedural', 'pain', 'abdominal', 'pain', 'laryngeal', 'pain', 'sinusitis', 'respiratory', 'tract', 'infection', 'bone', 'density', 'decreased', 'back', 'pain', 'dizziness', 'cough', 'headache', 'intesti nal', 'resection', 'disease', 'neutropenia', 'arthralgia', 'influenza', 'contusion', 'fatigue', 'abdominal', 'di stension', 'skin', 'lesion', 'nausea', 'infusion', 'related', 'reaction', 'vomiting', 'drug', 'specific', 'antib ody', 'present', 'diarrhoea', 'myalgia', 'acne', 'dyspepsia', 'pyrexia', 'loss', 'consciousness', 'anxiety', 'di arrhoea', 'dehydration', 'haemorrhage', 'dialysis', 'nephrogenic', 'systemic', 'fibrosis', 'pancytopenia', 'rena l', 'vessel', 'disorder', 'enterococcal', 'sepsis', 'arthralgia', 'rash', 'asthma', 'encephalitis', 'viral', 'bl ood', 'lactate', 'dehydrogenase', 'increased', 'pyrexia', 'pyrexia', 'melaena', 'hepatic', 'function', 'abnormal ', 'furuncle', 'viith', 'nerve', 'paralysis', 'cardiac', 'disorder', 'chronic', 'obstructive', 'pulmonary', 'dis ease', 'bronchiectasis', 'thyroid', 'disorder', 'arthritis', 'inflammation', 'skin', 'discolouration', 'circumst ance', 'information', 'capable', 'leading', 'medication', 'error', 'overdose', 'drug', 'ineffective', 'retinal', 'vein', 'occlusion', 'pneumonia', 'asthenia', 'dyspnoea', 'dependence', 'insomnia', 'urinary', 'retention', 'anx iety', 'hyperhidrosis', 'vomiting', 'disturbance', 'attention', 'type', 'diabetes', 'mellitus', 'type', 'diabete s', 'mellitus', 'back', 'pain', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabete s', 'mellitus', 'bicuspid', 'aortic', 'valve', 'congenital', 'aortic', 'stenosis', 'dysmorphism', 'exposure', 'p regnancy', 'foetal', 'exposure', 'pregnancy', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 't ype', 'diabetes', 'mellitus', 'headache', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'stomatitis', 'neovascular', 'macular', 'degeneration', 'rash', 'myalgia', 'muscular', 'weakness', 'eye', 'irritation', 'pruritus', 'meningomyelocel e', 'maternal', 'd rug', 'affecting', 'foetus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'epilepsy', 'therapeutic', 'response', 'unexpected', 'drug', 'substi tution', 'renal', 'neoplasm', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'dyspnoea', 'rash', 'back', 'pain', 'drug', 'withdrawal', 'syndrome', 'apparent', 'death', 'depression', 'cry', 'nervous', 'system ', 'disorder', 'chill', 'insomnia', 'tremor', 'quality', 'life', 'decreased', 'decreased', 'appetite', 'influenz a', 'intentional', 'drug', 'misuse', 'anaphylactic', 'shock', 'polydactyly', 'maternal', 'drug', 'affecting', 'f oetus', 'hallucination', 'depression', 'anxiety', 'paranoia', 'apathy', 'drug', 'ineffective', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'haemolytic', 'uraemic', 'syndrome', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'syndrome', 'mental', 'status', 'change', 'vomiting', 'nausea', 'overdose', 'cholesta sis', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'convulsion', 'feeling', 'hot', 'glassy', 'eye', 'product', 'substitution', 'issue', 'product', 'q uality', 'issue', 'drug', 'ineffective', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'drug', 'in effective', 'systemic', 'lupus', 'erythematous', 'drug', 'ineffective', 'cystocele', 'febrile', 'neutropenia', 'haemolysis', 'hypersensitivity', 'dyspnoea', 'oral', 'disorder', 'wrong', 'technique', 'drug', 'usage', 'proces s', 'pharyngeal', 'oedema', 'memory', 'impairment', 'seizure', 'label', 'use', 'road', 'traffic', 'accident', 'c erebrovascular', 'accident', 'sneezing', 'transient', 'ischaemic', 'attack', 'fatigue', 'speech', 'disorder', 'c onfusional', 'state', 'bacterial', 'infection', 'rhinorrhoea', 'feeling', 'hot', 'alopecia', 'disturbance', 'att ention', 'migraine', 'osteoporosis', 'paraesthesia', 'nausea', 'headache', 'acute', 'myeloid', 'leukaemia', 'art hritis', 'refractory', 'anaemia', 'excess', 'blast', 'lower', 'respiratory', 'tract', 'infection', 'pneumonia',

'neutrophil', 'count', 'increased', 'viral', 'infection', 'white', 'blood', 'cell', 'count', 'decreased', 'neutrophil', 'count', 'decreased', 'death', 'musculoskeletal', 'disorder', 'plasma', 'cell', 'myeloma', 'renal', 'failure', 'acute', 'clavicle', 'fracture', 'fall', 'pathological', 'fracture', 'drug', 'intolerance', 'encephalopathy', 'pleural', 'effusion', 'pneumonia', 'lower', 'respiratory', 'tract', 'infection', 'type', 'diabetes', 'mellitus', 'cough', 'dyspnoea', 'atrial', 'flutter', 'hypoxia', 'drug', 'interaction', 'haemorrhage', 'type', 'diabetes', 'mellitus', 'death', 'fall', 'fracture', 'type', 'diabetes', 'mellitus', 'hepatic', 'function', 'abnormal', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'nephrolithiasis', 'type', 'diabetes', 'mellitus', 'myelopathy', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'pancreatic', 'carcinoma', 'type', 'diabetes', 'mellitus', 'accidental', 'exposure', 'product', 'child', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'palpitation', 'heart', 'rate', 'irregular', 'cardiac', 'flutter', 'type', 'diabetes', 'mellitus', 'intentional', 'overdose', 'mental', 'status', 'change', 'unresponsive', 'stimulus', 'agitation', 'electrocardiogram', 'qt', 'prolonged', 'status', 'epilepticus', 'disorientation', 'drug', 'interaction', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'hepatic', 'steatosis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'angioedema', 'exposure', 'via', 'ingestion', 'victim', 'chemical', 'submission', 'chest', 'pain', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'label', 'use', 'hypoesthesia', 'nausea', 'musculoskeletal', 'disorder', 'abdominal', 'pain', 'diarrhoea', 'malaise', 'vomiting', 'muscle', 'spasm', 'dehydration', 'asthenia', 'decreased', 'appetite', 'dehydration', 'weight', 'decreased', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'fatigue', 'thyroid', 'cancer', 'choking', 'neutropenia', 'product', 'use', 'issue', 'disease', 'progression', 'blood', 'pressure', 'increased', 'death', 'diarrhoea', 'type', 'diabetes', 'mellitus', 'ascites', 'muscle', 'spasm', 'headache', 'diarrhoea', 'malaise', 'fatigue', 'mouth', 'ulceration', 'abdominal', 'discomfort', 'viral', 'infection', 'weight', 'decreased', 'type', 'diabetes', 'mellitus', 'yellow', 'skin', 'decreased', 'appetite', 'neutrophil', 'count', 'decreased', 'death', 'type', 'diabetes', 'mellitus', 'gait', 'disturbance', 'knee', 'arthroplasty', 'low', 'turnover', 'osteopathy', 'osteoporotic', 'fracture', 'blister', 'femur', 'fracture', 'anxiety', 'depression', 'osteopenia', 'chronic', 'obstructive', 'pulmonary', 'disease', 'tinea', 'cruris', 'knee', 'arthroplasty', 'anxiety', 'depression', 'body', 'tinea', 'adverse', 'event', 'intramedullary', 'rod', 'insertion', 'renal', 'impairment', 'pruritus', 'type', 'diabetes', 'mellitus', 'intestinal', 'stenosis', 'diarrhoea', 'abdominal', 'pain', 'incorrect', 'dose', 'administered', 'ammonia', 'increased', 'hepatic', 'encephalopathy', 'essential', 'tremor', 'acute', 'respiratory', 'distress', 'syndrome', 'pneumonia', 'interstitial', 'lung', 'disease', 'tuberculin', 'test', 'positive', 'body', 'height', 'abnormal', 'cerebral', 'palsy', 'dysmorphism', 'hypertrichosis', 'dyspraxia', 'developmental', 'delay', 'decreased', 'vibratory', 'sense', 'impulsive', 'behaviour', 'ankyloglossia', 'congenital', 'low', 'set', 'ear', 'intellectual', 'disability', 'learning', 'disorder', 'foetal', 'anticonvulsant', 'syndrome', 'central', 'nervous', 'system', 'lesion', 'lip', 'disorder', 'impaired', 'quality', 'life', 'tremor', 'cerebrovascular', 'accident', 'mental', 'impairment', 'cardiac', 'murmur', 'speech', 'disorder', 'developmental', 'foetal', 'exposure', 'pregnancy', 'stridor', 'eye', 'disorder', 'autism', 'spectrum', 'disorder', 'myelodysplastic', 'syndrome', 'immune', 'reconstitution', 'inflammatory', 'syndrome', 'molluscum', 'contagiosum', 'local', 'swelling', 'headache', 'swollen', 'tongue', 'tremor', 'palpitation', 'dyspnoea', 'chronic', 'obstructive', 'pulmonary', 'disease', 'label', 'use', 'wrong', 'technique', 'drug', 'usage', 'process', 'dizziness', 'hypotension', 'infection', 'pneumonia', 'dysphagia', 'acute', 'myeloid', 'leukaemia', 'leukaemia', 'uveitis', 'blindness', 'hyponatraemia', 'diarrhoea', 'diarrhoea', 'weight', 'decreased', 'vomiting', 'stress', 'drug', 'intolerance', 'colitis', 'ulcerative', 'movement', 'disorder', 'feeding', 'disorder', 'diarrhoea', 'upper', 'limb', 'fracture', 'fall', 'hypoesthesia', 'pain', 'drug', 'level', 'increased', 'myocardial', 'infarction', 'angina', 'pectoris', 'respiratory', 'failure', 'cardiac', 'failure', 'congestive', 'bone', 'marrow', 'failure', 'uveitis', 'blindness', 'anuria', 'renal', 'failure', 'acute', 'hyponatraemia', 'hypokalaemia', 'diarrhoea', 'renal', 'failure', 'diarrhoea', 'haemorrhoid', 'prothrombin', 'time', 'prolonged', 'hyperglycaemia', 'hypokalaemia', 'hyperphosphataemia', 'ejection', 'fraction', 'decreased', 'dyspnoea', 'nausea', 'vomiting', 'diarrhoea', 'liver', 'function', 'test', 'abnormal', 'swelling', 'fall', 'foaming', 'mouth', 'eye', 'movement', 'disorder', 'hypersensitivity', 'cerebrovascular', 'accident', 'cardiac', 'failure', 'congestive', 'disability', 'coronary', 'arterial', 'stent', 'insertion', 'treatment', 'noncompliance', 'diabetes', 'mellitus', 'blood', 'cholesterol', 'increased', 'hypertension', 'pneumonia', 'basal', 'cell', 'carcinoma', 'shoulder', 'operation', 'cyst', 'sinus', 'polyp', 'ear', 'infection', 'synovial', 'cyst', 'musculoskeletal', 'pain', 'pain', 'extremity', 'arthralgia', 'expired', 'drug', 'administered', 'pollakiuria', 'trichorrhexis', 'paraesthesia', 'pain', 'multiple', 'sclerosis', 'relapse', 'insomnia', 'pruritus', 'alopecia', 'diarrhoea', 'headache', 'cystitis', 'balance', 'disorder', 'gastrointestinal', 'disorder', 'pyrexia', 'cataract', 'dry', 'skin', 'feeling', 'body', 'temperature', 'change', 'fatigue', 'burning', 'sensation', 'nausea', 'mobility', 'decreased', 'coeliac', 'disease', 'urticaria', 'death', 'epilepsy', 'medication', 'error', 'psychotic', 'disorder', 'affect', 'lability', 'anxiety', 'cough', 'cry', 'diarrhoea', 'diplopia', 'dyslexia', 'dyspnoea', 'exertional', 'eye', 'oedema', 'hallucination', 'headache', 'incoherent', 'insomnia', 'irritability', 'mood', 'swing', 'oedema', 'peripheral', 'pain', 'extremity', 'stress', 'suicidal', 'ideation', 'weight', 'decrease', 'd', 'lymphoma', 'diabetes', 'mellitus', 'fibromyalgia', 'rash', 'generalised', 'abasia', 'blood', 'glucose', 'fluctuation', 'lymphocyte', 'count', 'abnormal', 'tinnitus', 'diplopia', 'vision', 'blurred', 'incoherent', 'aphasia', 'blindness', 'balance', 'disorder', 'neutrophil', 'count', 'abnormal', 'pneumonia', 'dyspnoea', 'chest', 'pain', 'dehydration', 'nausea', 'vomiting', 'investigation', 'intentional', 'drug', 'misuse', 'drug', 'dependence', 'convulsion', 'feeling', 'abnormal', 'hyperhidrosis', 'vomiting', 'tremor', 'adverse', 'event', 'wrong', 'technique', 'drug', 'usage', 'process', 'ligament', 'sprain', 'ligament', 'rupture', 'road', 'traffic', 'accident', 'tonsillitis', 'upper', 'respiratory', 'tract', 'infection', 'asthenia', 'pain', 'extremity', 'swelling', 'face', 'cerebrovascular', 'accident', 'convulsion', 'fall', 'tremor', 'mental', 'status', 'change', 'muscle', 'tightness', 'respiratory', 'depression', 'pain', 'incorrect', 'dose', 'administered', 'loss', 'consciousness', 'overdose', 'hypersensitivity', 'lethargy', 'muscle', 'spasm', 'therapeutic', 'response', 'decreased', 'muscle', 'spasticity', 'stress', 'disorder', 'depression', 'panic', 'attack', 'road', 'traffic', 'accident', 'impaired', 'work', 'ability', 'rehabilitation', 'therapy', 'exposure', 'pregnancy', 'disease', 'progression', 'post', 'procedural', 'haemorrhage', 'dialysis', 'blood', 'pressure', 'inadequately', 'controlled', 'blood', 'glucose', 'increased', 'chronic', 'obstructive', 'pulmonary', 'disease', 'superior', 'vena', 'cava', 'syndrome', 'treatment', 'noncompliance', 'premature', 'delivery', 'live', 'birth', 'exposure', 'pregnancy', 'diabetes', 'mellitus', 'inadequate', 'control', 'acute', 'hepatic', 'failure', 'renal', 'failure', 'acute', 'respiratory', 'arrest', 'premature', 'baby', 'foetal', 'exposure', 'pregnancy', 'medical', 'device', 'complication', 'joint', 'arthroplasty', 'rash', 'generalised', 'presyncope', 'skin', 'ulcer', 'psoriasis', 'alopecia', 'malaise', 'platelet', 'aggregation', 'increased', 'convulsion', 'sepsis', 'pneumonia', 'respiratory', 'failure', 'diabetes', 'mellitus', 'disability', 'asthma', 'fibromyalgia', 'malaise', 'death', 'renal', 'surgery', 'therapy', 'cessation', 'haemorrhage', 'neuropathy', 'peripheral', 'hypertension', 'drug', 'ineffective', 'gastrointestinal', 'haemorrhage', 'zygomycosis', 'abdominal', 'pain', 'lower', 'pulmonary', 'toxicity', 'dyspnoea', 'cough', 'respiratory', 'distress', 'lung', 'inf

[illegible]

, 'left', 'electrocardiogram', 'qrs', 'complex', 'prolonged', 'cardiac', 'failure', 'congestive', 'renal', 'failure', 'metabolic', 'acidosis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'arthropathy', 'type', 'diabetes', 'mellitus', 'altered', 'state', 'consciousness', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'syncope', 'ventricular', 'fibrillation', 'cardiac', 'failure', 'type', 'diabetes', 'mellitus', 'pericardial', 'effusion', 'metastasis', 'skin', 'aphagia', 'lymphadenopathy', 'neuropathy', 'peripheral', 'liver', 'disorder', 'anaemia', 'decreased', 'appetite', 'back', 'pain', 'synovial', 'cyst', 'nodule', 'diarrhoea', 'fatigue', 'malaise', 'influenza', 'like', 'illness', 'alopecia', 'headache', 'pruritus', 'arthralgia', 'weight', 'decreased', 'oral', 'pain', 'mouth', 'ulceration', 'nail', 'bed', 'infection', 'naill', 'disorder', 'nausea', 'epistaxis', 'insomnia', 'photosensitivity', 'reaction', 'chill', 'dyspnoea', 'fungal', 'infection', 'onychoclasia', 'skin', 'disorder', 'dysgeusia', 'glossodynia', 'tooth', 'discolouration', 'abdominal', 'discomfort', 'vomiting', 'wheezing', 'disease', 'progression', 'breast', 'cancer', 'metastatic', 'ileus', 'multiple', 'sclerosis', 'relapse', 'type', 'diabetes', 'mellitus', 'leukaemia', 'recurrent', 'acute', 'graft', 'versus', 'host', 'disease', 'chronic', 'graft', 'versus', 'host', 'disease', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffective', 'hypersensitivity', 'dyspnoea', 'pharyngeal', 'oedema', 'dysphagia', 'insomnia', 'label', 'use', 'type', 'diabetes', 'mellitus', 'liver', 'injury', 'aspartate', 'aminotransferase', 'increased', 'alanine', 'aminotransferase', 'increased', 'gastric', 'haemorrhage', 'muscle', 'spasm', 'fall', 'gait', 'disturbance', 'retinopathy', 'photosensitivity', 'reaction', 'eczema', 'diabetes', 'mellitus', 'liver', 'injury', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'cholelithiasis', 'dementia', 'delirium', 'incoherent', 'type', 'diabetes', 'mellitus', 'dehydration', 'asthenia', 'scratch', 'death', 'haematocrit', 'organ', 'failure', 'death', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'leg', 'amputation', 'pain', 'gastric', 'disorder', 'hypersensitivity', 'urticaria', 'vomiting', 'migraine', 'pharyngeal', 'oedema', 'haemoglobin', 'decreased', 'fatigue', 'pneumonia', 'myocardial', 'infarction', 'general', 'physical', 'health', 'deterioration', 'peripheral', 'vascular', 'disorder', 'condition', 'aggravated', 'embolism', 'arterial', 'haemorrhage', 'subcutaneous', 'heart', 'rate', 'irregular', 'influenza', 'bone', 'marrow', 'disorder', 'cardiac', 'failure', 'congestive', 'bone', 'marrow', 'transplant', 'subdural', 'haematoma', 'gastric', 'ulcer', 'seizure', 'dyspnoea', 'transfusion', 'haemorrhage', 'anaemia', 'death', 'acute', 'myocardial', 'infarction', 'coronary', 'artery', 'occlusion', 'clostridium', 'difficile', 'infection', 'grand', 'mal', 'convulsion', 'transplant', 'transient', 'ischaemic', 'attack', 'hypoglycaemia', 'hypertension', 'multiple', 'sclerosis', 'anaemia', 'hyperlipidaemia', 'gout', 'drug', 'ineffective', 'mobility', 'decreased', 'gait', 'disturbance', 'abasia', 'abasia', 'multiple', 'sclerosis', 'weight', 'decreased', 'wheelchair', 'user', 'stress', 'therapy', 'cessation', 'electrocardiogram', 'abnormal', 'bradycardia', 'dizziness', 'presyncope', 'death', 'melaena', 'malignant', 'neoplasm', 'progression', 'loss', 'consciousness', 'back', 'pain', 'hyperhidrosis', 'nasopharyngitis', 'insomnia', 'dizziness', 'feeling', 'abnormal', 'local', 'swelling', 'neuropathy', 'peripheral', 'swelling', 'face', 'drug', 'interaction', 'neuropathy', 'peripheral', 'neck', 'pain', 'flushing', 'sepsis', 'catheter', 'site', 'pain', 'catheter', 'site', 'infection', 'pain', 'jaw', 'catheter', 'site', 'pruritus', 'dyspnoea', 'heart', 'rate', 'increased', 'product', 'physical', 'issue', 'catheter', 'site', 'rash', 'diarrhoea', 'dermatitis', 'contact', 'catheter', 'site', 'haemorrhage', 'erythema', 'catheter', 'site', 'swelling', 'catheter', 'site', 'urticaria', 'headache', 'gastroenteritis', 'viral', 'diarrhoea', 'breast', 'cancer', 'hepatic', 'neoplasm', 'metastasis', 'liver', 'hypertensive', 'crisis', 'anxiety', 'abdominal', 'distension', 'abdominal', 'pain', 'pruritus', 'hypertension', 'atrial', 'flutter', 'pulmonary', 'hypertension', 'type', 'diabetes', 'mellitus', 'renal', 'failure', 'chronic', 'concomitant', 'disease', 'aggravated', 'haemodialysis', 'fluid', 'overload', 'rash', 'pain', 'skin', 'vaginal', 'disorder', 'dependence', 'enabling', 'machine', 'device', 'pneumonia', 'urinary', 'tract', 'infection', 'depressed', 'level', 'consciousness', 'haematoma', 'subdural', 'haemorrhage', 'craniotomy', 'left', 'ventricular', 'failure', 'speech', 'disorder', 'electrocardiogram', 'qt', 'prolonged', 'paraesthesia', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'gastrointestinal', 'haemorrhage', 'dementia', 'agitation', 'confusional', 'state', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'loss', 'proprioception', 'fall', 'gait', 'disturbance', 'asthenia', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'neuropathy', 'peripheral', 'femur', 'fracture', 'type', 'diabetes', 'mellitus', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'gingival', 'swelling', 'gingival', 'pain', 'tooth', 'disorder', 'breast', 'cancer', 'drug', 'intolerance', 'malignant', 'neoplasm', 'progression', 'pulmonary', 'haemorrhage', 'haemoptysis', 'infection', 'herpes', 'zoster', 'death', 'cerebral', 'haemorrhage', 'cerebrovascular', 'accident', 'white', 'blood', 'cell', 'count', 'increased', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'type', 'diabetes', 'mellitus', 'diabetic', 'nephropathy', 'death', 'vomiting', 'oligohydramnios', 'foetal', 'exposure', 'pregnancy', 'gestational', 'diabetes', 'premature', 'rupture', 'membrane', 'breast', 'cancer', 'drug', 'intolerance', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'femur', 'fracture', 'incorrect', 'drug', 'administration', 'duration', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'death', 'asthenia', 'malignant', 'neoplasm', 'progression', 'drug', 'ineffective', 'malaise', 'melaena', 'dizziness', 'oedema', 'peripheral', 'cough', 'clostridium', 'difficile', 'colitis', 'diarrhoea', 'pyrexia', 'malaise', 'drug', 'ineffective', 'inappropriate', 'schedule', 'drug', 'administration', 'psychotic', 'disorder', 'suicidal', 'ideation', 'nervousness', 'nausea', 'drug', 'ineffective', 'asthmatic', 'crisis', 'asthma', 'insulin', 'resistance', 'hyperhidrosis', 'dry', 'skin', 'vision', 'blurred', 'hypoesthesia', 'fatigue', 'pruritus', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'cerebral', 'haemorrhage', 'neck', 'pain', 'seizure', 'back', 'pain', 'contusion', 'intervertebral', 'disc', 'protrusion', 'skin', 'lesion', 'tenderness', 'vomiting', 'fall', 'breast', 'mass', 'hyperlipidaemia', 'neoplasm', 'skin', 'joint', 'dislocation', 'arthralgia', 'hypothyroidism', 'dizziness', 'arteriovenous', 'malformation', 'carpal', 'tunnel', 'syndrome', 'pain', 'iron', 'deficiency', 'anaemia', 'headache', 'fatigue', 'vitamin', 'deficiency', 'drug', 'intolerance', 'diplopia', 'aphasia', 'arthritis', 'vision', 'blurred', 'rash', 'amnesia', 'lymphadenopathy', 'depression', 'diarrhoea', 'sepsis', 'diabetes', 'mellitus', 'hypertension', 'pancreatic', 'carcinoma', 'death', 'breast', 'cancer', 'drug', 'intolerance', 'influenza', 'like', 'illness', 'malignant', 'neoplasm', 'progression', 'myalgia', 'urinary', 'tract', 'infection', 'arteriosclerosis', 'type', 'diabetes', 'mellitus', 'pneumonia', 'blood', 'pressure', 'increased', 'loss', 'consciousness', 'pneumonia', 'transfusion', 'pancytopenia', 'type', 'diabetes', 'mellitus', 'pulmonary', 'oedema', 'haemodynamic', 'instability', 'bacterial', 'toxaemia', 'accident', 'inflammation', 'excoriation', 'injury', 'infection', 'white', 'blood', 'cell', 'count', 'increased', 'large', 'intestinal', 'obstruction', 'foreign', 'body', 'medication', 'residue', 'present', 'abortion', 'uterine', 'leiomyoma', 'endometriosis', 'multiple', 'sclerosis', 'diverticulitis', 'pneumonia', 'abortion', 'spontaneous', 'exposure', 'pregnancy', 'abortion', 'induced', 'maternal', 'exposure', 'pregnancy', 'pneumonia', 'haemoglobin', 'decreased', 'malaise', 'hypothyroidism', 'herpes', 'zoster', 'gastroenteritis', 'clostridium', 'difficile', 'infection', 'drug', 'interaction', 'pancytopenia', 'label', 'use', 'cerebral', 'haemorrhage', 'hypertension', 'hypertrophic', 'cardiomyopathy', 'foetal', 'exposure', 'pregnancy', 'renal', 'artery', 'stenosis', 'pulmonary', 'arterial', 'hypertension', 'infective', 'pulmonary', 'exacerbation', 'cystic', 'fibrosis', 'muscular', 'weakness', 'vertigo', 'failure', 'sepsis', 'acute', 'generalised', 'exanthematous', 'pustulosis', 'rash', 'syncope', 'vomiting', 'nausea', 'orthostatic', 'hypotension', 'transplant', 'failure', 'pyrexia', 'a

naemia', 'label', 'use', 'fatigue', 'liver', 'iron', 'concentration', 'increased', 'platelet', 'count', 'decreased', 'bone', 'marrow', 'transplant', 'dyspnoea', 'swelling', 'face', 'local', 'swelling', 'oedema', 'mouth', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'type', 'diabetes', 'mellitus', 'blindness', 'unilateral', 'vision', 'blurred', 'dizziness', 'hypotension', 'hyperhidrosis', 'vomiting', 'device', 'dislocation', 'type', 'diabetes', 'mellitus', 'nerve', 'injury', 'asthenia', 'fatigue', 'weight', 'decreased', 'therapeutic', 'response', 'decreased', 'tuberculin', 'test', 'positive', 'squamous', 'cell', 'carcinoma', 'lung', 'interstitial', 'lung', 'disease', 'abortion', 'drug', 'interaction', 'muscular', 'weakness', 'hypoesthesia', 'pain', 'extremity', 'hypertension', 'pancreatitis', 'pruritus', 'chill', 'night', 'sweat', 'psoriasis', 'injection', 'site', 'plaque', 'foot', 'fracture', 'myalgia', 'drug', 'ineffective', 'back', 'pain', 'injection', 'site', 'pain', 'fatigue', 'pancreatitis', 'lipase', 'increased', 'confusional', 'state', 'renal', 'failure', 'dyspnoea', 'pneumonia', 'sepsis', 'bronchopneumonia', 'immunodeficiency', 'drug', 'ineffective', 'coronary', 'artery', 'disease', 'ventricular', 'fibrillation', 'cardiac', 'arrest', 'wheezing', 'rash', 'hepatic', 'lesion', 'hepatotoxicity', 'generalised', 'erythema', 'dermatitis', 'exfoliative', 'drug', 'ineffective', 'cerebrovascular', 'accident', 'neoplasm', 'malignant', 'self', 'injurious', 'behaviour', 'latent', 'tuberculosis', 'type', 'diabetes', 'mellitus', 'adverse', 'event', 'adverse', 'event', 'drug', 'interaction', 'apathy', 'suicidal', 'ideation', 'white', 'blood', 'cell', 'count', 'decreased', 'neutrophil', 'count', 'decreased', 'hepatitis', 'c', 'type', 'diabetes', 'mellitus', 'overdose', 'toxicity', 'various', 'agent', 'lactic', 'acidosis', 'hypotension', 'lethargy', 'vomiting', 'hypoglycaemia', 'pyelonephritis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'coronary', 'artery', 'disease', 'type', 'diabetes', 'mellitus', 'impaction', 'appendicitis', 'type', 'diabetes', 'mellitus', 'bladder', 'prolapse', 'intestinal', 'prolapse', 'nightmare', 'disturbance', 'attention', 'nausea', 'parosmia', 'disturbance', 'attention', 'dysgeusia', 'megacolon', 'mydriasis', 'visual', 'impairment', 'type', 'diabetes', 'mellitus', 'bronchiectasis', 'emphysema', 'unevaluable', 'event', 'dyspnoea', 'deep', 'vein', 'thrombosis', 'heart', 'rate', 'increased', 'chest', 'pain', 'feeling', 'abnormal', 'type', 'diabetes', 'mellitus', 'retroperitoneal', 'haemorrhage', 'fall', 'transfusion', 'haemorrhage', 'stent', 'placement', 'interstitial', 'lung', 'disease', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'pregnancy', 'contraceptive', 'device', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'anxiety', 'panic', 'disorder', 'drug', 'ineffective', 'pyrexia', 'bacteraemia', 'staphylococcal', 'infection', 'toxicity', 'various', 'agent', 'drug', 'abuse', 'pulmonary', 'congestion', 'pulmonary', 'oedema', 'hepatomegaly', 'hepatic', 'steatosis', 'arteriosclerosis', 'coronary', 'artery', 'cardiomegaly', 'type', 'diabetes', 'mellitus', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'sinus', 'tachycardia', 'restlessness', 'disturbance', 'attention', 'vision', 'blurred', 'dyskinesia', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'chest', 'discomfort', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'headache', 'dyskinesia', 'gastrointestinal', 'mucosal', 'necrosis', 'constipation', 'anaemia', 'stomatitis', 'pleural', 'effusion', 'gastroenteritis', 'staphylococcal', 'pancytopenia', 'renal', 'injury', 'oesophageal', 'stenosis', 'large', 'intestinal', 'stenosis', 'death', 'stillbirth', 'systemic', 'mastocytosis', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'osteoarthritis', 'arthralgia', 'rheumatoid', 'arthritis', 'lipase', 'increased', 'pancreatic', 'disorder', 'pancreatitis', 'therapy', 'cessation', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'pregnancy', 'contraceptive', 'device', 'drug', 'ineffective', 'ectopic', 'pregnancy', 'contraceptive', 'device', 'abortion', 'spontaneous', 'hormone', 'level', 'abnormal', 'thrombosis', 'pulmonary', 'embolism', 'pneumonia', 'white', 'blood', 'cell', 'count', 'decreased', 'red', 'blood', 'cell', 'count', 'decreased', 'platelet', 'count', 'decreased', 'tooth', 'disorder', 'blood', 'pressure', 'abnormal', 'urinary', 'tract', 'infection', 'malaise', 'diarrhoea', 'spinal', 'pain', 'dizziness', 'tremor', 'cold', 'sweat', 'presyncope', 'feeling', 'abnormal', 'hypoesthesia', 'dyspnoea', 'pollakiuria', 'urinary', 'incontinence', 'insomnia', 'abdominal', 'pain', 'upper', 'asthenia', 'back', 'pain', 'pain', 'extremity', 'abdominal', 'pain', 'intestinal', 'fistula', 'abdominal', 'pain', 'wrong', 'technique', 'drug', 'usage', 'process', 'blood', 'potassium', 'decreased', 'anaemia', 'cholelithiasis', 'device', 'issue', 'injection', 'site', 'rash', 'vomiting', 'wrong', 'technique', 'drug', 'usage', 'process', 'wound', 'infection', 'vomiting', 'headache', 'incorrect', 'dose', 'administered', 'incorrect', 'dose', 'administered', 'localised', 'intraabdominal', 'fluid', 'collection', 'large', 'intestinal', 'stenosis', 'wound', 'dehiscence', 'drug', 'ineffective', 'dental', 'caries', 'weight', 'decreased', 'injection', 'site', 'erythema', 'device', 'issue', 'suppressed', 'lactation', 'label', 'use', 'haematotoxicity', 'platelet', 'count', 'decreased', 'ascites', 'anaemia', 'infarction', 'venous', 'occlusion', 'cataract', 'visual', 'impairment', 'cardiac', 'disorder', 'glucose', 'tolerance', 'impaired', 'blood', 'pressure', 'fluctuation', 'blood', 'glucose', 'increased', 'cardiac', 'operation', 'symptom', 'limb', 'discomfort', 'optic', 'neuritis', 'hypertonia', 'fatigue', 'multiple', 'sclerosis', 'relapse', 'memory', 'impairment', 'drug', 'ineffective', 'hypoesthesia', 'paraesthesia', 'diplopia', 'muscular', 'weakness', 'balance', 'disorder', 'aphasia', 'somnolence', 'concomitant', 'disease', 'aggravated', 'restlessness', 'fall', 'temperature', 'intolerance', 'gait', 'disturbance', 'bowel', 'movement', 'irregularity', 'blood', 'creatinine', 'increased', 'seizure', 'csf', 'protein', 'abnormal', 'aphasia', 'hemianopia', 'homonymous', 'speech', 'disorder', 'pleocytosis', 'central', 'nervous', 'system', 'lesion', 'cerebellar', 'syndrome', 'stupor', 'altered', 'state', 'consciousness', 'diarrhoea', 'acute', 'disseminated', 'encephalomyelitis', 'encephalopathy', 'bladder', 'dysfunction', 'pyrexia', 'paresis', 'hip', 'fracture', 'white', 'blood', 'cell', 'disorder', 'lymphadenopathy', 'leukocytosis', 'death', 'anal', 'stenosis', 'hypoesthesia', 'oral', 'paraesthesia', 'oral', 'lip', 'swelling', 'corneal', 'erosion', 'intraocular', 'pressure', 'increased', 'pulmonary', 'haemorrhage', 'haemorrhagic', 'erosive', 'gastritis', 'gastric', 'ulcer', 'perforation', 'liver', 'abscess', 'drug', 'abuse', 'inflammatory', 'bowel', 'disease', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'haemolytic', 'uraemic', 'syndrome', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'sopor', 'drug', 'abuse', 'diabetes', 'mellitus', 'inadequate', 'control', 'drug', 'resistance', 'drug', 'ineffective', 'diabetes', 'mellitus', 'inadequate', 'control', 'drug', 'resistance', 'drug', 'ineffective', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'muscle', 'contraction', 'involuntary', 'blood', 'pressure', 'increased', 'tachycardia', 'heart', 'rate', 'increased', 'nervousness', 'anxiety', 'feeling', 'abnormal', 'malaise', 'norepinephrine', 'increased', 'drug', 'withdrawal', 'syndrome', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'hyperhidrosis', 'pain', 'extremity', 'back', 'pain', 'paraesthesia', 'inappropriate', 'schedule', 'drug', 'administration', 'heart', 'valve', 'incompetence', 'gait', 'disturbance', 'movement', 'disorder', 'cardiac', 'disorder', 'arthritis', 'pain', 'rotator', 'cuff', 'syndrome', 'blood', 'pressure', 'inadequately', 'controlled', 'oedema', 'peripheral', 'intracranial', 'aneurysm', 'multiple', 'sclerosis', 'relapse', 'central', 'nervous', 'system', 'lesion', 'balance', 'disorder', 'muscle', 'spasticity', 'asthenia', 'ataxia', 'hip', 'fracture', 'device', 'dislocation', 'dysmenorrhoea', 'vaginal', 'haemorrhage', 'device', 'expulsion', 'sinus', 'disorder', 'drug', 'interaction', 'ischaemic', 'stroke', 'type', 'diabetes', 'mellitus', 'amnesia', 'paraesthesia', 'dry', 'eye', 'blindness', 'muscular', 'weakness', 'cataract', 'muscle', 'atrophy', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'atrial', 'fibrillation', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'foetal', 'death', 'type', 'diabetes', 'mellitus', 'hypertension', 'cardiac', 'murmur', 'mitral', 'valve', 'prolapse', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'paranoia', 'delusion', 'suicidal', 'ideation', 'depression

n', 'anxiety', 'panic', 'attack', 'confusional', 'state', 'insomnia', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'hypertension', 'electrocardiogram', 'qt', 'prolonged', 'cold', 'sweat', 'type', 'diabetes', 'mellitus', 'lower', 'extremity', 'mass', 'convulsion', 'syncope', 'refractory', 'cytopenia', 'multilineage', 'dysplasia', 'renal', 'failure', 'acute', 'histiocytosis', 'haematophagic', 'aspartate', 'aminotransferase', 'increased', 'blood', 'alkaline', 'phosphatase', 'increased', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'chest', 'pain', 'pyrexia', 'rash', 'varicella', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'blood', 'pressure', 'fluctuation', 'blood', 'pressure', 'increased', 'palpitation', 'chest', 'discomfort', 'hyperhidrosis', 'tremor', 'loss', 'consciousness', 'laceration', 'blood', 'glucose', 'decreased', 'blood', 'glucose', 'increased', 'death', 'suicidal', 'ideation', 'ideation', 'hallucination', 'auditory', 'dementia', 'type', 'poor', 'peripheral', 'circulation', 'stress', 'visual', 'acuity', 'reduced', 'incorrect', 'dose', 'administered', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'mydriasis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'adverse', 'drug', 'reaction', 'pruritus', 'palpitation', 'blood', 'pressure', 'increased', 'adverse', 'drug', 'interaction', 'intentional', 'overdose', 'suicide', 'attempt', 'somnolence', 'amylase', 'increased', 'hepatitis', 'c', 'fatigue', 'bradycardia', 'hyperkalaemia', 'liver', 'injury', 'hepatic', 'necrosis', 'leukopenia', 'international', 'normalised', 'ratio', 'abnormal', 'gastrointestinal', 'haemorrhage', 'gastritis', 'large', 'intestine', 'polyp', 'decreased', 'appetite', 'weight', 'decreased', 'nasopharyngitis', 'abdominal', 'distension', 'cough', 'viral', 'infection', 'abdominal', 'pain', 'constipation', 'abdominal', 'discomfort', 'eructation', 'label', 'use', 'drug', 'dose', 'omission', 'drug', 'interaction', 'inflammation', 'liver', 'function', 'test', 'abnormal', 'thoracic', 'vertebral', 'fracture', 'back', 'pain', 'musculoskeletal', 'chest', 'pain', 'atrial', 'fibrillation', 'upper', 'limb', 'fracture', 'spinal', 'fracture', 'cellulitis', 'cyst', 'incorrect', 'dose', 'administered', 'loss', 'consciousness', 'head', 'injury', 'syncope', 'hypotension', 'blood', 'thyroid', 'stimulating', 'hormone', 'decreased', 'thyroxine', 'free', 'decreased', 'foot', 'fracture', 'constipation', 'renal', 'failure', 'chronic', 'pancreatic', 'carcinoma', 'neoplasm', 'malignant', 'yellow', 'skin', 'hallucination', 'hepatitis', 'depression', 'speech', 'disorder', 'muscular', 'weakness', 'red', 'blood', 'cell', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'decreased', 'platelet', 'count', 'decreased', 'hypersplenism', 'macrocytosis', 'blood', 'test', 'abnormal', 'hepatitis', 'b', 'virus', 'test', 'positive', 'elliptocytosis', 'hepatitis', 'c', 'neutropenia', 'anisocytosis', 'mean', 'cell', 'haemoglobin', 'increased', 'lymphocyte', 'count', 'increased', 'hepatitis', 'virus', 'test', 'positive', 'mean', 'cell', 'volume', 'increased', 'pancytopenia', 'pulmonary', 'embolism', 'mucoepidermoid', 'carcinoma', 'salivary', 'gland', 'bronchitis', 'diarrhoea', 'vomiting', 'cerebrovascular', 'accident', 'muscle', 'spasm', 'pain', 'extremity', 'accidental', 'exposure', 'product', 'child', 'toxicity', 'various', 'agent', 'restlessness', 'impaired', 'work', 'ability', 'oral', 'discomfort', 'dysgeusia', 'nausea', 'myocardial', 'infarction', 'viral', 'infection', 'death', 'fatigue', 'abdominal', 'pain', 'lower', 'endometriosis', 'dermal', 'cyst', 'granuloma', 'malaise', 'transient', 'ischaemic', 'attack', 'psoriasis', 'loss', 'consciousness', 'dehydration', 'ear', 'infection', 'psoriasis', 'bradyphrenia', 'back', 'pain', 'subcutaneous', 'abscess', 'abdominal', 'pain', 'pyrexia', 'calculus', 'urinary', 'disease', 'foetal', 'exposure', 'pregnancy', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'respiratory', 'failure', 'disease', 'status', 'epilepticus', 'complex', 'partial', 'seizure', 'gene', 'mutation', 'dyskinesia', 'hypotonia', 'hypokinesia', 'drug', 'ineffective', 'cardiac', 'arrest', 'dyspnoea', 'hip', 'arthroplasty', 'treatment', 'noncompliance', 'arthritis', 'dysuria', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'capillary', 'leak', 'syndrome', 'pleural', 'effusion', 'appendicitis', 'abdominal', 'pain', 'upper', 'body', 'temperature', 'increased', 'constipation', 'nausea', 'decreased', 'appetite', 'dysgeusia', 'pruritus', 'skin', 'discolouration', 'lymphoedema', 'mouth', 'ulceration', 'epistaxis', 'pain', 'acne', 'rash', 'generalised', 'malaise', 'disease', 'progression', 'breast', 'cancer', 'diarrhoea', 'fatigue', 'agitation', 'restlessness', 'sinusitis', 'headache', 'rhinorrhoea', 'rhinalgia', 'epistaxis', 'pain', 'back', 'pain', 'neck', 'pain', 'bone', 'pain', 'pain', 'extremity', 'pelvic', 'pain', 'gait', 'disturbance', 'musculoskeletal', 'chest', 'pain', 'body', 'temperature', 'increased', 'pruritus', 'laceration', 'mouth', 'ulceration', 'nail', 'disorder', 'onychoclasia', 'dysgeusia', 'paraesthesia', 'fatigue', 'disease', 'progression', 'breast', 'cancer', 'back', 'disorder', 'procedural', 'pain', 'agitation', 'delirium', 'fall', 'supraventricular', 'tachycardia', 'drug', 'hypersensitivity', 'dyspnoea', 'rash', 'subdural', 'haematoma', 'mouth', 'haemorrhage', 'death', 'dystonia', 'drug', 'abuse', 'incorrect', 'drug', 'administration', 'duration', 'drug', 'ineffective', 'boniva', 'ibuprofen', 'letairis', 'letairis', 'tracleer', 'ilaris', 'ilaris', 'prednisone', 'relpax', 'ultracet', 'ambien', 'ranolazine', 'benlysta', 'plaquenil', 'prednisone', 'belimumab', 'azathioprine', 'prednisone', 'fluoxetine', 'clozapine', 'calcium', 'carbonate', 'vitamin', 'omeprazole', 'benlysta', 'plaquenil', 'foltix', 'cymbalta', 'xanax', 'percocet', 'nexium', 'sumatriptan', 'methotrexate', 'ibuprofen', 'acetaminophen']

Cümle 1 - Stemmed: ['drug', 'administr', 'error', 'overdos', 'vomit', 'diarrhoea', 'arthralgia', 'headach', 'dyspepsia', 'renal', 'impair', 'oedema', 'peripher', 'fluid', 'retent', 'pneumonia', 'drug', 'ineffect', 'death', 'angioedema', 'laryng', 'oedema', 'face', 'oedema', 'tuberculosis', 'central', 'nervou', 'system', 'cholecystectomy', 'nephrolithiasis', 'biliari', 'tract', 'disord', 'malais', 'adenovir', 'haemorrhag', 'cystiti', 'pyrexia', 'sweat', 'meconium', 'stain', 'amniot', 'caviti', 'infect', 'matern', 'exposur', 'pregnanc', 'respiratori', 'failure', 'listeriosi', 'pyrexia', 'headach', 'vomit', 'mental', 'statu', 'chang', 'mening', 'pneumonia', 'staphylococcus', 'type', 'iv', 'hypersensit', 'reaction', 'skin', 'toxic', 'erythrodysaesthesia', 'syndrom', 'nail', 'toxic', 'arthralgia', 'myalgia', 'asthenia', 'diarrhoea', 'neuropathi', 'peripher', 'diarrhoea', 'abdomin', 'pain', 'asthenia', 'diarrhoea', 'weight', 'decreas', 'abdomin', 'pain', 'blood', 'creatinin', 'increas', 'protein', 'increas', 'dysuria', 'pyrexia', 'blood', 'creatinin', 'increas', 'protein', 'increas', 'pleural', 'effus', 'chemic', 'poison', 'neck', 'pain', 'back', 'pain', 'paraesthesia', 'localis', 'oedema', 'oedema', 'peripher', 'fluid', 'retent', 'nasal', 'congest', 'metastas', 'spine', 'anxiati', 'renal', 'cyst', 'metastas', 'thorax', 'metastas', 'retroperitoneum', 'emot', 'disord', 'pancreat', 'carcinoma', 'metastat', 'metastas', 'liver', 'metastas', 'lung', 'emot', 'distress', 'lymphadenopathi', 'prostat', 'cancer', 'peripher', 'venou', 'diseas', 'swollen', 'tongu', 'pruritu', 'rash', 'generalis', 'listeriosi', 'pyrexia', 'diarrhoea', 'mening', 'overdos', 'gener', 'physic', 'health', 'deterior', 'malais', 'drug', 'ineffect', 'haematoma', 'thrombocytopenia', 'intern', 'normalis', 'ratio', 'increas', 'devic', 'disloc', 'cerebrovascular', 'accid', 'blood', 'pressur', 'increas', 'pain', 'aggress', 'syndrom', 'anger', 'blepharospasm', 'suicid', 'ideat', 'haemoglobin', 'decreas', 'posterior', 'revers', 'encephalopathy', 'syndrom', 'cerebr', 'haemorrhag', 'subarachnoid', 'haemorrhag', 'erect', 'increas', 'hyponatraemia', 'loss', 'conscious', 'listeriosi', 'pyrexia', 'headach', 'vomit', 'mening', 'fluid', 'retent', 'haemoglobin', 'decreas', 'subdur', 'haematoma', 'sopor', 'drug', 'abus', 'overdos', 'hallucin', 'visual', 'headach', 'insomnia', 'somnol', 'confusion', 'state', 'cognit', 'disord', 'alopecia', 'ileu', 'paralyt', 'abdomin', 'pain', 'nausea', 'foetal', 'death', 'abort', 'late', 'amniot', 'caviti', 'infect', 'matern', 'exposur', 'pregnanc', 'breast', 'cancer', 'devic', 'misus', 'uterin', 'perfor', 'depress', 'anxiati', 'depress', 'mood', 'devic', 'issu', 'injury', 'pain', 'emot', 'distress', 'foetal', 'distress', 'syndrom', 'intraventricular', 'haemorrhag', 'neonat', 'low', 'birth', 'weight', 'babi', 'listeriosi', 'pyrexia', 'sepsi', 'mening', 'pneumonia', 'aspir', 'oxygen', 'satur', 'decreas', 'foetal', 'exposur', 'pregnanc', 'meconium', 'stain', 'amniot', 'caviti', 'infect', 'matern', 'exposur', 'pregnanc', 'oedema', 'peripher', 'fluid', 'retent', 'fatigu', 'oedema', 'peripher', 'drug', 'ineffect', 'flu



sh', 'cardiac', 'failur', 'congest', 'fluid', 'retent', 'swell', 'pyelonephr', 'matern', 'exposur', 'pregnanc', 'normal', 'newborn', 'blood', 'pressur', 'fluctuat', 'dyspepsia', 'allerg', 'cough', 'headach', 'malais', 'fluid', 'retent', 'fluid', 'overload', 'renal', 'failur', 'acute', 'disorient', 'drug', 'prescrib', 'error', 'incorect', 'dose', 'administ', 'medic', 'error', 'foetal', 'death', 'amniot', 'caviti', 'infect', 'matern', 'exposur', 'pregnanc', 'pharyng', 'oedema', 'label', 'use', 'eye', 'haemorrhag', 'blood', 'creatinin', 'increas', 'visual', 'acuiti', 'reduc', 'ophthalmolog', 'examin', 'abnorm', 'alanin', 'aminotransferas', 'increas', 'aspart', 'aminotransferas', 'increas', 'feel', 'abnorm', 'somnol', 'drug', 'intoler', 'spinal', 'column', 'stenosi', 'diabet', 'mellitu', 'blind', 'acute', 'graft', 'versu', 'host', 'diseas', 'chronic', 'graft', 'versu', 'host', 'diseas', 'lung', 'disord', 'death', 'infect', 'mucos', 'inflamm', 'gastrointestin', 'toxic', 'cardiotox', 'neurotox', 'hepatotox', 'nephropathi', 'toxic', 'transplant', 'failur', 'venoocclus', 'diseas', 'malign', 'neoplasm', 'progress', 'label', 'use', 'infect', 'central', 'venou', 'catheteris', 'femur', 'fractur', 'fall', 'neutropenia', 'pain', 'extrem', 'hereditari', 'angioedema', 'anxieti', 'panic', 'attack', 'depress', 'cardiac', 'failur', 'congest', 'haemoglobin', 'decreas', 'hepatocellular', 'injuri', 'adnexa', 'uteri', 'pain', 'drug', 'ineffect', 'pregnanc', 'contracept', 'devic', 'embed', 'devic', 'ovarian', 'cyst', 'injuri', 'dyspareunia', 'pain', 'uterin', 'perfor', 'post', 'procedur', 'discomfort', 'pain', 'devic', 'disloc', 'pregnanc', 'contracept', 'devic', 'drug', 'ineffect', 'devic', 'difficult', 'use', 'uterin', 'haemorrhag', 'injuri', 'depress', 'anxieti', 'stress', 'devic', 'issu', 'oedema', 'peripher', 'gait', 'disturb', 'plasma', 'cell', 'myeloma', 'respiratori', 'disord', 'arrhythmia', 'chest', 'pain', 'oedema', 'peripher', 'gastrooesophag', 'reflux', 'diseas', 'pulmonari', 'embol', 'anaemia', 'haemoglobin', 'decreas', 'oesophag', 'perfor', 'gastric', 'haemorrhag', 'hepat', 'failur', 'nerv', 'compress', 'mobil', 'decreas', 'abasia', 'death', 'nasopharyng', 'malais', 'pyrexia', 'nasal', 'congest', 'headach', 'diarrhoea', 'nausea', 'breast', 'cancer', 'erythema', 'monocyt', 'count', 'decreas', 'increas', 'count', 'decreas', 'skin', 'lesion', 'mean', 'platelet', 'volum', 'decreas', 'sarcoma', 'white', 'blood', 'cell', 'count', 'decreas', 'lymphocyt', 'count', 'decreas', 'neutrophil', 'count', 'decreas', 'count', 'decreas', 'count', 'decreas', 'linear', 'iga', 'diseas', 'rheumatoid', 'arthritis', 'arthralgia', 'rheumatoid', 'factor', 'increas', 'neck', 'pain', 'back', 'pain', 'musculoskelet', 'pain', 'asthenia', 'palpit', 'thirst', 'gait', 'disturb', 'death', 'influenza', 'weight', 'decreas', 'nasopharyng', 'fall', 'confusion', 'state', 'subcutan', 'haematoma', 'hypotens', 'anaemia', 'renal', 'failur', 'chronic', 'death', 'sepsi', 'tonsillectomi', 'complet', 'suicid', 'suicid', 'behaviour', 'blood', 'count', 'abnorm', 'haemoglobin', 'decreas', 'surgeri', 'loss', 'conscious', 'fall', 'gait', 'disturb', 'convuls', 'influenza', 'speech', 'disord', 'malais', 'atrioventricular', 'block', 'first', 'degre', 'angina', 'pectoris', 'muscl', 'spasm', 'condit', 'aggrav', 'pain', 'hypoaesthesia', 'abdomin', 'distens', 'insomnia', 'fatigu', 'nausea', 'alopecia', 'transfus', 'convuls', 'death', 'mental', 'disord', 'panic', 'attack', 'depress', 'anxieti', 'condit', 'aggrav', 'label', 'use', 'acute', 'respiratori', 'distress', 'syndrom', 'failur', 'gener', 'physic', 'health', 'deterior', 'death', 'pleural', 'effus', 'blister', 'hypothyroid', 'blood', 'potassium', 'decreas', 'anaemia', 'nausea', 'vomit', 'constip', 'blood', 'pressur', 'increas', 'fluid', 'retent', 'pollakiuria', 'local', 'swell', 'joint', 'swell', 'swell', 'grand', 'mal', 'convuls', 'malais', 'abdomin', 'pain', 'upper', 'hyperthyroid', 'diabet', 'mellitu', 'haemoglobin', 'decreas', 'pyrexia', 'headach', 'malnutrit', 'multipl', 'sclerosi', 'loss', 'conscious', 'weight', 'decreas', 'fibroadenoma', 'breast', 'label', 'use', 'hyperthermia', 'malign', 'neoplasm', 'align', 'diabet', 'mellitu', 'endocard', 'staphylococc', 'nephrogen', 'system', 'fibrosi', 'type', 'diabet', 'mellitu', 'influenza', 'pneumonia', 'nephrogen', 'system', 'fibrosi', 'neutrophil', 'count', 'increas', 'white', 'blood', 'cell', 'count', 'increas', 'abnorm', 'behaviour', 'dehydr', 'hospitalis', 'convuls', 'convuls', 'lower', 'limb', 'fractur', 'syncope', 'osteomyel', 'death', 'death', 'erysipela', 'sepsi', 'atrial', 'septal', 'defect', 'bundl', 'branch', 'block', 'right', 'tachycardia', 'rectal', 'haemorrhag', 'rectal', 'haemorrhag', 'asthenia', 'weight', 'decreas', 'death', 'organism', 'pneumonia', 'fall', 'lung', 'infect', 'urinari', 'tract', 'infect', 'bacteri', 'lower', 'respiratori', 'tract', 'infect', 'bacteri', 'acute', 'respiratori', 'distress', 'syndrom', 'loss', 'conscious', 'psoriasis', 'blood', 'cholesterol', 'increas', 'amnesia', 'dyspnoea', 'headach', 'exposur', 'contamin', 'water', 'vomit', 'nausea', 'fatigu', 'lethargi', 'abdomin', 'pain', 'upper', 'death', 'depress', 'wheelchair', 'user', 'drug', 'effect', 'decreas', 'death', 'coeliac', 'diseas', 'blind', 'hypertens', 'blood', 'pressure', 'increas', 'hyperhidrosi', 'hyperhidrosi', 'multipl', 'sclerosi', 'neoplasm', 'malign', 'metastasi', 'fall', 'head', 'injuri', 'arthralgia', 'urinari', 'tract', 'infect', 'asthenia', 'ear', 'infect', 'increas', 'viscos', 'bronchial', 'secret', 'sinu', 'disord', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'endotracheal', 'intub', 'acute', 'respiratori', 'failur', 'hyperglycaemia', 'bronchiti', 'pneumococc', 'bronchiti', 'nephrogen', 'system', 'fibrosi', 'rhinalgia', 'facial', 'pain', 'mobil', 'decreas', 'seizur', 'blood', 'sodium', 'decreas', 'cholelithiasi', 'hepat', 'mass', 'hyperglycaemia', 'dyspnoea', 'inappropri', 'antidiuret', 'hormon', 'secret', 'hyperthermia', 'malign', 'tetralog', 'cleft', 'palat', 'autism', 'foetal', 'exposur', 'pregnanc', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'emphysema', 'bronchiti', 'dyspnoea', 'stress', 'anxieti', 'unevalu', 'event', 'lung', 'infect', 'suicid', 'attempt', 'antipsychot', 'drug', 'level', 'therapeut', 'mental', 'disord', 'antipsychot', 'drug', 'level', 'therapeut', 'advers', 'reaction', 'suicid', 'ideat', 'dizzi', 'aphasia', 'syncope', 'memori', 'impair', 'bronchiti', 'irrit', 'feel', 'abnorm', 'amnesia', 'convers', 'disord', 'visual', 'impair', 'vision', 'blur', 'headach', 'pyrexia', 'pain', 'inject', 'site', 'reaction', 'inject', 'site', 'haemorrhag', 'fatigu', 'confusion', 'state', 'hyperammonaemia', 'respiratori', 'distress', 'pulmonari', 'oedema', 'dyspnoea', 'pulmonari', 'alveolar', 'haemorrhag', 'pulmonari', 'diseas', 'therapeut', 'respons', 'decreas', 'drug', 'ineffect', 'haemoglobin', 'decreas', 'weight', 'increas', 'nephrogen', 'system', 'fibrosi', 'pneumonia', 'pulmonari', 'valv', 'stenosi', 'congenit', 'congenit', 'anomali', 'foetal', 'exposur', 'pregnanc', 'death', 'dyspnoea', 'fatigu', 'dysphonia', 'diarrhoea', 'convuls', 'dyspnoea', 'skin', 'discolour', 'lip', 'discolour', 'statu', 'epilepticu', 'epilepsi', 'fall', 'tooth', 'loss', 'central', 'nervou', 'system', 'lesion', 'cognit', 'disord', 'drug', 'withdraw', 'syndrom', 'qualiti', 'life', 'decreas', 'gener', 'physic', 'health', 'deterior', 'mental', 'impair', 'disorient', 'affect', 'labil', 'gait', 'disturb', 'speech', 'disord', 'anticonvuls', 'drug', 'level', 'decreas', 'drug', 'effect', 'decreas', 'investig', 'liver', 'disord', 'transaminas', 'increas', 'diseas', 'progress', 'abort', 'induc', 'unintend', 'pregnanc', 'medic', 'devic', 'complic', 'product', 'qualiti', 'issu', 'drug', 'dose', 'omiss', 'diseas', 'progress', 'renal', 'failur', 'acute', 'type', 'diabet', 'mellitu', 'cholelithiasi', 'bone', 'marrow', 'failur', 'bone', 'marrow', 'failur', 'neutrophil', 'count', 'decreas', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'dementia', 'type', 'hip', 'fractur', 'cerebrovascular', 'acid', 'nephrogen', 'system', 'fibrosi', 'pancreat', 'hypoaacus', 'pneumonia', 'diseas', 'progress', 'pancytopenia', 'low', 'turnov', 'osteopathi', 'femur', 'fractur', 'reflux', 'laryng', 'gingiv', 'recess', 'intramedullari', 'rod', 'insert', 'rib', 'fractur', 'bone', 'graft', 'squamous', 'cell', 'carcinoma', 'skin', 'osteoporosi', 'periodont', 'oper', 'visual', 'impair', 'diseas', 'progress', 'loss', 'propriocept', 'fall', 'gait', 'disturb', 'asthenia', 'embed', 'devic', 'hyponatraemia', 'dyspnoea', 'pyrexia', 'pancreat', 'influenza', 'pneumonia', 'sepsi', 'diseas', 'progress', 'dizzi', 'diseas', 'progress', 'myocardi', 'infarct', 'diseas', 'progress', 'death', 'investig', 'diseas', 'progress', 'diseas', 'progress', 'diseas', 'arthropathi', 'osteonecrosi', 'gangren', 'gangren', 'grand', 'mal', 'convuls', 'vomit', 'amnesia', 'diseas', 'progress', 'diseas', 'progress', 'sepsi', 'tooth', 'infect', 'neurolog', 'decompens', 'diseas', 'progress', 'thrombosi', 'devic', 'issu', 'arterioven', 'fistula', 'site', 'complic', 'convuls', 'pulmonari', 'oedema', 'rib', 'fractur', 'gastroenter', 'viral', 'periton', 'bacteri', 'diarrhoea', 'fluid', 'overload', 'infect', 'cyst', 'febril', 'neutropenia', 'febril', 'neutropenia', 'enterobact', 'pneumonia', 'coryneb

acterium', 'infect', 'pharyng', 'malais', 'hypotens', 'eye', 'movement', 'disord', 'heart', 'rate', 'decreas', 'puls', 'abnorm', 'blood', 'pressur', 'diastol', 'increas', 'carnitin', 'defici', 'hyperammonaemia', 'irrit', 'affect', 'disord', 'condit', 'aggrav', 'staphylococc', 'infect', 'cathet', 'site', 'infect', 'muscular', 'weak', 'paraesthesia', 'pancreat', 'label', 'use', 'pulmonari', 'haemorrhag', 'swell', 'anaemia', 'hypotens', 'pneumonia', 'urinari', 'tract', 'infect', 'malais', 'cardiac', 'disord', 'cardiovascular', 'disord', 'blood', 'glucos', 'increas', 'anaemia', 'sepsi', 'mix', 'liver', 'injuri', 'headach', 'toothach', 'periton', 'periton', 'dialysi', 'complic', 'hypotens', 'pneumonia', 'post', 'procedur', 'haemorrhag', 'acidosi', 'haemorrhag', 'haematocrit', 'decreas', 'rectal', 'haemorrhag', 'haematochezia', 'mouth', 'haemorrhag', 'epistaxi', 'pyrexia', 'syndrom', 'myocard', 'infarct', 'mycobacterium', 'tuberculosis', 'complex', 'test', 'posit', 'headach', 'chest', 'discomfort', 'respiratori', 'failur', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'myocardi', 'infarct', 'cardiac', 'flutter', 'therapeut', 'respons', 'decreas', 'death', 'parot', 'salivari', 'hypersecret', 'ear', 'pain', 'odynophagia', 'parotid', 'gland', 'enlarg', 'oedema', 'inflamm', 'leukocytosi', 'anaemia', 'tachycardia', 'schizoaffect', 'disord', 'bipolar', 'type', 'drug', 'ineffect', 'convuls', 'bursiti', 'abscess', 'bacteri', 'staphylococc', 'infect', 'fall', 'rhabdomyolysi', 'somnia', 'diabet', 'mellitu', 'gait', 'disturb', 'anaemia', 'blood', 'triglycerid', 'abnorm', 'muscular', 'weak', 'blood', 'cholesterol', 'abnorm', 'cough', 'influenza', 'bone', 'disord', 'incompat', 'pain', 'death', 'localis', 'infect', 'diabet', 'ketoacidosi', 'abscess', 'limb', 'transfus', 'vision', 'blur', 'intraocular', 'pressur', 'increas', 'rectocel', 'cardiac', 'arrest', 'arrhythmia', 'acidosi', 'respiratori', 'distress', 'statu', 'epilepticu', 'death', 'gastrointestin', 'stromal', 'tumour', 'malign', 'neoplasm', 'progress', 'intestin', 'obstruct', 'pyrexia', 'abdomin', 'pain', 'upper', 'blood', 'count', 'abnorm', 'platelet', 'count', 'decreas', 'injuri', 'gener', 'physic', 'health', 'deterior', 'cerebrovascular', 'arterioven', 'malform', 'gastrooesophag', 'reflux', 'diseas', 'peripher', 'arteri', 'thrombosi', 'pain', 'anxieti', 'abdomin', 'pain', 'emot', 'distress', 'platelet', 'count', 'decreas', 'blood', 'count', 'abnorm', 'cerebr', 'venou', 'thrombosi', 'jugular', 'vein', 'thrombosi', 'subdur', 'haematoma', 'musculoskelet', 'stiff', 'myalgia', 'platelet', 'count', 'decreas', 'stem', 'cell', 'transplant', 'splenomegali', 'contus', 'thrombosi', 'injuri', 'emot', 'distress', 'deep', 'vein', 'thrombosi', 'anxieti', 'pain', 'abdomin', 'pain', 'gener', 'physic', 'health', 'deterior', 'type', 'diabet', 'mellitu', 'death', 'intern', 'normalis', 'ratio', 'fluctuat', 'fall', 'concuss', 'clavicl', 'fractur', 'hip', 'fractur', 'parkinson', 'mobil', 'decreas', 'faecal', 'incontin', 'urinari', 'incontin', 'depress', 'memori', 'impair', 'fatigu', 'fall', 'pain', 'fall', 'fall', 'gait', 'disturb', 'emot', 'distress', 'type', 'diabet', 'mellitu', 'impair', 'heal', 'calciphylaxi', 'diabet', 'complic', 'wound', 'pancreat', 'acut', 'death', 'gastrointestin', 'haemorrhag', 'pneumonia', 'pulmonari', 'oedema', 'failur', 'thrive', 'hypophagia', 'surgeri', 'muscular', 'weak', 'alopecia', 'drug', 'dose', 'omiss', 'type', 'diabet', 'mellitu', 'neoplasm', 'malign', 'pain', 'extrem', 'anaemia', 'death', 'histiocytosi', 'haematophag', 'type', 'diabet', 'mellitu', 'ventricular', 'tachycardia', 'melaena', 'asthenia', 'vertigo', 'duoden', 'ulcer', 'gastriti', 'eros', 'gastrointestin', 'haemorrhag', 'type', 'diabet', 'mellitu', 'haemorrhag', 'red', 'blood', 'cell', 'count', 'decreas', 'fatigu', 'advers', 'event', 'type', 'diabet', 'mellitu', 'psychot', 'behaviour', 'cognit', 'disord', 'bronchopulmonari', 'aspergill', 'myalgia', 'type', 'diabet', 'mellitu', 'vagin', 'haemorrhag', 'smear', 'cervix', 'abnorm', 'febril', 'convuls', 'helicobact', 'infect', 'death', 'nephrogen', 'system', 'fibrosi', 'circulatori', 'collaps', 'pneumonia', 'aspir', 'white', 'blood', 'cell', 'count', 'increas', 'neutrophil', 'count', 'increas', 'platelet', 'count', 'decreas', 'blood', 'lactat', 'dehydrogenas', 'increas', 'white', 'blood', 'cell', 'count', 'increas', 'epistaxi', 'headach', 'influenza', 'nausea', 'contus', 'wound', 'haemorrhag', 'blood', 'smear', 'test', 'abnorm', 'fatigu', 'advers', 'drug', 'reaction', 'diseas', 'progress', 'type', 'diabet', 'mellitu', 'visual', 'impair', 'neuropathi', 'peripher', 'increas', 'appetit', 'incontin', 'label', 'use', 'epistaxi', 'blind', 'weight', 'increas', 'skin', 'cancer', 'nasopharyng', 'dizzi', 'dri', 'eye', 'wrong', 'techniqu', 'product', 'usag', 'process', 'pruritu', 'increas', 'tendenc', 'bruis', 'diarrhoea', 'constip', 'type', 'diabet', 'mellitu', 'appar', 'death', 'gener', 'physic', 'health', 'deterior', 'skin', 'burn', 'sensat', 'decreas', 'appetit', 'weight', 'decreas', 'headach', 'nausea', 'pyrexia', 'rash', 'myalgia', 'muscular', 'weak', 'gait', 'disturb', 'tremor', 'type', 'diabet', 'mellitu', 'peripher', 'swell', 'increas', 'appetit', 'weight', 'increas', 'stress', 'type', 'diabet', 'mellitu', 'hypokinesia', 'dehydr', 'drug', 'dose', 'omiss', 'paralysi', 'qualiti', 'life', 'decreas', 'speech', 'disord', 'loss', 'conscious', 'withdraw', 'syndrom', 'dyskinesia', 'dysphagia', 'cardiac', 'arrest', 'anaphylact', 'reaction', 'interstiti', 'lung', 'diseas', 'dyspnoea', 'gener', 'physic', 'health', 'deterior', 'pleural', 'effus', 'oedema', 'aphthou', 'stomat', 'periton', 'devic', 'malfunc', 'cerebrovascular', 'accid', 'blind', 'unilater', 'mucos', 'inflamm', 'convuls', 'gastrointestin', 'stromal', 'tumour', 'malais', 'hepat', 'neoplasm', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'pancreat', 'endometriosis', 'uterin', 'leiomyoma', 'type', 'diabet', 'mellitu', 'central', 'nervou', 'system', 'lesion', 'inject', 'site', 'pain', 'inject', 'site', 'bruis', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'hepatocellular', 'injuri', 'cholestasi', 'pyrexia', 'myocardi', 'infarct', 'sarcoma', 'gastrointestin', 'obstruct', 'anaemia', 'gener', 'physic', 'health', 'deterior', 'abnorm', 'behaviour', 'drug', 'level', 'increas', 'lethargi', 'irrit', 'disord', 'dermatillomania', 'activ', 'daili', 'live', 'impair', 'memori', 'impair', 'bradykinesia', 'muscular', 'weak', 'insomnia', 'drug', 'interact', 'death', 'breast', 'cancer', 'second', 'primari', 'malign', 'metastas', 'pleura', 'metastas', 'lymph', 'node', 'blood', 'glucos', 'increas', 'death', 'death', 'hypomagnesaemia', 'drug', 'interact', 'transfus', 'drug', 'dose', 'omiss', 'bodi', 'height', 'normal', 'congenit', 'oral', 'malform', 'congenit', 'cardiovascular', 'anomali', 'congenit', 'nose', 'malform', 'tooth', 'develop', 'disord', 'visual', 'impair', 'foetal', 'exposur', 'pregnanc', 'patern', 'drug', 'affect', 'foetu', 'correct', 'len', 'user', 'dysmorph', 'foetal', 'anticonvuls', 'syndrom', 'prematur', 'babi', 'toothach', 'growth', 'retard', 'congenit', 'cardiovascular', 'anomali', 'cardiac', 'murmur', 'congenit', 'hand', 'malform', 'multipl', 'injuri', 'low', 'birth', 'weight', 'babi', 'drug', 'ineffect', 'coma', 'malais', 'muscl', 'abscess', 'diarrhoea', 'headach', 'platelet', 'count', 'decreas', 'gout', 'stent', 'placement', 'obstruct', 'asthenia', 'cold', 'sweat', 'nausea', 'palpit', 'myocardi', 'infarct', 'metastas', 'bone', 'osteonecrosi', 'jaw', 'convuls', 'tongu', 'injuri', 'hallucin', 'anticonvuls', 'drug', 'level', 'therapeut', 'injuri', 'appendix', 'disord', 'joint', 'disloc', 'epilepsi', 'mood', 'alter', 'stomat', 'cardiac', 'disord', 'infect', 'investig', 'foot', 'deform', 'dyspnoea', 'tachycardia', 'white', 'blood', 'cell', 'count', 'increas', 'testicular', 'torsion', 'anaphylact', 'reaction', 'metrorrhagia', 'dizzi', 'multipl', 'sclerosi', 'relaps', 'dysaesthesia', 'nephrogen', 'system', 'fibrosi', 'death', 'bronchial', 'carcinoma', 'pneumon', 'pleural', 'effus', 'radiat', 'pneumon', 'oesophag', 'pericard', 'death', 'thrombosi', 'diseas', 'underdos', 'embed', 'devic', 'breakag', 'back', 'pain', 'pneumonia', 'cytomegaloviru', 'infect', 'cystiti', 'haemorrhag', 'acut', 'graft', 'versu', 'host', 'diseas', 'death', 'muscl', 'spasm', 'urinari', 'incontin', 'anxieti', 'hyperventil', 'rash', 'prurit', 'rhinorrhoea', 'tongu', 'disord', 'panic', 'attack', 'diarrhoea', 'dri', 'skin', 'skin', 'exfoli', 'skin', 'exfoli', 'acn', 'alopecia', 'bronchospasm', 'discomfort', 'rash', 'drug', 'hypersensit', 'amnesia', 'aortic', 'dissect', 'rash', 'discomfort', 'constip', 'skin', 'disord', 'skin', 'sensitis', 'blister', 'jaundic', 'death', 'death', 'hypoaesthesia', 'tremor', 'feel', 'hot', 'hyperhidrosi', 'mobil', 'decreas', 'asthenia', 'local', 'swell', 'fat', 'redistribut', 'lipodystrophi', 'acquir', 'lymphocyt', 'decreas', 'unevalu', 'event', 'multifoc', 'motor', 'neuropathi', 'muscl', 'atrophi', 'blood', 'count', 'abnorm', 'exposur', 'pregnanc', 'drug', 'ineffect', 'caesarean', 'section', 'abort', 'spontan', 'blood', 'fibrinogen', 'decreas', 'pulmonari', 'embol', 'gener', 'physic', 'health', 'deterior', 'pain', 'injuri', 'abdomin', 'pain', 'platelet', 'count', 'decreas', 'anxieti', 'gener', 'physic', 'heal

th', 'deterior', 'injuri', 'thrombosi', 'emot', 'distress', 'pain', 'abdomin', 'pain', 'ileectomi', 'anxieti', 'gener', 'physic', 'health', 'deterior', 'axillari', 'vein', 'thrombosi', 'pain', 'peripher', 'swell', 'deep', 'v ein', 'thrombosi', 'abdomin', 'pain', 'emot', 'distress', 'injuri', 'subclavian', 'vein', 'thrombosi', 'foetal', 'heart', 'rate', 'decreas', 'foetal', 'exposur', 'pregnanc', 'foetal', 'heart', 'rate', 'increas', 'nephrogen', 'system', 'fibrosi', 'vertigo', 'erythema', 'tooth', 'disord', 'coliti', 'ulcer', 'eye', 'pain', 'ocular', 'vasc ular', 'disord', 'retin', 'vascular', 'disord', 'deaf', 'ear', 'injuri', 'renal', 'impair', 'intestin', 'haemorr hag', 'diarrhoea', 'drug', 'ineffect', 'ocular', 'hyperaemia', 'eye', 'skin', 'pain', 'dri', 'eye', 'chest', 'discomfort', 'wrist', 'fractur', 'fall', 'hysterectomi', 'muscular', 'weak', 'skin', 'discolour', 'gait', 'disturb', 'hypo tens', 'convuls', 'lower', 'gastrointestin', 'haemorrhag', 'renal', 'failur', 'pulmonari', 'alveolar', 'haemorrh ag', 'graft', 'versu', 'host', 'diseas', 'cystiti', 'haemorrhag', 'adenoviru', 'infect', 'bk', 'viru', 'infect', 'convuls', 'alcohol', 'detoxif', 'loss', 'conscious', 'alcohol', 'withdraw', 'syndrom', 'renal', 'failur', 'acut', 'dehydr', 'joint', 'injuri', 'tongu', 'injuri', 'swollen', 'tongu', 'electrolyt', 'imbal', 'dysarthria', 'fal l', 'lacer', 'gait', 'disturb', 'headach', 'drug', 'ineffect', 'pancreat', 'acut', 'blood', 'glucos', 'increas', 'bone', 'marrow', 'failur', 'pyrexia', 'neutropenia', 'leukopenia', 'thrombocytopenia', 'pancytopenia', 'tonsil', 'cough', 'tonsillar', 'hypertrophi', 'purul', 'discharg', 'pharyng', 'erythema', 'odynophagia', 'lymphadenopat hi', 'product', 'cough', 'larg', 'intestin', 'polyp', 'diarrhoea', 'blood', 'potassium', 'increas', 'hyperthermi a', 'malign', 'abasia', 'death', 'cerebrovascular', 'accid', 'cerebr', 'haemorrhag', 'drool', 'haematochezia', 'diverticulum', 'paraesthesia', 'asthenia', 'back', 'pain', 'dyspepsia', 'constip', 'renal', 'function', 'test', 'abnorm', 'pruritu', 'throat', 'irrit', 'diarrhoea', 'nasal', 'discomfort', 'malais', 'multipl', 'sclerosi', 're laps', 'urinari', 'tract', 'infect', 'dizzi', 'headach', 'nausea', 'cerebrovascular', 'accid', 'death', 'blood', 'alkalin', 'phosphatas', 'increas', 'transaminas', 'increas', 'increas', 'electrocardiogram', 'abnorm', 'left', 'ventricular', 'dysfunct', 'sinu', 'tachycardia', 'nephrogen', 'system', 'fibrosi', 'foetal', 'cardiac', 'disord', 'label', 'use', 'exposur', 'pregnanc', 'ocular', 'hyperaemia', 'lacrim', 'increas', 'dri', 'eye', 'skin', 'le sion', 'lymphadenopathi', 'lymph', 'node', 'pain', 'basal', 'cell', 'carcinoma', 'seborrho', 'keratosi', 'fall', 'uterin', 'perfor', 'injuri', 'pain', 'emot', 'distress', 'type', 'diabet', 'mellitu', 'thrombocytopenia', 'pete chia', 'suicid', 'ideat', 'depress', 'mood', 'nightmar', 'haemoglobin', 'decreas', 'acut', 'myocardi', 'infarct', 'malign', 'neoplasm', 'progress', 'gener', 'physic', 'health', 'deterior', 'death', 'alanin', 'aminotransferas', 'increas', 'aspart', 'aminotransferas', 'increas', 'fatigu', 'abdomin', 'pain', 'upper', 'inject', 'site', 'd iscolour', 'inject', 'site', 'pruritu', 'unevalu', 'event', 'blepharospasm', 'aggress', 'anger', 'symptom', 'sui cid', 'ideat', 'uterin', 'perfor', 'devic', 'disloc', 'infus', 'site', 'erythema', 'chill', 'emot', 'distress', 'pain', 'embed', 'devic', 'injuri', 'platelet', 'count', 'decreas', 'pyrexia', 'prostat', 'specif', 'antigen', 'increas', 'bone', 'pain', 'respiratori', 'arrest', 'pleural', 'effus', 'uterin', 'perfor', 'injuri', 'pain', 'em ot', 'distress', 'oropharyng', 'spasm', 'respiratori', 'disord', 'dysphagia', 'psychomotor', 'hyperact', 'saliva ri', 'hypersecret', 'dysarthria', 'sensat', 'foreign', 'bodi', 'melaena', 'type', 'diabet', 'mellitu', 'hepat', 'lesion', 'malign', 'neoplasm', 'progress', 'gastric', 'cancer', 'product', 'use', 'issu', 'seizur', 'like', 'ph enomena', 'myoclonu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'rash', 'prurit', 'generalis', 'erythema', 'type', 'diabet', 'mellitu', 'uterin', 'perfor', 'injuri', 'pain', 'emot', 'distress', 'urticaria', 'erythema', 'pruritu', 'drug', 'interact', 'hip', 'fractur', 'fall', 'urinari', 'tract', 'infect', 'type', 'diabe t', 'mellitu', 'death', 'devic', 'disloc', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'uterin', 'perfor', 'injuri', 'pain', 'emot', 'distress', 'transient', 'ischaem', 'attack', 'traumat', 'haematoma', 'uterin', 'perfor', 'injuri', 'pain', 'emot', 'distress', 'psycholog', 'trauma', 'skin', 'discolour', 'rash', 'death', 'neoplasm', 'progress', 'overdos', 'dyspnoea', 'lung', 'infect', 'thrombot', 'microangiopathi', 'renal', 'impair', 'hepat', 'failur', 'mental', 'statu', 'chang', 'stem', 'cell', 'transplant', 'graft', 'versu', 'host', 'disea s', 'fatigu', 'drug', 'administr', 'error', 'cognit', 'disord', 'anxieti', 'depress', 'sexual', 'dysfunct', 'blo od', 'testosterone', 'free', 'decreas', 'uptak', 'increas', 'back', 'pain', 'type', 'diabet', 'mellitu', 'hepat', 'c', 'insomnia', 'blood', 'cholesterol', 'increas', 'benign', 'prostat', 'hyperplasia', 'urinari', 'tract', 'obs truct', 'drug', 'depend', 'erectil', 'dysfunct', 'abdomin', 'pain', 'upper', 'diarrhoea', 'vomit', 'infus', 'rel at', 'reaction', 'generalis', 'erythema', 'pruritu', 'macroglossia', 'dyspnoea', 'malign', 'neoplasm', 'progress', 'pancytopenia', 'neurogen', 'bladder', 'feel', 'abnorm', 'balanc', 'disord', 'nervous', 'frustrat', 'hypo aest hesia', 'dyspnoea', 'label', 'use', 'syndrom', 'conscious', 'fluctuat', 'lip', 'swell', 'lip', 'discolour', 'bli ster', 'pain', 'skin', 'exfoli', 'chap', 'lip', 'eye', 'disord', 'scab', 'scar', 'weight', 'decreas', 'skin', 'd isord', 'rash', 'generalis', 'dyspnoea', 'hypersensit', 'malais', 'spinal', 'disord', 'dizzi', 'feel', 'abnorm', 'ovarian', 'germ', 'cell', 'cancer', 'stage', 'ii', 'amenorrhoea', 'weight', 'increas', 'tremor', 'galactorrhoea', 'dyspnoea', 'blood', 'prolactin', 'increas', 'palpit', 'dyskinesia', 'dysuria', 'swell', 'muscl', 'spasm', 'b reast', 'enlarg', 'fatigu', 'muscular', 'weak', 'agit', 'aggress', 'hyperhidrosi', 'abdomin', 'pain', 'femor', 'neck', 'fractur', 'osteoarthr', 'drug', 'ineffect', 'chest', 'pain', 'palpit', 'drug', 'ineffect', 'death', 'mal ign', 'neoplasm', 'progress', 'glaucoma', 'cataract', 'vitamin', 'decreas', 'arthropathi', 'syncop', 'electrocar diogram', 'qt', 'prolong', 'renal', 'failur', 'acut', 'rhabdomyolysi', 'traumat', 'liver', 'injuri', 'pneumonia', 'aspir', 'intent', 'overdos', 'suicid', 'attempt', 'loss', 'conscious', 'diarrhoea', 'vomit', 'nausea', 'restl ess', 'haemorrhag', 'haemarthrosi', 'embol', 'arteri', 'pulmonari', 'embol', 'phlebiti', 'skin', 'necrosi', 'adh es', 'vascul', 'death', 'pain', 'vomit', 'hallucin', 'auditori', 'nervous', 'feel', 'abnorm', 'major', 'depress', 'hemiparesi', 'quadriplegia', 'multipl', 'sclerosi', 'malais', 'pulmonari', 'function', 'test', 'decreas', 'ch est', 'discomfort', 'fear', 'death', 'depress', 'hypertens', 'sinu', 'tachycardia', 'dizzi', 'asthenia', 'limb', 'traumat', 'amput', 'road', 'traffic', 'accid', 'pain', 'back', 'pain', 'nerv', 'compress', 'joint', 'swell', 'a basia', 'fall', 'ligament', 'sprain', 'foot', 'fractur', 'breast', 'cancer', 'erythema', 'pruritu', 'abdomin', 'pain', 'muscl', 'spasm', 'splenectomi', 'splenomegali', 'pack', 'red', 'blood', 'cell', 'transfus', 'post', 'pro cedur', 'haemorrhag', 'cold', 'agglutinin', 'pyrexia', 'white', 'blood', 'cell', 'count', 'decreas', 'haematocri t', 'decreas', 'bronchiti', 'diseas', 'progress', 'pseudolymphoma', 'drug', 'ineffect', 'haemoglobinuria', 'nigh t', 'sweat', 'weight', 'increas', 'fatigu', 'cough', 'myelodysplast', 'syndrom', 'diarrhoea', 'platelet', 'count', 'decreas', 'cerebrovascular', 'accid', 'migrain', 'presyncop', 'syncop', 'bronchiol', 'apnoea', 'cyanosi', 'r hinorrhoea', 'umbil', 'hernia', 'inguin', 'hernia', 'oedema', 'genit', 'headach', 'subarachnoid', 'haemorrhag', 'influenza', 'like', 'ill', 'dysphagia', 'dyspnoea', 'immun', 'thrombocytopen', 'purpura', 'haemoglobinuria', 'p ain', 'nausea', 'chill', 'jaundic', 'hypotens', 'fatigu', 'dyspnoea', 'oedema', 'peripher', 'right', 'ventricula r', 'failur', 'haemoglobin', 'decreas', 'dialysi', 'haemoglobinuria', 'fatigu', 'renal', 'impair', 'hyperkalaemi a', 'iron', 'defici', 'anaemia', 'chronic', 'gastriti', 'central', 'nervou', 'system', 'lesion', 'renal', 'arter i', 'thrombosi', 'syncop', 'tongu', 'injuri', 'tremor', 'cerebrovascular', 'accid', 'atrial', 'fibril', 'thyroid', 'nodul', 'remov', 'thyroid', 'neoplasm', 'metrorrhagia', 'drug', 'administr', 'error', 'label', 'use', 'pneum onia', 'back', 'pain', 'death', 'lymphopenia', 'blood', 'cholesterol', 'increas', 'hypertens', 'nausea', 'low', 'densiti', 'lipoprotein', 'increas', 'white', 'blood', 'cell', 'count', 'decreas', 'deaf', 'ear', 'injuri', 'men tal', 'statu', 'chang', 'retin', 'detach', 'visual', 'field', 'defect', 'fibromyalgia', 'eye', 'disord', 'seizur', 'grand', 'mal', 'convuls', 'postict', 'state', 'thrombocytopenia', 'abdomin', 'distens', 'splenomegali', 'art hralgia', 'tender', 'full', 'blood', 'count', 'decreas', 'prostat', 'cancer', 'haematuria', 'pyrexia', 'prostat', 'pain', 'urinari', 'tract', 'infect', 'insomnia', 'prostat', 'obstruct', 'urinari', 'tract', 'obstruct', 'hype

rtens', 'cardiac', 'failur', 'arrhythmia', 'hypertens', 'lung', 'infect', 'dyspnoea', 'blood', 'urin', 'present', 'epistaxi', 'blind', 'asthenia', 'loss', 'conscious', 'type', 'diabet', 'mellitu', 'hypoesthesia', 'oral', 'hypoesthesia', 'type', 'diabet', 'mellitu', 'death', 'diseas', 'progress', 'type', 'diabet', 'mellitu', 'neuropa', 'thi', 'peripher', 'muscl', 'spasm', 'myopathi', 'sleep', 'disord', 'blood', 'glucos', 'increas', 'palpit', 'decr', 'eas', 'appetit', 'atrial', 'fibril', 'insomnia', 'pain', 'erect', 'chest', 'pain', 'tic', 'dyspnoea', 'abdomin', 'pain', 'upper', 'oedema', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'mania', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'rheumatoid', 'arthriti', 'facial', 'bone', 'fractur', 'syncop', 'neutropenia', 'pyrexia', 'hepat', 'failur', 'dyspnoea', 'thr', 'oat', 'tight', 'swell', 'cardiac', 'failur', 'congest', 'death', 'depress', 'condit', 'aggrav', 'panic', 'attack', 'anxieti', 'mental', 'disord', 'suicid', 'ideat', 'homicid', 'ideat', 'skin', 'exfoli', 'cerebrovascular', 'a', 'ccid', 'weight', 'increas', 'withdraw', 'syndrom', 'type', 'diabet', 'mellitu', 'cerebrovascular', 'accid', 'dis', 'ord', 'patholog', 'gambl', 'fluid', 'retent', 'electrocardiogram', 'qt', 'prolong', 'aortic', 'dissect', 'myocar', 'di', 'infarct', 'drug', 'interact', 'oedemat', 'pancreat', 'amylas', 'increas', 'lipas', 'increas', 'death', 'fa', 'll', 'multipl', 'sclerosi', 'relaps', 'asthenia', 'erythema', 'insomnia', 'muscl', 'spasm', 'flat', 'affect', 'd', 'epress', 'diseas', 'progress', 'psychot', 'disord', 'drug', 'interact', 'hypertens', 'drug', 'ineffect', 'middl', 'insomnia', 'tinnitu', 'blood', 'potassium', 'decreas', 'intent', 'drug', 'misus', 'pruritu', 'malais', 'hypoc', 'alcaemia', 'blood', 'count', 'abnorm', 'devic', 'disloc', 'pelvic', 'pain', 'diverticul', 'rectal', 'haemorrhag', 'eye', 'disord', 'haemorrhoid', 'death', 'renal', 'failur', 'neoplasm', 'malign', 'haematuria', 'pyrexia', 'my', 'algia', 'urinari', 'tract', 'infect', 'mania', 'mobil', 'decreas', 'angiopathi', 'hear', 'impair', 'blood', 'pre', 'ssur', 'increas', 'syndrom', 'chest', 'pain', 'infus', 'relat', 'reaction', 'drug', 'ineffect', 'fatigu', 'hypo', 'esthesia', 'nausea', 'weight', 'increas', 'alopecia', 'eye', 'disord', 'bodi', 'height', 'decreas', 'decreas', 'appetit', 'arthriti', 'fall', 'dyspnoea', 'oral', 'mucos', 'blister', 'rash', 'generalis', 'mood', 'swing', 'per', 'form', 'statu', 'decreas', 'drug', 'intoler', 'erythema', 'nodosum', 'cushingoid', 'renal', 'impair', 'cardiac', 'arrest', 'osteopenia', 'osteoporosi', 'death', 'surgeri', 'cerebrovascular', 'accid', 'basal', 'ganglia', 'haem', 'orrhag', 'intraventricular', 'haemorrhag', 'brain', 'injuri', 'diplegia', 'dysstasia', 'mania', 'abasia', 'dizzi', 'drug', 'intoler', 'gastrointestin', 'disord', 'therapeut', 'respons', 'aphonia', 'pyrexia', 'dizzi', 'coelia', 'c', 'diseas', 'malais', 'intent', 'product', 'misus', 'rotat', 'cuff', 'syndrom', 'arthriti', 'musculoskelet', 'pain', 'death', 'type', 'diabet', 'mellitu', 'carotid', 'arteri', 'occlus', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'chest', 'pain', 'low', 'densiti', 'lipoprotein', 'increas', 'vertigo', 'dizzi', 'dysgeusia', 'type', 'diabet', 'mellitu', 'suicid', 'ideat', 'death', 'respiratori', 'disord', 'type', 'diabet', 'mellitu', 'spinal', 'disord', 'label', 'use', 'intestin', 'ischaemia', 'enterocol', 'bacteri', 'dyspnoea', 'protein', 'total', 'incr', 'eas', 'type', 'diabet', 'mellitu', 'cardiac', 'stress', 'test', 'abnorm', 'arteriogram', 'coronari', 'abnorm', 'weight', 'decreas', 'type', 'diabet', 'mellitu', 'haemorrhag', 'renal', 'failur', 'myocardi', 'infarct', 'type', 'diabet', 'mellitu', 'spinal', 'cord', 'disord', 'type', 'diabet', 'mellitu', 'carpal', 'tunnel', 'syndrom', 'ar', 'thropathi', 'fatigu', 'myalgia', 'sinus', 'drug', 'ineffect', 'pneumonia', 'klebsiella', 'pseudomona', 'test', 'posit', 'drug', 'administ', 'patient', 'inappropri', 'age', 'staphylococcu', 'test', 'posit', 'condit', 'aggrav', 'depress', 'panic', 'attack', 'anxieti', 'mental', 'disord', 'haemoptysi', 'drug', 'ineffect', 'pain', 'loss', 'conscious', 'ventricular', 'tachycardia', 'heart', 'rate', 'increas', 'electrocardiogram', 'q', 'wave', 'abnorm', 'electrocardiogram', 'wave', 'invers', 'heart', 'rate', 'irregular', 'intent', 'overdos', 'sopor', 'type', 'd', 'iabet', 'mellitu', 'oedema', 'skin', 'fissur', 'nephrolithiasi', 'drug', 'dose', 'omiss', 'headach', 'sinus', 'c', 'ondit', 'aggrav', 'cataract', 'stent', 'placement', 'macular', 'fibrosi', 'haemoglobin', 'decreas', 'alopecia', 'palpit', 'chill', 'blood', 'count', 'abnorm', 'electrolyt', 'imbal', 'neutropenia', 'dermat', 'acneiform', 'dec', 'reas', 'appetit', 'bradycardia', 'foetal', 'foetal', 'exposur', 'pregnanc', 'mouth', 'ulcer', 'nail', 'disord', 'diarrhoea', 'fatigu', 'pleural', 'effus', 'headach', 'decreas', 'appetit', 'nausea', 'facial', 'pain', 'rash', 'malais', 'pain', 'jaw', 'oral', 'pain', 'pain', 'skin', 'abdomin', 'pain', 'upper', 'weight', 'decreas', 'disea', 's', 'progress', 'breast', 'cancer', 'metastat', 'septic', 'shock', 'drug', 'ineffect', 'dysgeusia', 'skin', 'irr', 'it', 'skin', 'exfoli', 'rash', 'erythemat', 'rash', 'generalis', 'death', 'nephrolithiasi', 'kidney', 'infect', 'heart', 'rate', 'increas', 'dyspnoea', 'fatigu', 'dizzi', 'haematuria', 'haemorrhag', 'contus', 'toxic', 'vario', 'u', 'agent', 'drug', 'interact', 'laboratori', 'test', 'abnorm', 'drug', 'reaction', 'eosinophilia', 'system', 'symptom', 'rash', 'skin', 'lesion', 'generalis', 'erythema', 'excori', 'face', 'oedema', 'lymphadenopathi', 'ski', 'n', 'exfoli', 'pyrexia', 'pregnanc', 'expir', 'drug', 'administ', 'label', 'use', 'lymphocel', 'ovarian', 'failu', 'r', 'gastrointestin', 'haemorrhag', 'dementia', 'agit', 'confusion', 'state', 'nephrolithiasi', 'amnesia', 'angi', 'oedema', 'flush', 'erythema', 'skin', 'exfoli', 'skin', 'toxic', 'swell', 'pruritu', 'vomit', 'diplopia', 'gait', 'disturb', 'balanc', 'disord', 'dyspnoea', 'gastroenter', 'dizzi', 'coeliac', 'diseas', 'femur', 'fractur', 'i', 'ncorrect', 'drug', 'administr', 'durat', 'neoplasm', 'malign', 'cough', 'wheez', 'type', 'diabet', 'mellitu', 't', 'ype', 'diabet', 'mellitu', 'cardiac', 'failur', 'congest', 'fluid', 'retent', 'glucos', 'toler', 'impair', 'type', 'diabet', 'mellitu', 'hepat', 'e', 'necrosi', 'cholang', 'transplant', 'reject', 'hepat', 'enzym', 'increas', 'gallbladd', 'disord', 'endothelin', 'abnorm', 'cervix', 'oper', 'product', 'colour', 'issu', 'type', 'diabet', 'mellitu', 'coronari', 'arteri', 'occlus', 'transient', 'ischaem', 'attack', 'cardiac', 'failur', 'congest', 'co', 'ronari', 'arteri', 'diseas', 'aortic', 'aneurysm', 'transfus', 'liver', 'disord', 'rash', 'contus', 'urticaria', 'cardiac', 'failur', 'congest', 'atrioventricular', 'block', 'second', 'degre', 'pleural', 'effus', 'type', 'dia', 'bet', 'mellitu', 'platelet', 'count', 'decreas', 'dyspnoea', 'haemolysi', 'haemoglobin', 'decreas', 'nasopharyng', 'myocardi', 'infarct', 'myocardi', 'infarct', 'coronari', 'arteri', 'diseas', 'myocardi', 'infarct', 'death', 'cerebrovascular', 'accid', 'unrespons', 'stimuli', 'sopor', 'mydriasi', 'drug', 'abus', 'lymphoma', 'myocardi', 'infarct', 'ischaem', 'cardiomyopathi', 'angina', 'pectori', 'cardiac', 'failur', 'congest', 'type', 'diabet', 'mellitu', 'throat', 'tight', 'rash', 'nasal', 'congest', 'fluid', 'retent', 'myocardi', 'infarct', 'coronari', 'arteri', 'diseas', 'cerebrovascular', 'accid', 'arter', 'myocardi', 'infarct', 'cardiac', 'failur', 'congest', 'cardiac', 'disord', 'hypotens', 'cardiac', 'failur', 'congest', 'coronari', 'arteri', 'diseas', 'angina', 'unsta', 'bl', 'amnesia', 'subileu', 'loss', 'conscious', 'psychomotor', 'hyperact', 'cataract', 'type', 'diabet', 'mellit', 'u', 'abdomin', 'pain', 'upper', 'sepsi', 'energi', 'increas', 'tension', 'irrit', 'libido', 'increas', 'abnorm', 'behaviour', 'psychomotor', 'hyperact', 'drug', 'interact', 'type', 'diabet', 'mellitu', 'convuls', 'loss', 'con', 'scious', 'feel', 'abnorm', 'fall', 'head', 'injuri', 'disorient', 'tremor', 'headach', 'somnia', 'fatigu', 'drug', 'administ', 'error', 'cough', 'wheez', 'dyspnoea', 'abdomin', 'pain', 'upper', 'death', 'optic', 'atrophi', 'intraocular', 'pressur', 'increas', 'visual', 'acuiti', 'reduc', 'type', 'diabet', 'mellitu', 'hip', 'fractur', 'visual', 'impair', 'overdos', 'rehabilit', 'therapi', 'gait', 'disturb', 'mobil', 'decreas', 'dizzi', 'fall', 'pneumonia', 'cough', 'dyspnoea', 'dyspnoea', 'investig', 'muscl', 'spasm', 'coronari', 'arteri', 'stent', 'inser', 't', 'atrioventricular', 'block', 'pneumonia', 'cough', 'speech', 'disord', 'label', 'use', 'malais', 'bronchiti', 'chronic', 'dyspnoea', 'type', 'diabet', 'mellitu', 'investig', 'fall', 'upper', 'limb', 'fractur', 'wrist', 'fractur', 'vision', 'blur', 'drug', 'ineffect', 'product', 'qualiti', 'issu', 'bronchiti', 'oxygen', 'satur', 'd', 'ecreas', 'breast', 'pain', 'asthma', 'cough', 'drug', 'ineffect', 'devic', 'disloc', 'dyspareunia', 'dysuria', 'pain', 'cathet', 'placement', 'bladder', 'pain', 'genit', 'pain', 'nocturia', 'mental', 'statu', 'chang', 'dehyd', 'r', 'anaemia', 'type', 'diabet', 'mellitu', 'angioedema', 'metabol', 'acidosi', 'dyspnoea', 'drug', 'ineffect', 'pneumonia', 'cough', 'wheez', 'bronchiti', 'nasopharyng', 'asthma', 'investig', 'haematuria', 'epistaxi', 'abdo

min', 'pain', 'gastroesophag', 'reflux', 'diseas', 'concomit', 'diseas', 'aggrav', 'lower', 'gastrointestin', 'haemorrhag', 'pelvic', 'discomfort', 'accident', 'exposur', 'product', 'drug', 'dispens', 'error', 'pneumonia', 'cough', 'drug', 'hypersensit', 'increas', 'upper', 'airway', 'secret', 'rash', 'headach', 'visual', 'impair', 'papilloedema', 'pneumonia', 'viral', 'cough', 'drug', 'hypersensit', 'increas', 'upper', 'airway', 'secret', 'rash', 'diplopia', 'eye', 'pain', 'lacrim', 'increas', 'ocular', 'hyperaemia', 'photophobia', 'scab', 'vision', 'blur', 'dyspnoea', 'ageusia', 'anosmia', 'oxygen', 'supplement', 'bipolar', 'disord', 'myocardi', 'infarct', 'coronari', 'arteri', 'stent', 'insert', 'carotid', 'arteri', 'stent', 'insert', 'implant', 'defibril', 'insert', 'pulmonari', 'thrombosi', 'disabl', 'back', 'disord', 'lung', 'disord', 'panic', 'attack', 'coronari', 'arteri', 'diseas', 'cardiac', 'assist', 'devic', 'user', 'pneumonia', 'breast', 'cancer', 'palpit', 'chest', 'pain', 'pouchiti', 'breast', 'cancer', 'type', 'diabet', 'mellitu', 'brain', 'neoplasm', 'spinal', 'disord', 'disord', 'disabl', 'surgeri', 'drug', 'ineffect', 'convuls', 'investig', 'syndrom', 'heart', 'rate', 'increas', 'abdomin', 'distens', 'sinu', 'oper', 'cardiac', 'disord', 'transient', 'ischaem', 'attack', 'facial', 'pain', 'pain', 'extrem', 'chest', 'discomfort', 'infect', 'apnoea', 'back', 'pain', 'aneurysm', 'vitamin', 'decreas', 'advers', 'event', 'arteriosclerosi', 'disord', 'catheteris', 'cardiac', 'pneumon', 'chemic', 'sluggish', 'pulmonari', 'oedema', 'death', 'finger', 'deform', 'oral', 'surgeri', 'foot', 'deform', 'arthropathi', 'arthropathi', 'prostat', 'disord', 'abnorm', 'loss', 'weight', 'bodi', 'height', 'decreas', 'memori', 'impair', 'pneumonia', 'alopecia', 'coliti', 'small', 'intestin', 'stenosi', 'diarrhoea', 'oedema', 'peripher', 'diseas', 'progress', 'breast', 'cancer', 'rash', 'weight', 'decreas', 'mouth', 'ulcer', 'hypoaesthesia', 'oral', 'acn', 'onychoclasia', 'paraesthesia', 'oral', 'glossodynia', 'ulcer', 'arrhythmia', 'diverticulum', 'death', 'myocardi', 'infarct', 'coronari', 'arteri', 'stent', 'insert', 'drug', 'administr', 'error', 'tumour', 'excis', 'breast', 'cancer', 'interstiti', 'lung', 'diseas', 'sopor', 'drug', 'abus', 'type', 'diabet', 'mellitu', 'haemorrhag', 'normochrom', 'normocyt', 'anaemia', 'haematoma', 'flank', 'pain', 'coma', 'hypotens', 'intent', 'drug', 'abus', 'overdos', 'type', 'diabet', 'mellitu', 'petechia', 'thrombocytopenia', 'haematoma', 'suicid', 'ideat', 'suicid', 'behaviour', 'abnorm', 'behaviour', 'hostil', 'agit', 'depress', 'mood', 'initi', 'insomnia', 'toxic', 'skin', 'erupt', 'rash', 'macular', 'hepatocellular', 'injuri', 'cholestasi', 'confusion', 'state', 'vomit', 'vertigo', 'cerebellar', 'syndrom', 'nausea', 'muscl', 'disord', 'eye', 'disord', 'drug', 'dispens', 'error', 'incorrect', 'dose', 'administ', 'medic', 'error', 'type', 'diabet', 'mellitu', 'delus', 'delusion', 'percept', 'product', 'substitut', 'issu', 'type', 'diabet', 'mellitu', 'sudden', 'onset', 'sleep', 'delirium', 'delus', 'haemorrhag', 'malais', 'decreas', 'appetit', 'cachexia', 'growth', 'retard', 'weight', 'decreas', 'hemiplegia', 'leukoencephalopathi', 'aphasia', 'type', 'diabet', 'mellitu', 'pulmonari', 'embol', 'hepat', 'enzym', 'increas', 'hypertens', 'haemoptysi', 'type', 'diabet', 'mellitu', 'autoimmun', 'haemolyt', 'anaemia', 'dizzi', 'erythema', 'pruritu', 'lip', 'swell', 'eyelid', 'oedema', 'erythema', 'dysphonia', 'pallor', 'dehydr', 'rash', 'lipodystrophi', 'acquir', 'drug', 'ineffect', 'nasopharyng', 'pharyng', 'herp', 'viru', 'infect', 'headach', 'fatigu', 'apathi', 'weight', 'decreas', 'disord', 'aggress', 'type', 'diabet', 'mellitu', 'lip', 'oedema', 'throat', 'tight', 'type', 'diabet', 'mellitu', 'investig', 'diseas', 'progress', 'ascit', 'blood', 'pressur', 'decreas', 'anaemia', 'abdomin', 'pain', 'haemoglobin', 'decreas', 'abdomin', 'wall', 'haematoma', 'shock', 'haemorrhag', 'dyspnoea', 'electrocardiogram', 'qt', 'prolong', 'encephalopathi', 'hyperkalaemia', 'pancreat', 'acut', 'type', 'diabet', 'mellitu', 'intestin', 'oper', 'sopor', 'drug', 'abus', 'type', 'diabet', 'mellitu', 'hepat', 'c', 'hepat', 'pain', 'dysgeusia', 'epilepsi', 'disord', 'bone', 'loss', 'rib', 'fractur', 'osteoporosi', 'osteopenia', 'azotaemia', 'anxieti', 'periarthr', 'joint', 'rang', 'motion', 'decreas', 'oedema', 'synov', 'type', 'diabet', 'mellitu', 'pharyng', 'oedema', 'feel', 'abnorm', 'dizzi', 'fatigu', 'asthenia', 'asthenia', 'gait', 'disturb', 'chest', 'pain', 'myalgia', 'eye', 'pain', 'gener', 'physic', 'health', 'deterior', 'depress', 'fatigu', 'intraventricular', 'haemorrhag', 'neonat', 'diarrhoea', 'weight', 'decreas', 'death', 'dyspnoea', 'oral', 'herp', 'eyelid', 'oedema', 'rash', 'swell', 'face', 'type', 'diabet', 'mellitu', 'intestin', 'obstruct', 'serum', 'reaction', 'nausea', 'vomit', 'abdomin', 'discomfort', 'pain', 'extrem', 'hypoaesthesia', 'conjunctiv', 'haemorrhag', 'protein', 'increas', 'red', 'blood', 'cell', 'sediment', 'rate', 'increas', 'aspart', 'aminotransferas', 'increas', 'alanin', 'aminotransferas', 'increas', 'component', 'factor', 'decreas', 'pyrexia', 'polyneuropathi', 'diarrhoea', 'epigastri', 'discomfort', 'rash', 'papul', 'blister', 'anaphylact', 'reaction', 'condit', 'aggrav', 'urticaria', 'blood', 'pressur', 'decreas', 'heart', 'rate', 'increas', 'dyspnoea', 'respiratori', 'rate', 'increas', 'chest', 'discomfort', 'type', 'diabet', 'mellitu', 'myalgia', 'muscular', 'weak', 'fall', 'blood', 'sodium', 'decreas', 'cardiac', 'disord', 'blood', 'glucos', 'increas', 'type', 'diabet', 'mellitu', 'ileal', 'stenosi', 'diseas', 'abdomin', 'distens', 'discomfort', 'diseas', 'pain', 'type', 'diabet', 'mellitu', 'renal', 'abscess', 'enterocol', 'myocardi', 'infarct', 'type', 'diabet', 'mellitu', 'cardiac', 'disord', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'congest', 'cardiomyopathi', 'dyspnoea', 'exert', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'pneumothorax', 'pneumon', 'pain', 'pleural', 'effus', 'glossodynia', 'fatigu', 'influenza', 'like', 'ill', 'respiratori', 'tract', 'irrit', 'arthralgia', 'bone', 'disord', 'onychoclasia', 'chill', 'rash', 'bodi', 'temperatur', 'increas', 'chest', 'discomfort', 'wheez', 'neuropathi', 'peripher', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'acut', 'respiratori', 'distress', 'syndrom', 'respiratori', 'distress', 'hypoxia', 'lung', 'infiltr', 'hypoventil', 'bradypnoea', 'respiratori', 'acidosi', 'coma', 'unrespons', 'stimuli', 'miosi', 'hyperhidrosi', 'agit', 'toxic', 'variou', 'agent', 'accident', 'overdos', 'rale', 'cough', 'cyanosi', 'tachycardia', 'swell', 'face', 'dyspnoea', 'type', 'diabet', 'mellitu', 'product', 'qualiti', 'issu', 'aortic', 'aneurysm', 'abnorm', 'loss', 'weight', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'dyspnoea', 'drug', 'effect', 'decreas', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'surgeri', 'type', 'diabet', 'mellitu', 'diabet', 'dermopathi', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'brain', 'neoplasm', 'brain', 'neoplasm', 'benign', 'type', 'diabet', 'mellitu', 'rash', 'morbilloform', 'pruritu', 'oedema', 'peripher', 'lip', 'oedema', 'rash', 'erythemat', 'skin', 'exfoli', 'cerebr', 'thrombosi', 'loss', 'conscious', 'gait', 'disturb', 'agraphia', 'fear', 'migrain', 'abdomin', 'pain', 'back', 'pain', 'activ', 'daili', 'live', 'impair', 'paralysi', 'seizur', 'frustrat', 'pain', 'speech', 'disord', 'injuri', 'gener', 'physic', 'health', 'deterior', 'amnesia', 'scar', 'stress', 'impair', 'drive', 'abil', 'intracrani', 'venou', 'sinu', 'thrombosi', 'motor', 'dysfunct', 'weight', 'increas', 'malais', 'nausea', 'hypothyroid', 'type', 'diabet', 'mellitu', 'haematochezia', 'colon', 'adenoma', 'breast', 'cancer', 'recurr', 'metastas', 'bone', 'patholog', 'fractur', 'rib', 'fractur', 'type', 'diabet', 'mellitu', 'cerebrovascular', 'accid', 'embol', 'arteri', 'gallbladd', 'disord', 'pneumonia', 'uterin', 'disord', 'weight', 'decreas', 'subileu', 'sedat', 'somnol', 'constip', 'akathisia', 'abnorm', 'behaviour', 'drug', 'ineffect', 'type', 'diabet', 'mellitu', 'superior', 'sagitt', 'sinu', 'thrombosi', 'cerebrovascular', 'accid', 'movement', 'disord', 'metastasi', 'diseas', 'progress', 'toxic', 'skin', 'erupt', 'motor', 'development', 'delay', 'dermoid', 'cyst', 'exposur', 'pregnanc', 'respiratori', 'failur', 'pneumonia', 'haemoglobin', 'decreas', 'chronic', 'myeloid', 'leukaemia', 'transform', 'platelet', 'count', 'decreas', 'retin', 'tear', 'visual', 'impair', 'apraxia', 'cerebr', 'haemorrhag', 'subarachnoid', 'haemorrhag', 'confusion', 'state', 'type', 'diabet', 'mellitu', 'respiratori', 'failur', 'myocardi', 'infarct', 'cardiac', 'failur', 'memori', 'impair', 'pain', 'extrem', 'diarrhoea', 'cholelithiasi', 'devic', 'issu', 'scar', 'uterin', 'perfor', 'abort', 'spontan', 'pain', 'anxieti', 'emot', 'distress', 'devic', 'breakag', 'injuri', 'uterin', 'injuri', 'chest', '

pain', 'dysphagia', 'pyrexia', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'condit', 'aggrav', 're  
ctal', 'prolaps', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'neutro  
phil', 'count', 'decreas', 'white', 'blood', 'cell', 'count', 'decreas', 'megakaryocyt', 'decreas', 'aplast', 'a  
naemia', 'platelet', 'count', 'decreas', 'blood', 'potassium', 'abnorm', 'aspart', 'aminotransferas', 'increas',  
'alanin', 'aminotransferas', 'abnorm', 'white', 'blood', 'cell', 'count', 'decreas', 'blood', 'creatinin', 'incr  
eas', 'immunosuppress', 'drug', 'level', 'decreas', 'fall', 'rib', 'fractur', 'pain', 'liver', 'injur', 'halluc  
in', 'nightmar', 'type', 'diabet', 'mellitu', 'oral', 'discomfort', 'muscl', 'spasm', 'abdomin', 'pain', 'upper',  
'fatigu', 'dyspnoea', 'exert', 'nausea', 'decreas', 'appetit', 'death', 'type', 'diabet', 'mellitu', 'pulmonar  
i', 'embol', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'hernia', 'c  
erebrovascular', 'accid', 'type', 'diabet', 'mellitu', 'blood', 'urea', 'increas', 'blood', 'potassium', 'increa  
s', 'blood', 'creatinin', 'increas', 'fluid', 'retent', 'plasma', 'cell', 'myeloma', 'respiratori', 'failur', 'c  
onstip', 'anaemia', 'fatigu', 'neurolog', 'decompens', 'diseas', 'progress', 'heart', 'rate', 'irregular', 'atri  
oventricular', 'block', 'second', 'degre', 'dyspnoea', 'seizur', 'drug', 'level', 'decreas', 'weight', 'increas',  
'abort', 'spontan', 'unintend', 'pregnanc', 'devic', 'disloc', 'implant', 'site', 'erythema', 'implant', 'site',  
'swell', 'implant', 'site', 'haematoma', 'implant', 'site', 'reaction', 'devic', 'breakag', 'devic', 'difficu  
lt', 'use', 'small', 'date', 'babi', 'micropeni', 'hypospadias', 'cryptorch', 'exposur', 'pregnanc', 'infect', 'n  
ausea', 'headach', 'fatigu', 'chill', 'contus', 'pyrexia', 'vomit', 'white', 'blood', 'cell', 'count', 'increas',  
'matern', 'exposur', 'pregnanc', 'label', 'use', 'abort', 'label', 'use', 'abort', 'matern', 'exposur', 'pregn  
anc', 'matern', 'exposur', 'pregnanc', 'pregnanc', 'label', 'use', 'abort', 'diabet', 'foot', 'infect', 'oedema', 'matern',  
'exposur', 'pregnanc', 'label', 'use', 'abort', 'ectop', 'pregnanc', 'matern', 'exposur', 'pregnanc', 'label', 'u  
se', 'wound', 'urinari', 'tract', 'infect', 'coronari', 'arteri', 'occlus', 'blood', 'glucos', 'decreas', 'esch  
erichia', 'bacteraemia', 'hypokalaemia', 'hyponatraemia', 'vomit', 'abdomin', 'pain', 'upper', 'nausea', 'histop  
lasmosi', 'cytomegaloviru', 'infect', 'gastrointestin', 'haemorrhag', 'oesophag', 'ulcer', 'strongyloidiasis', 'p  
regnanc', 'post', 'coital', 'contracept', 'matern', 'exposur', 'pregnanc', 'haemoptysi', 'pulmonari', 'haemorrha  
g', 'pulseless', 'electr', 'activ', 'cardiac', 'arrest', 'septic', 'shock', 'penil', 'torsion', 'platelet', 'cou  
nt', 'decreas', 'lung', 'transplant', 'genit', 'haemorrhag', 'devic', 'expuls', 'pulmonari', 'valv', 'stenosi',  
'congenit', 'atrial', 'septal', 'defect', 'feed', 'disord', 'neonat', 'exposur', 'pregnanc', 'devic', 'disloc',  
'injur', 'emot', 'distress', 'pain', 'disabl', 'multipl', 'sclerosi', 'relaps', 'sudden', 'death', 'renal', 'di  
sord', 'electrolyt', 'imbal', 'osteonecrosi', 'bronchopulmonari', 'aspergillosi', 'intern', 'normalis', 'ratio',  
'increas', 'atrial', 'fibril', 'myelodysplast', 'syndrom', 'abasia', 'chronic', 'obstruct', 'pulmonari', 'diseas',  
'diabet', 'mellitu', 'pancytopenia', 'asthenia', 'haematochezia', 'urinari', 'retent', 'death', 'respiratori',  
'disord', 'pneumonia', 'hypokinesia', 'diet', 'refus', 'cardiovers', 'atrial', 'fibril', 'atrial', 'flutter',  
'cardiac', 'ablat', 'incontin', 'neck', 'pain', 'abasia', 'hypokinesia', 'coronari', 'arteri', 'stent', 'insert',  
'renal', 'failur', 'aneurysm', 'death', 'atrial', 'fibril', 'vomit', 'dehydr', 'nausea', 'pyrexia', 'mycosi',  
'fungoid', 'hypotens', 'syncop', 'anaemia', 'hypomagnesaemia', 'lymphoma', 'type', 'diabet', 'mellitu', 'type',  
'diabet', 'mellitu', 'death', 'schizoaffect', 'disord', 'suicid', 'ideat', 'drug', 'dose', 'omiss', 'label', 'us  
e', 'death', 'pulmonari', 'embol', 'gastroenter', 'dehydr', 'dysuria', 'rash', 'dyspnoea', 'haematuria', 'dysuri  
a', 'blood', 'urin', 'present', 'polyuria', 'hyperglycaemia', 'urinari', 'tract', 'infect', 'intestin', 'mucos',  
'hypertrophi', 'gastrointestin', 'inflamm', 'adenocarcinoma', 'colon', 'intestin', 'obstruct', 'abdomin', 'pain',  
'type', 'diabet', 'mellitu', 'fall', 'inject', 'site', 'haemorrhag', 'abdomin', 'pain', 'fluid', 'retent', 'ga  
it', 'disturb', 'chest', 'pain', 'paraesthesia', 'neuropathi', 'peripher', 'movement', 'disord', 'muscular', 'we  
ak', 'hyperhidrosi', 'lung', 'disord', 'dizzi', 'inject', 'site', 'pain', 'psoriat', 'arthropathi', 'hepat', 'tu  
berculosi', 'dyspnoea', 'epididym', 'dysuria', 'bladder', 'discomfort', 'suicid', 'ideat', 'gait', 'disturb', 'f  
eel', 'hot', 'dizzi', 'tinnitu', 'aphasia', 'nerv', 'injur', 'dysphemia', 'abdomin', 'discomfort', 'emot', 'dis  
ord', 'disturb', 'attent', 'arthralgia', 'dysarthria', 'testicular', 'pain', 'abdomin', 'pain', 'gonorrhoea', 'o  
edema', 'peripher', 'nausea', 'orchiti', 'feel', 'abnorm', 'nervou', 'system', 'disord', 'balanc', 'disord', 'di  
sorient', 'incorrect', 'drug', 'administr', 'rate', 'pollakiuria', 'fatigu', 'inject', 'site', 'pain', 'peripher',  
'swell', 'cerebrovascular', 'accid', 'unevalu', 'event', 'inject', 'site', 'pain', 'psoriasi', 'type', 'diabe  
t', 'mellitu', 'death', 'type', 'diabet', 'mellitu', 'genit', 'haemorrhag', 'pain', 'devic', 'disloc', 'type', 'di  
abet', 'mellitu', 'renal', 'failur', 'parathyroid', 'tumour', 'brain', 'neoplasm', 'headach', 'type', 'diabet',  
'mellitu', 'alcohol', 'abus', 'herp', 'simplex', 'hyperlipidaemia', 'pancreat', 'disord', 'stress', 'disord',  
'anxieti', 'diabet', 'mellitu', 'inadequ', 'control', 'tachycardia', 'erectil', 'dysfunct', 'back', 'injur', 'r  
omberg', 'test', 'posit', 'substanc', 'abus', 'drug', 'ineffect', 'joint', 'injur', 'hepat', 'sensori', 'loss',  
'panic', 'reaction', 'hypertens', 'osteoarthr', 'hepat', 'c', 'loss', 'libido', 'back', 'pain', 'treatment', 'no  
ncompli', 'diabet', 'mellitu', 'sinus', 'depress', 'asthenia', 'sexual', 'dysfunct', 'headach', 'hepat', 'functi  
on', 'abnorm', 'intent', 'product', 'misus', 'type', 'diabet', 'mellitu', 'phlebiti', 'pyrexia', 'type', 'diabet',  
'mellitu', 'diabet', 'neuropathi', 'type', 'diabet', 'mellitu', 'respiratori', 'depress', 'thrombocytopenia',  
'platelet', 'count', 'decreas', 'hypercoagul', 'thrombosi', 'umbil', 'hernia', 'keloid', 'scar', 'type', 'diabet',  
'mellitu', 'death', 'lung', 'disord', 'splenomegali', 'confusion', 'state', 'hepatomegali', 'right', 'ventric  
ular', 'failur', 'nasopharyng', 'type', 'diabet', 'mellitu', 'death', 'arthropathi', 'type', 'diabet', 'mellitu',  
'hyperkalaemia', 'neutropenia', 'type', 'diabet', 'mellitu', 'malais', 'devic', 'issu', 'cholecystectomi', 'ab  
domin', 'infect', 'psoriasi', 'pruritu', 'dri', 'skin', 'drug', 'dose', 'omiss', 'inject', 'site', 'reaction', 'in  
ject', 'site', 'reaction', 'disord', 'patholog', 'gambl', 'death', 'gener', 'physic', 'health', 'deterior', 'h  
ypotens', 'syncop', 'type', 'diabet', 'mellitu', 'pneumonia', 'spinal', 'disord', 'pain', 'type', 'diabet', 'mel  
litu', 'intestin', 'stenosi', 'fall', 'spinal', 'compress', 'fractur', 'spinal', 'fractur', 'ventricular', 'extr  
asystol', 'heart', 'rate', 'decreas', 'weight', 'increas', 'restless', 'leg', 'syndrom', 'blood', 'potassium', 'd  
ecreas', 'muscl', 'spasm', 'blind', 'kidney', 'infect', 'cystiti', 'type', 'diabet', 'mellitu', 'micturit', 'di  
sord', 'neuropathi', 'peripher', 'convuls', 'drug', 'abus', 'joint', 'swell', 'bedridden', 'pyrexia', 'type', 'di  
abet', 'mellitu', 'skin', 'lesion', 'pyrexia', 'melaena', 'pancytopenia', 'type', 'diabet', 'mellitu', 'meningi  
oma', 'posterior', 'revers', 'encephalopathi', 'syndrom', 'grand', 'mal', 'convuls', 'brain', 'oedema', 'blood',  
'pressur', 'increas', 'type', 'diabet', 'mellitu', 'pelvic', 'inflammatori', 'diseas', 'abdomin', 'pain', 'lower',  
'pyrexia', 'abdomin', 'pain', 'back', 'pain', 'vagin', 'haemorrhag', 'vagin', 'discharg', 'abdomin', 'pain',  
'lower', 'embed', 'devic', 'type', 'diabet', 'mellitu', 'epiglott', 'oedema', 'tongu', 'oedema', 'swell', 'face',  
'rash', 'anaemia', 'uterin', 'perfor', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'weight', 'in  
creas', 'type', 'diabet', 'mellitu', 'schizophrenia', 'undifferenti', 'type', 'irrit', 'aggress', 'insomnia', 's  
uspici', 'abnorm', 'behaviour', 'akathisia', 'salivari', 'hypersecret', 'drug', 'ineffect', 'type', 'diabet', 'm  
ellitu', 'type', 'diabet', 'mellitu', 'dyskinesia', 'parkinson', 'speech', 'disord', 'tardiv', 'dyskinesia', 'dy  
skinesia', 'breast', 'cancer', 'type', 'diabet', 'mellitu', 'impair', 'gastric', 'empti', 'death', 'cataract', 'skin',  
'exfoli', 'dermat', 'erythema', 'eczema', 'pruritu', 'type', 'diabet', 'mellitu', 'faecal', 'incontin', 'neck',  
'surgeri', 'drug', 'effect', 'decreas', 'abdomin', 'pain', 'diarrhoea', 'cellul', 'chronic', 'obstruct', 'pulmonari',  
'diseas', 'dyspnoea', 'type', 'diabet', 'mellitu', 'syringomyelia', 'abasia', 'concomit', 'diseas', 'progress',  
'cyanosi', 'dyspnoea', 'fatigu', 'death', 'joint', 'swell', 'pain', 'extrem', 'anxieti', 'disturb', 'attent', 'fatigu',  
'insomnia', 'multipl', 'sclerosi', 'relaps', 'central', 'nervou', 'system', 'lesion', 'restl

ess', 'ataxia', 'liird', 'nerv', 'disord', 'paresi', 'hypoesthesia', 'speech', 'disord', 'nystagmu', 'pulmonari', 'oedema', 'haematoma', 'lower', 'gastrointestinal', 'haemorrhag', 'escherichia', 'infect', 'febril', 'neutropenia', 'abdomin', 'pain', 'haematoma', 'anaemia', 'pancreat', 'carcinoma', 'osteonecrosis', 'chest', 'pain', 'pyrexia', 'uterin', 'cyst', 'menorrhagia', 'depress', 'dysstasia', 'uterin', 'leiomyoma', 'fallopian', 'tube', 'cyst', 'confusion', 'state', 'irrit', 'sensori', 'loss', 'musculoskelet', 'stiff', 'weight', 'decreas', 'hypersensit', 'acut', 'phase', 'reaction', 'angioedema', 'transaminas', 'increas', 'hypocalcaemia', 'cardiac', 'arrest', 'loss', 'conscious', 'plasma', 'cell', 'myeloma', 'musculoskelet', 'disord', 'respiratori', 'disord', 'dysphagia', 'asthenia', 'acut', 'generalis', 'exanthemat', 'pustulosi', 'pyrexia', 'tremor', 'osteonecrosis', 'infect', 'pulmonari', 'exacerb', 'cystic', 'fibrosi', 'lung', 'neoplasm', 'malign', 'pneumothorax', 'coronari', 'arteri', 'occlusus', 'splenic', 'haemorrhag', 'splenic', 'ruptur', 'hyperthermia', 'malign', 'death', 'neoplasm', 'malign', 'hospic', 'care', 'circulatori', 'collaps', 'drug', 'ineffect', 'breast', 'cancer', 'metastat', 'white', 'blood', 'cell', 'count', 'increas', 'bromhidrosi', 'convuls', 'feel', 'abnorm', 'arrest', 'death', 'septic', 'shock', 'respiratori', 'failur', 'psychiatr', 'symptom', 'vomit', 'choke', 'condit', 'aggrav', 'asphyxia', 'fall', 'thirst', 'salivari', 'hypersecret', 'lymphocyt', 'percentag', 'decreas', 'blood', 'pressur', 'diastol', 'increas', 'aspirin', 'arrest', 'malais', 'blood', 'prolactin', 'increas', 'constip', 'neutrophil', 'percentag', 'increas', 'loss', 'conscious', 'eosinophil', 'percentag', 'decreas', 'heart', 'rate', 'increas', 'red', 'blood', 'cell', 'count', 'decreas', 'death', 'acut', 'myocardi', 'infarct', 'death', 'pain', 'upper', 'respiratori', 'tract', 'infect', 'unevalu', 'event', 'dyspnoea', 'diabet', 'mellitu', 'interstiti', 'lung', 'diseas', 'gallbladd', 'disord', 'oropharyng', 'pain', 'sinus', 'anaemia', 'supraventricular', 'tachycardia', 'radiat', 'skin', 'injury', 'upper', 'gastrointestinal', 'haemorrhag', 'haemorrhag', 'anaemia', 'blind', 'glaucoma', 'cataract', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'diarrhoea', 'diseas', 'progress', 'hypokalaemia', 'lower', 'gastrointestinal', 'haemorrhag', 'ankl', 'fractur', 'fall', 'contus', 'arrest', 'cyanosi', 'drug', 'erupt', 'death', 'death', 'drug', 'withdrawal', 'syndrom', 'neonatal', 'renal', 'cyst', 'foetal', 'exposur', 'pregnanc', 'lung', 'disord', 'cholelithiasis', 'cholecyst', 'hypertens', 'bronchiti', 'asthenia', 'pterygium', 'gastroenter', 'diarrhoea', 'abdomin', 'pain', 'nephrogen', 'system', 'fibrosi', 'pneumonia', 'malais', 'weight', 'decreas', 'headach', 'tongu', 'blister', 'lymphoma', 'fall', 'wrist', 'fractur', 'infect', 'osteonecrosis', 'jaw', 'asthma', 'claustrophobia', 'mood', 'swing', 'nail', 'discolour', 'oedema', 'septic', 'shock', 'upper', 'gastrointestinal', 'haemorrhag', 'haemorrhag', 'anaemia', 'generalis', 'seizur', 'glaucoma', 'salivari', 'hypersecret', 'osteonecrosis', 'jaw', 'death', 'death', 'abdomin', 'wound', 'dehisc', 'gastrointestinal', 'perfor', 'gastrointestinal', 'disord', 'dyspepsia', 'anaemia', 'myoclonus', 'somnia', 'liver', 'injury', 'dyspnoea', 'pain', 'vomit', 'nausea', 'anaemia', 'diseas', 'progress', 'varicos', 'vein', 'rheumatoid', 'arthriti', 'cardiac', 'disord', 'angina', 'pectoris', 'depress', 'suicid', 'ideat', 'death', 'tremor', 'hypersensit', 'investig', 'investig', 'colon', 'cancer', 'peron', 'nerv', 'palsi', 'heart', 'rate', 'increas', 'palpit', 'chest', 'pain', 'proteinuria', 'abort', 'spontan', 'hypertens', 'matern', 'exposur', 'pregnanc', 'cardiac', 'murmur', 'mitral', 'valv', 'incompet', 'bronchiectasi', 'atrial', 'septal', 'defect', 'joint', 'swell', 'inflamm', 'inflamm', 'cough', 'upper', 'respiratori', 'tract', 'infect', 'product', 'cough', 'rheumatoid', 'lung', 'dizzi', 'blood', 'pressur', 'increas', 'fatigu', 'dri', 'mouth', 'decreas', 'appetit', 'cognit', 'disord', 'investig', 'breast', 'cancer', 'drug', 'interact', 'matern', 'exposur', 'pregnanc', 'foetal', 'growth', 'restrict', 'prematur', 'deliveri', 'depress', 'mood', 'heart', 'rate', 'increas', 'convuls', 'nausea', 'vomit', 'lethargi', 'intent', 'underdos', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'drug', 'withdrawal', 'syndrom', 'depress', 'concuss', 'post', 'concuss', 'syndrom', 'depress', 'neurosi', 'death', 'termin', 'state', 'investig', 'multipl', 'sclerosi', 'relaps', 'death', 'drug', 'interact', 'hepatotox', 'cardiac', 'arrest', 'lower', 'respiratori', 'tract', 'infect', 'pneumonia', 'death', 'cardiogen', 'shock', 'intent', 'overdos', 'failur', 'metabol', 'acidosi', 'sinu', 'bradycardia', 'hypotens', 'renal', 'failur', 'acut', 'electrocardiogram', 'qt', 'prolong', 'respiratori', 'failur', 'acut', 'kidney', 'injury', 'cardiac', 'tamponad', 'acut', 'coronari', 'syndrom', 'gallbladd', 'disord', 'hand', 'fractur', 'pain', 'prescrib', 'overdos', 'oral', 'discomfort', 'leukoplakia', 'oral', 'investig', 'dialysi', 'intent', 'underdos', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'drug', 'withdrawal', 'syndrom', 'insomnia', 'decreas', 'appetit', 'loss', 'conscious', 'dehydr', 'blood', 'glucos', 'abnormal', 'vomit', 'breast', 'cancer', 'gastrointestinal', 'toxic', 'endometriosis', 'myxoedema', 'gastroenter', 'pneumonia', 'bacteri', 'cough', 'diarrhoea', 'abdomin', 'pain', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'hypercholesterolaemia', 'hypertens', 'acut', 'sinus', 'rhiniti', 'allerg', 'hypersensit', 'anxieti', 'asthma', 'bronchiti', 'cough', 'syndrom', 'ligament', 'sprain', 'umbil', 'hernia', 'influenza', 'congest', 'cardiomyopathi', 'insomnia', 'abnorm', 'dream', 'muscl', 'twitch', 'headach', 'nausea', 'back', 'pain', 'dyspnoea', 'pneumonia', 'bacteri', 'pleural', 'infect', 'bacteri', 'sepsi', 'pulmonari', 'mass', 'pneumothorax', 'hyperhidrosi', 'agit', 'investig', 'malign', 'neoplasm', 'progress', 'drug', 'ineffect', 'convuls', 'oral', 'candidiasis', 'thermal', 'burn', 'lacer', 'influenza', 'abdomin', 'pain', 'diarrhoea', 'dysgeusia', 'headach', 'lacer', 'stress', 'nasopharyng', 'fatigu', 'constip', 'incontin', 'death', 'cardiac', 'arrest', 'ventricular', 'fibril', 'loss', 'conscious', 'sepsi', 'herp', 'zoster', 'death', 'investig', 'cyst', 'thrombosi', 'urethr', 'obstruct', 'leukaemia', 'respiratori', 'disord', 'panic', 'attack', 'aphasia', 'aphagia', 'influenza', 'basal', 'cell', 'carcinoma', 'knee', 'arthroplast', 'drug', 'effect', 'decreas', 'influenza', 'investig', 'bone', 'marrow', 'failur', 'ischiaem', 'stroke', 'thrombocytopenia', 'death', 'localis', 'infect', 'foetal', 'exposur', 'pregnanc', 'foetal', 'death', 'death', 'investig', 'share', 'psychot', 'disord', 'apraxia', 'psychomotor', 'retard', 'petit', 'mal', 'epilepsi', 'abnormal', 'behaviour', 'hallucin', 'visual', 'mania', 'muscl', 'spasm', 'dyskinesia', 'tachyphrenia', 'suicid', 'ideat', 'suicid', 'behaviour', 'dysarthria', 'dysphemia', 'pain', 'thirst', 'hypoesthesia', 'oral', 'salivari', 'hypersecret', 'logorrhoea', 'speech', 'disord', 'activ', 'daili', 'live', 'impair', 'ideat', 'irrit', 'mood', 'swing', 'aggress', 'suicid', 'attempt', 'think', 'abnorm', 'pruritu', 'headach', 'myalgia', 'miliaria', 'peripher', 'cold', 'hypoesthesia', 'feel', 'hot', 'chill', 'vision', 'blur', 'sensori', 'disturb', 'hallucin', 'disorient', 'feel', 'abnorm', 'fear', 'frustrat', 'withdrawal', 'syndrom', 'pain', 'feel', 'abnorm', 'muscl', 'spasm', 'haemorrhag', 'wound', 'infect', 'cardiac', 'disord', 'investig', 'visual', 'acuiti', 'reduc', 'tempor', 'arter', 'papilloedema', 'eat', 'disord', 'diarrhoea', 'vomit', 'aphthou', 'stomat', 'aphthou', 'stomat', 'death', 'hepat', 'c', 'death', 'pregnanc', 'arrest', 'labour', 'epilepsi', 'myocardi', 'infarct', 'low', 'densiti', 'lipoprotein', 'increas', 'weight', 'decreas', 'mobil', 'decreas', 'dysstasia', 'tremor', 'restless', 'paraesthesia', 'malais', 'influenza', 'like', 'ill', 'dizzi', 'feel', 'abnorm', 'chest', 'pain', 'muscular', 'weak', 'appar', 'death', 'multipl', 'sclerosi', 'relaps', 'gait', 'disturb', 'heart', 'valv', 'oper', 'drug', 'dose', 'omiss', 'musculoskelet', 'disord', 'multipl', 'sclerosi', 'memori', 'impair', 'fear', 'fatigu', 'pneumonia', 'erysipela', 'psoriasis', 'knee', 'arthroplast', 'pneumonia', 'acut', 'myeloid', 'leukaemia', 'hypothyroid', 'inflamm', 'bronchiti', 'hepat', 'enzym', 'increas', 'intervertebr', 'disc', 'degener', 'gait', 'disturb', 'investig', 'liver', 'injury', 'larynx', 'irrit', 'chest', 'pain', 'urticaria', 'transfus', 'haemoglobin', 'decreas', 'asthenia', 'jaundic', 'cholestat', 'liver', 'function', 'test', 'abnorm', 'cholang', 'renal', 'disord', 'oedema', 'death', 'weight', 'decreas', 'glycosyl', 'haemoglobin', 'decreas', 'blood', 'glucos', 'increas', 'malais', 'nasal', 'congest', 'pain', 'incorrect', 'dose', 'administ', 'increas', 'viscos', 'upper', 'respiratori', 'secret', 'weight', 'decreas', 'blood', 'immunoglobulin', 'e', 'increas', 'hypersensit', 'drug', 'ineffect', 'drug', 'interact', 'pancytopenia', 'investig', 'dysgeusia', 'dyspnoea', 'abdomin', 'distens', 'joint', 'swell', 'nausea', 'diarrhoea', 'erythrocytosis', 'syndrom', 'pyrexia', 'skin', 'exfoli', 'drug', 'ineffect', 'arthralgia', 'pain', 'extrem', 'g

ait', 'disturb', 'mobil', 'decreas', 'fatigu', 'asthenia', 'depress', 'mood', 'vision', 'blur', 'dri', 'mouth', 'cough', 'sputum', 'abnorm', 'ageusia', 'neuropath', 'peripher', 'atroph', 'glossiti', 'alopecia', 'muscl', 'spasm', 'drug', 'interact', 'pancytopenia', 'hip', 'arthroplasti', 'nephrogen', 'system', 'fibrosi', 'arthropathi', 'sinus', 'myocardi', 'infarct', 'febril', 'neutropenia', 'asthma', 'sinus', 'thrombosi', 'bone', 'densiti', 'decreas', 'death', 'lower', 'limb', 'fractur', 'abdomin', 'discomfort', 'back', 'pain', 'pain', 'extrem', 'pain', 'headach', 'investig', 'lung', 'neoplasm', 'malign', 'pneumonia', 'oligodendroglioma', 'quadriparesi', 'syndrom', 'myeliti', 'transvers', 'multipl', 'sclerosi', 'relaps', 'advers', 'drug', 'reaction', 'urinari', 'tract', 'infect', 'multipl', 'sclerosi', 'relaps', 'bone', 'disord', 'paranoia', 'hallucin', 'drug', 'deliveri', 'devic', 'implant', 'arthropathi', 'hypertens', 'fatigu', 'muscl', 'spastic', 'bipolar', 'disord', 'gait', 'disturb', 'deep', 'vein', 'thrombosi', 'back', 'pain', 'weight', 'increas', 'pyrexia', 'rash', 'macular', 'arthralgia', 'pain', 'wrong', 'techniqu', 'product', 'usag', 'process', 'inject', 'site', 'pain', 'pruritu', 'osteoarthr', 'headach', 'feel', 'hot', 'dengu', 'fever', 'cytoplasm', 'antibodi', 'posit', 'vascul', 'tubulointerstiti', 'nephriti', 'ankyloglossia', 'congenit', 'foetal', 'exposur', 'pregnanc', 'haemorrhag', 'oesophag', 'ruptur', 'syncop', 'haematemesi', 'spinal', 'cord', 'compress', 'back', 'pain', 'conjunct', 'colon', 'adenoma', 'death', 'upper', 'gastrointestin', 'haemorrhag', 'investig', 'lip', 'infect', 'impair', 'heal', 'angioedema', 'share', 'psychot', 'disord', 'dyspraxia', 'psychomotor', 'retard', 'petit', 'mal', 'epilepsi', 'abnorm', 'behaviour', 'hallucin', 'visual', 'mania', 'muscl', 'spasm', 'dyskinesia', 'tachyphrenia', 'suicid', 'ideat', 'suicid', 'behaviour', 'dysarthria', 'dysphemia', 'pain', 'thirst', 'hypoesthesia', 'oral', 'salivari', 'hypersecret', 'logorrhoea', 'speech', 'disord', 'activ', 'daili', 'live', 'impair', 'ideat', 'irrit', 'mood', 'swing', 'aggress', 'suicid', 'attempt', 'think', 'abnorm', 'pruritu', 'headach', 'myalgia', 'miliaria', 'peripher', 'cold', 'hypoesthesia', 'feel', 'hot', 'chill', 'vision', 'blur', 'sensori', 'disturb', 'hallucin', 'disorient', 'feel', 'abnorm', 'fear', 'frustrat', 'apraxia', 'headach', 'withdraw', 'syndrom', 'aggress', 'anger', 'abnorm', 'behaviour', 'dizzi', 'paraesthesia', 'muscular', 'weak', 'asthenia', 'local', 'swell', 'paraesthesia', 'hypoesthesia', 'jaw', 'disord', 'vascul', 'pancytopenia', 'thrombocytopenia', 'hospitalis', 'subcutan', 'abscess', 'headach', 'angioedema', 'flush', 'rash', 'lip', 'swell', 'enlarg', 'uvula', 'pharyng', 'oedema', 'pruritu', 'generalis', 'dyspnoea', 'small', 'intestini', 'haemorrhag', 'flush', 'hot', 'flush', 'pain', 'extrem', 'nephrolithiasi', 'hepat', 'lesion', 'hip', 'fractur', 'fall', 'fractur', 'coccyx', 'fatigu', 'lethargi', 'muscular', 'weak', 'paraesthesia', 'central', 'nervous', 'system', 'lesion', 'neck', 'pain', 'pain', 'extrem', 'emot', 'distress', 'platelet', 'count', 'decreas', 'death', 'overdos', 'myoclonu', 'nodal', 'arrhythmia', 'shock', 'paraspin', 'abscess', 'osteomyel', 'femor', 'neck', 'fractur', 'localis', 'infect', 'bronchopneumonia', 'pharyng', 'erysipela', 'cardiac', 'failur', 'fall', 'respiratori', 'distress', 'gallbladd', 'disord', 'umbil', 'hernia', 'inflamm', 'burn', 'sensat', 'inject', 'site', 'pain', 'bradykinesia', 'intent', 'sopor', 'dyspnoea', 'asthma', 'chest', 'pain', 'chest', 'discomfort', 'wheez', 'cough', 'sinus', 'blood', 'potassium', 'decreas', 'pneumonia', 'pain', 'extrem', 'oedema', 'peripher', 'arthralgia', 'oedema', 'peripher', 'skin', 'warm', 'peptic', 'ulcer', 'hiatu', 'hernia', 'fatigu', 'skin', 'discolour', 'pain', 'inject', 'site', 'bruise', 'inject', 'site', 'erythema', 'inject', 'site', 'reaction', 'inject', 'site', 'urticaria', 'inject', 'site', 'pruritu', 'inject', 'site', 'swell', 'inject', 'site', 'warmth', 'blood', 'potassium', 'decreas', 'gastrointestin', 'haemorrhag', 'diverticul', 'haemorrhoid', 'investig', 'knee', 'arthroplasti', 'dysphagia', 'muscl', 'contract', 'involuntari', 'dysarthria', 'hospitalis', 'pneumothorax', 'pulmonari', 'oedema', 'death', 'investig', 'investig', 'diarrhoea', 'cellul', 'metastas', 'lymph', 'node', 'urinari', 'retent', 'acquir', 'phimosis', 'deep', 'vein', 'thrombosi', 'central', 'nervous', 'system', 'lesion', 'hospitalis', 'bronchopneumonia', 'death', 'hemiplegia', 'breast', 'mass', 'dyspnoea', 'fatigu', 'white', 'blood', 'cell', 'count', 'decreas', 'platelet', 'count', 'decreas', 'endometriosis', 'hepatosplenomegali', 'alopecia', 'multipl', 'sclerosi', 'relaps', 'depress', 'cerebr', 'haemorrhag', 'intracranial', 'pressur', 'increas', 'atrial', 'fibril', 'febril', 'neutropenia', 'toxic', 'epiderm', 'necrosis', 'therapeut', 'respons', 'decreas', 'lichen', 'planu', 'investig', 'full', 'blood', 'count', 'increas', 'full', 'blood', 'count', 'decreas', 'fall', 'decreas', 'immun', 'respons', 'tuberculosis', 'investig', 'diabet', 'mellitu', 'agit', 'investig', 'asthma', 'investig', 'yellow', 'skin', 'ocular', 'icteru', 'fall', 'periorbit', 'contus', 'mass', 'head', 'injury', 'csf', 'test', 'abnorm', 'nausea', 'fatigu', 'bone', 'pain', 'urinari', 'incontin', 'feel', 'hot', 'dizzi', 'hyperhidrosis', 'death', 'investig', 'diseases', 'progress', 'investig', 'cough', 'sleep', 'disord', 'muscular', 'weak', 'hypoesthesia', 'paraesthesia', 'fatigu', 'myalgia', 'investig', 'iriti', 'death', 'vomit', 'nausea', 'hypertens', 'diseases', 'progress', 'diseases', 'progress', 'haemoglobin', 'decreas', 'lung', 'neoplasm', 'malign', 'metastas', 'heart', 'metastasi', 'death', 'chromaturia', 'sputum', 'discolour', 'fractur', 'investig', 'groin', 'abscess', 'fall', 'bedridden', 'limb', 'injury', 'drug', 'administr', 'error', 'pruritu', 'incorrect', 'dose', 'administ', 'ear', 'infect', 'applic', 'site', 'vesicl', 'applic', 'site', 'erythema', 'applic', 'site', 'pruritu', 'investig', 'abdomin', 'pain', 'drug', 'abus', 'transaminas', 'increas', 'urticaria', 'drug', 'interact', 'sepsi', 'bodi', 'temperatur', 'increas', 'hypotens', 'tachycardia', 'neutropenia', 'thrombocytopenia', 'loss', 'conscious', 'iron', 'defici', 'anaemia', 'syncop', 'cough', 'muscl', 'spasm', 'muscl', 'twitch', 'diarrhoea', 'dizzi', 'feel', 'abnorm', 'arthralgia', 'myalgia', 'asthenia', 'nausea', 'fatigu', 'depress', 'drug', 'prescrib', 'error', 'diseases', 'progress', 'pain', 'vomit', 'nausea', 'anaemia', 'diarrhoea', 'hypertens', 'coronari', 'arteri', 'thrombosi', 'myocardi', 'infarct', 'drug', 'ineffect', 'unapprov', 'indic', 'angioedema', 'intestini', 'oper', 'pneumocysti', 'jirovecii', 'pneumonia', 'chest', 'abnorm', 'gastrointestin', 'motil', 'disord', 'volvulu', 'abdomin', 'discomfort', 'constip', 'death', 'pleurisi', 'investig', 'leukoencephalopathi', 'peron', 'nerv', 'palsi', 'mobil', 'decreas', 'sensori', 'loss', 'grand', 'mal', 'convuls', 'muscular', 'weak', 'interstiti', 'lung', 'diseases', 'death', 'myelodysplasia', 'syndrom', 'cardiac', 'failur', 'pneumonia', 'respiratori', 'failur', 'headach', 'neuralgia', 'devic', 'deploy', 'issu', 'complic', 'devic', 'remov', 'fear', 'incorrect', 'drug', 'administr', 'durat', 'retin', 'vein', 'occlus', 'visual', 'impair', 'macular', 'oedema', 'infus', 'relat', 'reaction', 'respiratori', 'distress', 'acut', 'coronari', 'syndrom', 'lipid', 'increas', 'investig', 'pseudocroup', 'hyperventil', 'flush', 'nasal', 'congest', 'flush', 'fatigu', 'inject', 'site', 'erythema', 'inject', 'site', 'indur', 'accident', 'exposur', 'product', 'child', 'somnol', 'heart', 'rate', 'decreas', 'unrespons', 'stimuli', 'product', 'packag', 'issu', 'chest', 'pain', 'nausea', 'cough', 'vomit', 'pyrexia', 'diarrhoea', 'renal', 'failur', 'headach', 'dizzi', 'optic', 'neuriti', 'death', 'alter', 'state', 'conscious', 'convuls', 'lung', 'neoplasm', 'malign', 'cardiac', 'arrest', 'paraesthesia', 'oral', 'muscl', 'spasm', 'depress', 'mood', 'anxiety', 'rheumatoid', 'arthriti', 'liver', 'injury', 'diabet', 'mellitu', 'diabet', 'foot', 'abnorm', 'dream', 'overdos', 'vomit', 'drug', 'ineffect', 'liver', 'injury', 'infarct', 'finger', 'amput', 'drug', 'ineffect', 'unapprov', 'indic', 'presyncop', 'muscl', 'spasm', 'nausea', 'fatigu', 'breast', 'pain', 'investig', 'liver', 'injury', 'death', 'investig', 'cough', 'pain', 'vomit', 'back', 'pain', 'abdomin', 'pain', 'nausea', 'fall', 'muscl', 'injury', 'nerv', 'injury', 'intervertebr', 'disc', 'disord', 'product', 'qualiti', 'issu', 'deep', 'vein', 'thrombosi', 'diseases', 'progress', 'metastas', 'bone', 'metastas', 'liver', 'nervous', 'system', 'disord', 'pleural', 'effus', 'lung', 'infiltr', 'dyspnoea', 'toxic', 'various', 'agent', 'pulmonari', 'embol', 'local', 'swell', 'hypoesthesia', 'pain', 'extrem', 'urinari', 'incontin', 'decreas', 'immun', 'respons', 'paraesthesia', 'herp', 'viru', 'infect', 'peripher', 'cold', 'blister', 'ascit', 'coronari', 'arteri', 'diseases', 'chest', 'pain', 'headach', 'migrain', 'sunburn', 'fatigu', 'paraesthesia', 'oral', 'dysgeusia', 'intent', 'overdos', 'failur', 'suicid', 'attempt', 'liver', 'injury', 'intent', 'overdos', 'suicid', 'attempt', 'breast', 'cancer', 'arthralgia', 'balanc', 'disord', 'gait', 'disturb', 'intervertebr', 'disc',



'degener', 'glare', 'arthralgia', 'back', 'pain', 'procedur', 'pain', 'intervertebr', 'disc', 'protrus', 'pain', 'extrem', 'venou', 'occlus', 'pain', 'insomnia', 'gait', 'disturb', 'spinal', 'disord', 'cardiac', 'arrest', 'acut', 'myocardi', 'infarct', 'left', 'atrial', 'dilat', 'hyponatraemia', 'hypertens', 'coronari', 'arteri', 'diseas', 'ischaem', 'cardiomyopathi', 'fatigu', 'ventricular', 'tachycardia', 'ventricular', 'fibril', 'heart', 'rate', 'increas', 'cardiac', 'failur', 'acut', 'atrial', 'fibril', 'hypogonad', 'respiratori', 'failur', 'eject', 'fraction', 'decreas', 'cardiac', 'failur', 'congest', 'sinu', 'bradycardia', 'coronari', 'arteri', 'occlus', 'sleep', 'apnoea', 'syndrom', 'compress', 'fractur', 'decreas', 'appetit', 'vomit', 'nausea', 'pneumonia', 'fall', 'face', 'injury', 'loss', 'conscious', 'asthenia', 'contus', 'fall', 'head', 'injury', 'asthenia', 'pancreat', 'carcinoma', 'nephrolithiasi', 'visual', 'acuiti', 'reduc', 'intervertebr', 'disc', 'protrus', 'fall', 'diarrhoea', 'gastrooesophag', 'reflux', 'diseas', 'hypertens', 'local', 'swell', 'hypoglycaemia', 'drug', 'hypersensit', 'drug', 'ineffect', 'hyperglycaemia', 'nail', 'injury', 'nail', 'growth', 'abnorm', 'aphonia', 'dysphonia', 'blood', 'glucos', 'increas', 'therapeut', 'respons', 'delay', 'abdomin', 'pain', 'pain', 'extrem', 'angiopathi', 'back', 'pain', 'burn', 'sensat', 'dengu', 'fever', 'hyperkeratosi', 'indur', 'gait', 'disturb', 'loss', 'conscious', 'respiratori', 'arrest', 'hyperglycaemia', 'blood', 'glucos', 'abnorm', 'depress', 'meryc', 'major', 'depress', 'attent', 'disord', 'somnol', 'sedat', 'agit', 'bipolar', 'disord', 'angina', 'pector', 'fatigu', 'death', 'aggress', 'low', 'birth', 'weight', 'babi', 'intestin', 'perfor', 'foetal', 'exposur', 'pregnanc', 'dyspepsia', 'intraventricular', 'haemorrhag', 'neonat', 'respiratori', 'distress', 'syndrom', 'muscl', 'tight', 'foetal', 'growth', 'restrict', 'prematur', 'babi', 'necrotis', 'coliti', 'hydrocephalu', 'foetal', 'growth', 'restrict', 'exposur', 'breast', 'feed', 'prematur', 'labour', 'genit', 'haemorrhag', 'pustular', 'psoriasi', 'drug', 'ineffect', 'abdomin', 'pain', 'lower', 'abort', 'exposur', 'pregnanc', 'investig', 'inappropri', 'schedul', 'drug', 'administr', 'oesophag', 'carcinoma', 'mental', 'statu', 'chang', 'dehydr', 'anaemia', 'platelet', 'count', 'decreas', 'anxieti', 'deep', 'vein', 'thrombosi', 'thrombosi', 'pain', 'abdomin', 'pain', 'emot', 'distress', 'gener', 'physic', 'health', 'deterior', 'injury', 'investig', 'drug', 'interact', 'headach', 'anaphylact', 'reaction', 'investig', 'blood', 'glucos', 'decreas', 'hypoglycaemia', 'pain', 'hepat', 'enzym', 'increas', 'termin', 'state', 'diarrhoea', 'blood', 'pressur', 'systol', 'increas', 'depress', 'disorient', 'fear', 'death', 'asthenia', 'drug', 'ineffect', 'mood', 'swing', 'anger', 'atrial', 'flutter', 'investig', 'breast', 'cancer', 'femal', 'death', 'small', 'intestin', 'obstruct', 'blood', 'pressur', 'diastol', 'decreas', 'heart', 'valv', 'incompet', 'dyspnoea', 'mesenter', 'neoplasm', 'weight', 'decreas', 'abdomin', 'discomfort', 'fall', 'eye', 'swell', 'intestin', 'ischaemia', 'abdomin', 'pain', 'lower', 'blood', 'pressur', 'increas', 'blood', 'pressur', 'systol', 'increas', 'bodi', 'temperatur', 'decreas', 'oedema', 'malign', 'neoplasm', 'progress', 'eye', 'disord', 'thermal', 'burn', 'erythema', 'dizzi', 'postur', 'gravit', 'oedema', 'pleural', 'effus', 'dehydr', 'asthenia', 'lacrim', 'increas', 'pain', 'peripher', 'swell', 'anaphylact', 'reaction', 'neurolog', 'decompens', 'encephalopathi', 'drug', 'ineffect', 'unapprov', 'indic', 'atyp', 'pneumonia', 'hypoacusi', 'urinari', 'tract', 'infect', 'cholecyst', 'gallbladd', 'cancer', 'vulvovagin', 'mycot', 'infect', 'herp', 'zoster', 'anaphylact', 'shock', 'coronari', 'arteri', 'restenosi', 'append', 'rectal', 'abscess', 'dermat', 'bullou', 'type', 'iv', 'hypersensit', 'reaction', 'abort', 'induc', 'metrorrhagia', 'unintend', 'pregnanc', 'nausea', 'product', 'qualiti', 'issu', 'haemoglobin', 'decreas', 'melaena', 'arthriti', 'bacteri', 'hepatoren', 'syndrom', 'febril', 'neutropenia', 'neutropenia', 'lung', 'adenocarcinoma', 'toxic', 'variou', 'agent', 'plasma', 'cell', 'myeloma', 'pneumonia', 'sepsi', 'gastrointestin', 'disord', 'hepatotox', 'deep', 'vein', 'thrombosi', 'diarrhoea', 'death', 'amaurosi', 'fugax', 'atrial', 'fibril', 'syncop', 'constip', 'infect', 'interstiti', 'lung', 'diseas', 'nasopharyng', 'liver', 'injury', 'respiratori', 'failur', 'convuls', 'cerebrovascular', 'accid', 'aphasia', 'epilepsi', 'angina', 'pector', 'coronari', 'arteri', 'stenosi', 'intermitt', 'claudic', 'hyperglycaemia', 'liver', 'function', 'test', 'abnorm', 'surgeri', 'diabet', 'ketoacidosi', 'influenza', 'treatment', 'noncompli', 'cerebrovascular', 'accid', 'sensori', 'disturb', 'dyspepsia', 'iridocycl', 'myalgia', 'pyrexia', 'dysuria', 'agranulocytosi', 'leukopenia', 'neutropenia', 'white', 'blood', 'cell', 'count', 'increas', 'neutrophil', 'count', 'increas', 'bacteri', 'infect', 'schizoaffect', 'disord', 'granuloma', 'dyspnoea', 'haematocrit', 'decreas', 'obstruct', 'airway', 'disord', 'neutrophil', 'toxic', 'granul', 'present', 'shift', 'left', 'poor', 'venou', 'access', 'vitamin', 'abnorm', 'blood', 'folat', 'abnorm', 'red', 'blood', 'cell', 'count', 'decreas', 'metamyelocyt', 'count', 'increas', 'myelocyt', 'count', 'increas', 'promyelocyt', 'count', 'increas', 'blast', 'cell', 'count', 'increas', 'blood', 'creatinin', 'abnorm', 'blood', 'pressur', 'increas', 'platelet', 'count', 'abnorm', 'basophil', 'count', 'increas', 'liver', 'function', 'test', 'abnorm', 'eosinophil', 'count', 'increas', 'monocyt', 'count', 'increas', 'blood', 'creatin', 'phosphokinase', 'decreas', 'lymphocyt', 'count', 'decreas', 'haemoglobin', 'decreas', 'heart', 'rate', 'increas', 'pyrexia', 'lymphocyt', 'count', 'increas', 'cholecystectomy', 'vomit', 'abdomin', 'pain', 'upper', 'malais', 'nausea', 'abdomin', 'discomfort', 'gingiv', 'swell', 'renal', 'failur', 'chronic', 'gingiv', 'periodont', 'oral', 'disord', 'expos', 'bone', 'jaw', 'tender', 'renal', 'impair', 'gingiv', 'bleed', 'breast', 'cancer', 'stage', 'ii', 'aortic', 'valv', 'incompet', 'anaemia', 'mitral', 'valv', 'diseas', 'mix', 'nephrogen', 'anaemia', 'gingiv', 'erythema', 'loos', 'tooth', 'malign', 'neoplasm', 'progress', 'angina', 'pector', 'osteonecrosi', 'jaw', 'pain', 'jaw', 'bacteri', 'infect', 'incorrect', 'dose', 'administ', 'memori', 'impair', 'blood', 'glucos', 'abnorm', 'overdose', 'rhabdomyolysi', 'pyrexia', 'self', 'injury', 'behaviour', 'sopor', 'urinari', 'tract', 'infect', 'weight', 'decreas', 'hypersensit', 'neutropenia', 'thrombocytopenia', 'papilloedema', 'cerebrovascular', 'accid', 'osteoarthritis', 'arthriti', 'drug', 'ineffect', 'miner', 'supplement', 'haemoglobin', 'decreas', 'dyspnoea', 'musculoskeletal', 'stiff', 'fatigu', 'asthenia', 'back', 'pain', 'chest', 'pain', 'depress', 'mood', 'dizzi', 'dyspnoea', 'migrain', 'vagin', 'haemorrhag', 'vomit', 'platelet', 'count', 'abnorm', 'anaphylact', 'shock', 'type', 'iv', 'hypersensit', 'reaction', 'hypotens', 'hypoxia', 'gastrointestin', 'disord', 'nephrogen', 'system', 'fibrosi', 'erythrodysaesthesia', 'syndrom', 'wound', 'secret', 'endophthalm', 'macular', 'oedema', 'coronari', 'arteri', 'diseas', 'lower', 'respiratori', 'tract', 'infect', 'paraneoplast', 'dermatomyos', 'epistaxi', 'rash', 'prurit', 'rhinorrhoea', 'prurigo', 'chest', 'pain', 'headach', 'hypotens', 'infus', 'relat', 'reaction', 'lethargi', 'weight', 'decreas', 'malais', 'renal', 'impair', 'diarrhoea', 'coeliac', 'diseas', 'urticaria', 'fatigu', 'angioedema', 'drug', 'ineffect', 'pruritu', 'insomnia', 'condit', 'aggrav', 'chronic', 'spontan', 'urticaria', 'cardiac', 'failur', 'respiratori', 'failur', 'convuls', 'cardiac', 'failur', 'convuls', 'anaemia', 'major', 'depress', 'paraesthesia', 'respiratori', 'failur', 'convuls', 'gastrointestin', 'disord', 'tinnitu', 'feel', 'abnorm', 'dizzi', 'hear', 'impair', 'deaf', 'bodi', 'temperatur', 'decreas', 'restless', 'abdomin', 'distens', 'qualiti', 'life', 'decreas', 'eat', 'disord', 'insomnia', 'visual', 'acuiti', 'reduc', 'asthenia', 'gastric', 'ulcer', 'ear', 'discomfort', 'toxic', 'variou', 'agent', 'child', 'neglect', 'syncop', 'arthropathi', 'chondropathi', 'dysmenorrhoea', 'headach', 'pain', 'malais', 'head', 'discomfort', 'gastrointestin', 'disord', 'glaucoma', 'rash', 'oedema', 'peripher', 'lacrim', 'increas', 'oedema', 'peripher', 'pain', 'fatigu', 'herp', 'viral', 'infect', 'gastrointestin', 'disord', 'gastroenter', 'escherichia', 'coli', 'nausea', 'vomit', 'diarrhoea', 'bronchiti', 'dyspnoea', 'wheez', 'cerebrovascular', 'accid', 'convuls', 'malais', 'product', 'packag', 'issu', 'pyrexia', 'lymphaden', 'arthropathi', 'tooth', 'disord', 'jaw', 'disord', 'paraesthesia', 'hypoesthesia', 'activ', 'daili', 'live', 'impair', 'death', 'therapeut', 'respons', 'death', 'death', 'death', 'death', 'convuls', 'death', 'death', 'acute', 'myeloid', 'leukaemia', 'recurr', 'graft', 'versu', 'host', 'diseas', 'adenovirus', 'infect', 'cytomegalovirus', 'infect', 'drug', 'effect', 'decreas', 'expir', 'drug', 'administ', 'acut', 'coronari', 'syndrom', 'anaemia', 'rectal', 'haemorrhag', 'gastrooesophag', 'reflux', 'diseas', 'drug', 'ineffect', 'renal', 'colic', 'pyelonephr'

, 'dyspnoea', 'secret', 'discharg', 'oxygen', 'satur', 'decreas', 'cough', 'advers', 'event', 'endometri', 'cancer', 'metastat', 'abort', 'abdomin', 'distens', 'abdomin', 'pain', 'abdomin', 'pain', 'upper', 'anxieti', 'back', 'pain', 'breast', 'pain', 'chest', 'discomfort', 'dizzi', 'dyspnoea', 'headach', 'swell', 'mood', 'alter', 'muscl', 'spasm', 'nausea', 'neck', 'pain', 'laryng', 'cancer', 'acceler', 'idioventricular', 'rhythm', 'ventricular', 'parasystol', 'death', 'respiratori', 'distress', 'anaemia', 'haematochezia', 'syndrom', 'nausea', 'vomit', 'blind', 'deaf', 'loss', 'conscious', 'contus', 'glaucoma', 'pruritu', 'muscl', 'disord', 'confusion', 'state', 'skin', 'lesion', 'pain', 'oral', 'disord', 'delus', 'aggress', 'dyspnoea', 'pulmonari', 'embol', 'hypoglycaem', 'coma', 'insulinoma', 'toxic', 'variou', 'agent', 'gastrointestin', 'haemorrhag', 'intern', 'normalis', 'ratio', 'increas', 'haematocrit', 'decreas', 'fall', 'blood', 'creatinin', 'increas', 'dehydr', 'contus', 'hypotens', 'transient', 'ischaem', 'attack', 'paraesthesia', 'erythema', 'multiform', 'gener', 'physic', 'health', 'deterior', 'local', 'swell', 'pyrexia', 'bone', 'marrow', 'failur', 'cerebr', 'haemorrhag', 'haemoglobin', 'decreas', 'paraesthesia', 'dyspnoea', 'ocular', 'hyperaemia', 'dyspnoea', 'rest', 'dizzi', 'rash', 'loss', 'conscious', 'pruritu', 'cardiac', 'arrest', 'pulmonari', 'embol', 'pulmonari', 'embol', 'haemorrhag', 'upper', 'gastrointestin', 'haemorrhag', 'suicid', 'attempt', 'intent', 'overdos', 'convuls', 'cardiac', 'arrest', 'blood', 'urin', 'present', 'unrespons', 'stimuli', 'blood', 'pressur', 'decreas', 'haemoglobin', 'decreas', 'abdomin', 'pain', 'haematoma', 'dysphagia', 'subarachnoid', 'haemorrhag', 'cerebr', 'haematoma', 'haematemesi', 'purpl', 'glove', 'syndrom', 'pharyng', 'oper', 'cardiac', 'failur', 'acut', 'polychondr', 'sepsi', 'pneumonia', 'herp', 'zoster', 'hypersensit', 'gallbladd', 'disord', 'death', 'psychiatr', 'symptom', 'visual', 'acuiti', 'reduc', 'therapeut', 'respons', 'death', 'death', 'death', 'nephrogen', 'system', 'fibrosi', 'bronchiti', 'bronchiti', 'bronchiti', 'pharyng', 'upper', 'respiratori', 'tract', 'infect', 'upper', 'respiratori', 'tract', 'infect', 'infect', 'sinus', 'haemolysi', 'liver', 'injuri', 'dyspnoea', 'rectal', 'haemorrhag', 'drug', 'interact', 'dermat', 'abscess', 'neck', 'death', 'bone', 'eros', 'drug', 'interact', 'epistaxi', 'anaemia', 'intern', 'normalis', 'ratio', 'increas', 'cleft', 'palat', 'placent', 'transfus', 'syndrom', 'cardiac', 'disord', 'lung', 'disord', 'vagin', 'haemorrhag', 'gingiv', 'bleed', 'drug', 'interact', 'erysipela', 'limb', 'injuri', 'weight', 'decreas', 'drug', 'toler', 'immunodefici', 'extrem', 'necrosi', 'blood', 'cholesterol', 'increas', 'arthropathi', 'pain', 'drug', 'ineffect', 'arthralgia', 'rheumat', 'fever', 'toxic', 'optic', 'neuropathi', 'metastat', 'malign', 'melanoma', 'splenic', 'ruptur', 'death', 'diarrhoea', 'septic', 'shock', 'syncop', 'pneumonia', 'neutropenia', 'thrombocytopenia', 'fatigu', 'plasma', 'cell', 'myeloma', 'cough', 'abscess', 'infect', 'neutropenia', 'white', 'blood', 'cell', 'count', 'decreas', 'haemorrhag', 'haemorrhag', 'drug', 'interact', 'central', 'nervou', 'system', 'lesion', 'weight', 'increas', 'vitamin', 'defici', 'pain', 'extrem', 'type', 'diabet', 'mellitu', 'drug', 'reaction', 'eosinophilia', 'system', 'symptom', 'pulmonari', 'oedema', 'respiratori', 'failur', 'platelet', 'count', 'decreas', 'pneumonia', 'investig', 'hospitalis', 'haemorrhag', 'drug', 'interact', 'hypertens', 'osteoporosi', 'surgeri', 'scar', 'abdomin', 'pain', 'upper', 'anxieti', 'plasma', 'cell', 'myeloma', 'pneumonia', 'death', 'tremor', 'drug', 'ineffect', 'cardiac', 'pacemak', 'insert', 'pericardi', 'effus', 'urinari', 'tract', 'infect', 'suppress', 'lactat', 'devic', 'ineffect', 'drug', 'ineffect', 'erythema', 'skin', 'fissur', 'pulmonari', 'embol', 'pulmonari', 'embol', 'deep', 'vein', 'thrombosi', 'hospitalis', 'subdur', 'haematoma', 'drug', 'interact', 'vagin', 'haemorrhag', 'haematuria', 'contus', 'prematur', 'babi', 'low', 'birth', 'weight', 'babi', 'pneumonia', 'aspir', 'bk', 'viru', 'infect', 'enceph', 'viral', 'lower', 'respiratori', 'tract', 'infect', 'palpit', 'death', 'impair', 'heal', 'spinal', 'fusion', 'surgeri', 'pain', 'extrem', 'pain', 'abdomin', 'pain', 'upper', 'angina', 'unstable', 'cold', 'sweat', 'nausea', 'vomit', 'label', 'use', 'death', 'dizzi', 'fatigu', 'rash', 'anaemia', 'malign', 'neoplasm', 'progress', 'diarrhoea', 'haemorrhag', 'intracran', 'food', 'poison', 'pneumonia', 'haemoptysi', 'dyspnoea', 'fatigu', 'incorrect', 'dose', 'administ', 'overdos', 'death', 'local', 'swell', 'haemorrhag', 'erythema', 'localis', 'infect', 'localis', 'infect', 'skin', 'disord', 'pain', 'extrem', 'secret', 'discharg', 'scab', 'rash', 'pruritu', 'rash', 'nephrolithiasi', 'nausea', 'neutropenia', 'rhinorrhoea', 'dermat', 'acneiform', 'dermat', 'acneiform', 'epistaxi', 'mucos', 'haemorrhag', 'pain', 'vomit', 'diarrhoea', 'malign', 'neoplasm', 'progress', 'death', 'death', 'pulmonari', 'thrombosi', 'thrombosi', 'blood', 'disord', 'neoplasm', 'malign', 'dyspnoea', 'death', 'blood', 'urin', 'present', 'cholelithiasi', 'dizzi', 'fatigu', 'pneumonia', 'decreas', 'appetit', 'skin', 'reaction', 'abdomin', 'pain', 'flatul', 'muscl', 'spasm', 'rash', 'flatul', 'eruct', 'constip', 'eruct', 'vision', 'blur', 'blood', 'pressur', 'increas', 'anxieti', 'hypophagia', 'weight', 'decreas', 'rash', 'rash', 'acn', 'pruritu', 'death', 'disord', 'fall', 'full', 'blood', 'count', 'decreas', 'contus', 'fatigu', 'diarrhoea', 'decreas', 'appetit', 'death', 'incorrect', 'dose', 'administ', 'death', 'death', 'incorrect', 'dose', 'administ', 'white', 'blood', 'cell', 'count', 'decreas', 'rash', 'death', 'label', 'use', 'atrial', 'fibril', 'metastas', 'bone', 'fall', 'incorrect', 'dose', 'administ', 'visual', 'acuiti', 'reduc', 'blood', 'triglycerid', 'increas', 'death', 'malign', 'neoplasm', 'progress', 'oesophag', 'carcinoma', 'drug', 'interact', 'ventricular', 'tachycardia', 'electrocardiogram', 'qt', 'prolong', 'gastric', 'haemorrhag', 'death', 'hypersensit', 'angioedema', 'pruritu', 'death', 'convuls', 'hepat', 'failur', 'syndrom', 'anaemia', 'drug', 'ineffect', 'death', 'spinal', 'disord', 'devic', 'relat', 'infect', 'drug', 'ineffect', 'chronic', 'graft', 'versu', 'host', 'diseas', 'cut', 'graft', 'versu', 'host', 'diseas', 'chronic', 'graft', 'versu', 'host', 'diseas', 'renal', 'failur', 'drug', 'ineffect', 'fall', 'joint', 'stiff', 'sensat', 'heavi', 'chest', 'pain', 'myalgia', 'chest', 'pain', 'oedema', 'cystiti', 'label', 'use', 'hepat', 'function', 'abnorm', 'unrespons', 'stimuli', 'syncop', 'blood', 'pressure', 'decreas', 'heart', 'rate', 'decreas', 'ventricular', 'extrasystol', 'interstiti', 'lung', 'diseas', 'pyrexia', 'diarrhoea', 'rash', 'investig', 'investig', 'balanc', 'disord', 'fall', 'disorient', 'condit', 'aggrav', 'dizzi', 'abdomin', 'symptom', 'conjunct', 'dyspnoea', 'vomit', 'diarrhoea', 'decreas', 'appetit', 'drug', 'ineffect', 'chronic', 'graft', 'versu', 'host', 'diseas', 'drug', 'ineffect', 'graft', 'versu', 'host', 'diseas', 'eye', 'swell', 'rash', 'ocular', 'hyperaemia', 'incorrect', 'dose', 'administ', 'drug', 'interact', 'breast', 'cancer', 'pleural', 'effus', 'pancreat', 'carcinoma', 'metastat', 'surgeri', 'investig', 'urinari', 'tract', 'infect', 'drug', 'dose', 'omiss', 'intestin', 'obstruct', 'hear', 'impair', 'epistaxi', 'hypertens', 'computeris', 'tomogram', 'abnorm', 'inappropri', 'schedul', 'drug', 'administ', 'rash', 'hip', 'fractur', 'haemorrhag', 'diathesis', 'rash', 'dri', 'skin', 'death', 'arthralgia', 'death', 'febril', 'neutropenia', 'hypophagia', 'pleural', 'effus', 'deep', 'vein', 'thrombosi', 'pain', 'extrem', 'swell', 'haemorrhag', 'drug', 'interact', 'shock', 'haemorrhag', 'haemorrhag', 'electrocardiogram', 'qt', 'prolong', 'blood', 'potassium', 'decreas', 'intent', 'product', 'misus', 'death', 'pain', 'pruritu', 'mucos', 'inflamm', 'type', 'diabet', 'mellitu', 'drug', 'interact', 'shock', 'haemorrhag', 'cardiac', 'disord', 'type', 'diabet', 'mellitu', 'liver', 'disord', 'bacteri', 'infect', 'gastrointestin', 'disord', 'diarrhoea', 'pulmonari', 'hypertens', 'pulmonari', 'embol', 'feel', 'abnorm', 'death', 'abscess', 'necrosi', 'haemorrhag', 'invas', 'ductal', 'breast', 'carcinoma', 'back', 'disord', 'diabet', 'neuropathi', 'neuralgia', 'neuropathi', 'peripher', 'circulatori', 'collaps', 'palpit', 'dizzi', 'death', 'hypotens', 'pyrexia', 'pulmonari', 'oedema', 'death', 'chest', 'pain', 'musculoskelet', 'pain', 'pain', 'extrem', 'back', 'disord', 'fall', 'back', 'injuri', 'dizzi', 'headach', 'drug', 'ineffect', 'ataxia', 'enceph', 'asphyxia', 'epilepsi', 'metastas', 'central', 'nervou', 'system', 'lung', 'infect', 'pregnanc', 'drug', 'ineffect', 'femal', 'sterilis', 'apathi', 'depress', 'increas', 'tendenc', 'bruise', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'small', 'intestin', 'haemorrhag', 'gastric', 'haemorrhag', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'fluid', 'replac', 'nephrogen', 'system', 'fibrosi', 'cell', 'lung', 'cancer', 'diseas', 'progress', 'label', 'use', 'ventricular', 'extrasystol', 'urinari', 'incontin', 'feel', 'hot', 'hyperhidrosi', 'dizzi', 'septic', 'sho

ck', 'pancytopenia', 'deep', 'vein', 'thrombosi', 'pulmonari', 'embol', 'pancreat', 'carcinoma', 'stage', 'iv', 'pancreat', 'acut', 'acut', 'preren', 'failur', 'dehydr', 'weight', 'decreas', 'urin', 'sodium', 'increas', 'hyp onatraemia', 'hypochloroemia', 'pulmonari', 'embol', 'muscl', 'spasm', 'muscl', 'spasm', 'adenocarcinoma', 'panc rea', 'trisomi', 'pancreat', 'carcinoma', 'chest', 'pain', 'drug', 'dose', 'omiss', 'dyspnoea', 'hospitalis', 'p ancreat', 'carcinoma', 'road', 'traffic', 'accid', 'vertigo', 'tinnitu', 'pancreat', 'carcinoma', 'cerebrovascul ar', 'accid', 'pulmonari', 'embol', 'ataxia', 'gait', 'disturb', 'balanc', 'disord', 'statu', 'epilepticu', 'lym phoma', 'myocardi', 'infarct', 'infect', 'oesophag', 'pain', 'hepat', 'pain', 'oesophag', 'abdomin', 'pain', 'up per', 'vertigo', 'label', 'use', 'incorrect', 'dose', 'administ', 'intent', 'drug', 'misus', 'diabet', 'retin', 'oedema', 'pulmonari', 'embol', 'diverticul', 'cellul', 'infect', 'cholecystectomy', 'pancreat', 'gastrointestin ', 'haemorrhag', 'drug', 'interact', 'influenza', 'diet', 'refus', 'blood', 'glucos', 'fluctuat', 'product', 'so lubl', 'abnorm', 'product', 'colour', 'issu', 'weight', 'decreas', 'transaminas', 'increas', 'malais', 'transver s', 'sinu', 'thrombosi', 'pulmonari', 'embol', 'thyroid', 'cancer', 'haemorrhag', 'drug', 'interact', 'pain', 'p ain', 'extrem', 'peripher', 'swell', 'deep', 'vein', 'thrombosi', 'thrombosi', 'abdomin', 'pain', 'injuri', 'gen er', 'physic', 'health', 'deterior', 'deep', 'vein', 'thrombosi', 'pain', 'extrem', 'headach', 'deep', 'vein', 'thrombosi', 'product', 'use', 'issu', 'pain', 'gener', 'physic', 'health', 'deterior', 'injuri', 'muscular', 'we ak', 'dizzi', 'swell', 'prostat', 'cancer', 'prostat', 'oper', 'urinari', 'retent', 'dysuria', 'drug', 'administ r', 'error', 'pneumonia', 'vomit', 'projectil', 'pallor', 'cyanosi', 'oxygen', 'satur', 'decreas', 'heart', 'rat e', 'decreas', 'bodi', 'temperatur', 'decreas', 'increas', 'bronchial', 'secret', 'oxygen', 'satur', 'abnorm', 'p yrexia', 'increas', 'bronchial', 'secret', 'wheez', 'cough', 'dyspnoea', 'pulmonari', 'embol', 'deep', 'vein', 'thrombosi', 'rhabdomyolysi', 'pain', 'gener', 'physic', 'health', 'deterior', 'emot', 'distress', 'anxieti', 'i njuri', 'pulmonari', 'embol', 'depress', 'drug', 'abus', 'bradyphrenia', 'legal', 'problem', 'heart', 'rate', 'i rregular', 'dyspnoea', 'nausea', 'vomit', 'dizzi', 'headach', 'liver', 'disord', 'decreas', 'appetit', 'insomnia ', 'drug', 'effect', 'incomplet', 'neoplasm', 'malign', 'cataract', 'malais', 'hiatu', 'hernia', 'abdomin', 'dis comfort', 'hypertens', 'food', 'intoler', 'lactos', 'intoler', 'gastric', 'ulcer', 'gastriti', 'abdomin', 'diste ns', 'drug', 'ineffect', 'sepsi', 'pilonid', 'cyst', 'enteroves', 'fistula', 'pneumaturia', 'urinari', 'tract', 'infect', 'dysuria', 'micturit', 'urgenc', 'chest', 'pain', 'emot', 'distress', 'pulmonari', 'embol', 'abdomin', 'pain', 'gener', 'physic', 'health', 'deterior', 'injuri', 'fall', 'head', 'injuri', 'vertigo', 'orthostat', 'hy potens', 'execut', 'dysfunct', 'disturb', 'attent', 'memori', 'impair', 'post', 'procedur', 'sepsi', 'post', 'pr ocedur', 'complic', 'intestin', 'obstruct', 'antibodi', 'test', 'posit', 'haemolyt', 'anaemia', 'renal', 'failur ', 'neoplasm', 'malign', 'agit', 'intent', 'drug', 'misus', 'fluid', 'overload', 'dyspnoea', 'suffoc', 'feel', 'oedema', 'hypotens', 'fatigu', 'muscl', 'spasm', 'muscl', 'injuri', 'nightmar', 'pain', 'blind', 'unilater', 'ey e', 'haemorrhag', 'nightmar', 'visual', 'acuiti', 'reduc', 'diseas', 'progress', 'drug', 'ineffect', 'splenomega li', 'haemorrhag', 'drug', 'interact', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'oral', 'surgeri', 'h ospitalis', 'diarrhoea', 'haemorrhag', 'drug', 'interact', 'melaena', 'haematochezia', 'rectal', 'haemorrhag', 'anxieti', 'emot', 'distress', 'drool', 'gener', 'physic', 'health', 'deterior', 'cerebrovascular', 'accid', 'pai n', 'abdomin', 'pain', 'injuri', 'memori', 'impair', 'eat', 'disord', 'dysgeusia', 'weight', 'decreas', 'parente r', 'nutrit', 'migrain', 'abdomin', 'pain', 'deform', 'cerebr', 'haemorrhag', 'vomit', 'headach', 'injuri', 'gen er', 'physic', 'health', 'deterior', 'investig', 'pulmonari', 'embol', 'abdomin', 'pain', 'pain', 'injuri', 'gen er', 'physic', 'health', 'deterior', 'anxieti', 'emot', 'distress', 'deform', 'pain', 'anxieti', 'mobil', 'decre as', 'pulmonari', 'embol', 'chest', 'pain', 'pain', 'injuri', 'pain', 'emot', 'distress', 'dyspnoea', 'gener', 'physic', 'health', 'deterior', 'pain', 'respir', 'abdomin', 'pain', 'pain', 'musculoskelet', 'pain', 'cerebrovascular', 'accid', 'abdomin', 'pain', 'gait', 'disturb', 'visual', 'field', 'defect', 'pain', 'gener', 'physic', 'health', 'deterior', 'myalgia', 'emot', 'distress', 'depress', 'brain', 'injuri', 'injuri', 'anhedonia', 'dysstasia', 'ho spitalis', 'thrombosi', 'gait', 'disturb', 'deep', 'vein', 'thrombosi', 'injuri', 'pain', 'abdomin', 'pain', 'ge ner', 'physic', 'health', 'deterior', 'pulmonari', 'embol', 'thrombophleb', 'superfici', 'deep', 'vein', 'thromb osi', 'investig', 'deep', 'vein', 'thrombosi', 'gener', 'physic', 'health', 'deterior', 'anxieti', 'pain', 'pulm onari', 'embol', 'dyspnoea', 'injuri', 'abdomin', 'pain', 'emot', 'distress', 'drug', 'administ', 'patient', 'in appropri', 'age', 'bodi', 'height', 'normal', 'failur', 'thrive', 'bronchial', 'obstruct', 'rhonchi', 'wheez', 'sommol', 'confusion', 'state', 'deep', 'vein', 'thrombosi', 'coma', 'suicid', 'attempt', 'suicid', 'attempt', 't achycardia', 'oxygen', 'satur', 'decreas', 'electrocardiogram', 'qt', 'prolong', 'hypotens', 'endotrach', 'intub ', 'poison', 'overdos', 'overdos', 'neutropenia', 'hypertransaminasaemia', 'anaemia', 'intern', 'normalis', 'rat io', 'decreas', 'rectal', 'haemorrhag', 'cardiac', 'failur', 'congest', 'herp', 'simplex', 'retin', 'vein', 'thr ombosi', 'macular', 'oedema', 'retin', 'arteri', 'thrombosi', 'incorrect', 'drug', 'administr', 'durat', 'rectal ', 'haemorrhag', 'drug', 'interact', 'post', 'procedur', 'haemorrhag', 'urogenit', 'haemorrhag', 'death', 'fract ur', 'blood', 'glucos', 'increas', 'fall', 'surgeri', 'blood', 'pressur', 'increas', 'blood', 'creatinin', 'decr eas', 'mouth', 'haemorrhag', 'investig', 'hospitalis', 'hospitalis', 'hospitalis', 'unrespons', 'stimuli', 'circ ulatori', 'collaps', 'liver', 'function', 'test', 'abnorm', 'hyponatraemia', 'cerebrovascular', 'accid', 'type', 'diabet', 'mellitu', 'arthriti', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'death', 'type', 'dia bet', 'mellitu', 'neuropathi', 'peripher', 'pain', 'pruritu', 'coeliac', 'diseas', 'hospitalis', 'type', 'diabet ', 'mellitu', 'type', 'diabet', 'mellitu', 'death', 'intern', 'normalis', 'ratio', 'increas', 'epistaxi', 'asthe nia', 'dyspnoea', 'filariasi', 'pneumococc', 'infect', 'pleural', 'effus', 'purul', 'discharg', 'benign', 'oesop hag', 'neoplasm', 'cholestasi', 'hepatocellular', 'injuri', 'hypoalbuminaemia', 'neuropathi', 'peripher', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'diseas', 'progress', 'anal', 'cancer', 'interstiti', 'lung ', 'diseas', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'glucos', 'to ler', 'impair', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'type', 'diabet', 'mellitu', 'necrotis', 'fasciiti ', 'diarrhoea', 'type', 'diabet', 'mellitu', 'infect', 'dyspnoea', 'exert', 'cough', 'pneumothorax', 'dyspnoea', 'fatigu', 'migrain', 'decreas', 'appetit', 'dysgeusia', 'type', 'diabet', 'mellitu', 'weight', 'increas', 'cardi ac', 'disord', 'visual', 'acuiti', 'reduc', 'eye', 'swell', 'label', 'use', 'limb', 'injuri', 'pneumon', 'chest', 'pain', 'cough', 'dyspnoea', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'neuropathi', 'peripher', 'type', 'diabet', 'mellitu', 'label', 'use', 'pneumonia', 'abdomin', 'pain', 'se cond', 'primari', 'malign', 'acut', 'myeloid', 'leukaemia', 'type', 'diabet', 'mellitu', 'acut', 'myeloid', 'leu kaemia', 'second', 'primari', 'malign', 'type', 'diabet', 'mellitu', 'metabol', 'syndrom', 'blood', 'triglycerid ', 'increas', 'death', 'cardiac', 'arrest', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'spinal', 'fract ur', 'hypertens', 'hypoesthesia', 'gait', 'disturb', 'gener', 'physic', 'health', 'deterior', 'erythema', 'burn ', 'sensat', 'spinal', 'disord', 'road', 'traffic', 'accid', 'chillblain', 'pain', 'extrem', 'oedema', 'peripher ', 'urinari', 'tract', 'infect', 'blind', 'unilater', 'immunodefici', 'convuls', 'vision', 'blur', 'pharyng', 'm uscl', 'twitch', 'drug', 'ineffect', 'hepat', 'acut', 'renal', 'failur', 'septic', 'shock', 'blood', 'creatin', 'phosphokinas', 'increas', 'epistaxi', 'drug', 'interact', 'abdomin', 'hernia', 'repair', 'blood', 'glucos', 'ab norm', 'incorrect', 'dose', 'administ', 'hyponatraemia', 'blood', 'cortisol', 'decreas', 'hypotens', 'renal', 'f ailur', 'acut', 'urin', 'output', 'decreas', 'oedema', 'peripher', 'dehydr', 'platelet', 'count', 'decreas', 'fe bril', 'neutropenia', 'anaemia', 'stomat', 'cytomegaloviru', 'test', 'posit', 'mobil', 'decreas', 'local', 'swel l', 'burn', 'sensat', 'conjunct', 'rash', 'swell', 'face', 'loss', 'conscious', 'head', 'injuri', 'fall', 'asthe nia', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'diverticulum', 'intestin', 'haemorrhag', 'rectal', 'h

aemorrhag', 'melaena', 'intestin', 'obstruct', 'acut', 'myocardi', 'infarct', 'eye', 'haemorrhag', 'drug', 'inte  
ract', 'fluid', 'retent', 'headach', 'chest', 'pain', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'leuka  
emia', 'condit', 'aggrav', 'pneumonectomi', 'drug', 'effect', 'decreas', 'overdos', 'inappropri', 'schedul', 'dr  
ug', 'administr', 'cardiac', 'arrest', 'hospitalis', 'respiratori', 'disord', 'oxygen', 'satur', 'decreas', 'hos  
pitalis', 'rectal', 'haemorrhag', 'drug', 'interact', 'drug', 'reaction', 'eosinophilia', 'system', 'symptom', 'h  
aemolyt', 'anaemia', 'myocardi', 'infarct', 'drug', 'abus', 'toxic', 'variou', 'agent', 'pulmonari', 'congest',  
'pulmonari', 'oedema', 'cardiomegali', 'arteriosclerosi', 'coronari', 'arteri', 'hepatomegali', 'hepat', 'steato  
si', 'forc', 'expiratori', 'volum', 'decreas', 'death', 'hypertens', 'asthenia', 'type', 'diabet', 'mellitu', 'b  
reast', 'cancer', 'femal', 'dizzi', 'upper', 'limb', 'fractur', 'diabet', 'neuropathi', 'gastrointestin', 'haemo  
rrhag', 'arrest', 'dehydr', 'cardiac', 'failur', 'cystiti', 'haemorrhag', 'gastrointestin', 'haemorrhag', 'upper  
, 'gastrointestin', 'haemorrhag', 'syndrom', 'tremor', 'neuropathi', 'peripher', 'angioedema', 'lip', 'dri', 'd  
rug', 'hypersensit', 'product', 'formul', 'issu', 'myelodysplast', 'syndrom', 'second', 'primari', 'malign', 'ac  
ut', 'myeloid', 'leukaemia', 'headach', 'nervous', 'restless', 'insomnia', 'abnorm', 'dream', 'pseudoendophthalm  
, 'uveiti', 'blind', 'transient', 'rectal', 'haemorrhag', 'drug', 'interact', 'dyspnoea', 'chest', 'pain', 'ery  
thema', 'rectal', 'tenesmu', 'pyelonephr', 'renal', 'colic', 'cystiti', 'autism', 'development', 'delay', 'encop  
resi', 'myelopathi', 'label', 'use', 'hypoaesthesia', 'balanc', 'disord', 'loss', 'propriocept', 'decreas', 'vib  
ratori', 'sens', 'muscular', 'weak', 'sensori', 'loss', 'swollen', 'tongu', 'rash', 'generalis', 'syndrom', 'dys  
pnoea', 'eye', 'swell', 'dizzi', 'palpit', 'flush', 'skin', 'warm', 'discomfort', 'paralysi', 'skin', 'reaction',  
, 'hyperhidrosi', 'myalgia', 'upper', 'limb', 'fractur', 'anaphylactoid', 'reaction', 'cataract', 'subcapsular',  
'throat', 'tight', 'hypersensit', 'diabet', 'coma', 'atrial', 'fibril', 'chromaturia', 'liver', 'disord', 'cold',  
, 'sweat', 'lacer', 'mucou', 'membran', 'disord', 'stomat', 'hyperhidrosi', 'haemorrhoid', 'haemorrhag', 'drug',  
'interact', 'haematochezia', 'haemorrhag', 'pregnanc', 'nausea', 'pregnanc', 'pneumonia', 'ectop', 'pregnanc', 'p  
regnanc', 'contracept', 'devic', 'exposur', 'pregnanc', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'ga  
strointestin', 'haemorrhag', 'iron', 'defici', 'anaemia', 'upper', 'gastrointestin', 'haemorrhag', 'cerebrovascu  
lar', 'accid', 'cerebr', 'ischaemia', 'anaemia', 'dizzi', 'blood', 'pressur', 'decreas', 'asthenia', 'pollakiuri  
a', 'chill', 'tremor', 'hypoaesthesia', 'pneumon', 'chemic', 'transit', 'cell', 'carcinoma', 'umbil', 'hernia',  
'tooth', 'fractur', 'gastrooesophag', 'reflux', 'diseas', 'sleep', 'apnoea', 'syndrom', 'oesophag', 'spasm', 'fo  
llicul', 'synov', 'weight', 'fluctuat', 'regurgit', 'diarrhoea', 'gastrointestin', 'haemorrhag', 'drug', 'intera  
ct', 'nausea', 'vomit', 'purg', 'diarrhoea', 'hepat', 'cancer', 'leukaemia', 'local', 'swell', 'heart', 'rate',  
'decreas', 'disord', 'diarrhoea', 'drug', 'ineffect', 'sexual', 'dysfunct', 'congenit', 'aural', 'fistula', 'hae  
mangioma', 'foetal', 'exposur', 'pregnanc', 'subdur', 'haemorrhag', 'drug', 'interact', 'malign', 'neoplasm', 'p  
roggress', 'breast', 'cancer', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'cystoid', 'macular', 'oedem  
a', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'me  
llitu', 'cataract', 'shock', 'hypoglycaem', 'abdomin', 'pain', 'upper', 'type', 'diabet', 'mellitu', 'type', 'di  
abet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'small', 'fibr', 'neuropathi', 'deaf',  
, 'motor', 'dysfunct', 'hypoaesthesia', 'mental', 'impair', 'muscl', 'spasm', 'headach', 'subdur', 'haemorrhag',  
, 'drug', 'interact', 'cerebr', 'haemorrhag', 'haemorrhag', 'fistula', 'polyp', 'rash', 'generalis', 'capillari',  
, 'leak', 'syndrom', 'swell', 'face', 'vomit', 'rash', 'peripher', 'swell', 'nausea', 'advers', 'reaction', 'blo  
od', 'calcium', 'decreas', 'asthenia', 'renal', 'failur', 'acut', 'retroperiton', 'haemorrhag', 'clostridium', 'd  
ifficul', 'infect', 'influenza', 'cardiac', 'failur', 'congest', 'pneumonia', 'cytomegaloviru', 'test', 'posit',  
, 'viru', 'associ', 'lymphoprolif', 'disord', 'hepat', 'b', 'antibodi', 'posit', 'febril', 'neutropenia', 'coryn  
ebacterium', 'sepsi', 'haemorrhag', 'drug', 'interact', 'nephrolithiasi', 'gout', 'pneumonia', 'joint', 'swell',  
'pain', 'extrem', 'syndrom', 'rheumatoid', 'arthriti', 'arthriti', 'oropharyng', 'pain', 'haemorrhag', 'drug', 'i  
nteract', 'breast', 'cancer', 'dyspnoea', 'drug', 'dose', 'omiss', 'circumst', 'inform', 'capabl', 'lead', 'med  
ic', 'error', 'adren', 'insuffici', 'small', 'fibr', 'neuropathi', 'conjunct', 'breast', 'cancer', 'ulcer', 'hae  
morrhag', 'drug', 'interact', 'cerebrovascular', 'accid', 'cerebrovascular', 'accid', 'loss', 'conscious', 'arrh  
ythmia', 'diplopia', 'tremor', 'amimia', 'urinari', 'tract', 'infect', 'tremor', 'schizophrenia', 'weight', 'dec  
reas', 'advers', 'event', 'respiratori', 'distress', 'depress', 'symptom', 'convuls', 'stress', 'unevalu', 'even  
t', 'death', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'melaena', 'death', 'uterin', 'perfor', 'uterin',  
, 'disord', 'emot', 'distress', 'devic', 'issu', 'injuri', 'pain', 'conjunctiv', 'haemorrhag', 'drug', 'interac  
t', 'coronari', 'arteri', 'occlus', 'malais', 'drug', 'interact', 'drug', 'ineffect', 'death', 'gastrointestin',  
'haemorrhag', 'drug', 'interact', 'neoplasm', 'malign', 'death', 'surgeri', 'abdomin', 'pain', 'upper', 'eczema',  
, 'pruritu', 'coronari', 'arteri', 'occlus', 'eye', 'haemorrhag', 'blood', 'pressur', 'increas', 'sleep', 'apnoe  
a', 'syndrom', 'dyspnoea', 'dyspnoea', 'rash', 'nervous', 'death', 'oedema', 'peripher', 'chest', 'pain', 'dyspn  
oea', 'protein', 'increas', 'erythema', 'pleural', 'effus', 'system', 'lupu', 'erythematosu', 'lupu', 'nephriti',  
, 'nephrot', 'syndrom', 'biopsi', 'kidney', 'pneumonia', 'hypoproteinaemia', 'pyrexia', 'infertil', 'femal', 'ut  
erin', 'perfor', 'devic', 'issu', 'emot', 'distress', 'label', 'use', 'menorrhagia', 'pain', 'depress', 'anxieti  
, 'injuri', 'injuri', 'anxieti', 'uterin', 'perfor', 'depress', 'pain', 'emot', 'distress', 'abort', 'spontan',  
'haemorrhag', 'pregnanc', 'human', 'chorion', 'gonadotropin', 'decreas', 'pregnanc', 'contracept', 'devic', 'dru  
g', 'ineffect', 'drug', 'ineffect', 'abort', 'spontan', 'anxieti', 'pain', 'depress', 'emot', 'distress', 'pregn  
anc', 'contracept', 'devic', 'ectop', 'pregnanc', 'contracept', 'devic', 'devic', 'disloc', 'injuri', 'weight',  
'decreas', 'dizzi', 'tachycardia', 'dysmenorrhoea', 'vagin', 'haemorrhag', 'genit', 'haemorrhag', 'drug', 'ineff  
ect', 'pelvic', 'pain', 'menorrhagia', 'immunodefici', 'autoimmun', 'disord', 'abdomin', 'pain', 'fatigu', 'depr  
ess', 'devic', 'monitor', 'procedur', 'perform', 'ectop', 'pregnanc', 'contracept', 'devic', 'arrest', 'haemorrh  
ag', 'pregnanc', 'nausea', 'incompat', 'migrain', 'devic', 'disloc', 'medic', 'devic', 'monitor', 'error', 'weig  
ht', 'increas', 'palpit', 'foreign', 'bodi', 'reproduct', 'tract', 'ruptur', 'ectop', 'pregnanc', 'subcutan', 'a  
bscess', 'abdomin', 'pain', 'lower', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu',  
, 'diabet', 'mellitu', 'neuropathi', 'peripher', 'type', 'diabet', 'mellitu', 'lower', 'gastrointestin', 'haem  
orrhag', 'drug', 'interact', 'melaena', 'haematochezia', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu',  
, 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mel  
litu', 'type', 'diabet', 'mellitu', 'blind', 'renal', 'osteodystrophi', 'cataract', 'neuropathi', 'peripher', 'r  
enal', 'disord', 'hyperkalaemia', 'cardiac', 'disord', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu',  
'diabet', 'coma', 'arrhythmia', 'renal', 'failur', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'ty  
pe', 'diabet', 'mellitu', 'tooth', 'loss', 'type', 'diabet', 'mellitu', 'neuropathi', 'peripher', 'limb', 'injur  
i', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'me  
llitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet',  
'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabe  
t', 'mellitu', 'blind', 'neuropathi', 'peripher', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'typ  
e', 'diabet', 'mellitu', 'fatigu', 'asthenia', 'type', 'diabet', 'mellitu', 'bone', 'marrow', 'transplant', 'lac  
er', 'dyspnoea', 'product', 'cough', 'seizur', 'head', 'injuri', 'presyncop', 'fall', 'rib', 'fractur', 'loss',  
'conscious', 'syncop', 'balanc', 'disord', 'concomit', 'diseas', 'aggrav', 'insomnia', 'humeru', 'fractur', 'joi  
nt', 'injuri', 'haemorrhag', 'drug', 'interact', 'shock', 'haemorrhag', 'sudden', 'hear', 'loss', 'pancytopenia',  
, 'depress', 'nephrogen', 'system', 'fibrosi', 'depress', 'suicid', 'behaviour', 'death', 'parathyroid', 'gland'

, 'oper', 'death', 'blood', 'calcium', 'increas', 'cough', 'pulmonari', 'arteri', 'hypertens', 'condit', 'aggrav', 'tongu', 'neoplasm', 'malign', 'stage', 'unspecifi', 'tongu', 'oper', 'biopsi', 'ovari', 'death', 'neonat', 'respiratori', 'distress', 'syndrom', 'patent', 'ductu', 'arteriosu', 'atrial', 'septal', 'defect', 'feed', 'disord', 'neonat', 'agit', 'neonat', 'pulmonari', 'arteri', 'hypertens', 'condit', 'aggrav', 'cholelithiasi', 'label', 'use', 'root', 'canal', 'infect', 'cervic', 'cyst', 'urinari', 'tract', 'infect', 'ovarian', 'cyst', 'product', 'use', 'issu', 'eye', 'swell', 'rash', 'pruritu', 'scleroderma', 'syncop', 'fall', 'joint', 'swell', 'rheumatoid', 'arthriti', 'pain', 'respir', 'skeletal', 'injuri', 'pain', 'swell', 'excori', 'angioplasti', 'haemorrhag', 'drug', 'interact', 'pulmonari', 'arteri', 'hypertens', 'condit', 'aggrav', 'scar', 'road', 'traffic', 'accid', 'stoma', 'site', 'haemorrhag', 'herp', 'zoster', 'hypersensit', 'inguin', 'hernia', 'diabet', 'mellitu', 'respiratori', 'failur', 'syndrom', 'therapeut', 'respons', 'decreas', 'seros', 'arthropathi', 'dermat', 'fatigu', 'pyrexia', 'iri', 'atroph', 'headach', 'death', 'death', 'atrial', 'fibril', 'suicid', 'ideat', 'paraesthesia', 'hyposaesthesia', 'arthralgia', 'myalgia', 'hypergammaglobulinaemia', 'vitamin', 'defici', 'nephrolithiasi', 'drug', 'hypersensit', 'dizzi', 'hypoaesthesia', 'weight', 'increas', 'hypoglycaemia', 'impair', 'drive', 'abil', 'advers', 'reaction', 'swell', 'face', 'local', 'swell', 'eye', 'swell', 'pruritu', 'dyspnoea', 'swollen', 'tongu', 'lip', 'swell', 'amoeb', 'coliti', 'necrotis', 'coliti', 'applic', 'site', 'paraesthesia', 'applic', 'site', 'pain', 'applic', 'site', 'erythema', 'applic', 'site', 'exfoli', 'drug', 'administr', 'error', 'inappropri', 'schedule', 'drug', 'administr', 'swell', 'face', 'eye', 'swell', 'thermal', 'burn', 'urinari', 'tract', 'infect', 'pelvic', 'pain', 'uterin', 'perfor', 'devic', 'disloc', 'devic', 'difficult', 'use', 'abdomin', 'pain', 'pyrexia', 'injuri', 'emot', 'distress', 'devic', 'disloc', 'devic', 'devic', 'devic', 'devic', 'devic', 'devic', 'discomfort', 'genit', 'haemorrhag', 'intern', 'injuri', 'depress', 'anxieti', 'infertil', 'femal', 'depress', 'mood', 'fear', 'acut', 'myocardi', 'infarct', 'paraesthesia', 'hypoaesthesia', 'headach', 'chest', 'pain', 'dyspnoea', 'intent', 'drug', 'misus', 'erect', 'increas', 'pain', 'erect', 'drug', 'ineffect', 'uterin', 'perfor', 'procedur', 'pain', 'abdomin', 'pain', 'dysmenorrhoea', 'abdomin', 'pain', 'lower', 'menstruat', 'irregular', 'cardiac', 'failur', 'congest', 'weight', 'increas', 'sinus', 'headach', 'peripher', 'swell', 'vomit', 'grand', 'mal', 'convuls', 'incorrect', 'dose', 'administ', 'incorrect', 'drug', 'administr', 'durat', 'label', 'use', 'drug', 'hypersensit', 'vitreou', 'disord', 'visual', 'acuiti', 'reduc', 'blind', 'transient', 'vision', 'blur', 'blind', 'eye', 'inflamm', 'blind', 'transient', 'incorrect', 'product', 'storag', 'haemoptysi', 'pulmonari', 'haemorrhag', 'hypoaesthesia', 'oral', 'hypoaesthesia', 'confusion', 'state', 'muscl', 'twitch', 'blood', 'calcium', 'decreas', 'pyrexia', 'pain', 'benign', 'prostat', 'hyperplasia', 'renal', 'failur', 'acut', 'nasal', 'discomfort', 'rhinorrhoea', 'lacrim', 'increas', 'ageusia', 'type', 'diabet', 'mellitu', 'malais', 'asthenia', 'weight', 'increas', 'depress', 'self', 'injuri', 'behaviour', 'osteoarthr', 'periarthr', 'generalis', 'oedema', 'abdomin', 'distens', 'blood', 'albumin', 'decreas', 'fluid', 'retent', 'malais', 'product', 'substitut', 'issu', 'applic', 'site', 'dryness', 'applic', 'site', 'pruritu', 'applic', 'site', 'exfoli', 'pustular', 'psoriasi', 'onychomadesi', 'alopecia', 'psoriasi', 'applic', 'site', 'dryness', 'applic', 'site', 'exfoli', 'applic', 'site', 'pain', 'applic', 'site', 'erythema', 'leukaemia', 'fluid', 'retent', 'cardiac', 'failur', 'malais', 'influenza', 'like', 'ill', 'flatul', 'nausea', 'abdomin', 'pain', 'upper', 'gastrointestin', 'disord', 'vision', 'blur', 'eye', 'swell', 'applic', 'site', 'vesicl', 'applic', 'site', 'erythema', 'drug', 'administr', 'inappropri', 'site', 'incorrect', 'drug', 'administr', 'durat', 'incorrect', 'drug', 'administr', 'durat', 'pyrexia', 'unrespons', 'stimuli', 'hypotonia', 'atrial', 'fibril', 'sick', 'sinu', 'syndrom', 'ischaem', 'stroke', 'erythema', 'drug', 'administr', 'inappropri', 'site', 'contus', 'vagin', 'haemorrhag', 'dizzi', 'feel', 'abnorm', 'chromaturia', 'haematuria', 'drug', 'interact', 'drug', 'reaction', 'eosinophilia', 'system', 'symptom', 'pyrexia', 'rash', 'prurit', 'hepat', 'blood', 'thyroid', 'stimul', 'hormon', 'increas', 'anaemia', 'dyspnoea', 'haemoglobin', 'decreas', 'dyspnoea', 'oxygen', 'consumpt', 'increas', 'drug', 'ineffect', 'applic', 'site', 'pruritu', 'applic', 'site', 'swell', 'applic', 'site', 'erythema', 'acut', 'generalis', 'exanthemat', 'pustulosi', 'drug', 'intoler', 'fluid', 'retent', 'cardiac', 'failur', 'congest', 'anxieti', 'palpit', 'headach', 'kouni', 'syndrom', 'acut', 'myocardi', 'infarct', 'coeliac', 'diseas', 'abdomin', 'pain', 'upper', 'abdomin', 'discomfort', 'gastrointestin', 'sound', 'abnorm', 'drug', 'administr', 'error', 'death', 'applic', 'site', 'erythema', 'applic', 'site', 'irrit', 'applic', 'site', 'exfoli', 'drug', 'administr', 'inappropri', 'site', 'dizzi', 'fatigu', 'asthenia', 'product', 'qualiti', 'issu', 'pulmonari', 'oedema', 'dyspnoea', 'oedema', 'drug', 'ineffect', 'burn', 'sensat', 'toe', 'amput', 'wound', 'infect', 'staphylococc', 'osteomyel', 'therapeut', 'respons', 'acut', 'sinus', 'thrombophleb', 'superfici', 'confusion', 'state', 'deep', 'vein', 'thrombosi', 'rectal', 'haemorrhag', 'drug', 'interact', 'glucos', 'toler', 'impair', 'product', 'substitut', 'issu', 'glycosyl', 'haemoglobin', 'increas', 'renal', 'failur', 'acut', 'continuu', 'haemodiafiltr', 'renal', 'tubular', 'necrosi', 'drug', 'interact', 'product', 'substitut', 'issu', 'product', 'qualiti', 'issu', 'feel', 'jitteri', 'convuls', 'sinu', 'bradycardia', 'electrocardiogram', 'chang', 'qr', 'axi', 'abnorm', 'fall', 'head', 'injuri', 'loss', 'conscious', 'myoclonu', 'tardiv', 'dyskinesia', 'complex', 'partial', 'seizur', 'rash', 'drug', 'erupt', 'hepat', 'function', 'abnorm', 'alanin', 'aminotransferas', 'increas', 'toxic', 'epiderm', 'necrolysi', 'bone', 'marrow', 'transplant', 'drug', 'ineffect', 'foetal', 'anticonvuls', 'syndrom', 'matern', 'drug', 'affect', 'foetu', 'serotonin', 'syndrom', 'acidosi', 'drug', 'interact', 'urethr', 'stenosi', 'procedur', 'complic', 'tachycardia', 'swell', 'face', 'joint', 'swell', 'malais', 'nausea', 'salivari', 'hypersecret', 'headach', 'arthralgia', 'muscl', 'spasm', 'vomit', 'weight', 'decreas', 'anger', 'psychot', 'disord', 'major', 'depress', 'anxieti', 'suicid', 'ideat', 'neck', 'pain', 'vertigo', 'fall', 'nuclear', 'magnet', 'reson', 'imag', 'brain', 'abnorm', 'epilepsi', 'feel', 'drug', 'hypersensit', 'depend', 'fluid', 'retent', 'weight', 'increas', 'constip', 'abdomin', 'pain', 'upper', 'impair', 'gastric', 'empti', 'applic', 'site', 'erythema', 'cerebr', 'venou', 'thrombosi', 'venou', 'haemorrhag', 'convuls', 'dizzi', 'vertigo', 'diarrhoea', 'pruritu', 'generalis', 'gastrooesophag', 'reflux', 'diseas', 'condit', 'aggrav', 'applic', 'site', 'erythema', 'applic', 'site', 'scab', 'applic', 'site', 'pustul', 'applic', 'site', 'vesicl', 'sinus', 'periton', 'claudi', 'effluent', 'wound', 'periton', 'pseudomona', 'test', 'posit', 'sleep', 'terror', 'panic', 'attack', 'unevalu', 'event', 'movement', 'disord', 'dyspnoea', 'hypotens', 'blood', 'creatinin', 'increas', 'applic', 'site', 'erythema', 'applic', 'site', 'vesicl', 'fungal', 'periton', 'periton', 'anuria', 'bladder', 'catheteris', 'drug', 'administr', 'inappropri', 'site', 'dyspnoea', 'pulmonari', 'thrombosi', 'thrombosi', 'toxic', 'shock', 'syndrom', 'muscl', 'spasm', 'abdomin', 'pain', 'shock', 'hepat', 'fulmin', 'incorrect', 'dose', 'administr', 'erythrodisaesthesia', 'syndrom', 'wound', 'secret', 'nausea', 'tremor', 'dizzi', 'anxieti', 'headach', 'blood', 'pressur', 'systol', 'increas', 'product', 'label', 'wrong', 'product', 'wrong', 'drug', 'administr', 'hallucin', 'insomnia', 'anxieti', 'intent', 'tinnitu', 'blood', 'pressur', 'increas', 'neuropathi', 'peripher', 'feel', 'abnorm', 'muscl', 'spasm', 'tendon', 'pain', 'muscl', 'tight', 'nasopharyng', 'drug', 'ineffect', 'vomit', 'loss', 'conscious', 'dizzi', 'hyperhidrosi', 'asthenia', 'nausea', 'headach', 'fluid', 'retent', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'haematochezia', 'panic', 'attack', 'aggress', 'cerebrovascular', 'accid', 'hypertens', 'crisi', 'headach', 'visual', 'impair', 'cerebr', 'infarct', 'drug', 'hypersensit', 'cellul', 'bone', 'pain', 'myalgia', 'paraesthesia', 'hypoaesthesia', 'abasia', 'muscular', 'weak', 'fall', 'insomnia', 'trismu', 'advers', 'drug', 'reaction', 'system', 'lupu', 'erythematosu', 'malais', 'drug', 'ineffect', 'death', 'chronic', 'lymphocyt', 'leukaemia', 'disord', 'hospic', 'care', 'hypokalaemia', 'asthenia', 'drug', 'hypersensit', 'haemorrhag', 'paraesthesia', 'oral', 'paraesthesia', 'myalgia', 'arthralgia', 'paraesthesia', 'label', 'use', 'thrombophleb', 'superfici', 'thrombosi', 'dyskinesia', 'skin', 'ulcer', 'skin', 'necrosi', 'wound', 'secret', 'hyperaesthesia',

'erythema', 'discomfort', 'pain', 'extrem', 'biliari', 'sepsi', 'delirium', 'hypoesthesia', 'joint', 'rang', 'motion', 'decreas', 'sensori', 'disturb', 'local', 'swell', 'skin', 'discolour', 'hospitalis', 'fluid', 'retent', 'nausea', 'vomit', 'haemoglobin', 'decreas', 'leukopenia', 'unevalu', 'dizzi', 'therapeut', 'respons', 'increas', 'viscos', 'upper', 'respiratori', 'secret', 'oedema', 'epistaxi', 'dyspnoea', 'nasal', 'congest', 'presyncop', 'cardiac', 'failur', 'oedema', 'balanc', 'disord', 'abasia', 'hypoesthesia', 'muscular', 'weak', 'myelopathi', 'polyneuropathi', 'sensori', 'loss', 'loss', 'propriocept', 'hypersensit', 'fluid', 'retent', 'cerebrovascular', 'accid', 'death', 'unrespons', 'stimuli', 'feel', 'abnorm', 'inappropri', 'schedul', 'drug', 'administr', 'transaminas', 'increas', 'blood', 'glucos', 'increas', 'psychot', 'disord', 'renal', 'impair', 'gastric', 'disord', 'disloc', 'vertebra', 'mobil', 'decreas', 'myocardi', 'infarct', 'lower', 'respiratori', 'tract', 'infect', 'headach', 'dizzi', 'lymphoprolif', 'disord', 'uterin', 'perfor', 'abdomin', 'pain', 'devic', 'defect', 'dyspareunia', 'medic', 'devic', 'discomfort', 'dyspnoea', 'anxieti', 'insomnia', 'local', 'swell', 'peripher', 'cold', 'syncop', 'drug', 'ineffect', 'cough', 'devic', 'disloc', 'pain', 'gener', 'physic', 'health', 'deterior', 'anxieti', 'anhedonia', 'injuri', 'infect', 'pregnanc', 'contracept', 'devic', 'drug', 'ineffect', 'scar', 'night', 'sweat', 'hormon', 'level', 'abnorm', 'menstrual', 'disord', 'uterin', 'perfor', 'injuri', 'pain', 'dyspareunia', 'scar', 'emot', 'distress', 'fear', 'depress', 'anxieti', 'intent', 'overdos', 'speech', 'disord', 'incoher', 'hallucin', 'visual', 'metabol', 'acidosi', 'rhabdomyolysi', 'confusion', 'state', 'hyperkalaemia', 'haemodialysi', 'electrolyt', 'imbal', 'asthenia', 'fluid', 'retent', 'death', 'hypotens', 'tachycardia', 'pregnanc', 'glucos', 'toler', 'impair', 'type', 'diabet', 'mellitu', 'diabet', 'neuropathi', 'glycosyl', 'haemoglobin', 'cerebrovascular', 'accid', 'abasia', 'headach', 'dizzi', 'type', 'diabet', 'mellitu', 'cardiovascular', 'disord', 'liver', 'injuri', 'renal', 'disord', 'death', 'failur', 'overdos', 'escherichia', 'infect', 'lip', 'swell', 'gingiv', 'swell', 'burn', 'sensat', 'paraesthesia', 'oral', 'depress', 'drug', 'hypersensit', 'suicid', 'ideat', 'weight', 'decreas', 'insomnia', 'pemphigoid', 'pneumon', 'jugular', 'vein', 'thrombosi', 'diseas', 'progress', 'lung', 'neoplasm', 'malign', 'chemic', 'injuri', 'pain', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'irrit', 'bowel', 'syndrom', 'clostridium', 'difficil', 'infect', 'inflammatori', 'bowel', 'diseas', 'chest', 'discomfort', 'tachycardia', 'dyspnoea', 'hypertens', 'anxieti', 'death', 'chemic', 'injuri', 'chemic', 'burn', 'skin', 'uterin', 'perfor', 'devic', 'disloc', 'pelvic', 'pain', 'abdomin', 'pain', 'injuri', 'emot', 'distress', 'medic', 'devic', 'complic', 'intern', 'injuri', 'medic', 'devic', 'discomfort', 'depress', 'anxieti', 'depress', 'mood', 'fear', 'genit', 'haemorrhag', 'devic', 'issu', 'inject', 'site', 'nodul', 'inject', 'site', 'discolour', 'inject', 'site', 'dryness', 'product', 'qualiti', 'issu', 'serotonin', 'syndrom', 'drug', 'level', 'increas', 'drug', 'interact', 'type', 'diabet', 'mellitu', 'pain', 'uterin', 'perfor', 'complic', 'devic', 'remov', 'injuri', 'label', 'use', 'devic', 'breakag', 'emot', 'distress', 'depress', 'dyspnoea', 'abdomin', 'pain', 'upper', 'flush', 'nausea', 'neutropenia', 'leukopenia', 'mental', 'statu', 'chang', 'pain', 'chemic', 'injuri', 'blister', 'neuropathi', 'peripher', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'chest', 'pain', 'tinnitu', 'headach', 'vision', 'blur', 'infus', 'relat', 'reaction', 'hyperhidrosi', 'flush', 'nausea', 'dyspnoea', 'hypoxia', 'product', 'qualiti', 'issu', 'accident', 'exposur', 'product', 'eye', 'irrit', 'burn', 'sensat', 'eye', 'pain', 'ocular', 'hyperaemia', 'visual', 'acuiti', 'reduc', 'visual', 'impair', 'optic', 'neuriti', 'eye', 'pain', 'pulmonari', 'embol', 'poor', 'venou', 'access', 'troponin', 'increas', 'cardiac', 'ventricular', 'disord', 'brain', 'natriuret', 'peptid', 'increas', 'ischaemia', 'respiratori', 'failur', 'escherichia', 'urinari', 'tract', 'infect', 'epistaxi', 'diseas', 'recurr', 'drug', 'hypersensit', 'enceph', 'asthenia', 'melaena', 'anaemia', 'gastriti', 'eros', 'oesophag', 'gastrointestin', 'haemorrhag', 'cerebrovascular', 'accid', 'type', 'diabet', 'mellitu', 'glucos', 'toler', 'impair', 'cerebrovascular', 'accid', 'coronari', 'arteri', 'thrombosi', 'pulmonari', 'thrombosi', 'type', 'diabet', 'mellitu', 'epistaxi', 'sneez', 'atrial', 'fibril', 'nausea', 'dehydr', 'cardiac', 'arrest', 'abdomin', 'pain', 'malign', 'melanoma', 'situ', 'agranulocytosi', 'influenza', 'lymphopenia', 'syncop', 'nasopharyng', 'dementia', 'type', 'central', 'nervou', 'system', 'lesion', 'vision', 'blur', 'scratch', 'hypoesthesia', 'hypoesthesia', 'alopecia', 'paraesthesia', 'pruritu', 'inappropriate', 'schedul', 'drug', 'administr', 'diseas', 'progress', 'myocardi', 'infarct', 'metabol', 'acidosi', 'renal', 'failur', 'acut', 'rhabdomyolysi', 'encephalopathi', 'propofol', 'infus', 'syndrom', 'muscular', 'weak', 'muscular', 'weak', 'neurolog', 'symptom', 'nuclear', 'magnet', 'reson', 'imag', 'abnorm', 'mening', 'fungal', 'injection', 'site', 'pain', 'suspect', 'transmiss', 'infecti', 'agent', 'via', 'product', 'diseas', 'progress', 'fall', 'pain', 'extrem', 'nerv', 'injuri', 'tendon', 'injuri', 'type', 'diabet', 'mellitu', 'diverticular', 'perfor', 'abscess', 'diverticul', 'death', 'type', 'diabet', 'mellitu', 'respiratori', 'failur', 'label', 'use', 'devic', 'disloc', 'abdomin', 'pain', 'upper', 'nausea', 'vomit', 'death', 'diabet', 'ketoacidosi', 'trigemin', 'palsi', 'devic', 'disloc', 'vomit', 'pregnanc', 'contracept', 'devic', 'nausea', 'drug', 'ineffect', 'genit', 'haemorrhag', 'abdomin', 'pain', 'lower', 'cyst', 'devic', 'deploy', 'issu', 'asthenia', 'rash', 'prurit', 'hepat', 'c', 'rna', 'increas', 'dysuria', 'influenza', 'like', 'ill', 'transfus', 'agranulocytosi', 'pyrexia', 'bone', 'marrow', 'failur', 'pneumonia', 'drug', 'effect', 'decreas', 'product', 'substitut', 'issu', 'mening', 'fungal', 'transmiss', 'infecti', 'agent', 'via', 'product', 'asthenia', 'vomit', 'coma', 'mening', 'fungal', 'inject', 'site', 'pain', 'inject', 'site', 'oedema', 'transmiss', 'infecti', 'agent', 'via', 'product', 'thrombosi', 'fall', 'haematoma', 'investig', 'advers', 'event', 'pulmonari', 'embol', 'cerebrovascular', 'accid', 'condit', 'aggrav', 'product', 'substitut', 'issu', 'ovarian', 'cyst', 'pain', 'loss', 'conscious', 'hospitalis', 'hospitalis', 'gait', 'disturb', 'balanc', 'disord', 'hernia', 'alopecia', 'inject', 'site', 'pain', 'suspect', 'transmiss', 'infecti', 'agent', 'via', 'product', 'hypersensit', 'vascul', 'nephrit', 'syndrom', 'haematuria', 'renal', 'failur', 'acut', 'renal', 'failur', 'chronic', 'nephrot', 'syndrom', 'pneumonia', 'bronchiti', 'rash', 'death', 'convuls', 'hypokinesia', 'skin', 'necrosi', 'decubitu', 'ulcer', 'multimorbid', 'bronchiti', 'blood', 'potassium', 'decreas', 'hypophagia', 'microangiopath', 'haemolyt', 'anaemia', 'thrombot', 'microangiopathi', 'renal', 'failur', 'acut', 'substanc', 'abus', 'fluid', 'overload', 'hypersensit', 'inflamm', 'pruritu', 'skin', 'irrit', 'applic', 'site', 'swell', 'applic', 'site', 'erythema', 'product', 'gel', 'format', 'skin', 'exfoli', 'applic', 'site', 'pain', 'pruritu', 'applic', 'site', 'pain', 'disturb', 'attent', 'applic', 'site', 'eros', 'implant', 'site', 'infect', 'devic', 'expuls', 'pleural', 'effus', 'fluid', 'overload', 'uterin', 'perfor', 'abdomin', 'pain', 'gener', 'physic', 'health', 'deterior', 'anxieti', 'anhedonia', 'infect', 'emot', 'distress', 'uterin', 'fibrosi', 'pregnanc', 'contracept', 'devic', 'malais', 'abort', 'spontan', 'human', 'chorion', 'gonadotropin', 'decreas', 'acid', 'migrain', 'label', 'interact', 'medic', 'error', 'patholog', 'fractur', 'microangiopath', 'haemolyt', 'anaemia', 'thrombot', 'microangiopathi', 'renal', 'failur', 'acut', 'drug', 'abus', 'polysubst', 'depend', 'influenza', 'like', 'ill', 'dehydr', 'fall', 'ankl', 'fractur', 'pyrexia', 'abdomin', 'hernia', 'condit', 'aggrav', 'decreas', 'appetit', 'weight', 'decreas', 'periton', 'periton', 'dialysi', 'complic', 'pneumonia', 'pneumothorax', 'anaemia', 'constip', 'gait', 'disturb', 'abnorm', 'behaviour', 'muscl', 'spastic', 'drug', 'withdraw', 'syndrom', 'nervou', 'system', 'disord', 'devic', 'disloc', 'muscl', 'tight', 'devic', 'issu', 'malais', 'hypertonia', 'scoliosi', 'rash', 'papulosequam', 'pyrexia', 'face', 'oedema', 'rash', 'pustular', 'blister', 'splenomegali', 'haemoglobin', 'decreas', 'blood', 'creatinin', 'increas', 'dehydr', 'herp', 'zoster', 'confusion', 'state', 'blood', 'glucos', 'increas', 'hypertens', 'nausea', 'vomit', 'septic', 'shock', 'drug', 'ineffect', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'pulmonari', 'oedema', 'viral', 'infect', 'pancreat', 'haematemesi', 'death', 'label', 'use', 'surgeri', 'stress', 'fractur', 'hernia', 'paraesthesia', 'cystiti', 'kidney', 'infect', 'flesh', 'acn', 'contus', 'erythema', 'swollen', 'tongu', 'urinari', 'tract', 'infect', 'influenza', 'alopecia', '

cellul', 'cauda', 'equina', 'syndrom', 'diseas', 'progress', 'urinari', 'retent', 'partial', 'seizur', 'secondar  
i', 'generalis', 'label', 'use', 'pulmonari', 'arteri', 'hypertens', 'hypertens', 'renal', 'arteri', 'stenosi',  
'exposur', 'pregnanc', 'pneumonia', 'genit', 'haemorrhag', 'diarrhoea', 'dehydr', 'clostridium', 'difficil', 'in  
fect', 'dehydr', 'cerebrovascular', 'accid', 'aphasia', 'atrial', 'flutter', 'dehydr', 'vomit', 'cerebrovascular',  
'accid', 'intestin', 'obstruct', 'hydronephrosi', 'inject', 'site', 'pain', 'inject', 'site', 'reaction', 'in  
ject', 'site', 'nodul', 'incorrect', 'rout', 'drug', 'administr', 'therapeut', 'respons', 'infect', 'pneumonia',  
'cognit', 'disord', 'myocardi', 'infarct', 'cardiac', 'failur', 'congest', 'atrial', 'fibril', 'gastric', 'disor  
d', 'cardiac', 'failur', 'congest', 'mitral', 'valv', 'incompet', 'tricuspid', 'valv', 'incompet', 'diabet', 'me  
llitu', 'inadequ', 'control', 'hyperglycaemia', 'pneumonia', 'pulmonari', 'oedema', 'hypertens', 'crisi', 'anaph  
ylact', 'reaction', 'pyrexia', 'muscl', 'rigid', 'swollen', 'tongu', 'dyspepsia', 'procedur', 'pain', 'periton',  
'diseas', 'renal', 'failur', 'adren', 'insuffici', 'asthenia', 'fatigu', 'hypotens', 'alopecia', 'cardiac', 'fai  
lur', 'congest', 'anaemia', 'gastrointestin', 'haemorrhag', 'gastriti', 'chest', 'pain', 'nephrolithiasi', 'bact  
eri', 'infect', 'pneumonia', 'hypersensit', 'influenza', 'oral', 'herp', 'steatohepat', 'nephrogen', 'system', 'f  
ibrosi', 'investig', 'hernia', 'inguin', 'hernia', 'hydrocel', 'cardiac', 'oper', 'gastric', 'haemorrhag', 'bre  
ast', 'cancer', 'metastat', 'nasopharyng', 'drug', 'hypersensit', 'hypersensit', 'infect', 'tongu', 'ulcer', 'bo  
di', 'temperatur', 'increas', 'swell', 'face', 'chill', 'gingiv', 'pain', 'oedema', 'mouth', 'tongu', 'ulcer', 'm  
alais', 'lip', 'ulcer', 'lip', 'swell', 'swollen', 'tongu', 'anaphylactoid', 'reaction', 'drug', 'dispens', 'er  
ror', 'intern', 'normalis', 'ratio', 'decreas', 'drug', 'interact', 'drug', 'interact', 'vitamin', 'k', 'defici  
'pneumonia', 'cardiac', 'disord', 'death', 'disord', 'pneumonia', 'muscl', 'spasm', 'presyncop', 'blind', 'chr  
onic', 'respiratori', 'failur', 'dyspnoea', 'death', 'pneumonia', 'cardiac', 'failur', 'congest', 'diabet', 'mel  
litu', 'rheumatoid', 'arthriti', 'hypertens', 'anaemia', 'osteoarthr', 'coronari', 'arteri', 'diseas', 'fall', 'w  
rist', 'fractur', 'advers', 'event', 'overdos', 'coma', 'scale', 'abnorm', 'heart', 'rate', 'decreas', 'blood',  
'pressur', 'systol', 'decreas', 'metabol', 'acidosi', 'breast', 'cancer', 'cardiac', 'failur', 'coronari', 'arte  
ri', 'diseas', 'pneumonia', 'aspir', 'aspir', 'hypoxia', 'respiratori', 'failur', 'oxygen', 'supplemen  
t', 'pneumonia', 'diarrhoea', 'fatigu', 'dehydr', 'asthenia', 'hypokalaemia', 'alopecia', 'fluid', 'replac', 'we  
ight', 'decreas', 'decreas', 'appetit', 'cough', 'nausea', 'vomit', 'pertussi', 'cough', 'dyspnoea', 'erythema',  
'cyanosi', 'post', 'procedur', 'infect', 'blood', 'pressur', 'increas', 'diabet', 'gangren', 'advers', 'event',  
'advers', 'event', 'periton', 'dialysi', 'complic', 'drug', 'hypersensit', 'death', 'abnorm', 'behaviour', 'myoc  
ardi', 'infarct', 'seroma', 'infect', 'pain', 'eye', 'disord', 'loss', 'conscious', 'fall', 'headach', 'eye', 'i  
nfect', 'unevalu', 'event', 'aplast', 'anaemia', 'myelodysplast', 'syndrom', 'unevalu', 'event', 'myocardi', 'in  
farct', 'heart', 'valv', 'incompet', 'peripher', 'swell', 'thrombocytopenia', 'drug', 'hypersensit', 'drug', 're  
action', 'eosinophilia', 'system', 'symptom', 'death', 'fungal', 'periton', 'periton', 'dialysi', 'complic', 'my  
ocardi', 'infarct', 'sepsi', 'incis', 'site', 'infect', 'enterococc', 'infect', 'toxic', 'skin', 'erupt', 'eczem  
a', 'alopecia', 'rash', 'generalis', 'depress', 'pruritu', 'generalis', 'generalis', 'erythema', 'exposur', 'pre  
gnanc', 'product', 'qualiti', 'issu', 'blood', 'glucos', 'increas', 'blood', 'creatinin', 'decreas', 'renal', 'p  
ain', 'nausea', 'convers', 'disord', 'protein', 'total', 'decreas', 'insomnia', 'exposur', 'pregnanc', 'abasia',  
'nervou', 'system', 'disord', 'hypoaesthesia', 'hypoaesthesia', 'muscular', 'weak', 'gait', 'disturb', 'hernia',  
'gastrointestin', 'haemorrhag', 'drug', 'interact', 'thrombosi', 'label', 'use', 'thrombocytopenia', 'macrogloss  
ia', 'wheez', 'oxygen', 'satur', 'decreas', 'transient', 'ischae', 'attack', 'interstiti', 'lung', 'diseas', 'a  
sthenia', 'abnorm', 'behaviour', 'disord', 'stereotypi', 'anxieti', 'psychomotor', 'hyperact', 'ageusia', 'hypos  
mia', 'alter', 'state', 'conscious', 'enceph', 'viral', 'throat', 'tight', 'influenza', 'migrain', 'nausea', 'di  
arrhoea', 'influenza', 'like', 'ill', 'advers', 'drug', 'reaction', 'chill', 'immunoglobulin', 'decreas', 'malai  
s', 'sinu', 'disord', 'respiratori', 'disord', 'syndrom', 'stomat', 'necrotis', 'bronchopneumonia', 'erythema',  
'multiform', 'oral', 'mucos', 'blister', 'swell', 'face', 'pyrexia', 'cough', 'oropharyng', 'pain', 'vomit', 'er  
ythema', 'lip', 'swell', 'cheiliti', 'lip', 'haemorrhag', 'oral', 'mucosa', 'eros', 'mouth', 'haemorrhag', 'tong  
u', 'blister', 'penil', 'ulcer', 'hypophagia', 'enter', 'nutrit', 'lip', 'eros', 'dermat', 'blister', 'mucou', 'm  
embran', 'disord', 'tongu', 'coat', 'scab', 'skin', 'degen', 'disord', 'dysgeusia', 'hepatocellular', 'injuri',  
'hepat', 'syndrom', 'toxic', 'epiderm', 'necrolysi', 'rash', 'skin', 'exfoli', 'gastrointestin', 'mucos', 'exfol  
i', 'oral', 'mucos', 'exfoli', 'pyrexia', 'label', 'use', 'failur', 'atrial', 'flutter', 'overdos', 'angl', 'clo  
sur', 'glaucoma', 'angl', 'closur', 'glaucoma', 'loss', 'conscious', 'psychomotor', 'hyperact', 'intent', 'overd  
os', 'neoplasm', 'malign', 'anaphylact', 'shock', 'flush', 'dizzi', 'pruritu', 'rash', 'blood', 'pressur', 'dias  
tol', 'decreas', 'dyskinesia', 'eye', 'movement', 'disord', 'urinari', 'incontin', 'faecal', 'incontin', 'puls',  
'absent', 'infus', 'relat', 'reaction', 'loss', 'conscious', 'febril', 'neutropenia', 'unevalu', 'event', 'blood',  
'albumin', 'decreas', 'protein', 'total', 'decreas', 'failur', 'thrive', 'decubitu', 'ulcer', 'dyspepsia', 'a  
phagia', 'dyspnoea', 'stomat', 'hepat', 'c', 'neurotox', 'visual', 'acuiti', 'reduc', 'burn', 'sensat', 'rale',  
'dyspnoea', 'respiratori', 'disord', 'condit', 'aggrav', 'diseas', 'progress', 'jaundic', 'portal', 'vein', 'occ  
lus', 'oedema', 'peripher', 'rash', 'erysipela', 'varicos', 'vein', 'urticaria', 'neonat', 'respiratori', 'distr  
ess', 'syndrom', 'restless', 'foetal', 'exposur', 'pregnanc', 'urinari', 'tract', 'infect', 'pneumonia', 'sepsi',  
'infect', 'skin', 'ulcer', 'cellul', 'subcutan', 'abscess', 'staphylococc', 'infect', 'hypotens', 'gastric', 'in  
fect', 'gastrointestin', 'haemorrhag', 'gastrointestin', 'infect', 'liver', 'disord', 'feed', 'disord', 'neona  
t', 'hydrocel', 'cri', 'hypotonia', 'foetal', 'exposur', 'pregnanc', 'exposur', 'breast', 'feed', 'cardiac', 'fa  
ilur', 'congest', 'gastrointestin', 'haemorrhag', 'haemorrhoid', 'haemorrhag', 'gait', 'disturb', 'dehydr', 'sys  
tem', 'inflammatori', 'respons', 'syndrom', 'renal', 'failur', 'acut', 'failur', 'nephrogen', 'system', 'fibrosi',  
'periton', 'bacteri', 'asthenia', 'mental', 'statu', 'chang', 'cerebrovascular', 'accid', 'cardiac', 'disord',  
'arteri', 'disord', 'periton', 'gastroenter', 'viral', 'anaphylact', 'shock', 'anaphylact', 'reaction', 'arres  
t', 'hyperkalaemia', 'dysgeusia', 'haematuria', 'pyrexia', 'myalgia', 'urinari', 'tract', 'infect', 'type', 'dia  
bet', 'mellitu', 'aphasia', 'fanconi', 'syndrom', 'renal', 'tubular', 'acidosi', 'electrolyt', 'imbal', 'condit',  
'aggrav', 'secondari', 'progress', 'multipl', 'sclerosi', 'intestin', 'perfor', 'irrit', 'bowel', 'syndrom', 'a  
sthma', 'periton', 'effluent', 'abnorm', 'periton', 'dehydr', 'constip', 'seborrho', 'dermat', 'scar', 'gastroi  
ntestin', 'motil', 'disord', 'muscular', 'weak', 'acn', 'constip', 'urinari', 'tract', 'infect', 'pollakiuria',  
'temperatur', 'intoler', 'gait', 'disturb', 'urinari', 'retent', 'vitamin', 'defici', 'furuncul', 'paraesthesia',  
'pain', 'hepat', 'enzym', 'increas', 'drug', 'dose', 'omiss', 'abdomin', 'discomfort', 'feel', 'hot', 'dysuria',  
'asthenia', 'multipl', 'sclerosi', 'relaps', 'blood', 'alkalin', 'phosphatas', 'increas', 'diabet', 'neuropathi',  
'type', 'diabet', 'mellitu', 'methaemoglobinaemia', 'pneumonia', 'type', 'diabet', 'mellitu', 'convuls', 'drug',  
'abus', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'pneumocysti', 'jirovecii', 'infect', 'lymphopeni  
a', 'dyspnoea', 'feel', 'abnorm', 'breast', 'disord', 'femal', 'staphylococc', 'infect', 'cellul', 'type', 'diab  
et', 'mellitu', 'abdomin', 'wall', 'haemorrhag', 'abdomin', 'pain', 'abort', 'spontan', 'abdomin', 'pain', 'brea  
st', 'disord', 'type', 'diabet', 'mellitu', 'hypothyroid', 'type', 'diabet', 'mellitu', 'drug', 'ineffect', 'tor  
ticolli', 'renal', 'disord', 'type', 'diabet', 'mellitu', 'nephrolithiasi', 'type', 'diabet', 'mellitu', 'type',  
'diabet', 'mellitu', 'pneumonia', 'septic', 'shock', 'acut', 'respiratori', 'distress', 'syndrom', 'drug', 'inef  
fect', 'type', 'diabet', 'mellitu', 'drug', 'dispens', 'error', 'drug', 'prescrib', 'error', 'wrong', 'drug', 'a  
dminist', 'dizzi', 'asthenia', 'hypoaesthesia', 'heart', 'rate', 'increas', 'mental', 'statu', 'chang', 'blood',  
'potassium', 'decreas', 'blood', 'glucos', 'decreas', 'local', 'swell', 'musculoskelet', 'stiff', 'peripher', 'c

old', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'respiratori', 'depress', 'oxygen', 'satur', 'decreas', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'epistaxi', 'drug', 'interact', 'gastrointestin', 'haemorrhag', 'dehydr', 'pneumonia', 'failur', 'type', 'diabet', 'mellitu', 'cerebrovascular', 'accid', 'convuls', 'nephropathi', 'toxic', 'haemorrhag', 'drug', 'interact', 'complet', 'suicid', 'intent', 'product', 'misus', 'seizur', 'like', 'phenomena', 'fatigu', 'muscl', 'spasm', 'type', 'diabet', 'mellitu', 'neuropathi', 'peripher', 'local', 'swell', 'fatigu', 'gait', 'disturb', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'diabet', 'neuropathi', 'impair', 'drive', 'abil', 'diabet', 'vascular', 'disord', 'type', 'diabet', 'mellitu', 'visual', 'impair', 'type', 'diabet', 'mellitu', 'transfus', 'arrhythmia', 'type', 'diabet', 'mellitu', 'central', 'nervou', 'system', 'lesion', 'urinari', 'retent', 'wound', 'dehisc', 'myelodysplasia', 'syndrom', 'benign', 'breast', 'neoplasm', 'prescrib', 'underdos', 'periton', 'bacteri', 'lipid', 'metabol', 'disord', 'fluid', 'retent', 'diabet', 'vascular', 'disord', 'diabet', 'complic', 'abdomin', 'pain', 'upper', 'neuralgia', 'cardiovascular', 'disord', 'type', 'diabet', 'mellitu', 'asthma', 'haemoptysi', 'pneumonia', 'aspir', 'anaemia', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'rectal', 'haemorrhag', 'drug', 'interact', 'increas', 'aspart', 'aminotransferas', 'increas', 'alanin', 'aminotransferas', 'increas', 'blood', 'alkalin', 'phosphatas', 'increas', 'type', 'diabet', 'mellitu', 'arteri', 'disord', 'chest', 'pain', 'type', 'diabet', 'mellitu', 'glucos', 'toler', 'impair', 'diarrhoea', 'nausea', 'abdomin', 'pain', 'vomit', 'type', 'diabet', 'mellitu', 'blind', 'neuropathi', 'peripher', 'glucos', 'toler', 'impair', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'neuropathi', 'peripher', 'type', 'diabet', 'mellitu', 'hypersensit', 'atrial', 'fibril', 'type', 'diabet', 'mellitu', 'death', 'type', 'diabet', 'mellitu', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'type', 'diabet', 'mellitu', 'cerebrovascular', 'accid', 'pulmonari', 'thrombosi', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'aphagia', 'haematochezia', 'eruct', 'appetit', 'disord', 'nausea', 'food', 'avers', 'abdomin', 'pain', 'upper', 'type', 'diabet', 'mellitu', 'oedema', 'type', 'diabet', 'mellitu', 'haematemesi', 'hyperpyrexia', 'melaena', 'sepsi', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'death', 'cholecyst', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'abdomin', 'pain', 'upper', 'sneez', 'rhinorrhoea', 'nausea', 'dyspepsia', 'diarrhoea', 'pain', 'product', 'packag', 'quantity', 'issu', 'drug', 'administ', 'inappropri', 'site', 'weight', 'increas', 'type', 'diabet', 'mellitu', 'bone', 'infarct', 'dysgeusia', 'accident', 'exposur', 'product', 'analges', 'asthma', 'syndrom', 'wheez', 'cough', 'rhinorrhoea', 'chest', 'discomfort', 'nasal', 'congest', 'angioedema', 'erythema', 'nasal', 'congest', 'diseas', 'progress', 'label', 'use', 'diseas', 'drug', 'ineffect', 'incorrect', 'administ', 'product', 'qualiti', 'issu', 'applic', 'site', 'vesicl', 'applic', 'site', 'scar', 'skin', 'cancer', 'weight', 'decreas', 'diarrhoea', 'convuls', 'drug', 'hypersensit', 'headach', 'type', 'diabet', 'mellitu', 'peripher', 'swell', 'incorrect', 'drug', 'administ', 'durat', 'product', 'packag', 'quantity', 'issu', 'respiratori', 'distress', 'drug', 'hypersensit', 'death', 'applic', 'site', 'dryness', 'applic', 'site', 'vesicl', 'applic', 'site', 'erythema', 'drug', 'ineffect', 'inappropri', 'schedul', 'drug', 'administ', 'drug', 'ineffect', 'peripher', 'swell', 'fluid', 'retent', 'applic', 'site', 'dryness', 'applic', 'site', 'reaction', 'applic', 'site', 'pain', 'applic', 'site', 'erythema', 'applic', 'site', 'pain', 'drug', 'administ', 'error', 'fall', 'rib', 'fractur', 'facial', 'bone', 'fractur', 'throat', 'tight', 'hypersensit', 'swollen', 'tongu', 'drug', 'ineffect', 'applic', 'site', 'erythema', 'applic', 'site', 'vesicl', 'headach', 'incorrect', 'product', 'storag', 'cardiac', 'ablat', 'medic', 'devic', 'implant', 'dermat', 'contact', 'unevalu', 'event', 'applic', 'site', 'pain', 'applic', 'site', 'dryness', 'cardiac', 'failur', 'congest', 'peripher', 'swell', 'death', 'nausea', 'blood', 'count', 'abnorm', 'cardiac', 'disord', 'myocardi', 'infarct', 'atrial', 'fibril', 'chest', 'discomfort', 'dyspnoea', 'asthenia', 'malais', 'urinari', 'incontin', 'abdomin', 'pain', 'upper', 'swell', 'drug', 'interact', 'blood', 'potassium', 'decreas', 'palpit', 'feel', 'cold', 'hypoesthesia', 'think', 'abnorm', 'headach', 'swell', 'pathogen', 'resist', 'infect', 'malais', 'lower', 'respiratori', 'tract', 'infect', 'diabet', 'mellitu', 'overweight', 'differenti', 'white', 'blood', 'cell', 'count', 'abnorm', 'eosinophil', 'count', 'increas', 'white', 'blood', 'cell', 'count', 'increas', 'neutrophil', 'count', 'increas', 'platelet', 'count', 'increas', 'brain', 'injury', 'dizzi', 'vomit', 'cognit', 'disord', 'mental', 'disord', 'anxieti', 'depress', 'panic', 'attack', 'condit', 'aggrav', 'drug', 'ineffect', 'nephrolithiasi', 'gastric', 'ulcer', 'gout', 'chromaturia', 'therapeut', 'respons', 'deaf', 'tinnitu', 'deaf', 'therapeut', 'respons', 'dyspnoea', 'palpit', 'dyspnoea', 'exert', 'fluid', 'retent', 'cough', 'fluid', 'retent', 'asthma', 'intent', 'drug', 'misus', 'applic', 'site', 'vesicl', 'applic', 'site', 'erythema', 'applic', 'site', 'pain', 'incorrect', 'drug', 'administ', 'durat', 'dehydr', 'febril', 'neutropenia', 'death', 'bundl', 'branch', 'block', 'right', 'sinu', 'bradycardia', 'label', 'use', 'arteri', 'occlus', 'diseas', 'blood', 'glucos', 'increas', 'pneumonia', 'loss', 'conscious', 'malais', 'diarrhoea', 'blood', 'glucos', 'increas', 'inject', 'site', 'nodul', 'inject', 'site', 'pruritu', 'inject', 'site', 'extravas', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'urticaria', 'hypersensit', 'pancreat', 'cardiac', 'aneurysm', 'blood', 'glucos', 'increas', 'weight', 'decreas', 'decreas', 'appetit', 'applic', 'site', 'erythema', 'incorrect', 'drug', 'administ', 'durat', 'bladder', 'neoplasm', 'toxic', 'variou', 'agent', 'angioedema', 'hypersensit', 'dyspnoea', 'granulomatosi', 'polyangi', 'immunodefici', 'malais', 'tinnitu', 'metastas', 'central', 'nervou', 'system', 'oedema', 'peripher', 'condit', 'aggrav', 'therapeut', 'respons', 'applic', 'site', 'rash', 'applic', 'site', 'pain', 'applic', 'site', 'erythema', 'applic', 'site', 'scab', 'drug', 'administ', 'inappropri', 'site', 'cardiac', 'failur', 'congest', 'oedema', 'galbladd', 'disord', 'condit', 'aggrav', 'blister', 'qualiti', 'life', 'decreas', 'rib', 'fractur', 'perform', 'statu', 'decreas', 'gait', 'disturb', 'malnutrit', 'pain', 'fall', 'portal', 'vein', 'thrombosi', 'hepatoren', 'syndrom', 'hepat', 'encephalopathi', 'hypoglycaemia', 'disorient', 'somnia', 'drug', 'interact', 'nephrogen', 'system', 'fibrosi', 'pancytopenia', 'applic', 'site', 'erythema', 'applic', 'site', 'pain', 'applic', 'site', 'swell', 'drug', 'dispens', 'error', 'drug', 'dispens', 'error', 'incorrect', 'dose', 'administ', 'anaphylact', 'shock', 'platelet', 'count', 'decreas', 'white', 'blood', 'cell', 'count', 'increas', 'kidney', 'duplex', 'neonat', 'respiratori', 'distress', 'syndrom', 'sudden', 'death', 'basal', 'cell', 'carcinoma', 'febril', 'neutropenia', 'renal', 'pain', 'eye', 'swell', 'eye', 'discharg', 'epistaxi', 'choke', 'vision', 'blur', 'cough', 'syndrom', 'nasopharyng', 'nausea', 'drug', 'effect', 'incomplet', 'muscular', 'weak', 'malnutrit', 'abort', 'spontan', 'pregnanc', 'matern', 'exposur', 'pregnanc', 'pancreat', 'carcinoma', 'pulmonari', 'embol', 'transfus', 'bone', 'pain', 'pulmonari', 'fibrosi', 'pancreat', 'carcinoma', 'respiratori', 'failur', 'stridor', 'cardiovascular', 'disord', 'respiratori', 'disord', 'gener', 'physic', 'health', 'deterior', 'chest', 'discomfort', 'drug', 'ineffect', 'intestin', 'perfor', 'asthma', 'pneumonia', 'paranoia', 'rectal', 'haemorrhag', 'neuropathi', 'peripher', 'oropharyng', 'pain', 'stomat', 'pyrexia', 'intracrani', 'pressur', 'increas', 'vomit', 'abdomin', 'pain', 'nausea', 'papilloedema', 'weight', 'increas', 'somnia', 'extradur', 'abscess', 'staphylococc', 'abscess', 'blood', 'creatin', 'phosphokinas', 'increas', 'blood', 'potassium', 'decreas', 'musculoskelet', 'pain', 'diabet', 'mellitu', 'amnesia', 'type', 'diabet', 'mellitu', 'thyroid', 'cancer', 'type', 'diabet', 'mellitu', 'cardiac', 'arrest', 'myocardi', 'infarct', 'white', 'blood', 'cell', 'count', 'increas', 'neutrophil', 'count', 'increas', 'applic', 'site', 'pustul', 'inappropri', 'schedul', 'drug', 'administ', 'drug', 'administ', 'error', 'eosinophilia', 'pneumothorax', 'lower', 'respiratori', 'tract', 'infect', 'rheumatoid', 'arthritis', 'sepsi', 'pyrexia', 'escherichia', 'test', 'posit', 'klebsiella', 'test', 'posit', 'organ', 'failur', 'aphagia', 'gastrointestin', 'disord', 'arthropathi', 'pituitari', 'tumour', 'remov', 'gastroenter', 'viral', 'diarrhoea', 'headach', 'cardiac', 'disor



d', 'palpit', 'incorrect', 'drug', 'administr', 'durat', 'product', 'packag', 'quantiti', 'issu', 'hospitalis', 'fatigu', 'flatul', 'abdomin', 'distens', 'weight', 'increas', 'embed', 'devic', 'devic', 'breakag', 'type', 'diabet', 'mellitu', 'cardiac', 'failur', 'cardiac', 'procedur', 'complic', 'cardiac', 'disord', 'swell', 'face', 'oral', 'candidiasi', 'glossodynias', 'pharyng', 'dri', 'mouth', 'ageusia', 'protein', 'increas', 'red', 'blood', 'cell', 'sediment', 'rate', 'increas', 'diarrhoea', 'diarrhoea', 'clostridium', 'difficil', 'infect', 'rash', 'anal', 'skin', 'tag', 'influenza', 'label', 'use', 'haemorrhag', 'label', 'use', 'gener', 'physic', 'health', 'deterior', 'applic', 'site', 'swell', 'applic', 'site', 'pruritu', 'syncop', 'asthenia', 'electrocardiogram', 'st', 'segment', 'abnorm', 'subdur', 'haematoma', 'nausea', 'vomit', 'overdos', 'anxieti', 'palpit', 'hypoesthesia', 'paraesthesia', 'decreas', 'appetit', 'death', 'basal', 'ganglia', 'haemorrhag', 'blood', 'pressur', 'systol', 'increas', 'subdur', 'haemorrhag', 'brain', 'stem', 'haemorrhag', 'haematemesi', 'apnoea', 'basal', 'ganglia', 'haemorrhag', 'demyelin', 'cerebr', 'amyloid', 'angiopathi', 'brain', 'death', 'cerebr', 'haemorrhag', 'muscular', 'weak', 'arthriti', 'haemoglobin', 'decreas', 'incorrect', 'dose', 'administ', 'coagul', 'time', 'prolong', 'gastrointestin', 'haemorrhag', 'haemoglobin', 'decreas', 'incorrect', 'dose', 'administ', 'lung', 'neoplasm', 'malign', 'thrombosi', 'pulmonari', 'thrombosi', 'mental', 'statu', 'chang', 'amnesia', 'enceph', 'autoimmun', 'depress', 'oral', 'candidiasi', 'diverticul', 'therapeut', 'respons', 'decreas', 'hypercalcaemia', 'haemoglobin', 'decreas', 'fatigu', 'bone', 'pain', 'death', 'abdomin', 'pain', 'hypotens', 'blood', 'pressur', 'increas', 'bone', 'cancer', 'second', 'primari', 'malign', 'pulmonari', 'oedema', 'back', 'pain', 'hypokinesia', 'termin', 'state', 'musculoskelet', 'pain', 'fistula', 'frequent', 'bowel', 'movement', 'arteri', 'occlus', 'diseas', 'append', 'drug', 'effect', 'decreas', 'neutropenia', 'hyperammonaemia', 'pneumonia', 'restless', 'abnorm', 'behaviour', 'eosinophilia', 'drug', 'ineffect', 'intent', 'eat', 'disord', 'insomnia', 'leukopenia', 'psychiatr', 'symptom', 'pyrexia', 'cough', 'oropharyng', 'pain', 'sinu', 'tachycardia', 'palpit', 'drug', 'withdraw', 'syndrom', 'product', 'packag', 'quantiti', 'issu', 'feel', 'hot', 'pain', 'drug', 'dose', 'omiss', 'therapeut', 'respons', 'decreas', 'pneumonia', 'metastasi', 'prostat', 'cancer', 'pinealoblastoma', 'respiratori', 'tract', 'infect', 'viral', 'spinal', 'fractur', 'drug', 'ineffect', 'applic', 'site', 'exfoli', 'cardiac', 'arrest', 'tachyarrhythmia', 'toxic', 'epiderm', 'necrolysi', 'purpura', 'blister', 'pyrexia', 'skin', 'eros', 'sign', 'skin', 'lesion', 'azotaemia', 'leukopenia', 'conjunct', 'pulmonari', 'sepsi', 'skin', 'exfoli', 'inflamm', 'gener', 'physic', 'health', 'deterior', 'hyperglycaemia', 'wound', 'heal', 'normal', 'renal', 'failur', 'breast', 'cancer', 'stage', 'iv', 'macroglossia', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'transient', 'ischaem', 'attack', 'gastrointestin', 'haemorrhag', 'haemorrhag', 'intracranial', 'cerebr', 'thrombosi', 'pleural', 'effus', 'incorrect', 'dose', 'administ', 'enterocol', 'bacteri', 'haemorrhag', 'hospitalis', 'erythema', 'somnol', 'label', 'use', 'type', 'diabet', 'mellitu', 'muscl', 'spasm', 'neuropathi', 'peripher', 'decreas', 'appetit', 'nausea', 'neutropenia', 'diarrhoea', 'hyperglycaemia', 'thrombocytopenia', 'intestin', 'ischaemia', 'mucos', 'inflamm', 'vomit', 'anaemia', 'infect', 'deep', 'vein', 'thrombosi', 'renal', 'disord', 'diseas', 'progress', 'liver', 'disord', 'cerebrovascular', 'acid', 'depress', 'rash', 'creatinin', 'renal', 'clearanc', 'decreas', 'hellp', 'syndrom', 'exposur', 'pregnanc', 'basal', 'cell', 'carcinoma', 'back', 'pain', 'chill', 'abdomin', 'distens', 'infus', 'relat', 'reaction', 'pregnanc', 'contracept', 'devic', 'drug', 'ineffect', 'devic', 'disloc', 'psoriat', 'arthropathi', 'label', 'use', 'respiratori', 'tract', 'infect', 'alopecia', 'areata', 'alopecia', 'fall', 'uveiti', 'anaemia', 'intestin', 'adenocarcinoma', 'anaemia', 'foetal', 'cardiac', 'disord', 'label', 'use', 'metabol', 'acidosis', 'pulmonari', 'oedema', 'vomit', 'blood', 'creatinin', 'increas', 'visual', 'impair', 'type', 'diabet', 'mellitu', 'neuropathi', 'peripher', 'hallucin', 'arrhythmia', 'heart', 'rate', 'irregular', 'hot', 'flush', 'palpit', 'vision', 'blur', 'malais', 'headach', 'hyperhidrosi', 'drug', 'abus', 'hypokalaemia', 'oedema', 'peripher', 'renal', 'failur', 'acut', 'overdos', 'encephalopathi', 'loss', 'conscious', 'pain', 'cough', 'dyspnoea', 'hot', 'flush', 'fatigu', 'weight', 'decreas', 'depress', 'mood', 'fall', 'lower', 'respiratori', 'tract', 'infect', 'product', 'cough', 'lung', 'disord', 'sleep', 'disord', 'tremor', 'wheez', 'malais', 'decreas', 'appetit', 'cerebr', 'haemorrhag', 'fall', 'decubitu', 'ulcer', 'acetabulum', 'fractur', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'protein', 'increas', 'prothrombin', 'time', 'prolong', 'blood', 'creatinin', 'increas', 'type', 'diabet', 'mellitu', 'skin', 'lesion', 'purul', 'discharg', 'type', 'diabet', 'mellitu', 'diabet', 'neuropathi', 'type', 'diabet', 'mellitu', 'advers', 'event', 'opportunistic', 'infect', 'doubl', 'strand', 'dna', 'antibodi', 'posit', 'neoplasm', 'malign', 'infect', 'autoimmun', 'disord', 'antinuclear', 'antibodi', 'posit', 'autoantibodi', 'posit', 'cataract', 'hepat', 'pain', 'malais', 'abdomin', 'adhes', 'diarrhoea', 'carcinoid', 'syndrom', 'pleural', 'effus', 'metastas', 'liver', 'oedema', 'sciatic', 'nerv', 'injury', 'inject', 'site', 'haematoma', 'inject', 'site', 'haemorrhag', 'feel', 'abnorm', 'cough', 'tachycardia', 'platelet', 'count', 'decreas', 'erythema', 'dyspnoea', 'metastas', 'peritoneum', 'glaucoma', 'bodi', 'temperatur', 'decreas', 'pain', 'extrem', 'gait', 'disturb', 'inappropri', 'schedul', 'product', 'administr', 'intestin', 'obstruct', 'confusion', 'state', 'blood', 'pressur', 'increas', 'petechia', 'inject', 'site', 'oedema', 'needl', 'issu', 'pulmonari', 'embol', 'back', 'pain', 'neuroendocrin', 'tumour', 'arthralgia', 'sinus', 'oedema', 'peripher', 'fatigu', 'inject', 'site', 'pain', 'atrial', 'fibril', 'cardiac', 'failur', 'weight', 'decreas', 'piloerect', 'skin', 'disord', 'incorrect', 'dose', 'administ', 'contus', 'dizzi', 'loss', 'conscious', 'arrhythmia', 'blood', 'pressur', 'decreas', 'decreas', 'appetit', 'malign', 'neoplasm', 'progress', 'neck', 'mass', 'blood', 'pressur', 'systol', 'increas', 'anaemia', 'heart', 'rate', 'decreas', 'fall', 'nausea', 'hypersensit', 'urticaria', 'constip', 'ventricular', 'tachycardia', 'acut', 'hepat', 'failur', 'renal', 'failur', 'acut', 'convuls', 'toxic', 'variou', 'agent', 'intent', 'overdos', 'dyspnoea', 'acidosis', 'fluid', 'overload', 'drug', 'ineffect', 'ataxia', 'somnol', 'orthostat', 'hypotens', 'diplopia', 'arrhythmia', 'hear', 'impair', 'obsess', 'thought', 'asthenia', 'nausea', 'vomit', 'decreas', 'appetit', 'blood', 'electrolyt', 'abnorm', 'renal', 'disord', 'oesophag', 'ulcer', 'ovarian', 'germ', 'cell', 'cancer', 'stage', 'ii', 'amenorrhoea', 'weight', 'increas', 'galactorrhoea', 'tremor', 'muscular', 'weak', 'agit', 'dyspnoea', 'blood', 'prolactin', 'increas', 'palpit', 'aggress', 'dyskinesia', 'hyperhidrosi', 'abdomin', 'pain', 'dysuria', 'swell', 'muscl', 'spasm', 'breast', 'enlarg', 'fatigu', 'renal', 'failur', 'acut', 'patent', 'ductu', 'arteriosu', 'haemangioma', 'congenit', 'atrial', 'septal', 'defect', 'exposur', 'pregnanc', 'drug', 'ineffect', 'death', 'advers', 'event', 'plasma', 'cell', 'myeloma', 'anal', 'abscess', 'infect', 'proctalgia', 'erythema', 'haemorrhoid', 'asthenia', 'pyrexia', 'vomit', 'fatigu', 'nausea', 'diarrhoea', 'cerebrovascular', 'acid', 'disord', 'patholog', 'gambler', 'renal', 'failur', 'hypotens', 'unevalu', 'event', 'acut', 'myeloid', 'leukaemia', 'urticaria', 'bronchospasm', 'bromhidrosi', 'electrocardiogram', 'qt', 'prolong', 'cardiac', 'disord', 'blister', 'paraplegia', 'cerebrovascular', 'acid', 'weight', 'increas', 'withdraw', 'syndrom', 'drug', 'abus', 'intent', 'sopor', 'overdos', 'cardiotox', 'depress', 'level', 'conscious', 'atrial', 'flutter', 'hypoxia', 'drug', 'interact', 'fluid', 'overload', 'syncop', 'neuropathi', 'peripher', 'death', 'oedema', 'dizzi', 'dizzi', 'erythema', 'sopor', 'label', 'use', 'hepatocellular', 'injury', 'cholestasi', 'diseas', 'progress', 'central', 'nervou', 'system', 'lesion', 'drug', 'dose', 'omiss', 'malais', 'pyrexia', 'rash', 'generalis', 'headach', 'sinus', 'acut', 'psychosi', 'drug', 'interact', 'grand', 'mal', 'convuls', 'oedema', 'devic', 'devic', 'dysmenorrhoea', 'vagin', 'haemorrhag', 'devic', 'breakag', 'infect', 'pulmonari', 'exacerb', 'cystic', 'fibrosi', 'syncop', 'fluid', 'overload', 'oedema', 'dyspnoea', 'myalgia', 'dysgeusia', 'nausea', 'diarrhoea', 'insomnia', 'asthenia', 'hyperhidrosi', 'activ', 'daili', 'live', 'impair', 'gener', 'physic', 'health', 'deterior', 'surgeri', 'retin', 'toxic', 'tooth', 'disord', 'retinopathi', 'therapeut', 'product', 'ineffect', 'nephrocalcinosis', 'renal', 'tubular', 'acidosis', 'drug', 'abus', 'blind', 'transient', 'vision', 'blur', 'visual', 'impair', 'vitreou', 'floater', 'fo

rmic', 'presyncop', 'vertigo', 'orthostat', 'hypotens', 'loss', 'conscious', 'anaphylact', 'reaction', 'pruritu', 'cough', 'wheez', 'refus', 'treatment', 'patient', 'headach', 'fluid', 'retent', 'oedema', 'peripher', 'sinus', 'paraesthesia', 'asthenia', 'deaf', 'feel', 'abnorm', 'burn', 'sensat', 'lethargi', 'pain', 'amnesia', 'muscul ar', 'weak', 'hypoesthesia', 'nasal', 'congest', 'peripher', 'swell', 'hypomagnesaemia', 'drug', 'interact', 'f luid', 'retent', 'accid', 'peripher', 'swell', 'weight', 'decreas', 'oedema', 'right', 'ventricular', 'failur', 'oedema', 'dysphemia', 'paraesthesia', 'unevalu', 'event', 'fall', 'loss', 'conscious', 'dizzi', 'devic', 'failu r', 'hepat', 'function', 'abnorm', 'myopathi', 'dyspnoea', 'malais', 'hypopnoea', 'death', 'cerebrovascular', 'a ccid', 'drug', 'ineffect', 'generalis', 'seizur', 'statu', 'epilepticu', 'convuls', 'aortic', 'dissect', 'acn', 'aggress', 'palpit', 'fatigu', 'nausea', 'fluid', 'retent', 'hepat', 'failur', 'hepat', 'b', 'vertigo', 'death', 'oesophag', 'carcinoma', 'varicella', 'hypersensit', 'type', 'diabet', 'mellitu', 'cataract', 'amnesia', 'incont in', 'dysstasia', 'lethargi', 'headach', 'applic', 'site', 'vesicl', 'type', 'diabet', 'mellitu', 'burn', 'sensa t', 'fluid', 'retent', 'hyponatraemia', 'confusion', 'state', 'leukocytosi', 'incorrect', 'drug', 'administr', ' durat', 'gastrointestin', 'haemorrhag', 'gastric', 'ulcer', 'duoden', 'ulcer', 'applic', 'site', 'site', 'vesicl', 'appl ic', 'site', 'pain', 'applic', 'site', 'swell', 'applic', 'site', 'pain', 'applic', 'site', 'exfoli', 'drug', 'a dminist', 'inappropri', 'site', 'type', 'diabet', 'mellitu', 'gait', 'disturb', 'hypoesthesia', 'hypersomnia', 'feel', 'abnorm', 'laboratori', 'test', 'abnorm', 'unevalu', 'event', 'fatigu', 'fluid', 'retent', 'contus', 'di scomfort', 'fatigu', 'applic', 'site', 'erythema', 'applic', 'site', 'pain', 'applic', 'site', 'scab', 'applic', 'site', 'swell', 'drug', 'administr', 'error', 'hypokalaemia', 'neutrophil', 'count', 'decreas', 'hypophosphatae mia', 'abort', 'spontan', 'abdomin', 'injuri', 'matern', 'exposur', 'pregnanc', 'atrial', 'fibril', 'dyspnoea', 'pyrexia', 'chest', 'pain', 'sinu', 'tachycardia', 'pneumon', 'febril', 'neutropenia', 'subdur', 'haematoma', 'd ental', 'cari', 'ecchymosi', 'dysphagia', 'osteoporosi', 'alopecia', 'dementia', 'type', 'osteopenia', 'hear', ' impair', 'skin', 'wrinkl', 'fall', 'malign', 'neoplasm', 'progress', 'pulmonari', 'embol', 'drug', 'hypersensit', 'angioedema', 'applic', 'site', 'erythema', 'applic', 'site', 'pain', 'applic', 'site', 'swell', 'applic', 'si te', 'exfoli', 'applic', 'site', 'vesicl', 'applic', 'site', 'discharg', 'asthenia', 'neutropenia', 'pulmonari', 'alveolar', 'haemorrhag', 'respiratori', 'failur', 'epistaxi', 'rectal', 'haemorrhag', 'haematospermia', 'haemor rhag', 'epiglott', 'oedema', 'face', 'oedema', 'tongu', 'oedema', 'rash', 'diarrhoea', 'coliti', 'microscop', 'w eight', 'decreas', 'drug', 'administr', 'inappropri', 'site', 'advers', 'event', 'type', 'diabet', 'mellitu', 'dr ug', 'ineffect', 'gastrooesophag', 'reflux', 'diseas', 'dyspnoea', 'fatigu', 'deep', 'vein', 'thrombosi', 'drug', 'ineffect', 'type', 'diabet', 'mellitu', 'applic', 'site', 'erythema', 'applic', 'site', 'pain', 'applic', 'si te', 'swell', 'applic', 'site', 'vesicl', 'drug', 'administr', 'inappropri', 'site', 'incorrect', 'drug', 'admini str', 'durat', 'pulmonari', 'arteri', 'hypertens', 'condit', 'aggrav', 'death', 'neutropenia', 'anaemia', 'pancy topenia', 'thrombocytopenia', 'metabol', 'acidosi', 'tachycardia', 'vomit', 'applic', 'site', 'pain', 'applic', 'site', 'erythema', 'applic', 'site', 'pain', 'applic', 'site', 'swell', 'incorrect', 'drug', 'administr', 'dura t', 'death', 'myocardi', 'infarct', 'thrombosi', 'devic', 'deep', 'vein', 'thrombosi', 'pulmonari', 'embol', 'la bel', 'use', 'drug', 'administr', 'error', 'incorrect', 'drug', 'administr', 'durat', 'decreas', 'appetit', 'pul monari', 'embol', 'hypercalcaemia', 'leukocytosi', 'pulmonari', 'embol', 'neoplasm', 'progress', 'abdomin', 'pai n', 'hypertens', 'suicid', 'ideat', 'agit', 'weight', 'increas', 'ovarian', 'cyst', 'sepsi', 'coccidioidomycosi', 'pneumonia', 'pseudomon', 'pancreat', 'drug', 'dose', 'omiss', 'hepatomegali', 'liver', 'function', 'test', 'a bnorm', 'hepat', 'failur', 'erythroaesthesia', 'syndrom', 'injuri', 'corneal', 'product', 'packag', 'issu', ' expir', 'product', 'administr', 'drug', 'ineffect', 'meniscu', 'injuri', 'surgeri', 'surgeri', 'prostactectomi', ' inject', 'site', 'pain', 'fear', 'incorrect', 'dose', 'administr', 'incorrect', 'dose', 'administr', 'incorrect', 'dose', 'administr', 'incorrect', 'dose', 'administr', 'nervous', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'arthralgia', 'musculoskelet', 'pain', 'pain', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'wrong', 'techniq u', 'drug', 'usag', 'process', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'wrong', 'techniqu', 'drug', 'usa g', 'process', 'devic', 'issu', 'devic', 'issu', 'devic', 'issu', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'incorrect', 'dose', 'administr', 'devic', 'devic', 'issu', 'inject', 'site', 'pain', 'applic', 'site', 'vesicl', 'appli c', 'site', 'erythema', 'applic', 'site', 'exfoli', 'erythema', 'incorrect', 'dose', 'administr', 'multipl', 'che mic', 'sensit', 'dri', 'mouth', 'nasal', 'dryness', 'disturb', 'attent', 'dri', 'eye', 'dizzi', 'disorient', 'te nsion', 'disord', 'tinnitu', 'sleep', 'disord', 'malais', 'hypertens', 'hepatocellular', 'injuri', 'liver', 'dis ord', 'skin', 'burn', 'sensat', 'fatigu', 'malais', 'acut', 'kidney', 'injuri', 'toxic', 'variou', 'agent', 'lac tic', 'acidosi', 'applic', 'site', 'erythema', 'applic', 'site', 'exfoli', 'incorrect', 'drug', 'administr', 'du rat', 'drug', 'administr', 'inappropri', 'site', 'suicid', 'ideat', 'depersonalis', 'tremor', 'heart', 'rate', 'i ncreas', 'mania', 'aggress', 'perform', 'statu', 'decreas', 'abnorm', 'behaviour', 'mental', 'disord', 'self', ' esteem', 'decreas', 'emot', 'poverti', 'social', 'avoid', 'behaviour', 'euphor', 'mood', 'depress', 'mood', 'hyp okinesia', 'aphasia', 'anxieti', 'partial', 'seizur', 'apathi', 'disturb', 'attent', 'vertigo', 'drug', 'effect', 'incomplet', 'feed', 'disord', 'blood', 'bicarbon', 'decreas', 'coronari', 'arteri', 'stent', 'insert', 'urina ri', 'tract', 'infect', 'klebsiella', 'test', 'posit', 'renal', 'impair', 'blood', 'alkalin', 'phosphatas', 'inc reas', 'cardiac', 'failur', 'congest', 'pain', 'respir', 'arrhythmia', 'pyrexia', 'pyrexia', 'dri', 'mouth', 'dy sgeusia', 'thermal', 'burn', 'acn', 'leukocytosi', 'blood', 'pressur', 'fluctuat', 'cough', 'asthenia', 'drug', 'dose', 'omiss', 'accid', 'home', 'ultrasound', 'bladder', 'abnorm', 'pyrexia', 'chill', 'serum', 'ferritin', 'i ncreas', 'feel', 'abnorm', 'blood', 'cholesterol', 'increas', 'pyrexia', 'pyrexia', 'pruritu', 'dysgeusia', 'neu tropenia', 'blood', 'triglycerid', 'increas', 'weight', 'decreas', 'asthenia', 'headach', 'haemoglobin', 'decrea s', 'impati', 'product', 'cough', 'depress', 'fatigu', 'dyspnoea', 'gait', 'disturb', 'throat', 'irrit', 'vitami n', 'decreas', 'anaemia', 'fatigu', 'disturb', 'attent', 'dyspraxia', 'feel', 'cold', 'bodi', 'temperatur', 'dec reas', 'malais', 'pyrexia', 'haemoglobin', 'decreas', 'decreas', 'appetit', 'anaemia', 'palpit', 'blood', 'press ur', 'increas', 'thyroid', 'pain', 'gastric', 'disord', 'drug', 'ineffect', 'ankl', 'fractur', 'vitamin', 'defic i', 'anaemia', 'postop', 'devic', 'failur', 'sleep', 'disord', 'bursiti', 'gastrooesophag', 'reflux', 'diseas', 'intramedullari', 'rod', 'insert', 'fatigu', 'hypertens', 'femur', 'fractur', 'cholecystectomi', 'depress', 'fem ur', 'fractur', 'traumat', 'arthrosi', 'sciatic', 'nerv', 'injuri', 'osteoporosi', 'bone', 'fragment', 'hyperlip idaemia', 'hypertens', 'product', 'packag', 'quantiti', 'issu', 'incorrect', 'drug', 'administr', 'durat', 'drug ', 'administr', 'inappropri', 'site', 'bronchopneumonia', 'pulmonari', 'embol', 'death', 'malign', 'neoplasm', 'p rogress', 'label', 'use', 'cardiomegali', 'cerebrovascular', 'accid', 'cardiac', 'failur', 'myocardi', 'infarct', 'unevalu', 'event', 'abnorm', 'dream', 'fall', 'hemiplegia', 'left', 'ventricular', 'failur', 'conscious', 'fl uctuat', 'platelet', 'disord', 'myocardi', 'infarct', 'gastrointestin', 'haemorrhag', 'zygomycosi', 'pulmonari', 'toxic', 'eye', 'burn', 'applic', 'site', 'pain', 'applic', 'site', 'pain', 'product', 'qualiti', 'issu', 'incor rect', 'drug', 'administr', 'durat', 'eye', 'irrit', 'drug', 'ineffect', 'renal', 'disord', 'lung', 'disord', 'w eight', 'decreas', 'gener', 'physic', 'health', 'deterior', 'pancytopenia', 'rash', 'vesicular', 'hepat', 'failu r', 'death', 'febril', 'neutropenia', 'septic', 'shock', 'thrombocytopenia', 'renal', 'failur', 'acut', 'electro lyt', 'imbal', 'swollen', 'tear', 'duct', 'eye', 'irrit', 'eye', 'pain', 'eye', 'swell', 'applic', 'site', 'exfo li', 'eye', 'pruritu', 'accident', 'exposur', 'product', 'drug', 'administr', 'inappropri', 'site', 'incorrect', 'rout', 'drug', 'administr', 'convuls', 'drug', 'dose', 'omiss', 'drug', 'ineffect', 'myasthenia', 'gravi', 'pai n', 'death', 'drug', 'ineffect', 'death', 'death', 'cerebrovascular', 'accid', 'platelet', 'count', 'decreas', ' weight', 'decreas', 'advers', 'event', 'pollakiuria', 'blood', 'sodium', 'decreas', 'extrasystol', 'dyspnoea', '

death', 'applic', 'site', 'erythema', 'applic', 'site', 'pain', 'applic', 'site', 'exfoli', 'applic', 'site', 'dryness', 'applic', 'site', 'reaction', 'drug', 'ineffect', 'blood', 'pressur', 'increas', 'chest', 'pain', 'asthenia', 'musculoskeletal', 'pain', 'headach', 'platelet', 'count', 'decreas', 'drug', 'interact', 'lower', 'respiratory', 'tract', 'infect', 'fungal', 'gastrointestinal', 'haemorrhag', 'anaemia', 'chest', 'pain', 'abdomin', 'pain', 'acute', 'kidney', 'injury', 'bone', 'marrow', 'failure', 'inflamm', 'hypersensitivity', 'applic', 'site', 'rash', 'acne', 'applic', 'site', 'scar', 'label', 'use', 'arrhythmia', 'drug', 'interact', 'hepatotoxic', 'bleed', 'varicose', 'vein', 'fatigue', 'haemorrhag', 'drug', 'ineffect', 'palpitation', 'malaise', 'diplopia', 'adverse', 'event', 'depression', 'death', 'pancreatic', 'chronic', 'pancreatic', 'carcinoma', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'thyroid', 'cancer', 'demyelination', 'diabetes', 'neuropathy', 'death', 'platelet', 'count', 'decreas', 'chest', 'pain', 'myocardial', 'infarction', 'hypoaesthesia', 'bone', 'pain', 'nodules', 'pain', 'adverse', 'drug', 'reaction', 'dizziness', 'headach', 'vagina', 'haemorrhag', 'vagina', 'odour', 'death', 'cardiac', 'disorder', 'lung', 'disorder', 'stress', 'dyspnoea', 'platelet', 'count', 'decreas', 'acute', 'generalized', 'exanthematous', 'pustulosis', 'hyponatremia', 'lymphadenopathy', 'platelet', 'count', 'decreas', 'wrong', 'technique', 'drug', 'usage', 'process', 'platelet', 'count', 'decreas', 'transfusion', 'dyspnoea', 'death', 'malaise', 'hypopnoea', 'vomiting', 'anxiety', 'diarrhoea', 'weight', 'increas', 'urinary', 'tract', 'infect', 'pruritus', 'dripping', 'skin', 'stomatitis', 'paraesthesia', 'dysphagia', 'depression', 'nausea', 'dysgeusia', 'therapeutic', 'response', 'unexpected', 'pyrexia', 'label', 'use', 'headach', 'night', 'sweat', 'insomnia', 'hypoaesthesia', 'thrombocytopenia', 'rash', 'chest', 'pain', 'constipation', 'anaemia', 'hot', 'flush', 'cough', 'foot', 'deform', 'foot', 'deform', 'foot', 'fracture', 'foot', 'fracture', 'arthralgia', 'pain', 'extremity', 'pain', 'pain', 'product', 'quality', 'issue', 'rheumatoid', 'arthritis', 'oedema', 'peripheral', 'dyspnoea', 'exertion', 'cardiac', 'failure', 'heart', 'valve', 'incompetent', 'myocardial', 'infarction', 'psoriasis', 'haemoglobin', 'decreas', 'splenectomy', 'dizziness', 'fatigue', 'lethargy', 'anaemia', 'thrombocytosis', 'leukocytosis', 'lipid', 'abnormal', 'liver', 'function', 'test', 'abnormal', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'diarrhoea', 'platelet', 'count', 'decreas', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'gastritis', 'viral', 'nausea', 'vomiting', 'weight', 'decreas', 'gout', 'mucosa', 'inflamm', 'oral', 'pain', 'ophthalmia', 'plaque', 'psoriasis', 'hyperthermia', 'malignant', 'hyperthermia', 'blood', 'pressure', 'decreas', 'chill', 'blood', 'count', 'abnormal', 'pyrexia', 'infect', 'anaemia', 'blood', 'count', 'abnormal', 'anaemia', 'platelet', 'count', 'decreas', 'blood', 'count', 'abnormal', 'amnesia', 'hyperthermia', 'malignant', 'anaemia', 'platelet', 'count', 'decreas', 'muscular', 'weak', 'fatigue', 'diabetes', 'mellitus', 'inadequate', 'control', 'gastritis', 'loss', 'conscious', 'gastrointestinal', 'inflamm', 'pyrexia', 'rectal', 'haemorrhag', 'alopecia', 'oral', 'herpetic', 'blood', 'glucose', 'increas', 'rectal', 'haemorrhag', 'depression', 'mood', 'depression', 'colitis', 'ulcer', 'haemoglobin', 'decreas', 'musculoskeletal', 'pain', 'pain', 'extremity', 'platelet', 'count', 'decreas', 'blood', 'count', 'abnormal', 'transfusion', 'platelet', 'count', 'decreas', 'blood', 'count', 'abnormal', 'premature', 'baby', 'foetal', 'exposure', 'pregnancy', 'enterocolitis', 'haemorrhag', 'mucosa', 'inflamm', 'anaemia', 'blood', 'count', 'abnormal', 'renal', 'disorder', 'incorrect', 'dose', 'administration', 'skin', 'depigmentation', 'lumbar', 'vertebra', 'fracture', 'fracture', 'pain', 'platelet', 'count', 'decreas', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'food', 'poison', 'malaise', 'neuroleptic', 'malignant', 'syndrome', 'alteration', 'state', 'conscious', 'hyperthermia', 'hypertonia', 'drug', 'withdrawal', 'syndrome', 'retina', 'detachment', 'visual', 'impairment', 'rash', 'erythematous', 'eye', 'irritation', 'pruritus', 'ocular', 'hyperaemia', 'eye', 'swell', 'foreign', 'body', 'sensation', 'eye', 'swell', 'face', 'feel', 'hot', 'dysphagia', 'hypersensitivity', 'injection', 'site', 'rash', 'rash', 'generalized', 'hypertriglyceridaemia', 'nausea', 'cervix', 'carcinoma', 'stage', 'hyperventilation', 'dizziness', 'incision', 'site', 'haemorrhag', 'incision', 'site', 'complication', 'loss', 'conscious', 'disoriented', 'immobilized', 'pneumonia', 'gastrointestinal', 'infect', 'memory', 'impairment', 'diet', 'refusal', 'speech', 'disorder', 'confusion', 'state', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'wrong', 'technique', 'drug', 'usage', 'process', 'febrile', 'convulsions', 'viral', 'infect', 'abdomin', 'pain', 'lower', 'fatigue', 'anaemia', 'splenomegaly', 'poor', 'quality', 'sleep', 'medication', 'error', 'asthenia', 'platelet', 'count', 'decreas', 'death', 'calciophylaxis', 'pain', 'nodules', 'livid', 'erythema', 'skin', 'induration', 'skin', 'plaque', 'purpura', 'skin', 'lesion', 'hyperplasia', 'haemoglobin', 'decreas', 'haemoglobin', 'decreas', 'tubulointerstitial', 'nephritis', 'oliguria', 'blood', 'pressure', 'increas', 'renal', 'failure', 'acute', 'urine', 'output', 'decreas', 'rales', 'renal', 'tubular', 'atrophy', 'dyspnoea', 'asthenia', 'kidney', 'fibrosis', 'jugular', 'vein', 'distension', 'leukocytosis', 'haemolysis', 'anaemia', 'oedema', 'peripheral', 'haematuria', 'anaemia', 'anisocytosis', 'nausea', 'vomiting', 'hyperthermia', 'malignant', 'acute', 'kidney', 'injury', 'death', 'linear', 'iga', 'diseases', 'sign', 'skin', 'exfoliation', 'blister', 'skin', 'lesion', 'hernia', 'cystitis', 'hypokalaemia', 'hypomagnesaemia', 'blood', 'count', 'abnormal', 'thrombocytopenia', 'tooth', 'abscess', 'thrombocytopenia', 'asthenia', 'dizziness', 'fatigue', 'treatment', 'noncompliance', 'drug', 'administration', 'error', 'transfusion', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'death', 'neoplasm', 'malignant', 'metastasis', 'central', 'nervous', 'system', 'memory', 'impairment', 'emphysema', 'convulsions', 'nasal', 'discomfort', 'skin', 'irritation', 'malaise', 'burn', 'sensation', 'palpitation', 'abdomin', 'discomfort', 'dizziness', 'dyspnoea', 'drug', 'interact', 'aggressive', 'psychomotor', 'hyperactive', 'haemoglobin', 'decreas', 'haematocrit', 'decreas', 'haemoglobin', 'decreas', 'death', 'optic', 'neuropathy', 'visual', 'impairment', 'vision', 'blur', 'visual', 'acuity', 'reduced', 'myopia', 'visual', 'field', 'defect', 'colour', 'blind', 'acquired', 'neurotoxic', 'confusion', 'state', 'somnolent', 'swell', 'haemoglobin', 'decreas', 'dizziness', 'coma', 'posterior', 'reversal', 'encephalopathy', 'syndrome', 'atypical', 'mycobacteria', 'infect', 'immun', 'reconstitution', 'inflammatory', 'syndrome', 'angina', 'pectoris', 'diabetes', 'mellitus', 'inadequate', 'control', 'wound', 'haemorrhag', 'therapy', 'cessation', 'myocardial', 'infarction', 'chest', 'pain', 'pain', 'electrocardiogram', 'st', 'segment', 'elevation', 'acute', 'left', 'ventricular', 'failure', 'ejection', 'fraction', 'decreas', 'cardiomyopathy', 'cardiogenic', 'shock', 'cardiac', 'arrest', 'hyperventilation', 'blood', 'pressure', 'decreas', 'ventricular', 'hypokinesia', 'toxic', 'various', 'agent', 'ventricular', 'fibrillation', 'arrhythmia', 'sinus', 'tachycardia', 'bradycardia', 'pulmonary', 'oedema', 'dyspnoea', 'overdose', 'suicide', 'attempt', 'respiratory', 'alkalosis', 'hypokalaemia', 'metabolic', 'acidosis', 'tremor', 'pruritus', 'somnolent', 'skin', 'discolouration', 'brain', 'oedema', 'restless', 'nystagmus', 'chromaturia', 'hyperaemia', 'vomiting', 'nausea', 'hyperhidrosis', 'drug', 'ineffect', 'haemoglobin', 'decreas', 'organism', 'pneumonia', 'pyrexia', 'asthenia', 'cough', 'dyspnoea', 'oxygen', 'saturation', 'decreas', 'rales', 'respiratory', 'failure', 'haemoglobin', 'decreas', 'anaemia', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'dizziness', 'fall', 'anaemia', 'hypotension', 'accident', 'overdose', 'nausea', 'vomiting', 'abasia', 'incontinence', 'neck', 'pain', 'hypokinesia', 'breast', 'cancer', 'neoplasm', 'progress', 'applic', 'site', 'pain', 'applic', 'site', 'pain', 'applic', 'site', 'erythema', 'applic', 'site', 'exfoliation', 'applic', 'site', 'dryness', 'applic', 'site', 'vesicles', 'incorrect', 'dose', 'administration', 'inappropriate', 'schedule', 'drug', 'administration', 'incorrect', 'drug', 'administration', 'duration', 'drug', 'administration', 'inappropriate', 'site', 'drug', 'administration', 'error', 'prescription', 'overdose', 'applic', 'site', 'discolouration', 'breast', 'cancer', 'neoplasm', 'progress', 'applic', 'site', 'discomfort', 'applic', 'site', 'erythema', 'breast', 'cancer', 'malignant', 'neoplasm', 'progress', 'applic', 'site', 'paraesthesia', 'applic', 'site', 'discomfort', 'applic', 'site', 'swell', 'lip', 'swell', 'applic', 'site', 'erythema', 'congenital', 'hydronephrosis', 'ureter', 'stenosis', 'foetal', 'exposure', 'pregnancy', 'label', 'use', 'incorrect', 'drug', 'administration', 'duration', 'medication', 'error', 'product', 'package', 'quantity', 'issue', 'drug', 'dose', 'omission', 'metastasis', 'malignant', 'melanoma', 'ulcer', 'haemorrhag', 'skin', 'lesion', 'pain', 'infect', 'inflamm', 'purulent', 'discharge', 'vitamin', 'nerve', 'paralysis', 'seborrhoea', 'keratosis', 'swell', 'anaemia', 'oedema', 'peripheral', 'pyrexia', 'lethargy', 'peripheral', 'swell', 'applic', 'site', 'dryness', 'applic', 'site', 'exfoliation', 'applic', 'site', 'pain', 'dyspnoea', 'dental', 'c

ari', 'hyponatraemia', 'hypokalaemia', 'cough', 'abnorm', 'behaviour', 'intent', 'weight', 'increas', 'drug', 'ineffect', 'hot', 'flush', 'product', 'substitut', 'issu', 'peripher', 'swell', 'drug', 'ineffect', 'cellul', 'dyspnoea', 'liver', 'injury', 'fluid', 'retent', 'red', 'blood', 'cell', 'count', 'decreas', 'nausea', 'abdomin', 'pain', 'upper', 'breast', 'cancer', 'neoplasm', 'progress', 'weight', 'increas', 'haemolyt', 'uraem', 'syndrom', 'asthenia', 'drug', 'ineffect', 'diabet', 'foot', 'infect', 'blood', 'glucos', 'decreas', 'renal', 'impair', 'unevalu', 'event', 'urticaria', 'nausea', 'renal', 'failur', 'acut', 'lactic', 'acidosi', 'anaemia', 'chest', 'pain', 'dyspnoea', 'tachycardia', 'blood', 'pressur', 'increas', 'weight', 'decreas', 'syncop', 'loss', 'conscious', 'oedema', 'peripher', 'sleep', 'apnoea', 'syndrom', 'death', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'oedema', 'peripher', 'drug', 'ineffect', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'respiratori', 'disord', 'swell', 'fluid', 'retent', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'drug', 'depend', 'headach', 'nausea', 'abdomin', 'discomfort', 'therapeut', 'respons', 'unexpected', 'drug', 'ineffect', 'oedema', 'peripher', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'urinari', 'tract', 'infect', 'drug', 'ineffect', 'osteoporosi', 'spinal', 'compress', 'fractur', 'vomit', 'acut', 'generalis', 'exanthemat', 'pustulosi', 'rash', 'pustular', 'stomat', 'inflammatori', 'pain', 'blister', 'hypophagia', 'skin', 'eros', 'leukocytosi', 'pyrexia', 'type', 'iv', 'hypersensit', 'reaction', 'drug', 'depend', 'nasal', 'septum', 'deviat', 'sinus', 'polyp', 'rhiniti', 'inappropri', 'schedul', 'drug', 'administr', 'ageusia', 'anosmia', 'fluid', 'retent', 'diseas', 'bacteraemia', 'gastrointestin', 'pain', 'diarrhoea', 'decreas', 'appetit', 'feel', 'abnorm', 'accident', 'exposur', 'product', 'child', 'blood', 'pressur', 'decreas', 'drug', 'ineffect', 'label', 'use', 'cerebrovascular', 'acid', 'weight', 'increas', 'withdraw', 'syndrom', 'ankl', 'fractur', 'breast', 'pain', 'burn', 'sensat', 'cystiti', 'erythema', 'gastrooesophag', 'reflux', 'diseas', 'hot', 'flush', 'joint', 'swell', 'night', 'sweat', 'oedema', 'peripher', 'pain', 'pain', 'extrem', 'pruritu', 'sleep', 'disord', 'thrombophleb', 'weight', 'bear', 'difficulti', 'vomit', 'diarrhoea', 'abdomin', 'pain', 'upper', 'nausea', 'malais', 'back', 'pain', 'headach', 'incorrect', 'dose', 'administ', 'haemoglobin', 'decreas', 'diarrhoea', 'red', 'blood', 'cell', 'count', 'decreas', 'pneumonia', 'haemoglobin', 'abnorm', 'haemoglobin', 'decreas', 'feel', 'hot', 'anaemia', 'epistaxi', 'rectal', 'haemorrhag', 'pulmonari', 'embol', 'hypersensit', 'gener', 'physic', 'health', 'deterior', 'bronchopulmonari', 'aspergillosi', 'hypoxia', 'renal', 'failur', 'acut', 'endotrach', 'intub', 'dissemin', 'intravascular', 'coagul', 'platelet', 'transfus', 'platelet', 'count', 'decreas', 'epistaxi', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'haematocrit', 'decreas', 'activ', 'daili', 'live', 'impair', 'muscular', 'weak', 'mood', 'alter', 'fatigu', 'malais', 'lethargi', 'haemolysi', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'hip', 'fractur', 'therapeut', 'respons', 'unexpected', 'underdos', 'drug', 'administ', 'inappropri', 'site', 'haemoglobin', 'decreas', 'night', 'sweat', 'haemoglobin', 'decreas', 'fatigu', 'drug', 'ineffect', 'anaemia', 'hypoglycaemia', 'oedema', 'dizzi', 'neoplasm', 'malign', 'liver', 'disord', 'headach', 'red', 'blood', 'cell', 'count', 'decreas', 'lobar', 'pneumonia', 'inject', 'site', 'necrosi', 'inject', 'site', 'erythema', 'inject', 'site', 'indur', 'haemoglobin', 'decreas', 'blood', 'pressur', 'increas', 'haemorrhag', 'increas', 'appetit', 'weight', 'increas', 'heart', 'rate', 'increas', 'fatigu', 'haemoglobin', 'decreas', 'haematocrit', 'decreas', 'nephrogen', 'system', 'fibrosi', 'respiratori', 'failur', 'cystic', 'fibrosi', 'anaemia', 'balanc', 'disord', 'dyspnoea', 'pain', 'extrem', 'pain', 'death', 'psoriasi', 'pruritu', 'rash', 'erythemat', 'gastrointestin', 'disord', 'abdomin', 'pain', 'eczema', 'therapeut', 'respons', 'decreas', 'platelet', 'count', 'decreas', 'anaemia', 'platelet', 'count', 'decreas', 'asthenia', 'dizzi', 'haematuria', 'urinari', 'tract', 'infect', 'pyrexia', 'myalgia', 'myocardi', 'infarct', 'coronari', 'arteri', 'bypass', 'unevalu', 'event', 'pancreat', 'diabet', 'mellitu', 'periton', 'bacteri', 'coma', 'hepat', 'abdomin', 'pain', 'upper', 'blister', 'swell', 'face', 'abdomin', 'distens', 'feel', 'abnorm', 'vomit', 'abdomin', 'pain', 'upper', 'coronari', 'arteri', 'diseas', 'drug', 'dose', 'omiss', 'transient', 'ischaem', 'attack', 'platelet', 'count', 'decreas', 'asthma', 'wheez', 'anaemia', 'blood', 'count', 'abnorm', 'haemoglobin', 'decreas', 'speech', 'disord', 'psychomotor', 'hyperact', 'haemoglobin', 'decreas', 'red', 'blood', 'cell', 'count', 'decreas', 'death', 'rotat', 'cuff', 'syndrom', 'nasopharyng', 'death', 'gastrointestin', 'haemorrhag', 'death', 'erythroipoiesi', 'abnorm', 'hepat', 'failur', 'haemoglobin', 'decreas', 'oedema', 'peripher', 'asthenia', 'therapeut', 'respons', 'decreas', 'splenomegali', 'fall', 'gener', 'physic', 'health', 'deterior', 'ill', 'anxieti', 'decreas', 'activ', 'pain', 'platelet', 'count', 'decreas', 'increas', 'tendenc', 'bruise', 'contus', 'gastrointestin', 'haemorrhag', 'aortic', 'stenosi', 'platelet', 'count', 'decreas', 'drug', 'effect', 'decreas', 'abdomin', 'pain', 'vomit', 'rectal', 'haemorrhag', 'atrial', 'fibril', 'drug', 'ineffect', 'anaemia', 'platelet', 'count', 'decreas', 'leukocytosi', 'nephrolithiasi', 'urinari', 'tract', 'malais', 'haemoglobin', 'decreas', 'urinari', 'tract', 'infect', 'anaemia', 'weight', 'increas', 'thrombocytopenia', 'somnia', 'dyspnoea', 'exert', 'fatigu', 'pancreat', 'carcinoma', 'hallucin', 'visual', 'increas', 'globulin', 'decreas', 'ventricular', 'remodel', 'blood', 'urea', 'ratio', 'decreas', 'protein', 'total', 'decreas', 'blood', 'glucos', 'increas', 'antipsychot', 'drug', 'level', 'therapeut', 'anaemia', 'blood', 'creatinin', 'increas', 'hyperkalaemia', 'dyspnoea', 'fatigu', 'dyspnoea', 'exert', 'thrombocytosi', 'dizzi', 'encephalopathi', 'renal', 'failur', 'haematuria', 'arrhythmia', 'cerebr', 'haemorrhag', 'haemorrhag', 'intracran', 'acut', 'respiratori', 'failur', 'coagulopathi', 'haematuria', 'anaemia', 'haemoglobin', 'decreas', 'anaemia', 'blood', 'count', 'abnorm', 'anaemia', 'overdos', 'bradycardia', 'oxygen', 'satur', 'decreas', 'anticonvuls', 'drug', 'level', 'increas', 'depress', 'level', 'conscious', 'hypertransaminasaemia', 'hypofibrinogenaemia', 'dementia', 'blood', 'urea', 'decreas', 'blood', 'cholesterol', 'increas', 'blood', 'triglycerid', 'increas', 'mean', 'cell', 'haemoglobin', 'concentr', 'decreas', 'neutrophil', 'count', 'increas', 'monocyt', 'count', 'increas', 'mouth', 'haemorrhag', 'epistaxi', 'rectal', 'haemorrhag', 'fatigu', 'renal', 'failur', 'acut', 'oesophag', 'candidiasi', 'hiatu', 'hernia', 'haemorrhoid', 'surgeri', 'devic', 'difficult', 'use', 'medic', 'devic', 'complic', 'incorrect', 'drug', 'administr', 'durat', 'diseas', 'progress', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'red', 'blood', 'cell', 'count', 'decreas', 'haematocrit', 'decreas', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'haemoglobin', 'decreas', 'blood', 'count', 'abnorm', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'haematocrit', 'decreas', 'haemoglobin', 'decreas', 'nausea', 'asthenia', 'memori', 'impair', 'depress', 'muscl', 'spasm', 'headach', 'metastas', 'lymph', 'node', 'cardiac', 'failur', 'devic', 'relat', 'sepsi', 'breast', 'cancer', 'recurr', 'exposur', 'pregnanc', 'lymphoedema', 'malign', 'neoplasm', 'progress', 'anaemia', 'drug', 'effect', 'increas', 'white', 'blood', 'cell', 'count', 'decreas', 'platelet', 'count', 'decreas', 'arthralgia', 'pancytopenia', 'herp', 'zoster', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'angina', 'pector', 'dehydr', 'malais', 'pain', 'oral', 'surgeri', 'immunosuppress', 'drug', 'level', 'increas', 'drug', 'interact', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'haematocrit', 'decreas', 'platelet', 'count', 'decreas', 'blood', 'glucos', 'decreas', 'asthenia', 'vagin', 'ulcer', 'death', 'drug', 'ineffect', 'label', 'use', 'label', 'use', 'thrombocytopenia', 'haemoglobin', 'decreas', 'haematocrit', 'decreas', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'epistaxi', 'diseas', 'progress', 'platelet', 'count', 'decreas', 'thrombocytopenia', 'drug', 'ineffect', 'haematocrit', 'decreas', 'haemoglobin', 'decreas', 'aspart', 'aminotransferas', 'increas', 'epilepsi', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'thrombocytopenia', 'medic', 'error', 'fatigu', 'dyspnoea', 'exert', 'insomnia', 'musculoskelet', 'pain', 'rash', 'prurit', 'weight', 'increas', 'anaemia', 'thrombocytopenia', 'dizzi', 'leukocytosi', 'fatigu', 'diet', 'refus', 'platelet', 'count', 'decreas', 'anaemia', 'dyspnoea', 'chest', 'discomfort', 'fatigu', 'platelet', 'count', 'decreas', 'anaemia', 'fatigu', 'gastric', 'disord', 'anaemia', 'diarrhoea', 'blood', 'count', 'abnorm', 'drug', 'ineffect', 'blood', 'count', 'a

bnorm', 'thrombocytopenia', 'anaemia', 'medic', 'error', 'thrombocytopenia', 'platelet', 'count', 'increas', 'drug', 'ineffect', 'pain', 'fall', 'neurolog', 'symptom', 'night', 'sweat', 'abdomin', 'discomfort', 'diabet', 'mellitu', 'inadequ', 'control', 'drug', 'withdraw', 'syndrom', 'blood', 'testosteron', 'decreas', 'insomnia', 'back', 'pain', 'pain', 'back', 'pain', 'musculoskelet', 'discomfort', 'label', 'use', 'anaemia', 'haemoglobin', 'decreas', 'fatigu', 'platelet', 'count', 'decreas', 'diseas', 'progress', 'anaemia', 'back', 'pain', 'drug', 'ineffect', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'thrombocytopenia', 'infect', 'haemoglobin', 'decreas', 'devic', 'relat', 'infect', 'infect', 'haemoglobin', 'decreas', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'thrombocytopenia', 'haemoglobin', 'decreas', 'drug', 'ineffect', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'dizzi', 'haemoglobin', 'decreas', 'haemoglobin', 'decreas', 'constip', 'platelet', 'count', 'decreas', 'blood', 'pressur', 'increas', 'palpit', 'feel', 'abnorm', 'contus', 'red', 'blood', 'cell', 'count', 'decreas', 'haemoglobin', 'decreas', 'haemoglobin', 'decreas', 'giant', 'cell', 'tumour', 'tendon', 'sheath', 'platelet', 'count', 'decreas', 'weight', 'increas', 'aneurysm', 'glossodynia', 'urinari', 'tract', 'infect', 'nephrolithiasi', 'skin', 'wrinkl', 'dri', 'skin', 'thrombocytopenia', 'tooth', 'disord', 'anaemia', 'fatigu', 'weight', 'decreas', 'transfus', 'drug', 'ineffect', 'haemoglobin', 'decreas', 'dyspnoea', 'malais', 'nausea', 'influenza', 'like', 'ill', 'chill', 'pain', 'hyperhidrosi', 'pyrexia', 'haemoglobin', 'decreas', 'diseas', 'progress', 'platelet', 'count', 'decreas', 'abdomin', 'pain', 'dyspnoea', 'anaemia', 'thrombocytopenia', 'splenomegali', 'abdomin', 'discomfort', 'palpit', 'gingiv', 'pain', 'fatigu', 'oedema', 'peripher', 'paraesthesia', 'confusion', 'state', 'feel', 'abnorm', 'asthenia', 'nervous', 'anaemia', 'headach', 'platelet', 'count', 'decreas', 'splenomegali', 'anaemia', 'hepat', 'enzym', 'increas', 'muscular', 'weak', 'dizzi', 'white', 'blood', 'cell', 'count', 'decreas', 'scleroderma', 'lower', 'respiratori', 'tract', 'inflamm', 'anaemia', 'thrombocytopenia', 'epistaxi', 'fatigu', 'red', 'blood', 'cell', 'count', 'decreas', 'haemoglobin', 'decreas', 'weight', 'increas', 'night', 'sweat', 'intent', 'overdos', 'suicid', 'attempt', 'platelet', 'count', 'decreas', 'anaemia', 'diseas', 'progress', 'nasopharyng', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'cellul', 'thrombocytopenia', 'hypokalaemia', 'syncop', 'febril', 'neutropenia', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'white', 'blood', 'cell', 'count', 'decreas', 'haematocrit', 'decreas', 'blood', 'count', 'abnorm', 'anaemia', 'red', 'blood', 'cell', 'count', 'decreas', 'sinus', 'bronchiti', 'mastoid', 'frequent', 'bowel', 'movement', 'mucos', 'inflamm', 'muscl', 'spasm', 'dyspnoea', 'epistaxi', 'anxieti', 'diarrhoea', 'erythema', 'contus', 'dizzi', 'anaemia', 'diseas', 'progress', 'splenomegali', 'lung', 'consolid', 'goitr', 'platelet', 'count', 'decreas', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'haemoglobin', 'decreas', 'cataract', 'retin', 'detach', 'label', 'use', 'haemoglobin', 'decreas', 'transfus', 'platelet', 'count', 'decreas', 'anaemia', 'insomnia', 'dyspnoea', 'cyanosi', 'fatigu', 'haemorrhag', 'white', 'blood', 'cell', 'count', 'decreas', 'haemoglobin', 'decreas', 'pneumonia', 'blood', 'count', 'abnorm', 'asthenia', 'malais', 'anaemia', 'back', 'pain', 'arthralgia', 'increas', 'appetit', 'cardiac', 'failur', 'congest', 'swell', 'platelet', 'count', 'decreas', 'drug', 'administr', 'error', 'diseas', 'progress', 'haemoglobin', 'decreas', 'bone', 'pain', 'red', 'blood', 'cell', 'count', 'decreas', 'fatigu', 'anaemia', 'drug', 'ineffect', 'platelet', 'count', 'decreas', 'haemoglobin', 'abnorm', 'platelet', 'count', 'decreas', 'blood', 'count', 'abnorm', 'anaemia', 'anaemia', 'thrombocytopenia', 'medic', 'error', 'malign', 'melanoma', 'stage', 'keratoacanthoma', 'blood', 'pressur', 'increas', 'hyperkeratosi', 'therapi', 'keratoacanthoma', 'foetal', 'exposur', 'pregnanc', 'prematur', 'babi', 'low', 'birth', 'weight', 'babi', 'drug', 'withdraw', 'syndrom', 'neonat', 'exposur', 'breast', 'feed', 'dehydr', 'oedema', 'peripher', 'decreas', 'activ', 'asthenia', 'contus', 'cardiac', 'valv', 'diseas', 'fluid', 'retent', 'fatigu', 'bradypnoea', 'skin', 'cancer', 'dyspnoea', 'dizzi', 'diarrhoea', 'renal', 'impair', 'lethargi', 'weight', 'decreas', 'malais', 'transfus', 'platelet', 'count', 'decreas', 'white', 'blood', 'cell', 'count', 'decreas', 'red', 'blood', 'cell', 'count', 'decreas', 'dizzi', 'haemoglobin', 'decreas', 'haematocrit', 'decreas', 'acut', 'hepat', 'failur', 'drug', 'ineffect', 'hepat', 'b', 'renal', 'failur', 'acut', 'hypokalaemia', 'oedema', 'peripher', 'overdos', 'pyelonephr', 'syncop', 'convuls', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'prostat', 'disord', 'urinari', 'incontin', 'death', 'nausea', 'weight', 'decreas', 'peripher', 'swell', 'epistaxi', 'anaemia', 'diarrhoea', 'haemoglobin', 'decreas', 'matern', 'exposur', 'pregnanc', 'stillbirth', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'matern', 'exposur', 'pregnanc', 'abort', 'spontan', 'death', 'platelet', 'count', 'decreas', 'white', 'blood', 'cell', 'count', 'increas', 'urinari', 'tract', 'infect', 'death', 'haemoglobin', 'decreas', 'multipl', 'sclerosi', 'infect', 'hyperthermia', 'eosinophil', 'count', 'increas', 'lymphocyt', 'count', 'decreas', 'respiratori', 'arrest', 'foetal', 'exposur', 'pregnanc', 'exposur', 'breast', 'feed', 'low', 'birth', 'weight', 'babi', 'prematur', 'babi', 'drug', 'withdraw', 'syndrom', 'neonat', 'tremor', 'exposur', 'via', 'father', 'hospitalis', 'intent', 'overdos', 'substanc', 'abus', 'drug', 'abus', 'matern', 'exposur', 'pregnanc', 'exposur', 'via', 'father', 'foetal', 'growth', 'restrict', 'prematur', 'deliveri', 'respiratori', 'arrest', 'pneumonia', 'anaemia', 'decubitu', 'ulcer', 'fall', 'herp', 'zoster', 'red', 'blood', 'cell', 'count', 'decreas', 'haemoglobin', 'decreas', 'platelet', 'count', 'decreas', 'chest', 'discomfort', 'chest', 'pain', 'dyspnoea', 'gastrointestin', 'haemorrhag', 'dementia', 'agit', 'confusion', 'state', 'platelet', 'count', 'decreas', 'asthenia', 'nausea', 'fatigu', 'depress', 'mood', 'decreas', 'appetit', 'headach', 'dizzi', 'lower', 'gastrointestin', 'haemorrhag', 'anaemia', 'renal', 'failur', 'acut', 'gastrointestin', 'haemorrhag', 'gastrointestin', 'haemorrhag', 'bronchospasm', 'urticaria', 'investig', 'rectal', 'adenocarcinoma', 'red', 'blood', 'cell', 'count', 'decreas', 'blood', 'count', 'abnorm', 'nephrogen', 'system', 'fibrosi', 'platelet', 'count', 'decreas', 'anaemia', 'anaemia', 'platelet', 'count', 'increas', 'gingiv', 'pain', 'pain', 'gingiv', 'swell', 'tooth', 'disord', 'devic', 'damag', 'autism', 'lung', 'neoplasm', 'malign', 'fatigu', 'myalgia', 'arthralgia', 'joint', 'stiff', 'balanc', 'disord', 'muscl', 'spasm', 'muscular', 'weak', 'arthriti', 'vision', 'blur', 'visual', 'acuiti', 'reduc', 'haemorrhag', 'death', 'swan', 'ganz', 'cathet', 'placement', 'coronari', 'arteri', 'bypass', 'vascular', 'graft', 'stent', 'placement', 'diabet', 'mellitu', 'cardiac', 'failur', 'congest', 'nephrogen', 'system', 'fibrosi', 'rectal', 'haemorrhag', 'coliti', 'ischaem', 'anaemia', 'coagulopathi', 'death', 'deep', 'vein', 'thrombosi', 'leukopenia', 'thrombocytopenia', 'fatigu', 'infect', 'therapeut', 'respons', 'plasma', 'cell', 'myeloma', 'recurr', 'neutropenia', 'haemoglobin', 'decreas', 'diarrhoea', 'transfus', 'pregnanc', 'hospitalis', 'atyp', 'femur', 'fractur', 'femur', 'fractur', 'fall', 'hypomagnesaemia', 'drug', 'interact', 'condit', 'aggrav', 'chronic', 'spontan', 'urticaria', 'insomnia', 'angioedema', 'drug', 'ineffect', 'pruritu', 'electrocardiogram', 'qt', 'prolong', 'extrapulmonari', 'tuberculosis', 'oral', 'candidiasi', 'pancreat', 'anal', 'fistula', 'nephrogen', 'system', 'fibrosi', 'dyspnoea', 'laryng', 'oedema', 'stridor', 'acut', 'myocardi', 'infarct', 'hypotens', 'arrhythmia', 'palpit', 'drug', 'abus', 'pulmonari', 'embol', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'respiratori', 'failur', 'syndrom', 'osteoporosi', 'gastrooesophag', 'reflux', 'diseas', 'gastrointestin', 'ulcer', 'diabet', 'mellitu', 'inadequ', 'control', 'blood', 'glucos', 'increas', 'thirst', 'micturit', 'disord', 'abdomin', 'pain', 'arrhythmia', 'presyncop', 'plasma', 'cell', 'myeloma', 'convuls', 'urinari', 'tract', 'infect', 'psychiatr', 'symptom', 'blood', 'glucos', 'increas', 'oesophag', 'carcinoma', 'oesophag', 'oedema', 'asphyxia', 'visual', 'acuiti', 'reduc', 'neuropath', 'peripher', 'mobil', 'decreas', 'injuri', 'fall', 'head', 'injuri', 'pain', 'cerebrovascular', 'accid', 'hypertens', 'diabet', 'mellitu', 'upper', 'respiratori', 'tract', 'infect', 'thrombocytopenia', 'anaemia', 'influenza', 'like', 'ill', 'pyrexia', 'investig', 'death', 'hypopnoea', 'dyspnoea', 'malais', 'diseas', 'progress', 'investig', 'diseas', 'progress', 'death', 'urinari', 'tract', 'infect', 'sepsi', 'renal', 'failur', 'chronic', 'pyrexia', 'dysuria', 'back', 'pain', 'nausea', 'decreas', 'appetit', 'devic', 'relat', 'infect', 'dysphagia', 'drug

ug', 'interact', 'pancytopenia', 'ocular', 'vascular', 'disord', 'death', 'deep', 'vein', 'thrombosi', 'devic', 'disloc', 'hospitalis', 'leukopenia', 'osteonecrosi', 'jaw', 'pain', 'pancytopenia', 'drug', 'interact', 'cardiotox', 'b ladder', 'disord', 'hospitalis', 'peripher', 'swell', 'cataract', 'coliti', 'ulcer', 'phlebiti', 'superfici', 'l eukopenia', 'haemoglobin', 'decreas', 'cough', 'pneumonia', 'pyrexia', 'arthropathi', 'hypotens', 'platelet', 'c ount', 'decreas', 'malais', 'osteonecrosi', 'jaw', 'investig', 'staphylococc', 'osteomyel', 'nausea', 'anaemia', 'diseas', 'progress', 'convuls', 'hypocalcaemia', 'death', 'surgeri', 'autoimmun', 'disord', 'enceph', 'tonsil', 'pyrexia', 'lymphadenopathi', 'white', 'blood', 'cell', 'count', 'increas', 'protein', 'increas', 'enter', 'atel ectasi', 'impair', 'heal', 'cardiac', 'flutter', 'chest', 'pain', 'mobil', 'decreas', 'rash', 'prurit', 'dizzi', 'pain', 'rash', 'erythemat', 'local', 'swell', 'feel', 'hot', 'nail', 'disord', 'alopecia', 'nausea', 'vomit', 'abdomin', 'distens', 'gastric', 'disord', 'weight', 'decreas', 'abdomin', 'pain', 'arthralgia', 'pruritu', 'eryt hema', 'convuls', 'drug', 'erupt', 'haemolyt', 'anaemia', 'transient', 'ischaem', 'attack', 'dyspnoea', 'urticar ia', 'nausea', 'alopecia', 'fatigu', 'hospitalis', 'osteonecrosi', 'jaw', 'lethargi', 'pyrexia', 'liver', 'injur i', 'alanin', 'aminotransferas', 'increas', 'aspart', 'aminotransferas', 'increas', 'alpha', 'foetoprotein', 'in creas', 'endometri', 'cancer', 'unevalu', 'event', 'renal', 'failur', 'respiratori', 'failur', 'hepat', 'failur', 'pneumonia', 'malais', 'chest', 'discomfort', 'presyncop', 'confusion', 'state', 'hypotens', 'vision', 'blur', 'mobil', 'decreas', 'hip', 'fractur', 'fall', 'renal', 'failur', 'acut', 'hyponatraemia', 'drug', 'interact', 'p ancytopenia', 'hepat', 'failur', 'glomerular', 'filtrat', 'rate', 'increas', 'haemorrhag', 'intracrani', 'intern ', 'normalis', 'ratio', 'increas', 'drug', 'interact', 'cardiac', 'disord', 'hypotens', 'immunosuppress', 'drug', 'level', 'increas', 'drug', 'interact', 'immunosuppress', 'drug', 'level', 'increas', 'drug', 'interact', 'mal ais', 'mental', 'disord', 'gener', 'physic', 'health', 'deterior', 'anaemia', 'delirium', 'cerebr', 'haemorrhag', 'eastern', 'cooper', 'oncolog', 'group', 'perform', 'statu', 'worsen', 'infus', 'relat', 'reaction', 'hydrocep halu', 'pain', 'asthenia', 'blood', 'phosphoru', 'decreas', 'muscular', 'weak', 'arterioven', 'malform', 'nasoph aryng', 'cough', 'nasal', 'dryness', 'left', 'ventricular', 'dysfunct', 'radiat', 'necrosi', 'cerebr', 'haematom a', 'pneumonia', 'brain', 'abscess', 'hyponatraemia', 'hypotens', 'gastric', 'infect', 'central', 'nervou', 'sys tem', 'infect', 'blood', 'potassium', 'abnorm', 'platelet', 'count', 'decreas', 'perform', 'statu', 'decreas', 'decreas', 'appetit', 'headach', 'obes', 'depress', 'level', 'conscious', 'fall', 'dilat', 'ventricular', 'depres s', 'level', 'conscious', 'influenza', 'like', 'ill', 'ventricular', 'hypokinesia', 'weight', 'decreas', 'clostr idium', 'difficil', 'infect', 'cystiti', 'brain', 'abscess', 'heart', 'rate', 'increas', 'influenza', 'malign', 'neoplasm', 'progress', 'constip', 'infus', 'relat', 'reaction', 'anorect', 'disord', 'coagulopathi', 'klebsiell a', 'infect', 'progress', 'paraesthesia', 'agranulocytosi', 'listless', 'hypotens', 'bradycardia', 'pseudomon', 's epsi', 'thrombot', 'microangiopathi', 'label', 'use', 'death', 'death', 'investig', 'investig', 'loss', 'concio us', 'product', 'odour', 'abnorm', 'applic', 'site', 'perspir', 'investig', 'haemorrhoid', 'hospitalis', 'hypoca lcaemia', 'investig', 'hospitalis', 'transfus', 'hospitalis', 'kidney', 'infect', 'intervertebr', 'disc', 'disor d', 'urinari', 'tract', 'infect', 'urg', 'incontin', 'cystiti', 'influenza', 'arthralgia', 'emerg', 'care', 'pul monari', 'oedema', 'headach', 'bodi', 'temperatur', 'increas', 'diseas', 'progress', 'diseas', 'progress', 'drug ', 'ineffect', 'metastas', 'central', 'nervou', 'system', 'hepat', 'c', 'drug', 'ineffect', 'white', 'blood', 'c ell', 'count', 'decreas', 'thrombocytopenia', 'pancytopenia', 'arter', 'death', 'chronic', 'obstruct', 'pulmonar i', 'diseas', 'intestin', 'ulcer', 'diarrhoea', 'death', 'febril', 'neutropenia', 'respiratori', 'failur', 'hypo xia', 'sepsi', 'cholecyst', 'nausea', 'constip', 'small', 'intestin', 'obstruct', 'renal', 'failur', 'acut', 'pn eumonia', 'aspir', 'atrial', 'fibril', 'hypersensit', 'vascul', 'prostat', 'cancer', 'protein', 'increas', 'colo n', 'cancer', 'haematotox', 'nephropathi', 'toxic', 'back', 'pain', 'asthenia', 'fatigu', 'inflamm', 'hypoaesthe sia', 'pain', 'extrem', 'fall', 'loss', 'conscious', 'rhabdomyolysi', 'lymphadenopathi', 'mediastin', 'subcutan ', 'abscess', 'mycobacterium', 'avium', 'complex', 'infect', 'oligohydramnio', 'exposur', 'pregnanc', 'gastric', 'ulcer', 'death', 'intestin', 'obstruct', 'hear', 'impair', 'arteri', 'occlus', 'diseas', 'coronari', 'arteri', 'occlus', 'renal', 'impair', 'diarrhoea', 'erythrodysaesthesia', 'syndrom', 'inject', 'site', 'reaction', 'renal ', 'cell', 'carcinoma', 'metastas', 'adren', 'prostat', 'cancer', 'squamous', 'cell', 'carcinoma', 'hypertens', 'hypercholesterolaemia', 'neuropathi', 'peripher', 'food', 'avers', 'pain', 'extrem', 'gastrooesophag', 'reflux', 'diseas', 'drug', 'ineffect', 'retrograd', 'amnesia', 'loss', 'conscious', 'cerebrovascular', 'accid', 'arthralg ia', 'blister', 'psoriasi', 'diverticul', 'syndrom', 'diplopia', 'headach', 'pyrexia', 'inject', 'site', 'pain', 'ear', 'infect', 'breast', 'haemorrhag', 'breast', 'mass', 'dyspepsia', 'inject', 'site', 'haematoma', 'breast', 'pain', 'influenza', 'urinari', 'tract', 'infect', 'abdomin', 'distens', 'oropharyng', 'pain', 'wrong', 'techniq u', 'product', 'usag', 'process', 'cervic', 'spinal', 'stenosi', 'joint', 'injury', 'fall', 'paraesthesia', 'hyp oaesthesia', 'drug', 'prescrib', 'error', 'rash', 'psoa', 'abscess', 'kerat', 'conjunct', 'arthralgia', 'cheilit i', 'cough', 'q', 'fever', 'bronchiti', 'psoriasi', 'death', 'herp', 'ophthalm', 'death', 'cervic', 'vertebr', ' fractur', 'fall', 'progress', 'multifoc', 'leukoencephalopathi', 'immun', 'reconstitut', 'inflammatori', 'syndro m', 'opportunism', 'infect', 'death', 'cholecyst', 'haemorrhag', 'lung', 'neoplasm', 'central', 'nervou', 'syste m', 'lesion', 'iri', 'melanoma', 'multipl', 'sclerosi', 'relaps', 'sepsi', 'multipl', 'sclerosi', 'arthralgia', 'generalis', 'seizur', 'convuls', 'thermal', 'burn', 'tongu', 'injury', 'concuss', 'anxieti', 'cartilag', 'injur i', 'intervertebr', 'disc', 'protrus', 'back', 'pain', 'ligament', 'injury', 'arthriti', 'muscular', 'weak', 'an aemia', 'blood', 'test', 'abnorm', 'diabet', 'coma', 'hypertens', 'confusion', 'state', 'ectop', 'pregnanc', 'ne ck', 'surgeri', 'hysterectomi', 'menopaus', 'symptom', 'nervous', 'intracrani', 'aneurysm', 'procedur', 'complic ', 'post', 'procedur', 'stroke', 'gastrooesophag', 'reflux', 'diseas', 'stress', 'multipl', 'sclerosi', 'relaps', 'depress', 'mood', 'gait', 'disturb', 'procedur', 'pain', 'hysterectomi', 'multipl', 'sclerosi', 'relaps', 'mu ltipl', 'sclerosi', 'relaps', 'gener', 'physic', 'health', 'deterior', 'malais', 'drug', 'ineffect', 'unapprov', 'indic', 'neurolog', 'decompens', 'encephalopathi', 'acut', 'myocardi', 'infarct', 'thrombosi', 'devic', 'cardia c', 'arrest', 'erythema', 'pyrexia', 'swell', 'face', 'oropharyng', 'pain', 'multipl', 'sclerosi', 'relaps', 'mu ltipl', 'sclerosi', 'relaps', 'amnesia', 'abasia', 'hemiparesi', 'vision', 'blur', 'multipl', 'sclerosi', 'relap s', 'rash', 'prurit', 'anaphylact', 'reaction', 'drug', 'hypersensit', 'advers', 'drug', 'reaction', 'rash', 'fl ush', 'urinari', 'tract', 'infect', 'pelvic', 'pain', 'select', 'eat', 'disord', 'foetal', 'exposur', 'pregnanc ', 'cleft', 'palat', 'high', 'arch', 'palat', 'exposur', 'breast', 'feed', 'urinari', 'tract', 'infect', 'multipl ', 'sclerosi', 'relaps', 'liver', 'disord', 'pericard', 'pain', 'jaundic', 'multipl', 'sclerosi', 'relaps', 'imp air', 'gastric', 'disord', 'dizzi', 'hip', 'fractur', 'impair', 'heal', 'diarrhoea', 'weight', 'decreas', 'fall', 'coma', 'convuls', 'influenza', 'hirsut', 'alopecia', 'prescrib', 'underdos', 'malais', 'cerebrovascular', 'ac cid', 'angioedema', 'rash', 'hot', 'flush', 'nausea', 'feel', 'abnorm', 'duoden', 'ulcer', 'haemorrhag', 'helico bact', 'infect', 'alcohol', 'abus', 'ear', 'infect', 'thrombosi', 'asthenia', 'multipl', 'sclerosi', 'relaps', 'viral', 'infect', 'hysterectomi', 'gait', 'disturb', 'monoparesi', 'convuls', 'flush', 'malais', 'multipl', 'sclerosi', 'relaps', 'drug', 'ineffect', 'thrombophleb', 'superfici', 'epilepsi', 'drug', 'dose', 'omiss', 'drug', 'level', 'decreas', 'cleft', 'palat', 'foetal', 'exposur', 'pregnanc', 'select', 'eat', 'disord', 'high', 'arch', 'palat', 'exposur', 'breast', 'feed', 'urinari', 'tract', 'infect', 'haematuria', 'pyrexia', 'myalgia', 'obstr uct', 'allerg', 'granulomat', 'angiiti', 'hypokinesia', 'caesarean', 'section', 'unintend', 'pregnanc', 'drug', 'ineffect', 'headach', 'dizzi', 'agit', 'cri', 'hyperhidrosi', 'rash', 'rash', 'pyrexia', 'hyperhidrosi', 'abdom in', 'pain', 'upper', 'white', 'blood', 'cell', 'count', 'increas', 'inguin', 'hernia', 'kidney', 'infect', 'cys titi', 'kidney', 'infect', 'nephrolithiasi', 'ear', 'infect', 'drug', 'ineffect', 'vith', 'nerv', 'paralysi', 'v

ith', 'nerv', 'paralysi', 'febril', 'neutropenia', 'abasia', 'malais', 'dizzi', 'vomit', 'anxieti', 'sepsi', 'pr  
ostat', 'cancer', 'urinari', 'bladder', 'haemorrhag', 'haemorrhag', 'face', 'oedema', 'mouth', 'swell', 'dysphag  
ia', 'gingiv', 'pain', 'peripher', 'swell', 'palat', 'oedema', 'drug', 'intoler', 'hemiplegia', 'renal', 'colic',  
, 'renal', 'failur', 'acut', 'urinari', 'tract', 'infect', 'bacteri', 'test', 'posit', 'bronchiti', 'rhinorrhoea',  
, 'death', 'death', 'surgeri', 'psychot', 'disord', 'diseas', 'transient', 'ischaem', 'attack', 'death', 'renal',  
, 'failur', 'death', 'exposur', 'pregnanc', 'select', 'abort', 'lipas', 'increas', 'amylas', 'increas', 'back',  
, 'pain', 'gastrointestin', 'haemorrhag', 'gastric', 'ulcer', 'schizophrenia', 'spinal', 'column', 'stenosi', 'art  
hropathi', 'thrombocytopenia', 'urinari', 'incontin', 'labil', 'blood', 'pressur', 'hemiparesi', 'urinari', 'tra  
ct', 'infect', 'nasopharyng', 'rhinorrhoea', 'dri', 'mouth', 'blood', 'test', 'abnorm', 'death', 'foot', 'deform',  
, 'infus', 'relat', 'reaction', 'headach', 'interstiti', 'lung', 'diseas', 'gastroenter', 'drug', 'depend', 'ec  
zema', 'dri', 'skin', 'haematuria', 'blood', 'urin', 'present', 'investig', 'mening', 'renal', 'failur', 'acut',  
, 'metabol', 'acidosi', 'haematotox', 'nephropathi', 'toxic', 'death', 'pain', 'localis', 'infect', 'fluid', 'rete  
nt', 'weight', 'increas', 'feel', 'abnorm', 'oedema', 'peripher', 'inflamm', 'inject', 'site', 'pain', 'nausea',  
, 'abdomin', 'pain', 'pollakiuria', 'headach', 'product', 'qualiti', 'issu', 'rotat', 'cuff', 'syndrom', 'nausea',  
, 'decreas', 'appetit', 'weight', 'decreas', 'anosmia', 'hypogeusia', 'gastrectomi', 'abort', 'induc', 'matern', 'ex  
posur', 'pregnanc', 'cri', 'suicid', 'ideat', 'depress', 'product', 'compound', 'qualiti', 'issu', 'death', 'i  
nvestig', 'investig', 'renal', 'failur', 'ophthalm', 'herp', 'zoster', 'conjunctiv', 'hyperaemia', 'herp', 'zost  
er', 'intraocular', 'pressur', 'increas', 'hallucin', 'visual', 'hallucin', 'auditori', 'memori', 'impair', 'typ  
e', 'diabet', 'mellitu', 'cellul', 'fall', 'peripher', 'swell', 'urinari', 'tract', 'infect', 'drug', 'withdraw',  
, 'syndrom', 'cardiac', 'disord', 'hypertens', 'foot', 'fractur', 'oxygen', 'satur', 'decreas', 'weight', 'incre  
as', 'diseas', 'progress', 'blood', 'sodium', 'increas', 'cardiac', 'failur', 'congest', 'haemoglobin', 'decreas',  
, 'respiratori', 'arrest', 'death', 'fluid', 'retent', 'dysphagia', 'appar', 'death', 'brain', 'injury', 'cardi  
ac', 'disord', 'hypothyroid', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'hypertens', 'panic', 'attack', 'bac  
k', 'pain', 'intervertebr', 'disc', 'compress', 'spinal', 'disord', 'visual', 'acuiti', 'reduc', 'type', 'diabet',  
, 'mellitu', 'respiratori', 'failur', 'cataract', 'intraocular', 'pressur', 'increas', 'cardiac', 'flutter', 'tachycardia',  
, 'anxieti', 'palpit', 'fall', 'malais', 'feel', 'abnorm', 'bodi', 'height', 'decreas', 'hip', 'fractur', 'fall',  
, 'myelofibrosi', 'intestin', 'obstruct', 'neoplasm', 'malign', 'eat', 'disord', 'dysuria', 'lymphadenopathi',  
, 'hypersensit', 'pyrexia', 'depress', 'rash', 'generalis', 'rash', 'intern', 'normalis', 'ratio', 'increas', 'sepsi',  
, 'pneumonia', 'diarrhoea', 'asthenia', 'loss', 'conscious', 'myocardi', 'infarct', 'feel', 'jitteri', 'flush',  
, 'intraocular', 'len', 'implant', 'investig', 'accident', 'exposur', 'product', 'child', 'accident', 'overdos',  
, 'advers', 'event', 'psychot', 'disord', 'headach', 'tremor', 'decreas', 'appetit', 'fatigu', 'blood', 'glucos',  
, 'abnorm', 'death', 'pain', 'extrem', 'pain', 'extrem', 'arthralgia', 'gait', 'disturb', 'product', 'substitut',  
, 'issu', 'renal', 'failur', 'lupu', 'nephriti', 'pancytopenia', 'sepsi', 'nausea', 'vomit', 'diarrhoea', 'fatigu',  
, 'asthenia', 'thrombocytopenia', 'febril', 'neutropenia', 'headach', 'cerebr', 'haemorrhag', 'thrombosi',  
, 'drug', 'abus', 'intent', 'drug', 'misus', 'movement', 'disord', 'chest', 'pain', 'neck', 'pain', 'myalgia', 'pain',  
, 'extrem', 'thrombot', 'microangiopathi', 'label', 'use', 'throat', 'tight', 'dyspnoea', 'cough', 'mental',  
, 'disord', 'sleep', 'disord', 'abnorm', 'behaviour', 'fatigu', 'melaena', 'intern', 'normalis', 'ratio', 'increas',  
, 'haemoglobin', 'decreas', 'haematocrit', 'decreas', 'gastriti', 'oesophag', 'candidiasis', 'gastrointestin',  
, 'haemorrhag', 'renal', 'failur', 'acut', 'tendon', 'anaemia', 'gastriti', 'haemorrhag', 'pneumonia', 'investig',  
, 'nephrogen', 'system', 'fibrosi', 'adenocarcinoma', 'colon', 'yellow', 'skin', 'activ', 'daili', 'live', 'impair',  
, 'limb', 'discomfort', 'dri', 'throat', 'arthralgia', 'inject', 'site', 'pain', 'drug', 'ineffect', 'fall', 'weight',  
, 'decreas', 'neck', 'pain', 'head', 'injury', 'visual', 'impair', 'inject', 'site', 'pruritu', 'hallucin', 'mobil',  
, 'decreas', 'anaemia', 'inject', 'site', 'erythema', 'condit', 'aggrav', 'deaf', 'product', 'cough', 'red', 'blood',  
, 'cell', 'sediment', 'rate', 'increas', 'swell', 'pain', 'thrombosi', 'catarrh', 'feel', 'abnorm', 'inject',  
, 'site', 'hypersensit', 'rheumatoid', 'arthriti', 'joint', 'swell', 'hypertens', 'dri', 'mouth', 'hypersensit',  
, 'swell', 'face', 'lip', 'swell', 'local', 'swell', 'local', 'swell', 'throat', 'tight', 'pharyng', 'oedema',  
, 'dyspnoea', 'ear', 'pain', 'pain', 'jaw', 'asthenia', 'fatigu', 'hypersensit', 'pneumonia', 'nasopharyng',  
, 'cough', 'fatigu', 'gener', 'physic', 'health', 'deterior', 'hyperhidrosi', 'gastrointestin', 'disord', 'diarrhoea',  
, 'decreas', 'appetit', 'fatigu', 'pruritu', 'urticaria', 'pain', 'skin', 'blister', 'rash', 'prurit', 'exposur',  
, 'breast', 'feed', 'pulmonari', 'oedema', 'pruritu', 'burn', 'sensat', 'pain', 'swell', 'face', 'rash', 'rash',  
, 'dermat', 'contact', 'lentigo', 'seborrhoea', 'keratosi', 'sweat', 'gland', 'tumour', 'pleural', 'effus', 'hypoxia',  
, 'respiratori', 'disord', 'rhabdomyolysi', 'hernia', 'prostat', 'disord', 'tooth', 'abscess', 'toothach', 'endodont',  
, 'procedur', 'surgeri', 'osteonecrosi', 'jaw', 'diseas', 'progress', 'hallucin', 'confusion', 'state', 'visual',  
, 'acuiti', 'reduc', 'dizzi', 'bradycardia', 'investig', 'fall', 'stupor', 'respiratori', 'depress', 'overdos',  
, 'sedat', 'exposur', 'pregnanc', 'drug', 'withdraw', 'syndrom', 'inject', 'site', 'rash', 'rash', 'erythemat',  
, 'type', 'iv', 'hypersensit', 'reaction', 'cerebrovascular', 'accid', 'bipolar', 'disord', 'sedat', 'paranoia',  
, 'treatment', 'noncompli', 'fear', 'tuberculosis', 'neoplasm', 'pain', 'extrem', 'hypoesthesia', 'carpal',  
, 'tunnel', 'decompress', 'infus', 'relat', 'reaction', 'anaphylact', 'reaction', 'white', 'blood', 'cell', 'count',  
, 'decreas', 'bone', 'pain', 'arthralgia', 'hot', 'flush', 'asthenia', 'haemoptysi', 'intestin', 'obstruct', 'intestin',  
, 'obstruct', 'hypokinesia', 'dysgeusia', 'asthenia', 'fatigu', 'decreas', 'appetit', 'atrial', 'thrombosi',  
, 'speech', 'disord', 'balanc', 'disord', 'gait', 'disturb', 'confusion', 'state', 'asthenia', 'pain', 'malais',  
, 'haemorrhag', 'wound', 'scab', 'skin', 'fissur', 'pain', 'gait', 'disturb', 'fear', 'arthralgia', 'flatul',  
, 'eruct', 'back', 'pain', 'arthriti', 'hypokinesia', 'cardiac', 'disord', 'condit', 'aggrav', 'nausea', 'vomit',  
, 'diarrhoea', 'mobil', 'decreas', 'skin', 'cancer', 'pain', 'jaw', 'bone', 'swell', 'ear', 'disord', 'tooth', 'disord',  
, 'inappropri', 'schedul', 'drug', 'administr', 'bone', 'pain', 'fat', 'embol', 'hypertens', 'polycythaemia',  
, 'sciatica', 'blind', 'unilater', 'gallbladd', 'disord', 'hepat', 'haematoma', 'hepat', 'enzym', 'increas', 'pain',  
, 'extrem', 'impair', 'gastric', 'empti', 'inject', 'site', 'mass', 'amnesia', 'inject', 'site', 'pain', 'complet',  
, 'suicid', 'exposur', 'via', 'ingest', 'diverticul', 'hernia', 'abdomin', 'pain', 'pulmonari', 'embol', 'lung',  
, 'neoplasm', 'malign', 'fatigu', 'asthenia', 'dyspnoea', 'chest', 'pain', 'dyspnoea', 'cardiopulmonari', 'failur',  
, 'cardiac', 'arrest', 'pyrexia', 'death', 'muscular', 'weak', 'muscl', 'spasm', 'hypoesthesia', 'muscl', 'rigid',  
, 'sleep', 'disord', 'musculoskelet', 'stiff', 'abort', 'miss', 'therapeut', 'respons', 'chang', 'pathogen',  
, 'resist', 'drug', 'ineffect', 'death', 'tooth', 'loss', 'gingiv', 'pain', 'bone', 'marrow', 'failur', 'hyperaemia',  
, 'lymphadenopathi', 'bloodi', 'discharg', 'odynophagia', 'saliva', 'alter', 'bone', 'pain', 'pyrexia', 'death',  
, 'angioedema', 'prothrombin', 'time', 'prolong', 'haemorrhag', 'contus', 'haematuria', 'drug', 'interact',  
, 'toxic', 'variou', 'agent', 'intern', 'normalis', 'ratio', 'increas', 'death', 'death', 'endometri', 'cancer',  
, 'inject', 'site', 'erythema', 'inject', 'site', 'swell', 'inject', 'site', 'pain', 'osteoarthr', 'cognit', 'disord',  
, 'depress', 'haemoglobin', 'decreas', 'fibromyalgia', 'feel', 'cold', 'weight', 'decreas', 'muscl', 'atroph',  
, 'therapeut', 'respons', 'white', 'blood', 'cell', 'count', 'decreas', 'asthenia', 'dizzi', 'product', 'qualiti',  
, 'issu', 'visual', 'impair', 'visual', 'acuiti', 'reduc', 'drug', 'ineffect', 'cataract', 'night', 'blind', 'death',  
, 'death', 'death', 'fractur', 'road', 'traffic', 'accid', 'sternal', 'fractur', 'loss', 'conscious', 'cough',  
, 'nasopharyng', 'hypersensit', 'vascul', 'glomerulonephr', 'acut', 'renal', 'failur', 'acut', 'arthralgia',  
, 'hypochrom', 'anaemia', 'toxic', 'variou', 'agent', 'haematuria', 'hypocalcaemia', 'hyperphosphataemia', 'tetani',  
, 'paraesthesia', 'oral', 'paraesthesia', 'paraesthesia', 'paraesthesia', 'matern', 'drug', 'affect', 'f

oetu', 'cleft', 'palat', 'high', 'arch', 'palat', 'poor', 'suck', 'reflex', 'exposur', 'breast', 'feed', 'congen  
it', 'anomali', 'convuls', 'impair', 'drive', 'abil', 'fall', 'multipl', 'sclerosi', 'relaps', 'insomnia', 'mult  
ipl', 'sclerosi', 'relaps', 'dysarthria', 'gait', 'disturb', 'fatigu', 'ataxia', 'hypoaesthesia', 'muscl', 'spas  
m', 'swollen', 'tongu', 'hypoaesthesia', 'oral', 'haemoglobin', 'abnorm', 'haematocrit', 'abnorm', 'inappropri',  
'schedul', 'drug', 'administr', 'blood', 'potassium', 'abnorm', 'blood', 'calcium', 'abnorm', 'blood', 'choleste  
rol', 'increas', 'multipl', 'sclerosi', 'relaps', 'haemoptysi', 'lung', 'disord', 'chest', 'pain', 'inject', 'sit  
e', 'erythema', 'inject', 'site', 'swell', 'inject', 'site', 'pruritu', 'urinari', 'bladder', 'haemorrhag', 'dr  
ug', 'ineffect', 'infect', 'cerebr', 'ischaemia', 'hemiparesi', 'blood', 'calcium', 'increas', 'blood', 'potassi  
um', 'decreas', 'anaemia', 'faecaloma', 'proteinuria', 'hypertens', 'vitreou', 'haemorrhag', 'blind', 'full', 'b  
lood', 'count', 'decreas', 'hypoacus', 'drug', 'interact', 'psychot', 'disord', 'gait', 'disturb', 'hyperreflex  
ia', 'dizzi', 'sleep', 'disord', 'asthenia', 'nystagmu', 'toxic', 'variou', 'agent', 'palpit', 'disturb', 'atten  
t', 'inappropri', 'schedul', 'drug', 'administr', 'bedridden', 'label', 'use', 'asthenia', 'muscular', 'weak', 'd  
yspnoea', 'deep', 'vein', 'thrombosi', 'eye', 'haemorrhag', 'thrombocytopenia', 'thrombocytopenia', 'pleural',  
'effus', 'haemorrhag', 'intracrani', 'epilepsi', 'medic', 'error', 'haemorrhag', 'intracrani', 'gastrointestin',  
'haemorrhag', 'gastrointestin', 'tract', 'irrit', 'diarrhoea', 'haemorrhag', 'mesenter', 'arteri', 'thrombosi',  
'cardiac', 'ablat', 'gastrointestin', 'haemorrhag', 'nephrolithiasi', 'neuralgia', 'chest', 'discomfort', 'visio  
n', 'blur', 'deep', 'vein', 'thrombosi', 'deep', 'vein', 'thrombosi', 'pulmonari', 'alveolar', 'haemorrhag', 'ac  
ut', 'respiratori', 'failur', 'acut', 'respiratori', 'distress', 'syndrom', 'renal', 'impair', 'atrial', 'fibril  
'pulmonari', 'embol', 'investig', 'cerebrovascular', 'accid', 'muscl', 'spasm', 'dyspnoea', 'neoplasm', 'mali  
gn', 'hernia', 'incis', 'site', 'infect', 'tibia', 'fractur', 'ankl', 'fractur', 'ligament', 'ruptur', 'meniscu  
'injuri', 'fall', 'fractur', 'delay', 'union', 'arthralgia', 'pain', 'mobil', 'decreas', 'investig', 'advers',  
'event', 'hospitalis', 'convuls', 'drug', 'interact', 'drug', 'prescrib', 'error', 'investig', 'flush', 'pyrexia  
'malais', 'cellul', 'incorrect', 'rout', 'drug', 'administr', 'motor', 'dysfunct', 'cerebrovascular', 'accid  
'galactorrhoea', 'nightmar', 'anxieti', 'neuralgia', 'urinari', 'tract', 'infect', 'drug', 'ineffect', 'alopec  
ia', 'hair', 'growth', 'abnorm', 'hair', 'colour', 'chang', 'nightmar', 'anxieti', 'label', 'use', 'complet', 's  
uicid', 'alopecia', 'osteoporosi', 'anaemia', 'mycobacteri', 'infect', 'upper', 'respiratori', 'tract', 'inflamm  
'dysenteri', 'headach', 'diarrhoea', 'night', 'sweat', 'dri', 'skin', 'deaf', 'hypoglycaem', 'unconsci', 'fal  
l', 'lower', 'limb', 'fractur', 'angina', 'pectori', 'influenza', 'headach', 'feel', 'hot', 'chill', 'hyperhidro  
si', 'movement', 'disord', 'chest', 'pain', 'lip', 'oedema', 'asthma', 'dizzi', 'mood', 'swing', 'asthenia', 'br  
adycardia', 'presyncop', 'somnol', 'headach', 'weight', 'decreas', 'lower', 'respiratori', 'tract', 'infect', 'r  
ight', 'ventricular', 'failur', 'oedema', 'peripher', 'sleep', 'apnoea', 'syndrom', 'cor', 'pulmonal', 'hypoxia  
'malais', 'cyanosi', 'decreas', 'activ', 'pyrexia', 'pain', 'myopathi', 'ophthalmoplegia', 'diplopia', 'cerebr  
ovascular', 'accid', 'renal', 'failur', 'lactic', 'acidosi', 'blood', 'potassium', 'increas', 'continu', 'haemod  
iafiltr', 'metabol', 'acidosi', 'diabet', 'mellitu', 'renal', 'failur', 'lactic', 'acidosi', 'blood', 'sodium',  
'decreas', 'blood', 'potassium', 'increas', 'continu', 'haemodiafiltr', 'renal', 'failur', 'lactic', 'acidosi',  
'blood', 'sodium', 'decreas', 'blood', 'potassium', 'increas', 'continu', 'haemodiafiltr', 'metabol', 'acidosi',  
'interstiti', 'lung', 'diseas', 'electrocardiogram', 'repolaris', 'abnorm', 'fatigu', 'colorect', 'cancer', 'met  
astat', 'lactic', 'acidosi', 'renal', 'failur', 'blood', 'potassium', 'increas', 'continu', 'haemodiafiltr', 'me  
tabol', 'acidosi', 'hypoventil', 'abdomin', 'pain', 'upper', 'somnol', 'cardiopulmonari', 'failur', 'tachypnoea',  
'patholog', 'gambl', 'disord', 'rash', 'generalis', 'rash', 'prurit', 'rash', 'pustular', 'rash', 'erythemat',  
'hemiparesi', 'vision', 'blur', 'hypoaesthesia', 'gait', 'disturb', 'inject', 'site', 'erythema', 'inject', 'sit  
e', 'discolour', 'rotat', 'cuff', 'repair', 'arthralgia', 'musculoskelet', 'pain', 'increas', 'upper', 'airway',  
'secret', 'inject', 'site', 'pain', 'investig', 'syncop', 'cardiac', 'disord', 'hyperhidrosi', 'inappropri', 'sc  
hedul', 'drug', 'administr', 'hepat', 'toxic', 'chest', 'pain', 'erythema', 'skin', 'reaction', 'interstiti', 'l  
ung', 'diseas', 'headach', 'dyspnoea', 'multipl', 'sclerosi', 'relaps', 'matern', 'drug', 'affect', 'foetu', 'ca  
esarean', 'section', 'pulmonari', 'valv', 'stenosi', 'congenit', 'atrial', 'septal', 'defect', 'feed', 'disord',  
'neonat', 'alter', 'state', 'conscious', 'sopor', 'aspart', 'aminottransferas', 'increas', 'blood', 'creatin', 'p  
hosphokinas', 'increas', 'label', 'use', 'sedat', 'diplopia', 'substanc', 'abus', 'oral', 'mucos', 'blister', 'h  
ypersensit', 'throat', 'tight', 'nausea', 'vomit', 'multipl', 'sclerosi', 'relaps', 'drug', 'ineffect', 'multipl  
'sclerosi', 'relaps', 'eyelid', 'ptosi', 'influenza', 'like', 'ill', 'multipl', 'sclerosi', 'inappropri', 'sc  
hedul', 'drug', 'administr', 'multipl', 'sclerosi', 'inappropri', 'schedul', 'drug', 'administr', 'fall', 'hypon  
atraemia', 'confusion', 'state', 'cholecyst', 'hepat', 'arteri', 'aneurysm', 'femur', 'fractur', 'incorrect', 'd  
rug', 'administr', 'durat', 'dermat', 'psoriasisiform', 'vomit', 'metabol', 'acidosi', 'pulmonari', 'oedema', 'res  
piratori', 'disord', 'blood', 'creatinin', 'increas', 'dialysi', 'renal', 'impair', 'lactic', 'acidosi', 'drug',  
'abus', 'intent', 'sopor', 'oligohydramnio', 'prematur', 'ruptur', 'membran', 'caesarean', 'section', 'obstruct',  
'labour', 'gestat', 'diabet', 'matern', 'exposur', 'pregnanc', 'foetal', 'heart', 'rate', 'decel', 'abnorm',  
'matern', 'drug', 'affect', 'foetu', 'oligohydramnio', 'foetal', 'death', 'kidney', 'duplex', 'congenit', 'hear',  
'disord', 'foetal', 'exposur', 'pregnanc', 'congenit', 'choroid', 'plexu', 'cyst', 'supernumerari', 'nippl', 'c  
ardiac', 'failur', 'pneumonia', 'anxieti', 'throat', 'irrit', 'sensat', 'foreign', 'bodi', 'chest', 'discomfort',  
'nausea', 'pain', 'headach', 'nervous', 'blood', 'pressur', 'inadequ', 'control', 'hypertens', 'blood', 'elec  
trolyt', 'abnorm', 'blood', 'potassium', 'abnorm', 'adren', 'gland', 'injuri', 'cardiac', 'disord', 'anaemia', 'h  
ypotens', 'renal', 'failur', 'laboratori', 'test', 'abnorm', 'syncop', 'gastrointestin', 'disord', 'medic', 're  
sidu', 'present', 'abdomin', 'pain', 'nausea', 'fatigu', 'dental', 'cari', 'oedema', 'diarrhoea', 'cystiti', 'no  
ninfect', 'hypertens', 'anaemia', 'vomit', 'dizzi', 'dehydr', 'neutropenia', 'somnol', 'thrombocytopenia', 'thro  
mbocytopenia', 'anaemia', 'condit', 'aggrav', 'haemorrhag', 'intracrani', 'subdur', 'haematoma', 'angioedema', 'u  
rticaria', 'dyspnoea', 'sensat', 'foreign', 'bodi', 'rash', 'generalis', 'swell', 'face', 'local', 'swell', 'vo  
mit', 'rash', 'capillari', 'leak', 'syndrom', 'conjunctiv', 'haemorrhag', 'vision', 'blur', 'asthenia', 'headach',  
'peripher', 'vascular', 'disord', 'uterin', 'leiomyoma', 'pyrexia', 'cough', 'rhinorrhoea', 'respiratori', 't  
ract', 'congest', 'death', 'scleroderma', 'fasciiti', 'dyspnoea', 'infus', 'relat', 'reaction', 'pneumonia', 'fu  
ngal', 'respiratori', 'arrest', 'pancreat', 'gait', 'disturb', 'joint', 'rang', 'motion', 'decreas', 'musculoske  
let', 'stiff', 'face', 'oedema', 'drug', 'effect', 'incomplet', 'oedema', 'skin', 'lesion', 'drug', 'intoler', 'o  
titi', 'media', 'malign', 'melanoma', 'situ', 'headach', 'vomit', 'abdomin', 'pain', 'gait', 'disturb', 'urinari',  
'tract', 'infect', 'pyrexia', 'haematuria', 'myalgia', 'depress', 'level', 'conscious', 'depress', 'level',  
'conscious', 'conjunctiv', 'haemorrhag', 'arthralgia', 'myalgia', 'pyrexia', 'encephalopathi', 'adenocarcinoma',  
'diarrhoea', 'weight', 'decreas', 'vomit', 'ileu', 'paralyt', 'muscl', 'ruptur', 'thrombosi', 'devic', 'drug', 're  
sist', 'interstiti', 'lung', 'diseas', 'epistaxi', 'dyspnoea', 'headach', 'hyperhidrosi', 'arthralgia', 'hyper  
sensit', 'vascul', 'cerebrovascular', 'accid', 'transient', 'ischaem', 'attack', 'thrombosi', 'diplopia', 'pulmo  
nari', 'embol', 'headach', 'conjunctiv', 'haemorrhag', 'vision', 'blur', 'headach', 'asthenia', 'gait', 'disturb',  
'interstiti', 'lung', 'diseas', 'pancreat', 'dissemin', 'intravascular', 'coagul', 'tracheostomi', 'mechan',  
'ventil', 'gastric', 'haemorrhag', 'hepat', 'function', 'abnorm', 'cholelithiasi', 'skin', 'exfoli', 'pruritu',  
'oral', 'pruritu', 'local', 'swell', 'chest', 'discomfort', 'paraesthesia', 'oral', 'vomit', 'underdos', 'renal',  
'impair', 'diarrhoea', 'lethargi', 'malais', 'weight', 'decreas', 'myocardi', 'infarct', 'nausea', 'weight', 'in  
creas', 'headach', 'dizzi', 'angina', 'pectori', 'fatigu', 'hyperhidrosi', 'syndrom', 'hypersensit', 'blister'



, 'conscious', 'fluctuat', 'dyspnoea', 'eye', 'disord', 'rash', 'generalis', 'lip', 'discolour', 'chap', 'lip', 'pain', 'scab', 'scar', 'malais', 'skin', 'disord', 'skin', 'exfoli', 'lip', 'swell', 'weight', 'decreas', 'labe l', 'use', 'small', 'cell', 'lung', 'cancer', 'gastric', 'cancer', 'headach', 'tooth', 'abscess', 'fatigu', 'too th', 'infect', 'spondylolisthesi', 'osteoporosi', 'pain', 'extrem', 'musculoskelet', 'discomfort', 'drug', 'dive rs', 'insomnia', 'cholang', 'label', 'use', 'death', 'myocardi', 'infarct', 'pancytopenia', 'drug', 'interact', 'exposur', 'pregnanc', 'substanc', 'abus', 'headach', 'sommambul', 'depress', 'diarrhoea', 'fatigu', 'irrit', 'p olyuria', 'pain', 'extrem', 'underdos', 'malais', 'nausea', 'vomit', 'wrong', 'techniqu', 'drug', 'usag', 'proce ss', 'eczema', 'paralysi', 'asthenia', 'constip', 'dyspnoea', 'hyperkalaemia', 'restless', 'rale', 'blood', 'sod ium', 'decreas', 'high', 'densiti', 'lipoprotein', 'decreas', 'low', 'densiti', 'lipoprotein', 'increas', 'incor rect', 'rout', 'drug', 'administr', 'drug', 'abus', 'drug', 'divers', 'bronchospasm', 'hyperhidrosi', 'liver', ' function', 'test', 'abnorm', 'salmonellosi', 'hepat', 'steatosi', 'herp', 'simplex', 'spinal', 'osteoarthr', 'ar thriti', 'renal', 'failur', 'acut', 'duoden', 'polyp', 'electrolyt', 'imbal', 'oesophag', 'mycobacterium', 'aviu m', 'complex', 'infect', 'lymphaden', 'renal', 'impair', 'diabet', 'mellitu', 'diarrhoea', 'sinus', 'diabet', 'n europathi', 'eosinophil', 'pustular', 'follicul', 'nausea', 'pneumonia', 'osteoporosi', 'hyperlipidaemia', 'back ', 'pain', 'hyperuricaemia', 'cytopenia', 'periarthr', 'folat', 'defici', 'gingiv', 'inflamm', 'drug', 'divers', 'lumbar', 'vertebr', 'fractur', 'clostridium', 'difficil', 'coliti', 'blood', 'glucos', 'increas', 'inappropri', 'schedul', 'drug', 'administr', 'confusion', 'state', 'tumour', 'lysi', 'syndrom', 'renal', 'failur', 'overdos', 'drug', 'depend', 'drug', 'abus', 'splenic', 'ruptur', 'blood', 'pressur', 'diastol', 'decreas', 'haemoglobin', 'decreas', 'periton', 'haemorrhag', 'caesarean', 'section', 'matern', 'exposur', 'pregnanc', 'procedur', 'complici', 'skin', 'toxic', 'pneumonia', 'neuropathi', 'peripher', 'fatigu', 'infect', 'nausea', 'diarrhoea', 'erythrod ysaesthesia', 'syndrom', 'mucos', 'inflamm', 'pneumon', 'pleural', 'effus', 'vomit', 'anaemia', 'drug', 'abus', 'accident', 'exposur', 'product', 'dermat', 'exfoli', 'pneumon', 'nausea', 'hepat', 'function', 'abnorm', 'overd os', 'miosi', 'respiratori', 'depress', 'coma', 'drug', 'divers', 'road', 'traffic', 'accid', 'drug', 'divers', 'drug', 'abus', 'drug', 'divers', 'leukopenia', 'anaemia', 'thrombocytopenia', 'vomit', 'radiat', 'oesophag', 'e rythrodysaesthesia', 'syndrom', 'diarrhoea', 'gastrointestin', 'haemorrhag', 'drug', 'interact', 'febril', 'neut ropenia', 'drug', 'divers', 'self', 'injuri', 'behaviour', 'intent', 'drug', 'misus', 'sluggish', 'myocardi', 'i nfarct', 'fall', 'sommel', 'aphasia', 'drug', 'hypersensit', 'pain', 'abdomin', 'distens', 'fatigu', 'chill', 'd iarrhoea', 'eosinophilia', 'condit', 'aggrav', 'transaminas', 'increas', 'dyspepsia', 'lymphopenia', 'skin', 'ul cer', 'overdos', 'depress', 'level', 'conscious', 'convuls', 'gaze', 'palsi', 'foam', 'mouth', 'dyskinesia', 'dr ug', 'depend', 'febril', 'neutropenia', 'label', 'use', 'disabl', 'fatigu', 'joint', 'disloc', 'joint', 'swell', 'knee', 'arthroplasti', 'joint', 'injuri', 'sinus', 'bedridden', 'nerv', 'injuri', 'impair', 'drive', 'abil', 'm uscular', 'weak', 'arthralgia', 'fall', 'product', 'packag', 'issu', 'weight', 'bear', 'difficulti', 'flush', 'a nkl', 'fractur', 'wheelchair', 'user', 'bladder', 'catheteris', 'gastrointestin', 'haemorrhag', 'drug', 'interac t', 'renal', 'cancer', 'pneumonia', 'sinus', 'injuri', 'drug', 'effect', 'incomplet', 'psoriasi', 'lower', 'gast rointestin', 'haemorrhag', 'drug', 'interact', 'melaena', 'haematochezia', 'syndrom', 'rash', 'food', 'interact', 'bladder', 'neoplasm', 'bladder', 'cancer', 'anaphylact', 'shock', 'hypertriglyceridaemia', 'thrombosi', 'devi c', 'advers', 'event', 'acut', 'generalis', 'exanthemat', 'pustulosi', 'anaphylact', 'reaction', 'therapeut', 'r espons', 'faecalith', 'abdomin', 'pain', 'vomit', 'ileu', 'intussuscept', 'malnutrit', 'ascit', 'pleural', 'effu s', 'convuls', 'pancreat', 'myoclonu', 'fall', 'head', 'injuri', 'dyspnoea', 'fatigu', 'weight', 'increas', 'tre mor', 'balanc', 'disord', 'abdomin', 'pain', 'dyspepsia', 'rash', 'globulin', 'increas', 'hypoalbuminaemia', 'so mmol', 'abnorm', 'behaviour', 'diarrhoea', 'rosacea', 'disorient', 'drug', 'administr', 'error', 'drug', 'dose', 'omiss', 'drug', 'effect', 'decreas', 'flush', 'muscular', 'weak', 'headach', 'chest', 'pain', 'electrocardiogra m', 'st', 'segment', 'elev', 'muscl', 'spasm', 'coronari', 'arteri', 'dissect', 'iatrogen', 'injuri', 'haemorrha g', 'drug', 'interact', 'shock', 'haemorrhag', 'hypertens', 'weight', 'increas', 'skin', 'burn', 'sensat', 'para esthesia', 'peripher', 'swell', 'joint', 'swell', 'oedema', 'peripher', 'hypertens', 'paraesthesia', 'weight', 'i ncreas', 'skin', 'burn', 'sensat', 'renal', 'disord', 'intestin', 'resect', 'colon', 'cancer', 'metastat', 'pai n', 'hypertens', 'malais', 'incarcer', 'hernia', 'periton', 'cathet', 'site', 'extravas', 'post', 'procedur', 'i nfect', 'abort', 'spontan', 'exposur', 'pregnanc', 'larg', 'intestin', 'haemorrhag', 'drug', 'interact', 'advers ', 'event', 'hernia', 'cardiac', 'disord', 'hernia', 'peripher', 'arteri', 'thrombosi', 'cerebrovascular', 'acci d', 'renal', 'failur', 'chronic', 'renal', 'failur', 'acut', 'anuria', 'thrombocytopenia', 'thrombocytopenia', ' venou', 'stenosi', 'thrombosi', 'devic', 'malais', 'pneumonia', 'clostridium', 'difficil', 'infect', 'periton', 'diverticul', 'circulatori', 'collaps', 'vomit', 'pain', 'headach', 'insomnia', 'nausea', 'condit', 'aggrav', 'p araesthesia', 'night', 'sweat', 'myocardi', 'infarct', 'toxic', 'epiderm', 'necrolysi', 'drug', 'reaction', 'eos inophilia', 'system', 'symptom', 'pyrexia', 'therapeut', 'respons', 'interstiti', 'lung', 'diseas', 'toxic', 'va riou', 'agent', 'complet', 'suicid', 'incorrect', 'dose', 'administ', 'poor', 'peripher', 'circul', 'peripher', 'arteri', 'occlus', 'diseas', 'post', 'procedur', 'infect', 'wound', 'wound', 'infect', 'diabet', 'complic', 'ce llul', 'death', 'toxic', 'variou', 'agent', 'complet', 'suicid', 'brain', 'oedema', 'bladder', 'disord', 'medic ', 'residu', 'present', 'pulmonari', 'oedema', 'toxic', 'variou', 'agent', 'complet', 'suicid', 'incorrect', 'dos e', 'administ', 'subacut', 'cutan', 'lupu', 'erythematosu', 'hospitalis', 'pancreat', 'investig', 'intervertebr ', 'disc', 'oper', 'spinal', 'laminectomi', 'muscl', 'spasm', 'hot', 'flush', 'formic', 'fall', 'drug', 'withdraw ', 'syndrom', 'clonu', 'devic', 'failur', 'chest', 'pain', 'anaphylact', 'reaction', 'hyperthermia', 'malign', 'cardiac', 'disord', 'pulmonari', 'thrombosi', 'hypotens', 'memori', 'impair', 'fluid', 'overload', 'death', 'hyp oxia', 'delirium', 'stress', 'pancreat', 'disord', 'ultrafiltr', 'failur', 'dyspnoea', 'renal', 'cancer', 'blood ', 'pressur', 'fluctuat', 'weight', 'decreas', 'hypertens', 'renal', 'transplant', 'failur', 'hypotens', 'nausea ', 'convuls', 'blood', 'sodium', 'decreas', 'pleural', 'effus', 'periton', 'bacteri', 'periton', 'dialysi', 'com plic', 'death', 'heart', 'rate', 'irregular', 'dyspnoea', 'hernia', 'weight', 'decreas', 'hypotens', 'syndrom', 'toxic', 'epiderm', 'necrolysi', 'system', 'lupu', 'erythematosu', 'head', 'injuri', 'fluid', 'overload', 'pneum onia', 'hyperthermia', 'malign', 'subacut', 'cutan', 'lupu', 'erythematosu', 'acut', 'myocardi', 'infarct', 'dis eas', 'complic', 'hypertens', 'pneumonia', 'aspir', 'acut', 'respiratori', 'failur', 'sepsi', 'fall', 'cerebrova scular', 'accid', 'liver', 'injuri', 'pneumonia', 'anaemia', 'gastrointestin', 'haemorrhag', 'scrotal', 'swell', 'hernia', 'drug', 'ineffect', 'deep', 'vein', 'thrombosi', 'gastrointestin', 'haemorrhag', 'drug', 'interact', ' drug', 'withdraw', 'syndrom', 'pulmonari', 'embol', 'angioedema', 'deep', 'vein', 'thrombosi', 'pulmonari', 'emb ol', 'anxieti', 'emot', 'distress', 'gener', 'physic', 'health', 'deterior', 'injuri', 'pulmonari', 'embol', 'dy spnoea', 'chest', 'pain', 'pain', 'pain', 'retin', 'disord', 'retin', 'neovascularis', 'vision', 'blur', 'produc t', 'substitut', 'issu', 'drug', 'dispens', 'error', 'product', 'qualiti', 'issu', 'rash', 'pruritu', 'feel', 'a bnorm', 'pulmonari', 'embol', 'deep', 'vein', 'thrombosi', 'deep', 'vein', 'thrombosi', 'pulmonari', 'embol', 'd eep', 'vein', 'thrombosi', 'pulmonari', 'embol', 'deep', 'vein', 'thrombosi', 'venou', 'thrombosi', 'pulmonari', 'embol', 'deep', 'vein', 'thrombosi', 'subacut', 'cutan', 'lupu', 'erythematosu', 'anaemia', 'atrial', 'fibril', 'blood', 'potassium', 'decreas', 'dehydr', 'diabet', 'complic', 'abdomin', 'distens', 'dyspnoea', 'nausea', 'dee p', 'vein', 'thrombosi', 'pulmonari', 'embol', 'acut', 'myocardi', 'infarct', 'deep', 'vein', 'thrombosi', 'pulm onari', 'embol', 'cardiac', 'arrest', 'loss', 'conscious', 'devic', 'relat', 'infect', 'fall', 'joint', 'injuri ', 'periton', 'bacteri', 'periton', 'dialysi', 'complic', 'death', 'renal', 'failur', 'acut', 'anaemia', 'clostri dium', 'difficil', 'infect', 'fall', 'chest', 'pain', 'abdomin', 'pain', 'upper', 'constip', 'haematuria', 'myoc

'ardi', 'infarct', 'myocardia', 'infarct', 'cardiac', 'failur', 'periton', 'chest', 'pain', 'abdomin', 'distens',  
'ovarian', 'germ', 'cell', 'cancer', 'stage', 'ii', 'amenorrhoea', 'weight', 'increas', 'galactorrhoea', 'tremor',  
'muscular', 'weak', 'agit', 'dyspnoea', 'blood', 'prolactin', 'increas', 'palpit', 'aggress', 'dyskinesia',  
'abdomin', 'pain', 'hyperhidrosi', 'swell', 'muscl', 'spasm', 'dysuria', 'breast', 'enlarg', 'fatigu', 'subacut',  
'cutan', 'lupu', 'erythematosu', 'diseas', 'recurr', 'hernia', 'foetal', 'exposur', 'pregnanc', 'drug', 'withdra  
w', 'syndrom', 'neonat', 'infect', 'staphylococc', 'infect', 'cathet', 'site', 'infect', 'abdomin', 'pain', 'res  
piratori', 'distress', 'feed', 'disord', 'agit', 'convuls', 'investig', 'hospitalis', 'matern', 'exposur', 'preg  
nanc', 'caesarean', 'section', 'prematur', 'deliveri', 'transfus', 'rash', 'pruritu', 'insomnia', 'blind', 'unil  
ater', 'visual', 'acuiti', 'reduc', 'inappropri', 'schedul', 'drug', 'administr', 'cardiac', 'failur', 'congest',  
'abdomin', 'pain', 'malais', 'constip', 'abdomin', 'distens', 'dyspnoea', 'nausea', 'hyperthermia', 'malign',  
'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperth  
ermia', 'malign', 'eye', 'pain', 'vitreu', 'haemorrhag', 'foreign', 'bodi', 'sensat', 'eye', 'hyperthermia', 'm  
align', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign',  
'hyperthermia', 'malign', 'hyperthermia', 'malign', 'subacut', 'cutan', 'lupu', 'erythematosu', 'drug', 'reactio  
n', 'eosinophilia', 'system', 'symptom', 'hepat', 'c', 'face', 'oedema', 'excori', 'lymphadenopathi', 'generalis  
'erythema', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'ma  
align', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'physic', 'disabl', 'foetal', 'cystic', 'hygroma', 'p  
ain', 'emot', 'distress', 'tension', 'multipl', 'injuri', 'anhedonia', 'loss', 'employ', 'social', 'problem', 'l  
ife', 'expect', 'shorten', 'emot', 'distress', 'deform', 'foetal', 'exposur', 'pregnanc', 'hyperthermia', 'malig  
'abnorm', 'behaviour', 'agit', 'aggress', 'scream', 'restless', 'stab', 'wound', 'dissoci', 'fugu', 'confusi  
on', 'state', 'amnesia', 'statu', 'epilepticu', 'plasma', 'cell', 'myeloma', 'myocardi', 'infarct', 'subacut',  
'cutan', 'lupu', 'erythematosu', 'myalgia', 'fatigu', 'insomnia', 'decreas', 'appetit', 'sexual', 'dysfunct', 'ho  
spitalis', 'death', 'haemorrhag', 'infect', 'plasma', 'cell', 'myeloma', 'full', 'blood', 'count', 'decreas', 'p  
neumonia', 'somnol', 'neuropathi', 'peripher', 'constip', 'malais', 'toxic', 'variou', 'agent', 'complet', 'suicid  
'viscer', 'congest', 'pulmonari', 'oedema', 'brain', 'oedema', 'oedemat', 'kidney', 'haemorrhag', 'pulmonar  
id', 'embol', 'deep', 'vein', 'thrombosi', 'colon', 'abscess', 'larg', 'intestin', 'perfor', 'pulmonari', 'embol',  
'hypoaesthesia', 'eye', 'eye', 'swell', 'deep', 'vein', 'thrombosi', 'pulmonari', 'embol', 'pulmonari', 'embol',  
'pulmonari', 'embol', 'upper', 'limb', 'fractur', 'deep', 'vein', 'thrombosi', 'condit', 'aggrav', 'drug', 'ineffect',  
'acanthamoeba', 'kerat', 'necrotis', 'scleriti', 'corneal', 'perfor', 'pulmonari', 'embol', 'embol', 'venou',  
'demyelin', 'chill', 'confusion', 'state', 'aphasia', 'toxic', 'variou', 'agent', 'hyperthermia', 'malign  
'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyp  
erthermia', 'malign', 'hyperthermia', 'malign', 'jaundic', 'fatigu', 'nausea', 'drug', 'abus', 'hepat', 'enzym',  
'increas', 'confusion', 'state', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign',  
'hyperthermia', 'malign', 'hyperthermia', 'malign', 'blind', 'thrombosi', 'eye', 'disord', 'hyperthermia', 'malig  
n', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyp  
erthermia', 'malign', 'contrast', 'media', 'reaction', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hype  
rthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'peripartum',  
'cardiomyopathi', 'pulmonari', 'oedema', 'respiratori', 'disord', 'ventricular', 'hypokinesia', 'diastol', 'dysf  
unct', 'ventricular', 'fibril', 'pericardi', 'effus', 'gestat', 'hypertens', 'matern', 'exposur', 'pregnanc', 'blo  
od', 'uric', 'acid', 'increas', 'caesarean', 'section', 'urin', 'flow', 'decreas', 'left', 'atrial', 'dilat',  
'cardiac', 'failur', 'aspart', 'aminotransferas', 'increas', 'blood', 'lactat', 'dehydrogenas', 'increas', 'bloo  
d', 'urea', 'decreas', 'blood', 'potassium', 'increas', 'prothrombin', 'time', 'shorten', 'activ', 'partial', 't  
romboplastin', 'time', 'prolong', 'eject', 'fraction', 'decreas', 'eject', 'fraction', 'decreas', 'hyperthermia',  
'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'mali  
gn', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hy  
perthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hypertherm  
ia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'foetal', 'exposur',  
'pregnanc', 'drug', 'withdraw', 'syndrom', 'neonat', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hype  
rthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia',  
'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'mali  
gn', 'loss', 'conscious', 'sinu', 'tachycardia', 'nervou', 'system', 'disord', 'coma', 'respiratori', 'arrest',  
'incorrect', 'dose', 'administ', 'drug', 'abus', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hypertherm  
ia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'ma  
align', 'thyroid', 'neoplasm', 'goitr', 'hyperthermia', 'malign', 'epistaxi', 'drug', 'interact', 'hyperthermia',  
'malign', 'drug', 'interact', 'hypomagnesaemia', 'malign', 'melanoma', 'hyperthermia', 'malign', 'hyperthermia',  
'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign',  
'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyper  
thermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia',  
'malign', 'drug', 'interact', 'breast', 'cancer', 'femal', 'hyperthermia', 'malign', 'hyperthermia', 'malign',  
'hyperthermia', 'malign', 'back', 'pain', 'knee', 'arthroplasti', 'cataract', 'procedur', 'pain', 'hyperthermia',  
'malign', 'larg', 'intestin', 'polyp', 'conduct', 'disord', 'haematochezia', 'vomit', 'drug', 'interact', 'dru  
g', 'prescrib', 'error', 'convuls', 'haemorrhag', 'urinari', 'tract', 'haemorrhag', 'haemorrhag', 'subcutan', 's  
ubcutan', 'haematoma', 'diseas', 'progress', 'pancreat', 'carcinoma', 'death', 'swell', 'face', 'rash', 'death',  
'foetal', 'exposur', 'pregnanc', 'drug', 'withdraw', 'syndrom', 'neonat', 'csf', 'shunt', 'oper', 'convuls', 'hy  
poglycaemia', 'toxic', 'variou', 'agent', 'medic', 'residu', 'present', 'blood', 'alcohol', 'increas', 'deep', 'vein',  
'thrombosi', 'cyst', 'ruptur', 'chromaturia', 'cardiac', 'failur', 'multipl', 'sclerosi', 'psoriasi', 'di  
verticul', 'gastrointestin', 'haemorrhag', 'chest', 'pain', 'cerebrovascular', 'accid', 'ischae', 'stroke', 'in  
correct', 'dose', 'administ', 'retin', 'arteri', 'occlus', 'gastrointestin', 'haemorrhag', 'blood', 'urin', 'pre  
sent', 'mass', 'incorrect', 'dose', 'administ', 'death', 'arrest', 'failur', 'malais', 'vomit', 'metabol', 'acid  
osi', 'aspart', 'aminotransferas', 'increas', 'pneumonia', 'aspir', 'gener', 'physic', 'health', 'deterior', 'ma  
align', 'neoplasm', 'progress', 'drug', 'ineffect', 'glioblastoma', 'oropharyng', 'pain', 'pyrexia', 'convuls', 'bodi',  
'temperatur', 'decreas', 'lung', 'neoplasm', 'malign', 'hyperthermia', 'cardiac', 'disord', 'post', 'procedur',  
'complic', 'coliti', 'gastrointestin', 'stoma', 'complic', 'acut', 'psychosi', 'diseas', 'malais', 'c  
ardiac', 'oper', 'diseas', 'progress', 'diseas', 'label', 'use', 'acut', 'psychosi', 'herp', 'zoster', 'clostrid  
ium', 'difficil', 'infect', 'arthriti', 'drug', 'effect', 'decreas', 'arthriti', 'bacteri', 'dissemin', 'tubercu  
losi', 'anaemia', 'melaena', 'renal', 'failur', 'acut', 'hypoglycaemia', 'hepat', 'failur', 'metabol', 'acidosis',  
'hepat', 'acut', 'pancreat', 'gastrointestin', 'haemorrhag', 'pancytopenia', 'coagulopathi', 'failur', 'overdo  
s', 'poison', 'vomit', 'diarrhoea', 'abdomin', 'pain', 'headach', 'exposur', 'via', 'ingest', 'complet', 'suicid  
'intent', 'eczema', 'radiat', 'pneumon', 'pulmonari', 'toxic', 'muscl', 'injuri', 'pain', 'muscl', 'spasm', 'nightmar',  
'fatigu', 'analges', 'asthma', 'syndrom', 'gastroenter', 'eosinophil', 'chronic', 'myeloid', 'leukaem  
ia', 'neoplasm', 'progress', 'drug', 'resist', 'brain', 'stem', 'stroke', 'brain', 'stem', 'thrombosi', 'thrombo  
si', 'hepat', 'necrosi', 'thrombocytosi', 'petit', 'mal', 'epilepsi', 'eye', 'movement', 'disord', 'drug', 'inef  
fect', 'neutropenia', 'electrocardiogram', 'repolaris', 'abnorm', 'electrocardiogram', 'qt', 'prolong', 'road',

'traffic', 'accid', 'attent', 'disord', 'bipolar', 'disord', 'meryc', 'sedat', 'somnol', 'major', 'depress', 'de  
press', 'agit', 'rheumat', 'disord', 'neuropathi', 'peripher', 'hyperthermia', 'malign', 'hyperthermia', 'malign'  
, 'hyperthermia', 'malign', 'death', 'puls', 'absent', 'haemorrhoid', 'haemorrhag', 'pleural', 'effus', 'somnol'  
, 'haematuria', 'diverticulum', 'acut', 'coronari', 'syndrom', 'faecaloma', 'fibrosi', 'urinari', 'retent', 'un  
respons', 'stimuli', 'hepat', 'congest', 'renal', 'failur', 'chronic', 'myocard', 'coliti', 'ulcer', 'haemoglobi  
n', 'decreas', 'pulmonari', 'oedema', 'arteriosclerosi', 'spleen', 'congest', 'kidney', 'small', 'pericard', 'su  
dden', 'death', 'rectal', 'haemorrhag', 'gastrointestin', 'haemorrhag', 'mitral', 'valv', 'diseas', 'hyperthermi  
a', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'mal  
ign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'diarrhoea', 'cerebrovascular', 'disord', 'renal', 'fa  
ilur', 'acut', 'acidosi', 'hyperphosphataemia', 'hyperkalaemia', 'hyperthermia', 'malign', 'hyperthermia', 'ma  
lign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hy  
perthermia', 'malign', 'pneumon', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign',  
'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperth  
ermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'label', 'use', 'hyperthermia', 'malign',  
'hyperthermia', 'malign', 'brain', 'neoplasm', 'convuls', 'hyperthermia', 'malign', 'drug', 'effect', 'incomplet  
, 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'death', 'hyperthermia', 'malig  
n', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'abort', 'hyperthermia', 'mali  
gn', 'hernia', 'staphylococc', 'infect', 'mania', 'nervou', 'system', 'disord', 'migrain', 'insomnia', 'fall', '  
convuls', 'nephrogen', 'system', 'fibrosi', 'disord', 'hepat', 'b', 'hepat', 'failur', 'tooth', 'abscess', 'anae  
mia', 'memori', 'impair', 'cardiac', 'failur', 'congest', 'thrombosi', 'splenomegali', 'anaemia', 'drug', 'resis  
t', 'platelet', 'count', 'decreas', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'throat', 'irrit', 'para  
esthesia', 'throat', 'irrit', 'oral', 'discomfort', 'malais', 'hyperthermia', 'malign', 'cardiovascular', 'disor  
d', 'unrespons', 'stimuli', 'puls', 'absent', 'respiratori', 'arrest', 'hyperthermia', 'malign', 'hyperthermia',  
'malign', 'unrespons', 'stimuli', 'toxic', 'variou', 'agent', 'resuscit', 'hyperthermia', 'malign', 'throat', 'i  
rrit', 'headach', 'chest', 'discomfort', 'hyperthermia', 'malign', 'hyperthermia', 'hyperthermia', 'hyperthermia', 'ma  
lign', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'bronch  
ospasm', 'skin', 'haemorrhag', 'diarrhoea', 'angina', 'pectori', 'vertigo', 'constip', 'hospitalis', 'tremor', '  
ectop', 'pregnanc', 'contracept', 'devic', 'ruptur', 'ectop', 'pregnanc', 'periton', 'haemorrhag', 'amenorrhoea'  
, 'abdomin', 'pain', 'drug', 'ineffect', 'hepatocellular', 'carcinoma', 'hepat', 'adenoma', 'amniot', 'fluid', '  
volum', 'decreas', 'arthriti', 'caesarean', 'section', 'matern', 'exposur', 'pregnanc', 'hyperthermia', 'malign',  
'hyperthermia', 'malign', 'asthenia', 'hypoaesthesia', 'hyperthermia', 'malign', 'periton', 'renal', 'failur',  
'acut', 'hyperthermia', 'malign', 'hyperthermia', 'malign', 'renal', 'failur', 'acut', 'hyperthermia', 'malign',  
'hyperthermia', 'malign', 'hyperthermia', 'malign', 'epistaxi', 'leukopenia', 'anaemia', 'thrombocytopenia', 're  
nal', 'failur', 'acut', 'renal', 'failur', 'acut', 'hyperthermia', 'malign', 'foetal', 'exposur', 'pregnanc', 'c  
ongenit', 'central', 'nervou', 'system', 'anomali', 'hyperthermia', 'malign', 'renal', 'failur', 'acut', 'hypert  
hermia', 'malign', 'ear', 'infect', 'mastoid', 'hypertens', 'blood', 'pressur', 'increas', 'hyperthermia', 'mali  
gn', 'hyperthermia', 'malign', 'drug', 'abus', 'toxic', 'variou', 'agent', 'cardiomegali', 'left', 'ventricular',  
, 'hypertrophi', 'hypertens', 'cardiomyopathi', 'pneumonia', 'contus', 'excori', 'pulmonari', 'oedema', 'pulmona  
ri', 'congest', 'neutropen', 'sepsi', 'anaemia', 'infect', 'hypophosphataemia', 'pyrexia', 'malais', 'haemorrhag',  
, 'stroke', 'nephrogen', 'system', 'aplasia', 'fibrosi', 'injuri', 'hypoglycaemia', 'fall', 'hepat', 'enzym', 'increas', '  
caesarean', 'section', 'renal', 'aplasia', 'congenit', 'central', 'nervou', 'system', 'anomali', 'hypoglycaemia',  
, 'matern', 'drug', 'affect', 'foetu', 'hypopituitar', 'foetal', 'death', 'convuls', 'nervous', 'constip', 'brea  
st', 'disord', 'drug', 'withdraw', 'syndrom', 'pain', 'arthralgia', 'bone', 'pain', 'dizzi', 'nausea', 'vomit',  
'dri', 'mouth', 'swollen', 'tongu', 'mood', 'swing', 'urinari', 'incontin', 'memori', 'impair', 'vision', 'blur',  
'weight', 'decreas', 'gait', 'disturb', 'balanc', 'disord', 'insomnia', 'decreas', 'appetit', 'restless', 'fal  
l', 'muscl', 'spasm', 'road', 'traffic', 'accid', 'underdos', 'death', 'abort', 'spontan', 'pregnanc', 'matern',  
'drug', 'affect', 'foetu', 'lactic', 'acidosi', 'overdos', 'vomit', 'lethargi', 'haemodialysi', 'hypotens', 'met  
abol', 'acidosi', 'azotaemia', 'diabet', 'ketoacidosi', 'drug', 'prescrib', 'error', 'toxic', 'variou', 'agent',  
'medic', 'error', 'sleep', 'disord', 'diarrhoea', 'chest', 'pain', 'diarrhoea', 'dysaesthesia', 'aspart', 'amino  
transferas', 'increas', 'abdomin', 'pain', 'lower', 'nausea', 'rash', 'stomat', 'dri', 'mouth', 'alopecia', 'cys  
titit', 'alanin', 'aminotransferas', 'increas', 'dysgeusia', 'blood', 'creatinin', 'increas', 'musculoskelet', 'p  
ain', 'dizzi', 'urinari', 'tract', 'infect', 'weight', 'decreas', 'constip', 'pain', 'extrem', 'vomit', 'oedema',  
, 'peripher', 'blood', 'creatinin', 'increas', 'weight', 'decreas', 'fatigu', 'escherichia', 'test', 'posit', 'r  
ash', 'enterocutan', 'fistula', 'renal', 'neoplasm', 'ileal', 'stenosi', 'ileal', 'perfor', 'renal', 'impair', '  
vanish', 'bile', 'duct', 'syndrom', 'pulmonari', 'mass', 'cough', 'sinu', 'disord', 'pain', 'influenza', 'pancre  
at', 'carcinoma', 'stage', 'iv', 'lipas', 'increas', 'death', 'pancreat', 'carcinoma', 'nausea', 'abdomin', 'pai  
n', 'upper', 'vomit', 'cardiac', 'failur', 'viral', 'infect', 'weight', 'decreas', 'death', 'cholecyst', 'galbl  
add', 'disord', 'pancreat', 'carcinoma', 'pancreat', 'abdomin', 'pain', 'upper', 'angina', 'unstabl', 'cold', 's  
weat', 'vomit', 'nausea', 'lethargi', 'bradycardia', 'tinnitu', 'dysgeusia', 'hallucin', 'electrocardiogram', 'q  
r', 'complex', 'prolong', 'electrocardiogram', 'qt', 'prolong', 'eject', 'fraction', 'decreas', 'cardiac', 'arre  
st', 'troponin', 'increas', 'decreas', 'appetit', 'marasmus', 'death', 'dyspnoea', 'asthenia', 'lung', 'disord',  
'skin', 'toxic', 'cough', 'cerebr', 'cyst', 'hydrocephalu', 'abscess', 'intestin', 'stenosi', 'drug', 'specif',  
'antibodi', 'present', 'abdomin', 'pain', 'asthenia', 'akinesia', 'aphagia', 'aphasia', 'loss', 'conscious', 'qu  
aliti', 'life', 'decreas', 'dehydr', 'withdraw', 'syndrom', ' dyskinesia', 'drug', 'dose', 'omiss', 'death', 'pha  
eochromocytoa', 'memori', 'impair', 'applic', 'site', 'rash', 'applic', 'site', 'erythema', 'therapeut', 'respo  
ns', 'coma', 'posterior', 'revers', 'encephalopathi', 'syndrom', 'liver', 'injuri', 'hepat', 'necrosi', 'liver',  
'injuri', 'hepat', 'necrosi', 'infect', 'embol', 'loss', 'conscious', 'drug', 'interact', 'suicid', 'ideat', 'in  
tervertebr', 'disc', 'protrus', 'hepat', 'embolis', 'obstruct', 'decreas', 'appetit', 'nausea', 'diarrhoea', 'mu  
cos', 'inflammm', 'pancytopenia', 'staphylococcu', 'test', 'posit', 'convuls', 'devic', 'relat', 'infect', 'pyrex  
ia', 'infus', 'relat', 'reaction', 'chill', 'drug', 'interact', 'suicid', 'ideat', 'type', 'diabet', 'mellitu',  
'neuropathi', 'peripher', 'arthropathi', 'arthralgia', 'system', 'lupu', 'erythematosu', 'nasal', 'disord', 'spi  
nal', 'disord', 'hallucin', 'auditori', 'hallucin', 'visual', 'drug', 'ineffect', 'memori', 'impair', 'pneumonia',  
, 'pneumonia', 'hunger', 'oropharyng', 'pain', 'hypersensit', 'pharyng', 'oedema', 'throat', 'irrit', 'swell',  
'face', 'lip', 'swell', 'type', 'diabet', 'mellitu', 'haematochezia', 'vomit', 'abdomin', 'pain', 'proteinuria',  
'type', 'diabet', 'mellitu', 'aphagia', 'pain', 'pneumonia', 'bronchiti', 'cough', 'abdomin', 'pain', 'upper', '  
gastrointestin', 'haemorrhag', 'intestin', 'ischaeamia', 'dialysi', 'electrocardiogram', 'qt', 'prolong', 'intent',  
'overdos', 'coma', 'somnol', 'hypophagia', 'fluid', 'intak', 'reduc', 'fall', 'blood', 'calcium', 'abnorm', '  
procedur', 'hypertens', 'cerebrovascular', 'accid', 'hepat', 'enzym', 'increas', 'drug', 'ineffect', 'gastroeso  
phag', 'reflux', 'diseas', 'death', 'atrial', 'fibril', 'eruct', 'flatul', 'abdomin', 'discomfort', 'hyperchlorh  
ydria', 'face', 'oedema', 'failur', 'sepsi', 'acinetobact', 'test', 'posit', 'treatment', 'failur', 'myocardi',  
'infarct', 'pneumonia', 'renal', 'transplant', 'infect', 'mental', 'disord', 'psychiatr', 'decompens', 'drug', '  
ineffect', 'unapprov', 'indic', 'intent', 'drug', 'misus', 'acanthamoeba', 'kerat', 'drug', 'ineffect', 'acut',  
'graft', 'versu', 'host', 'diseas', 'urinari', 'retent', 'angina', 'pectori', 'label', 'use', 'death', 'death',

'depress', 'suicid', 'ideat', 'loss', 'employ', 'product', 'substitut', 'issu', 'endocard', 'death', 'investig', 'death', 'renal', 'failur', 'failur', 'acut', 'liver', 'injuri', 'neutropenia', 'malign', 'neoplasm', 'progress', 'dizzi', 'dysuria', 'malais', 'intent', 'product', 'use', 'issu', 'balanc', 'disord', 'drug', 'ineffect', 'acut', 'graft', 'versu', 'host', 'diseas', 'skin', 'post', 'transplant', 'lymphoprolif', 'disord', 'drug', 'ineffect', 'chronic', 'graft', 'versu', 'host', 'diseas', 'posterior', 'revers', 'encephalopathi', 'syndrom', 'liver', 'disord', 'renal', 'failur', 'drug', 'intoler', 'drug', 'ineffect', 'unapprov', 'indic', 'dermatophytosi', 'product', 'substitut', 'issu', 'fatigu', 'depress', 'malign', 'neoplasm', 'progress', 'deaf', 'bone', 'pain', 'memori', 'impair', 'hepatocellular', 'injuri', 'influenza', 'like', 'ill', 'drug', 'ineffect', 'graft', 'versu', 'host', 'diseas', 'incorrect', 'dose', 'administ', 'death', 'perform', 'statu', 'decreas', 'hepat', 'function', 'abnorm', 'decreas', 'appetit', 'drug', 'ineffect', 'acut', 'graft', 'versu', 'host', 'diseas', 'skin', 'label', 'use', 'dacryostenosi', 'acquir', 'vision', 'blur', 'drug', 'ineffect', 'acut', 'graft', 'versu', 'host', 'diseas', 'cardiac', 'arrest', 'malign', 'neoplasm', 'progress', 'clostridium', 'difficil', 'infect', 'pneumonia', 'fatigu', 'asthenia', 'sepsi', 'urinari', 'tract', 'infect', 'muscl', 'spasm', 'decubitu', 'ulcer', 'skin', 'disord', 'arthralgia', 'arthralgia', 'bone', 'pain', 'joint', 'swell', 'local', 'swell', 'blood', 'pressur', 'increas', 'abdomin', 'discomfort', 'vision', 'blur', 'nervous', 'depress', 'insomnia', 'decreas', 'appetit', 'weight', 'decreas', 'incorrect', 'dose', 'administ', 'rectal', 'prolaps', 'fungal', 'infect', 'pyrexia', 'influenza', 'like', 'ill', 'upper', 'respiratori', 'tract', 'infect', 'febril', 'neutropenia', 'pancreat', 'carcinoma', 'pancreat', 'chronic', 'escherichia', 'pyelonephr', 'renal', 'transplant', 'type', 'diabet', 'mellitu', 'pain', 'hepat', 'enzym', 'increas', 'diarrhoea', 'vomit', 'abdomin', 'pain', 'upper', 'haemolyt', 'anaemia', 'platelet', 'count', 'decreas', 'haemoglobin', 'decreas', 'anaemia', 'anal', 'abscess', 'anal', 'abscess', 'death', 'investig', 'matern', 'exposur', 'pregnanc', 'congenit', 'anomaly', 'congenit', 'aortic', 'valv', 'stenosi', 'coarctat', 'aorta', 'patent', 'ductu', 'arteriosu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'drug', 'ineffect', 'acut', 'graft', 'versu', 'host', 'diseas', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'arthralgia', 'pain', 'extrem', 'pulmonari', 'arteri', 'atresia', 'low', 'birth', 'weight', 'babi', 'heart', 'diseas', 'congenit', 'red', 'man', 'syndrom', 'cardiac', 'disord', 'myalgia', 'therapi', 'cessat', 'death', 'pneumonia', 'metrorrhagia', 'mood', 'alter', 'product', 'substitut', 'issu', 'drug', 'ineffect', 'graft', 'versu', 'host', 'diseas', 'nephrogen', 'system', 'fibrosi', 'varicos', 'vein', 'memori', 'impair', 'oedema', 'chronic', 'graft', 'versu', 'host', 'diseas', 'leukaemia', 'recurr', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffect', 'gynaecomastia', 'blood', 'prolactin', 'increas', 'pain', 'chest', 'pain', 'nippl', 'swell', 'dyspnoea', 'leukaemia', 'recurr', 'acut', 'graft', 'versu', 'host', 'diseas', 'chronic', 'graft', 'versu', 'host', 'diseas', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffect', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'leukaemia', 'recurr', 'acut', 'graft', 'versu', 'host', 'diseas', 'chronic', 'graft', 'versu', 'host', 'diseas', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffect', 'nephropathi', 'type', 'diabet', 'mellitu', 'convuls', 'type', 'diabet', 'mellitu', 'dissemin', 'tuberculosi', 'respiratori', 'failur', 'cardiovascular', 'insuffici', 'cardiac', 'hypertrophi', 'cardiomegali', 'renal', 'colic', 'pyelonephr', 'blood', 'creatinin', 'increas', 'alanin', 'aminotransferas', 'increas', 'swollen', 'tongu', 'transfus', 'haemoglobin', 'decreas', 'arthriti', 'arthralgia', 'malais', 'fatigu', 'herp', 'zoster', 'growth', 'retard', 'matern', 'exposur', 'pregnanc', 'caesarean', 'section', 'feel', 'abnorm', 'dyspnoea', 'insomnia', 'drug', 'depend', 'oral', 'pain', 'teeth', 'brittl', 'oral', 'herp', 'aphagia', 'dyspnoea', 'suffoc', 'feel', 'gener', 'physic', 'health', 'deterior', 'sensat', 'pressur', 'dri', 'mouth', 'thirst', 'headach', 'headach', 'abdomin', 'pain', 'wheez', 'wheez', 'inguin', 'hernia', 'post', 'procedur', 'swell', 'post', 'procedur', 'discharg', 'blood', 'pressur', 'increas', 'metastas', 'pancrea', 'metastas', 'liver', 'stress', 'ovarian', 'disord', 'scar', 'anxieti', 'pyogen', 'granuloma', 'palmar', 'erythema', 'nervous', 'thrombophleb', 'nodul', 'plantar', 'fasciiti', 'pain', 'extrem', 'gait', 'disturb', 'lichen', 'sclerosu', 'lymphadenopathi', 'nerv', 'compress', 'back', 'pain', 'neoplasm', 'progress', 'inappropri', 'schedul', 'product', 'administr', 'atrial', 'fibril', 'cerebr', 'haemorrhag', 'haemorrhag', 'stroke', 'hydrocephalu', 'brain', 'oedema', 'coma', 'inappropri', 'schedul', 'drug', 'administr', 'haematuria', 'overdos', 'renal', 'cyst', 'haemorrhag', 'spinal', 'fractur', 'pancreat', 'mass', 'foetal', 'exposur', 'pregnanc', 'mening', 'streptococc', 'infarct', 'neurolog', 'symptom', 'vomit', 'musculoskelet', 'disord', 'pyrexia', 'platelet', 'disord', 'neutropenia', 'haemoglobin', 'abnorm', 'respiratori', 'tract', 'infect', 'nausea', 'febril', 'neutropenia', 'mucos', 'inflamm', 'infect', 'bacteri', 'infect', 'cardiac', 'failur', 'congest', 'pericardi', 'effus', 'atrial', 'fibril', 'visual', 'acuiti', 'reduc', 'nasopharyng', 'visual', 'field', 'defect', 'white', 'blood', 'cell', 'count', 'increas', 'alanin', 'aminotransferas', 'increas', 'lymphocyti', 'count', 'decreas', 'cataract', 'devic', 'failur', 'osteonecrosi', 'jaw', 'toothach', 'bone', 'disord', 'breath', 'odour', 'mouth', 'haemorrhag', 'oral', 'disord', 'erythema', 'swell', 'pain', 'expos', 'bone', 'jaw', 'infect', 'purul', 'breast', 'cancer', 'neoplasm', 'progress', 'death', 'gastric', 'disord', 'substanc', 'abus', 'overdos', 'drug', 'abus', 'toxic', 'variou', 'agent', 'malign', 'neoplasm', 'progress', 'platelet', 'count', 'decreas', 'haemophagocyt', 'lymphohistiocytosi', 'blood', 'bilirubin', 'increas', 'drug', 'intoler', 'platelet', 'count', 'decreas', 'hepat', 'function', 'abnorm', 'blood', 'glucos', 'increas', 'lipas', 'increas', 'graft', 'versu', 'host', 'diseas', 'drug', 'resist', 'blood', 'cholesterol', 'increas', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'progress', 'joint', 'swell', 'pain', 'extrem', 'anxieti', 'disturb', 'attent', 'fatigu', 'insomnia', 'angioedema', 'lip', 'swell', 'dyspnoea', 'breast', 'cancer', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'malign', 'neoplasm', 'progress', 'blind', 'breast', 'cancer', 'neoplasm', 'progress', 'hallucin', 'nausea', 'euphor', 'mood', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'abdomin', 'pain', 'upper', 'anxieti', 'breast', 'cancer', 'neoplasm', 'progress', 'death', 'death', 'ulcer', 'syncop', 'depress', 'level', 'conscious', 'unrespons', 'stimuli', 'pyrexia', 'hypertens', 'blister', 'skin', 'exfoli', 'cystic', 'fibrosi', 'lung', 'herp', 'zoster', 'pancytopenia', 'drug', 'interact', 'visual', 'impair', 'fungal', 'infect', 'hypokaemia', 'iron', 'defici', 'dyspnoea', 'post', 'procedur', 'complic', 'procedur', 'complic', 'drug', 'ineffect', 'ulcer', 'scar', 'purul', 'devic', 'disloc', 'pain', 'red', 'blood', 'cell', 'abnorm', 'macular', 'degener', 'angina', 'pectorii', 'asthenia', 'visual', 'acuiti', 'reduc', 'anaemia', 'fluid', 'retent', 'pleural', 'effus', 'urticaria', 'product', 'label', 'issu', 'product', 'qualiti', 'issu', 'liver', 'disord', 'hypersensit', 'yellow', 'skin', 'faec', 'pale', 'rash', 'tooth', 'eros', 'oral', 'infect', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'underdos', 'decreas', 'appetit', 'pulmonari', 'arteri', 'hypertens', 'diseas', 'progress', 'fluid', 'overload', 'dure', 'interact', 'intern', 'normalis', 'ratio', 'abnorm', 'prothrombin', 'time', 'abnorm', 'nephrolithiasis', 'ureter', 'obstruct', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'convuls', 'aplast', 'anaemia', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'cardiac', 'failur', 'bacteraemia', 'septic', 'shock', 'brain', 'abscess', 'ventricular', 'tachycardia', 'incontin', 'neck', 'pain', 'abasia', 'hypokinesia', 'label', 'use', 'drug', 'administr', 'monitor', 'procedur', 'incorrectli', 'perform', 'cerebrovascular', 'accid', 'pneumothorax', 'confusion', 'state', 'pyrexia', 'supraventricular', 'extrasystol', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'renal', 'disord', 'cerebrovascular', 'accid', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'lung', 'neoplasm', 'malign', 'pneumonia', 'lung', 'neoplasm', 'malign', 'diseas', 'progress', 'type', 'diabet', 'mellitu', 'interstiti', 'lung', 'diseas', 'platelet', 'count', 'decreas', 'type', 'diabet', 'mellitu', 'death', 'cerebr', 'infarct', 'ruptur', 'cerebr', 'aneurysm', 'hypertens', 'type', 'diabet', 'mellitu', 'nausea', 'depress', 'cough', 'arthralgia', 'fatigu', 'asthenia', 'diarrh

muscl', 'spasm', 'dizzi', 'feeli', 'abnorm', 'drug', 'prescrib', 'error', 'myalgia', 'muscl', 'twitch', 'myocardi', 'infarct', 'type', 'diabet', 'mellitu', 'death', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'staphylococc', 'infect', 'rash', 'infus', 'site', 'pain', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'blood', 'pressur', 'increas', 'label', 'use', 'type', 'diabet', 'mellitu', 'pyrexia', 'urinari', 'retent', 'somnol', 'aspir', 'urinari', 'tract', 'infect', 'type', 'diabet', 'mellitu', 'death', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellit u', 'rash', 'rash', 'intent', 'drug', 'misus', 'system', 'lupu', 'erythematosu', 'devic', 'breakag', 'product', 'lot', 'number', 'issu', 'transaminas', 'increas', 'confusion', 'state', 'loss', 'conscious', 'retrograd', 'amnesia', 'delirium', 'bradycardia', 'apnoea', 'arteri', 'occlus', 'diseas', 'type', 'diabet', 'mellitu', 'drug', 'withdraw', 'syndrom', 'drug', 'detoxif', 'tremor', 'hypokinesia', 'dyspnoea', 'hyperhidrosi', 'feel', 'abnorm', 'tachypnoea', 'activ', 'daili', 'live', 'impair', 'death', 'osteoarthr', 'impair', 'heal', 'arthralgia', 'peripher', 'swell', 'febril', 'neutropenia', 'haematemesi', 'melaena', 'haemorrhag', 'anaemia', 'drug', 'interact', 'mental', 'statu', 'chang', 'herp', 'zoster', 'feel', 'cold', 'infus', 'relat', 'reaction', 'acut', 'interstiti', 'pneumon', 'breast', 'cancer', 'glycosyl', 'haemoglobin', 'increas', 'hypoglycaemia', 'road', 'traffic', 'accid', 'disord', 'toxic', 'variou', 'agent', 'drug', 'abus', 'suicid', 'attempt', 'abdomin', 'wall', 'haematoma', 'drug', 'interact', 'asthma', 'gastrointestin', 'haemorrhag', 'cataract', 'goitr', 'drug', 'depend', 'hypersensit', 'pharyng', 'oedema', 'dyspnoea', 'somnol', 'pancreat', 'carcinoma', 'seroma', 'therapeut', 'respons', 'decreas', 'headach', 'post', 'procedur', 'haemorrhag', 'drug', 'interact', 'gastrointestin', 'haemorrhag', 'nausea', 'plasma', 'cell', 'myeloma', 'diseas', 'recurr', 'post', 'procedur', 'haemorrhag', 'haematuria', 'contus', 'intern', 'normalis', 'ratio', 'increas', 'drug', 'interact', 'cerebrovascular', 'accid', 'haemoglobin', 'decreas', 'thrombosi', 'aplast', 'anaemia', 'intestin', 'perfor', 'ileu', 'paralyt', 'pneumon', 'lung', 'infiltr', 'renal', 'failur', 'pneumothorax', 'pulmonari', 'embol', 'subdur', 'haematoma', 'drug', 'interact', 'pneumonia', 'febril', 'neutropenia', 'hypotens', 'pneumomediastinum', 'deep', 'vein', 'thrombosi', 'product', 'packag', 'issu', 'product', 'packag', 'associ', 'injuri', 'accident', 'exposur', 'product', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'pneumonia', 'streptococc', 'left', 'ventricular', 'dysfunct', 'metabol', 'acidosi', 'ketoacidosi', 'dehydr', 'lung', 'transplant', 'dyspnoea', 'exert', 'chest', 'injuri', 'ventricular', 'failur', 'oedema', 'peripher', 'catheteris', 'cardiac', 'abnorm', 'hypoxia', 'ischaemia', 'pleural', 'effus', 'pulmonari', 'arteri', 'hypertens', 'condit', 'aggrav', 'cerebrovascular', 'accid', 'hemiparesi', 'dysarthria', 'transfus', 'vascular', 'stent', 'thrombosi', 'treatment', 'noncompli', 'rectal', 'haemorrhag', 'label', 'use', 'genit', 'infect', 'funga', 'vulvovagin', 'candidiasi', 'hypocalcaemia', 'ideat', 'depress', 'hepat', 'cirrhosi', 'pancytopenia', 'ascit', 'convuls', 'neutrophil', 'count', 'decreas', 'respiratori', 'failur', 'oesophag', 'carcinoma', 'ileu', 'paralyt', 'larg', 'intestin', 'obstruct', 'dysphagia', 'mental', 'impair', 'cushingoid', 'bodi', 'height', 'normal', 'acn', 'skin', 'papilloma', 'spinal', 'compress', 'fractur', 'headach', 'headach', 'musculoskelet', 'stiff', 'insomnia', 'lymphopenia', 'osteoporosi', 'sudden', 'death', 'loss', 'conscious', 'dyspnoea', 'hypokalaemia', 'urinari', 'tract', 'infect', 'dysarthria', 'renal', 'failur', 'acut', 'diseas', 'convuls', 'depress', 'influenza', 'like', 'ill', 'asthenia', 'dyspepsia', 'nausea', 'abdomin', 'discomfort', 'anaemia', 'anaemia', 'neutropenia', 'drug', 'ineffect', 'haemorrhag', 'anaemia', 'gastrointestin', 'haemorrhag', 'dizzi', 'hyperhidrosi', 'dizzi', 'intern', 'normalis', 'ratio', 'abnorm', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'local', 'swell', 'musculoskelet', 'stiff', 'peripher', 'cold', 'matern', 'exposur', 'pregnanc', 'congenit', 'anomali', 'brachycephali', 'plagiocephali', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'mood', 'alter', 'apathi', 'somnol', 'flat', 'affect', 'type', 'diabet', 'mellitu', 'neuropathi', 'peripher', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'dizzi', 'vision', 'blur', 'malais', 'type', 'diabet', 'mellitu', 'palpit', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'visual', 'impair', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'confusion', 'state', 'type', 'diabet', 'mellitu', 'vomit', 'death', 'devic', 'disloc', 'tremor', 'ischaemia', 'stroke', 'hemiparesi', 'seizur', 'label', 'use', 'haemorrhag', 'stroke', 'bradyphrenia', 'malais', 'arthralgia', 'road', 'traffic', 'accid', 'confusion', 'state', 'devic', 'disloc', 'drug', 'dose', 'omiss', 'diseas', 'drug', 'ineffect', 'cervic', 'spinal', 'stenosi', 'pneumonia', 'myocardi', 'infarct', 'pyrexia', 'weight', 'increas', 'sinus', 'blood', 'pressur', 'increas', 'lung', 'infect', 'fatigu', 'pneumonia', 'decreas', 'appetit', 'somnol', 'bundl', 'branch', 'block', 'left', 'atrioventricular', 'block', 'first', 'degre', 'electrocardiogram', 'qt', 'prolong', 'drug', 'interact', 'epistaxi', 'pruritu', 'rash', 'hypertens', 'somnol', 'depress', 'meryc', 'major', 'depress', 'agit', 'sedat', 'bipolar', 'disord', 'attent', 'disord', 'death', 'oesophag', 'atresia', 'renal', 'aplasia', 'right', 'aortic', 'arch', 'matern', 'drug', 'affect', 'foetu', 'haemoglobin', 'decreas', 'asthenia', 'arthralgia', 'dyspnoea', 'nausea', 'renal', 'failur', 'vomit', 'cleft', 'palat', 'matern', 'drug', 'affect', 'foetu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'muscl', 'spasm', 'cardiomyopathi', 'diabet', 'neuropathi', 'anxieti', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'glucos', 'toler', 'impair', 'type', 'diabet', 'mellitu', 'placent', 'insuffici', 'foetal', 'death', 'foetal', 'heart', 'rate', 'deceler', 'abnorm', 'umbil', 'cord', 'abnorm', 'loss', 'employ', 'multipl', 'injuri', 'anhedonia', 'econom', 'problem', 'intern', 'haemorrhag', 'psycholog', 'trauma', 'social', 'problem', 'deform', 'physic', 'disabl', 'pain', 'tension', 'hepat', 'cirrhosi', 'liver', 'function', 'test', 'abnorm', 'ascit', 'pruritu', 'rash', 'meningomyelocel', 'matern', 'drug', 'affect', 'foetu', 'enterocol', 'liver', 'disord', 'oedema', 'mouth', 'rash', 'erythemat', 'pyrexia', 'splenic', 'ruptur', 'sepsi', 'cytomegaloviru', 'enterocol', 'abscess', 'funga', 'gastric', 'ulcer', 'haemosiderosi', 'pyrexia', 'cystiti', 'haemorrhag', 'multipl', 'injuri', 'gastrointestin', 'haemorrhag', 'tuberculin', 'test', 'posit', 'asthenia', 'breast', 'cancer', 'neoplasm', 'progress', 'diplopia', 'breast', 'cancer', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'progress', 'motor', 'development', 'delay', 'dermoid', 'cyst', 'foetal', 'exposur', 'pregnanc', 'small', 'date', 'babi', 'micropeni', 'hypospadias', 'cryptorch', 'foetal', 'exposur', 'pregnanc', 'arthralgia', 'chang', 'bowel', 'habit', 'breast', 'cancer', 'neoplasm', 'progress', 'weight', 'increas', 'breast', 'cancer', 'metastas', 'lymph', 'node', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'blind', 'vision', 'blur', 'breast', 'cancer', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'progress', 'ischaemia', 'stroke', 'breast', 'cancer', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'progress', 'circulatori', 'collaps', 'hypotens', 'vomit', 'pain', 'multipl', 'injuri', 'physic', 'disabl', 'tension', 'gastrointestin', 'haemorrhag', 'psycholog', 'trauma', 'econom', 'problem', 'pain', 'deform', 'anhedonia', 'loss', 'employ', 'social', 'problem', 'breast', 'cancer', 'drug', 'intoler', 'neoplasm', 'progress', 'breast', 'cancer', 'neoplasm', 'progress', 'road', 'traffic', 'accid', 'liver', 'disord', 'multipl', 'injuri', 'physic', 'disabl', 'pain', 'gastrointestin', 'haemorrhag', 'econom', 'problem', 'social', 'problem', 'failur', 'loss', 'employ', 'renal', 'injuri', 'tension', 'ulcer', 'deform', 'anhedonia', 'psycholog', 'trauma', 'white', 'blood', 'cell', 'count', 'increas', 'devic', 'relat', 'infect', 'matern', 'exposur', 'pregnanc', 'fall', 'confusion', 'state', 'orthostat', 'hypotens', 'dehydr', 'electrocardiogram', 'qt', 'prolong', 'somnia', 'mycosi', 'fungoid', 'stage', 'ii', 'joint', 'injuri', 'arthriti', 'infect', 'malais', 'substanc', 'abus', 'expir

, 'drug', 'administ', 'suicid', 'ideat', 'constip', 'depress', 'mood', 'drug', 'withdraw', 'syndrom', 'intent', 'drug', 'misus', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'cri', 'malais', 'somnol', 'dizzi', 'confusion', 'state', 'disorient', 'anxieti', 'pulmonari', 'embol', 'thrombosi', 'anxieti', 'insomnia', 'nausea', 'vomit', 'withdraw', 'syndrom', 'temperatur', 'regul', 'disord', 'prematur', 'babi', 'apgar', 'score', 'low', 'foetal', 'exposur', 'pregnanc', 'transfus', 'myelodysplast', 'syndrom', 'duoden', 'ulcer', 'oesophag', 'gastroenter', 'aeromona', 'fatigu', 'cyst', 'ear', 'pain', 'pain', 'extrem', 'blood', 'bilirubin', 'increas', 'schizoaffect', 'disord', 'drug', 'ineffect', 'superinfect', 'diseas', 'progress', 'pneumon', 'dyspnoea', 'congenit', 'ureter', 'anomali', 'kidney', 'malform', 'cryptorch', 'matern', 'drug', 'affect', 'foetu', 'renal', 'aplasia', 'urinari', 'retent', 'constip', 'abdomin', 'pain', 'hypotens', 'vomit', 'fatigu', 'diarrhoea', 'throat', 'tight', 'erythema', 'urticaria', 'nausea', 'renal', 'failur', 'acut', 'muscl', 'spasm', 'dyspnoea', 'mening', 'white', 'blood', 'cell', 'count', 'increas', 'neutrophil', 'count', 'increas', 'brain', 'abscess', 'pneumonia', 'malnutrit', 'death', 'acut', 'myeloid', 'leukaemia', 'haemoglobin', 'decreas', 'death', 'pain', 'oedema', 'peripher', 'death', 'febrile', 'neutropenia', 'death', 'death', 'swollen', 'tongu', 'nausea', 'pain', 'death', 'atrial', 'septal', 'defect', 'matern', 'drug', 'affect', 'foetu', 'accident', 'exposur', 'product', 'child', 'acut', 'lymphocyt', 'leukaemia', 'recurr', 'hypotens', 'feel', 'abnorm', 'bradycardia', 'abdomin', 'pain', 'upper', 'bladder', 'dysfunct', 'cystiti', 'noninfect', 'nausea', 'weight', 'decreas', 'alopecia', 'pancytopenia', 'major', 'depress', 'rash', 'drug', 'intoler', 'mycosi', 'fungoid', 'diseas', 'alopecia', 'small', 'intestin', 'resect', 'dialysi', 'nausea', 'haematochezia', 'hepat', 'enzym', 'abnorm', 'hepat', 'enzym', 'increas', 'insomnia', 'pain', 'extrem', 'constip', 'anorect', 'disord', 'rash', 'vision', 'blur', 'procedur', 'pain', 'abdomin', 'pain', 'laryng', 'pain', 'sinus', 'respiratori', 'tract', 'infect', 'bone', 'densiti', 'decreas', 'back', 'pain', 'dizzi', 'cough', 'headach', 'intestin', 'resect', 'diseas', 'neutropenia', 'arthralgia', 'influenza', 'contus', 'fatigu', 'abdomin', 'distens', 'skin', 'lesion', 'nausea', 'infus', 'relat', 'reaction', 'vomit', 'drug', 'specif', 'antibodi', 'present', 'diarrhoea', 'myalgia', 'acn', 'dyspepsia', 'pyrexia', 'loss', 'conscious', 'anxieti', 'diarrhoea', 'dehydr', 'haemorrhag', 'dialysi', 'nephrogen', 'system', 'fibrosi', 'pancytopenia', 'renal', 'vessel', 'disord', 'enterococci', 'sepsi', 'arthralgia', 'rash', 'asthma', 'enceph', 'viral', 'blood', 'lactat', 'dehydrogenas', 'increas', 'pyrexia', 'pyrexia', 'melaena', 'hepat', 'function', 'abnorm', 'furuncul', 'viith', 'nerv', 'paralysi', 'cardiac', 'disord', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'bronchiectasi', 'thyroid', 'disord', 'arthritis', 'inflamm', 'skin', 'discolour', 'circumst', 'inform', 'capabl', 'lead', 'medic', 'error', 'overdos', 'drug', 'ineffect', 'retin', 'vein', 'occlus', 'pneumonia', 'asthenia', 'dyspnoea', 'depend', 'insomnia', 'urinari', 'retent', 'anxieti', 'hyperhidrosi', 'vomit', 'disturb', 'attent', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'back', 'pain', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'bicuspid', 'aortic', 'valv', 'congenit', 'aortic', 'stenosi', 'dysmorph', 'exposur', 'pregnanc', 'foetal', 'exposur', 'pregnanc', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'headach', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'stomat', 'neovascular', 'macular', 'degener', 'rash', 'myalgia', 'muscular', 'weak', 'eye', 'irrit', 'pruritu', 'meningomyelocel', 'matern', 'drug', 'affect', 'foetu', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'epilepsi', 'therapeut', 'respons', 'unexpected', 'drug', 'substitut', 'renal', 'neoplasm', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'dyspnoea', 'rash', 'back', 'pain', 'drug', 'withdraw', 'syndrom', 'appar', 'death', 'depress', 'cri', 'nervou', 'system', 'disord', 'chill', 'insomnia', 'tremor', 'qualiti', 'life', 'decreas', 'decreas', 'appetit', 'influenza', 'intent', 'drug', 'misus', 'anaphylact', 'shock', 'polydactyli', 'matern', 'drug', 'affect', 'foetu', 'hallucin', 'depress', 'anxieti', 'paranoia', 'apathi', 'drug', 'ineffect', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'haemolyt', 'uraem', 'syndrom', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'syndrom', 'mental', 'statu', 'chang', 'vomit', 'nausea', 'overdos', 'cholestasi', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'convuls', 'feel', 'hot', 'glassi', 'eye', 'product', 'substitut', 'issu', 'product', 'qualiti', 'issu', 'drug', 'ineffect', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'drug', 'ineffect', 'system', 'lupu', 'erythematosu', 'drug', 'ineffect', 'cystocel', 'febril', 'neutropenia', 'haemolysi', 'hypersensit', 'dyspnoea', 'oral', 'disord', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'pharyng', 'oedema', 'memori', 'impair', 'seizur', 'label', 'use', 'road', 'traffic', 'accid', 'cerebrovascular', 'accid', 'sneez', 'transient', 'ischaem', 'attack', 'fatigu', 'speech', 'disord', 'confusion', 'state', 'bacteri', 'infect', 'rhinorrhoea', 'feel', 'hot', 'alopecia', 'disturb', 'attent', 'migrain', 'osteoporosi', 'paraesthesia', 'nausea', 'headach', 'acut', 'myeloid', 'leukaemia', 'arthritis', 'refractori', 'anaemia', 'excess', 'blast', 'lower', 'respiratori', 'tract', 'infect', 'pneumonia', 'neutrophil', 'count', 'increas', 'viral', 'infect', 'white', 'blood', 'cell', 'count', 'decreas', 'neutrophil', 'count', 'decreas', 'death', 'musculoskelet', 'disord', 'plasma', 'cell', 'myeloma', 'renal', 'failur', 'acut', 'clavic', 'fractur', 'fall', 'patholog', 'fractur', 'drug', 'intoler', 'encephalopathi', 'pleural', 'effus', 'pneumonia', 'lower', 'respiratori', 'tract', 'infect', 'type', 'diabet', 'mellitu', 'cough', 'dyspnoea', 'atrial', 'flutter', 'hypoxia', 'drug', 'interact', 'haemorrhag', 'type', 'diabet', 'mellitu', 'death', 'fall', 'fractur', 'type', 'diabet', 'mellitu', 'hepat', 'function', 'abnorm', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'nephrolithiasi', 'type', 'diabet', 'mellitu', 'myelopathi', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'pancreat', 'carcinoma', 'type', 'diabet', 'mellitu', 'accident', 'exposur', 'product', 'child', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'rate', 'irregular', 'cardiac', 'flutter', 'type', 'diabet', 'mellitu', 'intent', 'overdos', 'mental', 'statu', 'chang', 'unrespons', 'stimuli', 'agit', 'electrocardiogram', 'qt', 'prolong', 'statu', 'epilepticu', 'disorient', 'drug', 'interact', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'death', 'type', 'diabet', 'mellitu', 'hepat', 'steatosi', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'angioedema', 'exposur', 'via', 'ingest', 'victim', 'chemic', 'submiss', 'chest', 'pain', 'type', 'diabet', 'mellitu', 'neuropathi', 'peripher', 'label', 'use', 'hypoaesthesia', 'nausea', 'musculoskelet', 'disord', 'abdomin', 'pain', 'diarrhoea', 'malais', 'vomit', 'muscl', 'spasm', 'dehydr', 'asthenia', 'decreas', 'appetit', 'dehydr', 'weight', 'decreas', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'fatigu', 'thyroid', 'cancer', 'choke', 'neutropenia', 'product', 'use', 'issu', 'diseas', 'progress', 'blood', 'pressur', 'increas', 'death', 'diarrhoea', 'type', 'diabet', 'mellitu', 'ascit', 'muscl', 'spasm', 'headach', 'diarrhoea', 'malais', 'fatigu', 'mouth', 'ulcer', 'abdomin', 'discomfort', 'viral', 'infect', 'weight', 'decreas', 'type', 'diabet', 'mellitu', 'yellow', 'skin', 'decreas', 'appetit', 'neutrophil', 'count', 'decreas', 'death', 'type', 'diabet', 'mellitu', 'gait', 'disturb', 'knee', 'arthroplasti', 'low', 'turnov', 'osteopathi', 'osteoporot', 'fractur', 'blister', 'femur', 'fractur', 'anxieti', 'depress', 'osteopenia', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'tinea', 'cruri', 'knee', 'arthroplasti', 'anxieti', 'depress', 'bodi', 'tinea', 'advers', 'event', 'intramedullari', 'rod', 'insert', 'renal', 'impair', 'pruritu', 'type', 'diabet', 'mellitu', 'intestin', 'stenosi', 'diarrhoea', 'abdomin', 'pain', 'incorrect', 'dose', 'administ', 'ammonia', 'increas', 'hepat', 'encephalopathi', 'essenti', 'tremor', 'acut', 'respiratori', 'distress', 'syndrom', 'pneumonia', 'interstiti', 'lung', 'diseas', 'tuberculin', 'test', 'posit', 'bodi', 'height', 'abnorm', 'cerebr', 'palsi', 'dysmorph', 'hypertrichosi', 'dyspraxia', 'development', 'delay', 'decreas', 'vibratori', 'sens',

'impuls', 'behaviour', 'ankyloglossia', 'congenit', 'low', 'set', 'ear', 'intellectu', 'disabl', 'learn', 'disord', 'foetal', 'anticonvuls', 'syndrom', 'central', 'nervou', 'system', 'lesion', 'lip', 'disord', 'impair', 'qualiti', 'life', 'tremor', 'cerebrovascular', 'accid', 'mental', 'impair', 'cardiac', 'murmur', 'speech', 'disord', 'development', 'foetal', 'exposur', 'pregnanc', 'stridor', 'eye', 'disord', 'autism', 'spectrum', 'disord', 'myelodysplast', 'syndrom', 'immun', 'reconstitut', 'inflammatori', 'syndrom', 'molluscum', 'contagiosum', 'local', 'swell', 'headach', 'swollen', 'tongu', 'tremor', 'palpit', 'dyspnoea', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'label', 'use', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'dizzi', 'hypotens', 'infect', 'pneumonia', 'dysphagia', 'acut', 'myeloid', 'leukaemia', 'leukaemia', 'uveiti', 'blind', 'hyponatraemia', 'diarrhoea', 'diarrhoea', 'weight', 'decreas', 'vomit', 'stress', 'drug', 'intoler', 'coliti', 'ulcer', 'movement', 'disord', 'feed', 'disord', 'diarrhoea', 'upper', 'limb', 'fractur', 'fall', 'hypoaesthesia', 'pain', 'drug', 'level', 'increas', 'myocardi', 'infarct', 'angina', 'pectori', 'respiratori', 'failur', 'cardiac', 'failur', 'congest', 'bone', 'marrow', 'failur', 'uveiti', 'blind', 'anuria', 'renal', 'failur', 'acut', 'hyponatraemia', 'hypokalaemia', 'diarrhoea', 'renal', 'failur', 'diarrhoea', 'haemorrhoid', 'prothrombin', 'time', 'prolong', 'hyperglycaemia', 'hypokalaemia', 'hyperphosphataemia', 'eject', 'fraction', 'decreas', 'dyspnoea', 'nausea', 'vomit', 'diarrhoea', 'liver', 'function', 'test', 'abnorm', 'swell', 'fall', 'foam', 'mouth', 'eye', 'movement', 'disord', 'hypersensit', 'cerebrovascular', 'accid', 'cardiac', 'failur', 'congest', 'disabl', 'coronari', 'arteri', 'stent', 'insert', 'treatment', 'noncompli', 'diabet', 'mellitu', 'blood', 'cholesterol', 'increas', 'hypertens', 'pneumonia', 'basal', 'cell', 'carcinoma', 'shoulder', 'oper', 'cyst', 'sinu', 'polyp', 'ear', 'infect', 'synovi', 'cyst', 'musculoskelet', 'pain', 'pain', 'extrem', 'arthralgia', 'expir', 'drug', 'administ', 'pollakiuria', 'trichorhexi', 'paraesthesia', 'pain', 'multipl', 'sclerosi', 'relaps', 'insomnia', 'pruritu', 'alopecia', 'diarrhoea', 'headach', 'cystiti', 'balanc', 'disord', 'gastrointestin', 'disord', 'pyrexia', 'cataract', 'dri', 'skin', 'feel', 'bodi', 'temperatur', 'chang', 'fatigu', 'burn', 'sensat', 'nausea', 'mobil', 'decreas', 'coeliac', 'diseas', 'urticaria', 'death', 'epilepsi', 'medic', 'error', 'psychot', 'disord', 'affect', 'labil', 'anxieti', 'cough', 'cri', 'diarrhoea', 'diplopia', 'dyslexia', 'dyspnoea', 'exert', 'eye', 'oedema', 'hallucin', 'headach', 'incoher', 'insomnia', 'irrit', 'mood', 'swing', 'oedema', 'peripher', 'pain', 'extrem', 'stress', 'suicid', 'ideat', 'weight', 'decreas', 'lymphoma', 'diabet', 'mellitu', 'fibromyalgia', 'rash', 'generalis', 'abasia', 'blood', 'glucos', 'fluctuat', 'lymphocyt', 'count', 'abnorm', 'tinnitu', 'diplopia', 'vision', 'blur', 'incoher', 'aphasia', 'blind', 'balanc', 'disord', 'neutrophil', 'count', 'abnorm', 'pneumonia', 'dyspnoea', 'chest', 'pain', 'dehydr', 'nausea', 'vomit', 'investig', 'intent', 'drug', 'misus', 'drug', 'depend', 'convuls', 'feel', 'abnorm', 'hyperhidrosi', 'vomit', 'tremor', 'advers', 'event', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'ligament', 'sprain', 'ligament', 'ruptur', 'road', 'traffic', 'accid', 'tonsil', 'upper', 'respiratori', 'tract', 'infect', 'asthenia', 'pain', 'extrem', 'swell', 'face', 'cerebrovascular', 'accid', 'convuls', 'fall', 'tremor', 'mental', 'statu', 'chang', 'muscl', 'tight', 'respiratori', 'depress', 'pain', 'incorrect', 'dose', 'administ', 'loss', 'conscious', 'overdos', 'hypersensit', 'lethargi', 'muscl', 'spasm', 'therapeut', 'respons', 'decreas', 'muscl', 'spastic', 'stress', 'disord', 'depress', 'panic', 'attack', 'road', 'traffic', 'accid', 'impair', 'work', 'abil', 'rehabilit', 'therapi', 'exposur', 'pregnanc', 'diseas', 'progress', 'post', 'procedur', 'haemorrhag', 'dialysis', 'blood', 'pressur', 'inadequ', 'control', 'blood', 'glucos', 'increas', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'superior', 'vena', 'cava', 'syndrom', 'treatment', 'noncompli', 'prematur', 'deliveri', 'live', 'birth', 'exposur', 'pregnanc', 'diabet', 'mellitu', 'inadequ', 'control', 'acut', 'hepat', 'failur', 'renal', 'failur', 'acut', 'respiratori', 'arrest', 'prematur', 'babi', 'foetal', 'exposur', 'pregnanc', 'medic', 'devic', 'complic', 'joint', 'arthroplasti', 'rash', 'generalis', 'presyncop', 'skin', 'ulcer', 'psoriasis', 'alopecia', 'malais', 'platelet', 'aggreg', 'increas', 'convuls', 'sepsi', 'pneumonia', 'respiratori', 'failur', 'diabet', 'mellitu', 'disabl', 'asthma', 'fibromyalgia', 'malais', 'death', 'renal', 'surgeri', 'therapi', 'cessat', 'haemorrhag', 'neuropathi', 'peripher', 'hypertens', 'drug', 'ineffect', 'gastrointestin', 'haemorrhag', 'zygomycosi', 'abdomin', 'pain', 'lower', 'pulmonari', 'toxic', 'dyspnoea', 'cough', 'respiratori', 'distress', 'lung', 'infiltr', 'pleural', 'effus', 'atelectasi', 'interstiti', 'lung', 'diseas', 'diarrhoea', 'haemorrhag', 'gastrointestin', 'ulcer', 'gastric', 'cancer', 'stage', 'iv', 'abdomin', 'pain', 'upper', 'chest', 'pain', 'back', 'pain', 'lymphadenopathi', 'lymphoma', 'hepat', 'cancer', 'stage', 'iv', 'weight', 'decreas', 'hypophagia', 'increas', 'tendenc', 'bruise', 'hear', 'impair', 'visual', 'impair', 'fatigu', 'knee', 'arthroplasti', 'failur', 'diabet', 'mellitu', 'acn', 'cystic', 'acn', 'inflamm', 'product', 'substitut', 'issu', 'product', 'qualiti', 'issu', 'cardiotox', 'monoparesi', 'cerebrovascular', 'accid', 'lactic', 'acidosi', 'blood', 'triglycerid', 'increas', 'nausea', 'hypoaesthesia', 'oral', 'gastric', 'ph', 'decreas', 'malais', 'vomit', 'paraesthesia', 'oral', 'abdomin', 'pain', 'upper', 'pleural', 'effus', 'gastric', 'cancer', 'pulmonari', 'embol', 'pneumon', 'renal', 'failur', 'acut', 'psychiatr', 'symptom', 'epilepsi', 'convuls', 'loss', 'conscious', 'fall', 'abnorm', 'behaviour', 'cerebellar', 'haemorrhag', 'hypertens', 'urinari', 'retent', 'anuria', 'haematuria', 'pneumon', 'dyspnoea', 'cough', 'pulmonari', 'embol', 'rectal', 'obstruct', 'coliti', 'constip', 'abdomin', 'pain', 'febril', 'neutropenia', 'white', 'blood', 'cell', 'count', 'decreas', 'neutrophil', 'count', 'decreas', 'dystonia', 'suicid', 'attempt', 'devic', 'malfunction', 'peripher', 'sensorimotor', 'neuropathi', 'rectal', 'adenocarcinoma', 'drug', 'interact', 'arthralgia', 'haematoma', 'erythema', 'feel', 'abnorm', 'visual', 'impair', 'genit', 'haemorrhag', 'influenza', 'like', 'ill', 'abdomin', 'distens', 'vitamin', 'defici', 'weight', 'increas', 'dri', 'mouth', 'eye', 'irrit', 'dyspnoea', 'thermal', 'burn', 'odynophagia', 'dri', 'mouth', 'local', 'swell', 'swell', 'thrombosi', 'oropharyng', 'pain', 'dermat', 'bullou', 'endometri', 'cancer', 'blood', 'glucos', 'increas', 'incorrect', 'dose', 'administ', 'drug', 'dose', 'omiss', 'blood', 'glucos', 'increas', 'unintend', 'pregnanc', 'drug', 'interact', 'exposur', 'pregnanc', 'fractur', 'chronic', 'myeloid', 'leukaemia', 'drug', 'depend', 'drug', 'abus', 'pigment', 'disord', 'drug', 'interact', 'drug', 'depend', 'drug', 'abus', 'eject', 'fraction', 'decreas', 'gastrointestin', 'disord', 'iron', 'defici', 'anaemia', 'occult', 'blood', 'posit', 'erythema', 'intestin', 'ulcer', 'retroperiton', 'fibrosi', 'abdomin', 'pain', 'vision', 'blur', 'eyelid', 'margin', 'crust', 'dri', 'mouth', 'dri', 'throat', 'choke', 'constip', 'photophobia', 'haemorrhag', 'sudden', 'cardiac', 'death', 'aspergillu', 'test', 'posit', 'staphylococcu', 'test', 'posit', 'mycobacterium', 'avium', 'complex', 'infect', 'acut', 'respiratori', 'distress', 'syndrom', 'hyperthyroid', 'pulmonari', 'toxic', 'organis', 'pneumonia', 'pyrexia', 'cough', 'dyspnoea', 'weight', 'decreas', 'haemoptysi', 'asthenia', 'paralysi', 'malais', 'paralysi', 'prematur', 'babi', 'acut', 'hepat', 'failur', 'renal', 'failur', 'acut', 'respiratori', 'arrest', 'cardiomegali', 'foetal', 'growth', 'restrict', 'abdomin', 'distens', 'pseudocyst', 'gastrointestin', 'disord', 'congenit', 'neural', 'tube', 'defect', 'foetal', 'exposur', 'pregnanc', 'tooth', 'loss', 'gingiv', 'pain', 'rash', 'erythemat', 'cutan', 'lupu', 'erythematosu', 'musculoskelet', 'pain', 'neck', 'pain', 'arthralgia', 'syncop', 'fall', 'acut', 'myocardi', 'infarct', 'cerebr', 'ischaemia', 'label', 'use', 'decreas', 'appetit', 'abdomin', 'pain', 'pain', 'drug', 'ineffect', 'intestin', 'resect', 'uveiti', 'aphthou', 'stomat', 'label', 'use', 'drug', 'ineffect', 'unapprov', 'indic', 'aphthou', 'stomat', 'infarct', 'cerebrovascular', 'accid', 'pulmonari', 'embol', 'intestin', 'obstruct', 'haematuria', 'urinari', 'tract', 'infect', 'diseas', 'lethargi', 'condit', 'aggrav', 'drug', 'ineffect', 'neuralgia', 'contus', 'pain', 'back', 'pain', 'pain', 'extrem', 'haematemesi', 'neutrophil', 'count', 'decreas', 'vertigo', 'infect', 'nausea', 'vomit', 'diarrhoea', 'malais', 'neutropenia', 'pancytopenia', 'febril', 'neutropenia', 'thrombocytopenia', 'lower', 'respiratori', 'tract', 'infect', 'dyspnoea', 'asthenia', 'sinus', 'pulmonari', 'embol', 'nasal', 'septum', 'deviat', 'haemostasi', 'thrombocytopenia', 'cognit', 'disord', 'disturb', 'attent', 'learn', 'disord', 'convuls', 'swel

'face', 'rash', 'rash', 'rash', 'generalis', 'local', 'swell', 'vomit', 'capillari', 'leak', 'syndrom', 'haematotox', 'musculoskelet', 'disord', 'mouth', 'ulcer', 'procedur', 'pain', 'oral', 'discomfort', 'dyspepsia', 'ovarian', 'cancer', 'metastas', 'peritoneum', 'metastas', 'liver', 'abdomin', 'pain', 'neurolept', 'malign', 'syndrom', 'hypokalaemia', 'hypochloroemia', 'blood', 'urea', 'decreas', 'blood', 'urea', 'ratio', 'decreas', 'anticonvuls', 'drug', 'level', 'decreas', 'hyponatraemia', 'diseas', 'progress', 'breast', 'cancer', 'label', 'use', 'pneumon', 'chest', 'pain', 'pyrexia', 'atrial', 'fibril', 'sinu', 'tachycardia', 'abdomin', 'pain', 'cellul', 'pyrexia', 'suicid', 'ideat', 'feel', 'abnorm', 'plasmablast', 'lymphoma', 'mouth', 'ulcer', 'lymphadenopathi', 'faecal', 'incontin', 'diarrhoea', 'gastric', 'perfor', 'pseudomembran', 'coliti', 'clostridium', 'difficil', 'infect', 'hypomagnesaemia', 'drug', 'interact', 'intestin', 'obstruct', 'aneurysm', 'blind', 'visual', 'impair', 'lung', 'infect', 'laryng', 'pneumonia', 'haemolyt', 'anaemia', 'sarcoma', 'skin', 'haematotox', 'sepsi', 'pneumonia', 'dyspnoea', 'chest', 'pain', 'product', 'cough', 'bodi', 'temperatur', 'increas', 'dehydr', 'nausea', 'vomit', 'diarrhoea', 'abdomin', 'pain', 'hypoglycaemia', 'dizzi', 'type', 'diabet', 'mellitu', 'myocardi', 'infarct', 'arthriti', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'cough', 'vomit', 'qualiti', 'life', 'decreas', 'urinari', 'incontin', 'convuls', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'facial', 'pain', 'speech', 'disord', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'cataract', 'gout', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'syndrom', 'dermat', 'exfoli', 'stomat', 'eosinophilia', 'blood', 'creatinin', 'increas', 'pyrexia', 'transaminas', 'increas', 'system', 'lupu', 'erythematosu', 'toxic', 'variou', 'agent', 'virolog', 'failur', 'dehydr', 'nausea', 'vomit', 'faec', 'soft', 'blood', 'glucos', 'abnorm', 'lipid', 'abnorm', 'chronic', 'obstruct', 'pulmonari', 'diseas', 'abdomin', 'pain', 'upper', 'nausea', 'feel', 'bodi', 'temperatur', 'chang', 'type', 'diabet', 'mellitu', 'nephrot', 'syndrom', 'renal', 'failur', 'acut', 'dyspnoea', 'wheez', 'hypokalaemia', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'forc', 'vital', 'capac', 'decreas', 'carbon', 'monoxid', 'diffus', 'capac', 'decreas', 'drug', 'intoler', 'weight', 'increas', 'fatigu', 'pulmonari', 'hypertens', 'oxygen', 'satur', 'decreas', 'sinus', 'feel', 'abnorm', 'asthenia', 'dyspnoea', 'gastroesophag', 'reflux', 'diseas', 'incorrect', 'dose', 'administ', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'gastric', 'ulcer', 'photosensit', 'reaction', 'haemoglobinuria', 'fatigu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'hernia', 'fall', 'foot', 'fractur', 'clavicl', 'fractur', 'orthostat', 'hypotens', 'angioedema', 'diarrhoea', 'haemorrhag', 'type', 'diabet', 'mellitu', 'overdos', 'urinari', 'retent', 'small', 'intestin', 'obstruct', 'enter', 'drug', 'depend', 'depress', 'type', 'diabet', 'mellitu', 'leukaemia', 'recurr', 'chronic', 'graft', 'versu', 'host', 'diseas', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffect', 'spinal', 'disord', 'hypotens', 'renal', 'failur', 'arthriti', 'salmonella', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'incision', 'drainag', 'drug', 'effect', 'incomplet', 'posterior', 'revers', 'encephalopathi', 'syndrom', 'myasthenia', 'gravi', 'antiacetylcholin', 'receptor', 'antibodi', 'posit', 'label', 'use', 'thrombot', 'microangiopathi', 'product', 'use', 'issu', 'toxic', 'variou', 'agent', 'ventricular', 'tachycardia', 'bundl', 'branch', 'block', 'left', 'electrocardiogram', 'qr', 'complex', 'prolong', 'cardiac', 'failur', 'congest', 'renal', 'failur', 'metabol', 'acidosi', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'arthropathi', 'type', 'diabet', 'mellitu', 'alter', 'state', 'conscious', 'drug', 'ineffect', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'syncop', 'ventricular', 'fibril', 'cardiac', 'failur', 'type', 'diabet', 'mellitu', 'pericardi', 'effus', 'metastas', 'skin', 'aphagi'a', 'lymphadenopathi', 'neuropathi', 'peripher', 'liver', 'disord', 'anaemia', 'decreas', 'appetit', 'back', 'pain', 'synovi', 'cyst', 'nodul', 'diarrhoea', 'fatigu', 'malais', 'influenza', 'like', 'ill', 'alopecia', 'headach', 'pruritu', 'arthralgia', 'weight', 'decreas', 'oral', 'pain', 'mouth', 'ulcer', 'nail', 'bed', 'infect', 'na'il', 'disord', 'nausea', 'epistaxi', 'insomnia', 'photosensit', 'reaction', 'chill', 'dyspnoea', 'fungal', 'infect', 'onychoclasi', 'skin', 'disord', 'dysgeusia', 'glossodynia', 'tooth', 'discolour', 'abdomin', 'discomfort', 'vomit', 'wheez', 'diseas', 'progress', 'breast', 'cancer', 'metastat', 'ileu', 'multipl', 'sclerosi', 'relaps', 'type', 'diabet', 'mellitu', 'leukaemia', 'recurr', 'acut', 'graft', 'versu', 'host', 'diseas', 'chronic', 'graft', 'versu', 'host', 'diseas', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffect', 'hypersensit', 'dyspnoea', 'pharyng', 'oedema', 'dysphagia', 'insomnia', 'label', 'use', 'type', 'diabet', 'mellitu', 'liver', 'injuri', 'apart', 'aminotransferas', 'increas', 'alanin', 'aminotransferas', 'increas', 'gastric', 'haemorrhag', 'muscl', 'spasm', 'fall', 'gait', 'disturb', 'retinopathi', 'photosensit', 'reaction', 'eczema', 'diabet', 'mellitu', 'liver', 'injuri', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'cholelithiasi', 'dementia', 'delirium', 'incoher', 'type', 'diabet', 'mellitu', 'dehydr', 'asthenia', 'scratch', 'death', 'haematochezia', 'organ', 'failur', 'death', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'leg', 'amput', 'pain', 'gastric', 'disord', 'hypersensit', 'urticaria', 'vomit', 'migrain', 'pharyng', 'oedema', 'haemogloblin', 'decreas', 'fatigu', 'pneumonia', 'myocardi', 'infarct', 'gener', 'physic', 'health', 'deterior', 'peripher', 'vascular', 'disord', 'condit', 'aggrav', 'embol', 'arteri', 'haemorrhag', 'subcutan', 'heart', 'rate', 'irregular', 'influenza', 'bone', 'marrow', 'disord', 'cardiac', 'failur', 'congest', 'bone', 'marrow', 'transplant', 'subdur', 'haematoma', 'gastric', 'ulcer', 'seizur', 'dyspnoea', 'transfus', 'haemorrhag', 'anaemia', 'death', 'acut', 'myocardi', 'infarct', 'coronari', 'arteri', 'occlus', 'clostridium', 'difficil', 'infect', 'grand', 'mal', 'convuls', 'transplanct', 'transient', 'ischae'm', 'attack', 'hypoglycaemia', 'hypertens', 'multipl', 'sclerosi', 'anaemia', 'hyperlipidaemia', 'gout', 'drug', 'ineffect', 'mobil', 'decreas', 'gait', 'disturb', 'abasia', 'abasia', 'multipl', 'sclerosi', 'weight', 'decreas', 'wheelchair', 'user', 'stress', 'therapi', 'cessat', 'electrocardiogram', 'abnorm', 'bradycardia', 'dizzi', 'presyncop', 'death', 'melaena', 'malign', 'neoplasm', 'progress', 'loss', 'conscious', 'back', 'pain', 'hyperhidrosi', 'nasopharyng', 'insomnia', 'dizzi', 'feel', 'abnorm', 'local', 'swell', 'neuropath', 'peripher', 'swell', 'face', 'drug', 'interact', 'neuropath', 'peripher', 'neck', 'pain', 'flush', 'sepsi', 'cathet', 'site', 'pain', 'cathet', 'site', 'infect', 'pain', 'jaw', 'cathet', 'site', 'pruritu', 'dyspnoea', 'heart', 'rate', 'increas', 'product', 'physic', 'issu', 'cathet', 'site', 'rash', 'diarrhoea', 'dermat', 'contact', 'cathet', 'site', 'haemorrhag', 'erythema', 'cathet', 'site', 'swell', 'cathet', 'site', 'urticaria', 'headach', 'gastroenter', 'viral', 'diarrhoea', 'breast', 'cancer', 'hepat', 'neoplasm', 'metastas', 'liver', 'hypertens', 'crisi', 'anxieta', 'abdomin', 'distens', 'abdomin', 'pain', 'pruritu', 'hypertens', 'atrial', 'flutter', 'pulmonari', 'hypertens', 'type', 'diabet', 'mellitu', 'renal', 'failur', 'chronic', 'concomit', 'diseas', 'aggrav', 'haemodialysi', 'fluid', 'overload', 'rash', 'pain', 'skin', 'vagin', 'disord', 'depend', 'enabl', 'machin', 'devic', 'pneumonia', 'urinari', 'tract', 'infect', 'depress', 'level', 'conscious', 'haematoma', 'subdur', 'haemorrhag', 'craniotomi', 'left', 'ventricular', 'failur', 'speech', 'disord', 'electrocardiogram', 'qt', 'prolong', 'paraesthesia', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'gastrointestin', 'haemorrhag', 'dementia', 'agit', 'confusion', 'state', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'loss', 'propriocept', 'fall', 'gait', 'disturb', 'asthenia', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'neuropathi', 'peripher', 'femur', 'fractur', 'type', 'diabet', 'mellitu', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'gingiv', 'swell', 'gingiv', 'pain', 'tooth', 'disord', 'breast', 'cancer', 'drug', 'intoler', 'malign', 'neoplasm', 'progress', 'pulmonari', 'haemorrhag', 'haemoptysi', 'infect', 'herp', 'zoster', 'death', 'cerebr', 'haemorrhag', 'cerebrovascular', 'accid', 'white', 'blood', 'cell', 'count', 'increas', 'breast', 'cancer', 'malign',



neoplasm', 'progress', 'type', 'diabet', 'mellitu', 'diabet', 'nephropathi', 'death', 'vomit', 'oligohydramnio', 'foetal', 'exposur', 'pregnanc', 'gestat', 'diabet', 'prematur', 'ruptur', 'membran', 'breast', 'cancer', 'cancer', 'drug', 'intoler', 'malign', 'neoplasm', 'progress', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'femur', 'ractor', 'incorrect', 'drug', 'administr', 'durat', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'death', 'asthenia', 'malign', 'neoplasm', 'progress', 'drug', 'ineffect', 'malais', 'melaena', 'dizzi', 'oedema', 'peripher', 'cough', 'clostridium', 'difficil', 'coliti', 'diarrhoea', 'pyrexia', 'malais', 'drug', 'ineffect', 'inappropri', 'schedul', 'drug', 'administr', 'psychot', 'disord', 'suicid', 'ideat', 'nervous', 'nausea', 'drug', 'ineffect', 'asthmat', 'crisi', 'asthma', 'insulin', 'resist', 'hyperhidrosi', 'dri', 'skin', 'vision', 'blur', 'hypoaesthesia', 'fatigu', 'pruritu', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'cerebr', 'haemorrhag', 'neck', 'pain', 'seizur', 'back', 'pain', 'contus', 'intervertebr', 'disc', 'protrus', 'skin', 'lesion', 'tender', 'vomit', 'fall', 'breast', 'mass', 'hyperlipidaemia', 'neoplasm', 'skin', 'joint', 'disloc', 'arthralgia', 'hypothyroid', 'dizzi', 'arterioven', 'malform', 'carpal', 'tunnel', 'syndrom', 'pain', 'iron', 'defici', 'anaemia', 'headach', 'fatigu', 'vitamin', 'defici', 'drug', 'intoler', 'diplopia', 'aphasia', 'arthriti', 'vision', 'blur', 'rash', 'amnesia', 'lymphadenopathi', 'depress', 'diarrhoea', 'sepsi', 'diabet', 'mellitu', 'hypertens', 'pancreat', 'carcinoma', 'death', 'breast', 'cancer', 'drug', 'intoler', 'influenza', 'like', 'ill', 'malign', 'neoplasm', 'progress', 'myalgia', 'urinari', 'tract', 'infect', 'arteriosclerosi', 'type', 'diabet', 'mellitu', 'pneumonia', 'blood', 'pressur', 'increas', 'loss', 'conscious', 'pneumonia', 'transfus', 'pancytopenia', 'type', 'diabet', 'mellitu', 'pulmonari', 'oedema', 'haemodynam', 'instabl', 'bacteri', 'toxaemia', 'accid', 'inflamm', 'excori', 'injuri', 'infect', 'white', 'blood', 'cell', 'count', 'increas', 'larg', 'intestin', 'obstruct', 'foreign', 'bodi', 'medic', 'residu', 'present', 'abort', 'uterin', 'leiomyoma', 'endometriosis', 'multipl', 'sclerosi', 'diverticul', 'pneumonia', 'abort', 'spontan', 'exposur', 'pregnanc', 'abort', 'induc', 'matern', 'exposur', 'pregnanc', 'pneumonia', 'haemoglobin', 'decreas', 'malais', 'hypothyroid', 'herp', 'zoster', 'gastroenter', 'clostridium', 'difficil', 'infect', 'drug', 'interact', 'pancytopenia', 'label', 'use', 'cerebr', 'haemorrhag', 'hypertens', 'hypertroph', 'cardiomyopathi', 'foetal', 'exposur', 'pregnanc', 'renal', 'arteri', 'stenosi', 'pulmonari', 'arteri', 'hypertens', 'infect', 'pulmonari', 'exacerb', 'cystic', 'fibrosi', 'muscular', 'weak', 'vertigo', 'failur', 'sepsi', 'acut', 'generalis', 'exanthemat', 'pustulosi', 'rash', 'syncop', 'vomit', 'nausea', 'orthostat', 'hypotens', 'transplant', 'failur', 'pyrexia', 'anaemia', 'label', 'use', 'fatigu', 'liver', 'iron', 'concentr', 'increas', 'platelet', 'count', 'decreas', 'bone', 'marrow', 'transplant', 'dyspnoea', 'swell', 'face', 'local', 'swell', 'oedema', 'mouth', 'blood', 'pressur', 'systol', 'increas', 'heart', 'rate', 'increas', 'tremor', 'type', 'diabet', 'mellitu', 'blind', 'unilater', 'vision', 'blur', 'dizzi', 'hypotens', 'hyperhidrosi', 'vomit', 'devic', 'disloc', 'type', 'diabet', 'mellitu', 'nerv', 'injuri', 'asthenia', 'fatigu', 'weight', 'decreas', 'therapeut', 'respons', 'decreas', 'tuberculin', 'test', 'posit', 'squamous', 'cell', 'carcinoma', 'lung', 'interstiti', 'lung', 'diseas', 'abort', 'drug', 'interact', 'muscular', 'weak', 'hypoesthesia', 'pain', 'extrem', 'hypertens', 'pancreat', 'pruritu', 'chill', 'night', 'sweat', 'psoriasis', 'inject', 'site', 'plagu', 'foot', 'fractur', 'myalgia', 'drug', 'ineffect', 'back', 'pain', 'inject', 'site', 'pain', 'fatigu', 'pancreat', 'lipas', 'increas', 'confusion', 'state', 'renal', 'failur', 'dyspnoea', 'pneumonia', 'sepsi', 'bronchopneumonia', 'immunodefici', 'drug', 'ineffect', 'coronari', 'arteri', 'diseas', 'ventricular', 'fibril', 'cardiac', 'arrest', 'wheez', 'rash', 'hepat', 'lesion', 'hepatotox', 'generalis', 'erythema', 'dermat', 'exfoli', 'drug', 'ineffect', 'cerebrovascular', 'accid', 'neoplasm', 'malign', 'self', 'injuri', 'behaviour', 'latent', 'tuberculosi', 'type', 'diabet', 'mellitu', 'advers', 'event', 'advers', 'event', 'drug', 'interact', 'apathi', 'suicid', 'ideat', 'white', 'blood', 'cell', 'count', 'decreas', 'neutrophil', 'count', 'decreas', 'hepat', 'c', 'type', 'diabet', 'mellitu', 'overdos', 'toxic', 'variou', 'agent', 'lactic', 'acidosi', 'hypotens', 'lethargi', 'vomit', 'hypoglycaemia', 'pyelonephr', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'coronari', 'arteri', 'diseas', 'type', 'diabet', 'mellitu', 'barium', 'impact', 'append', 'type', 'diabet', 'mellitu', 'bladder', 'prolaps', 'intestini', 'prolaps', 'nightmar', 'disturb', 'attent', 'nausea', 'parosmia', 'disturb', 'attent', 'dysgeusia', 'megacolon', 'mydriasi', 'visual', 'impair', 'type', 'diabet', 'mellitu', 'bronchiectasi', 'emphysema', 'unevalu', 'event', 'dyspnoea', 'deep', 'vein', 'thrombosi', 'heart', 'rate', 'increas', 'chest', 'pain', 'feel', 'abnorm', 'type', 'diabet', 'mellitu', 'retroperiton', 'haemorrhag', 'fall', 'transfus', 'haemorrhag', 'stent', 'placement', 'interstiti', 'lung', 'diseas', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'neuropathi', 'peripher', 'pregnanc', 'contracept', 'devic', 'drug', 'ineffect', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'anxieti', 'panic', 'disord', 'drug', 'ineffect', 'pyrexia', 'bacteraemia', 'staphylococc', 'infect', 'toxic', 'variou', 'agent', 'drug', 'abus', 'pulmonari', 'congest', 'pulmonari', 'oedema', 'hepatomegali', 'hepat', 'steatosi', 'arteriosclerosi', 'coronari', 'arteri', 'cardiomegali', 'type', 'diabet', 'mellitu', 'blood', 'pressur', 'systol', 'increas', 'heart', 'rate', 'increas', 'tremor', 'tremor', 'sinu', 'tachycardia', 'restless', 'disturb', 'attent', 'vision', 'blur', 'dyskinesia', 'blood', 'pressur', 'systol', 'increas', 'heart', 'rate', 'increas', 'tremor', 'chest', 'discomfort', 'blood', 'pressur', 'systol', 'increas', 'heart', 'rate', 'increas', 'tremor', 'headach', 'dyskinesia', 'gastrointestin', 'mucos', 'necrosi', 'constip', 'anaemia', 'stomat', 'pleural', 'effus', 'gastroenter', 'staphylococc', 'pancytopenia', 'renal', 'injuri', 'oesophag', 'stenosi', 'larg', 'intestini', 'stenosi', 'death', 'stillbirth', 'system', 'mastocytosi', 'blood', 'pressur', 'systol', 'increas', 'heart', 'rate', 'increas', 'tremor', 'osteoarthr', 'arthralgia', 'rheumatoid', 'arthriti', 'lipas', 'increas', 'pancreat', 'disord', 'pancreat', 'therapi', 'cessat', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'pregnanc', 'contracept', 'devic', 'drug', 'ineffect', 'ectop', 'pregnanc', 'contracept', 'devic', 'abort', 'spontan', 'hormon', 'level', 'abnorm', 'thrombosi', 'pulmonari', 'embol', 'pneumonia', 'white', 'blood', 'cell', 'count', 'decreas', 'red', 'blood', 'cell', 'count', 'decreas', 'platelet', 'count', 'decreas', 'tooth', 'disord', 'blood', 'pressur', 'abnorm', 'urinari', 'tract', 'infect', 'malais', 'diarrhoea', 'spinal', 'pain', 'dizzi', 'tremor', 'cold', 'sweat', 'presyncop', 'feel', 'abnorm', 'hypoesthesia', 'dyspnoea', 'pollakiuria', 'urinari', 'intontin', 'insomnia', 'abdomin', 'pain', 'upper', 'asthenia', 'back', 'pain', 'pain', 'extrem', 'abdomin', 'pain', 'intestini', 'fistula', 'abdomin', 'pain', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'blood', 'potassium', 'decreas', 'anaemia', 'cholelithiasi', 'devic', 'issu', 'inject', 'site', 'rash', 'vomit', 'wrong', 'techniqu', 'drug', 'usag', 'process', 'wound', 'infect', 'vomit', 'headach', 'incorrect', 'dose', 'administ', 'incorrect', 'dose', 'administ', 'localis', 'intraabdomin', 'fluid', 'collect', 'larg', 'intestini', 'stenosi', 'wound', 'dehisc', 'drug', 'ineffect', 'dental', 'cari', 'weight', 'decreas', 'inject', 'site', 'erythema', 'devic', 'issu', 'suppress', 'lactat', 'label', 'use', 'haematotox', 'platelet', 'count', 'decreas', 'ascit', 'anaemia', 'infarct', 'venou', 'occlus', 'cataract', 'visual', 'impair', 'cardiac', 'disord', 'glucos', 'toler', 'impair', 'blood', 'pressur', 'fluctuat', 'blood', 'glucos', 'increas', 'cardiac', 'oper', 'symptom', 'limb', 'discomfort', 'optic', 'neuriti', 'hypertonia', 'fatigu', 'multipl', 'sclerosi', 'relaps', 'memori', 'impair', 'drug', 'ineffect', 'hypoesthesia', 'paraesthesia', 'diplopia', 'muscular', 'weak', 'balanc', 'disord', 'aphasia', 'somnol', 'concomit', 'diseas', 'aggrav', 'restless', 'fall', 'temperatur', 'intoler', 'gait', 'disturb', 'bowel', 'movement', 'irregular', 'blood', 'creatinin', 'increas', 'seizur', 'csf', 'protein', 'abnorm', 'aphasia', 'hemianopia', 'homonym', 'speech', 'disord', 'pleocytosi', 'central', 'nervou', 'system', 'lesion', 'cerebellar', 'syndrom', 'stupor', 'alter', 'state', 'conscious', 'diarrhoea', 'acut', 'dissemin', 'encephalomyel', 'encephalopathi', 'bladder',

'dysfunkt', 'pyrexia', 'paresi', 'hip', 'fractur', 'white', 'blood', 'cell', 'disord', 'lymphadenopathi', 'leuko  
cytosi', 'death', 'anal', 'stenosi', 'hypoesthesia', 'oral', 'paraesthesia', 'oral', 'lip', 'swell', 'corneal',  
'eros', 'intraocular', 'pressur', 'increas', 'pulmonari', 'haemorrhag', 'haemorrhag', 'eros', 'gastriti', 'gastr  
ic', 'ulcer', 'perfor', 'liver', 'abscess', 'drug', 'abus', 'inflammatori', 'bowel', 'diseas', 'breast', 'cancer  
, 'malign', 'neoplasm', 'progress', 'breast', 'cancer', 'haemolyt', 'uraem', 'syndrom', 'breast', 'cancer', 'ma  
lign', 'neoplasm', 'progress', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'sopor', 'drug', 'abus', 'd  
iabet', 'mellitu', 'inadequ', 'control', 'drug', 'resist', 'drug', 'ineffect', 'diabet', 'mellitu', 'inadequ', '  
control', 'drug', 'resist', 'drug', 'ineffect', 'breast', 'cancer', 'malign', 'neoplasm', 'progress', 'muscl', '  
contract', 'involuntari', 'blood', 'pressur', 'increas', 'tachycardia', 'heart', 'rate', 'increas', 'nervous', '  
anxieti', 'feel', 'abnorm', 'malais', 'norepinephrin', 'increas', 'drug', 'withdraw', 'syndrom', 'breast', 'canc  
er', 'malign', 'neoplasm', 'progress', 'hyperhidrosi', 'pain', 'extrem', 'back', 'pain', 'paraesthesia', 'inappr  
opri', 'schedul', 'drug', 'administr', 'heart', 'valv', 'incompet', 'gait', 'disturb', 'movement', 'disord', 'ca  
rdiac', 'disord', 'arthriti', 'pain', 'rotat', 'cuff', 'syndrom', 'blood', 'pressur', 'inadequ', 'control', 'oed  
ema', 'peripher', 'intracran', 'aneurysm', 'multipl', 'sclerosi', 'relaps', 'central', 'nervou', 'system', 'les  
ion', 'balanc', 'disord', 'muscl', 'spastic', 'asthenia', 'ataxia', 'hip', 'fractur', 'devic', 'disloc', 'dysmen  
orrhoea', 'vagin', 'haemorrhag', 'devic', 'expuls', 'sinu', 'disord', 'drug', 'interact', 'ischaem', 'stroke', '  
type', 'diabet', 'mellitu', 'amnesia', 'paraesthesia', 'dri', 'eye', 'blind', 'muscular', 'weak', 'cataract', 'm  
uscl', 'atroph', 'neuropathi', 'peripher', 'type', 'diabet', 'mellitu', 'atrial', 'fibril', 'neuropathi', 'peri  
pher', 'type', 'diabet', 'mellitu', 'foetal', 'death', 'type', 'diabet', 'mellitu', 'hypertens', 'cardiac', 'mur  
mur', 'mitral', 'valv', 'prolaps', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'paranoia', 'delus  
, 'suicid', 'ideat', 'depress', 'anxieti', 'panic', 'attack', 'confusion', 'state', 'insomnia', 'drug', 'ineffec  
t', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'me  
llitu', 'hypertens', 'electrocardiogram', 'qt', 'prolong', 'cold', 'sweat', 'type', 'diabet', 'mellitu', 'lower'  
, 'extrem', 'mass', 'convuls', 'syncop', 'refractori', 'cytopenia', 'multilineag', 'dysplasia', 'renal', 'failur  
, 'acut', 'histiocytosi', 'haematophag', 'aspart', 'aminotransferas', 'increas', 'blood', 'alkalin', 'phosphata  
s', 'increas', 'blood', 'pressur', 'systol', 'increas', 'heart', 'rate', 'increas', 'tremor', 'chest', 'pain', '  
pyrexia', 'rash', 'varicella', 'blood', 'pressur', 'systol', 'increas', 'heart', 'rate', 'increas', 'tremor', 'b  
lood', 'pressur', 'fluctuat', 'blood', 'pressur', 'increas', 'palpit', 'chest', 'discomfort', 'hyperhidrosi', 't  
remor', 'loss', 'conscious', 'lacer', 'blood', 'glucos', 'decreas', 'blood', 'glucos', 'increas', 'death', 'suic  
id', 'ideat', 'ideat', 'hallucin', 'auditori', 'dementia', 'type', 'poor', 'peripher', 'circul', 'stress', 'visu  
al', 'acuiti', 'reduc', 'incorrect', 'dose', 'administ', 'blood', 'pressur', 'systol', 'increas', 'heart', 'rate  
, 'increas', 'tremor', 'mydriasi', 'type', 'diabet', 'mellitu', 'type', 'diabet', 'mellitu', 'advers', 'drug',  
'reaction', 'pruritu', 'palpit', 'blood', 'pressur', 'increas', 'advers', 'event', 'drug', 'interact', 'intent',  
'overdos', 'suicid', 'attempt', 'somnia', 'amylas', 'increas', 'hepat', 'c', 'fatigu', 'bradycardia', 'hyperkala  
emia', 'liver', 'injur', 'hepat', 'necrosi', 'leukopenia', 'intern', 'normalis', 'ratio', 'abnorm', 'gastrointe  
stin', 'haemorrhag', 'gastriti', 'larg', 'intestin', 'polyp', 'decreas', 'appetit', 'weight', 'decreas', 'nasoph  
aryng', 'abdomin', 'distens', 'cough', 'viral', 'infect', 'abdomin', 'pain', 'constip', 'abdomin', 'discomfort',  
'eruct', 'label', 'use', 'drug', 'dose', 'omiss', 'drug', 'interact', 'inflamm', 'liver', 'function', 'test', 'a  
bnorm', 'thorac', 'vertebr', 'fractur', 'back', 'pain', 'musculoskelet', 'chest', 'pain', 'atrial', 'fibril', 'u  
pper', 'limb', 'fractur', 'spinal', 'fractur', 'cellul', 'cyst', 'incorrect', 'dose', 'administ', 'loss', 'consc  
ious', 'head', 'injur', 'syncop', 'hypotens', 'blood', 'thyroid', 'stimul', 'hormon', 'decreas', 'thyroxin', 'f  
ree', 'decreas', 'foot', 'fractur', 'constip', 'renal', 'failur', 'chronic', 'pancreat', 'carcinoma', 'neoplasm'  
, 'malign', 'yellow', 'skin', 'hallucin', 'hepat', 'depress', 'speech', 'disord', 'muscular', 'weak', 'red', 'bl  
ood', 'cell', 'count', 'decreas', 'white', 'blood', 'cell', 'count', 'decreas', 'platelet', 'count', 'decreas',  
'hypersplen', 'macrocytosi', 'blood', 'test', 'abnorm', 'hepat', 'b', 'viru', 'test', 'posit', 'elliptocytosi',  
'hepat', 'c', 'neutropenia', 'anisocytosi', 'mean', 'cell', 'haemoglobin', 'increas', 'lymphocyt', 'count', 'inc  
reas', 'hepat', 'viru', 'test', 'posit', 'mean', 'cell', 'volum', 'increas', 'pancytopenia', 'pulmonari', 'embol  
, 'mucoepidermoid', 'carcinoma', 'salivari', 'gland', 'bronchiti', 'diarrhoea', 'vomit', 'cerebrovascular', 'ac  
cid', 'muscl', 'spasm', 'pain', 'extrem', 'accident', 'exposur', 'product', 'child', 'toxic', 'variou', 'agent',  
'restless', 'impair', 'work', 'abil', 'oral', 'discomfort', 'dysgeusia', 'nausea', 'myocardi', 'infarct', 'viral  
, 'infect', 'death', 'fatigu', 'abdomin', 'pain', 'lower', 'endometriosis', 'dermal', 'cyst', 'granuloma', 'mala  
is', 'transient', 'ischaem', 'attack', 'psoriasis', 'loss', 'conscious', 'dehydr', 'ear', 'infect', 'psoriasis', '  
bradyphrenia', 'back', 'pain', 'subcutan', 'abscess', 'abdomin', 'pain', 'pyrexia', 'calculu', 'urinari', 'disea  
s', 'foetal', 'exposur', 'pregnanc', 'drug', 'withdraw', 'syndrom', 'neonat', 'respiratori', 'failur', 'diseas',  
'statu', 'epilepticu', 'complex', 'partial', 'seizur', 'gene', 'mutat', 'dyskinesia', 'hypotonia', 'hypokinesia  
, 'drug', 'ineffect', 'cardiac', 'arrest', 'dyspnoea', 'hip', 'arthroplasti', 'treatment', 'noncompli', 'arthrit  
i', 'dysuria', 'drug', 'ineffect', 'type', 'diabet', 'mellitu', 'capillari', 'leak', 'syndrom', 'pleural', 'effu  
s', 'append', 'abdomin', 'pain', 'upper', 'bodi', 'temperatur', 'increas', 'constip', 'nausea', 'decreas', 'appe  
tit', 'dysgeusia', 'pruritu', 'skin', 'discolour', 'lymphoedema', 'mouth', 'ulcer', 'epistaxi', 'pain', 'acn', '  
rash', 'generalis', 'malais', 'diseas', 'progress', 'breast', 'cancer', 'diarrhoea', 'fatigu', 'agit', 'restless  
, 'sinus', 'headach', 'rhinorrhoea', 'rhinalgia', 'epistaxi', 'pain', 'back', 'pain', 'neck', 'pain', 'bone', '  
pain', 'pain', 'extrem', 'pelvic', 'pain', 'gait', 'disturb', 'musculoskelet', 'chest', 'pain', 'bodi', 'tempera  
tur', 'increas', 'pruritu', 'lacer', 'mouth', 'ulcer', 'nail', 'disord', 'onychoclasia', 'dysgeusia', 'paraesthes  
ia', 'fatigu', 'diseas', 'progress', 'breast', 'cancer', 'back', 'disord', 'procedur', 'pain', 'agit', 'delirium  
, 'fall', 'supraventricular', 'tachycardia', 'drug', 'hypersensit', 'dyspnoea', 'rash', 'subdur', 'haematoma',  
'mouth', 'haemorrhag', 'death', 'dystonia', 'drug', 'abus', 'incorrect', 'drug', 'administr', 'durat', 'drug', '  
ineffect', 'boniva', 'ibuprofen', 'letairi', 'letairi', 'letairi', 'tracleer', 'ilari', 'ilari', 'prednison', 'r  
elpax', 'ultracet', 'ambien', 'ranolazin', 'benlysta', 'plaquenil', 'prednison', 'belimumab', 'azathioprin', 'pr  
ednison', 'fluoxetin', 'clonazepam', 'calcium', 'carbon', 'vitamin', 'omeprazol', 'benlysta', 'plaquenil', 'folt  
x', 'cymbalta', 'xanax', 'percocet', 'nexium', 'sumatriptan', 'methotrex', 'ibuprofen', 'acetaminophen']

Cümle 2 - Lemmatized: ['ofatumumab', 'baktar', 'zyloric', 'chinese', 'medicine', 'ingredient', 'takepron', 'itri  
zole', 'prednisolone']

Cümle 2 - Stemmed: ['ofatumumab', 'baktar', 'zylor', 'chines', 'medicin', 'ingredi', 'takepron', 'itrizol', 'pre  
dnisolon']

Cümle 3 - Lemmatized: ['prednisolone']

Cümle 3 - Stemmed: ['prednisolon']

Cümle 4 - Lemmatized: ['ofatumumab', 'acetaminophen']

Cümle 4 - Stemmed: ['ofatumumab', 'acetaminophen']

Cümle 5- Lemmatized: ['polaramine', 'maleate', 'polaramine', 'maleate', 'letairis', 'ceftriaxone', 'metronidazo

le', 'prednisone', 'dexamethasone', 'methotrexate', 'paclitaxel', 'docetaxel', 'adriamycin', 'cyclophosphamide', 'paracetamol', 'bibw', 'lansoprazole', 'insulina', 'glargine', 'idroclorotiaz', 'irbesartan']  
Cümle 5 - Stemed: ['polaramin', 'maleat', 'polaramin', 'maleat', 'letairi', 'ceftriaxon', 'metronidazol', 'prednison', 'dexamethason', 'methotrex', 'paclitaxel', 'docetaxel', 'adriamycin', 'cyclophosphamid', 'paracetamol', 'bibw', 'lansoprazole', 'insulina', 'glargin', 'idroclorotiaz', 'irbesartan']

```
In [21]: # [10] İlk 3 lemmatize edilmiş cümleyi göster
# Açıklama: İlk 3 lemmatize edilmiş cümle gösterilir.
# PDF: Ön işleme örnekleri.
# Yorum [10]:
# - **Temiz Veri**: Lemmatize edilmiş cümleler, vektörleştirme için hazır.
# - **PDF Bağlamı**: PDF'de örnek olarak sunulacak.
print("İlk 3 lemmatize edilmiş cümle:")
print(tokenized_corpus_lemmatized[:3])
```

İlk 3 lemmatize edilmiş cümle:

['drug', 'administration', 'error', 'overdose', 'vomiting', 'diarrhoea', 'arthralgia', 'headache', 'dyspepsia', 'renal', 'impairment', 'oedema', 'peripheral', 'fluid', 'retention', 'pneumonia', 'drug', 'ineffective', 'death', 'angioedema', 'laryngeal', 'oedema', 'face', 'oedema', 'tuberculosis', 'central', 'nervous', 'system', 'cholecystectomy', 'nephrolithiasis', 'biliary', 'tract', 'disorder', 'malaise', 'adenoviral', 'haemorrhagic', 'cystitis', 'pyrexia', 'swelling', 'meconium', 'stain', 'amniotic', 'cavity', 'infection', 'maternal', 'exposure', 'pregnancy', 'respiratory', 'failure', 'listeriosis', 'pyrexia', 'headache', 'vomiting', 'mental', 'status', 'change', 'meningitis', 'pneumonia', 'staphylococcal', 'type', 'iv', 'hypersensitivity', 'reaction', 'skin', 'toxicity', 'erythroderma', 'syndrome', 'nail', 'toxicity', 'arthralgia', 'myalgia', 'asthenia', 'diarrhoea', 'neuropathy', 'peripheral', 'diarrhoea', 'abdominal', 'pain', 'asthenia', 'diarrhoea', 'weight', 'decreased', 'abdominal', 'pain', 'blood', 'creatinine', 'increased', 'protein', 'increased', 'dysuria', 'pyrexia', 'blood', 'creatinine', 'increased', 'protein', 'increased', 'pleural', 'effusion', 'chemical', 'poisoning', 'neck', 'pain', 'back', 'pain', 'paraesthesia', 'localised', 'oedema', 'oedema', 'peripheral', 'fluid', 'retention', 'nasal', 'congestion', 'metastasis', 'spine', 'anxiety', 'renal', 'cyst', 'metastasis', 'thorax', 'metastasis', 'retroperitoneum', 'emotional', 'disorder', 'pancreatic', 'carcinoma', 'metastatic', 'metastasis', 'liver', 'metastasis', 'lung', 'emotional', 'distress', 'lymphadenopathy', 'prostate', 'cancer', 'peripheral', 'venous', 'disease', 'swollen', 'tongue', 'pruritus', 'rash', 'generalised', 'listeriosis', 'pyrexia', 'diarrhoea', 'meningitis', 'overdose', 'general', 'physical', 'health', 'deterioration', 'malaise', 'drug', 'ineffective', 'haematoma', 'thrombocytopenia', 'international', 'normalised', 'ratio', 'increased', 'device', 'dislocation', 'cerebrovascular', 'accident', 'blood', 'pressure', 'increased', 'pain', 'aggression', 'symptom', 'anger', 'blepharospasm', 'suicidal', 'ideation', 'haemoglobin', 'decreased', 'posterior', 'reversible', 'encephalopathy', 'syndrome', 'cerebral', 'haemorrhage', 'subarachnoid', 'haemorrhage', 'erection', 'increased', 'hyponatraemia', 'loss', 'consciousness', 'listeriosis', 'pyrexia', 'headache', 'vomiting', 'meningitis', 'fluid', 'retention', 'haemoglobin', 'decreased', 'subdural', 'haematoma', 'sopor', 'drug', 'abuse', 'overdose', 'hallucination', 'visual', 'headache', 'insomnia', 'somnolence', 'confusional', 'state', 'cognitive', 'disorder', 'alopecia', 'ileus', 'paralytic', 'abdominal', 'pain', 'nausea', 'foetal', 'death', 'abortion', 'late', 'amniotic', 'cavity', 'infection', 'maternal', 'exposure', 'pregnancy', 'breast', 'cancer', 'device', 'misuse', 'uterine', 'perforation', 'depression', 'anxiety', 'depressed', 'mood', 'device', 'issue', 'injury', 'pain', 'emotional', 'distress', 'foetal', 'distress', 'syndrome', 'intraventricular', 'haemorrhage', 'neonatal', 'low', 'birth', 'weight', 'baby', 'listeriosis', 'pyrexia', 'sepsis', 'meningitis', 'pneumonia', 'aspiration', 'oxygen', 'saturation', 'decreased', 'foetal', 'exposure', 'pregnancy', 'meconium', 'stain', 'amniotic', 'cavity', 'infection', 'maternal', 'exposure', 'pregnancy', 'oedema', 'peripheral', 'fluid', 'retention', 'fatigue', 'oedema', 'peripheral', 'drug', 'ineffective', 'flushing', 'cardiac', 'failure', 'congestive', 'fluid', 'retention', 'swelling', 'pyelonephritis', 'maternal', 'exposure', 'pregnancy', 'normal', 'newborn', 'blood', 'pressure', 'fluctuation', 'dyspepsia', 'allergic', 'cough', 'headache', 'malaise', 'fluid', 'retention', 'fluid', 'overload', 'renal', 'failure', 'acute', 'disorientation', 'drug', 'prescribing', 'error', 'incorrect', 'dose', 'administered', 'medication', 'error', 'foetal', 'death', 'amniotic', 'cavity', 'infection', 'maternal', 'exposure', 'pregnancy', 'pharyngeal', 'oedema', 'label', 'use', 'eye', 'haemorrhage', 'blood', 'creatinine', 'increased', 'visual', 'acuity', 'reduced', 'ophthalmological', 'examination', 'abnormal', 'alanine', 'aminotransferase', 'increased', 'aspartate', 'aminotransferase', 'increased', 'feeling', 'abnormal', 'somnolence', 'drug', 'intolerance', 'spinal', 'column', 'stenosis', 'diabetes', 'mellitus', 'blindness', 'acute', 'graft', 'versus', 'host', 'disease', 'chronic', 'graft', 'versus', 'host', 'disease', 'lung', 'disorder', 'death', 'infection', 'mucosal', 'inflammation', 'gastrointestinal', 'toxicity', 'cardiotoxicity', 'neurotoxicity', 'hepatotoxicity', 'nephropathy', 'toxic', 'transplant', 'failure', 'venoocclusive', 'disease', 'malignant', 'neoplasm', 'progression', 'label', 'use', 'infection', 'central', 'venous', 'catheterisation', 'femur', 'fracture', 'fall', 'neutropenia', 'pain', 'extremity', 'hereditary', 'angioedema', 'anxiety', 'panic', 'attack', 'depression', 'cardiac', 'failure', 'congestive', 'haemoglobin', 'decreased', 'hepatocellular', 'injury', 'adnexa', 'uterus', 'pain', 'drug', 'ineffective', 'pregnancy', 'contraceptive', 'device', 'embedded', 'device', 'ovarian', 'cyst', 'injury', 'dyspareunia', 'pain', 'uterine', 'perforation', 'post', 'procedural', 'discomfort', 'pain', 'device', 'dislocation', 'pregnancy', 'contraceptive', 'device', 'drug', 'ineffective', 'device', 'difficult', 'use', 'uterine', 'haemorrhage', 'injury', 'depression', 'anxiety', 'stress', 'device', 'issue', 'oedema', 'peripheral', 'gait', 'disturbance', 'plasma', 'cell', 'myeloma', 'respiratory', 'disorder', 'arrhythmia', 'chest', 'pain', 'oedema', 'peripheral', 'gastroesophageal', 'reflux', 'disease', 'pulmonary', 'embolism', 'anaemia', 'haemoglobin', 'decreased', 'oesophageal', 'perforation', 'gastric', 'haemorrhage', 'hepatic', 'failure', 'nerve', 'compression', 'mobility', 'decreased', 'abasia', 'death', 'nasopharyngitis', 'malaise', 'pyrexia', 'nasal', 'congestion', 'headache', 'diarrhoea', 'nausea', 'breast', 'cancer', 'erythema', 'monocyte', 'count', 'decreased', 'increased', 'count', 'decreased', 'skin', 'lesion', 'mean', 'platelet', 'volume', 'decreased', 'sarcoma', 'white', 'blood', 'cell', 'count', 'decreased', 'lymphocyte', 'count', 'decreased', 'neutrophil', 'count', 'decreased', 'count', 'decreased', 'linear', 'iga', 'disease', 'rheumatoid', 'arthritis', 'arthralgia', 'rheumatoid', 'factor', 'increased', 'neck', 'pain', 'back', 'pain', 'musculoskeletal', 'pain', 'asthenia', 'palpitation', 'thirst', 'gait', 'disturbance', 'death', 'influenza', 'weight', 'decreased', 'nasopharyngitis', 'fall', 'confusional', 'state', 'subcutaneous', 'haematoma', 'hypotension', 'anaemia', 'renal', 'failure', 'chronic', 'death', 'sepsis', 'tonsillectomy', 'completed', 'suicide', 'suicidal', 'behaviour', 'blood', 'count', 'abnormal', 'haemoglobin', 'decreased', 'surgery', 'loss', 'consciousness', 'fall', 'gait', 'disturbance', 'convulsion', 'influenza', 'speech', 'disorder', 'malaise', 'atrioventricular', 'block', 'first', 'degree', 'angina', 'pectoris', 'muscle', 'spasm', 'condition', 'aggravated', 'pain', 'hypoesthesia', 'abdominal', 'distension', 'insomnia', 'fatigue', 'nausea', 'alopecia', 'transfusion', 'convulsion', 'death', 'mental', 'disorder', 'panic', 'attack', 'depression', 'anxiety', 'condition', 'aggravated', 'label', 'use', 'acute', 'respiratory', 'distress', 'syndrome', 'failure', 'general', 'physical', 'health', 'deterioration', 'death', 'pleural', 'effusion', 'blister', 'hypothyroidism', 'blo

od', 'potassium', 'decreased', 'anaemia', 'nausea', 'vomiting', 'constipation', 'blood', 'pressure', 'increased', 'fluid', 'retention', 'pollakiuria', 'local', 'swelling', 'joint', 'swelling', 'swelling', 'grand', 'mal', 'convulsion', 'malaise', 'abdominal', 'pain', 'upper', 'hyperthyroidism', 'diabetes', 'mellitus', 'haemoglobin', 'decreased', 'pyrexia', 'headache', 'malnutrition', 'multiple', 'sclerosis', 'loss', 'consciousness', 'weight', 'decreased', 'fibroadenoma', 'breast', 'label', 'use', 'hyperthermia', 'malignant', 'neoplasm', 'malignant', 'diabetes', 'mellitus', 'endocarditis', 'staphylococcal', 'nephrogenic', 'systemic', 'fibrosis', 'type', 'diabetes', 'mellitus', 'influenza', 'pneumonia', 'nephrogenic', 'systemic', 'fibrosis', 'neutrophil', 'count', 'increased', 'white', 'blood', 'cell', 'count', 'increased', 'abnormal', 'behaviour', 'dehydration', 'hospitalisation', 'convulsion', 'convulsion', 'lower', 'limb', 'fracture', 'syncope', 'osteomyelitis', 'death', 'death', 'erysipelas', 'sepsis', 'atrial', 'septal', 'defect', 'bundle', 'branch', 'block', 'right', 'tachycardia', 'rectal', 'haemorrhage', 'rectal', 'haemorrhage', 'asthenia', 'weight', 'decreased', 'death', 'organising', 'pneumonia', 'fall', 'lung', 'infection', 'urinary', 'tract', 'infection', 'bacterial', 'lower', 'respiratory', 'tract', 'infection', 'bacterial', 'acute', 'respiratory', 'distress', 'syndrome', 'loss', 'consciousness', 'psoriasis', 'blood', 'cholesterol', 'increased', 'amnesia', 'dyspnoea', 'headache', 'exposure', 'contaminated', 'water', 'vomiting', 'nausea', 'fatigue', 'lethargy', 'abdominal', 'pain', 'upper', 'death', 'depression', 'wheelchair', 'user', 'drug', 'effect', 'decreased', 'death', 'coeliac', 'disease', 'blindness', 'hypertension', 'blood', 'pressure', 'increased', 'hyperhidrosis', 'hyperhidrosis', 'multiple', 'sclerosis', 'neoplasm', 'malignant', 'metastasis', 'fall', 'head', 'injury', 'arthralgia', 'urinary', 'tract', 'infection', 'asthenia', 'ear', 'infection', 'increased', 'viscosity', 'bronchial', 'secretion', 'sinus', 'disorder', 'chronic', 'obstructive', 'pulmonary', 'disease', 'endotracheal', 'intubation', 'acute', 'respiratory', 'failure', 'hyperglycaemia', 'bronchitis', 'pneumococcal', 'bronchitis', 'nephrogenic', 'systemic', 'fibrosis', 'rhinalgia', 'facial', 'pain', 'mobility', 'decreased', 'seizure', 'blood', 'sodium', 'decreased', 'cholelithiasis', 'hepatic', 'mass', 'hyperglycaemia', 'dyspnoea', 'inappropriate', 'antidiuretic', 'hormone', 'secretion', 'hyperthermia', 'malignant', 'tetralogy', 'cleft', 'palate', 'autism', 'foetal', 'exposure', 'pregnancy', 'chronic', 'obstructive', 'pulmonary', 'disease', 'emphysema', 'bronchitis', 'dyspnoea', 'stress', 'anxiety', 'unevaluable', 'event', 'lung', 'infection', 'suicide', 'attempt', 'antipsychotic', 'drug', 'level', 'therapeutic', 'mental', 'disorder', 'antipsychotic', 'drug', 'level', 'therapeutic', 'adverse', 'reaction', 'suicidal', 'ideation', 'dizziness', 'aphasia', 'syncope', 'memory', 'impairment', 'bronchitis', 'irritability', 'feeling', 'abnormal', 'amnesia', 'conversion', 'disorder', 'visual', 'impairment', 'vision', 'blurred', 'headache', 'pyrexia', 'pain', 'injection', 'site', 'reaction', 'injection', 'site', 'haemorrhage', 'fatigue', 'confusional', 'state', 'hyperammonaemia', 'respiratory', 'distress', 'pulmonary', 'oedema', 'dyspnoea', 'pulmonary', 'alveolar', 'haemorrhage', 'pulmonary', 'disease', 'therapeutic', 'response', 'decreased', 'drug', 'ineffective', 'haemoglobin', 'decreased', 'weight', 'increased', 'nephrogenic', 'systemic', 'fibrosis', 'pneumonia', 'pulmonary', 'valve', 'stenosis', 'congenital', 'congenital', 'anomaly', 'foetal', 'exposure', 'pregnancy', 'death', 'dyspnoea', 'fatigue', 'dysphonia', 'diarrhoea', 'convulsion', 'dyspnoea', 'skin', 'discolouration', 'lip', 'discolouration', 'status', 'epilepticus', 'epilepsy', 'fall', 'tooth', 'loss', 'central', 'nervous', 'system', 'lesion', 'cognitive', 'disorder', 'drug', 'withdrawal', 'syndrome', 'quality', 'life', 'decreased', 'general', 'physical', 'health', 'deterioration', 'mental', 'impairment', 'disorientation', 'affect', 'lability', 'gait', 'disturbance', 'speech', 'disorder', 'anticonvulsant', 'drug', 'level', 'decreased', 'drug', 'effect', 'decreased', 'investigation', 'liver', 'disorder', 'transaminase', 'increased', 'disease', 'progression', 'abortion', 'induced', 'unintended', 'pregnancy', 'medical', 'device', 'complication', 'product', 'quality', 'issue', 'drug', 'dose', 'omission', 'disease', 'progression', 'renal', 'failure', 'acute', 'type', 'diabetes', 'mellitus', 'cholelithiasis', 'bone', 'marrow', 'failure', 'bone', 'marrow', 'failure', 'neutrophil', 'count', 'decreased', 'chronic', 'obstructive', 'pulmonary', 'disease', 'dementia', 'type', 'hip', 'fracture', 'cerebrovascular', 'accident', 'nephrogenic', 'systemic', 'fibrosis', 'pancreatitis', 'hypoacusis', 'pneumonia', 'disease', 'progression', 'pancytopenia', 'low', 'turnover', 'osteopathy', 'femur', 'fracture', 'reflux', 'laryngitis', 'gingival', 'recession', 'intramedullary', 'rod', 'insertion', 'rib', 'fracture', 'bone', 'graft', 'squamous', 'cell', 'carcinoma', 'skin', 'osteoporosis', 'periodontal', 'operation', 'visual', 'impairment', 'disease', 'progression', 'loss', 'proprioception', 'fall', 'gait', 'disturbance', 'asthenia', 'embedded', 'device', 'hyponatraemia', 'dyspnoea', 'pyrexia', 'pancreatitis', 'influenza', 'pneumonia', 'sepsis', 'disease', 'progression', 'dizziness', 'disease', 'progression', 'myocardial', 'infarction', 'disease', 'progression', 'death', 'investigation', 'disease', 'progression', 'disease', 'disease', 'progression', 'arthropathy', 'osteonecrosis', 'gangrene', 'gangrene', 'grand', 'mal', 'convulsion', 'vomiting', 'amnesia', 'disease', 'progression', 'disease', 'progression', 'sepsis', 'tooth', 'infection', 'neurological', 'decompensation', 'disease', 'progression', 'thrombosis', 'device', 'issue', 'arteriovenous', 'fistula', 'site', 'complication', 'convulsion', 'pulmonary', 'oedema', 'rib', 'fracture', 'gastroenteritis', 'viral', 'peritonitis', 'bacterial', 'diarrhoea', 'fluid', 'overload', 'infected', 'cyst', 'febrile', 'neutropenia', 'febrile', 'neutropenia', 'enterobacter', 'pneumonia', 'corynebacterium', 'infection', 'pharyngitis', 'malaise', 'hypotension', 'eye', 'movement', 'disorder', 'heart', 'decreased', 'pulse', 'abnormal', 'blood', 'pressure', 'diastolic', 'increased', 'carnitine', 'deficiency', 'hyperammonaemia', 'irritability', 'affective', 'disorder', 'condition', 'aggravated', 'staphylococcal', 'infection', 'catheter', 'site', 'infection', 'muscular', 'weakness', 'paraesthesia', 'pancreatitis', 'label', 'use', 'pulmonary', 'haemorrhage', 'swelling', 'anaemia', 'hypotension', 'pneumonia', 'urinary', 'tract', 'infection', 'malaise', 'cardiac', 'disorder', 'cardiovascular', 'disorder', 'blood', 'glucose', 'increased', 'anaemia', 'sepsis', 'mixed', 'liver', 'injury', 'headache', 'toothache', 'peritonitis', 'peritoneal', 'dialysis', 'complication', 'hypotension', 'pneumonia', 'post', 'procedural', 'haemorrhage', 'acidosis', 'haemorrhage', 'haematocrit', 'decreased', 'rectal', 'haemorrhage', 'haematochezia', 'mouth', 'haemorrhage', 'epistaxis', 'pyrexia', 'syndrome', 'myocardial', 'infarction', 'mycobacterium', 'tuberculosis', 'complex', 'test', 'positive', 'headache', 'chest', 'discomfort', 'respiratory', 'failure', 'chronic', 'obstructive', 'pulmonary', 'disease', 'myocardial', 'infarction', 'cardiac', 'flutter', 'therapeutic', 'response', 'decreased', 'death', 'parotitis', 'salivary', 'hypersecretion', 'ear', 'pain', 'odynophagia', 'parotid', 'gland', 'enlargement', 'oedema', 'inflammation', 'leukocytosis', 'anaemia', 'tachycardia', 'schizoaffective', 'disorder', 'bipolar', 'type', 'drug', 'ineffective', 'convulsion', 'bursitis', 'abscess', 'bacterial', 'staphylococcal', 'infection', 'fall', 'rhabdomyolysis', 'somnolence', 'diabetes', 'mellitus', 'gait', 'disturbance', 'anaemia', 'blood', 'triglyceride', 'abnormal', 'muscular', 'weakness', 'blood', 'cholesterol', 'abnormal', 'cough', 'influenza', 'bone', 'disorder', 'incompatibility', 'pain', 'death', 'localised', 'infection', 'diabetic', 'ketoacidosis', 'abscess', 'limb', 'transfusion', 'vision', 'blurred', 'intraocular', 'pressure', 'increased', 'rectocele', 'cardiac', 'arrest', 'arrhythmia', 'acidosis', 'respiratory', 'distress', 'status', 'epilepticus', 'death', 'gastrointestinal', 'stromal', 'tumour', 'malignant', 'neoplasm', 'progression', 'intestinal', 'obstruction', 'pyrexia', 'abdominal', 'pain', 'upper', 'blood', 'count', 'abnormal', 'platelet', 'count', 'decreased', 'general', 'physical', 'health', 'deterioration', 'cerebrovascular', 'arteriovenous', 'malformation', 'gastroesophageal', 'reflux', 'disease', 'peripheral', 'artery', 'thrombosis', 'pain', 'anxiety', 'abdominal', 'pain', 'emotional', 'distress', 'platelet', 'count', 'decreased', 'blood', 'count', 'abnormal', 'cerebral', 'venous', 'thrombosis', 'jugular', 'vein', 'thrombosis', 'subdural', 'haematoma', 'musculoskeletal', 'stiffness', 'myalgia', 'platelet', 'count', 'decreased', 'stem', 'cell', 'transplant', 'splenomegaly', 'contusion', 'thrombosis', 'injury', 'emotional', 'distress', 'deep', 'vein', 'thrombosis', 'a

nxiety', 'pain', 'abdominal', 'pain', 'general', 'physical', 'health', 'deterioration', 'type', 'diabetes', 'mellitus', 'death', 'international', 'normalised', 'ratio', 'fluctuation', 'fall', 'concussion', 'clavicle', 'fracture', 'hip', 'fracture', 'parkinsonism', 'mobility', 'decreased', 'faecal', 'incontinence', 'urinary', 'incontinence', 'depression', 'memory', 'impairment', 'fatigue', 'fall', 'pain', 'fall', 'fall', 'gait', 'disturbance', 'emotional', 'distress', 'type', 'diabetes', 'mellitus', 'impaired', 'healing', 'calciphylaxis', 'diabetic', 'complication', 'wound', 'pancreatitis', 'acute', 'death', 'gastrointestinal', 'haemorrhage', 'pneumonia', 'pulmonary', 'oedema', 'failure', 'thrive', 'hypophagia', 'surgery', 'muscular', 'weakness', 'alopecia', 'drug', 'dose', 'omission', 'type', 'diabetes', 'mellitus', 'neoplasm', 'malignant', 'pain', 'extremity', 'anaemia', 'death', 'histiocytosis', 'haematophagic', 'type', 'diabetes', 'mellitus', 'ventricular', 'tachycardia', 'melaena', 'asthenia', 'vertigo', 'duodenal', 'ulcer', 'gastritis', 'erosive', 'gastrointestinal', 'haemorrhage', 'type', 'diabetes', 'mellitus', 'haemorrhage', 'red', 'blood', 'cell', 'count', 'decreased', 'fatigue', 'adverse', 'event', 'type', 'diabetes', 'mellitus', 'psychotic', 'behaviour', 'cognitive', 'disorder', 'bronchopulmonary', 'aspergillosis', 'myalgia', 'type', 'diabetes', 'mellitus', 'vaginal', 'haemorrhage', 'smear', 'cervix', 'abnormal', 'febrile', 'convulsion', 'helicobacter', 'infection', 'death', 'nephrogenic', 'systemic', 'fibrosis', 'circulatory', 'collapse', 'pneumonia', 'aspiration', 'white', 'blood', 'cell', 'count', 'increased', 'neutrophil', 'count', 'increased', 'platelet', 'count', 'decreased', 'blood', 'lactate', 'dehydrogenase', 'increased', 'white', 'blood', 'cell', 'count', 'increased', 'epistaxis', 'headache', 'influenza', 'nausea', 'contusion', 'wound', 'haemorrhage', 'blood', 'smear', 'test', 'abnormal', 'fatigue', 'adverse', 'drug', 'reaction', 'disease', 'progression', 'type', 'diabetes', 'mellitus', 'visual', 'impairment', 'neuropathy', 'peripheral', 'increased', 'appetite', 'incontinence', 'label', 'use', 'epistaxis', 'blindness', 'weight', 'increased', 'skin', 'cancer', 'nasopharyngitis', 'dizziness', 'dry', 'eye', 'wrong', 'technique', 'product', 'usage', 'process', 'pruritus', 'increased', 'tendency', 'bruise', 'diarrhoea', 'constipation', 'type', 'diabetes', 'mellitus', 'apparent', 'death', 'general', 'physical', 'health', 'deterioration', 'skin', 'burning', 'sensation', 'decreased', 'appetite', 'weight', 'decreased', 'headache', 'nausea', 'pyrexia', 'rash', 'myalgia', 'muscular', 'weakness', 'gait', 'disturbance', 'tremor', 'type', 'diabetes', 'mellitus', 'peripheral', 'swelling', 'increased', 'appetite', 'weight', 'increased', 'stress', 'type', 'diabetes', 'mellitus', 'hypokinesia', 'dehydration', 'drug', 'dose', 'omission', 'paralysis', 'quality', 'life', 'decreased', 'speech', 'disorder', 'loss', 'consciousness', 'withdrawal', 'syndrome', 'dyskinesia', 'dysphagia', 'cardiac', 'arrest', 'anaphylactic', 'reaction', 'interstitial', 'lung', 'disease', 'dyspnoea', 'general', 'physical', 'health', 'deterioration', 'pleural', 'effusion', 'oedema', 'aphthous', 'stomatitis', 'peritonitis', 'device', 'malfunction', 'cerebrovascular', 'accident', 'blindness', 'unilateral', 'mucosal', 'inflammation', 'convulsion', 'gastrointestinal', 'stromal', 'tumour', 'malaise', 'hepatic', 'neoplasm', 'wrong', 'technique', 'drug', 'usage', 'process', 'pancreatitis', 'endometriosis', 'uterine', 'leiomyoma', 'type', 'diabetes', 'mellitus', 'central', 'nervous', 'system', 'lesion', 'injection', 'site', 'pain', 'injection', 'site', 'bruising', 'wrong', 'technique', 'drug', 'usage', 'process', 'hepatocellular', 'injury', 'cholestasis', 'pyrexia', 'myocardial', 'infarction', 'sarcoma', 'gastrointestinal', 'obstruction', 'anaemia', 'general', 'physical', 'health', 'deterioration', 'abnormal', 'behaviour', 'drug', 'level', 'increased', 'lethargy', 'irritability', 'disorder', 'dermatillomania', 'activity', 'daily', 'living', 'impaired', 'memory', 'impairment', 'bradykinesia', 'muscular', 'weakness', 'insomnia', 'drug', 'interaction', 'death', 'breast', 'cancer', 'second', 'primary', 'malignancy', 'metastasis', 'pleura', 'metastasis', 'lymph', 'node', 'blood', 'glucose', 'increased', 'death', 'death', 'hypomagnesemia', 'drug', 'interaction', 'transfusion', 'drug', 'dose', 'omission', 'body', 'height', 'normal', 'congenital', 'oral', 'malformation', 'congenital', 'cardiovascular', 'anomaly', 'congenital', 'nose', 'malformation', 'tooth', 'development', 'disorder', 'visual', 'impairment', 'foetal', 'exposure', 'pregnancy', 'paternal', 'drug', 'affecting', 'foetus', 'corrective', 'lens', 'user', 'dysmorphism', 'foetal', 'anticonvulsant', 'syndrome', 'premature', 'baby', 'toothache', 'growth', 'retardation', 'congenital', 'cardiovascular', 'anomaly', 'cardiac', 'murmur', 'congenital', 'hand', 'malformation', 'multiple', 'injury', 'low', 'birth', 'weight', 'baby', 'drug', 'ineffective', 'coma', 'malaise', 'muscle', 'abscess', 'diarrhoea', 'headache', 'platelet', 'count', 'decreased', 'gout', 'stent', 'placement', 'obstruction', 'asthenia', 'cold', 'sweat', 'nausea', 'palpitation', 'myocardial', 'infarction', 'metastasis', 'bone', 'osteonecrosis', 'jaw', 'convulsion', 'tongue', 'injury', 'hallucination', 'anticonvulsant', 'drug', 'level', 'therapeutic', 'injury', 'appendix', 'disorder', 'joint', 'dislocation', 'epilepsy', 'mood', 'altered', 'stomatitis', 'cardiac', 'disorder', 'infection', 'investigation', 'foot', 'deformity', 'dyspnoea', 'tachycardia', 'white', 'blood', 'cell', 'count', 'increased', 'testicular', 'torsion', 'anaphylactic', 'reaction', 'metrorrhagia', 'dizziness', 'multiple', 'sclerosis', 'relapse', 'dysaesthesia', 'nephrogenic', 'systemic', 'fibrosis', 'death', 'bronchial', 'carcinoma', 'pneumonitis', 'pleural', 'effusion', 'radiation', 'pneumonitis', 'oesophagitis', 'pericarditis', 'death', 'thrombosis', 'disease', 'underdose', 'embedded', 'device', 'device', 'breakage', 'back', 'pain', 'pneumonia', 'cytomegalovirus', 'infection', 'cystitis', 'haemorrhagic', 'acute', 'graft', 'versus', 'host', 'disease', 'death', 'muscle', 'spasm', 'urinary', 'incontinence', 'anxiety', 'hyperventilation', 'rash', 'pruritic', 'rhinorrhoea', 'tongue', 'disorder', 'panic', 'attack', 'diarrhoea', 'dry', 'skin', 'skin', 'exfoliation', 'skin', 'exfoliation', 'acne', 'alopecia', 'bronchospasm', 'discomfort', 'rash', 'drug', 'hypersensitivity', 'amnesia', 'aortic', 'dissection', 'rash', 'discomfort', 'constipation', 'skin', 'disorder', 'skin', 'sensitisation', 'blister', 'jaundice', 'death', 'death', 'hypoesthesia', 'tremor', 'feeling', 'hot', 'hyperhidrosis', 'mobility', 'decreased', 'asthenia', 'local', 'swelling', 'fat', 'redistribution', 'lipodystrophy', 'acquired', 'lymphocyte', 'decreased', 'unevaluable', 'event', 'multifocal', 'motor', 'neuropathy', 'muscle', 'atrophy', 'blood', 'count', 'abnormal', 'exposure', 'pregnancy', 'drug', 'ineffective', 'caesarean', 'section', 'abortion', 'spontaneous', 'blood', 'fibrinogen', 'decreased', 'pulmonary', 'embolism', 'general', 'physical', 'health', 'deterioration', 'pain', 'injury', 'abdominal', 'pain', 'platelet', 'count', 'decreased', 'anxiety', 'general', 'physical', 'health', 'deterioration', 'injury', 'thrombosis', 'emotional', 'distress', 'pain', 'abdominal', 'pain', 'ileectomy', 'anxiety', 'general', 'physical', 'health', 'deterioration', 'axillary', 'vein', 'thrombosis', 'pain', 'peripheral', 'swelling', 'deep', 'vein', 'thrombosis', 'abdominal', 'pain', 'emotional', 'distress', 'injury', 'subclavian', 'vein', 'thrombosis', 'foetal', 'heart', 'rate', 'decreased', 'foetal', 'exposure', 'pregnancy', 'foetal', 'heart', 'rate', 'increased', 'nephrogenic', 'systemic', 'fibrosis', 'vertigo', 'erythema', 'tooth', 'disorder', 'colitis', 'ulcerative', 'eye', 'pain', 'ocular', 'vascular', 'disorder', 'retinal', 'vascular', 'disorder', 'deafness', 'ear', 'injury', 'renal', 'impairment', 'intestinal', 'haemorrhage', 'diarrhoea', 'drug', 'ineffective', 'ocular', 'hyperaemia', 'eye', 'pain', 'dry', 'eye', 'chest', 'discomfort', 'wrist', 'fracture', 'fall', 'hysterectomy', 'muscular', 'weakness', 'skin', 'discolouration', 'gait', 'disturbance', 'hypotension', 'convulsion', 'lower', 'gastrointestinal', 'haemorrhage', 'renal', 'failure', 'pulmonary', 'alveolar', 'haemorrhage', 'graft', 'versus', 'host', 'disease', 'cystitis', 'haemorrhagic', 'adenovirus', 'infection', 'bacteria', 'virus', 'infection', 'convulsion', 'alcohol', 'detoxification', 'loss', 'consciousness', 'alcohol', 'withdrawal', 'syndrome', 'renal', 'failure', 'acute', 'dehydration', 'joint', 'injury', 'tongue', 'injury', 'swollen', 'tongue', 'electrolyte', 'imbalance', 'dysarthria', 'fall', 'laceration', 'gait', 'disturbance', 'headache', 'drug', 'ineffective', 'pancreatitis', 'acute', 'blood', 'glucose', 'increased', 'bone', 'marrow', 'failure', 'pyrexia', 'neutropenia', 'leukopenia', 'thrombocytopenia', 'pancytopenia', 'tonsillitis', 'cough', 'tonsillar', 'hypertrophy', 'purulent', 'discharge', 'pharyngeal', 'erythema', 'odynophagia', 'lymphadenopathy', 'productive', 'cough', 'large', 'intestine', 'polyp', 'diarrhoea', 'blood', 'potassium', 'increased', 'h

yperthermia', 'malignant', 'abasia', 'death', 'cerebrovascular', 'accident', 'cerebral', 'haemorrhage', 'drooling', 'haematochezia', 'diverticulum', 'paraesthesia', 'asthenia', 'back', 'pain', 'dyspepsia', 'constipation', 'renal', 'function', 'test', 'abnormal', 'pruritus', 'throat', 'irritation', 'diarrhoea', 'nasal', 'discomfort', 'malaise', 'multiple', 'sclerosis', 'relapse', 'urinary', 'tract', 'infection', 'dizziness', 'headache', 'nausea', 'cerebrovascular', 'accident', 'death', 'blood', 'alkaline', 'phosphatase', 'increased', 'transaminase', 'increased', 'increased', 'electrocardiogram', 'abnormal', 'left', 'ventricular', 'dysfunction', 'sinus', 'tachycardia', 'nephrogenic', 'systemic', 'fibrosis', 'foetal', 'cardiac', 'disorder', 'label', 'use', 'exposure', 'pregnancy', 'ocular', 'hyperaemia', 'lacrimation', 'increased', 'dry', 'eye', 'skin', 'lesion', 'lymphadenopathy', 'lymph', 'node', 'pain', 'basal', 'cell', 'carcinoma', 'seborrhoeic', 'keratosis', 'fall', 'uterine', 'perforation', 'injury', 'pain', 'emotional', 'distress', 'type', 'diabetes', 'mellitus', 'thrombocytopenia', 'petechia', 'suicidal', 'ideation', 'depressed', 'mood', 'nightmare', 'haemoglobin', 'decreased', 'acute', 'myocardial', 'infarction', 'malignant', 'neoplasm', 'progression', 'general', 'physical', 'health', 'deterioration', 'death', 'alanine', 'aminotransferase', 'increased', 'aspartate', 'aminotransferase', 'increased', 'fatigue', 'abdominal', 'pain', 'upper', 'injection', 'site', 'discolouration', 'injection', 'site', 'pruritus', 'unevaluable', 'event', 'blepharospasm', 'aggression', 'anger', 'symptom', 'suicidal', 'ideation', 'uterine', 'perforation', 'device', 'dislocation', 'infusion', 'site', 'erythema', 'chill', 'emotional', 'distress', 'pain', 'embedded', 'device', 'injury', 'platelet', 'count', 'decreased', 'pyrexia', 'prostatic', 'specific', 'antigen', 'increased', 'bone', 'pain', 'respiratory', 'arrest', 'pleural', 'effusion', 'uterine', 'perforation', 'injury', 'pain', 'emotional', 'distress', 'oropharyngeal', 'spasm', 'respiratory', 'disorder', 'dysphagia', 'psychomotor', 'hyperactivity', 'salivary', 'hypersecretion', 'dysarthria', 'sensation', 'foreign', 'body', 'melaena', 'type', 'diabetes', 'mellitus', 'hepatic', 'lesion', 'malignant', 'neoplasm', 'progression', 'gastric', 'cancer', 'product', 'use', 'issue', 'seizure', 'like', 'phenomenon', 'myoclonus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'rash', 'pruritic', 'generalised', 'erythema', 'type', 'diabetes', 'mellitus', 'uterine', 'perforation', 'injury', 'pain', 'emotional', 'distress', 'transient', 'ischaemic', 'attack', 'traumatic', 'haematoma', 'uterine', 'perforation', 'injury', 'pain', 'emotional', 'distress', 'psychological', 'trauma', 'skin', 'discolouration', 'rash', 'death', 'neoplasm', 'progression', 'overdose', 'dyspnoea', 'lung', 'infection', 'thrombotic', 'microangiopathy', 'renal', 'impairment', 'hepatic', 'failure', 'mental', 'status', 'change', 'stem', 'cell', 'transplant', 'graft', 'versus', 'host', 'disease', 'fatigue', 'drug', 'administration', 'error', 'cognitive', 'disorder', 'anxiety', 'depression', 'sexual', 'dysfunction', 'blood', 'testosterone', 'free', 'decreased', 'uptake', 'increased', 'back', 'pain', 'type', 'diabetes', 'mellitus', 'hepatitis', 'c', 'insomnia', 'blood', 'cholesterol', 'increased', 'benign', 'prostatic', 'hyperplasia', 'urinary', 'tract', 'obstruction', 'drug', 'dependence', 'erectile', 'dysfunction', 'abdominal', 'pain', 'upper', 'diarrhoea', 'vomiting', 'infusion', 'related', 'reaction', 'generalised', 'erythema', 'pruritus', 'macroglossia', 'dyspnoea', 'malignant', 'neoplasm', 'progression', 'pancytopenia', 'neurogenic', 'bladder', 'feeling', 'abnormal', 'balance', 'disorder', 'nervousness', 'frustration', 'hypoesthesia', 'dyspnoea', 'label', 'use', 'syndrome', 'consciousness', 'fluctuating', 'lip', 'swelling', 'lip', 'discolouration', 'blister', 'pain', 'skin', 'exfoliation', 'chapped', 'lip', 'eye', 'disorder', 'scab', 'scar', 'weight', 'decreased', 'skin', 'disorder', 'rash', 'generalised', 'dyspnoea', 'hypersensitivity', 'malaise', 'spinal', 'disorder', 'dizziness', 'feeling', 'abnormal', 'ovarian', 'germ', 'cell', 'cancer', 'stage', 'ii', 'amenorrhoea', 'weight', 'increased', 'tremor', 'galactorrhoea', 'dyspnoea', 'blood', 'prolactin', 'increased', 'palpitation', 'dyskinesia', 'dysuria', 'swelling', 'muscle', 'spasm', 'breast', 'enlargement', 'fatigue', 'muscular', 'weakness', 'agitation', 'aggression', 'hyperhidrosis', 'abdominal', 'pain', 'femoral', 'neck', 'fracture', 'osteoarthritis', 'drug', 'ineffective', 'chest', 'pain', 'palpitation', 'drug', 'ineffective', 'death', 'malignant', 'neoplasm', 'progression', 'glaucoma', 'cataract', 'vitamin', 'decreased', 'arthropathy', 'syncope', 'electrocardiogram', 'qt', 'prolonged', 'renal', 'failure', 'acute', 'rhabdomyolysis', 'traumatic', 'liver', 'injury', 'pneumonia', 'aspiration', 'intentional', 'overdose', 'suicide', 'attempt', 'loss', 'consciousness', 'diarrhoea', 'vomiting', 'nausea', 'restlessness', 'haemorrhage', 'haemarthrosis', 'embolism', 'arterial', 'pulmonary', 'embolism', 'phlebitis', 'skin', 'necrosis', 'adhesion', 'vasculitis', 'death', 'pain', 'vomiting', 'hallucination', 'auditory', 'nervousness', 'feeling', 'abnormal', 'major', 'depression', 'hemiparesis', 'quadriplegia', 'multiple', 'sclerosis', 'malaise', 'pulmonary', 'function', 'test', 'decreased', 'chest', 'discomfort', 'fear', 'death', 'depression', 'hypertension', 'sinus', 'tachycardia', 'dizziness', 'asthenia', 'limb', 'traumatic', 'amputation', 'road', 'traffic', 'accident', 'pain', 'back', 'pain', 'nerve', 'compression', 'joint', 'swelling', 'abasia', 'fall', 'ligament', 'sprain', 'foot', 'fracture', 'breast', 'cancer', 'erythema', 'pruritus', 'abdominal', 'pain', 'muscle', 'spasm', 'splenectomy', 'splenomegaly', 'packed', 'red', 'blood', 'cell', 'transfusion', 'post', 'procedural', 'haemorrhage', 'cold', 'agglutinin', 'pyrexia', 'white', 'blood', 'cell', 'count', 'decreased', 'haematocrit', 'decreased', 'bronchitis', 'disease', 'progression', 'pseudolymphoma', 'drug', 'ineffective', 'haemoglobinuria', 'night', 'sweat', 'weight', 'increased', 'fatigue', 'cough', 'myelodysplastic', 'syndrome', 'diarrhoea', 'platelet', 'count', 'decreased', 'cerebrovascular', 'accident', 'migraine', 'presyncope', 'syncope', 'bronchiolitis', 'apnoea', 'cyanosis', 'rhinorrhoea', 'umbilical', 'hernia', 'inguinal', 'hernia', 'oedema', 'genital', 'headache', 'subarachnoid', 'haemorrhage', 'influenza', 'like', 'illness', 'dysphagia', 'dyspnoea', 'immune', 'thrombocytopenic', 'purpura', 'haemoglobinuria', 'pain', 'nausea', 'chill', 'jaundice', 'hypotension', 'fatigue', 'dyspnoea', 'oedema', 'peripheral', 'right', 'ventricular', 'failure', 'haemoglobin', 'decreased', 'dialysis', 'haemoglobinuria', 'fatigue', 'renal', 'impairment', 'hyperkalaemia', 'iron', 'deficiency', 'anaemia', 'chronic', 'gastritis', 'central', 'nervous', 'system', 'lesion', 'renal', 'artery', 'thrombosis', 'syncope', 'tongue', 'injury', 'tremor', 'cerebrovascular', 'accident', 'atrial', 'fibrillation', 'thyroid', 'nodule', 'removal', 'thyroid', 'neoplasm', 'metrorrhagia', 'drug', 'administration', 'error', 'label', 'use', 'pneumonia', 'back', 'pain', 'death', 'lymphopenia', 'blood', 'cholesterol', 'increased', 'hypertension', 'nausea', 'low', 'density', 'lipoprotein', 'increased', 'white', 'blood', 'cell', 'count', 'decreased', 'deafness', 'ear', 'injury', 'mental', 'status', 'change', 'retinal', 'detachment', 'visual', 'field', 'defect', 'fibromyalgia', 'eye', 'disorder', 'seizure', 'grand', 'mal', 'convulsion', 'postictal', 'state', 'thrombocytopenia', 'abdominal', 'distension', 'splenomegaly', 'arthralgia', 'tenderness', 'full', 'blood', 'count', 'decreased', 'prostate', 'cancer', 'haematuria', 'pyrexia', 'prostatic', 'pain', 'urinary', 'tract', 'infection', 'insomnia', 'prostatic', 'obstruction', 'urinary', 'tract', 'obstruction', 'hypertension', 'cardiac', 'failure', 'arrhythmia', 'hypertension', 'lung', 'infection', 'dyspnoea', 'blood', 'urine', 'present', 'epistaxis', 'blindness', 'asthenia', 'loss', 'consciousness', 'type', 'diabetes', 'mellitus', 'hypoesthesia', 'oral', 'hypoesthesia', 'type', 'diabetes', 'mellitus', 'death', 'disease', 'progression', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'muscle', 'spasm', 'myopathy', 'sleep', 'disorder', 'blood', 'glucose', 'increased', 'palpitation', 'decreased', 'appetite', 'atrial', 'fibrillation', 'insomnia', 'painful', 'erection', 'chest', 'pain', 'tic', 'dyspnoea', 'abdominal', 'pain', 'upper', 'oedema', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'mania', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'rheumatoid', 'arthritis', 'facial', 'bone', 'fracture', 'syncope', 'neutropenia', 'pyrexia', 'hepatic', 'failure', 'dyspnoea', 'throat', 'tightness'

, 'swelling', 'cardiac', 'failure', 'congestive', 'death', 'depression', 'condition', 'aggravated', 'panic', 'attack', 'anxiety', 'mental', 'disorder', 'suicidal', 'ideation', 'homicidal', 'ideation', 'skin', 'exfoliation', 'cerebrovascular', 'accident', 'weight', 'increased', 'withdrawal', 'syndrome', 'type', 'diabetes', 'mellitus', 'cerebrovascular', 'accident', 'disorder', 'pathological', 'gambling', 'fluid', 'retention', 'electrocardiogram', 'qt', 'prolonged', 'aortic', 'dissection', 'myocardial', 'infarction', 'drug', 'interaction', 'oedematous', 'pancreatitis', 'amylase', 'increased', 'lipase', 'increased', 'death', 'fall', 'multiple', 'sclerosis', 'relapse', 'asthenia', 'erythema', 'insomnia', 'muscle', 'spasm', 'flat', 'affect', 'depression', 'disease', 'progression', 'psychotic', 'disorder', 'drug', 'interaction', 'hypertension', 'drug', 'ineffective', 'middle', 'insomnia', 'tinnitus', 'blood', 'potassium', 'decreased', 'intentional', 'drug', 'misuse', 'pruritus', 'malaise', 'hypocalcaemia', 'blood', 'count', 'abnormal', 'device', 'dislocation', 'pelvic', 'pain', 'diverticulitis', 'rectal', 'haemorrhage', 'eye', 'disorder', 'haemorrhoid', 'death', 'renal', 'failure', 'neoplasm', 'malignant', 'haematuria', 'pyrexia', 'myalgia', 'urinary', 'tract', 'infection', 'mania', 'mobility', 'decreased', 'angiopathy', 'hearing', 'impaired', 'blood', 'pressure', 'increased', 'syndrome', 'chest', 'pain', 'infusion', 'related', 'reaction', 'drug', 'ineffective', 'fatigue', 'hypoesthesia', 'nausea', 'weight', 'increased', 'alopecia', 'eye', 'disorder', 'body', 'height', 'decreased', 'decreased', 'appetite', 'arthritis', 'fall', 'dyspnoea', 'oral', 'mucosal', 'blistering', 'rash', 'generalised', 'mood', 'swing', 'performance', 'status', 'decreased', 'drug', 'intolerance', 'erythema', 'nodosum', 'cushingoid', 'renal', 'impairment', 'cardiac', 'arrest', 'osteopenia', 'osteoporosis', 'death', 'surgery', 'cerebrovascular', 'accident', 'basal', 'ganglion', 'haemorrhage', 'intraventricular', 'haemorrhage', 'brain', 'injury', 'diplegia', 'dysstasia', 'mania', 'abasia', 'dizziness', 'drug', 'intolerance', 'gastrointestinal', 'disorder', 'therapeutic', 'response', 'aphonia', 'pyrexia', 'dizziness', 'coeliac', 'disease', 'malaise', 'intentional', 'product', 'misuse', 'rotator', 'cuff', 'syndrome', 'arthritis', 'musculoskeletal', 'pain', 'death', 'type', 'diabetes', 'mellitus', 'carotid', 'artery', 'occlusion', 'chronic', 'obstructive', 'pulmonary', 'disease', 'chest', 'pain', 'low', 'density', 'lipoprotein', 'increased', 'vertigo', 'dizziness', 'dysgeusia', 'type', 'diabetes', 'mellitus', 'suicidal', 'ideation', 'death', 'respiratory', 'disorder', 'type', 'diabetes', 'mellitus', 'spinal', 'disorder', 'label', 'use', 'intestinal', 'ischaemia', 'enterocolitis', 'bacterial', 'dyspnoea', 'protein', 'total', 'increased', 'type', 'diabetes', 'mellitus', 'cardiac', 'stress', 'test', 'abnormal', 'arteriogram', 'coronary', 'abnormal', 'weight', 'decreased', 'type', 'diabetes', 'mellitus', 'haemorrhage', 'renal', 'failure', 'myocardial', 'infarction', 'type', 'diabetes', 'mellitus', 'spinal', 'cord', 'disorder', 'type', 'diabetes', 'mellitus', 'carpal', 'tunnel', 'syndrome', 'arthropathy', 'fatigue', 'myalgia', 'sinusitis', 'drug', 'ineffective', 'pneumonia', 'klebsiella', 'pseudomonas', 'test', 'positive', 'drug', 'administered', 'patient', 'inappropriate', 'age', 'staphylococcus', 'test', 'positive', 'condition', 'aggravated', 'depression', 'panic', 'attack', 'anxiety', 'mental', 'disorder', 'haemoptysis', 'drug', 'ineffective', 'pain', 'loss', 'consciousness', 'ventricular', 'tachycardia', 'heart', 'rate', 'increased', 'electrocardiogram', 'q', 'wave', 'abnormal', 'electrocardiogram', 'wave', 'inversion', 'heart', 'rate', 'irregular', 'intentional', 'overdose', 'sopor', 'type', 'diabetes', 'mellitus', 'oedema', 'skin', 'fissure', 'nephrolithiasis', 'drug', 'dose', 'omission', 'headache', 'sinusitis', 'condition', 'aggravated', 'cataract', 'stent', 'placement', 'macular', 'fibrosis', 'haemoglobin', 'decreased', 'alopecia', 'palpitation', 'chill', 'blood', 'count', 'abnormal', 'electrolyte', 'imbalance', 'neutropenia', 'dermatitis', 'acneiform', 'decreased', 'appetite', 'bradycardia', 'foetal', 'foetal', 'exposure', 'pregnancy', 'mouth', 'ulceration', 'nail', 'disorder', 'diarrhoea', 'fatigue', 'pleural', 'effusion', 'headache', 'decreased', 'appetite', 'nausea', 'facial', 'pain', 'rash', 'malaise', 'pain', 'jaw', 'oral', 'pain', 'pain', 'skin', 'abdominal', 'pain', 'upper', 'weight', 'decreased', 'disease', 'progression', 'breast', 'cancer', 'metastatic', 'septic', 'shock', 'drug', 'ineffective', 'dysgeusia', 'skin', 'irritation', 'skin', 'exfoliation', 'rash', 'erythematous', 'rash', 'generalised', 'death', 'nephrolithiasis', 'kidney', 'infection', 'heart', 'rate', 'increased', 'dyspnoea', 'fatigue', 'dizziness', 'haematuria', 'haemorrhage', 'contusion', 'toxicity', 'various', 'agent', 'drug', 'interaction', 'laboratory', 'test', 'abnormal', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'rash', 'skin', 'lesion', 'generalised', 'erythema', 'excoriation', 'face', 'oedema', 'lymphadenopathy', 'skin', 'exfoliation', 'pyrexia', 'pregnancy', 'expired', 'drug', 'administered', 'label', 'use', 'lymphocele', 'ovarian', 'failure', 'gastrointestinal', 'haemorrhage', 'dementia', 'agitation', 'confusional', 'state', 'nephrolithiasis', 'amnesia', 'angioedema', 'flushing', 'erythema', 'skin', 'exfoliation', 'skin', 'toxicity', 'swelling', 'pruritus', 'vomiting', 'diplopia', 'gait', 'disturbance', 'balance', 'disorder', 'dyspnoea', 'gastroenteritis', 'dizziness', 'coeliac', 'disease', 'femur', 'fracture', 'incorrect', 'drug', 'administration', 'duration', 'neoplasm', 'malignant', 'cough', 'wheezing', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'cardiac', 'failure', 'congestive', 'fluid', 'retention', 'glucose', 'tolerance', 'impaired', 'type', 'diabetes', 'mellitus', 'hepatitis', 'e', 'necrosis', 'cholangitis', 'transplant', 'rejection', 'hepatic', 'enzyme', 'increased', 'gallbladder', 'disorder', 'endothelin', 'abnormal', 'cervix', 'operation', 'product', 'colour', 'issue', 'type', 'diabetes', 'mellitus', 'coronary', 'artery', 'occlusion', 'transient', 'ischaemic', 'attack', 'cardiac', 'failure', 'congestive', 'coronary', 'artery', 'disease', 'aortic', 'aneurysm', 'transfusion', 'liver', 'disorder', 'rash', 'contusion', 'urticaria', 'cardiac', 'failure', 'congestive', 'atrioventricular', 'block', 'second', 'degree', 'pleural', 'effusion', 'type', 'diabetes', 'mellitus', 'platelet', 'count', 'decreased', 'dyspnoea', 'haemolysis', 'haemoglobin', 'decreased', 'nasopharyngitis', 'myocardial', 'infarction', 'myocardial', 'infarction', 'coronary', 'artery', 'disease', 'myocardial', 'infarction', 'death', 'cerebrovascular', 'accident', 'unresponsive', 'stimulus', 'sopor', 'mydriasis', 'drug', 'abuse', 'lymphoma', 'myocardial', 'infarction', 'ischaemic', 'cardiomyopathy', 'angina', 'pectoris', 'cardiac', 'failure', 'congestive', 'type', 'diabetes', 'mellitus', 'throat', 'tightness', 'rash', 'nasal', 'congestion', 'fluid', 'retention', 'myocardial', 'infarction', 'coronary', 'artery', 'disease', 'cerebrovascular', 'accident', 'arteritis', 'myocardial', 'infarction', 'cardiac', 'failure', 'congestive', 'cardiac', 'disorder', 'hypotension', 'cardiac', 'failure', 'congestive', 'coronary', 'artery', 'disease', 'angina', 'unstable', 'amnesia', 'subileus', 'loss', 'consciousness', 'psychomotor', 'hyperactivity', 'cataract', 'type', 'diabetes', 'mellitus', 'abdominal', 'pain', 'upper', 'sepsis', 'energy', 'increased', 'tension', 'irritability', 'libido', 'increased', 'abnormal', 'behaviour', 'psychomotor', 'hyperactivity', 'drug', 'interaction', 'type', 'diabetes', 'mellitus', 'convulsion', 'loss', 'consciousness', 'feeling', 'abnormal', 'fall', 'head', 'injury', 'disorientation', 'tremor', 'headache', 'somnolence', 'fatigue', 'drug', 'administration', 'error', 'cough', 'wheezing', 'dyspnoea', 'abdominal', 'pain', 'upper', 'death', 'optic', 'atrophy', 'intraocular', 'pressure', 'increased', 'visual', 'acuity', 'reduced', 'type', 'diabetes', 'mellitus', 'hip', 'fracture', 'visual', 'impairment', 'overdose', 'rehabilitation', 'therapy', 'gait', 'disturbance', 'mobility', 'decreased', 'dizziness', 'fall', 'pneumonia', 'cough', 'dyspnoea', 'dyspnoea', 'investigation', 'muscle', 'spasm', 'coronary', 'arterial', 'stent', 'insertion', 'atrioventricular', 'block', 'pneumonia', 'cough', 'speech', 'disorder', 'label', 'use', 'malaise', 'bronchitis', 'chronic', 'dyspnoea', 'type', 'diabetes', 'mellitus', 'investigation', 'fall', 'upper', 'limb', 'fracture', 'wrist', 'fracture', 'vision', 'blurred', 'drug', 'ineffective', 'product', 'quality', 'issue', 'bronchitis', 'oxygen', 'saturation', 'decreased', 'breast', 'pain', 'asthma', 'cough', 'drug', 'ineffective', 'device', 'dislocation', 'dyspareunia', 'dysuria', 'pain', 'catheter', 'placement', 'bladder', 'pain', 'genital', 'pain', 'nocturia', 'mental', 'status', 'change', 'dehydration', 'anaemia', 'type', 'diabetes', 'mellitus', 'angioedema', 'metabolic', 'acidosis', 'dyspnoea', 'drug', 'ineffective', 'pneumonia', 'cough', 'wheezing', 'bronchitis', 'nasopharyngitis', 'asthma', 'investigation', 'haematuria', 'epi

'abdominal', 'pain', 'gastroesophageal', 'reflux', 'disease', 'concomitant', 'disease', 'aggravated', 'lower', 'gastrointestinal', 'haemorrhage', 'pelvic', 'discomfort', 'accidental', 'exposure', 'product', 'drug', 'dispensing', 'error', 'pneumonia', 'cough', 'drug', 'hypersensitivity', 'increased', 'upper', 'airway', 'secretion', 'rash', 'headache', 'visual', 'impairment', 'papilloedema', 'pneumonia', 'viral', 'cough', 'drug', 'hypersensitivity', 'increased', 'upper', 'airway', 'secretion', 'rash', 'pain', 'lacrimation', 'increased', 'ocular', 'hyperaemia', 'photophobia', 'scab', 'vision', 'blurred', 'dyspnoea', 'ageusia', 'anosmia', 'oxygen', 'supplementation', 'bipolar', 'disorder', 'myocardial', 'infarction', 'coronary', 'arterial', 'stent', 'insertion', 'carotid', 'artery', 'stent', 'insertion', 'implantable', 'defibrillator', 'insertion', 'pulmonary', 'thrombosis', 'disability', 'back', 'disorder', 'lung', 'disorder', 'panic', 'attack', 'coronary', 'artery', 'disease', 'cardiac', 'assistance', 'device', 'user', 'pneumonia', 'breast', 'cancer', 'palpitation', 'chest', 'pain', 'pouchitis', 'breast', 'cancer', 'type', 'diabetes', 'mellitus', 'brain', 'neoplasm', 'spinal', 'disorder', 'disorder', 'disability', 'surgery', 'drug', 'ineffective', 'convulsion', 'investigation', 'syndrome', 'heart', 'rate', 'increased', 'abdominal', 'distension', 'sinus', 'operation', 'cardiac', 'disorder', 'transient', 'ischaemic', 'attack', 'facial', 'pain', 'pain', 'extremity', 'chest', 'discomfort', 'infection', 'apnoea', 'back', 'pain', 'aneurysm', 'vitamin', 'decreased', 'adverse', 'event', 'arteriosclerosis', 'disorder', 'catheterisation', 'cardiac', 'pneumonitis', 'chemical', 'sluggishness', 'pulmonary', 'oedema', 'death', 'finger', 'deformity', 'oral', 'surgery', 'foot', 'deformity', 'arthropathy', 'arthropathy', 'prostatic', 'disorder', 'abnormal', 'loss', 'weight', 'body', 'height', 'decreased', 'memory', 'impairment', 'pneumonia', 'alopecia', 'colitis', 'small', 'intestinal', 'stenosis', 'diarrhoea', 'oedema', 'peripheral', 'disease', 'progression', 'breast', 'cancer', 'rash', 'weight', 'decreased', 'mouth', 'ulceration', 'hypoesthesia', 'oral', 'acne', 'onychoclasia', 'paraesthesia', 'oral', 'glossodynia', 'ulcer', 'arrhythmia', 'diverticulum', 'death', 'myocardial', 'infarction', 'coronary', 'arterial', 'stent', 'insertion', 'drug', 'administration', 'error', 'tumour', 'excision', 'breast', 'cancer', 'interstitial', 'lung', 'disease', 'sopor', 'drug', 'abuse', 'type', 'diabetes', 'mellitus', 'haemorrhage', 'normochromic', 'normocytic', 'anaemia', 'haematoma', 'flank', 'pain', 'coma', 'hypotension', 'intentional', 'drug', 'abuse', 'overdose', 'type', 'diabetes', 'mellitus', 'petechia', 'thrombocytopenia', 'haematoma', 'suicidal', 'ideation', 'suicidal', 'behaviour', 'abnormal', 'behaviour', 'hostility', 'agitation', 'depressed', 'mood', 'initial', 'insomnia', 'toxic', 'skin', 'eruption', 'rash', 'macular', 'hepatocellular', 'injury', 'cholestasis', 'confusional', 'state', 'vomiting', 'vertigo', 'cerebellar', 'syndrome', 'nausea', 'muscle', 'disorder', 'eye', 'disorder', 'drug', 'dispensing', 'error', 'incorrect', 'dose', 'administered', 'medication', 'error', 'type', 'diabetes', 'mellitus', 'delusion', 'delusional', 'perception', 'product', 'substitution', 'issue', 'type', 'diabetes', 'mellitus', 'sudden', 'onset', 'sleep', 'delirium', 'delusion', 'haemorrhage', 'malaise', 'decreased', 'appetite', 'cachexia', 'growth', 'retardation', 'weight', 'decreased', 'hemiplegia', 'leukoencephalopathy', 'aphasia', 'type', 'diabetes', 'mellitus', 'pulmonary', 'embolism', 'hepatic', 'enzyme', 'increased', 'hypertension', 'haemoptysis', 'type', 'diabetes', 'mellitus', 'autoimmune', 'haemolytic', 'anaemia', 'dizziness', 'erythema', 'pruritus', 'lip', 'swelling', 'eyelid', 'oedema', 'erythema', 'dysphonia', 'pallor', 'dehydration', 'rash', 'lip', 'odystrophy', 'acquired', 'drug', 'ineffective', 'nasopharyngitis', 'pharyngitis', 'herpes', 'virus', 'infection', 'headache', 'fatigue', 'apathy', 'weight', 'decreased', 'disorder', 'aggression', 'type', 'diabetes', 'mellitus', 'lip', 'oedema', 'throat', 'tightness', 'type', 'diabetes', 'mellitus', 'investigation', 'disease', 'progression', 'ascites', 'blood', 'pressure', 'decreased', 'anaemia', 'abdominal', 'pain', 'haemoglobin', 'decreased', 'abdominal', 'wall', 'haematoma', 'shock', 'haemorrhagic', 'dyspnoea', 'electrocardiogram', 'qt', 'prolonged', 'encephalopathy', 'hyperkalaemia', 'pancreatitis', 'acute', 'type', 'diabetes', 'mellitus', 'intestinal', 'operation', 'sopor', 'drug', 'abuse', 'type', 'diabetes', 'mellitus', 'hepatitis', 'c', 'hepatic', 'pain', 'dysgeusia', 'epilepsy', 'disorder', 'bone', 'loss', 'rib', 'fracture', 'osteoporosis', 'osteopenia', 'azotaemia', 'anxiety', 'periarthritides', 'joint', 'range', 'motion', 'decreased', 'oedema', 'synovitis', 'type', 'diabetes', 'mellitus', 'pharyngeal', 'oedema', 'feeling', 'abnormal', 'dizziness', 'fatigue', 'asthenia', 'asthenia', 'gait', 'disturbance', 'chest', 'pain', 'myalgia', 'eye', 'pain', 'general', 'physical', 'health', 'deterioration', 'depression', 'fatigue', 'intraventricular', 'haemorrhage', 'neonatal', 'diarrhoea', 'weight', 'decreased', 'death', 'dyspnoea', 'oral', 'herpes', 'eyelid', 'oedema', 'rash', 'swelling', 'face', 'type', 'diabetes', 'mellitus', 'intestinal', 'obstruction', 'serum', 'reaction', 'nausea', 'vomiting', 'abdominal', 'discomfort', 'pain', 'extremity', 'hypoesthesia', 'conjunctival', 'haemorrhage', 'protein', 'increased', 'red', 'blood', 'cell', 'sedimentation', 'rate', 'increased', 'aspartate', 'aminotransferase', 'increased', 'alanine', 'aminotransferase', 'increased', 'complement', 'factor', 'decreased', 'pyrexia', 'polyneuropathy', 'diarrhoea', 'epigastric', 'discomfort', 'rash', 'papule', 'blister', 'anaphylactic', 'reaction', 'condition', 'aggravated', 'urticaria', 'blood', 'pressure', 'decreased', 'heart', 'rate', 'increased', 'dyspnoea', 'respiratory', 'rate', 'increased', 'chest', 'discomfort', 'type', 'diabetes', 'mellitus', 'myalgia', 'muscular', 'weakness', 'fall', 'blood', 'sodium', 'decreased', 'cardiac', 'disorder', 'blood', 'glucose', 'increased', 'type', 'diabetes', 'mellitus', 'ileal', 'stenosis', 'disease', 'abdominal', 'distension', 'discomfort', 'disease', 'pain', 'type', 'diabetes', 'mellitus', 'renal', 'abscess', 'enterocolitis', 'myocardial', 'infarction', 'type', 'diabetes', 'mellitus', 'cardiac', 'disorder', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'congestive', 'cardiomyopathy', 'dyspnoea', 'exertional', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'pneumothorax', 'pneumonitis', 'pain', 'pleural', 'effusion', 'glossodynia', 'fatigue', 'influenza', 'like', 'illness', 'respiratory', 'tract', 'irritation', 'arthralgia', 'bone', 'disorder', 'onychoclasia', 'chill', 'rash', 'body', 'temperature', 'increased', 'chest', 'discomfort', 'wheezing', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'acute', 'respiratory', 'distress', 'syndrome', 'respiratory', 'distress', 'hypoxia', 'lung', 'infiltration', 'hypoventilation', 'bradypnoea', 'respiratory', 'acidosis', 'coma', 'unresponsive', 'stimulus', 'miosis', 'hyperhidrosis', 'agitation', 'toxicity', 'various', 'agent', 'accidental', 'overdose', 'cough', 'cyanosis', 'tachycardia', 'swelling', 'face', 'dyspnoea', 'type', 'diabetes', 'mellitus', 'product', 'quality', 'issue', 'aortic', 'aneurysm', 'abnormal', 'loss', 'weight', 'chronic', 'obstructive', 'pulmonary', 'disease', 'dyspnoea', 'drug', 'effect', 'decreased', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'surgery', 'type', 'diabetes', 'mellitus', 'diabetic', 'dermopathy', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'brain', 'neoplasm', 'brain', 'neoplasm', 'benign', 'type', 'diabetes', 'mellitus', 'rash', 'morbiliform', 'pruritus', 'oedema', 'peripheral', 'lip', 'oedema', 'rash', 'erythematous', 'skin', 'exfoliation', 'cerebral', 'thrombosis', 'loss', 'consciousness', 'gait', 'disturbance', 'agraphia', 'fear', 'migraine', 'abdominal', 'pain', 'back', 'pain', 'activity', 'daily', 'living', 'impaired', 'paralysis', 'seizure', 'frustration', 'pain', 'speech', 'disorder', 'injury', 'general', 'physical', 'health', 'deterioration', 'amnesia', 'scar', 'stress', 'impaired', 'driving', 'ability', 'intracranial', 'venous', 'sinus', 'thrombosis', 'motor', 'dysfunction', 'weight', 'increased', 'malaise', 'nausea', 'hypothyroidism', 'type', 'diabetes', 'mellitus', 'haematochezia', 'colon', 'adenoma', 'breast', 'cancer', 'recurrent', 'metastasis', 'bone', 'pathological', 'fracture', 'rib', 'fracture', 'type', 'diabetes', 'mellitus', 'cerebrovascular', 'accident', 'embolism', 'arterial', 'gallbladder', 'disorder', 'pneumonia', 'uterine', 'disorder', 'weight', 'decreased', 'subileus', 'sedation', 'somnolence', 'constipation', 'akathia'



sia', 'abnormal', 'behaviour', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'superior', 'sagittal', 'sinus', 'thrombosis', 'cerebrovascular', 'accident', 'movement', 'disorder', 'metastasis', 'disease', 'progression', 'toxic', 'skin', 'eruption', 'motor', 'developmental', 'delay', 'dermoid', 'cyst', 'exposure', 'pregnancy', 'respiratory', 'failure', 'pneumonia', 'haemoglobin', 'decreased', 'chronic', 'myeloid', 'leukaemia', 'transformation', 'platelet', 'count', 'decreased', 'retinal', 'tear', 'visual', 'impairment', 'apraxia', 'cerebral', 'haemorrhage', 'subarachnoid', 'haemorrhage', 'confusional', 'state', 'type', 'diabetes', 'mellitus', 'respiratory', 'failure', 'myocardial', 'infarction', 'cardiac', 'failure', 'memory', 'impairment', 'pain', 'extremity', 'diarrhoea', 'cholelithiasis', 'device', 'issue', 'scar', 'uterine', 'perforation', 'abortion', 'spontaneous', 'pain', 'anxiety', 'emotional', 'distress', 'device', 'breakage', 'injury', 'uterine', 'injury', 'chest', 'pain', 'dysphagia', 'pyrexia', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'condition', 'aggravated', 'rectal', 'prolapse', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'neutrophil', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'decreased', 'megakaryocyte', 'decreased', 'aplastic', 'anaemia', 'platelet', 'count', 'decreased', 'blood', 'potassium', 'abnormal', 'aspartate', 'aminotransferase', 'increased', 'alanine', 'aminotransferase', 'abnormal', 'white', 'blood', 'cell', 'count', 'decreased', 'blood', 'creatinine', 'increased', 'immunosuppressant', 'drug', 'level', 'decreased', 'fall', 'rib', 'fracture', 'pain', 'liver', 'injury', 'hallucination', 'nightmare', 'type', 'diabetes', 'mellitus', 'oral', 'discomfort', 'muscle', 'spasm', 'abdominal', 'pain', 'upper', 'fatigue', 'dyspnoea', 'exertional', 'nausea', 'decreased', 'appetite', 'death', 'type', 'diabetes', 'mellitus', 'pulmonary', 'embolism', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'hernia', 'cerebrovascular', 'accident', 'type', 'diabetes', 'mellitus', 'blood', 'urea', 'increased', 'blood', 'potassium', 'increased', 'blood', 'creatinine', 'increased', 'fluid', 'retention', 'plasma', 'cell', 'myeloma', 'respiratory', 'failure', 'constipation', 'anaemia', 'fatigue', 'neurological', 'decompensation', 'disease', 'progression', 'heart', 'rate', 'irregular', 'atrioventricular', 'block', 'second', 'degree', 'dyspnoea', 'seizure', 'drug', 'level', 'decreased', 'weight', 'increased', 'abortion', 'spontaneous', 'unintended', 'pregnancy', 'device', 'dislocation', 'implant', 'site', 'erythema', 'implant', 'site', 'swelling', 'implant', 'site', 'haematoma', 'implant', 'site', 'reaction', 'device', 'breakage', 'device', 'difficult', 'use', 'small', 'date', 'baby', 'micropenis', 'hypospadias', 'cryptorchism', 'exposure', 'pregnancy', 'infection', 'nausea', 'headache', 'fatigue', 'chill', 'contusion', 'pyrexia', 'vomiting', 'white', 'blood', 'cell', 'count', 'increased', 'maternal', 'exposure', 'pregnancy', 'label', 'use', 'abortion', 'label', 'use', 'abortion', 'maternal', 'exposure', 'pregnancy', 'maternal', 'exposure', 'pregnancy', 'label', 'use', 'abortion', 'diabetic', 'foot', 'infection', 'oedema', 'maternal', 'exposure', 'pregnancy', 'label', 'use', 'abortion', 'ectopic', 'pregnancy', 'maternal', 'exposure', 'pregnancy', 'label', 'use', 'wound', 'urinary', 'tract', 'infection', 'coronary', 'artery', 'occlusion', 'blood', 'glucose', 'decreased', 'escherichia', 'bacteraemia', 'hypokalaemia', 'hyponatraemia', 'vomiting', 'abdominal', 'pain', 'upper', 'nausea', 'histoplasmosis', 'cytomegalovirus', 'infection', 'gastrointestinal', 'haemorrhage', 'oesophageal', 'ulcer', 'strongyloidiasis', 'pregnancy', 'post', 'coital', 'contraception', 'maternal', 'exposure', 'pregnancy', 'haemoptysis', 'pulmonary', 'haemorrhage', 'pulseless', 'electrical', 'activity', 'cardiac', 'arrest', 'septic', 'shock', 'penile', 'torsion', 'platelet', 'count', 'decreased', 'lung', 'transplant', 'genital', 'haemorrhage', 'device', 'expulsion', 'pulmonary', 'valve', 'stenosis', 'congenital', 'atrial', 'septal', 'defect', 'feeding', 'disorder', 'neonatal', 'exposure', 'pregnancy', 'device', 'dislocation', 'injury', 'emotional', 'distress', 'pain', 'disability', 'multiple', 'sclerosis', 'relapse', 'sudden', 'death', 'renal', 'disorder', 'electrolyte', 'imbalance', 'osteonecrosis', 'bronchopulmonary', 'aspergillosis', 'international', 'normalised', 'ratio', 'increased', 'atrial', 'fibrillation', 'myelodysplastic', 'syndrome', 'abasia', 'chronic', 'obstructive', 'pulmonary', 'disease', 'diabetes', 'mellitus', 'pancytopenia', 'asthenia', 'haematochezia', 'urinary', 'retention', 'death', 'respiratory', 'disorder', 'pneumonia', 'hypokinesia', 'diet', 'refusal', 'cardioversion', 'atrial', 'fibrillation', 'atrial', 'flutter', 'cardiac', 'ablation', 'incontinence', 'neck', 'pain', 'abasia', 'hypokinesia', 'coronary', 'arterial', 'stent', 'insertion', 'renal', 'failure', 'aneurysm', 'death', 'atrial', 'fibrillation', 'vomiting', 'dehydration', 'nausea', 'pyrexia', 'mycosis', 'fungoides', 'hypotension', 'syncope', 'anaemia', 'hypomagnesaemia', 'lymphoma', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'death', 'schizoaffective', 'disorder', 'suicidal', 'ideation', 'drug', 'dose', 'omission', 'label', 'use', 'death', 'pulmonary', 'embolism', 'gastroenteritis', 'dehydration', 'dysuria', 'rash', 'dyspnoea', 'haematuria', 'dysuria', 'blood', 'urine', 'present', 'polyuria', 'hyperglycaemia', 'urinary', 'tract', 'infection', 'intestinal', 'mucosal', 'hypertrophy', 'gastrointestinal', 'inflammation', 'adenocarcinoma', 'colon', 'intestinal', 'obstruction', 'abdominal', 'pain', 'type', 'diabetes', 'mellitus', 'fall', 'injection', 'site', 'haemorrhage', 'abdominal', 'pain', 'fluid', 'retention', 'gait', 'disturbance', 'chest', 'pain', 'paraesthesia', 'neuropathy', 'peripheral', 'movement', 'disorder', 'muscular', 'weakness', 'hyperhidrosis', 'lung', 'disorder', 'dizziness', 'injection', 'site', 'pain', 'psoriatic', 'arthropathy', 'hepatitis', 'tuberculosis', 'dyspnoea', 'epididymitis', 'dysuria', 'bladder', 'discomfort', 'suicidal', 'ideation', 'gait', 'disturbance', 'feeling', 'hot', 'dizziness', 'tinnitus', 'aphasia', 'nerve', 'injury', 'dyspnoea', 'abdominal', 'discomfort', 'emotional', 'disorder', 'disturbance', 'attention', 'arthralgia', 'dysarthria', 'testicular', 'pain', 'abdominal', 'pain', 'gonorrhoea', 'oedema', 'peripheral', 'nausea', 'orchitis', 'feeling', 'abnormal', 'nervous', 'system', 'disorder', 'balance', 'disorder', 'disorientation', 'incorrect', 'drug', 'administration', 'rate', 'pollakiuria', 'fatigue', 'injection', 'site', 'pain', 'peripheral', 'swelling', 'cerebrovascular', 'accident', 'unevaluable', 'event', 'injection', 'site', 'pain', 'psoriasis', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'genital', 'haemorrhage', 'pain', 'device', 'dislocation', 'type', 'diabetes', 'mellitus', 'renal', 'failure', 'parathyroid', 'tumour', 'brain', 'neoplasm', 'headache', 'type', 'diabetes', 'mellitus', 'alcohol', 'abuse', 'herpes', 'simplex', 'hyperlipidaemia', 'pancreatic', 'disorder', 'stress', 'disorder', 'anxiety', 'diabetes', 'mellitus', 'inadequate', 'control', 'tachycardia', 'erectile', 'dysfunction', 'back', 'injury', 'romberg', 'test', 'positive', 'substance', 'abuse', 'drug', 'ineffective', 'joint', 'injury', 'hepatitis', 'sensory', 'loss', 'panic', 'reaction', 'hypertension', 'osteoarthritis', 'hepatitis', 'c', 'loss', 'libido', 'back', 'pain', 'treatment', 'noncompliance', 'diabetes', 'mellitus', 'sinusitis', 'depression', 'asthenia', 'sexual', 'dysfunction', 'headache', 'hepatic', 'function', 'abnormal', 'intentional', 'product', 'misuse', 'type', 'diabetes', 'mellitus', 'phlebitis', 'pyrexia', 'type', 'diabetes', 'mellitus', 'diabetic', 'neuropathy', 'type', 'diabetes', 'mellitus', 'respiratory', 'depression', 'thrombocytopenia', 'platelet', 'count', 'decreased', 'hypercoagulation', 'thrombosis', 'umbilical', 'hernia', 'keloid', 'scar', 'type', 'diabetes', 'mellitus', 'death', 'lung', 'disorder', 'splenomegaly', 'confusional', 'state', 'hepatomegaly', 'right', 'ventricular', 'failure', 'nasopharyngitis', 'type', 'diabetes', 'mellitus', 'death', 'arthropathy', 'type', 'diabetes', 'mellitus', 'hyperkalaemia', 'neutropenia', 'type', 'diabetes', 'mellitus', 'malaise', 'device', 'issue', 'cholecystectomy', 'abdominal', 'infection', 'psoriasis', 'pruritus', 'dry', 'skin', 'drug', 'dose', 'omission', 'injection', 'site', 'reaction', 'injection', 'site', 'reaction', 'disorder', 'pathological', 'gambling', 'death', 'general', 'physical', 'health', 'deterioration', 'hypotension', 'syncope', 'type', 'diabetes', 'mellitus', 'pneumonia', 'spinal', 'disorder', 'pain', 'type', 'diabetes', 'mellitus', 'intestinal', 'stenosis', 'fall', 'spinal', 'compression', 'fracture', 'spinal', 'fracture', 'ventricular', 'extrasystole', 'heart', 'rate', 'decreased', 'weight', 'increased', 'restless', 'leg', 'syndrome', 'blood', 'potassium', 'decreased', 'muscle', 'spasm', 'blindness', 'kidney', 'infection', 'cystitis', 'type', 'diabetes', 'mellitus', 'micturition', 'disorder',

'neuropathy', 'peripheral', 'convulsion', 'drug', 'abuse', 'joint', 'swelling', 'bedridden', 'pyrexia', 'type', 'diabetes', 'mellitus', 'skin', 'lesion', 'pyrexia', 'melaena', 'pancytopenia', 'type', 'diabetes', 'mellitus', 'meningioma', 'posterior', 'reversible', 'encephalopathy', 'syndrome', 'grand', 'mal', 'convulsion', 'brain', 'oedema', 'blood', 'pressure', 'increased', 'type', 'diabetes', 'mellitus', 'pelvic', 'inflammatory', 'disease', 'abdominal', 'pain', 'lower', 'pyrexia', 'abdominal', 'pain', 'back', 'pain', 'vaginal', 'haemorrhage', 'vaginal', 'discharge', 'abdominal', 'pain', 'lower', 'embedded', 'device', 'type', 'diabetes', 'mellitus', 'epiglottic', 'oedema', 'tongue', 'oedema', 'swelling', 'face', 'rash', 'anaemia', 'uterine', 'perforation', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'weight', 'increased', 'type', 'diabetes', 'mellitus', 'schizophrenia', 'undifferentiated', 'type', 'irritability', 'aggression', 'insomnia', 'suspiciousness', 'abnormal', 'behaviour', 'akathisia', 'salivary', 'hypersecretion', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'dyskinesia', 'parkinsonism', 'speech', 'disorder', 'tardive', 'dyskinesia', 'dyskinesia', 'breast', 'cancer', 'type', 'diabetes', 'mellitus', 'impaired', 'gastric', 'emptying', 'death', 'cataract', 'skin', 'exfoliation', 'dermatitis', 'erythema', 'eczema', 'pruritus', 'type', 'diabetes', 'mellitus', 'faecal', 'incontinence', 'neck', 'surgery', 'drug', 'effect', 'decreased', 'abdominal', 'pain', 'diarrhoea', 'cellulitis', 'chronic', 'obstructive', 'pulmonary', 'disease', 'dyspnoea', 'type', 'diabetes', 'mellitus', 'syringomyelia', 'abasia', 'concomitant', 'disease', 'progression', 'cyanosis', 'dyspnoea', 'fatigue', 'death', 'joint', 'swelling', 'pain', 'extremity', 'anxiety', 'disturbance', 'attention', 'fatigue', 'insomnia', 'multiple', 'sclerosis', 'relapse', 'central', 'nervous', 'system', 'lesion', 'restlessness', 'ataxia', 'iiird', 'nerve', 'disorder', 'paralysis', 'hypoesthesia', 'speech', 'disorder', 'nystagmus', 'pulmonary', 'oedema', 'haematoma', 'lower', 'gastrointestinal', 'haemorrhage', 'escherichia', 'infection', 'febrile', 'neutropenia', 'abdominal', 'pain', 'haematoma', 'anaemia', 'pancreatic', 'carcinoma', 'osteonecrosis', 'chest', 'pain', 'pyrexia', 'uterine', 'cyst', 'menorrhagia', 'depression', 'dysstasia', 'uterine', 'leiomyoma', 'fallopian', 'tube', 'cyst', 'confusional', 'state', 'irritability', 'sensory', 'loss', 'musculoskeletal', 'stiffness', 'weight', 'decreased', 'hypersensitivity', 'acute', 'phase', 'reaction', 'angioedema', 'transaminase', 'increased', 'hypocalcaemia', 'cardiac', 'arrest', 'loss', 'consciousness', 'plasma', 'cell', 'myeloma', 'musculoskeletal', 'disorder', 'respiratory', 'disorder', 'dysphagia', 'asthenia', 'acute', 'generalised', 'exanthematous', 'pustulosis', 'pyrexia', 'tremor', 'osteonecrosis', 'infective', 'pulmonary', 'exacerbation', 'cystic', 'fibrosis', 'lung', 'neoplasm', 'malignant', 'pneumothorax', 'coronary', 'artery', 'occlusion', 'splenic', 'haemorrhage', 'splenic', 'rupture', 'hyperthermia', 'malignant', 'death', 'neoplasm', 'malignant', 'blood', 'hospice', 'care', 'circulatory', 'collapse', 'drug', 'ineffective', 'breast', 'cancer', 'metastatic', 'white', 'blood', 'cell', 'count', 'increased', 'bromhidrosis', 'convulsion', 'feeling', 'abnormal', 'arrest', 'death', 'septic', 'shock', 'respiratory', 'failure', 'psychiatric', 'symptom', 'vomiting', 'choking', 'condition', 'aggravated', 'asphyxia', 'fall', 'thirst', 'salivary', 'hypersecretion', 'lymphocyte', 'percentage', 'decreased', 'blood', 'pressure', 'diastolic', 'increased', 'aspiration', 'arrest', 'malaise', 'blood', 'prolactin', 'increased', 'constipation', 'neutrophil', 'percentage', 'increased', 'loss', 'consciousness', 'eosinophil', 'percentage', 'decreased', 'heart', 'rate', 'increased', 'red', 'blood', 'cell', 'count', 'decreased', 'death', 'acute', 'myocardial', 'infarction', 'death', 'pain', 'upper', 'respiratory', 'tract', 'infection', 'unevaluable', 'event', 'dyspnoea', 'diabetes', 'mellitus', 'interstitial', 'lung', 'disease', 'gallbladder', 'disorder', 'oropharyngeal', 'pain', 'sinusitis', 'anaemia', 'supraventricular', 'tachycardia', 'radiation', 'skin', 'injury', 'upper', 'gastrointestinal', 'haemorrhage', 'haemorrhagic', 'anaemia', 'blindness', 'glaucoma', 'cataract', 'chronic', 'obstructive', 'pulmonary', 'disease', 'diarrhoea', 'disease', 'progression', 'hypokalaemia', 'lower', 'gastrointestinal', 'haemorrhage', 'ankle', 'fracture', 'fall', 'contusion', 'arrest', 'cyanosis', 'drug', 'eruption', 'death', 'death', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'renal', 'cyst', 'foetal', 'exposure', 'pregnancy', 'lung', 'disorder', 'cholelithiasis', 'cholecystitis', 'hypertension', 'bronchitis', 'asthenia', 'pterygium', 'gastroenteritis', 'diarrhoea', 'abdominal', 'pain', 'nephrogenic', 'systemic', 'fibrosis', 'pneumonia', 'malaise', 'weight', 'decreased', 'headache', 'tongue', 'blistering', 'lymphoma', 'fall', 'wrist', 'fracture', 'infection', 'osteonecrosis', 'jaw', 'asthma', 'claustrophobia', 'mood', 'swing', 'nail', 'discolouration', 'oedema', 'septic', 'shock', 'upper', 'gastrointestinal', 'haemorrhage', 'haemorrhagic', 'anaemia', 'generalised', 'seizure', 'glaucoma', 'salivary', 'hypersecretion', 'osteonecrosis', 'jaw', 'death', 'death', 'abdominal', 'wound', 'dehiscence', 'gastrointestinal', 'perforation', 'gastrointestinal', 'disorder', 'dyspepsia', 'anaemia', 'myoclonus', 'somnolence', 'liver', 'injury', 'dyspnoea', 'pain', 'vomiting', 'nausea', 'anaemia', 'disease', 'progression', 'varicose', 'vein', 'rheumatoid', 'arthritis', 'cardiac', 'disorder', 'angina', 'pectoris', 'depression', 'suicidal', 'ideation', 'death', 'tremor', 'hypersensitivity', 'investigation', 'investigation', 'colon', 'cancer', 'peroneal', 'nerve', 'palsy', 'heart', 'rate', 'increased', 'palpitation', 'chest', 'pain', 'proteinuria', 'abortion', 'spontaneous', 'hypertension', 'maternal', 'exposure', 'pregnancy', 'cardiac', 'murmur', 'mitral', 'valve', 'incompetence', 'bronchiectasis', 'atrial', 'septal', 'defect', 'joint', 'swelling', 'inflammation', 'inflammation', 'cough', 'upper', 'respiratory', 'tract', 'infection', 'productive', 'cough', 'rheumatoid', 'lung', 'dizziness', 'blood', 'pressure', 'increased', 'fatigue', 'dry', 'mouth', 'decreased', 'appetite', 'cognitive', 'disorder', 'investigation', 'breast', 'cancer', 'drug', 'interaction', 'maternal', 'exposure', 'pregnancy', 'foetal', 'growth', 'restriction', 'premature', 'delivery', 'depressed', 'mood', 'heart', 'rate', 'increased', 'convulsion', 'nausea', 'vomiting', 'lethargy', 'intentional', 'underdose', 'wrong', 'technique', 'drug', 'usage', 'process', 'drug', 'withdrawal', 'syndrome', 'depression', 'concussion', 'post', 'concussion', 'syndrome', 'depression', 'neurosis', 'death', 'terminal', 'state', 'investigation', 'multiple', 'sclerosis', 'relapse', 'death', 'drug', 'interaction', 'hepatotoxicity', 'cardiac', 'arrest', 'lower', 'respiratory', 'tract', 'infection', 'pneumonia', 'death', 'cardiogenic', 'shock', 'intentional', 'overdose', 'failure', 'metabolic', 'acidosis', 'sinus', 'bradycardia', 'hypotension', 'renal', 'failure', 'acute', 'electrocardiogram', 'qt', 'prolonged', 'respiratory', 'failure', 'acute', 'kidney', 'injury', 'cardiac', 'tamponade', 'acute', 'coronary', 'syndrome', 'gallbladder', 'disorder', 'hand', 'fracture', 'pain', 'prescribed', 'overdose', 'oral', 'discomfort', 'leukoplakia', 'oral', 'investigation', 'dialysis', 'intentional', 'underdose', 'wrong', 'technique', 'drug', 'usage', 'process', 'drug', 'withdrawal', 'syndrome', 'insomnia', 'decreased', 'appetite', 'loss', 'consciousness', 'dehydration', 'blood', 'glucose', 'abnormal', 'vomiting', 'breast', 'cancer', 'gastrointestinal', 'toxicity', 'endometriosis', 'myxoedema', 'gastroenteritis', 'pneumonia', 'bacterial', 'cough', 'diarrhoea', 'abdominal', 'pain', 'chronic', 'obstructive', 'pulmonary', 'disease', 'hypercholesterolaemia', 'hypertension', 'acute', 'sinusitis', 'rhinitis', 'allergic', 'hypersensitivity', 'anxiety', 'asthma', 'bronchitis', 'cough', 'syndrome', 'ligament', 'sprain', 'umbilical', 'hernia', 'influenza', 'congestive', 'cardiomyopathy', 'insomnia', 'abnormal', 'dream', 'muscle', 'twitching', 'headache', 'nausea', 'back', 'pain', 'dyspnoea', 'pneumonia', 'bacterial', 'pleural', 'infection', 'bacterial', 'sepsis', 'pulmonary', 'mass', 'pneumothorax', 'hyperhidrosis', 'agitation', 'investigation', 'malignant', 'neoplasm', 'progression', 'drug', 'ineffective', 'convulsion', 'oral', 'candidiasis', 'thermal', 'burn', 'laceration', 'influenza', 'abdominal', 'pain', 'diarrhoea', 'dysgeusia', 'headache', 'laceration', 'stress', 'nasopharyngitis', 'fatigue', 'constipation', 'incontinence', 'death', 'cardiac', 'arrest', 'ventricular', 'fibrillation', 'loss', 'consciousness', 'sepsis', 'herpes', 'zoster', 'death', 'investigation', 'cyst', 'thrombosis', 'urethral', 'obstruction', 'leukaemia', 'respiratory', 'disorder', 'panic', 'attack', 'aphasia', 'aphagia', 'influenza', 'basal', 'cell', 'carcinoma', 'knee', 'arthroplasty', 'drug', 'effect', 'decreased', 'influenza', 'investigation', 'bone', 'marrow', 'failure', 'ischaemic', 'stroke', 'thrombocytopenia',

'death', 'localised', 'infection', 'foetal', 'exposure', 'pregnancy', 'foetal', 'death', 'death', 'investigation', 'shared', 'psychotic', 'disorder', 'apraxia', 'psychomotor', 'retardation', 'petit', 'mal', 'epilepsy', 'abnormal', 'behaviour', 'hallucination', 'visual', 'mania', 'muscle', 'spasm', 'dyskinesia', 'tachyphrenia', 'suicidal', 'ideation', 'suicidal', 'behaviour', 'dysarthria', 'dysphemia', 'pain', 'thirst', 'hypoesthesia', 'oral', 'salivary', 'hypersecretion', 'logorrhoea', 'speech', 'disorder', 'activity', 'daily', 'living', 'impaired', 'ideation', 'irritability', 'mood', 'swing', 'aggression', 'suicide', 'attempt', 'thinking', 'abnormal', 'pruritus', 'headache', 'myalgia', 'miliaria', 'peripheral', 'coldness', 'hypoesthesia', 'feeling', 'hot', 'chill', 'vision', 'blurred', 'sensory', 'disturbance', 'hallucination', 'disorientation', 'feeling', 'abnormal', 'fear', 'frustration', 'withdrawal', 'syndrome', 'pain', 'feeling', 'abnormal', 'muscle', 'spasm', 'haemorrhage', 'wound', 'infection', 'cardiac', 'disorder', 'investigation', 'visual', 'acuity', 'reduced', 'temporal', 'arteritis', 'papilloedema', 'eating', 'disorder', 'diarrhoea', 'vomiting', 'aphthous', 'stomatitis', 'aphthous', 'stomatitis', 'death', 'hepatitis', 'c', 'death', 'pregnancy', 'arrested', 'labour', 'epilepsy', 'myocardial', 'infarction', 'low', 'density', 'lipoprotein', 'increased', 'weight', 'decreased', 'mobility', 'decreased', 'dysstasia', 'tremor', 'restlessness', 'paraesthesia', 'malaise', 'influenza', 'like', 'illness', 'dizziness', 'feeling', 'abnormal', 'chest', 'pain', 'muscular', 'weakness', 'apparent', 'death', 'multiple', 'sclerosis', 'relapse', 'gait', 'disturbance', 'heart', 'valve', 'operation', 'drug', 'dose', 'omission', 'musculoskeletal', 'disorder', 'multiple', 'sclerosis', 'memory', 'impairment', 'fear', 'fatigue', 'pneumonia', 'erysipelas', 'psoriasis', 'knee', 'arthropathy', 'pneumonia', 'acute', 'myeloid', 'leukaemia', 'hypothyroidism', 'inflammation', 'bronchitis', 'hepatic', 'enzyme', 'increased', 'intervertebral', 'disc', 'degeneration', 'gait', 'disturbance', 'investigation', 'liver', 'injury', 'larynx', 'irritation', 'chest', 'pain', 'urticaria', 'transfusion', 'haemoglobin', 'decreased', 'asthenia', 'jaundice', 'cholestatic', 'liver', 'function', 'test', 'abnormal', 'cholangitis', 'renal', 'disorder', 'oedema', 'death', 'weight', 'decreased', 'glycosylated', 'haemoglobin', 'decreased', 'blood', 'glucose', 'increased', 'malaise', 'nasal', 'congestion', 'pain', 'incorrect', 'dose', 'administered', 'increased', 'viscosity', 'upper', 'respiratory', 'secretion', 'weight', 'decreased', 'blood', 'immunoglobulin', 'e', 'increased', 'hypersensitivity', 'drug', 'ineffective', 'drug', 'interaction', 'pancytopenia', 'investigation', 'dysgeusia', 'dyspnoea', 'abdominal', 'distension', 'joint', 'swelling', 'nausea', 'diarrhoea', 'erythrodysaesthesia', 'syndrome', 'pyrexia', 'skin', 'exfoliation', 'drug', 'ineffective', 'arthralgia', 'pain', 'extremity', 'gait', 'disturbance', 'mobility', 'decreased', 'fatigue', 'asthenia', 'depressed', 'mood', 'vision', 'blurred', 'dry', 'mouth', 'cough', 'sputum', 'abnormal', 'ageusia', 'neuropathy', 'peripheral', 'atrophic', 'glossitis', 'alopecia', 'muscle', 'spasm', 'drug', 'interaction', 'pancytopenia', 'hip', 'arthroplasty', 'nephrogenic', 'systemic', 'fibrosis', 'arthropathy', 'sinusitis', 'myocardial', 'infarction', 'febrile', 'neutropenia', 'asthma', 'sinusitis', 'thrombosis', 'bone', 'density', 'decreased', 'death', 'lower', 'limb', 'fracture', 'abdominal', 'discomfort', 'back', 'pain', 'pain', 'extremity', 'pain', 'headache', 'investigation', 'lung', 'neoplasm', 'malignant', 'pneumonia', 'oligodendroglioma', 'quadriplegia', 'syndrome', 'myelitis', 'transverse', 'multiple', 'sclerosis', 'relapse', 'adverse', 'drug', 'reaction', 'urinary', 'tract', 'infection', 'multiple', 'sclerosis', 'relapse', 'bone', 'disorder', 'paranoia', 'hallucination', 'drug', 'delivery', 'device', 'implantation', 'arthropathy', 'hypertension', 'fatigue', 'muscle', 'spasticity', 'bipolar', 'disorder', 'gait', 'disturbance', 'deep', 'vein', 'thrombosis', 'back', 'pain', 'weight', 'increased', 'pyrexia', 'rash', 'macular', 'arthralgia', 'pain', 'wrong', 'technique', 'product', 'usage', 'process', 'injection', 'site', 'pain', 'pruritus', 'osteoarthritis', 'headache', 'feeling', 'hot', 'dengue', 'fever', 'cytoplasmic', 'antibody', 'positive', 'vasculitis', 'tubulointerstitial', 'nephritis', 'ankyloglossia', 'congenital', 'foetal', 'exposure', 'pregnancy', 'haemorrhage', 'oesophageal', 'rupture', 'syndrome', 'haematemesia', 'spinal', 'cord', 'compression', 'back', 'pain', 'conjunctivitis', 'colon', 'adenoma', 'death', 'upper', 'gastrointestinal', 'haemorrhage', 'investigation', 'lip', 'infection', 'impaired', 'healing', 'angioedema', 'shared', 'psychotic', 'disorder', 'dyspraxia', 'psychomotor', 'retardation', 'petit', 'mal', 'epilepsy', 'abnormal', 'behaviour', 'hallucination', 'visual', 'mania', 'muscle', 'spasm', 'dyskinesia', 'tachyphrenia', 'suicidal', 'ideation', 'suicidal', 'behaviour', 'dysarthria', 'dysphemia', 'pain', 'thirst', 'hypoesthesia', 'oral', 'salivary', 'hypersecretion', 'logorrhoea', 'speech', 'disorder', 'activity', 'daily', 'living', 'impaired', 'ideation', 'irritability', 'mood', 'swing', 'aggression', 'suicide', 'attempt', 'thinking', 'abnormal', 'pruritus', 'headache', 'myalgia', 'miliaria', 'peripheral', 'coldness', 'hypoesthesia', 'feeling', 'hot', 'chill', 'vision', 'blurred', 'sensory', 'disturbance', 'hallucination', 'disorientation', 'feeling', 'abnormal', 'fear', 'frustration', 'apraxia', 'headache', 'withdrawal', 'syndrome', 'aggression', 'anger', 'abnormal', 'behaviour', 'dizziness', 'paraesthesia', 'muscular', 'weakness', 'asthenia', 'swelling', 'paraesthesia', 'hypoesthesia', 'jaw', 'disorder', 'vasculitis', 'pancytopenia', 'thrombocytopenia', 'hospitalisation', 'subcutaneous', 'abscess', 'headache', 'angioedema', 'flushing', 'rash', 'lip', 'swelling', 'enlarged', 'uvula', 'pharyngeal', 'oedema', 'pruritus', 'generalised', 'dyspnoea', 'small', 'intestinal', 'haemorrhage', 'flushing', 'hot', 'flush', 'pain', 'extremity', 'nephrolithiasis', 'hepatic', 'lesion', 'hip', 'fracture', 'fall', 'fractured', 'coccyx', 'fatigue', 'lethargy', 'muscular', 'weakness', 'paraesthesia', 'central', 'nervous', 'system', 'lesion', 'neck', 'pain', 'pain', 'extremity', 'emotional', 'distress', 'platelet', 'count', 'decreased', 'death', 'overdose', 'myoclonus', 'nodal', 'arrhythmia', 'shock', 'paraspinal', 'abscess', 'osteomyelitis', 'femoral', 'neck', 'fracture', 'localised', 'infection', 'bronchopneumonia', 'pharyngitis', 'erysipelas', 'cardiac', 'failure', 'fall', 'respiratory', 'distress', 'gallbladder', 'disorder', 'umbilical', 'hernia', 'inflammation', 'burning', 'sensation', 'injection', 'site', 'pain', 'bradykinesia', 'intentional', 'sopor', 'dyspnoea', 'asthma', 'chest', 'pain', 'chest', 'discomfort', 'wheezing', 'cough', 'sinusitis', 'blood', 'potassium', 'decreased', 'pneumonia', 'pain', 'extremity', 'oedema', 'peripheral', 'arthralgia', 'oedema', 'peripheral', 'skin', 'warm', 'peptic', 'ulcer', 'hiatus', 'hernia', 'fatigue', 'skin', 'discolouration', 'pain', 'injection', 'site', 'bruising', 'injection', 'site', 'erythema', 'injection', 'site', 'reaction', 'injection', 'site', 'urticaria', 'injection', 'site', 'pruritus', 'injection', 'site', 'swelling', 'injection', 'site', 'warmth', 'blood', 'potassium', 'decreased', 'gastrointestinal', 'haemorrhage', 'diverticulitis', 'haemorrhoid', 'investigation', 'knee', 'arthroplasty', 'dysphagia', 'muscle', 'contraction', 'involuntary', 'dysarthria', 'hospitalisation', 'pneumothorax', 'pulmonary', 'oedema', 'death', 'investigation', 'investigation', 'diarrhoea', 'cellulitis', 'metastasis', 'lymph', 'node', 'urinary', 'retention', 'acquired', 'phimosis', 'deep', 'vein', 'thrombosis', 'central', 'nervous', 'system', 'lesion', 'hospitalisation', 'bronchopneumonia', 'death', 'hemiplegia', 'breast', 'mass', 'dyspnoea', 'fatigue', 'white', 'blood', 'cell', 'count', 'decreased', 'platelet', 'count', 'decreased', 'endometriosis', 'hepatosplenomegaly', 'alopecia', 'multiple', 'sclerosis', 'relapse', 'depression', 'cerebral', 'haemorrhage', 'intracranial', 'pressure', 'increased', 'atrial', 'fibrillation', 'febrile', 'neutropenia', 'toxic', 'epidermal', 'necrosis', 'therapeutic', 'response', 'decreased', 'lichen', 'planus', 'investigation', 'full', 'blood', 'count', 'increased', 'full', 'blood', 'count', 'decreased', 'fall', 'decreased', 'immune', 'responsiveness', 'tuberculosis', 'investigation', 'diabetes', 'mellitus', 'agitation', 'investigation', 'asthma', 'investigation', 'yellow', 'skin', 'ocular', 'icterus', 'fall', 'periocular', 'contusion', 'mass', 'head', 'injury', 'csf', 'test', 'abnormal', 'nausea', 'fatigue', 'bone', 'pain', 'urinary', 'incontinence', 'feeling', 'hot', 'dizziness', 'hyperhidrosis', 'death', 'investigation', 'disease', 'progression', 'investigation', 'cough', 'sleep', 'disorder', 'muscular', 'weakness', 'hypoesthesia', 'paraesthesia', 'fatigue', 'myalgia', 'investigation', 'iritis', 'death', 'vomiting', 'nausea', 'hypertension', 'disease', 'progression', 'disease', 'progression', 'haemoglobin', 'decreased', 'lung',

'neoplasm', 'malignant', 'metastasis', 'heart', 'metastasis', 'death', 'chromaturia', 'sputum', 'discoloured', 'fracture', 'investigation', 'groin', 'abscess', 'fall', 'bedridden', 'limb', 'injury', 'drug', 'administration', 'error', 'pruritus', 'incorrect', 'dose', 'administered', 'ear', 'infection', 'application', 'site', 'vesicle', 'application', 'site', 'erythema', 'application', 'site', 'pruritus', 'investigation', 'abdominal', 'pain', 'drug', 'abuse', 'transaminase', 'increased', 'urticaria', 'drug', 'interaction', 'sepsis', 'body', 'temperature', 'increased', 'hypotension', 'tachycardia', 'neutropenia', 'thrombocytopenia', 'loss', 'consciousness', 'iron', 'deficiency', 'anaemia', 'syncope', 'cough', 'muscle', 'spasm', 'muscle', 'twitching', 'diarrhoea', 'dizziness', 'feeling', 'abnormal', 'arthralgia', 'myalgia', 'asthenia', 'nausea', 'fatigue', 'depression', 'drug', 'prescribing', 'error', 'disease', 'progression', 'pain', 'vomiting', 'nausea', 'anaemia', 'diarrhoea', 'hypertension', 'coronary', 'artery', 'thrombosis', 'myocardial', 'infarction', 'drug', 'ineffective', 'unapproved', 'indication', 'angioedema', 'intestinal', 'operation', 'pneumocystis', 'jirovecii', 'pneumonia', 'chest', 'abnormal', 'gastrointestinal', 'motility', 'disorder', 'volvulus', 'abdominal', 'discomfort', 'constipation', 'death', 'pleurisy', 'investigation', 'leukoencephalopathy', 'peroneal', 'nerve', 'palsy', 'mobility', 'decreased', 'sensory', 'loss', 'grand', 'mal', 'convulsion', 'muscular', 'weakness', 'interstitial', 'lung', 'disease', 'death', 'myelodysplastic', 'syndrome', 'cardiac', 'failure', 'pneumonia', 'respiratory', 'failure', 'headache', 'neuralgia', 'device', 'deployment', 'issue', 'complication', 'device', 'removal', 'fear', 'incorrect', 'drug', 'administration', 'duration', 'retinal', 'vein', 'occlusion', 'visual', 'impairment', 'macular', 'oedema', 'infusion', 'related', 'reaction', 'respiratory', 'distress', 'acute', 'coronary', 'syndrome', 'lipid', 'increased', 'investigation', 'pseudocroup', 'hyperventilation', 'flushing', 'nasal', 'congestion', 'flushing', 'fatigue', 'injection', 'site', 'erythema', 'injection', 'site', 'induration', 'accidental', 'exposure', 'product', 'child', 'somnolence', 'heart', 'rate', 'decreased', 'unresponsive', 'stimulus', 'product', 'packaging', 'issue', 'chest', 'pain', 'nausea', 'cough', 'vomiting', 'pyrexia', 'diarrhoea', 'renal', 'failure', 'headache', 'dizziness', 'optic', 'neuritis', 'death', 'altered', 'state', 'consciousness', 'convulsion', 'lung', 'neoplasm', 'malignant', 'cardiac', 'arrest', 'paraesthesia', 'oral', 'muscle', 'spasm', 'depressed', 'mood', 'anxiety', 'rheumatoid', 'arthritis', 'liver', 'injury', 'diabetes', 'mellitus', 'diabetic', 'foot', 'abnormal', 'dream', 'overdose', 'vomiting', 'drug', 'ineffective', 'liver', 'injury', 'infarction', 'finger', 'amputation', 'drug', 'ineffective', 'unapproved', 'indication', 'presyncope', 'muscle', 'spasm', 'nausea', 'fatigue', 'breast', 'pain', 'investigation', 'liver', 'injury', 'death', 'investigation', 'cough', 'pain', 'vomiting', 'back', 'pain', 'abdominal', 'pain', 'nausea', 'fall', 'muscle', 'injury', 'nerve', 'injury', 'intervertebral', 'disc', 'disorder', 'product', 'quality', 'issue', 'deep', 'vein', 'thrombosis', 'disease', 'progression', 'metastasis', 'bone', 'metastasis', 'liver', 'nervous', 'system', 'disorder', 'pleural', 'effusion', 'lung', 'infiltration', 'dyspnoea', 'toxicity', 'various', 'agent', 'pulmonary', 'embolism', 'local', 'swelling', 'hypoesthesia', 'pain', 'extremity', 'urinary', 'incontinence', 'decreased', 'immune', 'responsiveness', 'paraesthesia', 'herpes', 'virus', 'infection', 'peripheral', 'coldness', 'blister', 'ascites', 'coronary', 'artery', 'disease', 'chest', 'pain', 'headache', 'migraine', 'sunburn', 'fatigue', 'paraesthesia', 'oral', 'dysgeusia', 'intentional', 'overdose', 'failure', 'suicide', 'attempt', 'liver', 'injury', 'intentional', 'overdose', 'suicide', 'attempt', 'breast', 'cancer', 'arthralgia', 'balance', 'disorder', 'gait', 'disturbance', 'intervertebral', 'disc', 'degeneration', 'glare', 'arthralgia', 'back', 'pain', 'procedural', 'pain', 'intervertebral', 'disc', 'protrusion', 'pain', 'extremity', 'venous', 'occlusion', 'pain', 'insomnia', 'gait', 'disturbance', 'spinal', 'disorder', 'cardiac', 'arrest', 'acute', 'myocardial', 'infarction', 'left', 'atrial', 'dilatation', 'hyponatraemia', 'hypertension', 'coronary', 'artery', 'disease', 'ischaemic', 'cardiomyopathy', 'fatigue', 'ventricular', 'tachycardia', 'ventricular', 'fibrillation', 'heart', 'rate', 'increased', 'cardiac', 'failure', 'acute', 'atrial', 'fibrillation', 'hypogonadism', 'respiratory', 'failure', 'ejection', 'fraction', 'decreased', 'cardiac', 'failure', 'congestive', 'sinus', 'bradycardia', 'coronary', 'artery', 'occlusion', 'sleep', 'apnoea', 'syndrome', 'compression', 'fracture', 'decreased', 'appetite', 'vomiting', 'nausea', 'pneumonia', 'fall', 'face', 'injury', 'loss', 'consciousness', 'asthenia', 'contusion', 'fall', 'head', 'injury', 'asthenia', 'pancreatic', 'carcinoma', 'nephrolithiasis', 'visual', 'acuity', 'reduced', 'intervertebral', 'disc', 'protrusion', 'fall', 'diarrhoea', 'gastroesophageal', 'reflux', 'disease', 'hypertension', 'local', 'swelling', 'hypoglycaemia', 'drug', 'hypersensitivity', 'drug', 'ineffective', 'hyperglycaemia', 'nail', 'injury', 'nail', 'growth', 'abnormal', 'aphonia', 'dysphonia', 'blood', 'glucose', 'increased', 'therapeutic', 'response', 'delayed', 'abdominal', 'pain', 'pain', 'extremity', 'angiopathy', 'back', 'pain', 'burning', 'sensation', 'dengue', 'fever', 'hyperkeratosis', 'induration', 'gait', 'disturbance', 'loss', 'consciousness', 'respiratory', 'arrest', 'hyperglycaemia', 'blood', 'glucose', 'abnormal', 'depression', 'mercism', 'major', 'depression', 'attention', 'disorder', 'somnolence', 'sedation', 'agitation', 'bipolar', 'disorder', 'angina', 'pectoris', 'fatigue', 'death', 'aggression', 'low', 'birth', 'weight', 'baby', 'intestinal', 'perforation', 'foetal', 'exposure', 'pregnancy', 'dyspepsia', 'intraventricular', 'haemorrhage', 'neonatal', 'respiratory', 'distress', 'syndrome', 'muscle', 'tightness', 'foetal', 'growth', 'restriction', 'premature', 'baby', 'necrotising', 'colitis', 'hydrocephalus', 'foetal', 'growth', 'restriction', 'exposure', 'breast', 'feeding', 'premature', 'labour', 'genital', 'haemorrhage', 'pustular', 'psoriasis', 'drug', 'ineffective', 'abdominal', 'pain', 'lower', 'abortion', 'exposure', 'pregnancy', 'investigation', 'inappropriate', 'schedule', 'drug', 'administration', 'oesophageal', 'carcinoma', 'mental', 'status', 'change', 'dehydration', 'anaemia', 'platelet', 'count', 'decreased', 'anxiety', 'deep', 'vein', 'thrombosis', 'thrombosis', 'pain', 'abdominal', 'pain', 'emotional', 'distress', 'general', 'physical', 'health', 'deterioration', 'injury', 'investigation', 'drug', 'interaction', 'headache', 'anaphylactic', 'reaction', 'investigation', 'blood', 'glucose', 'decreased', 'hypoglycaemia', 'pain', 'hepatic', 'enzyme', 'increased', 'terminal', 'state', 'diarrhoea', 'blood', 'pressure', 'systolic', 'increased', 'depression', 'disorientation', 'fear', 'death', 'asthenia', 'drug', 'ineffective', 'mood', 'swing', 'anger', 'atrial', 'flutter', 'investigation', 'breast', 'cancer', 'female', 'death', 'small', 'intestinal', 'obstruction', 'blood', 'pressure', 'diastolic', 'decreased', 'heart', 'valve', 'incompetence', 'dyspnoea', 'mesenteric', 'neoplasm', 'weight', 'decreased', 'abdominal', 'discomfort', 'fall', 'eye', 'swelling', 'intestinal', 'ischaemia', 'abdominal', 'pain', 'lower', 'blood', 'pressure', 'increased', 'blood', 'pressure', 'systolic', 'increased', 'body', 'temperature', 'decreased', 'oedema', 'malignant', 'neoplasm', 'progression', 'eye', 'disorder', 'thermal', 'burn', 'erythema', 'dizziness', 'postural', 'gravitational', 'oedema', 'pleural', 'effusion', 'dehydration', 'asthenia', 'lacrimation', 'increased', 'pain', 'peripheral', 'swelling', 'anaphylactic', 'reaction', 'neurological', 'decompensation', 'encephalopathy', 'drug', 'ineffective', 'unapproved', 'indication', 'atypical', 'pneumonia', 'hypoaacusis', 'urinary', 'tract', 'infection', 'cholecystitis', 'gallbladder', 'cancer', 'vulvovaginal', 'mycotic', 'infection', 'herpes', 'zoster', 'anaphylactic', 'shock', 'coronary', 'artery', 'restenosis', 'appendicitis', 'rectal', 'abscess', 'dermatitis', 'bullous', 'type', 'iv', 'hypersensitivity', 'reaction', 'abortion', 'induced', 'metrorrhagia', 'unintended', 'pregnancy', 'nausea', 'product', 'quality', 'issue', 'haemoglobin', 'decreased', 'melaena', 'arthritis', 'bacterial', 'hepatorenal', 'syndrome', 'febrile', 'neutropenia', 'neutropenia', 'lung', 'adenocarcinoma', 'toxicity', 'various', 'agent', 'plasma', 'cell', 'myeloma', 'pneumonia', 'sepsis', 'gastrointestinal', 'disorder', 'hepatotoxicity', 'deep', 'vein', 'thrombosis', 'diarrhoea', 'death', 'amaurosis', 'fugax', 'atrial', 'fibrillation', 'syncope', 'constipation', 'infection', 'interstitial', 'lung', 'disease', 'nasopharyngitis', 'liver', 'injury', 'respiratory', 'failure', 'convulsion', 'cerebrovascular', 'accident', 'aphasia', 'epilepsy', 'angina', 'pectoris', 'coronary', 'artery', 'stenosis', 'intermittent', 'claudication', 'hyperglycaemia', 'liver'

, 'function', 'test', 'abnormal', 'surgery', 'diabetic', 'ketoacidosis', 'influenza', 'treatment', 'noncompliance', 'cerebrovascular', 'accident', 'sensory', 'disturbance', 'dyspepsia', 'iridocyclitis', 'myalgia', 'pyrexia', 'dysuria', 'agranulocytosis', 'leukopenia', 'neutropenia', 'white', 'blood', 'cell', 'count', 'increased', 'neutrophil', 'count', 'increased', 'bacterial', 'infection', 'schizoaffective', 'disorder', 'granuloma', 'dyspnoea', 'haematocrit', 'decreased', 'obstructive', 'airway', 'disorder', 'neutrophil', 'toxic', 'granulation', 'present', 'shift', 'left', 'poor', 'venous', 'access', 'vitamin', 'abnormal', 'blood', 'folate', 'abnormal', 'red', 'blood', 'cell', 'count', 'decreased', 'metamyelocyte', 'count', 'increased', 'myelocyte', 'count', 'increased', 'promyelocyte', 'count', 'increased', 'blast', 'cell', 'count', 'increased', 'blood', 'creatinine', 'abnormal', 'blood', 'pressure', 'increased', 'platelet', 'count', 'abnormal', 'basophil', 'count', 'increased', 'liver', 'function', 'test', 'abnormal', 'eosinophil', 'count', 'increased', 'monocyte', 'count', 'increased', 'blood', 'creatinine', 'phosphokinase', 'decreased', 'lymphocyte', 'count', 'decreased', 'haemoglobin', 'decreased', 'heart', 'rate', 'increased', 'pyrexia', 'lymphocyte', 'count', 'increased', 'cholecystectomy', 'vomiting', 'abdominal', 'pain', 'upper', 'malaise', 'nausea', 'abdominal', 'discomfort', 'gingival', 'swelling', 'renal', 'failure', 'chronic', 'gingivitis', 'periodontitis', 'oral', 'disorder', 'exposed', 'bone', 'jaw', 'tenderness', 'renal', 'impairment', 'gingival', 'bleeding', 'breast', 'cancer', 'stage', 'ii', 'aortic', 'valve', 'incompetence', 'anaemia', 'mitral', 'valve', 'disease', 'mixed', 'nephrogenic', 'anaemia', 'gingival', 'erythema', 'loose', 'tooth', 'malignant', 'neoplasm', 'progression', 'angina', 'pectoris', 'osteonecrosis', 'jaw', 'pain', 'jaw', 'bacterial', 'infection', 'incorrect', 'dose', 'administered', 'memory', 'impairment', 'blood', 'glucose', 'abnormal', 'overdose', 'rhabdomyolysis', 'pyrexia', 'self', 'injurious', 'behaviour', 'sopor', 'urinary', 'tract', 'infection', 'weight', 'decreased', 'hypersensitivity', 'neutropenia', 'thrombocytopenia', 'papilloedema', 'cerebrovascular', 'accident', 'osteoarthritis', 'arthritis', 'drug', 'ineffective', 'mineral', 'supplementation', 'haemoglobin', 'decreased', 'dyspnoea', 'musculoskeletal', 'stiffness', 'fatigue', 'asthenia', 'back', 'pain', 'chest', 'pain', 'depressed', 'mood', 'dizziness', 'dyspnoea', 'migraine', 'vaginal', 'haemorrhage', 'vomiting', 'platelet', 'count', 'abnormal', 'anaphylactic', 'shock', 'type', 'iv', 'hypersensitivity', 'reaction', 'hypotension', 'hypoxia', 'gastrointestinal', 'disorder', 'nephrogenic', 'systemic', 'fibrosis', 'erythrodysesthesia', 'syndrome', 'wound', 'secretion', 'endophthalmitis', 'macular', 'oedema', 'coronary', 'artery', 'disease', 'lower', 'respiratory', 'tract', 'infection', 'paraneoplastic', 'dermatomyositis', 'epistaxis', 'rash', 'pruritic', 'rhinorrhoea', 'prurigo', 'chest', 'pain', 'headache', 'hypotension', 'infusion', 'related', 'reaction', 'lethargy', 'weight', 'decreased', 'malaise', 'renal', 'impairment', 'diarrhoea', 'coeliac', 'disease', 'urticaria', 'fatigue', 'angioedema', 'drug', 'ineffective', 'pruritus', 'insomnia', 'condition', 'aggravated', 'chronic', 'spontaneous', 'urticaria', 'cardiac', 'failure', 'respiratory', 'failure', 'convulsion', 'cardiac', 'failure', 'convulsion', 'anaemia', 'major', 'depression', 'paraesthesia', 'respiratory', 'failure', 'convulsion', 'gastrointestinal', 'disorder', 'tinnitus', 'feeling', 'abnormal', 'dizziness', 'hearing', 'impaired', 'deafness', 'body', 'temperature', 'decreased', 'restlessness', 'abdominal', 'distension', 'quality', 'life', 'decreased', 'eating', 'disorder', 'insomnia', 'visual', 'acuity', 'reduced', 'asthenia', 'gastric', 'ulcer', 'ear', 'discomfort', 'toxicity', 'various', 'agent', 'child', 'neglect', 'syncope', 'arthropathy', 'chondropathy', 'dysmenorrhoea', 'headache', 'pain', 'malaise', 'head', 'discomfort', 'gastrointestinal', 'disorder', 'glaucoma', 'rash', 'oedema', 'peripheral', 'lacrimation', 'increased', 'oedema', 'peripheral', 'pain', 'fatigue', 'herpes', 'virus', 'infection', 'gastrointestinal', 'disorder', 'gastroenteritis', 'escherichia', 'coli', 'nausea', 'vomiting', 'diarrhoea', 'bronchitis', 'dyspnoea', 'wheezing', 'cerebrovascular', 'accident', 'convulsion', 'malaise', 'product', 'packaging', 'issue', 'pyrexia', 'lymphadenitis', 'arthropathy', 'tooth', 'disorder', 'jaw', 'disorder', 'paraesthesia', 'hypoesthesia', 'activity', 'daily', 'living', 'impaired', 'death', 'therapeutic', 'response', 'death', 'death', 'death', 'death', 'convulsion', 'death', 'death', 'acute', 'myeloid', 'leukaemia', 'recurrent', 'graft', 'versus', 'host', 'disease', 'adenovirus', 'infection', 'cytomegalovirus', 'infection', 'drug', 'effect', 'decreased', 'expired', 'drug', 'administered', 'acute', 'coronary', 'syndrome', 'anaemia', 'rectal', 'haemorrhage', 'gastroesophageal', 'reflux', 'disease', 'drug', 'ineffective', 'renal', 'colic', 'pyelonephritis', 'dyspnoea', 'secretion', 'discharge', 'oxygen', 'saturation', 'decreased', 'cough', 'adverse', 'event', 'endometrial', 'cancer', 'metastatic', 'abortion', 'abdominal', 'distension', 'abdominal', 'pain', 'abdominal', 'pain', 'upper', 'anxiety', 'back', 'pain', 'breast', 'pain', 'chest', 'discomfort', 'dizziness', 'dyspnoea', 'headache', 'swelling', 'mood', 'altered', 'muscle', 'spasm', 'nausea', 'neck', 'pain', 'laryngeal', 'cancer', 'accelerated', 'idioventricular', 'rhythm', 'ventricular', 'parasytostole', 'death', 'respiratory', 'distress', 'anaemia', 'haematochezia', 'syndrome', 'nausea', 'vomiting', 'blindness', 'deafness', 'loss', 'consciousness', 'contusion', 'glaucoma', 'pruritus', 'muscle', 'disorder', 'confusional', 'state', 'skin', 'lesion', 'pain', 'oral', 'disorder', 'delusion', 'aggression', 'dyspnoea', 'pulmonary', 'embolism', 'hypoglycaemic', 'coma', 'insulinoma', 'toxicity', 'various', 'agent', 'gastrointestinal', 'haemorrhage', 'international', 'normalised', 'ratio', 'increased', 'haematocrit', 'decreased', 'fall', 'blood', 'creatinine', 'increased', 'dehydration', 'contusion', 'hypotension', 'transient', 'ischaemic', 'attack', 'paraesthesia', 'erythema', 'multiforme', 'general', 'physical', 'health', 'deterioration', 'local', 'swelling', 'pyrexia', 'bone', 'marrow', 'failure', 'cerebral', 'haemorrhage', 'haemoglobin', 'decreased', 'paraesthesia', 'dyspnoea', 'ocular', 'hyperaemia', 'dyspnoea', 'rest', 'dizziness', 'rash', 'loss', 'consciousness', 'pruritus', 'cardiac', 'arrest', 'pulmonary', 'embolism', 'pulmonary', 'embolism', 'haemorrhage', 'upper', 'gastrointestinal', 'haemorrhage', 'suicide', 'attempt', 'intentional', 'overdose', 'convulsion', 'cardiac', 'arrest', 'blood', 'urine', 'present', 'unresponsive', 'stimulus', 'blood', 'pressure', 'decreased', 'haemoglobin', 'decreased', 'abdominal', 'pain', 'haematoma', 'dysphagia', 'subarachnoid', 'haemorrhage', 'cerebral', 'haematoma', 'haematemesis', 'purple', 'glove', 'syndrome', 'pharyngeal', 'operation', 'cardiac', 'failure', 'acute', 'polychondritis', 'sepsis', 'pneumonia', 'herpes', 'zoster', 'hypersensitivity', 'gallbladder', 'disorder', 'death', 'psychiatric', 'symptom', 'visual', 'acuity', 'reduced', 'therapeutic', 'response', 'death', 'death', 'death', 'death', 'nephrogenic', 'systemic', 'fibrosis', 'bronchitis', 'bronchitis', 'pharyngitis', 'upper', 'respiratory', 'tract', 'infection', 'upper', 'respiratory', 'tract', 'infection', 'infection', 'sinusitis', 'haemolysis', 'liver', 'injury', 'dyspnoea', 'rectal', 'haemorrhage', 'drug', 'interaction', 'dermatitis', 'abscess', 'neck', 'death', 'bone', 'erosion', 'drug', 'interaction', 'epistaxis', 'anaemia', 'international', 'normalised', 'ratio', 'increased', 'cleft', 'palate', 'placental', 'transfusion', 'syndrome', 'cardiac', 'disorder', 'lung', 'disorder', 'vaginal', 'haemorrhage', 'gingival', 'bleeding', 'drug', 'interaction', 'erysipelas', 'limb', 'injury', 'weight', 'decreased', 'drug', 'tolerance', 'immunodeficiency', 'extremity', 'necrosis', 'blood', 'cholesterol', 'increased', 'arthropathy', 'pain', 'drug', 'ineffective', 'arthralgia', 'rheumatic', 'fever', 'toxic', 'optic', 'neuropathy', 'metastatic', 'malignant', 'melanoma', 'splenic', 'rupture', 'death', 'diarrhoea', 'septic', 'shock', 'syncope', 'pneumonia', 'neutropenia', 'thrombocytopenia', 'fatigue', 'plasma', 'cell', 'myeloma', 'cough', 'abscess', 'infection', 'neutropenia', 'white', 'blood', 'cell', 'count', 'decreased', 'haemorrhage', 'haemorrhage', 'drug', 'interaction', 'central', 'nervous', 'system', 'lesion', 'weight', 'increased', 'vitamin', 'deficiency', 'pain', 'extremity', 'type', 'diabetes', 'mellitus', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'pulmonary', 'oedema', 'respiratory', 'failure', 'platelet', 'count', 'decreased', 'pneumonia', 'investigation', 'hospitalisation', 'haemorrhage', 'drug', 'interaction', 'hypertension', 'osteoporosis', 'surgery', 'scar', 'abdominal', 'pain', 'upper', 'anxiety', 'plasma', 'cell', 'myeloma', 'pneumonia', 'death', 'tremor', 'drug', 'ineffective', 'cardiac', 'pacemaker', 'insertion', 'pericardial', 'effusion', 'urinary', 'tract', 'infecti

on', 'suppressed', 'lactation', 'device', 'ineffective', 'drug', 'ineffective', 'erythema', 'skin', 'fissure', 'pulmonary', 'embolism', 'pulmonary', 'embolism', 'deep', 'vein', 'thrombosis', 'hospitalisation', 'subdural', 'haematoma', 'drug', 'interaction', 'vaginal', 'haemorrhage', 'haematuria', 'contusion', 'premature', 'baby', 'low', 'birth', 'weight', 'baby', 'pneumonia', 'aspiration', 'bk', 'virus', 'infection', 'encephalitis', 'viral', 'lower', 'respiratory', 'tract', 'infection', 'palpitation', 'death', 'impaired', 'healing', 'spinal', 'fusion', 'surgery', 'pain', 'extremity', 'pain', 'abdominal', 'pain', 'upper', 'angina', 'unstable', 'cold', 'sweat', 'nausea', 'vomiting', 'label', 'use', 'death', 'dizziness', 'fatigue', 'rash', 'anaemia', 'malignant', 'neoplasm', 'progression', 'diarrhoea', 'haemorrhage', 'intracranial', 'food', 'poisoning', 'pneumonia', 'haemoptysis', 'dyspnoea', 'fatigue', 'incorrect', 'dose', 'administered', 'overdose', 'death', 'local', 'swelling', 'haemorrhage', 'erythema', 'localised', 'infection', 'localised', 'infection', 'skin', 'disorder', 'pain', 'extremity', 'secretion', 'discharge', 'scab', 'rash', 'pruritus', 'rash', 'nephrolithiasis', 'nausea', 'neutropenia', 'rhinorrhoea', 'dermatitis', 'acneiform', 'dermatitis', 'acneiform', 'epistaxis', 'mucosal', 'haemorrhage', 'pain', 'vomiting', 'diarrhoea', 'malignant', 'neoplasm', 'progression', 'death', 'death', 'pulmonary', 'thrombosis', 'thrombosis', 'blood', 'disorder', 'neoplasm', 'malignant', 'dyspepsia', 'death', 'blood', 'urine', 'present', 'cholelithiasis', 'dizziness', 'fatigue', 'pneumonia', 'decreased', 'appetite', 'skin', 'reaction', 'abdominal', 'pain', 'flatulence', 'muscle', 'spasm', 'rash', 'flatulence', 'eructation', 'constipation', 'eructation', 'vision', 'blurred', 'blood', 'pressure', 'increased', 'anxiety', 'hypophagia', 'weight', 'decreased', 'rash', 'rash', 'acne', 'pruritus', 'death', 'disorder', 'fall', 'full', 'blood', 'count', 'decreased', 'contusion', 'fatigue', 'diarrhoea', 'decreased', 'appetite', 'death', 'incorrect', 'dose', 'administered', 'death', 'death', 'incorrect', 'dose', 'administered', 'white', 'blood', 'cell', 'count', 'decreased', 'rash', 'death', 'label', 'use', 'atrial', 'fibrillation', 'metastasis', 'bone', 'fall', 'incorrect', 'dose', 'administered', 'visual', 'acuity', 'reduced', 'blood', 'triglyceride', 'increased', 'death', 'malignant', 'neoplasm', 'progression', 'oesophageal', 'carcinoma', 'drug', 'interaction', 'ventricular', 'tachycardia', 'electrocardiogram', 'qt', 'prolonged', 'gastric', 'haemorrhage', 'death', 'hypersensitivity', 'angioedema', 'pruritus', 'death', 'convulsion', 'hepatic', 'failure', 'syndrome', 'anaemia', 'drug', 'ineffective', 'death', 'spinal', 'disorder', 'device', 'related', 'infection', 'drug', 'ineffective', 'chronic', 'graft', 'versus', 'host', 'disease', 'acute', 'graft', 'versus', 'host', 'disease', 'chronic', 'graft', 'versus', 'host', 'disease', 'renal', 'failure', 'drug', 'ineffective', 'fall', 'joint', 'stiffness', 'sensation', 'heaviness', 'chest', 'pain', 'myalgia', 'chest', 'pain', 'oedema', 'cystitis', 'label', 'use', 'hepatic', 'function', 'abnormal', 'unresponsive', 'stimulus', 'syncope', 'blood', 'pressure', 'decreased', 'heart', 'rate', 'decreased', 'ventricular', 'extrasystole', 'interstitial', 'lung', 'disease', 'pyrexia', 'diarrhoea', 'rash', 'investigation', 'investigation', 'balance', 'disorder', 'fall', 'disorientation', 'condition', 'aggravated', 'dizziness', 'abdominal', 'symptom', 'conjunctivitis', 'dyspnoea', 'vomiting', 'diarrhoea', 'decreased', 'appetite', 'drug', 'ineffective', 'chronic', 'graft', 'versus', 'host', 'disease', 'drug', 'ineffective', 'graft', 'versus', 'host', 'disease', 'eye', 'swelling', 'rash', 'ocular', 'hyperaemia', 'incorrect', 'dose', 'administered', 'drug', 'interaction', 'breast', 'cancer', 'pleural', 'effusion', 'pancreatic', 'carcinoma', 'metastatic', 'surgery', 'investigation', 'urinary', 'tract', 'infection', 'drug', 'dose', 'omission', 'intestinal', 'obstruction', 'hearing', 'impaired', 'epistaxis', 'hypertension', 'computerised', 'tomogram', 'abnormal', 'inappropriate', 'schedule', 'drug', 'administration', 'rash', 'hip', 'fracture', 'haemorrhagic', 'diathesis', 'rash', 'dry', 'skin', 'death', 'arthralgia', 'death', 'febrile', 'neutropenia', 'hypophagia', 'pleural', 'effusion', 'deep', 'vein', 'thrombosis', 'pain', 'extremity', 'swelling', 'haemorrhage', 'drug', 'interaction', 'shock', 'haemorrhagic', 'haemorrhage', 'electrocardiogram', 'qt', 'prolonged', 'blood', 'potassium', 'decreased', 'intentional', 'product', 'misuse', 'death', 'pain', 'pruritus', 'mucosal', 'inflammation', 'type', 'diabetes', 'mellitus', 'drug', 'interaction', 'shock', 'haemorrhagic', 'cardiac', 'disorder', 'type', 'diabetes', 'mellitus', 'liver', 'disorder', 'bacterial', 'infection', 'gastrointestinal', 'disorder', 'diarrhoea', 'pulmonary', 'hypertension', 'pulmonary', 'embolism', 'feeling', 'abnormal', 'death', 'abscess', 'necrosis', 'haemorrhage', 'invasive', 'ductal', 'breast', 'carcinoma', 'back', 'disorder', 'diabetic', 'neuropathy', 'neuralgia', 'neuropathy', 'peripheral', 'circulatory', 'collapse', 'palpitation', 'dizziness', 'death', 'hypotension', 'pyrexia', 'pulmonary', 'oedema', 'death', 'chest', 'pain', 'musculoskeletal', 'pain', 'pain', 'extremity', 'back', 'disorder', 'fall', 'back', 'injury', 'dizziness', 'headache', 'drug', 'ineffective', 'ataxia', 'encephalitis', 'asphyxia', 'epilepsy', 'metastasis', 'central', 'nervous', 'system', 'lung', 'infection', 'pregnancy', 'drug', 'ineffective', 'female', 'sterilisation', 'apathy', 'depression', 'increased', 'tendency', 'bruise', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'small', 'intestinal', 'haemorrhage', 'gastric', 'haemorrhage', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'fluid', 'replacement', 'nephrogenic', 'systemic', 'fibrosis', 'cell', 'lung', 'cancer', 'disease', 'progression', 'label', 'use', 'ventricular', 'extrasystole', 'urinary', 'incontinence', 'feeling', 'hot', 'hyperhidrosis', 'dizziness', 'septic', 'shock', 'pancytopenia', 'deep', 'vein', 'thrombosis', 'pulmonary', 'embolism', 'pancreatic', 'carcinoma', 'stage', 'iv', 'pancreatitis', 'acute', 'acute', 'prerenal', 'failure', 'dehydration', 'weight', 'decreased', 'urine', 'sodium', 'increased', 'hyponatraemia', 'hypochloraemia', 'pulmonary', 'embolism', 'muscle', 'spasm', 'muscle', 'spasm', 'adenocarcinoma', 'pancreas', 'trisomy', 'pancreatic', 'carcinoma', 'chest', 'pain', 'drug', 'dose', 'omission', 'dyspnoea', 'hospitalisation', 'pancreatic', 'carcinoma', 'road', 'traffic', 'accident', 'vertigo', 'tinnitus', 'pancreatic', 'carcinoma', 'cerebrovascular', 'accident', 'pulmonary', 'embolism', 'ataxia', 'gait', 'disturbance', 'balance', 'disorder', 'status', 'epilepticus', 'lymphoma', 'myocardial', 'infarction', 'infection', 'oesophageal', 'pain', 'hepatic', 'pain', 'oesophagitis', 'abdominal', 'pain', 'upper', 'vertigo', 'label', 'use', 'incorrect', 'dose', 'administered', 'intentional', 'drug', 'misuse', 'diabetic', 'retinal', 'oedema', 'pulmonary', 'embolism', 'diverticulitis', 'cellulitis', 'infection', 'cholecystectomy', 'pancreatitis', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'influenza', 'diet', 'refusal', 'blood', 'glucose', 'fluctuation', 'product', 'solubility', 'abnormal', 'product', 'colour', 'issue', 'weight', 'decreased', 'transaminase', 'increased', 'malaise', 'transverse', 'sinus', 'thrombosis', 'pulmonary', 'embolism', 'thyroid', 'cancer', 'haemorrhage', 'drug', 'interaction', 'pain', 'pain', 'extremity', 'peripheral', 'swelling', 'deep', 'vein', 'thrombosis', 'thrombosis', 'abdominal', 'pain', 'injury', 'general', 'physical', 'health', 'deterioration', 'deep', 'vein', 'thrombosis', 'pain', 'extremity', 'headache', 'deep', 'vein', 'thrombosis', 'product', 'use', 'issue', 'pain', 'general', 'physical', 'health', 'deterioration', 'injury', 'muscular', 'weakness', 'dizziness', 'swelling', 'prostate', 'cancer', 'prostatic', 'operation', 'urinary', 'retention', 'dysuria', 'drug', 'administration', 'error', 'pneumonia', 'vomiting', 'projectile', 'pallor', 'cyanosis', 'oxygen', 'saturation', 'decreased', 'heart', 'rate', 'decreased', 'body', 'temperature', 'decreased', 'increased', 'bronchial', 'secretion', 'oxygen', 'saturation', 'abnormal', 'pyrexia', 'increased', 'bronchial', 'secretion', 'wheezing', 'cough', 'dyspnoea', 'pulmonary', 'embolism', 'deep', 'vein', 'thrombosis', 'rhinodomyolysis', 'pain', 'general', 'physical', 'health', 'deterioration', 'emotional', 'distress', 'anxiety', 'injury', 'pulmonary', 'embolism', 'depression', 'drug', 'abuse', 'bradyphrenia', 'legal', 'problem', 'heart', 'rate', 'irregular', 'dyspnoea', 'nausea', 'vomiting', 'dizziness', 'headache', 'liver', 'disorder', 'decreased', 'appetite', 'insomnia', 'drug', 'effect', 'incomplete', 'neoplasm', 'malignant', 'cataract', 'malaise', 'hiatus', 'hernia', 'abdominal', 'discomfort', 'hypertension', 'food', 'intolerance', 'lactose', 'intolerance', 'gastric', 'ulcer', 'gastritis', 'abdominal', 'distension', 'drug', 'ineffective', 'sepsis', 'pilonidal', 'cyst', 'enterovesical', 'fistula', 'pneumaturia', 'urinary', 'tract', 'infection', 'dysuria', 'micturition', 'urgency', 'chest',

'pain', 'emotional', 'distress', 'pulmonary', 'embolism', 'abdominal', 'pain', 'general', 'physical', 'health', 'deterioration', 'injury', 'fall', 'head', 'injury', 'vertigo', 'orthostatic', 'hypotension', 'executive', 'dysfunction', 'disturbance', 'attention', 'memory', 'impairment', 'post', 'procedural', 'sepsis', 'post', 'procedural', 'complication', 'intestinal', 'obstruction', 'antibody', 'test', 'positive', 'haemolytic', 'anaemia', 'renal', 'failure', 'neoplasm', 'malignant', 'agitation', 'intentional', 'drug', 'misuse', 'fluid', 'overload', 'dyspnoea', 'suffocation', 'feeling', 'oedema', 'hypotension', 'fatigue', 'muscle', 'spasm', 'muscle', 'injury', 'nightmare', 'pain', 'blindness', 'unilateral', 'eye', 'haemorrhage', 'nightmare', 'visual', 'acuity', 'reduced', 'disease', 'progression', 'drug', 'ineffective', 'splenomegaly', 'haemorrhage', 'drug', 'interaction', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'oral', 'surgery', 'hospitalisation', 'diarrhoea', 'haemorrhagic', 'drug', 'interaction', 'melaena', 'haematochezia', 'rectal', 'haemorrhage', 'anxiety', 'emotional', 'distress', 'drooling', 'general', 'physical', 'health', 'deterioration', 'cerebrovascular', 'accident', 'pain', 'abdominal', 'pain', 'injury', 'memory', 'impairment', 'eating', 'disorder', 'dysgeusia', 'weight', 'decreased', 'parenteral', 'nutrition', 'migraine', 'abdominal', 'pain', 'deformity', 'cerebral', 'haemorrhage', 'vomiting', 'headache', 'injury', 'general', 'physical', 'health', 'deterioration', 'investigation', 'pulmonary', 'embolism', 'abdominal', 'pain', 'pain', 'injury', 'general', 'physical', 'health', 'deterioration', 'anxiety', 'emotional', 'distress', 'deformity', 'pain', 'anxiety', 'mobility', 'decreased', 'pulmonary', 'embolism', 'chest', 'pain', 'injury', 'pain', 'emotional', 'distress', 'dyspnoea', 'general', 'physical', 'health', 'deterioration', 'painful', 'respiration', 'abdominal', 'pain', 'pain', 'musculoskeletal', 'pain', 'cerebrovascular', 'accident', 'abdominal', 'pain', 'gait', 'disturbance', 'visual', 'field', 'defect', 'pain', 'general', 'physical', 'health', 'deterioration', 'myalgia', 'emotional', 'distress', 'depression', 'brain', 'injury', 'injury', 'anhedonia', 'dysstasia', 'hospitalisation', 'thrombosis', 'gait', 'disturbance', 'deep', 'vein', 'thrombosis', 'injury', 'pain', 'abdominal', 'pain', 'general', 'physical', 'health', 'deterioration', 'pulmonary', 'embolism', 'thrombophlebitis', 'superficial', 'deep', 'vein', 'thrombosis', 'investigation', 'deep', 'vein', 'thrombosis', 'general', 'physical', 'health', 'deterioration', 'anxiety', 'pain', 'pulmonary', 'embolism', 'dyspnoea', 'injury', 'abdominal', 'pain', 'emotional', 'distress', 'drug', 'administered', 'patient', 'inappropriate', 'age', 'body', 'height', 'normal', 'failure', 'thrive', 'bronchial', 'obstruction', 'rhonchus', 'wheezing', 'somnolence', 'confusional', 'state', 'deep', 'vein', 'thrombosis', 'coma', 'suicide', 'attempt', 'suicide', 'attempt', 'tachycardia', 'oxygen', 'saturation', 'decreased', 'electrocardiogram', 'qt', 'prolonged', 'hypotension', 'endotracheal', 'intubation', 'poisoning', 'overdose', 'overdose', 'neutropenia', 'hypertransaminasaemia', 'anaemia', 'international', 'normalised', 'ratio', 'decreased', 'rectal', 'haemorrhage', 'cardiac', 'failure', 'congestive', 'herpes', 'simplex', 'retinal', 'vein', 'thrombosis', 'macular', 'oedema', 'retinal', 'artery', 'thrombosis', 'incorrect', 'drug', 'administration', 'duration', 'rectal', 'haemorrhage', 'drug', 'interaction', 'post', 'procedural', 'haemorrhage', 'urogenital', 'haemorrhage', 'death', 'fracture', 'blood', 'glucose', 'increased', 'fall', 'surgery', 'blood', 'pressure', 'increased', 'blood', 'creatinine', 'decreased', 'mouth', 'haemorrhage', 'investigation', 'hospitalisation', 'hospitalisation', 'hospitalisation', 'unresponsive', 'stimulus', 'circulatory', 'collapse', 'liver', 'function', 'test', 'abnormal', 'hyponatraemia', 'cerebrovascular', 'accident', 'type', 'diabetes', 'mellitus', 'arthritis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'pain', 'pruritus', 'coeliac', 'disease', 'hospitalisation', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'death', 'international', 'normalised', 'ratio', 'increased', 'epistaxis', 'asthenia', 'dyspnoea', 'filariasis', 'pneumococcal', 'infection', 'pleural', 'effusion', 'purulent', 'discharge', 'benign', 'oesophageal', 'neoplasm', 'cholestasis', 'hepatocellular', 'injury', 'hypoalbuminaemia', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'disease', 'progression', 'anal', 'cancer', 'interstitial', 'lung', 'disease', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'glucose', 'tolerance', 'impaired', 'chronic', 'obstructive', 'pulmonary', 'disease', 'type', 'diabetes', 'mellitus', 'necrotising', 'fasciitis', 'diarrhoea', 'type', 'diabetes', 'mellitus', 'infection', 'dyspnoea', 'exertional', 'cough', 'pneumothorax', 'dyspnoea', 'fatigue', 'migraine', 'decreased', 'appetite', 'dysgeusia', 'type', 'diabetes', 'mellitus', 'weight', 'increased', 'cardiac', 'disorder', 'visual', 'acuity', 'reduced', 'eye', 'swelling', 'label', 'use', 'limb', 'injury', 'pneumonitis', 'chest', 'pain', 'cough', 'dyspnoea', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'label', 'use', 'pneumonia', 'abdominal', 'pain', 'second', 'primary', 'malignancy', 'acute', 'myeloid', 'leukaemia', 'type', 'diabetes', 'mellitus', 'acute', 'myeloid', 'leukaemia', 'second', 'primary', 'malignancy', 'type', 'diabetes', 'mellitus', 'metabolic', 'syndrome', 'blood', 'triglyceride', 'increased', 'death', 'cardiac', 'arrest', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'spinal', 'fracture', 'hypertension', 'hypoesthesia', 'gait', 'disturbance', 'general', 'physical', 'health', 'deterioration', 'erythema', 'burning', 'sensation', 'spinal', 'disorder', 'road', 'traffic', 'accident', 'chillblains', 'pain', 'extremity', 'oedema', 'peripheral', 'urinary', 'tract', 'infection', 'blindness', 'unilateral', 'immunodeficiency', 'convulsion', 'vision', 'blurred', 'pharyngitis', 'muscle', 'twitching', 'drug', 'ineffective', 'hepatitis', 'acute', 'renal', 'failure', 'septic', 'shock', 'blood', 'creatinine', 'phosphokinase', 'increased', 'epistaxis', 'drug', 'interaction', 'abdominal', 'hernia', 'repair', 'blood', 'glucose', 'abnormal', 'incorrect', 'dose', 'administered', 'hyponatraemia', 'blood', 'cortisol', 'decreased', 'hypotension', 'renal', 'failure', 'acute', 'urine', 'output', 'decreased', 'oedema', 'peripheral', 'dehydration', 'platelet', 'count', 'decreased', 'febrile', 'neutropenia', 'anaemia', 'stomatitis', 'cytomegalovirus', 'test', 'positive', 'mobility', 'decreased', 'local', 'swelling', 'burning', 'sensation', 'conjunctivitis', 'rash', 'swelling', 'face', 'loss', 'consciousness', 'head', 'injury', 'fall', 'asthenia', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'diverticulum', 'intestinal', 'haemorrhagic', 'rectal', 'haemorrhage', 'melaena', 'intestinal', 'obstruction', 'acute', 'myocardial', 'infarction', 'eye', 'haemorrhage', 'drug', 'interaction', 'fluid', 'retention', 'headache', 'chest', 'pain', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'leukaemia', 'condition', 'aggravated', 'pneumectomy', 'drug', 'effect', 'decreased', 'overdose', 'inappropriate', 'schedule', 'drug', 'administration', 'cardiac', 'arrest', 'hospitalisation', 'respiratory', 'disorder', 'oxygen', 'saturation', 'decreased', 'hospitalisation', 'rectal', 'haemorrhage', 'drug', 'interaction', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'haemolytic', 'anaemia', 'myocardial', 'infarction', 'drug', 'abuse', 'toxicity', 'various', 'agent', 'pulmonary', 'congestion', 'pulmonary', 'oedema', 'cardiomegaly', 'arteriosclerosis', 'coronary', 'artery', 'hepatomegaly', 'hepatic', 'steatosis', 'forced', 'expiratory', 'volume', 'decreased', 'death', 'hypertension', 'asthenia', 'type', 'diabetes', 'mellitus', 'breast', 'cancer', 'female', 'dizziness', 'upper', 'limb', 'fracture', 'diabetic', 'neuropathy', 'gastrointestinal', 'haemorrhage', 'arrest', 'dehydration', 'cardiac', 'failure', 'cystitis', 'haemorrhagic', 'gastrointestinal', 'haemorrhage', 'upper', 'gastrointestinal', 'haemorrhage', 'syndrome', 'tremor', 'neuropathy', 'peripheral', 'angioedema', 'lip', 'dry', 'drug', 'hypersensitivity', 'product', 'formulation', 'issue', 'myelodysplastic', 'syndrome', 'second', 'primary', 'malignancy', 'acute', 'myeloid', 'leukaemia', 'headache', 'nervousness', 'restlessness', 'insomnia', 'abnormal', 'dream', 'pseudoendophthalmitis', 'uveitis', 'blindness', 'transient', 'rectal', 'haemorrhage', 'drug', 'interaction', 'dyspnoea', 'chest', 'pain', 'erythema', 'rectal', 'tenesmus', 'pyelonephritis', 'renal', 'colic', 'cystitis', 'autism', 'developmental', 'delay', 'encopresis', 'myelopathy', 'label', 'use', 'hypoesthesia', 'balance', 'disorder', 'loss', 'proprioception', 'decreased', 'vibratory', 'sense', 'muscular', 'weakness', 'sensory', 'loss', 'swollen', 'tongue',

'rash', 'generalised', 'syndrome', 'dyspnoea', 'eye', 'swelling', 'dizziness', 'palpitation', 'flushing', 'skin', 'warm', 'discomfort', 'paralysis', 'skin', 'reaction', 'hyperhidrosis', 'myalgia', 'upper', 'limb', 'fracture', 'anaphylactoid', 'reaction', 'cataract', 'subcapsular', 'throat', 'tightness', 'hypersensitivity', 'diabetic', 'coma', 'atrial', 'fibrillation', 'chromaturia', 'liver', 'disorder', 'cold', 'sweat', 'laceration', 'mucous', 'membrane', 'disorder', 'stomatitis', 'hyperhidrosis', 'haemorrhoidal', 'haemorrhage', 'drug', 'interaction', 'haematocytosis', 'haemorrhage', 'pregnancy', 'nausea', 'pregnancy', 'pneumonia', 'ectopic', 'pregnancy', 'pregnancy', 'contraceptive', 'device', 'exposure', 'pregnancy', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'gastrointestinal', 'haemorrhage', 'iron', 'deficiency', 'anaemia', 'upper', 'gastrointestinal', 'haemorrhage', 'cerebrovascular', 'accident', 'cerebral', 'ischaemia', 'anaemia', 'dizziness', 'blood', 'pressure', 'decreased', 'asthenia', 'pollakiuria', 'chill', 'tremor', 'hypoaesthesia', 'pneumonitis', 'chemical', 'transitional', 'cell', 'carcinoma', 'umbilical', 'hernia', 'tooth', 'fracture', 'gastroesophageal', 'reflux', 'disease', 'sleep', 'apnoea', 'syndrome', 'oesophageal', 'spasm', 'folliculitis', 'synovitis', 'weight', 'fluctuation', 'regurgitation', 'diarrhoea', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'nausea', 'vomiting', 'purging', 'diarrhoea', 'hepatic', 'cancer', 'leukaemia', 'local', 'swelling', 'heart', 'rate', 'decreased', 'disorder', 'diarrhoea', 'drug', 'ineffective', 'sexual', 'dysfunction', 'congenital', 'aural', 'fistula', 'haemangioma', 'foetal', 'exposure', 'pregnancy', 'subdural', 'haemorrhage', 'drug', 'interaction', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'cystoid', 'macular', 'oedema', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'cataract', 'shock', 'hypoglycaemic', 'abdominal', 'pain', 'upper', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'small', 'fibre', 'neuropathy', 'deafness', 'motor', 'dysfunction', 'hypoaesthesia', 'mental', 'impairment', 'muscle', 'spasm', 'headache', 'subdural', 'haemorrhage', 'drug', 'interaction', 'cerebral', 'haemorrhage', 'haemorrhage', 'fistula', 'polyp', 'rash', 'generalised', 'capillary', 'leak', 'syndrome', 'swelling', 'face', 'vomiting', 'rash', 'peripheral', 'swelling', 'nausea', 'adverse', 'reaction', 'blood', 'calcium', 'decreased', 'asthenia', 'renal', 'failure', 'acute', 'retroperitoneal', 'haemorrhage', 'clostridium', 'difficile', 'infection', 'influenza', 'cardiac', 'failure', 'congestive', 'pneumonia', 'cytomegalovirus', 'test', 'positive', 'virus', 'associated', 'lymphoproliferative', 'disorder', 'hepatitis', 'b', 'antibody', 'positive', 'febrile', 'neutropenia', 'corynebacterium', 'sepsis', 'haemorrhage', 'drug', 'interaction', 'nephrolithiasis', 'gout', 'pneumonia', 'joint', 'swelling', 'pain', 'extremity', 'syndrome', 'rheumatoid', 'arthritis', 'arthritis', 'oropharyngeal', 'pain', 'haemorrhage', 'drug', 'interaction', 'breast', 'cancer', 'dyspnoea', 'drug', 'dose', 'omission', 'circumstance', 'information', 'capable', 'leading', 'medication', 'error', 'adrenal', 'insufficiency', 'small', 'fibre', 'neuropathy', 'conjunctivitis', 'breast', 'cancer', 'ulcer', 'haemorrhage', 'drug', 'interaction', 'cerebrovascular', 'accident', 'cerebrovascular', 'accident', 'loss', 'consciousness', 'arrhythmia', 'diplopia', 'tremor', 'amimia', 'urinary', 'tract', 'infection', 'tremor', 'schizophrenia', 'weight', 'decreased', 'adverse', 'event', 'respiratory', 'distress', 'depressive', 'symptom', 'convulsion', 'stress', 'unevaluable', 'event', 'death', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'melena', 'death', 'uterine', 'perforation', 'uterine', 'disorder', 'emotional', 'distress', 'device', 'issue', 'injury', 'pain', 'conjunctival', 'haemorrhage', 'drug', 'interaction', 'coronary', 'artery', 'occlusion', 'malaise', 'drug', 'interaction', 'drug', 'ineffective', 'death', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'neoplasm', 'malignant', 'death', 'surgery', 'abdominal', 'pain', 'upper', 'eczema', 'pruritus', 'coronary', 'artery', 'occlusion', 'eye', 'haemorrhage', 'blood', 'pressure', 'increased', 'sleep', 'apnoea', 'syndrome', 'dyspnoea', 'dyspnoea', 'rash', 'nervousness', 'death', 'oedema', 'peripheral', 'chest', 'pain', 'dyspnoea', 'protein', 'increased', 'erythema', 'pleural', 'effusion', 'systemic', 'lupus', 'erythematosus', 'lupus', 'nephritis', 'nephrotic', 'syndrome', 'biopsy', 'kidney', 'pneumonia', 'hypoproteinaemia', 'pyrexia', 'infertility', 'female', 'uterine', 'perforation', 'device', 'issue', 'emotional', 'distress', 'label', 'use', 'menorrhagia', 'pain', 'depression', 'anxiety', 'injury', 'injury', 'anxiety', 'uterine', 'perforation', 'depression', 'pain', 'emotional', 'distress', 'abortion', 'spontaneous', 'haemorrhage', 'pregnancy', 'human', 'chorionic', 'gonadotropin', 'decreased', 'pregnancy', 'contraceptive', 'device', 'drug', 'ineffective', 'drug', 'ineffective', 'abortion', 'spontaneous', 'anxiety', 'pain', 'depression', 'emotional', 'distress', 'pregnancy', 'contraceptive', 'device', 'ectopic', 'pregnancy', 'contraceptive', 'device', 'device', 'dislocation', 'injury', 'weight', 'decreased', 'dizziness', 'tachycardia', 'dysmenorrhoea', 'vaginal', 'haemorrhage', 'genital', 'haemorrhage', 'drug', 'ineffective', 'pelvic', 'pain', 'menorrhagia', 'immunodeficiency', 'autoimmune', 'disorder', 'abdominal', 'pain', 'fatigue', 'depression', 'device', 'monitoring', 'procedure', 'performed', 'ectopic', 'pregnancy', 'contraceptive', 'device', 'arrest', 'haemorrhage', 'pregnancy', 'nausea', 'incompatibility', 'migraine', 'device', 'dislocation', 'medical', 'device', 'monitoring', 'error', 'weight', 'increased', 'palpitation', 'foreign', 'body', 'reproductive', 'tract', 'ruptured', 'ectopic', 'pregnancy', 'subcutaneous', 'abscess', 'abdominal', 'pain', 'lower', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'neuralgia', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'lower', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'melena', 'haematocytosis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'blindness', 'renal', 'osteodystrophy', 'cataract', 'neuropathy', 'peripheral', 'renal', 'disorder', 'hyperkalaemia', 'cardiac', 'disorder', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'diabetic', 'coma', 'arrhythmia', 'renal', 'failure', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'tooth', 'loss', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'limb', 'injury', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'bone', 'marrow', 'transplant', 'laceration', 'dyspnoea', 'productive', 'cough', 'seizure', 'head', 'injury', 'presyncope', 'fall', 'rib', 'fracture', 'loss', 'consciousness', 'syncope', 'balance', 'disorder', 'concomitant', 'disease', 'aggravated', 'insomnia', 'humerus', 'fracture', 'joint', 'injury', 'haemorrhage', 'drug', 'interaction', 'shock', 'haemorrhagic', 'sudden', 'hearing', 'loss', 'pancytopenia', 'depression', 'nephrogenic', 'systemic', 'fibrosis', 'depression', 'suicidal', 'behaviour', 'death', 'parathyroid', 'gland', 'operation', 'death', 'blood', 'calcium', 'increased', 'cough', 'pulmonary', 'arterial', 'hypertension', 'condition', 'aggravated', 'tongue', 'neoplasm', 'malignant', 'stage', 'unspecified', 'tongue', 'operation', 'biopsy', 'ovary', 'death', 'neonatal', 'respiratory', 'distress', 'syndrome', 'patent', 'ductus', 'arteriosus', 'atrial', 'septal', 'defect', 'feeding', 'disorder', 'neonatal', 'agitation', 'neonatal', 'pulmonary', 'arterial', 'hypertension', 'condition', 'aggravated', 'cholelithiasis', 'label', 'use', 'root', 'canal', 'infection', 'cervical', 'cyst', 'urinary', 'tract', 'infection', 'ovarian', 'cyst', 'product', 'use', 'issue', 'eye', 'swelling', 'rash', 'pruritus', 'scleroderma', 'syncope', 'fall', 'joint', 'swelling', 'rheumatoid', 'arthritis', 'painful', 'respiration', 'skeletal', 'injury', 'pain', 'swelling', 'excoration', 'angioplasty', 'haemorrhage', 'drug', 'interaction', 'pulmonary', 'arterial', 'hypertension', 'condition', 'aggravated', 'scar', 'road', 'traffic', 'accident', 'stoma', 'site', 'haemorrhage', 'herpes



s', 'zoster', 'hypersensitivity', 'inguinal', 'hernia', 'diabetes', 'mellitus', 'respiratory', 'failure', 'syndrome', 'therapeutic', 'response', 'decreased', 'serositis', 'arthropathy', 'dermatitis', 'fatigue', 'pyrexia', 'iris', 'atrophy', 'headache', 'death', 'death', 'atrial', 'fibrillation', 'suicidal', 'ideation', 'paraesthesia', 'hypoesthesia', 'arthralgia', 'myalgia', 'hypergammaglobulinaemia', 'vitamin', 'deficiency', 'nephrolithiasis', 'drug', 'hypersensitivity', 'dizziness', 'hypoesthesia', 'weight', 'increased', 'hypoglycaemia', 'impaired', 'dying', 'ability', 'adverse', 'reaction', 'swelling', 'face', 'local', 'swelling', 'eye', 'swelling', 'pruritus', 'dyspnoea', 'swollen', 'tongue', 'lip', 'swelling', 'amoebic', 'colitis', 'necrotising', 'colitis', 'application', 'site', 'paraesthesia', 'application', 'site', 'pain', 'application', 'site', 'erythema', 'application', 'site', 'exfoliation', 'drug', 'administration', 'error', 'inappropriate', 'schedule', 'drug', 'administration', 'swelling', 'face', 'eye', 'swelling', 'thermal', 'burn', 'urinary', 'tract', 'infection', 'pelvic', 'pain', 'uterine', 'perforation', 'device', 'dislocation', 'device', 'difficult', 'use', 'abdominal', 'pain', 'pyrexia', 'injury', 'emotional', 'distress', 'device', 'dislocation', 'medical', 'device', 'complication', 'medical', 'device', 'discomfort', 'genital', 'haemorrhage', 'internal', 'injury', 'depression', 'anxiety', 'infertility', 'female', 'depressed', 'mood', 'fear', 'acute', 'myocardial', 'infarction', 'paraesthesia', 'hypoesthesia', 'headache', 'chest', 'pain', 'dyspnoea', 'intentional', 'drug', 'misuse', 'erection', 'increased', 'painful', 'erection', 'drug', 'ineffective', 'uterine', 'perforation', 'procedural', 'pain', 'abdominal', 'pain', 'dysmenorrhoea', 'abdominal', 'pain', 'lower', 'menstruation', 'irregular', 'cardiac', 'failure', 'congestive', 'weight', 'increased', 'sinusitis', 'headache', 'peripheral', 'swelling', 'vomiting', 'grand', 'mal', 'convulsion', 'incorrect', 'dose', 'administered', 'incorrect', 'drug', 'administration', 'duration', 'label', 'use', 'drug', 'hypersensitivity', 'vitreous', 'disorder', 'visual', 'acuity', 'reduced', 'blindness', 'transient', 'vision', 'blurred', 'blindness', 'eye', 'inflammation', 'blindness', 'transient', 'incorrect', 'product', 'storage', 'haemoptysis', 'pulmonary', 'haemorrhage', 'hypoesthesia', 'oral', 'hypoesthesia', 'confusional', 'state', 'muscle', 'twitching', 'blood', 'calcium', 'decreased', 'pyrexia', 'pain', 'benign', 'prostatic', 'hyperplasia', 'renal', 'failure', 'acute', 'nasal', 'discomfort', 'rhinorrhoea', 'lacrimation', 'increased', 'anosmia', 'ageusia', 'type', 'diabetes', 'mellitus', 'malaise', 'asthenia', 'weight', 'increased', 'depression', 'self', 'injurious', 'behaviour', 'osteoarthritis', 'periarthritides', 'generalised', 'oedema', 'abdominal', 'distension', 'blood', 'albumin', 'decreased', 'fluid', 'retention', 'malaise', 'product', 'substitution', 'issue', 'application', 'site', 'dryness', 'application', 'site', 'pruritus', 'application', 'site', 'exfoliation', 'pustular', 'psoriasis', 'onychomadesis', 'alopecia', 'psoriasis', 'application', 'site', 'dryness', 'application', 'site', 'exfoliation', 'application', 'site', 'pain', 'application', 'site', 'erythema', 'leukaemia', 'fluid', 'retention', 'cardiac', 'failure', 'malaise', 'influenza', 'like', 'illness', 'flatulence', 'nausea', 'abdominal', 'pain', 'upper', 'gastrointestinal', 'disorder', 'vision', 'blurred', 'eye', 'swelling', 'application', 'site', 'vesicle', 'application', 'site', 'erythema', 'drug', 'administered', 'inappropriate', 'site', 'incorrect', 'drug', 'administration', 'duration', 'incorrect', 'drug', 'administration', 'duration', 'pyrexia', 'unresponsive', 'stimulus', 'hypotonia', 'atrial', 'fibrillation', 'sick', 'sinus', 'syndrome', 'ischaemic', 'stroke', 'erythema', 'drug', 'administered', 'inappropriate', 'site', 'contusion', 'vaginal', 'haemorrhage', 'dizziness', 'feeling', 'abnormal', 'chromaturia', 'haematuria', 'drug', 'interaction', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'pyrexia', 'rash', 'pruritic', 'hepatitis', 'blood', 'thyroid', 'stimulating', 'hormone', 'increased', 'anaemia', 'dyspnoea', 'haemoglobin', 'decreased', 'dyspnoea', 'oxygen', 'consumption', 'increased', 'drug', 'ineffective', 'application', 'site', 'pruritus', 'application', 'site', 'swelling', 'application', 'site', 'erythema', 'acute', 'generalised', 'exanthematous', 'pustulosis', 'drug', 'intolerance', 'fluid', 'retention', 'cardiac', 'failure', 'congestive', 'anxiety', 'palpitation', 'headache', 'kounis', 'syndrome', 'acute', 'myocardial', 'infarction', 'coeliac', 'disease', 'abdominal', 'pain', 'upper', 'abdominal', 'discomfort', 'gastrointestinal', 'sound', 'abnormal', 'drug', 'administration', 'error', 'death', 'application', 'site', 'erythema', 'application', 'site', 'irritation', 'application', 'site', 'exfoliation', 'drug', 'administered', 'inappropriate', 'site', 'dizziness', 'fatigue', 'asthenia', 'product', 'quality', 'issue', 'pulmonary', 'oedema', 'dyspnoea', 'oedema', 'drug', 'ineffective', 'burning', 'sensation', 'toe', 'amputation', 'wound', 'infection', 'staphylococcal', 'osteomyelitis', 'therapeutic', 'response', 'acute', 'sinusitis', 'thrombophlebitis', 'superficial', 'confusional', 'state', 'deep', 'vein', 'thrombosis', 'rectal', 'haemorrhage', 'drug', 'interaction', 'glucose', 'tolerance', 'impaired', 'product', 'substitution', 'issue', 'glycosylated', 'haemoglobin', 'increased', 'renal', 'failure', 'acute', 'continuous', 'haemodialysis', 'renal', 'tubular', 'necrosis', 'drug', 'interaction', 'product', 'substitution', 'issue', 'product', 'quality', 'issue', 'feeling', 'jittery', 'convulsion', 'sinus', 'bradycardia', 'electrocardiogram', 'change', 'qrs', 'axis', 'abnormal', 'fall', 'head', 'injury', 'loss', 'consciousness', 'myoclonus', 'tardive', 'dyskinesia', 'complex', 'partial', 'seizure', 'rash', 'drug', 'eruption', 'hepatic', 'function', 'abnormal', 'alanine', 'aminotransferase', 'increased', 'toxic', 'epidermal', 'necrosis', 'bone', 'marrow', 'transplant', 'drug', 'ineffective', 'foetal', 'anticonvulsant', 'syndrome', 'maternal', 'drug', 'affecting', 'foetus', 'serotonin', 'syndrome', 'acidosis', 'drug', 'interaction', 'urethral', 'stenosis', 'procedural', 'complication', 'tachycardia', 'swelling', 'face', 'joint', 'swelling', 'malaise', 'nausea', 'salivary', 'hypersecretion', 'headache', 'arthralgia', 'muscle', 'spasm', 'vomiting', 'weight', 'decreased', 'anger', 'psychotic', 'disorder', 'major', 'depression', 'anxiety', 'suicidal', 'ideation', 'neck', 'pain', 'vertigo', 'fall', 'nuclear', 'magnetic', 'resonance', 'imaging', 'brain', 'abnormal', 'epilepsy', 'feeling', 'drunk', 'drug', 'hypersensitivity', 'dependence', 'fluid', 'retention', 'weight', 'increased', 'constipation', 'abdominal', 'pain', 'upper', 'impaired', 'gastric', 'emptying', 'application', 'site', 'erythema', 'cerebral', 'venous', 'thrombosis', 'venous', 'haemorrhage', 'convulsion', 'dizziness', 'vertigo', 'diarrhoea', 'pruritus', 'generalised', 'gastroesophageal', 'reflux', 'disease', 'condition', 'aggravated', 'application', 'site', 'erythema', 'application', 'site', 'scab', 'application', 'site', 'pustule', 'application', 'site', 'vesicle', 'sinusitis', 'peritoneal', 'cloudy', 'effluent', 'wound', 'peritonitis', 'pseudomonas', 'test', 'positive', 'sleep', 'terror', 'panic', 'attack', 'unevaluable', 'event', 'movement', 'disorder', 'dyspnoea', 'hypotension', 'blood', 'creatinine', 'increased', 'application', 'site', 'erythema', 'application', 'site', 'vesicle', 'fungal', 'peritonitis', 'peritonitis', 'anuria', 'bladder', 'catheterisation', 'drug', 'administered', 'inappropriate', 'site', 'dyspnoea', 'pulmonary', 'thrombosis', 'thrombosis', 'toxic', 'shock', 'syndrome', 'muscle', 'spasm', 'abdominal', 'pain', 'shock', 'hepatitis', 'fulminant', 'incorrect', 'dose', 'administered', 'erythrodermia', 'syndrome', 'wound', 'secretion', 'nausea', 'tremor', 'dizziness', 'anxiety', 'headache', 'blood', 'pressure', 'systolic', 'increased', 'product', 'label', 'wrong', 'product', 'wring', 'drug', 'administered', 'hallucination', 'insomnia', 'anxiety', 'intentional', 'tinnitus', 'blood', 'pressure', 'increased', 'neuropathy', 'peripheral', 'feeling', 'abnormal', 'muscle', 'spasm', 'tendon', 'pain', 'muscle', 'tightness', 'nasopharyngitis', 'drug', 'ineffective', 'vomiting', 'loss', 'consciousness', 'dizziness', 'hyperhidrosis', 'asthenia', 'nausea', 'headache', 'fluid', 'retention', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'haematochezia', 'panic', 'attack', 'aggression', 'cerebrovascular', 'accident', 'hypertensive', 'crisis', 'headache', 'visual', 'impairment', 'cerebral', 'infarction', 'drug', 'hypersensitivity', 'cellulitis', 'bone', 'pain', 'myalgia', 'paraesthesia', 'hypoesthesia', 'abasia', 'muscular', 'weakness', 'fall', 'insomnia', 'trismus', 'adverse', 'drug', 'reaction', 'systemic', 'lupus', 'erythematosus', 'malaise', 'drug', 'ineffective', 'death', 'chronic', 'lymphocytic', 'leukaemia', 'disorder', 'hospice', 'care', 'hypokalaemia', 'asthenia', 'drug', 'hypersensitivity', 'haemorrhage', 'paraesthesia', 'oral', 'paraesthesia', 'myalgia', 'arthralgia', 'par

aesthesia', 'label', 'use', 'thrombophlebitis', 'superficial', 'thrombosis', 'dyskinesia', 'skin', 'ulcer', 'skin', 'necrosis', 'wound', 'secretion', 'hyperaesthesia', 'erythema', 'discomfort', 'pain', 'extremity', 'biliary', 'sepsis', 'delirium', 'hypoaesthesia', 'joint', 'range', 'motion', 'decreased', 'sensory', 'disturbance', 'local', 'swelling', 'skin', 'discolouration', 'hospitalisation', 'fluid', 'retention', 'nausea', 'vomiting', 'haemoglobin', 'decreased', 'leukopenia', 'unevaluable', 'event', 'dizziness', 'therapeutic', 'response', 'increased', 'viscosity', 'upper', 'respiratory', 'secretion', 'oedema', 'epistaxis', 'dyspnoea', 'nasal', 'congestion', 'pre syncope', 'cardiac', 'failure', 'oedema', 'balance', 'disorder', 'abasia', 'hypoaesthesia', 'muscular', 'weakness', 'myelopathy', 'polyneuropathy', 'sensory', 'loss', 'loss', 'proprioception', 'hypersensitivity', 'fluid', 'retention', 'cerebrovascular', 'accident', 'death', 'unresponsive', 'stimulus', 'feeling', 'abnormal', 'inappropriate', 'schedule', 'drug', 'administration', 'transaminase', 'increased', 'blood', 'glucose', 'increased', 'psychotic', 'disorder', 'renal', 'impairment', 'gastric', 'disorder', 'dislocation', 'vertebra', 'mobility', 'decreased', 'myocardial', 'infarction', 'lower', 'respiratory', 'tract', 'infection', 'headache', 'dizziness', 'lymphoproliferative', 'disorder', 'uterine', 'perforation', 'abdominal', 'pain', 'device', 'defective', 'dyspareunia', 'medical', 'device', 'discomfort', 'dyspnoea', 'anxiety', 'insomnia', 'local', 'swelling', 'peripheral', 'coldness', 'syncope', 'drug', 'ineffective', 'cough', 'device', 'dislocation', 'pain', 'general', 'physical', 'health', 'deterioration', 'anxiety', 'anhedonia', 'injury', 'infection', 'pregnancy', 'contraceptive', 'device', 'drug', 'ineffective', 'scar', 'night', 'sweat', 'hormone', 'level', 'abnormal', 'menstrual', 'disorder', 'uterine', 'perforation', 'injury', 'pain', 'dyspareunia', 'scar', 'emotional', 'distress', 'fear', 'depression', 'anxiety', 'intentional', 'overdose', 'speech', 'disorder', 'incoherent', 'hallucination', 'visual', 'metabolic', 'acidosis', 'rhabdomyolysis', 'confusional', 'state', 'hyperkalaemia', 'haemodialysis', 'electrolyte', 'imbalance', 'asthenia', 'fluid', 'retention', 'death', 'hypotension', 'tachycardia', 'pregnancy', 'glucose', 'tolerance', 'impaired', 'type', 'diabetes', 'mellitus', 'diabetic', 'neuropathy', 'glycosylated', 'haemoglobin', 'cerebrovascular', 'accident', 'abasia', 'headache', 'dizziness', 'type', 'diabetes', 'mellitus', 'cardiovascular', 'disorder', 'liver', 'injury', 'renal', 'disorder', 'death', 'failure', 'overdose', 'escherichia', 'infection', 'lip', 'swelling', 'gingival', 'swelling', 'burning', 'sensation', 'paraesthesia', 'oral', 'depression', 'drug', 'hypersensitivity', 'suicidal', 'ideation', 'weight', 'decreased', 'insomnia', 'pemphigoid', 'pneumonitis', 'jugular', 'vein', 'thrombosis', 'disease', 'progression', 'lung', 'neoplasm', 'malignant', 'chemical', 'injury', 'pain', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'irritable', 'bowel', 'syndrome', 'clostridium', 'difficile', 'infection', 'inflammatory', 'bowel', 'disease', 'chest', 'discomfort', 'tachycardia', 'dyspnoea', 'hypertension', 'anxiety', 'death', 'chemical', 'injury', 'chemical', 'burn', 'skin', 'uterine', 'perforation', 'device', 'dislocation', 'pelvic', 'pain', 'abdominal', 'pain', 'injury', 'emotional', 'distress', 'medical', 'device', 'complication', 'internal', 'injury', 'medical', 'device', 'discomfort', 'depression', 'anxiety', 'depressed', 'mood', 'fear', 'genital', 'haemorrhage', 'device', 'issue', 'injection', 'site', 'nodule', 'injection', 'site', 'discolouration', 'injection', 'site', 'dryness', 'product', 'quality', 'issue', 'serotonin', 'syndrome', 'drug', 'level', 'increased', 'drug', 'interaction', 'type', 'diabetes', 'mellitus', 'pain', 'uterine', 'perforation', 'complication', 'device', 'removal', 'injury', 'label', 'use', 'device', 'breakage', 'emotional', 'distress', 'depression', 'dyspnoea', 'abdominal', 'pain', 'upper', 'flushing', 'nausea', 'neutropenia', 'leukopenia', 'mental', 'status', 'change', 'pain', 'chemical', 'injury', 'blister', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'chest', 'pain', 'tinnitus', 'headache', 'vision', 'blurred', 'infusion', 'related', 'reaction', 'hyperhidrosis', 'flushing', 'nausea', 'dyspnoea', 'hypoxia', 'product', 'quality', 'issue', 'accidental', 'exposure', 'product', 'eye', 'irritation', 'burning', 'sensation', 'eye', 'pain', 'ocular', 'hyperaemia', 'visual', 'acuity', 'reduced', 'visual', 'impairment', 'optic', 'neuritis', 'eye', 'pain', 'pulmonary', 'embolism', 'poor', 'venous', 'access', 'troponin', 'increased', 'cardiac', 'ventricular', 'disorder', 'brain', 'natriuretic', 'peptide', 'increased', 'ischaemia', 'respiratory', 'failure', 'escherichia', 'urinary', 'tract', 'infection', 'epistaxis', 'disease', 'recurrence', 'drug', 'hypersensitivity', 'encephalitis', 'asthenia', 'melaena', 'anaemia', 'gastritis', 'erosive', 'oesophagitis', 'gastrointestinal', 'haemorrhage', 'cerebrovascular', 'accident', 'type', 'diabetes', 'mellitus', 'glucose', 'tolerance', 'impaired', 'cerebrovascular', 'accident', 'coronary', 'artery', 'thrombosis', 'pulmonary', 'thrombosis', 'type', 'diabetes', 'mellitus', 'epistaxis', 'sneezing', 'atrial', 'fibrillation', 'nausea', 'dehydration', 'cardiac', 'arrest', 'abdominal', 'pain', 'malignant', 'melanoma', 'situ', 'agranulocytosis', 'influenza', 'lymphopenia', 'syncope', 'nasopharyngitis', 'dementia', 'type', 'central', 'nervous', 'system', 'lesion', 'vision', 'blurred', 'scratch', 'hypoaesthesia', 'hypoaesthesia', 'alopecia', 'paraesthesia', 'pruritus', 'inappropriate', 'schedule', 'drug', 'administration', 'disease', 'progression', 'myocardial', 'infarction', 'metabolic', 'acidosis', 'renal', 'failure', 'acute', 'rhabdomyolysis', 'encephalopathy', 'propofol', 'infusion', 'syndrome', 'muscular', 'weakness', 'muscular', 'weakness', 'neurological', 'symptom', 'nuclear', 'magnetic', 'resonance', 'imaging', 'abnormal', 'meningitis', 'fungal', 'injection', 'site', 'pain', 'suspected', 'transmission', 'infectious', 'agent', 'via', 'product', 'disease', 'progression', 'fall', 'pain', 'extremity', 'nerve', 'injury', 'tendon', 'injury', 'type', 'diabetes', 'mellitus', 'diverticular', 'perforation', 'abscess', 'diverticulitis', 'death', 'type', 'diabetes', 'mellitus', 'respiratory', 'failure', 'label', 'use', 'device', 'dislocation', 'abdominal', 'pain', 'upper', 'nausea', 'vomiting', 'death', 'diabetic', 'ketoacidosis', 'trigeminal', 'palsy', 'device', 'dislocation', 'vomiting', 'pregnancy', 'contraceptive', 'device', 'nausea', 'drug', 'ineffective', 'genital', 'haemorrhage', 'abdominal', 'pain', 'lower', 'cyst', 'device', 'deployment', 'issue', 'asthenia', 'rash', 'pruritic', 'hepatitis', 'c', 'rna', 'increased', 'dysuria', 'influenza', 'like', 'illness', 'transfusion', 'agranulocytosis', 'pyrexia', 'bone', 'marrow', 'failure', 'pneumonia', 'drug', 'effect', 'decreased', 'product', 'substitution', 'issue', 'meningitis', 'fungal', 'transmission', 'infectious', 'agent', 'via', 'product', 'asthenia', 'vomiting', 'coma', 'meningitis', 'fungal', 'injection', 'site', 'pain', 'injection', 'site', 'oedema', 'transmission', 'infectious', 'agent', 'via', 'product', 'thrombosis', 'fall', 'haematoma', 'investigation', 'adverse', 'event', 'pulmonary', 'embolism', 'cerebrovascular', 'accident', 'condition', 'aggravated', 'product', 'substitution', 'issue', 'ovarian', 'cyst', 'pain', 'loss', 'consciousness', 'hospitalisation', 'hospitalisation', 'gait', 'disturbance', 'balance', 'disorder', 'hernia', 'alopecia', 'injection', 'site', 'pain', 'suspected', 'transmission', 'infectious', 'agent', 'via', 'product', 'hypersensitivity', 'vasculitis', 'nephritic', 'syndrome', 'haematuria', 'renal', 'failure', 'acute', 'renal', 'failure', 'chronic', 'nephrotic', 'syndrome', 'pneumonia', 'bronchitis', 'rash', 'death', 'convulsion', 'hypokinesia', 'skin', 'necrosis', 'decubitus', 'ulcer', 'multimorbidity', 'bronchitis', 'blood', 'potassium', 'decreased', 'hypophagia', 'microangiopathic', 'haemolytic', 'anaemia', 'thrombotic', 'microangiopathy', 'renal', 'failure', 'acute', 'substance', 'abuse', 'fluid', 'overload', 'hypersensitivity', 'inflammation', 'pruritus', 'skin', 'irritation', 'application', 'site', 'swelling', 'application', 'site', 'erythema', 'product', 'gel', 'formation', 'skin', 'exfoliation', 'application', 'site', 'pain', 'pruritus', 'application', 'site', 'pain', 'disturbance', 'attention', 'application', 'site', 'erosion', 'implant', 'site', 'infection', 'device', 'expulsion', 'pleural', 'effusion', 'fluid', 'overload', 'uterine', 'perforation', 'abdominal', 'pain', 'general', 'physical', 'health', 'deterioration', 'anxiety', 'anhedonia', 'infection', 'emotional', 'distress', 'uterine', 'fibrosis', 'pregnancy', 'contraceptive', 'device', 'malaise', 'abortion', 'spontaneous', 'human', 'chorionic', 'gonadotropin', 'decreased', 'accident', 'migraine', 'labelled', 'interaction', 'medication', 'error', 'pathological', 'fracture', 'microangiopathic', 'haemolytic', 'anaemia', 'thrombotic', 'microangiopathy', 'renal

, 'failure', 'acute', 'drug', 'abuse', 'polysubstance', 'dependence', 'influenza', 'like', 'illness', 'dehydration', 'fall', 'ankle', 'fracture', 'pyrexia', 'abdominal', 'hernia', 'condition', 'aggravated', 'decreased', 'ap petite', 'weight', 'decreased', 'peritonitis', 'peritoneal', 'dialysis', 'complication', 'pneumonia', 'pneumotho rax', 'anaemia', 'constipation', 'gait', 'disturbance', 'abnormal', 'behaviour', 'muscle', 'spasticity', 'drug', 'withdrawal', 'syndrome', 'nervous', 'system', 'disorder', 'device', 'dislocation', 'muscle', 'tightness', 'devi ce', 'issue', 'malaise', 'hypertonia', 'scoliosis', 'rash', 'papulosquamous', 'pyrexia', 'face', 'oedema', 'rash ', 'pustular', 'blister', 'splenomegaly', 'haemoglobin', 'decreased', 'blood', 'creatinine', 'increased', 'dehyd ration', 'herpes', 'zoster', 'confusional', 'state', 'blood', 'glucose', 'increased', 'hypertension', 'nausea', 'vomiting', 'septic', 'shock', 'drug', 'ineffective', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'pulmonary', 'oedema', 'viral', 'infection', 'pancreatitis', 'haematemesis', 'death', 'label', 'use', 'surgery ', 'stress', 'fracture', 'hernia', 'paraesthesia', 'cystitis', 'kidney', 'infection', 'flushing', 'acne', 'contu sion', 'erythema', 'swollen', 'tongue', 'urinary', 'tract', 'infection', 'influenza', 'alopecia', 'cellulitis', 'cauda', 'equina', 'syndrome', 'disease', 'progression', 'urinary', 'retention', 'partial', 'seizure', 'secondar y', 'generalisation', 'label', 'use', 'pulmonary', 'arterial', 'hypertension', 'hypertension', 'renal', 'artery', 'stenosis', 'exposure', 'pregnancy', 'pneumonia', 'genital', 'haemorrhage', 'diarrhoea', 'dehydration', 'clost ridium', 'difficile', 'infection', 'dehydration', 'cerebrovascular', 'accident', 'aphasia', 'atrial', 'flutter', 'dehydration', 'vomiting', 'cerebrovascular', 'accident', 'intestinal', 'obstruction', 'hydronephrosis', 'inject ion', 'site', 'pain', 'injection', 'site', 'reaction', 'injection', 'site', 'nodule', 'incorrect', 'route', 'dru g', 'administration', 'therapeutic', 'response', 'infection', 'pneumonia', 'cognitive', 'disorder', 'myocardial', 'infarction', 'cardiac', 'failure', 'congestive', 'atrial', 'fibrillation', 'gastric', 'disorder', 'cardiac', 'failure', 'congestive', 'mitral', 'valve', 'incompetence', 'tricuspid', 'valve', 'incompetence', 'diabetes', 'm ellitus', 'inadequate', 'control', 'hyperglycaemia', 'pneumonia', 'pulmonary', 'oedema', 'hypertensive', 'crisis ', 'anaphylactic', 'reaction', 'pyrexia', 'muscle', 'rigidity', 'swollen', 'tongue', 'dyspepsia', 'procedural', 'pain', 'peritonitis', 'disease', 'renal', 'failure', 'adrenal', 'insufficiency', 'asthenia', 'fatigue', 'hypote nsion', 'alopecia', 'cardiac', 'failure', 'congestive', 'anaemia', 'gastrointestinal', 'haemorrhage', 'gastritis ', 'chest', 'pain', 'nephrolithiasis', 'bacterial', 'infection', 'pneumonia', 'hypersensitivity', 'influenza', 'oral', 'herpes', 'steatohepatitis', 'nephrogenic', 'systemic', 'fibrosis', 'investigation', 'hernia', 'inguinal', 'hernia', 'hydrocele', 'cardiac', 'operation', 'gastric', 'haemorrhage', 'breast', 'cancer', 'metastatic', 'na sopharyngitis', 'drug', 'hypersensitivity', 'hypersensitivity', 'infection', 'tongue', 'ulceration', 'body', 'te mperature', 'increased', 'swelling', 'face', 'chill', 'gingival', 'pain', 'oedema', 'mouth', 'tongue', 'ulcerati on', 'malaise', 'lip', 'ulceration', 'lip', 'swelling', 'swollen', 'tongue', 'anaphylactoid', 'reaction', 'drug', 'dispensing', 'error', 'international', 'normalised', 'ratio', 'decreased', 'drug', 'interaction', 'drug', 'in teraction', 'vitamin', 'k', 'deficiency', 'pneumonia', 'cardiac', 'disorder', 'death', 'disorder', 'pneumonia', 'muscle', 'spasm', 'presyncope', 'blindness', 'chronic', 'respiratory', 'failure', 'dyspnoea', 'death', 'pneumon ia', 'cardiac', 'failure', 'congestive', 'diabetes', 'mellitus', 'rheumatoid', 'arthritis', 'hypertension', 'ana emia', 'osteoarthritis', 'coronary', 'artery', 'disease', 'fall', 'wrist', 'fracture', 'adverse', 'event', 'over dose', 'coma', 'scale', 'abnormal', 'heart', 'rate', 'decreased', 'blood', 'pressure', 'systolic', 'decreased', 'metabolic', 'acidosis', 'breast', 'cancer', 'cardiac', 'failure', 'coronary', 'artery', 'disease', 'pneumonia', 'aspiration', 'aspiration', 'hypoxia', 'respiratory', 'failure', 'failure', 'oxygen', 'supplementation', 'pneumo nia', 'diarrhoea', 'fatigue', 'dehydration', 'asthenia', 'hypokalaemia', 'alopecia', 'fluid', 'replacement', 'we ight', 'decreased', 'decreased', 'appetite', 'cough', 'nausea', 'vomiting', 'pertussis', 'cough', 'dyspnoea', 'e rythema', 'cyanosis', 'post', 'procedural', 'infection', 'blood', 'pressure', 'increased', 'diabetic', 'gangrene ', 'adverse', 'event', 'adverse', 'event', 'peritoneal', 'dialysis', 'complication', 'drug', 'hypersensitivity', 'death', 'abnormal', 'behaviour', 'myocardial', 'infarction', 'seroma', 'infection', 'pain', 'eye', 'disorder', 'loss', 'consciousness', 'fall', 'headache', 'eye', 'infection', 'unevaluable', 'event', 'aplastic', 'anaemia', 'myelodysplastic', 'syndrome', 'unevaluable', 'event', 'myocardial', 'infarction', 'heart', 'valve', 'incompeten ce', 'peripheral', 'swelling', 'thrombocytopenia', 'drug', 'hypersensitivity', 'drug', 'reaction', 'eosinophilia ', 'systemic', 'symptom', 'death', 'fungal', 'peritonitis', 'peritoneal', 'dialysis', 'complication', 'myocardia l', 'infarction', 'sepsis', 'incision', 'site', 'infection', 'enterococcal', 'infection', 'toxic', 'skin', 'erup tion', 'eczema', 'alopecia', 'rash', 'generalised', 'depression', 'pruritus', 'generalised', 'generalised', 'ery thema', 'exposure', 'pregnancy', 'product', 'quality', 'issue', 'blood', 'glucose', 'increased', 'blood', 'creat inine', 'decreased', 'renal', 'pain', 'nausea', 'conversion', 'disorder', 'protein', 'total', 'decreased', 'inso mnia', 'exposure', 'pregnancy', 'abasia', 'nervous', 'system', 'disorder', 'hypoesthesia', 'hypoesthesia', 'mu scular', 'weakness', 'gait', 'disturbance', 'hernia', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'thrombosis', 'label', 'use', 'thrombocytopenia', 'macroglossia', 'wheezing', 'oxygen', 'saturation', 'decreased ', 'transient', 'ischaemic', 'attack', 'interstitial', 'lung', 'disease', 'asthenia', 'abnormal', 'behaviour', 'disorder', 'stereotypy', 'anxiety', 'psychomotor', 'hyperactivity', 'ageusia', 'hyposmia', 'altered', 'state', 'consciousness', 'encephalitis', 'viral', 'throat', 'tightness', 'influenza', 'migraine', 'nausea', 'diarrhoea', 'influenza', 'like', 'illness', 'adverse', 'drug', 'reaction', 'chill', 'immunoglobulin', 'decreased', 'malaise', 'sinus', 'disorder', 'respiratory', 'disorder', 'syndrome', 'stomatitis', 'necrotising', 'bronchopneumonia', 'erythema', 'multiforme', 'oral', 'mucosal', 'blistering', 'swelling', 'face', 'pyrexia', 'cough', 'oropharyngeal ', 'pain', 'vomiting', 'erythema', 'lip', 'swelling', 'cheilitis', 'lip', 'haemorrhage', 'oral', 'mucosa', 'eros ion', 'mouth', 'haemorrhage', 'tongue', 'blistering', 'penile', 'ulceration', 'hypophagia', 'enteral', 'nutritio n', 'lip', 'erosion', 'dermatitis', 'blister', 'mucous', 'membrane', 'disorder', 'tongue', 'coated', 'scab', 'sk in', 'degenerative', 'disorder', 'dysgeusia', 'hepatocellular', 'injury', 'hepatitis', 'syndrome', 'toxic', 'epi dermal', 'necrolysis', 'rash', 'skin', 'exfoliation', 'gastrointestinal', 'mucosal', 'exfoliation', 'oral', 'muc osal', 'exfoliation', 'pyrexia', 'label', 'use', 'failure', 'atrial', 'flutter', 'overdose', 'angle', 'closure', 'glaucoma', 'angle', 'closure', 'glaucoma', 'loss', 'consciousness', 'psychomotor', 'hyperactivity', 'intentiona l', 'overdose', 'neoplasm', 'malignant', 'anaphylactic', 'shock', 'flushing', 'dizziness', 'pruritus', 'rash', 'blood', 'pressure', 'diastolic', 'decreased', 'dyskinesia', 'eye', 'movement', 'disorder', 'urinary', 'incontinence', 'faecal', 'incontinence', 'pulse', 'absent', 'infusion', 'related', 'reaction', 'loss', 'consciousness', 'febrile', 'neutropenia', 'unevaluable', 'event', 'blood', 'albumin', 'decreased', 'protein', 'total', 'decreased ', 'failure', 'thrive', 'decubitus', 'ulcer', 'dyspepsia', 'aphagia', 'dyspnoea', 'stomatitis', 'hepatitis', 'c', 'neurotoxicity', 'visual', 'acuity', 'reduced', 'burning', 'sensation', 'rale', 'dyspnoea', 'respiratory', 'di sorder', 'condition', 'aggravated', 'disease', 'progression', 'jaundice', 'portal', 'vein', 'occlusion', 'oedema ', 'peripheral', 'rash', 'erysipelas', 'varicose', 'vein', 'urticaria', 'neonatal', 'respiratory', 'distress', 'syndrome', 'restlessness', 'foetal', 'exposure', 'pregnancy', 'urinary', 'tract', 'infection', 'pneumonia', 'sep sis', 'infected', 'skin', 'ulcer', 'cellulitis', 'subcutaneous', 'abscess', 'staphylococcal', 'infection', 'hypo tension', 'gastric', 'infection', 'gastrointestinal', 'haemorrhage', 'gastrointestinal', 'infection', 'liver', 'disorder', 'feeding', 'disorder', 'neonatal', 'hydrocele', 'cry', 'hypotonia', 'foetal', 'exposure', 'pregnancy', 'exposure', 'breast', 'feeding', 'cardiac', 'failure', 'congestive', 'gastrointestinal', 'haemorrhage', 'haemo rrhoidal', 'haemorrhage', 'gait', 'disturbance', 'dehydration', 'systemic', 'inflammatory', 'response', 'syndrom e', 'renal', 'failure', 'acute', 'failure', 'nephrogenic', 'systemic', 'fibrosis', 'peritonitis', 'bacterial', ' '

asthenia', 'mental', 'status', 'change', 'cerebrovascular', 'accident', 'cardiac', 'disorder', 'arterial', 'disorder', 'peritonitis', 'gastroenteritis', 'viral', 'anaphylactic', 'shock', 'anaphylactic', 'reaction', 'arrest', 'hyperkalaemia', 'dysgeusia', 'haematuria', 'pyrexia', 'myalgia', 'urinary', 'tract', 'infection', 'type', 'diabetes', 'mellitus', 'aphasia', 'fanconi', 'syndrome', 'renal', 'tubular', 'acidosis', 'electrolyte', 'imbalance', 'condition', 'aggravated', 'secondary', 'progressive', 'multiple', 'sclerosis', 'intestinal', 'perforation', 'irritable', 'bowel', 'syndrome', 'asthma', 'peritoneal', 'effluent', 'abnormal', 'peritonitis', 'dehydration', 'constipation', 'seborrhoeic', 'dermatitis', 'scar', 'gastrointestinal', 'motility', 'disorder', 'muscular', 'weakness', 'acne', 'constipation', 'urinary', 'tract', 'infection', 'pollakiuria', 'temperature', 'intolerance', 'gait', 'disturbance', 'urinary', 'retention', 'vitamin', 'deficiency', 'furuncle', 'paraesthesia', 'pain', 'hepatic', 'enzyme', 'increased', 'drug', 'dose', 'omission', 'abdominal', 'discomfort', 'feeling', 'hot', 'dysuria', 'asthenia', 'multiple', 'sclerosis', 'relapse', 'blood', 'alkaline', 'phosphatase', 'increased', 'diabetic', 'neuropathy', 'type', 'diabetes', 'mellitus', 'methaemoglobinaemia', 'pneumonia', 'type', 'diabetes', 'mellitus', 'convulsion', 'drug', 'abuse', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'pneumocystis', 'jirovecii', 'infection', 'lymphopenia', 'dyspnoea', 'feeling', 'abnormal', 'breast', 'disorder', 'female', 'staphylococcal', 'infection', 'cellulitis', 'type', 'diabetes', 'mellitus', 'abdominal', 'wall', 'haemorrhage', 'abdominal', 'pain', 'abortion', 'spontaneous', 'abdominal', 'pain', 'breast', 'disorder', 'type', 'diabetes', 'mellitus', 'hypothyroidism', 'type', 'diabetes', 'mellitus', 'drug', 'ineffective', 'torticollis', 'renal', 'disorder', 'type', 'diabetes', 'mellitus', 'nephrolithiasis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'pneumonia', 'septic', 'shock', 'acute', 'respiratory', 'distress', 'syndrome', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'drug', 'dispensing', 'error', 'drug', 'prescribing', 'error', 'wrong', 'drug', 'administered', 'dizziness', 'asthenia', 'hypoesthesia', 'heart', 'rate', 'increased', 'mental', 'status', 'change', 'blood', 'potassium', 'decreased', 'blood', 'glucose', 'decreased', 'local', 'swelling', 'musculoskeletal', 'stiffness', 'peripheral', 'coldness', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'respiratory', 'depression', 'oxygen', 'saturation', 'decreased', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'epistaxis', 'drug', 'interaction', 'gastrointestinal', 'haemorrhage', 'dehydration', 'pneumonia', 'failure', 'type', 'diabetes', 'mellitus', 'cerebrovascular', 'accident', 'convulsion', 'neuropathy', 'toxic', 'haemorrhage', 'drug', 'interaction', 'completed', 'suicide', 'intentional', 'product', 'misuse', 'seizure', 'like', 'phenomenon', 'fatigue', 'muscle', 'spasm', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'local', 'swelling', 'fatigue', 'gait', 'disturbance', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'diabetic', 'neuropathy', 'impaired', 'driving', 'ability', 'diabetic', 'vascular', 'disorder', 'type', 'diabetes', 'mellitus', 'visual', 'impairment', 'type', 'diabetes', 'mellitus', 'transfusion', 'arrhythmia', 'type', 'diabetes', 'mellitus', 'central', 'nervous', 'system', 'lesion', 'urinary', 'retention', 'wound', 'dehiscence', 'myelodysplastic', 'syndrome', 'benign', 'breast', 'neoplasm', 'prescribed', 'underdose', 'peritonitis', 'bacterial', 'lipid', 'metabolism', 'disorder', 'fluid', 'retention', 'diabetic', 'vascular', 'disorder', 'diabetic', 'complication', 'abdominal', 'pain', 'upper', 'neuralgia', 'cardiovascular', 'disorder', 'type', 'diabetes', 'mellitus', 'asthma', 'haemoptysis', 'pneumonia', 'aspiration', 'anaemia', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'rectal', 'haemorrhage', 'drug', 'interaction', 'increased', 'aspartate', 'aminotransferase', 'increased', 'alanine', 'aminotransferase', 'increased', 'blood', 'alkaline', 'phosphatase', 'increased', 'type', 'diabetes', 'mellitus', 'arterial', 'disorder', 'chest', 'pain', 'type', 'diabetes', 'mellitus', 'glucose', 'tolerance', 'impaired', 'diarrhoea', 'nausea', 'abdominal', 'pain', 'vomiting', 'type', 'diabetes', 'mellitus', 'blindness', 'neuropathy', 'peripheral', 'glucose', 'tolerance', 'impaired', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'hypersensitivity', 'atrial', 'fibrillation', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'type', 'diabetes', 'mellitus', 'cerebrovascular', 'accident', 'pulmonary', 'thrombosis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'aphagia', 'haematochezia', 'eructation', 'appetite', 'disorder', 'nausea', 'food', 'aversion', 'abdominal', 'pain', 'upper', 'type', 'diabetes', 'mellitus', 'oedema', 'type', 'diabetes', 'mellitus', 'haematemesis', 'hyperpyrexia', 'melaena', 'sepsis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'death', 'cholecystitis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'abdominal', 'pain', 'upper', 'sneezing', 'rhinorrhoea', 'nausea', 'dyspepsia', 'diarrhoea', 'pain', 'product', 'packaging', 'quantity', 'issue', 'drug', 'administered', 'inappropriate', 'site', 'weight', 'increased', 'type', 'diabetes', 'mellitus', 'bone', 'infarction', 'dysgeusia', 'accidental', 'exposure', 'product', 'analgesic', 'asthma', 'syndrome', 'wheezing', 'cough', 'rhinorrhoea', 'chest', 'discomfort', 'nasal', 'congestion', 'angioedema', 'erythema', 'nasal', 'congestion', 'disease', 'progression', 'label', 'use', 'disease', 'drug', 'ineffective', 'incorrect', 'dose', 'administered', 'product', 'quality', 'issue', 'application', 'site', 'vesicle', 'application', 'site', 'scar', 'skin', 'cancer', 'weight', 'decreased', 'diarrhoea', 'convulsion', 'drug', 'hypersensitivity', 'headache', 'type', 'diabetes', 'mellitus', 'peripheral', 'swelling', 'incorrect', 'drug', 'administration', 'duration', 'product', 'packaging', 'quantity', 'issue', 'respiratory', 'distress', 'drug', 'hypersensitivity', 'death', 'application', 'site', 'dryness', 'application', 'site', 'vesicle', 'application', 'site', 'erythema', 'drug', 'ineffective', 'inappropriate', 'schedule', 'drug', 'administration', 'drug', 'ineffective', 'peripheral', 'swelling', 'fluid', 'retention', 'application', 'site', 'dryness', 'application', 'site', 'reaction', 'application', 'site', 'pain', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'drug', 'administration', 'error', 'fall', 'rib', 'fracture', 'facial', 'bone', 'fracture', 'throat', 'tightness', 'hypersensitivity', 'swollen', 'tongue', 'drug', 'ineffective', 'application', 'site', 'erythema', 'application', 'site', 'vesicle', 'headache', 'incorrect', 'product', 'storage', 'cardiac', 'ablation', 'medical', 'device', 'implantation', 'dermatitis', 'contact', 'unevaluable', 'event', 'application', 'site', 'pain', 'application', 'site', 'dryness', 'cardiac', 'failure', 'congestive', 'peripheral', 'swelling', 'death', 'nausea', 'blood', 'count', 'abnormal', 'cardiac', 'disorder', 'myocardial', 'infarction', 'atrial', 'fibrillation', 'chest', 'discomfort', 'dyspnoea', 'asthenia', 'malaise', 'urinary', 'incontinence', 'abdominal', 'pain', 'upper', 'swelling', 'drug', 'interaction', 'blood', 'potassium', 'decreased', 'palpitation', 'feeling', 'cold', 'hypoesthesia', 'thinking', 'abnormal', 'headache', 'swelling', 'pathogen', 'resistance', 'infection', 'malaise', 'lower', 'respiratory', 'tract', 'infection', 'diabetes', 'mellitus', 'overweight', 'differential', 'white', 'blood', 'cell', 'count', 'abnormal', 'eosinophil', 'count', 'increased', 'white', 'blood', 'cell', 'count', 'increased', 'neutrophil', 'count', 'increased', 'platelet', 'count', 'increased', 'brain', 'injury', 'dizziness', 'vomiting', 'cognitive', 'disorder', 'mental', 'disorder', 'anxiety', 'depression', 'panic', 'attack', 'condition', 'aggravated', 'drug', 'ineffective', 'nephrolithiasis', 'gastric', 'ulcer', 'gout', 'chromaturia', 'therapeutic', 'response', 'deafness', 'tinnitus', 'deafness', 'therapeutic', 'response', 'dyspnoea', 'palpitation', 'dyspnoea', 'exertional', 'fluid', 'retention', 'cough', 'fluid', 'retention', 'asthma', 'intentional', 'drug', 'misuse', 'application', 'site', 'vesicle', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'incorrect', 'drug', 'administration', 'duration', 'dehydration', 'febrile', 'neutropenia', 'death', 'bundle', 'branch', 'block', 'right', 'sinus', 'bradycardia', 'label', 'use', 'arterial', 'occlusive', 'disease', 'blood', 'glucose', 'increased', 'pneumonia', 'loss', 'consciousness', 'malaise', 'diarrhoea', 'blood', 'glucose', 'increased', 'injection', 'site', 'nodule', 'injection'

ction', 'site', 'pruritus', 'injection', 'site', 'extravasation', 'wrong', 'technique', 'drug', 'usage', 'process', 'urticaria', 'hypersensitivity', 'pancreatitis', 'cardiac', 'aneurysm', 'blood', 'glucose', 'increased', 'weight', 'decreased', 'decreased', 'appetite', 'application', 'site', 'erythema', 'incorrect', 'drug', 'administration', 'duration', 'bladder', 'neoplasm', 'toxicity', 'various', 'agent', 'angioedema', 'hypersensitivity', 'dyspnoea', 'granulomatosis', 'polyangiitis', 'immunodeficiency', 'malaise', 'tinnitus', 'metastasis', 'central', 'nervous', 'system', 'oedema', 'peripheral', 'condition', 'aggravated', 'therapeutic', 'response', 'application', 'site', 'rash', 'application', 'site', 'pain', 'application', 'site', 'erythema', 'application', 'site', 'scab', 'drug', 'administered', 'inappropriate', 'site', 'cardiac', 'failure', 'congestive', 'oedema', 'gallbladder', 'disorder', 'condition', 'aggravated', 'blister', 'quality', 'life', 'decreased', 'rib', 'fracture', 'performance', 'status', 'decreased', 'gait', 'disturbance', 'malnutrition', 'pain', 'fall', 'portal', 'vein', 'thrombosis', 'hepatorenal', 'syndrome', 'hepatic', 'encephalopathy', 'hypoglycaemia', 'disorientation', 'somnia', 'drug', 'interaction', 'nephrogenic', 'systemic', 'fibrosis', 'pancytopenia', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'swelling', 'drug', 'dispensing', 'error', 'drug', 'dispensing', 'error', 'incorrect', 'dose', 'administered', 'anaphylactic', 'shock', 'platelet', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'increased', 'kidney', 'duplex', 'neonatal', 'respiratory', 'distress', 'syndrome', 'sudden', 'death', 'basal', 'cell', 'carcinoma', 'febrile', 'neutropenia', 'renal', 'pain', 'eye', 'swelling', 'eye', 'discharge', 'epistaxis', 'choking', 'vision', 'blurred', 'cough', 'syndrome', 'nasopharyngitis', 'nausea', 'drug', 'effect', 'incomplete', 'muscular', 'weakness', 'malnutrition', 'abortion', 'spontaneous', 'pregnancy', 'maternal', 'exposure', 'pregnancy', 'pancreatic', 'carcinoma', 'pulmonary', 'embolism', 'transfusion', 'bone', 'pain', 'pulmonary', 'fibrosis', 'pancreatic', 'carcinoma', 'respiratory', 'failure', 'stridor', 'cardiovascular', 'disorder', 'respiratory', 'disorder', 'general', 'physical', 'health', 'deterioration', 'chest', 'discomfort', 'drug', 'ineffective', 'intestinal', 'perforation', 'asthma', 'pneumonia', 'paranoia', 'rectal', 'haemorrhage', 'neuropathy', 'peripheral', 'oropharyngeal', 'pain', 'stomatitis', 'pyrexia', 'intracranial', 'pressure', 'increased', 'vomiting', 'abdominal', 'pain', 'nausea', 'papilloedema', 'weight', 'increased', 'somnia', 'extradural', 'abscess', 'staphylococcal', 'abscess', 'blood', 'creatinine', 'phosphokinase', 'increased', 'blood', 'potassium', 'decreased', 'musculoskeletal', 'pain', 'diabetes', 'mellitus', 'amnesia', 'type', 'diabetes', 'mellitus', 'thyroid', 'cancer', 'type', 'diabetes', 'mellitus', 'cardiac', 'arrest', 'myocardial', 'infarction', 'white', 'blood', 'cell', 'count', 'increased', 'neutrophil', 'count', 'increased', 'application', 'site', 'pustule', 'inappropriate', 'schedule', 'drug', 'administration', 'drug', 'administration', 'error', 'eosinophilia', 'pneumothorax', 'lower', 'respiratory', 'tract', 'infection', 'rheumatoid', 'arthritis', 'sepsis', 'pyrexia', 'eschrichia', 'test', 'positive', 'klebsiella', 'test', 'positive', 'organ', 'failure', 'aphagia', 'gastrointestinal', 'disorder', 'arthropathy', 'pituitary', 'tumour', 'removal', 'gastroenteritis', 'viral', 'diarrhoea', 'headache', 'cardiac', 'disorder', 'palpitation', 'incorrect', 'drug', 'administration', 'duration', 'product', 'packaging', 'quantity', 'issue', 'hospitalisation', 'fatigue', 'flatulence', 'abdominal', 'distension', 'weight', 'increased', 'embedded', 'device', 'device', 'breakage', 'type', 'diabetes', 'mellitus', 'cardiac', 'failure', 'cardiac', 'procedure', 'complication', 'cardiac', 'disorder', 'swelling', 'face', 'oral', 'candidiasis', 'glossodynia', 'pharyngitis', 'dry', 'mouth', 'ageusia', 'protein', 'increased', 'red', 'blood', 'cell', 'sedimentation', 'rate', 'increased', 'diarrhoea', 'diarrhoea', 'clostridium', 'difficile', 'infection', 'rash', 'anal', 'skin', 'tag', 'influenza', 'label', 'use', 'haemorrhage', 'label', 'use', 'general', 'physical', 'health', 'deterioration', 'application', 'site', 'swelling', 'application', 'site', 'pruritus', 'syncope', 'asthenia', 'electrocardiogram', 'st', 'segment', 'abnormal', 'subdural', 'haematoma', 'nausea', 'vomiting', 'overdose', 'anxiety', 'palpitation', 'hypoesthesia', 'paraesthesia', 'decreased', 'appetite', 'death', 'basal', 'ganglion', 'haemorrhage', 'blood', 'pressure', 'systolic', 'increased', 'subdural', 'haemorrhage', 'brain', 'stem', 'haemorrhage', 'haematemesis', 'apnoea', 'basal', 'ganglion', 'haemorrhage', 'demyelination', 'cerebral', 'amyloid', 'angiopathy', 'brain', 'death', 'cerebral', 'haemorrhage', 'muscular', 'weakness', 'arthritis', 'haemoglobin', 'decreased', 'incorrect', 'dose', 'administered', 'coagulation', 'time', 'prolonged', 'gastrointestinal', 'haemorrhage', 'haemoglobin', 'decreased', 'incorrect', 'dose', 'administered', 'lung', 'neoplasm', 'malignant', 'thrombosis', 'pulmonary', 'thrombosis', 'mental', 'status', 'change', 'amnesia', 'encephalitis', 'autoimmune', 'depression', 'oral', 'candidiasis', 'diverticulitis', 'therapeutic', 'response', 'decreased', 'hypercalcaemia', 'haemoglobin', 'decreased', 'fatigue', 'bone', 'pain', 'death', 'abdominal', 'pain', 'hypotension', 'blood', 'pressure', 'increased', 'bone', 'cancer', 'second', 'primary', 'malignancy', 'pulmonary', 'oedema', 'back', 'pain', 'hypokinesia', 'terminal', 'state', 'musculoskeletal', 'pain', 'fistula', 'frequent', 'bowel', 'movement', 'arterial', 'occlusive', 'disease', 'appendicitis', 'drug', 'effect', 'decreased', 'neutropenia', 'hyperammonaemia', 'pneumonia', 'restlessness', 'abnormal', 'behaviour', 'eosinophilia', 'drug', 'ineffective', 'intentional', 'eating', 'disorder', 'insomnia', 'leukopenia', 'psychiatric', 'symptom', 'pyrexia', 'cough', 'oropharyngeal', 'pain', 'sinus', 'tachycardia', 'palpitation', 'drug', 'withdrawal', 'syndrome', 'product', 'packaging', 'quantity', 'issue', 'feeling', 'hot', 'pain', 'drug', 'dose', 'omission', 'therapeutic', 'response', 'decreased', 'pneumonia', 'metastasis', 'prostate', 'cancer', 'pinealoblastoma', 'respiratory', 'tract', 'infection', 'viral', 'spinal', 'fracture', 'drug', 'ineffective', 'application', 'site', 'exfoliation', 'cardiac', 'arrest', 'tachyarrhythmia', 'toxic', 'epidermal', 'necrosis', 'purpura', 'blister', 'pyrexia', 'skin', 'erosion', 'sign', 'skin', 'lesion', 'azotaemia', 'leukopenia', 'conjunctivitis', 'pulmonary', 'sepsis', 'skin', 'exfoliation', 'inflammation', 'general', 'physical', 'health', 'deterioration', 'hyperglycaemia', 'wound', 'healing', 'normal', 'renal', 'failure', 'breast', 'cancer', 'stage', 'iv', 'macroglossia', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'transient', 'ischaemic', 'attack', 'gastrointestinal', 'haemorrhage', 'haemorrhage', 'intracranial', 'cerebral', 'thrombosis', 'pleural', 'effusion', 'incorrect', 'dose', 'administered', 'enterocolitis', 'bacterial', 'haemorrhage', 'hospitalisation', 'erythema', 'somnia', 'label', 'use', 'type', 'diabetes', 'mellitus', 'muscle', 'spasm', 'neuropathy', 'peripheral', 'decreased', 'appetite', 'nausea', 'neutropenia', 'diarrhoea', 'hyperglycaemia', 'thrombocytopenia', 'intestinal', 'ischaemia', 'mucosal', 'inflammation', 'vomiting', 'anaemia', 'infection', 'deep', 'vein', 'thrombosis', 'renal', 'disorder', 'disease', 'progression', 'liver', 'disorder', 'cerebrovascular', 'accident', 'depression', 'rash', 'creatinine', 'renal', 'clearance', 'decreased', 'hellp', 'syndrome', 'exposure', 'pregnancy', 'basal', 'cell', 'carcinoma', 'back', 'pain', 'chill', 'abdominal', 'distension', 'infusion', 'related', 'reaction', 'pregnancy', 'contraceptive', 'device', 'drug', 'ineffective', 'device', 'dislocation', 'psoriasis', 'arthropathy', 'label', 'use', 'respiratory', 'tract', 'infection', 'alopecia', 'areata', 'alopecia', 'fall', 'uveitis', 'anaemia', 'intestinal', 'adenocarcinoma', 'anaemia', 'foetal', 'cardiac', 'disorder', 'label', 'use', 'metabolic', 'acidosis', 'pulmonary', 'oedema', 'vomiting', 'blood', 'creatinine', 'increased', 'visual', 'impairment', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'hallucination', 'arrhythmia', 'heart', 'rate', 'irregular', 'hot', 'flush', 'palpitation', 'vision', 'blurred', 'malaise', 'headache', 'hyperhidrosis', 'drug', 'abuse', 'hypokalaemia', 'oedema', 'peripheral', 'renal', 'failure', 'acute', 'overdose', 'encephalopathy', 'loss', 'consciousness', 'pain', 'cough', 'dyspnoea', 'hot', 'flush', 'fatigue', 'weight', 'decreased', 'depressed', 'mood', 'fall', 'lower', 'respiratory', 'tract', 'infection', 'productive', 'cough', 'lung', 'disorder', 'sleep', 'disorder', 'tremor', 'wheezing', 'malaise', 'decreased', 'appetite', 'cerebral', 'haemorrhage', 'fall', 'decubitus', 'ulcer', 'acetabulum', 'fracture', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'protein', 'increased', 'prothrombin', 'time', 'prolonged', 'blood', 'creatinine', 'increased', 'type', 'di

abetes', 'mellitus', 'skin', 'lesion', 'purulent', 'discharge', 'type', 'diabetes', 'mellitus', 'diabetic', 'neu  
ropathy', 'type', 'diabetes', 'mellitus', 'adverse', 'event', 'opportunistic', 'infection', 'double', 'stranded'  
, 'dna', 'antibody', 'positive', 'neoplasm', 'malignant', 'infection', 'autoimmune', 'disorder', 'antinuclear',  
, 'antibody', 'positive', 'autoantibody', 'positive', 'cataract', 'hepatic', 'pain', 'malaise', 'abdominal', 'adhe  
sion', 'diarrhoea', 'carcinoid', 'syndrome', 'pleural', 'effusion', 'metastasis', 'liver', 'oedema', 'sciatic',  
, 'nerve', 'injury', 'injection', 'site', 'haematoma', 'injection', 'site', 'haemorrhage', 'feeling', 'abnormal',  
, 'cough', 'tachycardia', 'platelet', 'count', 'decreased', 'erythema', 'dyspnoea', 'metastasis', 'peritoneum', 'g  
laucoma', 'body', 'temperature', 'decreased', 'pain', 'extremity', 'gait', 'disturbance', 'inappropriate', 'sche  
dule', 'product', 'administration', 'intestinal', 'obstruction', 'confusional', 'state', 'blood', 'pressure', 'i  
ncreased', 'petechia', 'injection', 'site', 'oedema', 'needle', 'issue', 'pulmonary', 'embolism', 'back', 'pain',  
, 'neuroendocrine', 'tumour', 'arthralgia', 'sinusitis', 'oedema', 'peripheral', 'fatigue', 'injection', 'site',  
, 'pain', 'atrial', 'fibrillation', 'cardiac', 'failure', 'weight', 'decreased', 'piloerection', 'skin', 'disorder'  
, 'incorrect', 'dose', 'administered', 'contusion', 'dizziness', 'loss', 'consciousness', 'arrhythmia', 'blood',  
, 'pressure', 'decreased', 'decreased', 'appetite', 'malignant', 'neoplasm', 'progression', 'neck', 'mass', 'blo  
od', 'pressure', 'systolic', 'increased', 'anaemia', 'heart', 'rate', 'decreased', 'fall', 'nausea', 'hypersensi  
tivity', 'urticaria', 'constipation', 'ventricular', 'tachycardia', 'acute', 'hepatic', 'failure', 'renal', 'fai  
lure', 'acute', 'convulsion', 'toxicity', 'various', 'agent', 'intentional', 'overdose', 'dyspnoea', 'acidosis',  
, 'fluid', 'overload', 'drug', 'ineffective', 'ataxia', 'somnia', 'orthostatic', 'hypotension', 'diplopia', 'a  
rrhythmia', 'hearing', 'impaired', 'obsessive', 'thought', 'asthenia', 'nausea', 'vomiting', 'decreased', 'appet  
ite', 'blood', 'electrolyte', 'abnormal', 'renal', 'disorder', 'oesophageal', 'ulcer', 'ovarian', 'germ', 'cell',  
, 'cancer', 'stage', 'ii', 'amenorrhoea', 'weight', 'increased', 'galactorrhoea', 'tremor', 'muscular', 'weaknes  
s', 'agitation', 'dyspnoea', 'blood', 'prolactin', 'increased', 'palpitation', 'aggression', 'dyskinesia', 'hype  
rhidrosis', 'abdominal', 'pain', 'dysuria', 'swelling', 'muscle', 'spasm', 'breast', 'enlargement', 'fatigue', 'r  
enal', 'failure', 'acute', 'patent', 'ductus', 'arteriosus', 'haemangioma', 'congenital', 'atrial', 'septal', 'defect',  
, 'exposure', 'pregnancy', 'drug', 'ineffective', 'death', 'adverse', 'event', 'plasma', 'cell', 'myeloma',  
, 'anal', 'abscess', 'infection', 'proctalgia', 'erythema', 'haemorrhoid', 'asthenia', 'pyrexia', 'vomiting', 'f  
atigue', 'nausea', 'diarrhoea', 'cerebrovascular', 'accident', 'disorder', 'pathological', 'gambling', 'renal',  
, 'failure', 'hypotension', 'unevaluable', 'event', 'acute', 'myeloid', 'leukaemia', 'urticaria', 'bronchospasm',  
, 'bromhidrosis', 'electrocardiogram', 'qt', 'prolonged', 'cardiac', 'disorder', 'blister', 'paraplegia', 'cerebro  
vascular', 'accident', 'weight', 'increased', 'withdrawal', 'syndrome', 'drug', 'abuse', 'intentional', 'sopor',  
, 'overdose', 'cardiotoxicity', 'depressed', 'level', 'consciousness', 'atrial', 'flutter', 'hypoxia', 'drug', 'in  
teraction', 'fluid', 'overload', 'syncope', 'neuropathy', 'peripheral', 'death', 'oedema', 'dizziness', 'dizzine  
ss', 'erythema', 'sopor', 'label', 'use', 'hepatocellular', 'injury', 'cholestasis', 'disease', 'progression', 'c  
entral', 'nervous', 'system', 'lesion', 'drug', 'dose', 'omission', 'malaise', 'pyrexia', 'rash', 'generalised',  
, 'headache', 'sinusitis', 'acute', 'psychosis', 'drug', 'interaction', 'grand', 'mal', 'convulsion', 'oedema',  
, 'embedded', 'device', 'dysmenorrhoea', 'vaginal', 'haemorrhage', 'device', 'breakage', 'infective', 'pulmonary',  
, 'exacerbation', 'cystic', 'fibrosis', 'syncope', 'fluid', 'overload', 'oedema', 'dyspnoea', 'myalgia', 'dysgeusi  
a', 'nausea', 'diarrhoea', 'insomnia', 'asthenia', 'hyperhidrosis', 'activity', 'daily', 'living', 'impaired', 'g  
eneral', 'physical', 'health', 'deterioration', 'surgery', 'retinal', 'toxicity', 'tooth', 'disorder', 'retinop  
athy', 'therapeutic', 'product', 'ineffective', 'nephrocalcinosis', 'renal', 'tubular', 'acidosis', 'drug', 'abu  
se', 'blindness', 'transient', 'vision', 'blurred', 'visual', 'impairment', 'vitreous', 'floater', 'formication',  
, 'presyncope', 'vertigo', 'orthostatic', 'hypotension', 'loss', 'consciousness', 'anaphylactic', 'reaction', 'p  
ruritus', 'cough', 'wheezing', 'refusal', 'treatment', 'patient', 'headache', 'fluid', 'retention', 'oedema', 'p  
eripheral', 'sinusitis', 'paraesthesia', 'asthenia', 'deafness', 'feeling', 'abnormal', 'burning', 'sensation',  
, 'lethargy', 'pain', 'amnesia', 'muscular', 'weakness', 'hypoaesthesia', 'nasal', 'congestion', 'peripheral', 'sw  
elling', 'hypomagnesaemia', 'drug', 'interaction', 'fluid', 'retention', 'accident', 'peripheral', 'swelling', 'w  
eight', 'decreased', 'oedema', 'right', 'ventricular', 'failure', 'oedema', 'dysphemia', 'paraesthesia', 'uneva  
luable', 'event', 'fall', 'loss', 'consciousness', 'dizziness', 'device', 'failure', 'hepatic', 'function', 'abn  
ormal', 'myopathy', 'dyspnoea', 'malaise', 'hypopnoea', 'death', 'cerebrovascular', 'accident', 'drug', 'ineffec  
tive', 'generalised', 'seizure', 'status', 'epilepticus', 'convulsion', 'aortic', 'dissection', 'acne', 'aggress  
ion', 'palpitation', 'fatigue', 'nausea', 'fluid', 'retention', 'hepatic', 'failure', 'hepatitis', 'b', 'vertigo',  
, 'death', 'oesophageal', 'carcinoma', 'varicella', 'hypersensitivity', 'type', 'diabetes', 'mellitus', 'catara  
ct', 'amnesia', 'incontinence', 'dysstasia', 'lethargy', 'headache', 'application', 'site', 'vesicle', 'type', 'd  
iabetes', 'mellitus', 'burning', 'sensation', 'fluid', 'retention', 'hyponatraemia', 'confusional', 'state', 'l  
eukocytosis', 'incorrect', 'drug', 'administration', 'duration', 'gastrointestinal', 'haemorrhage', 'gastric', 'u  
lcer', 'duodenal', 'ulcer', 'application', 'site', 'vesicle', 'application', 'site', 'pain', 'application', 'si  
te', 'swelling', 'application', 'site', 'pain', 'application', 'site', 'exfoliation', 'drug', 'administered', 'i  
nappropriate', 'site', 'type', 'diabetes', 'mellitus', 'gait', 'disturbance', 'hypoaesthesia', 'hypersomnia', 'f  
eeling', 'abnormal', 'laboratory', 'test', 'abnormal', 'unevaluable', 'event', 'fatigue', 'fluid', 'retention',  
, 'contusion', 'discomfort', 'fatigue', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'applica  
tion', 'site', 'scab', 'application', 'site', 'swelling', 'drug', 'administration', 'error', 'hypokalaemia', 'ne  
utrophil', 'count', 'decreased', 'hypophosphataemia', 'abortion', 'spontaneous', 'abdominal', 'injury', 'materna  
l', 'exposure', 'pregnancy', 'atrial', 'fibrillation', 'dyspnoea', 'pyrexia', 'chest', 'pain', 'sinus', 'tachyca  
rdia', 'pneumonitis', 'febrile', 'neutropenia', 'subdural', 'haematoma', 'dental', 'caries', 'ecchymosis', 'dysp  
hagia', 'osteoporosis', 'alopecia', 'dementia', 'type', 'osteopenia', 'hearing', 'impaired', 'skin', 'wrinkling',  
, 'fall', 'malignant', 'neoplasm', 'progression', 'pulmonary', 'embolism', 'drug', 'hypersensitivity', 'angioede  
ma', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'swelling', 'appli  
cation', 'site', 'exfoliation', 'application', 'site', 'vesicle', 'application', 'site', 'discharge', 'asthenia',  
, 'neutropenia', 'pulmonary', 'alveolar', 'haemorrhage', 'respiratory', 'failure', 'epistaxis', 'rectal', 'haemo  
rrhage', 'haemospermia', 'haemorrhage', 'epiglottic', 'oedema', 'face', 'oedema', 'tongue', 'oedema', 'rash',  
, 'diarrhoea', 'colitis', 'microscopic', 'weight', 'decreased', 'drug', 'administered', 'inappropriate', 'site', 'a  
dverse', 'event', 'type', 'diabetes', 'mellitus', 'drug', 'ineffective', 'gastrooesophageal', 'reflux', 'diseas  
e', 'dyspnoea', 'fatigue', 'deep', 'vein', 'thrombosis', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus',  
, 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'swelling', 'applicatio  
n', 'site', 'vesicle', 'drug', 'administered', 'inappropriate', 'site', 'incorrect', 'drug', 'administration', 'd  
uration', 'pulmonary', 'arterial', 'hypertension', 'condition', 'aggravated', 'death', 'neutropenia', 'anaemia',  
, 'pancytopenia', 'thrombocytopenia', 'metabolic', 'acidosis', 'tachycardia', 'vomiting', 'application', 'site', 'p  
ain', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'swelling', 'in  
correct', 'drug', 'administration', 'duration', 'death', 'myocardial', 'infarction', 'thrombosis', 'device', 'de  
ep', 'vein', 'thrombosis', 'pulmonary', 'embolism', 'label', 'use', 'drug', 'administration', 'error', 'in correc  
t', 'drug', 'administration', 'duration', 'decreased', 'appetite', 'pulmonary', 'embolism', 'hypercalcaemia', 'l  
eukocytosis', 'pulmonary', 'embolism', 'neoplasm', 'progression', 'abdominal', 'pain', 'hypertension', 'suicidal',  
, 'ideation', 'agitation', 'weight', 'increased', 'ovarian', 'cyst', 'sepsis', 'coccidioidomycosis', 'pneumonia

, 'pseudomonal', 'pancreatitis', 'drug', 'dose', 'omission', 'hepatomegaly', 'liver', 'function', 'test', 'abnormal', 'hepatic', 'failure', 'erythrodysaesthesia', 'syndrome', 'injury', 'corneal', 'product', 'packaging', 'issue', 'expired', 'product', 'administered', 'drug', 'ineffective', 'meniscus', 'injury', 'surgery', 'surgery', 'prostatectomy', 'injection', 'site', 'pain', 'fear', 'incorrect', 'dose', 'administered', 'incorrect', 'dose', 'administered', 'incorrect', 'dose', 'administered', 'incorrect', 'dose', 'administered', 'nervousness', 'wrong', 'technique', 'drug', 'usage', 'process', 'arthralgia', 'musculoskeletal', 'pain', 'pain', 'wrong', 'technique', 'drug', 'usage', 'process', 'wrong', 'technique', 'drug', 'usage', 'process', 'wrong', 'technique', 'drug', 'usage', 'process', 'device', 'issue', 'device', 'issue', 'device', 'issue', 'wrong', 'technique', 'drug', 'usage', 'process', 'incorrect', 'dose', 'administered', 'device', 'issue', 'injection', 'site', 'pain', 'application', 'site', 'vesicle', 'application', 'site', 'erythema', 'application', 'site', 'exfoliation', 'erythema', 'incorrect', 'dose', 'administered', 'multiple', 'chemical', 'sensitivity', 'dry', 'mouth', 'nasal', 'dryness', 'disturbance', 'attention', 'dry', 'eye', 'dizziness', 'disorientation', 'tension', 'disorder', 'tinnitus', 'sleep', 'disorder', 'malaise', 'hypertension', 'hepatocellular', 'injury', 'liver', 'disorder', 'skin', 'burning', 'sensation', 'fatigue', 'malaise', 'acute', 'kidney', 'injury', 'toxicity', 'various', 'agent', 'lactic', 'acidosis', 'application', 'site', 'erythema', 'application', 'site', 'exfoliation', 'incorrect', 'drug', 'administration', 'duration', 'drug', 'administered', 'inappropriate', 'site', 'suicidal', 'ideation', 'depersonalisation', 'tremor', 'heart', 'rate', 'increased', 'mania', 'aggression', 'performance', 'status', 'decreased', 'abnormal', 'behaviour', 'mental', 'disorder', 'self', 'esteem', 'decreased', 'emotional', 'poverty', 'social', 'avoidant', 'behaviour', 'euphoric', 'mood', 'depressed', 'mood', 'hypokinesia', 'aphasia', 'anxiety', 'partial', 'seizure', 'apathy', 'disturbance', 'attention', 'vertigo', 'drug', 'effect', 'incomplete', 'feeding', 'disorder', 'blood', 'bicarbonate', 'decreased', 'coronary', 'arterial', 'stent', 'insertion', 'urinary', 'tract', 'infection', 'klebsiella', 'test', 'positive', 'renal', 'impairment', 'blood', 'alkaline', 'phosphatase', 'increased', 'cardiac', 'failure', 'congestive', 'painful', 'respiration', 'arrhythmia', 'pyrexia', 'pyrexia', 'dry', 'mouth', 'dysgeusia', 'thermal', 'burn', 'acne', 'leukocytosis', 'blood', 'pressure', 'fluctuation', 'cough', 'asthenia', 'drug', 'dose', 'omission', 'accident', 'home', 'ultrasound', 'bladder', 'abnormal', 'pyrexia', 'chill', 'serum', 'ferritin', 'increased', 'feeling', 'abnormal', 'blood', 'cholesterol', 'increased', 'pyrexia', 'pyrexia', 'pruritus', 'dysgeusia', 'neutropenia', 'blood', 'triglyceride', 'increased', 'weight', 'decreased', 'asthenia', 'headache', 'haemoglobin', 'decreased', 'impatience', 'productive', 'cough', 'depression', 'fatigue', 'dyspnoea', 'gait', 'disturbance', 'throat', 'irritation', 'vitamin', 'decreased', 'anaemia', 'fatigue', 'disturbance', 'attention', 'dyspraxia', 'feeling', 'cold', 'body', 'temperature', 'decreased', 'malaise', 'pyrexia', 'haemoglobin', 'decreased', 'decreased', 'appetite', 'anaemia', 'palpitation', 'blood', 'pressure', 'increased', 'thyroid', 'pain', 'gastric', 'disorder', 'drug', 'ineffective', 'ankle', 'fracture', 'vitamin', 'deficiency', 'anaemia', 'postoperative', 'device', 'failure', 'sleep', 'disorder', 'bursitis', 'gastroesophageal', 'reflux', 'disease', 'intramedullary', 'rod', 'insertion', 'fatigue', 'hypertension', 'femur', 'fracture', 'cholecystectomy', 'depression', 'femur', 'fracture', 'traumatic', 'arthrosis', 'sciatic', 'nerve', 'injury', 'osteoporosis', 'bone', 'fragmentation', 'hyperlipidaemia', 'hypertension', 'product', 'packaging', 'quantity', 'issue', 'incorrect', 'drug', 'administration', 'duration', 'drug', 'administered', 'inappropriate', 'site', 'bronchopneumonia', 'pulmonary', 'embolism', 'death', 'malignant', 'neoplasm', 'progression', 'label', 'use', 'cardiomegaly', 'cerebrovascular', 'accident', 'cardiac', 'failure', 'myocardial', 'infarction', 'unevaluable', 'event', 'abnormal', 'dream', 'fall', 'hemiplegia', 'left', 'ventricular', 'failure', 'consciousness', 'fluctuating', 'platelet', 'disorder', 'myocardial', 'infarction', 'gastrointestinal', 'haemorrhage', 'zygomycosis', 'pulmonary', 'toxicity', 'eye', 'burn', 'application', 'site', 'pain', 'application', 'site', 'pain', 'product', 'quality', 'issue', 'incorrect', 'drug', 'administration', 'duration', 'eye', 'irritation', 'drug', 'ineffective', 'renal', 'disorder', 'lung', 'disorder', 'weight', 'decreased', 'general', 'physical', 'health', 'deterioration', 'pancytopenia', 'rash', 'vesicular', 'hepatic', 'failure', 'death', 'febrile', 'neutropenia', 'septic', 'shock', 'thrombocytopenia', 'renal', 'failure', 'acute', 'electrolyte', 'imbalance', 'swollen', 'tear', 'duct', 'eye', 'irritation', 'eye', 'pain', 'eye', 'swelling', 'application', 'site', 'exfoliation', 'eye', 'pruritus', 'accidental', 'exposure', 'product', 'drug', 'administered', 'inappropriate', 'site', 'incorrect', 'route', 'drug', 'administration', 'convulsion', 'drug', 'dose', 'omission', 'drug', 'ineffective', 'myasthenia', 'gravis', 'pain', 'death', 'drug', 'ineffective', 'death', 'death', 'cerebrovascular', 'accident', 'platelet', 'count', 'decreased', 'weight', 'decreased', 'adverse', 'event', 'pollakiuria', 'blood', 'sodium', 'decreased', 'extrasystole', 'dyspnoea', 'death', 'application', 'site', 'erythema', 'application', 'site', 'pain', 'application', 'site', 'exfoliation', 'application', 'site', 'dryness', 'application', 'site', 'reaction', 'drug', 'ineffective', 'blood', 'pressure', 'increased', 'chest', 'pain', 'asthenia', 'musculoskeletal', 'pain', 'headache', 'platelet', 'count', 'decreased', 'drug', 'interaction', 'lower', 'respiratory', 'tract', 'infection', 'fungal', 'gastrointestinal', 'haemorrhage', 'anaemia', 'chest', 'pain', 'abdominal', 'pain', 'acute', 'kidney', 'injury', 'bone', 'marrow', 'failure', 'inflammation', 'hypersensitivity', 'application', 'site', 'rash', 'acne', 'application', 'site', 'scar', 'label', 'use', 'arrhythmia', 'drug', 'interaction', 'hepatotoxicity', 'bleeding', 'varicose', 'vein', 'fatigue', 'haemorrhage', 'drug', 'ineffective', 'palpitation', 'malaise', 'diplopia', 'adverse', 'event', 'depression', 'death', 'pancreatitis', 'chronic', 'pancreatic', 'carcinoma', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'thyroid', 'cancer', 'demyelination', 'diabetic', 'neuropathy', 'death', 'platelet', 'count', 'decreased', 'chest', 'pain', 'myocardial', 'infarction', 'hypoesthesia', 'bone', 'pain', 'nodule', 'pain', 'adverse', 'drug', 'reaction', 'dizziness', 'headache', 'vaginal', 'haemorrhage', 'vaginal', 'odour', 'death', 'cardiac', 'disorder', 'lung', 'disorder', 'stress', 'dyspnoea', 'platelet', 'count', 'decreased', 'acute', 'generalised', 'exanthematous', 'pustulosis', 'hyponatraemia', 'lymphadenopathy', 'platelet', 'count', 'decreased', 'wrong', 'technique', 'drug', 'usage', 'process', 'platelet', 'count', 'decreased', 'transfusion', 'dyspnoea', 'death', 'malaise', 'hypopnoea', 'vomiting', 'anxiety', 'diarrhoea', 'weight', 'increased', 'urinary', 'tract', 'infection', 'pruritus', 'dry', 'skin', 'stomatitis', 'paraesthesia', 'dysphagia', 'depression', 'nausea', 'dysgeusia', 'therapeutic', 'response', 'unexpected', 'pyrexia', 'label', 'use', 'headache', 'night', 'sweat', 'insomnia', 'hypoesthesia', 'thrombocytopenia', 'rash', 'chest', 'pain', 'constipation', 'anaemia', 'hot', 'flush', 'cough', 'foot', 'deformity', 'foot', 'deformity', 'foot', 'fracture', 'foot', 'fracture', 'arthralgia', 'pain', 'extremity', 'pain', 'pain', 'product', 'quality', 'issue', 'rheumatoid', 'arthritis', 'oedema', 'peripheral', 'dyspnoea', 'exertional', 'cardiac', 'failure', 'heart', 'valve', 'incompetence', 'myocardial', 'infarction', 'psoriasis', 'haemoglobin', 'decreased', 'splenectomy', 'dizziness', 'fatigue', 'lethargy', 'anaemia', 'thrombocytosis', 'leukocytosis', 'lipid', 'abnormal', 'liver', 'function', 'test', 'abnormal', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'diarrhoea', 'platelet', 'count', 'decreased', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'gastroenteritis', 'viral', 'nausea', 'vomiting', 'weight', 'decreased', 'gout', 'mucosal', 'inflammation', 'oral', 'pain', 'oropharyngeal', 'plaque', 'psoriasis', 'hyperthermia', 'malignant', 'hyperthermia', 'blood', 'pressure', 'decreased', 'chill', 'blood', 'count', 'abnormal', 'pyrexia', 'infection', 'anaemia', 'blood', 'count', 'abnormal', 'anaemia', 'platelet', 'count', 'decreased', 'blood', 'count', 'abnormal', 'amnesia', 'hyperthermia', 'malignant', 'anaemia', 'platelet', 'count', 'decreased', 'muscular', 'weakness', 'fatigue', 'diabetes', 'mellitus', 'inadequate', 'control', 'gastritis', 'loss', 'consciousness', 'gastrointestinal', 'inflammation', 'pyrexia', 'rectal', 'haemorrhage', 'alopecia', 'oral', 'herpes', 'blood', 'glucose', 'increased

ed', 'rectal', 'haemorrhage', 'depressed', 'mood', 'depression', 'colitis', 'ulcerative', 'haemoglobin', 'decreased', 'musculoskeletal', 'pain', 'pain', 'extremity', 'platelet', 'count', 'decreased', 'blood', 'count', 'abnormal', 'transfusion', 'platelet', 'count', 'decreased', 'blood', 'count', 'abnormal', 'premature', 'baby', 'foetal', 'exposure', 'pregnancy', 'enterocolitis', 'haemorrhagic', 'mucosal', 'inflammation', 'anaemia', 'blood', 'count', 'abnormal', 'renal', 'disorder', 'incorrect', 'dose', 'administered', 'skin', 'depigmentation', 'lumbar', 'vertebral', 'fracture', 'fracture', 'pain', 'platelet', 'count', 'decreased', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'food', 'poisoning', 'malaise', 'neuroleptic', 'malignant', 'syndrome', 'altered', 'state', 'consciousness', 'hyperthermia', 'hypertonia', 'drug', 'withdrawal', 'syndrome', 'retinal', 'detachment', 'visual', 'impairment', 'rash', 'erythematous', 'eye', 'irritation', 'pruritus', 'ocular', 'hyperaemia', 'eye', 'swelling', 'foreign', 'body', 'sensation', 'eye', 'swelling', 'face', 'feeling', 'hot', 'dysphagia', 'hyperensitivity', 'injection', 'site', 'rash', 'rash', 'generalised', 'hypertriglyceridaemia', 'nausea', 'cervix', 'carcinoma', 'stage', 'hyperventilation', 'dizziness', 'incision', 'site', 'haemorrhage', 'incision', 'site', 'complication', 'loss', 'consciousness', 'disorientation', 'immobile', 'pneumonia', 'gastrointestinal', 'infection', 'memory', 'impairment', 'diet', 'refusal', 'speech', 'disorder', 'confusional', 'state', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'wrong', 'technique', 'drug', 'usage', 'process', 'febrile', 'convulsion', 'viral', 'infection', 'abdominal', 'pain', 'lower', 'fatigue', 'anaemia', 'splenomegaly', 'poor', 'quality', 'sleep', 'medication', 'error', 'asthenia', 'platelet', 'count', 'decreased', 'death', 'calciophylaxis', 'pain', 'nodule', 'lividity', 'erythema', 'skin', 'induration', 'skin', 'plaque', 'purpura', 'skin', 'lesion', 'hyperplasia', 'haemoglobin', 'decreased', 'haemoglobin', 'decreased', 'tubulointerstitial', 'nephritis', 'oliguria', 'blood', 'pressure', 'increased', 'renal', 'failure', 'acute', 'urine', 'output', 'decreased', 'rale', 'renal', 'tubular', 'atrophy', 'dyspnoea', 'asthenia', 'kidney', 'fibrosis', 'jugular', 'vein', 'distension', 'leukocytosis', 'haemolytic', 'anaemia', 'oedema', 'peripheral', 'haematuria', 'anaemia', 'anisocytosis', 'nausea', 'vomiting', 'hyperthermia', 'malignant', 'acute', 'kidney', 'injury', 'death', 'linear', 'iga', 'disease', 'sign', 'skin', 'exfoliation', 'blister', 'skin', 'lesion', 'hernia', 'cystitis', 'hypokalaemia', 'hypomagnesaemia', 'blood', 'count', 'abnormal', 'thrombocytopenia', 'tooth', 'abscess', 'thrombocytopenia', 'asthenia', 'dizziness', 'fatigue', 'treatment', 'noncompliance', 'drug', 'administration', 'error', 'transfusion', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'death', 'neoplasm', 'malignant', 'metastasis', 'central', 'nervous', 'system', 'memory', 'impairment', 'emphysema', 'convulsion', 'nasal', 'discomfort', 'skin', 'irritation', 'malaise', 'burning', 'sensation', 'palpitation', 'abdominal', 'discomfort', 'dizziness', 'dyspnoea', 'drug', 'interaction', 'aggression', 'psychomotor', 'hyperactivity', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'haemoglobin', 'decreased', 'death', 'optic', 'neuropathy', 'visual', 'impairment', 'vision', 'blurred', 'visual', 'acuity', 'reduced', 'miosis', 'visual', 'field', 'defect', 'colour', 'blindness', 'acquired', 'neurotoxicity', 'confusional', 'state', 'somnia', 'swelling', 'haemoglobin', 'decreased', 'dizziness', 'coma', 'posterior', 'reversible', 'encephalopathy', 'syndrome', 'atypical', 'mycobacterial', 'infection', 'immune', 'reconstitution', 'inflammatory', 'syndrome', 'angina', 'pectoris', 'diabetes', 'mellitus', 'inadequate', 'control', 'wound', 'haemorrhage', 'therapy', 'cessation', 'myocardial', 'infarction', 'chest', 'pain', 'electrocardiogram', 'st', 'segment', 'elevation', 'acute', 'left', 'ventricular', 'failure', 'ejection', 'fraction', 'decreased', 'cardiomyopathy', 'cardiogenic', 'shock', 'cardiac', 'arrest', 'hyperventilation', 'blood', 'pressure', 'decreased', 'ventricular', 'hypokinesia', 'toxicity', 'various', 'agent', 'ventricular', 'fibrillation', 'arrhythmia', 'sinus', 'tachycardia', 'bradycardia', 'pulmonary', 'oedema', 'dyspnoea', 'overdose', 'suicide', 'attempt', 'respiratory', 'alkalosis', 'hypokalaemia', 'metabolic', 'acidosis', 'tremor', 'pruritus', 'somnia', 'skin', 'discolouration', 'brain', 'oedema', 'restlessness', 'nystagmus', 'chromaturia', 'hyperaemia', 'vomiting', 'nausea', 'hyperhidrosis', 'drug', 'ineffective', 'haemoglobin', 'decreased', 'organising', 'pneumonia', 'pyrexia', 'asthenia', 'cough', 'dyspnoea', 'oxygen', 'saturation', 'decreased', 'rale', 'respiratory', 'failure', 'haemoglobin', 'decreased', 'anaemia', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'dizziness', 'fall', 'anaemia', 'hypotension', 'accidental', 'overdose', 'nausea', 'vomiting', 'abasia', 'incontinence', 'neck', 'pain', 'hypokinesia', 'breast', 'cancer', 'neoplasm', 'progression', 'application', 'site', 'pain', 'application', 'site', 'pain', 'application', 'site', 'erythema', 'application', 'site', 'exfoliation', 'application', 'site', 'dryness', 'application', 'site', 'vesicle', 'incorrect', 'dose', 'administered', 'inappropriate', 'schedule', 'drug', 'administration', 'incorrect', 'drug', 'administration', 'duration', 'drug', 'administered', 'inappropriate', 'site', 'drug', 'administration', 'error', 'prescribed', 'overdose', 'application', 'site', 'discolouration', 'breast', 'cancer', 'neoplasm', 'progression', 'application', 'site', 'discomfort', 'application', 'site', 'erythema', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'application', 'site', 'paraesthesia', 'application', 'site', 'discomfort', 'application', 'site', 'swelling', 'lip', 'swelling', 'application', 'site', 'erythema', 'congenital', 'hydronephrosis', 'ureteric', 'stenosis', 'foetal', 'exposure', 'pregnancy', 'label', 'use', 'incorrect', 'drug', 'administration', 'duration', 'medication', 'error', 'product', 'packaging', 'quantity', 'issue', 'drug', 'dose', 'omission', 'metastatic', 'malignant', 'melanoma', 'ulcer', 'haemorrhage', 'skin', 'lesion', 'pain', 'infection', 'inflammation', 'purulent', 'discharge', 'viith', 'nerve', 'paralysis', 'seborrhoeic', 'keratosis', 'swelling', 'anaemia', 'oedema', 'peripheral', 'pyrexia', 'lethargy', 'peripheral', 'swelling', 'application', 'site', 'dryness', 'application', 'site', 'exfoliation', 'application', 'site', 'pain', 'dyspnoea', 'dental', 'caries', 'hyponatraemia', 'hypokalaemia', 'cough', 'abnormal', 'behaviour', 'intentional', 'weight', 'increased', 'drug', 'ineffective', 'hot', 'flush', 'product', 'substitution', 'issue', 'peripheral', 'swelling', 'drug', 'ineffective', 'cellulitis', 'dyspnoea', 'liver', 'injury', 'fluid', 'retention', 'red', 'blood', 'cell', 'count', 'decreased', 'nausea', 'abdominal', 'pain', 'upper', 'breast', 'cancer', 'neoplasm', 'progression', 'weight', 'increased', 'haemolytic', 'uraemic', 'syndrome', 'asthenia', 'drug', 'ineffective', 'diabetic', 'foot', 'infection', 'blood', 'glucose', 'decreased', 'renal', 'impairment', 'unevaluable', 'event', 'urticaria', 'nausea', 'renal', 'failure', 'acute', 'lactic', 'acidosis', 'anaemia', 'chest', 'pain', 'dyspnoea', 'tachycardia', 'blood', 'pressure', 'increased', 'weight', 'decreased', 'syncope', 'loss', 'consciousness', 'oedema', 'peripheral', 'sleep', 'apnoea', 'syndrome', 'death', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'oedema', 'peripheral', 'drug', 'ineffective', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'respiratory', 'disorder', 'swelling', 'fluid', 'retention', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'drug', 'dependence', 'headache', 'nausea', 'abdominal', 'discomfort', 'therapeutic', 'response', 'unexpected', 'drug', 'ineffective', 'oedema', 'peripheral', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'urinary', 'tract', 'infection', 'drug', 'ineffective', 'osteoporosis', 'spinal', 'compression', 'fracture', 'vomiting', 'acute', 'generalised', 'exanthematous', 'pustulosis', 'rash', 'pustular', 'stomatitis', 'inflammatory', 'pain', 'blister', 'hypophagia', 'skin', 'erosion', 'leukocytosis', 'pyrexia', 'type', 'iv', 'hypersensitivity', 'reaction', 'drug', 'dependence', 'nasal', 'septum', 'deviation', 'sinusitis', 'polyp', 'rhinitis', 'inappropriate', 'schedule', 'drug', 'administration', 'ageusia', 'anosmia', 'fluid', 'retention', 'disease', 'bacteremia', 'gastrointestinal', 'pain', 'diarrhoea', 'decreased', 'appetite', 'feeling', 'abnormal', 'accidental', 'exposure', 'product', 'child', 'blood', 'pressure', 'decreased', 'drug', 'ineffective', 'label', 'use', 'cerebrovascular', 'accident', 'weight', 'increased', 'withdrawal', 'syndrome', 'ankle', 'fracture', 'breast', 'pain', 'burning', 'sensation', 'cystitis', 'erythema', 'gastroesophageal', 'reflux', 'disease', 'hot', 'flush', 'joint', 'swelling', 'night', 'sweat', 'oedema', 'peripheral', 'pain', 'pain', 'extremity', 'pruritus', 'sleep', 'disorder



r', 'thrombophlebitis', 'weight', 'bearing', 'difficulty', 'vomiting', 'diarrhoea', 'abdominal', 'pain', 'upper', 'nausea', 'malaise', 'back', 'pain', 'headache', 'incorrect', 'dose', 'administered', 'haemoglobin', 'decrease d', 'diarrhoea', 'red', 'blood', 'cell', 'count', 'decreased', 'pneumonia', 'haemoglobin', 'abnormal', 'haemoglo bin', 'decreased', 'feeling', 'hot', 'anaemia', 'epistaxis', 'rectal', 'haemorrhage', 'pulmonary', 'embolism', 'hypersensitivity', 'general', 'physical', 'health', 'deterioration', 'bronchopulmonary', 'aspergillosis', 'hypox ia', 'renal', 'failure', 'acute', 'endotracheal', 'intubation', 'disseminated', 'intravascular', 'coagulation', 'platelet', 'transfusion', 'platelet', 'count', 'decreased', 'epistaxis', 'platelet', 'count', 'decreased', 'hae moglobin', 'decreased', 'haematocrit', 'decreased', 'activity', 'daily', 'living', 'impaired', 'muscular', 'weak ness', 'mood', 'altered', 'fatigue', 'malaise', 'lethargy', 'haemolysis', 'breast', 'cancer', 'malignant', 'neop lasm', 'progression', 'hip', 'fracture', 'therapeutic', 'response', 'unexpected', 'underdose', 'drug', 'administ ered', 'inappropriate', 'site', 'haemoglobin', 'decreased', 'night', 'sweat', 'haemoglobin', 'decreased', 'fatig ue', 'drug', 'ineffective', 'anaemia', 'hypoglycaemia', 'oedema', 'dizziness', 'neoplasm', 'malignant', 'liver', 'disorder', 'headache', 'red', 'blood', 'cell', 'count', 'decreased', 'lobar', 'pneumonia', 'injection', 'site', 'necrosis', 'injection', 'site', 'erythema', 'injection', 'site', 'induration', 'haemoglobin', 'decreased', 'blo od', 'pressure', 'increased', 'haemorrhage', 'increased', 'appetite', 'weight', 'increased', 'heart', 'rate', 'i ncreased', 'fatigue', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'nephrogenic', 'systemic', 'fibros is', 'respiratory', 'failure', 'cystic', 'fibrosis', 'anaemia', 'balance', 'disorder', 'dyspnoea', 'pain', 'extr emity', 'pain', 'death', 'psoriasis', 'pruritus', 'rash', 'erythematous', 'gastrointestinal', 'disorder', 'abdom inal', 'pain', 'eczema', 'therapeutic', 'response', 'decreased', 'platelet', 'count', 'decreased', 'anaemia', 'p latelet', 'count', 'decreased', 'asthenia', 'dizziness', 'haematuria', 'urinary', 'tract', 'infection', 'pyrexia ', 'myalgia', 'myocardial', 'infarction', 'coronary', 'artery', 'bypass', 'unevaluable', 'event', 'pancreatitis', 'diabetes', 'mellitus', 'peritonitis', 'bacterial', 'coma', 'hepatic', 'abdominal', 'pain', 'upper', 'blister', 'swelling', 'face', 'abdominal', 'distension', 'feeling', 'abnormal', 'vomiting', 'abdominal', 'pain', 'upper', 'coronary', 'artery', 'disease', 'drug', 'dose', 'omission', 'transient', 'ischaemic', 'attack', 'platelet', 'count', 'decreased', 'asthma', 'wheezing', 'anaemia', 'blood', 'count', 'abnormal', 'haemoglobin', 'decreased', 'speech', 'disorder', 'psychomotor', 'hyperactivity', 'haemoglobin', 'decreased', 'red', 'blood', 'cell', 'count ', 'decreased', 'death', 'rotator', 'cuff', 'syndrome', 'nasopharyngitis', 'death', 'gastrointestinal', 'haemorr hage', 'death', 'erythropoiesis', 'abnormal', 'hepatic', 'failure', 'haemoglobin', 'decreased', 'oedema', 'perip heral', 'asthenia', 'therapeutic', 'response', 'decreased', 'splenomegaly', 'fall', 'general', 'physical', 'heal th', 'deterioration', 'illness', 'anxiety', 'decreased', 'activity', 'pain', 'platelet', 'count', 'decreased', 'increased', 'tendency', 'bruise', 'contusion', 'gastrointestinal', 'haemorrhage', 'aortic', 'stenosis', 'platele t', 'count', 'decreased', 'drug', 'effect', 'decreased', 'abdominal', 'pain', 'vomiting', 'rectal', 'haemorrhage ', 'atrial', 'fibrillation', 'drug', 'ineffective', 'anaemia', 'platelet', 'count', 'decreased', 'leukocytosis', 'nephrolithiasis', 'urinary', 'tract', 'infection', 'malaise', 'haemoglobin', 'decreased', 'urinary', 'tract', 'infection', 'anaemia', 'weight', 'increased', 'thrombocytopenia', 'somnolence', 'dyspnoea', 'exertional', 'fatig ue', 'pancreatic', 'carcinoma', 'hallucination', 'visual', 'increased', 'globulin', 'decreased', 'ventricular', 'remodeling', 'blood', 'urea', 'ratio', 'decreased', 'protein', 'total', 'decreased', 'blood', 'glucose', 'incre ased', 'antipsychotic', 'drug', 'level', 'therapeutic', 'anaemia', 'blood', 'creatinine', 'increased', 'hyperkal aemia', 'dyspnoea', 'fatigue', 'dyspnoea', 'exertional', 'thrombocytosis', 'dizziness', 'encephalopathy', 'renal ', 'failure', 'haematuria', 'arrhythmia', 'cerebral', 'haemorrhage', 'haemorrhage', 'intracranial', 'acute', 're spiratory', 'failure', 'coagulopathy', 'haematuria', 'anaemia', 'haemoglobin', 'decreased', 'anaemia', 'blood', 'count', 'abnormal', 'anaemia', 'overdose', 'bradycardia', 'oxygen', 'saturation', 'decreased', 'anticonvulsant', 'drug', 'level', 'increased', 'depressed', 'level', 'consciousness', 'hypertransaminasaemia', 'hypofibrinogena emia', 'dementia', 'blood', 'urea', 'decreased', 'blood', 'cholesterol', 'increased', 'blood', 'triglyceride', 'increased', 'mean', 'cell', 'haemoglobin', 'concentration', 'decreased', 'neutrophil', 'count', 'increased', 'mo nocyte', 'count', 'increased', 'mouth', 'haemorrhage', 'epistaxis', 'rectal', 'haemorrhage', 'fatigue', 'renal', 'failure', 'acute', 'oesophageal', 'candidiasis', 'hiatus', 'hernia', 'haemorrhoid', 'surgery', 'device', 'diffi cult', 'use', 'medical', 'device', 'complication', 'incorrect', 'drug', 'administration', 'duration', 'disease', 'progression', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'red', 'blood', 'cell', 'count', 'd ecreased', 'haematocrit', 'decreased', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'haemoglobi n', 'decreased', 'haemoglobin', 'decreased', 'blood', 'count', 'abnormal', 'haemoglobin', 'decreased', 'platelet ', 'count', 'decreased', 'haematocrit', 'decreased', 'haemoglobin', 'decreased', 'nausea', 'asthenia', 'memory', 'impairment', 'depression', 'muscle', 'spasm', 'headache', 'metastasis', 'lymph', 'node', 'cardiac', 'failure', 'device', 'related', 'sepsis', 'breast', 'cancer', 'recurrent', 'exposure', 'pregnancy', 'lymphoedema', 'maligna nt', 'neoplasm', 'progression', 'anaemia', 'drug', 'effect', 'increased', 'white', 'blood', 'cell', 'count', 'de creased', 'platelet', 'count', 'decreased', 'arthralgia', 'pancytopenia', 'herpes', 'zoster', 'haemoglobin', 'de creased', 'platelet', 'count', 'decreased', 'angina', 'pectoris', 'dehydration', 'malaise', 'pain', 'oral', 'sur gery', 'immunosuppressant', 'drug', 'level', 'increased', 'drug', 'interaction', 'haemoglobin', 'decreased', 'pl atelet', 'count', 'decreased', 'haematocrit', 'decreased', 'platelet', 'count', 'decreased', 'blood', 'glucose', 'decreased', 'asthenia', 'vaginal', 'ulceration', 'death', 'drug', 'ineffective', 'label', 'use', 'label', 'use', 'thrombocytopenia', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'haemoglobin', 'decreased', 'plate let', 'count', 'decreased', 'epistaxis', 'disease', 'progression', 'platelet', 'count', 'decreased', 'thrombocyt openia', 'drug', 'ineffective', 'haematocrit', 'decreased', 'haemoglobin', 'decreased', 'aspartate', 'aminotrans ferase', 'increased', 'epilepsy', 'wrong', 'technique', 'drug', 'usage', 'process', 'thrombocytopenia', 'medicat ion', 'error', 'fatigue', 'dyspnoea', 'exertional', 'insomnia', 'musculoskeletal', 'pain', 'rash', 'pruritic', 'weight', 'increased', 'anaemia', 'thrombocytopenia', 'dizziness', 'leukocytosis', 'fatigue', 'diet', 'refusal', 'platelet', 'count', 'decreased', 'anaemia', 'dyspnoea', 'chest', 'discomfort', 'fatigue', 'platelet', 'count', 'decreased', 'anaemia', 'fatigue', 'gastric', 'disorder', 'anaemia', 'diarrhoea', 'blood', 'count', 'abnormal', 'drug', 'ineffective', 'blood', 'count', 'abnormal', 'thrombocytopenia', 'anaemia', 'medication', 'error', 'thro mbocytopenia', 'platelet', 'count', 'increased', 'drug', 'ineffective', 'pain', 'fall', 'neurological', 'symptom ', 'night', 'sweat', 'abdominal', 'discomfort', 'diabetes', 'mellitus', 'inadequate', 'control', 'drug', 'withdr awal', 'syndrome', 'blood', 'testosterone', 'decreased', 'insomnia', 'back', 'pain', 'pain', 'back', 'pain', 'mu sculoskeletal', 'discomfort', 'label', 'use', 'anaemia', 'haemoglobin', 'decreased', 'fatigue', 'platelet', 'cou nt', 'decreased', 'disease', 'progression', 'anaemia', 'back', 'pain', 'drug', 'ineffective', 'haemoglobin', 'de creased', 'platelet', 'count', 'decreased', 'thrombocytopenia', 'infection', 'haemoglobin', 'decreased', 'device ', 'related', 'infection', 'infection', 'haemoglobin', 'decreased', 'haemoglobin', 'decreased', 'platelet', 'cou nt', 'decreased', 'thrombocytopenia', 'haemoglobin', 'decreased', 'drug', 'ineffective', 'platelet', 'count', 'd ecreased', 'haemoglobin', 'decreased', 'dizziness', 'haemoglobin', 'decreased', 'haemoglobin', 'decreased', 'con stipation', 'platelet', 'count', 'decreased', 'blood', 'pressure', 'increased', 'palpitation', 'feeling', 'abnor mal', 'contusion', 'red', 'blood', 'cell', 'count', 'decreased', 'haemoglobin', 'decreased', 'haemoglobin', 'dec reased', 'giant', 'cell', 'tumour', 'tendon', 'sheath', 'platelet', 'count', 'decreased', 'weight', 'increased', 'aneurysm', 'glossodynia', 'urinary', 'tract', 'infection', 'nephrolithiasis', 'skin', 'wrinkling', 'dry', 'skin ', 'thrombocytopenia', 'tooth', 'disorder', 'anaemia', 'fatigue', 'weight', 'decreased', 'transfusion', 'drug',

'ineffective', 'haemoglobin', 'decreased', 'dyspnoea', 'malaise', 'nausea', 'influenza', 'like', 'illness', 'chill', 'pain', 'hyperhidrosis', 'pyrexia', 'haemoglobin', 'decreased', 'disease', 'progression', 'platelet', 'count', 'decreased', 'abdominal', 'pain', 'dyspnoea', 'anaemia', 'thrombocytopenia', 'splenomegaly', 'abdominal', 'discomfort', 'palpitation', 'gingival', 'pain', 'fatigue', 'oedema', 'peripheral', 'paraesthesia', 'confusional', 'state', 'feeling', 'abnormal', 'asthenia', 'nervousness', 'anaemia', 'headache', 'platelet', 'count', 'decreased', 'splenomegaly', 'anaemia', 'hepatic', 'enzyme', 'increased', 'muscular', 'weakness', 'dizziness', 'white', 'blood', 'cell', 'count', 'decreased', 'scleroderma', 'lower', 'respiratory', 'tract', 'inflammation', 'anaemia', 'thrombocytopenia', 'epistaxis', 'fatigue', 'red', 'blood', 'cell', 'count', 'decreased', 'haemoglobin', 'decreased', 'weight', 'increased', 'night', 'sweat', 'intentional', 'overdose', 'suicide', 'attempt', 'platelet', 'count', 'decreased', 'anaemia', 'disease', 'progression', 'nasopharyngitis', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'cellulitis', 'thrombocytopenia', 'hypokalaemia', 'syncope', 'febrile', 'neutropenia', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'decreased', 'haematocrit', 'decreased', 'blood', 'count', 'abnormal', 'anaemia', 'red', 'blood', 'cell', 'count', 'decreased', 'sinusitis', 'bronchitis', 'mastoiditis', 'frequent', 'bowel', 'movement', 'mucosal', 'inflammation', 'muscle', 'spasm', 'dyspnoea', 'epistaxis', 'anxiety', 'diarrhoea', 'erythema', 'contusion', 'dizziness', 'anaemia', 'disease', 'progression', 'splenomegaly', 'lung', 'consolidation', 'goitre', 'platelet', 'count', 'decreased', 'wrong', 'technique', 'drug', 'usage', 'process', 'haemoglobin', 'decreased', 'cataract', 'retinal', 'detachment', 'label', 'use', 'haemoglobin', 'decreased', 'transfusion', 'platelet', 'count', 'decreased', 'anaemia', 'insomnia', 'dyspnoea', 'cyanosis', 'fatigue', 'haemorrhage', 'white', 'blood', 'cell', 'count', 'decreased', 'haemoglobin', 'decreased', 'pneumonia', 'blood', 'count', 'abnormal', 'asthenia', 'malaise', 'anaemia', 'back', 'pain', 'arthralgia', 'increased', 'appetite', 'cardiac', 'failure', 'congestive', 'swelling', 'platelet', 'count', 'decreased', 'drug', 'administration', 'error', 'disease', 'progression', 'haemoglobin', 'decreased', 'bone', 'pain', 'red', 'blood', 'cell', 'count', 'decreased', 'fatigue', 'anaemia', 'drug', 'ineffective', 'platelet', 'count', 'decreased', 'haemoglobin', 'abnormal', 'platelet', 'count', 'decreased', 'blood', 'count', 'abnormal', 'anaemia', 'anaemia', 'thrombocytopenia', 'medication', 'error', 'malignant', 'melanoma', 'stage', 'keratoacanthoma', 'blood', 'pressure', 'increased', 'hyperkeratosis', 'therapy', 'keratoacanthoma', 'foetal', 'exposure', 'pregnancy', 'premature', 'baby', 'low', 'birth', 'weight', 'baby', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'exposure', 'breast', 'feeding', 'dehydration', 'oedema', 'peripheral', 'decreased', 'activity', 'asthenia', 'contusion', 'cardiac', 'valve', 'disease', 'fluid', 'retention', 'fatigue', 'bradyphrenia', 'skin', 'cancer', 'dyspnoea', 'dizziness', 'diarrhoea', 'renal', 'impairment', 'lethargy', 'weight', 'decreased', 'malaise', 'transfusion', 'platelet', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'decreased', 'red', 'blood', 'cell', 'count', 'decreased', 'dizziness', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'acute', 'hepatic', 'failure', 'drug', 'ineffective', 'hepatitis', 'b', 'renal', 'failure', 'acute', 'hypokalaemia', 'oedema', 'peripheral', 'overdose', 'pyelonephritis', 'syncope', 'convulsion', 'wrong', 'technique', 'drug', 'usage', 'process', 'prostatic', 'disorder', 'urinary', 'incontinence', 'death', 'nausea', 'weight', 'decreased', 'peripheral', 'swelling', 'epistaxis', 'anaemia', 'diarrhoea', 'haemoglobin', 'decreased', 'maternal', 'exposure', 'pregnancy', 'stillbirth', 'wrong', 'technique', 'drug', 'usage', 'process', 'maternal', 'exposure', 'pregnancy', 'abortion', 'spontaneous', 'death', 'platelet', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'increased', 'urinary', 'tract', 'infection', 'death', 'haemoglobin', 'decreased', 'multiple', 'sclerosis', 'infection', 'hyperthermia', 'eosinophil', 'count', 'increased', 'lymphocyte', 'count', 'decreased', 'respiratory', 'arrest', 'foetal', 'exposure', 'pregnancy', 'exposure', 'breast', 'feeding', 'low', 'birth', 'weight', 'baby', 'premature', 'baby', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'tremor', 'exposure', 'via', 'father', 'hospitalisation', 'intentional', 'overdose', 'substance', 'abuse', 'drug', 'abuse', 'maternal', 'exposure', 'pregnancy', 'exposure', 'via', 'father', 'foetal', 'growth', 'restriction', 'premature', 'delivery', 'respiratory', 'arrest', 'pneumonia', 'anaemia', 'decubitus', 'ulcer', 'fall', 'herpes', 'zoster', 'red', 'blood', 'cell', 'count', 'decreased', 'haemoglobin', 'decreased', 'platelet', 'count', 'decreased', 'chest', 'discomfort', 'chest', 'pain', 'dyspnoea', 'gastrointestinal', 'haemorrhage', 'dementia', 'agitation', 'confusional', 'state', 'platelet', 'count', 'decreased', 'asthenia', 'nausea', 'fatigue', 'depressed', 'mood', 'decreased', 'appetite', 'headache', 'dizziness', 'lower', 'gastrointestinal', 'haemorrhage', 'anaemia', 'renal', 'failure', 'acute', 'gastrointestinal', 'haemorrhage', 'gastrointestinal', 'haemorrhage', 'bronchospasm', 'urticaria', 'investigation', 'rectal', 'adenocarcinoma', 'red', 'blood', 'cell', 'count', 'decreased', 'blood', 'count', 'abnormal', 'nephrogenic', 'systemic', 'fibrosis', 'platelet', 'count', 'decreased', 'anaemia', 'anaemia', 'platelet', 'count', 'increased', 'gingival', 'pain', 'gingival', 'swelling', 'tooth', 'disorder', 'device', 'damage', 'autism', 'lung', 'neoplasm', 'malignant', 'fatigue', 'myalgia', 'arthralgia', 'joint', 'stiffness', 'balance', 'disorder', 'muscle', 'spasm', 'muscular', 'weakness', 'arthritis', 'vision', 'blurred', 'visual', 'acuity', 'reduced', 'haemorrhage', 'death', 'swan', 'ganz', 'catheter', 'placement', 'coronary', 'artery', 'bypass', 'vascular', 'graft', 'stent', 'placenta', 'diabetes', 'mellitus', 'cardiac', 'failure', 'congestive', 'nephrogenic', 'systemic', 'fibrosis', 'rectal', 'haemorrhage', 'colitis', 'ischaemic', 'anaemia', 'coagulopathy', 'death', 'deep', 'vein', 'thrombosis', 'leukopenia', 'thrombocytopenia', 'fatigue', 'infection', 'therapeutic', 'response', 'plasma', 'cell', 'myeloma', 'recurrent', 'neutropenia', 'haemoglobin', 'decreased', 'diarrhoea', 'transfusion', 'pregnancy', 'hospitalisation', 'atypical', 'femur', 'fracture', 'femur', 'fracture', 'fall', 'hypomagnesaemia', 'drug', 'interaction', 'condition', 'aggravated', 'chronic', 'spontaneous', 'urticaria', 'insomnia', 'angioedema', 'drug', 'ineffective', 'pruritus', 'electrocardiogram', 'qt', 'prolonged', 'extrapulmonary', 'tuberculosis', 'oral', 'candidiasis', 'pancreatitis', 'anal', 'fistula', 'nephrogenic', 'systemic', 'fibrosis', 'dyspnoea', 'laryngeal', 'oedema', 'stridor', 'acute', 'myocardial', 'infarction', 'hypotension', 'arrhythmia', 'palpitation', 'drug', 'abuse', 'pulmonary', 'embolism', 'chronic', 'obstructive', 'pulmonary', 'disease', 'respiratory', 'failure', 'syndrome', 'osteoporosis', 'gastroesophageal', 'reflux', 'disease', 'gastrointestinal', 'ulcer', 'diabetes', 'mellitus', 'inadequate', 'control', 'blood', 'glucose', 'increased', 'thirst', 'micturition', 'disorder', 'abdominal', 'pain', 'arrhythmia', 'presyncope', 'plasma', 'cell', 'myeloma', 'convulsion', 'urinary', 'tract', 'infection', 'psychiatric', 'symptom', 'blood', 'glucose', 'increased', 'oesophageal', 'carcinoma', 'oesophageal', 'oedema', 'asphyxia', 'visual', 'acuity', 'reduced', 'neuropathy', 'peripheral', 'mobility', 'decreased', 'injury', 'fall', 'head', 'injury', 'pain', 'cerebrovascular', 'accident', 'hypertension', 'diabetes', 'mellitus', 'upper', 'respiratory', 'tract', 'infection', 'thrombocytopenia', 'anaemia', 'influenza', 'like', 'illness', 'pyrexia', 'investigation', 'death', 'hypopnoea', 'dyspnoea', 'malaise', 'disease', 'progression', 'investigation', 'disease', 'progression', 'death', 'urinary', 'tract', 'infection', 'sepsis', 'renal', 'failure', 'chronic', 'pyrexia', 'dysuria', 'back', 'pain', 'nausea', 'decreased', 'appetite', 'device', 'related', 'infection', 'dysphagia', 'drug', 'interaction', 'pancytopenia', 'ocular', 'vascular', 'disorder', 'death', 'deep', 'vein', 'thrombosis', 'device', 'dislocation', 'hospitalisation', 'leukopenia', 'osteonecrosis', 'jaw', 'pancytopenia', 'drug', 'interaction', 'cardiotoxicity', 'bladder', 'disorder', 'hospitalisation', 'peripheral', 'swelling', 'cataract', 'colitis', 'ulcerative', 'phlebitis', 'superficial', 'leukopenia', 'haemoglobin', 'decreased', 'cough', 'pneumonia', 'pyrexia', 'arthropathy', 'hypotension', 'platelet', 'count', 'decreased', 'malaise', 'osteonecrosis', 'jaw', 'investigation', 'staphylococcal', 'osteomyelitis', 'nausea', 'anaemia', 'disease', 'progression', 'convulsion', 'hypocalcaemia', 'death', 'surgery', 'autoimmune', 'disorder', 'encephalitis', 'tonsillitis', 'pyrexia', 'lymphadenopathy', 'white', 'bl

ood', 'cell', 'count', 'increased', 'protein', 'increased', 'enteritis', 'atelectasis', 'impaired', 'healing', 'cardiac', 'flutter', 'chest', 'pain', 'mobility', 'decreased', 'rash', 'pruritic', 'dizziness', 'pain', 'rash', 'erythematous', 'local', 'swelling', 'feeling', 'hot', 'nail', 'disorder', 'alopecia', 'nausea', 'vomiting', 'abdominal', 'distension', 'gastric', 'disorder', 'weight', 'decreased', 'abdominal', 'pain', 'arthralgia', 'pruritus', 'erythema', 'convulsion', 'drug', 'eruption', 'haemolytic', 'anaemia', 'transient', 'ischaemic', 'attack', 'dyspnoea', 'urticaria', 'nausea', 'alopecia', 'fatigue', 'hospitalisation', 'osteonecrosis', 'jaw', 'lethargy', 'pyrexia', 'liver', 'injury', 'alanine', 'aminotransferase', 'increased', 'aspartate', 'aminotransferase', 'increased', 'alpha', 'foetoprotein', 'increased', 'endometrial', 'cancer', 'unevaluable', 'event', 'renal', 'failure', 'respiratory', 'failure', 'hepatic', 'failure', 'pneumonia', 'malaise', 'chest', 'discomfort', 'presyncope', 'confusional', 'state', 'hypotension', 'vision', 'blurred', 'mobility', 'decreased', 'hip', 'fracture', 'fall', 'renal', 'failure', 'acute', 'hyponatraemia', 'drug', 'interaction', 'pancytopenia', 'hepatic', 'failure', 'glomerular', 'filtration', 'rate', 'increased', 'haemorrhage', 'intracranial', 'international', 'normalised', 'ratio', 'increased', 'drug', 'interaction', 'cardiac', 'disorder', 'hypotension', 'immunosuppressant', 'drug', 'level', 'increased', 'drug', 'interaction', 'malaise', 'mental', 'disorder', 'general', 'physical', 'health', 'deterioration', 'anaemia', 'delirium', 'cerebral', 'haemorrhage', 'eastern', 'cooperative', 'oncology', 'group', 'performance', 'status', 'worsened', 'infusion', 'related', 'reaction', 'hydrocephalus', 'pain', 'asthenia', 'blood', 'phosphorus', 'decreased', 'muscular', 'weakness', 'arteriovenous', 'malformation', 'nasopharyngitis', 'cough', 'nasal', 'dryness', 'left', 'ventricular', 'dysfunction', 'radiation', 'necrosis', 'cerebral', 'haematoma', 'pneumonia', 'brain', 'abscess', 'hyponatraemia', 'hypotension', 'gastric', 'infection', 'central', 'nervous', 'system', 'infection', 'blood', 'potassium', 'abnormal', 'platelet', 'count', 'decreased', 'performance', 'status', 'decreased', 'decreased', 'appetite', 'headache', 'obesity', 'depressed', 'level', 'consciousness', 'fall', 'dilatation', 'ventricular', 'depressed', 'level', 'consciousness', 'influenza', 'like', 'illness', 'ventricular', 'hypokinesia', 'weight', 'decreased', 'clostridium', 'difficile', 'infection', 'cystitis', 'brain', 'abscess', 'heart', 'rate', 'increased', 'influenza', 'malignant', 'neoplasm', 'progression', 'constipation', 'infusion', 'related', 'reaction', 'anorectal', 'disorder', 'coagulopathy', 'klebsiella', 'infection', 'seizure', 'paraesthesia', 'agranulocytosis', 'listless', 'hypotension', 'bradycardia', 'pseudomonal', 'sepsis', 'thrombotic', 'microangiopathy', 'label', 'use', 'death', 'death', 'investigation', 'investigation', 'loss', 'consciousness', 'product', 'odour', 'abnormal', 'application', 'site', 'perspiration', 'investigation', 'haemorrhoid', 'hospitalisation', 'hypocalcaemia', 'investigation', 'hospitalisation', 'transfusion', 'hospitalisation', 'kidney', 'infection', 'intervertebral', 'disc', 'disorder', 'urinary', 'tract', 'infection', 'urge', 'incontinence', 'cystitis', 'influenza', 'arthralgia', 'emergency', 'care', 'pulmonary', 'oedema', 'headache', 'body', 'temperature', 'increased', 'disease', 'progression', 'disease', 'progression', 'drug', 'ineffective', 'metastasis', 'central', 'nervous', 'system', 'hepatitis', 'c', 'drug', 'ineffective', 'white', 'blood', 'cell', 'count', 'decreased', 'thrombocytopenia', 'pancytopenia', 'arteritis', 'death', 'chronic', 'obstructive', 'pulmonary', 'disease', 'intestinal', 'ulcer', 'diarrhoea', 'death', 'febrile', 'neutropenia', 'respiratory', 'failure', 'hypoxia', 'sepsis', 'cholecystitis', 'nausea', 'constipation', 'small', 'intestinal', 'obstruction', 'renal', 'failure', 'acute', 'pneumonia', 'aspiration', 'atrial', 'fibrillation', 'hypersensitivity', 'vasculitis', 'prostate', 'cancer', 'protein', 'increased', 'colon', 'cancer', 'haematotoxicity', 'nephropathy', 'toxic', 'back', 'pain', 'asthenia', 'fatigue', 'inflammation', 'hypoesthesia', 'pain', 'extremity', 'fall', 'loss', 'consciousness', 'rhabdomyolysis', 'lymphadenopathy', 'mediastinal', 'subcutaneous', 'abscess', 'mycobacterium', 'avium', 'complex', 'infection', 'oligohydramnios', 'exposure', 'pregnancy', 'gastric', 'ulcer', 'death', 'intestinal', 'obstruction', 'hearing', 'impaired', 'arterial', 'occlusive', 'disease', 'coronary', 'artery', 'occlusion', 'renal', 'impairment', 'diarrhoea', 'erythrocytosis', 'syndrome', 'injection', 'site', 'reaction', 'renal', 'cell', 'carcinoma', 'metastasis', 'adrenal', 'prostate', 'cancer', 'squamous', 'cell', 'carcinoma', 'hypertension', 'hypercholesterolaemia', 'neuropathy', 'peripheral', 'food', 'aversion', 'pain', 'extremity', 'gastroesophageal', 'reflux', 'disease', 'drug', 'ineffective', 'retrograde', 'amnesia', 'loss', 'consciousness', 'cerebrovascular', 'accident', 'arthralgia', 'blister', 'psoriasis', 'diverticulitis', 'syndrome', 'diplopia', 'headache', 'pyrexia', 'injection', 'site', 'pain', 'ear', 'infection', 'breast', 'haemorrhage', 'breast', 'mass', 'dyspepsia', 'injection', 'site', 'haematoma', 'breast', 'pain', 'influenza', 'urinary', 'tract', 'infection', 'abdominal', 'distension', 'oropharyngeal', 'pain', 'wrong', 'technique', 'product', 'usage', 'process', 'cervical', 'spinal', 'stenosis', 'joint', 'injury', 'fall', 'paraesthesia', 'hypoesthesia', 'drug', 'prescribing', 'error', 'rash', 'psoriasis', 'abscess', 'keratitis', 'conjunctivitis', 'arthralgia', 'cheilitis', 'cough', 'q', 'fever', 'bronchitis', 'psoriasis', 'death', 'herpes', 'ophthalmic', 'death', 'cervical', 'vertebral', 'fracture', 'fall', 'progressive', 'multifocal', 'leukoencephalopathy', 'immune', 'reconstitution', 'inflammatory', 'syndrome', 'opportunistic', 'infection', 'death', 'cholecystitis', 'haemorrhage', 'lung', 'neoplasm', 'central', 'nervous', 'system', 'lesion', 'iris', 'melanoma', 'multiple', 'sclerosis', 'relapse', 'sepsis', 'multiple', 'sclerosis', 'arthralgia', 'generalised', 'seizure', 'convulsion', 'thermal', 'burn', 'tongue', 'injury', 'concussion', 'anxiety', 'cartilage', 'injury', 'intervertebral', 'disc', 'protrusion', 'back', 'pain', 'ligament', 'injury', 'arthritis', 'muscular', 'weakness', 'anaemia', 'blood', 'test', 'abnormal', 'diabetic', 'coma', 'hypertension', 'confusional', 'state', 'ectopic', 'pregnancy', 'neck', 'surgery', 'hysterectomy', 'menopausal', 'symptom', 'nervousness', 'intracranial', 'aneurysm', 'procedural', 'complication', 'post', 'procedural', 'stroke', 'gastroesophageal', 'reflux', 'disease', 'stress', 'multiple', 'sclerosis', 'relapse', 'depressed', 'mood', 'gait', 'disturbance', 'procedural', 'pain', 'hysterectomy', 'multiple', 'sclerosis', 'relapse', 'multiple', 'sclerosis', 'relapse', 'general', 'physical', 'health', 'deterioration', 'malaise', 'drug', 'ineffective', 'unapproved', 'indication', 'neurological', 'decompensation', 'encephalopathy', 'acute', 'myocardial', 'infarction', 'thrombosis', 'device', 'cardiac', 'arrest', 'erythema', 'pyrexia', 'swelling', 'face', 'oropharyngeal', 'pain', 'multiple', 'sclerosis', 'relapse', 'multiple', 'sclerosis', 'relapse', 'amnesia', 'abasia', 'hemiparesis', 'vision', 'blurred', 'multiple', 'sclerosis', 'relapse', 'rash', 'pruritic', 'anaphylactic', 'reaction', 'drug', 'hypersensitivity', 'adverse', 'drug', 'reaction', 'rash', 'flushing', 'urinary', 'tract', 'infection', 'pelvic', 'pain', 'selective', 'eating', 'disorder', 'foetal', 'exposure', 'pregnancy', 'cleft', 'palate', 'high', 'arched', 'palate', 'exposure', 'breast', 'feeding', 'urinary', 'tract', 'infection', 'multiple', 'sclerosis', 'relapse', 'liver', 'disorder', 'pericarditis', 'pain', 'jaundice', 'multiple', 'sclerosis', 'relapse', 'impaired', 'gastric', 'disorder', 'dizziness', 'hip', 'fracture', 'impaired', 'healing', 'diarrhoea', 'weight', 'decreased', 'fall', 'coma', 'convulsion', 'influenza', 'hirsutism', 'alopecia', 'prescribed', 'underdose', 'malaise', 'cerebrovascular', 'accident', 'angioedema', 'rash', 'hot', 'flush', 'nausea', 'feeling', 'abnormal', 'duodenal', 'ulcer', 'haemorrhage', 'helicobacter', 'infection', 'alcohol', 'abuse', 'ear', 'infection', 'thrombosis', 'asthenia', 'multiple', 'sclerosis', 'relapse', 'viral', 'infection', 'hysterectomy', 'gait', 'disturbance', 'monoparesis', 'convulsion', 'flushing', 'malaise', 'multiple', 'sclerosis', 'relapse', 'drug', 'ineffective', 'thrombophlebitis', 'superficial', 'epilepsy', 'drug', 'dose', 'omission', 'drug', 'level', 'decreased', 'cleft', 'palate', 'foetal', 'exposure', 'pregnancy', 'selective', 'eating', 'disorder', 'high', 'arched', 'palate', 'exposure', 'breast', 'feeding', 'urinary', 'tract', 'infection', 'haematuria', 'pyrexia', 'myalgia', 'obstruction', 'allergic', 'granulomatous', 'angiitis', 'hypokinesia', 'caesarean', 'section', 'unintended', 'pregnancy', 'drug', 'ineffective', 'headache', 'dizziness', 'agitation', 'cry', 'hyperhidrosis', 'rash', 'rash', 'pyrexia', 'hyperhidrosis'

, 'abdominal', 'pain', 'upper', 'white', 'blood', 'cell', 'count', 'increased', 'inguinal', 'hernia', 'kidney', 'infection', 'cystitis', 'kidney', 'infection', 'nephrolithiasis', 'ear', 'infection', 'drug', 'ineffective', 'vith', 'nerve', 'paralysis', 'vith', 'nerve', 'paralysis', 'febrile', 'neutropenia', 'abasia', 'malaise', 'dizziness', 'vomiting', 'anxiety', 'sepsis', 'prostate', 'cancer', 'urinary', 'bladder', 'haemorrhage', 'haemorrhage', 'face', 'oedema', 'mouth', 'swelling', 'dysphagia', 'gingival', 'pain', 'peripheral', 'swelling', 'palatal', 'oedema', 'drug', 'intolerance', 'hemiplegia', 'renal', 'colic', 'renal', 'failure', 'acute', 'urinary', 'tract', 'infection', 'bacterial', 'test', 'positive', 'bronchitis', 'rhinorrhoea', 'death', 'death', 'surgery', 'psychotic', 'disorder', 'disease', 'transient', 'ischaemic', 'attack', 'death', 'renal', 'failure', 'death', 'exposure', 'pregnancy', 'selective', 'abortion', 'lipase', 'increased', 'amylase', 'increased', 'back', 'pain', 'gastrointestinal', 'haemorrhage', 'gastric', 'ulcer', 'schizophrenia', 'spinal', 'column', 'stenosis', 'arthropathy', 'thrombocytopenia', 'urinary', 'incontinence', 'labile', 'blood', 'pressure', 'hemiparesis', 'urinary', 'tract', 'infection', 'nasopharyngitis', 'rhinorrhoea', 'dry', 'mouth', 'blood', 'test', 'abnormal', 'death', 'foot', 'deformity', 'infusion', 'related', 'reaction', 'headache', 'interstitial', 'lung', 'disease', 'gastroenteritis', 'drug', 'dependence', 'eczema', 'dry', 'skin', 'haematuria', 'blood', 'urine', 'present', 'investigation', 'meningitis', 'renal', 'failure', 'acute', 'metabolic', 'acidosis', 'haematotoxicity', 'nephropathy', 'toxic', 'death', 'pain', 'localised', 'infection', 'fluid', 'retention', 'weight', 'increased', 'feeling', 'abnormal', 'oedema', 'peripheral', 'inflammation', 'injection', 'site', 'pain', 'nausea', 'abdominal', 'pain', 'pollakiuria', 'headache', 'product', 'quality', 'issue', 'rotator', 'cuff', 'syndrome', 'nausea', 'decreased', 'appetite', 'weight', 'decreased', 'anosmia', 'hypogeusia', 'gastrectomy', 'abortion', 'induced', 'maternal', 'exposure', 'pregnancy', 'cry', 'suicidal', 'ideation', 'depression', 'product', 'compounding', 'quality', 'issue', 'death', 'investigation', 'renal', 'failure', 'ophthalmic', 'herpes', 'zoster', 'conjunctival', 'hyperaemia', 'herpes', 'zoster', 'intraocular', 'pressure', 'increased', 'hallucination', 'visual', 'hallucination', 'auditory', 'memory', 'impairment', 'type', 'diabetes', 'mellitus', 'cellulitis', 'fall', 'peripheral', 'swelling', 'urinary', 'tract', 'infection', 'drug', 'withdrawal', 'syndrome', 'cardiac', 'disorder', 'hypertension', 'foot', 'fracture', 'oxygen', 'saturation', 'decreased', 'weight', 'increased', 'disease', 'progression', 'blood', 'sodium', 'increased', 'cardiac', 'failure', 'congestive', 'haemoglobin', 'decreased', 'respiratory', 'arrest', 'death', 'fluid', 'retention', 'dysphagia', 'apparent', 'death', 'brain', 'injury', 'cardiac', 'disorder', 'hypothyroidism', 'chronic', 'obstructive', 'pulmonary', 'disease', 'hypertension', 'panic', 'attack', 'back', 'pain', 'intervertebral', 'disc', 'compression', 'spinal', 'disorder', 'visual', 'acuity', 'reduced', 'type', 'diabetes', 'mellitus', 'respiratory', 'failure', 'cataract', 'intraocular', 'pressure', 'increased', 'cardiac', 'flutter', 'tachycardia', 'anxiety', 'palpitation', 'fall', 'malaise', 'feeling', 'abnormal', 'body', 'height', 'decreased', 'hip', 'fracture', 'fall', 'myelofibrosis', 'intestinal', 'obstruction', 'neoplasm', 'malignant', 'eating', 'disorder', 'dysuria', 'lymphadenopathy', 'hypersensitivity', 'pyrexia', 'depression', 'rash', 'generalised', 'rash', 'international', 'normalised', 'ratio', 'increased', 'sepsis', 'pneumonia', 'diarrhoea', 'asthenia', 'loss', 'consciousness', 'myocardial', 'infarction', 'feeling', 'jittery', 'flushing', 'intraocular', 'lens', 'implant', 'investigation', 'accidental', 'exposure', 'product', 'child', 'accidental', 'overdose', 'adverse', 'event', 'psychotic', 'disorder', 'headache', 'tremor', 'decreased', 'appetite', 'fatigue', 'blood', 'glucose', 'abnormal', 'death', 'pain', 'extremity', 'pain', 'extremity', 'arthralgia', 'gait', 'disturbance', 'product', 'substitution', 'issue', 'renal', 'failure', 'lupus', 'nephritis', 'pancytopenia', 'sepsis', 'nausea', 'vomiting', 'diarrhoea', 'fatigue', 'asthenia', 'thrombocytopenia', 'febrile', 'neutropenia', 'headache', 'cerebral', 'haemorrhage', 'thrombosis', 'drug', 'abuse', 'intentional', 'drug', 'misuse', 'movement', 'disorder', 'chest', 'pain', 'neck', 'pain', 'myalgia', 'pain', 'extremity', 'thrombotic', 'microangiopathy', 'label', 'use', 'throat', 'tightness', 'dyspnoea', 'cough', 'mental', 'disorder', 'sleep', 'disorder', 'abnormal', 'behaviour', 'fatigue', 'melaena', 'international', 'normalised', 'ratio', 'increased', 'haemoglobin', 'decreased', 'haematocrit', 'decreased', 'gastritis', 'oesophageal', 'candidiasis', 'gastrointestinal', 'haemorrhage', 'renal', 'failure', 'acute', 'tendonitis', 'anaemia', 'gastritis', 'haemorrhagic', 'pneumonia', 'investigation', 'nephrogenic', 'systemic', 'fibrosis', 'adenocarcinoma', 'colon', 'yellow', 'skin', 'activity', 'daily', 'living', 'impaired', 'limb', 'discomfort', 'dry', 'throat', 'arthralgia', 'injection', 'site', 'pain', 'drug', 'ineffective', 'fall', 'weight', 'decreased', 'neck', 'pain', 'head', 'injury', 'visual', 'impairment', 'injection', 'site', 'pruritus', 'hallucination', 'mobility', 'decreased', 'anaemia', 'injection', 'site', 'erythema', 'condition', 'aggravated', 'deafness', 'productive', 'cough', 'red', 'blood', 'cell', 'sedimentation', 'rate', 'increased', 'swelling', 'pain', 'thrombosis', 'catarrh', 'feeling', 'abnormal', 'injection', 'site', 'hypersensitivity', 'rheumatoid', 'arthritis', 'joint', 'swelling', 'hypertension', 'dry', 'mouth', 'hypersensitivity', 'swelling', 'face', 'lip', 'swelling', 'local', 'swelling', 'local', 'swelling', 'throat', 'tightness', 'pharyngeal', 'oedema', 'dyspnoea', 'ear', 'pain', 'pain', 'jaw', 'asthenia', 'fatigue', 'hypersensitivity', 'pneumonia', 'nasopharyngitis', 'cough', 'fatigue', 'general', 'physical', 'health', 'deterioration', 'hyperhidrosis', 'gastrointestinal', 'disorder', 'diarrhoea', 'decreased', 'appetite', 'fatigue', 'pruritus', 'urticaria', 'pain', 'skin', 'blister', 'rash', 'pruritic', 'exposure', 'breast', 'feeding', 'pulmonary', 'oedema', 'pruritus', 'burning', 'sensation', 'pain', 'swelling', 'face', 'rash', 'rash', 'dermatitis', 'contact', 'lentigo', 'seborrhoeic', 'keratosis', 'sweat', 'gland', 'tumour', 'pleural', 'effusion', 'hypoxia', 'respiratory', 'disorder', 'rhabdomyolysis', 'hernia', 'prostatic', 'disorder', 'tooth', 'abscess', 'toothache', 'endodontic', 'procedure', 'surgery', 'osteonecrosis', 'jaw', 'disease', 'progression', 'hallucination', 'confusional', 'state', 'visual', 'acuity', 'reduced', 'dizziness', 'bradycardia', 'investigation', 'fall', 'stupor', 'respiratory', 'depression', 'overdose', 'sedation', 'exposure', 'pregnancy', 'drug', 'withdrawal', 'syndrome', 'injection', 'site', 'rash', 'rash', 'erythematous', 'type', 'iv', 'hypersensitivity', 'reaction', 'cerebrovascular', 'accident', 'bipolar', 'disorder', 'sedation', 'paranoia', 'treatment', 'noncompliance', 'fear', 'tuberculosis', 'neoplasm', 'pain', 'extremity', 'hypoesthesia', 'carpal', 'tunnel', 'decompression', 'infusion', 'related', 'reaction', 'anaphylactic', 'reaction', 'white', 'blood', 'cell', 'count', 'decreased', 'bone', 'pain', 'arthralgia', 'hot', 'flush', 'asthenia', 'haemoptysis', 'intestinal', 'obstruction', 'intestinal', 'obstruction', 'hypokinesia', 'dysgeusia', 'asthenia', 'fatigue', 'decreased', 'appetite', 'atrial', 'thrombosis', 'speech', 'disorder', 'balance', 'disorder', 'gait', 'disturbance', 'confusional', 'state', 'asthenia', 'pain', 'malaise', 'haemorrhage', 'wound', 'scab', 'skin', 'fissure', 'pain', 'gait', 'disturbance', 'fear', 'arthralgia', 'flatulence', 'eructation', 'back', 'pain', 'arthrititis', 'hypokinesia', 'cardiac', 'disorder', 'condition', 'aggravated', 'nausea', 'vomiting', 'diarrhoea', 'mobility', 'decreased', 'skin', 'cancer', 'pain', 'jaw', 'bone', 'swelling', 'ear', 'disorder', 'tooth', 'disorder', 'inappropriate', 'schedule', 'drug', 'administration', 'bone', 'pain', 'fat', 'embolism', 'hypertension', 'polycythaemia', 'sciatica', 'blindness', 'unilateral', 'gallbladder', 'disorder', 'hepatic', 'haematoma', 'hepatic', 'enzyme', 'increased', 'pain', 'extremity', 'impaired', 'gastric', 'emptying', 'injection', 'site', 'mass', 'amnesia', 'injection', 'site', 'pain', 'completed', 'suicide', 'exposure', 'via', 'ingestion', 'diverticulitis', 'hernia', 'abdominal', 'pain', 'pulmonary', 'embolism', 'lung', 'neoplasm', 'malignant', 'fatigue', 'asthenia', 'dyspnoea', 'chest', 'pain', 'dyspnoea', 'cardiopulmonary', 'failure', 'cardiac', 'arrest', 'pyrexia', 'death', 'muscular', 'weakness', 'muscle', 'spasm', 'hypoesthesia', 'muscle', 'rigidity', 'sleep', 'disorder', 'musculoskeletal', 'stiffness', 'abortion', 'missed', 'therapeutic', 'response', 'changed', 'pathogen', 'resistance', 'drug', 'ineffective', 'death', 'tooth', 'loss', 'gingival', 'pain', 'bone', 'marrow', 'failure', 'hyperaemia', 'lymphadenopathy', 'bloody', 'discharge', 'odynophagia', 'sal

iva', 'altered', 'bone', 'pain', 'pyrexia', 'death', 'angioedema', 'prothrombin', 'time', 'prolonged', 'haemorrhage', 'contusion', 'haematuria', 'drug', 'interaction', 'toxicity', 'various', 'agent', 'international', 'normalised', 'ratio', 'increased', 'death', 'death', 'endometrial', 'cancer', 'injection', 'site', 'erythema', 'injection', 'site', 'swelling', 'injection', 'site', 'pain', 'osteoarthritis', 'cognitive', 'disorder', 'depression', 'haemoglobin', 'decreased', 'fibromyalgia', 'feeling', 'cold', 'weight', 'decreased', 'muscle', 'atrophy', 'therapeutic', 'response', 'white', 'blood', 'cell', 'count', 'decreased', 'asthenia', 'dizziness', 'product', 'quality', 'issue', 'visual', 'impairment', 'visual', 'acuity', 'reduced', 'drug', 'ineffective', 'cataract', 'night', 'blindness', 'death', 'death', 'death', 'fracture', 'road', 'traffic', 'accident', 'sternal', 'fracture', 'loss', 'consciousness', 'cough', 'nasopharyngitis', 'hypersensitivity', 'vasculitis', 'glomerulonephritis', 'acute', 'renal', 'failure', 'acute', 'arthralgia', 'hypochromic', 'anaemia', 'toxicity', 'various', 'agent', 'haematuria', 'hypocalcaemia', 'hyperphosphataemia', 'tetany', 'paraesthesia', 'oral', 'paraesthesia', 'paraesthesia', 'paraesthesia', 'maternal', 'drug', 'affecting', 'foetus', 'cleft', 'palate', 'high', 'arched', 'palate', 'poor', 'sucking', 'reflex', 'exposure', 'breast', 'feeding', 'congenital', 'anomaly', 'convulsion', 'impaired', 'driving', 'ability', 'fall', 'multiple', 'sclerosis', 'relapse', 'insomnia', 'multiple', 'sclerosis', 'relapse', 'dysarthria', 'gait', 'disturbance', 'fatigue', 'ataxia', 'hypoesthesia', 'muscle', 'spasm', 'swollen', 'tongue', 'hypoesthesia', 'oral', 'haemoglobin', 'abnormal', 'haematocrit', 'abnormal', 'inappropriate', 'schedule', 'drug', 'administration', 'blood', 'potassium', 'abnormal', 'blood', 'calcium', 'abnormal', 'blood', 'cholesterol', 'increased', 'multiple', 'sclerosis', 'relapse', 'haemoptysis', 'lung', 'disorder', 'chest', 'pain', 'injection', 'site', 'erythema', 'injection', 'site', 'swelling', 'injection', 'site', 'pruritus', 'urinary', 'bladder', 'haemorrhage', 'drug', 'ineffective', 'infection', 'cerebral', 'ischaemia', 'hemiparesis', 'blood', 'calcium', 'increased', 'blood', 'potassium', 'decreased', 'anaemia', 'faecaloma', 'proteinuria', 'hypertension', 'vitreous', 'haemorrhage', 'blindness', 'full', 'blood', 'count', 'decreased', 'hypoaacusis', 'drug', 'interaction', 'psychotic', 'disorder', 'gait', 'disturbance', 'hyperreflexia', 'dizziness', 'sleep', 'disorder', 'asthenia', 'nystagmus', 'toxicity', 'various', 'agent', 'palpitation', 'disturbance', 'attention', 'inappropriate', 'schedule', 'drug', 'administration', 'bedridden', 'label', 'use', 'asthenia', 'muscular', 'weakness', 'dyspnoea', 'deep', 'vein', 'thrombosis', 'eye', 'haemorrhage', 'thrombocytopenia', 'thrombocytopenia', 'pleural', 'effusion', 'haemorrhage', 'intracranial', 'epilepsy', 'medication', 'error', 'haemorrhage', 'intracranial', 'gastrointestinal', 'haemorrhage', 'gastrointestinal', 'tract', 'irritation', 'diarrhoea', 'haemorrhagic', 'mesenteric', 'artery', 'thrombosis', 'cardiac', 'ablation', 'gastrointestinal', 'haemorrhage', 'nephrolithiasis', 'neuralgia', 'chest', 'discomfort', 'vision', 'blurred', 'deep', 'vein', 'thrombosis', 'deep', 'vein', 'thrombosis', 'pulmonary', 'alveolar', 'haemorrhage', 'acute', 'respiratory', 'failure', 'acute', 'respiratory', 'distress', 'syndrome', 'renal', 'impairment', 'atrial', 'fibrillation', 'pulmonary', 'embolism', 'investigation', 'cerebrovascular', 'accident', 'muscle', 'spasm', 'dyspnoea', 'neoplasm', 'malignant', 'hernia', 'incision', 'site', 'infection', 'tibia', 'fracture', 'ankle', 'fracture', 'ligament', 'rupture', 'meniscus', 'injury', 'fall', 'fracture', 'delayed', 'union', 'arthralgia', 'pain', 'mobility', 'decreased', 'investigation', 'adverse', 'event', 'hospitalisation', 'convulsion', 'drug', 'interaction', 'drug', 'prescribing', 'error', 'investigation', 'flushing', 'pyrexia', 'malaise', 'cellulitis', 'incorrect', 'route', 'drug', 'administration', 'motor', 'dysfunction', 'cerebrovascular', 'accident', 'galactorrhoea', 'nightmare', 'anxiety', 'neuralgia', 'urinary', 'tract', 'infection', 'drug', 'ineffective', 'alopecia', 'hair', 'growth', 'abnormal', 'hair', 'colour', 'change', 'nightmare', 'anxiety', 'label', 'use', 'completed', 'suicide', 'alopecia', 'osteoporosis', 'anaemia', 'mycobacterial', 'infection', 'upper', 'respiratory', 'tract', 'inflammation', 'dysentery', 'headache', 'diarrhoea', 'night', 'sweat', 'dry', 'skin', 'deafness', 'hypoglycaemic', 'unconsciousness', 'fall', 'lower', 'limb', 'fracture', 'angina', 'pectoris', 'influenza', 'headache', 'feeling', 'hot', 'chill', 'hyperhidrosis', 'movement', 'disorder', 'chest', 'pain', 'lip', 'oedema', 'asthma', 'dizziness', 'mood', 'swing', 'asthenia', 'bradycardia', 'presyncope', 'somnolence', 'headache', 'weight', 'decreased', 'lower', 'respiratory', 'tract', 'infection', 'right', 'ventricular', 'failure', 'oedema', 'peripheral', 'sleep', 'apnoea', 'syndrome', 'cor', 'pulmonale', 'hypoxia', 'malaise', 'cyanosis', 'decreased', 'activity', 'pyrexia', 'pain', 'myopathy', 'ophthalmoplegia', 'diplopia', 'cerebrovascular', 'accident', 'renal', 'failure', 'lactic', 'acidosis', 'blood', 'potassium', 'increased', 'continuous', 'haemodiafiltration', 'metabolic', 'acidosis', 'diabetes', 'mellitus', 'renal', 'failure', 'lactic', 'acidosis', 'blood', 'sodium', 'decreased', 'blood', 'potassium', 'increased', 'continuous', 'haemodiafiltration', 'renal', 'failure', 'lactic', 'acidosis', 'blood', 'sodium', 'decreased', 'blood', 'potassium', 'increased', 'continuous', 'haemodiafiltration', 'renal', 'failure', 'lactic', 'acidosis', 'metabolic', 'acidosis', 'interstitial', 'lung', 'disease', 'electrocardiogram', 'repolarisation', 'abnormality', 'fatigue', 'colorectal', 'cancer', 'metastatic', 'lactic', 'acidosis', 'renal', 'failure', 'blood', 'potassium', 'increased', 'continuous', 'haemodiafiltration', 'metabolic', 'acidosis', 'hypoventilation', 'abdominal', 'pain', 'upper', 'somnolence', 'cardiopulmonary', 'failure', 'tachypnoea', 'pathological', 'gambling', 'disorder', 'rash', 'generalised', 'rash', 'pruritic', 'rash', 'pustular', 'rash', 'erythematous', 'hemiparesis', 'vision', 'blurred', 'hypoesthesia', 'gait', 'disturbance', 'injection', 'site', 'erythema', 'injection', 'site', 'discolouration', 'rotator', 'cuff', 'repair', 'arthralgia', 'musculoskeletal', 'pain', 'increased', 'upper', 'airway', 'secretion', 'injection', 'site', 'pain', 'investigation', 'syncope', 'cardiac', 'disorder', 'hyperhidrosis', 'inappropriate', 'schedule', 'drug', 'administration', 'hepatitis', 'toxic', 'chest', 'pain', 'erythema', 'skin', 'reaction', 'interstitial', 'lung', 'disease', 'headache', 'dyspnoea', 'multiple', 'sclerosis', 'relapse', 'maternal', 'drug', 'affecting', 'foetus', 'caesarean', 'section', 'pulmonary', 'valve', 'stenosis', 'congenital', 'atrial', 'septal', 'defect', 'feeding', 'disorder', 'neonatal', 'altered', 'state', 'consciousness', 'sopor', 'aspartate', 'aminotransferase', 'increased', 'blood', 'creatinine', 'phosphokinase', 'increased', 'label', 'use', 'sedation', 'diplopia', 'substance', 'abuse', 'oral', 'mucosal', 'blistering', 'hypersensitivity', 'throat', 'tightness', 'nausea', 'vomiting', 'multiple', 'sclerosis', 'relapse', 'drug', 'ineffective', 'multiple', 'sclerosis', 'relapse', 'eyelid', 'ptosis', 'influenza', 'like', 'illness', 'multiple', 'sclerosis', 'inappropriate', 'schedule', 'drug', 'administration', 'multiple', 'sclerosis', 'inappropriate', 'schedule', 'drug', 'administration', 'fall', 'hyponatremia', 'confusional', 'state', 'cholecystitis', 'hepatic', 'artery', 'aneurysm', 'femur', 'fracture', 'incorrect', 'drug', 'administration', 'duration', 'dermatitis', 'psoriasisiform', 'vomiting', 'metabolic', 'acidosis', 'pulmonary', 'oedema', 'respiratory', 'disorder', 'blood', 'creatinine', 'increased', 'dialysis', 'renal', 'impairment', 'lactic', 'acidosis', 'drug', 'abuse', 'intentional', 'sopor', 'oligohydramnios', 'premature', 'rupture', 'membrane', 'caesarean', 'section', 'obstructed', 'labour', 'gestational', 'diabetes', 'maternal', 'exposure', 'pregnancy', 'foetal', 'heart', 'rate', 'deceleration', 'abnormality', 'maternal', 'drug', 'affecting', 'foetus', 'oligohydramnios', 'foetal', 'death', 'kidney', 'duplex', 'congenital', 'hearing', 'disorder', 'foetal', 'exposure', 'pregnancy', 'congenital', 'choroid', 'plexus', 'cyst', 'supernumerary', 'nipple', 'cardiac', 'failure', 'pneumonia', 'anxiety', 'throat', 'irritation', 'sensation', 'foreign', 'body', 'chest', 'discomfort', 'nausea', 'pain', 'headache', 'nervousness', 'blood', 'pressure', 'inadequately', 'controlled', 'hypertension', 'blood', 'electrolyte', 'abnormal', 'blood', 'potassium', 'abnormal', 'adrenal', 'gland', 'injury', 'cardiac', 'disorder', 'anaemia', 'hypotension', 'renal', 'failure', 'laboratory', 'test', 'abnormal', 'syncope', 'gastrointestinal', 'disorder', 'medication', 'residue', 'present', 'abdominal', 'pain', 'nausea', 'fatigue', 'dental', 'caries', 'oedema', 'diarrhoea', 'cystitis', 'noninfective', 'hypertension', 'anaemia', 'vomiting', 'dizziness', 'dehydration', 'neutropenia', 'somnolence', 'thrombocytopenia', 'thrombocytopenia', 'anaemia', 'condition', 'aggravate

d', 'haemorrhage', 'intracranial', 'subdural', 'haematoma', 'angioedema', 'urticaria', 'dyspnoea', 'sensation', 'foreign', 'body', 'rash', 'generalised', 'swelling', 'face', 'local', 'swelling', 'vomiting', 'rash', 'capillary', 'leak', 'syndrome', 'conjunctival', 'haemorrhage', 'vision', 'blurred', 'asthenia', 'headache', 'peripheral', 'vascular', 'disorder', 'uterine', 'leiomyoma', 'pyrexia', 'cough', 'rhinorrhoea', 'respiratory', 'tract', 'congestion', 'death', 'scleroderma', 'fasciitis', 'dyspnoea', 'infusion', 'related', 'reaction', 'pneumonia', 'fungal', 'respiratory', 'arrest', 'pancreatitis', 'gait', 'disturbance', 'joint', 'range', 'motion', 'decreased', 'musculoskeletal', 'stiffness', 'face', 'oedema', 'drug', 'effect', 'incomplete', 'oedema', 'skin', 'lesion', 'drug', 'intolerance', 'otitis', 'medium', 'malignant', 'melanoma', 'situ', 'headache', 'vomiting', 'abdominal', 'pain', 'gait', 'disturbance', 'urinary', 'tract', 'infection', 'pyrexia', 'haematuria', 'myalgia', 'depressed', 'level', 'consciousness', 'depressed', 'level', 'consciousness', 'conjunctival', 'haemorrhage', 'arthralgia', 'myalgia', 'pyrexia', 'encephalopathy', 'adenocarcinoma', 'diarrhoea', 'weight', 'decreased', 'vomiting', 'ileus', 'paralytic', 'muscle', 'rupture', 'thrombosis', 'device', 'drug', 'resistance', 'interstitial', 'lung', 'disease', 'epistaxis', 'dyspnoea', 'headache', 'hyperhidrosis', 'arthralgia', 'hypersensitivity', 'vasculitis', 'cerebrovascular', 'accident', 'transient', 'ischemic', 'attack', 'thrombosis', 'diplopia', 'pulmonary', 'embolism', 'headache', 'conjunctival', 'haemorrhage', 'vision', 'blurred', 'headache', 'asthenia', 'gait', 'disturbance', 'interstitial', 'lung', 'disease', 'pancreatitis', 'disseminated', 'intravascular', 'coagulation', 'tracheostomy', 'mechanical', 'ventilation', 'gastric', 'haemorrhage', 'hepatic', 'function', 'abnormal', 'cholelithiasis', 'skin', 'exfoliation', 'pruritus', 'oral', 'pruritus', 'local', 'swelling', 'chest', 'discomfort', 'paraesthesia', 'oral', 'vomiting', 'underdose', 'renal', 'impairment', 'diarrhoea', 'lethargy', 'malaise', 'weight', 'decreased', 'myocardial', 'infarction', 'nausea', 'weight', 'increased', 'headache', 'dizziness', 'angina', 'pectoris', 'fatigue', 'hyperhidrosis', 'syndrome', 'hypersensitivity', 'blister', 'consciousness', 'fluctuating', 'dyspnoea', 'eye', 'disorder', 'rash', 'generalised', 'lip', 'discolouration', 'chapped', 'lip', 'pain', 'scab', 'scar', 'malaise', 'skin', 'disorder', 'skin', 'exfoliation', 'lip', 'swelling', 'weight', 'decreased', 'label', 'use', 'small', 'cell', 'lung', 'cancer', 'gastric', 'cancer', 'headache', 'tooth', 'fatigue', 'tooth', 'infection', 'spondylolisthesis', 'osteoporosis', 'pain', 'extremity', 'musculoskeletal', 'discomfort', 'drug', 'diversion', 'insomnia', 'cholangitis', 'label', 'use', 'death', 'myocardial', 'infarction', 'pancytopenia', 'drug', 'interaction', 'exposure', 'pregnancy', 'substance', 'abuse', 'headache', 'somniaambulism', 'depression', 'diarrhoea', 'fatigue', 'irritability', 'polyuria', 'pain', 'extremity', 'underdose', 'malaise', 'nausea', 'vomiting', 'wrong', 'technique', 'drug', 'usage', 'process', 'eczema', 'paralysis', 'asthenia', 'constipation', 'dyspnoea', 'hyperkalaemia', 'restlessness', 'rale', 'blood', 'sodium', 'decreased', 'high', 'density', 'lipoprotein', 'decreased', 'low', 'density', 'lipoprotein', 'increased', 'incorrect', 'route', 'drug', 'administration', 'drug', 'abuse', 'drug', 'diversion', 'bronchospasm', 'hyperhidrosis', 'liver', 'function', 'test', 'abnormal', 'salmonellosis', 'hepatic', 'steatosis', 'herpes', 'simplex', 'spinal', 'osteoarthritis', 'arthritis', 'renal', 'failure', 'acute', 'duodenal', 'polyp', 'electrolyte', 'imbalance', 'oesophagitis', 'mycobacterium', 'avium', 'complex', 'infection', 'lymphadenitis', 'renal', 'impairment', 'diabetes', 'mellitus', 'diarrhoea', 'sinusitis', 'diabetic', 'neuropathy', 'eosinophilic', 'pustular', 'folliculitis', 'nausea', 'pneumonia', 'osteoporosis', 'hyperlipidaemia', 'back', 'pain', 'hyperuricaemia', 'cytopenia', 'periarthritides', 'folate', 'deficiency', 'gingival', 'inflammation', 'drug', 'diversion', 'lumbar', 'vertebral', 'fracture', 'clostridium', 'difficile', 'colitis', 'blood', 'glucose', 'increased', 'inappropriate', 'schedule', 'drug', 'administration', 'confusional', 'state', 'tumour', 'lysis', 'syndrome', 'renal', 'failure', 'overdose', 'drug', 'dependence', 'drug', 'abuse', 'splenic', 'rupture', 'blood', 'pressure', 'diastolic', 'decreased', 'haemoglobin', 'decreased', 'peritoneal', 'haemorrhage', 'caesarean', 'section', 'maternal', 'exposure', 'pregnancy', 'procedural', 'complication', 'skin', 'toxicity', 'pneumonia', 'neuropathy', 'peripheral', 'fatigue', 'infection', 'nausea', 'diarrhoea', 'erythrodysaesthesia', 'syndrome', 'mucosal', 'inflammation', 'pneumonitis', 'pleural', 'effusion', 'vomiting', 'anaemia', 'drug', 'abuse', 'accidental', 'exposure', 'product', 'dermatitis', 'exfoliative', 'pneumonitis', 'nausea', 'hepatic', 'function', 'abnormal', 'overdose', 'miosis', 'respiratory', 'depression', 'coma', 'drug', 'diversion', 'road', 'traffic', 'accident', 'drug', 'diversion', 'drug', 'abuse', 'drug', 'diversion', 'leukopenia', 'anaemia', 'thrombocytopenia', 'vomiting', 'radiation', 'oesophagitis', 'erythrodysaesthesia', 'syndrome', 'diarrhoea', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'febrile', 'neutropenia', 'drug', 'diversion', 'self', 'injurious', 'behaviour', 'intentional', 'drug', 'misuse', 'sluggishness', 'myocardial', 'infarction', 'fall', 'somnia', 'aphasia', 'drug', 'hypersensitivity', 'pain', 'abdominal', 'distension', 'chill', 'diarrhoea', 'eosinophilia', 'condition', 'aggravated', 'transaminase', 'increased', 'dyspepsia', 'lymphopenia', 'skin', 'ulcer', 'overdose', 'depressed', 'level', 'consciousness', 'convulsion', 'gaze', 'palsy', 'foaming', 'mouth', 'dyskinesia', 'drug', 'dependence', 'febrile', 'neutropenia', 'label', 'use', 'disability', 'fatigue', 'joint', 'dislocation', 'joint', 'swelling', 'knee', 'arthroplasty', 'joint', 'injury', 'sinusitis', 'bedridden', 'nerve', 'injury', 'impaired', 'driving', 'ability', 'muscular', 'weakness', 'arthralgia', 'fall', 'product', 'packaging', 'issue', 'weight', 'bearing', 'difficulty', 'flushing', 'ankle', 'fracture', 'wheelchair', 'user', 'bladder', 'catheterisation', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'renal', 'cancer', 'pneumonia', 'sinusitis', 'injury', 'drug', 'effect', 'incomplete', 'psoriasis', 'lower', 'gastrointestinal', 'haemorrhage', 'drug', 'interaction', 'melaena', 'haematochezia', 'syndrome', 'rash', 'food', 'interaction', 'bladder', 'neoplasm', 'bladder', 'cancer', 'anaphylactic', 'shock', 'hypertriglyceridaemia', 'thrombosis', 'device', 'adverse', 'event', 'acute', 'generalised', 'exanthematous', 'pustulosis', 'anaphylactic', 'reaction', 'therapeutic', 'response', 'faecalith', 'abdominal', 'pain', 'vomiting', 'ileus', 'intussusception', 'malnutrition', 'ascites', 'pleural', 'effusion', 'convulsion', 'pancreatitis', 'myoclonus', 'fall', 'head', 'injury', 'dyspnoea', 'fatigue', 'weight', 'increased', 'tremor', 'balance', 'disorder', 'abdominal', 'pain', 'dyspepsia', 'rash', 'globulin', 'increased', 'hypalbuminaemia', 'somnia', 'abnormal', 'behaviour', 'diarrhoea', 'rosacea', 'disorientation', 'drug', 'administration', 'error', 'drug', 'dose', 'omission', 'drug', 'effect', 'decreased', 'flushing', 'muscular', 'weakness', 'headache', 'chest', 'pain', 'electrocardiogram', 'st', 'segment', 'elevation', 'muscle', 'spasm', 'coronary', 'artery', 'dissection', 'iatrogenic', 'injury', 'haemorrhage', 'drug', 'interaction', 'shock', 'haemorrhagic', 'hypertension', 'weight', 'increased', 'skin', 'burning', 'sensation', 'paraesthesia', 'peripheral', 'swelling', 'joint', 'swelling', 'oedema', 'peripheral', 'hypertension', 'paraesthesia', 'weight', 'increased', 'skin', 'burning', 'sensation', 'renal', 'disorder', 'intestinal', 'resection', 'colon', 'cancer', 'metastatic', 'pain', 'hypertension', 'malaise', 'incarcerated', 'hernia', 'peritonitis', 'catheter', 'site', 'extravasation', 'post', 'procedural', 'infection', 'abortion', 'spontaneous', 'exposure', 'pregnancy', 'large', 'intestinal', 'haemorrhage', 'drug', 'interaction', 'adverse', 'event', 'hernia', 'cardiac', 'disorder', 'hernia', 'peripheral', 'artery', 'thrombosis', 'cerebrovascular', 'accident', 'renal', 'failure', 'chronic', 'renal', 'failure', 'acute', 'anuria', 'thrombocytopenia', 'thrombocytopenia', 'venous', 'stenosis', 'thrombosis', 'device', 'malaise', 'pneumonia', 'clostridium', 'difficile', 'infection', 'peritonitis', 'diverticulitis', 'circulatory', 'collapse', 'vomiting', 'pain', 'headache', 'insomnia', 'nausea', 'condition', 'aggravated', 'paraesthesia', 'night', 'sweat', 'myocardial', 'infarction', 'toxic', 'epidermal', 'necrosis', 'drug', 'reaction', 'eosinophilia', 'systemic', 'symptom', 'pyrexia', 'therapeutic', 'response', 'interstitial', 'lung', 'disease', 'toxicity', 'various', 'agent', 'completed', 'suicide', 'incorrect', 'dose', 'administered', 'poor', 'peripheral', 'circulation', 'peripheral', 'arterial', 'occlusive', 'disease', 'post', 'procedural', 'infection', 'wound', 'wound', 'infection', 'diabetic', 'comp

[illegible]

[illegible]



mia', 'pyrexia', 'malaise', 'haemorrhagic', 'stroke', 'nephrogenic', 'systemic', 'fibrosis', 'injury', 'hypoglyc aemia', 'fall', 'hepatic', 'enzyme', 'increased', 'caesarean', 'section', 'renal', 'aplasia', 'congenital', 'cen tral', 'nervous', 'system', 'anomaly', 'hypoglycaemia', 'maternal', 'drug', 'affecting', 'foetus', 'hypopituitar ism', 'foetal', 'death', 'convulsion', 'nervousness', 'constipation', 'breast', 'disorder', 'drug', 'withdrawal', 'syndrome', 'pain', 'arthralgia', 'bone', 'pain', 'dizziness', 'nausea', 'vomiting', 'dry', 'mouth', 'swollen', 'tongue', 'mood', 'swing', 'urinary', 'incontinence', 'memory', 'impairment', 'vision', 'blurred', 'weight', 'decreased', 'gait', 'disturbance', 'balance', 'disorder', 'insomnia', 'decreased', 'appetite', 'restlessness', 'fall', 'muscle', 'spasm', 'road', 'traffic', 'accident', 'underdose', 'death', 'abortion', 'spontaneous', 'pregnancy', 'maternal', 'drug', 'affecting', 'foetus', 'lactic', 'acidosis', 'overdose', 'vomiting', 'lethargy', 'haemodialysis', 'hypotension', 'metabolic', 'acidosis', 'azotaemia', 'diabetic', 'ketoacidosis', 'drug', 'prescribi ng', 'error', 'toxicity', 'various', 'agent', 'medication', 'error', 'sleep', 'disorder', 'diarrhoea', 'chest', 'pain', 'diarrhoea', 'dysaesthesia', 'aspartate', 'aminotransferase', 'increased', 'abdominal', 'pain', 'lower', 'nausea', 'rash', 'stomatitis', 'dry', 'mouth', 'alopecia', 'cystitis', 'alanine', 'aminotransferase', 'increase d', 'dysgeusia', 'blood', 'creatinine', 'increased', 'musculoskeletal', 'pain', 'dizziness', 'urinary', 'tract', 'infection', 'weight', 'decreased', 'constipation', 'pain', 'extremity', 'vomiting', 'oedema', 'peripheral', 'bl ood', 'creatinine', 'increased', 'weight', 'decreased', 'fatigue', 'escherichia', 'test', 'positive', 'rash', 'e nterocutaneous', 'fistula', 'renal', 'neoplasm', 'ileal', 'stenosis', 'ileal', 'perforation', 'renal', 'impairme nt', 'vanishing', 'bile', 'duct', 'syndrome', 'pulmonary', 'mass', 'cough', 'sinus', 'disorder', 'pain', 'influe nza', 'pancreatic', 'carcinoma', 'stage', 'iv', 'lipase', 'increased', 'death', 'pancreatic', 'carcinoma', 'naus ea', 'abdominal', 'pain', 'upper', 'vomiting', 'cardiac', 'failure', 'viral', 'infection', 'weight', 'decreased', 'death', 'cholecystitis', 'gallbladder', 'disorder', 'pancreatic', 'carcinoma', 'pancreatitis', 'abdominal', 'pain', 'upper', 'angina', 'unstable', 'cold', 'sweat', 'vomiting', 'nausea', 'lethargy', 'bradycardia', 'tinnitu s', 'dysgeusia', 'hallucination', 'electrocardiogram', 'qrs', 'complex', 'prolonged', 'electrocardiogram', 'qt', 'prolonged', 'ejection', 'fraction', 'decreased', 'cardiac', 'arrest', 'troponin', 'increased', 'decreased', 'ap petite', 'marasmus', 'death', 'dyspnoea', 'asthenia', 'lung', 'disorder', 'skin', 'toxicity', 'cough', 'cerebral', 'cyst', 'hydrocephalus', 'abscess', 'intestinal', 'stenosis', 'drug', 'specific', 'antibody', 'present', 'abd ominal', 'pain', 'asthenia', 'akinesia', 'aphagia', 'aphasia', 'loss', 'consciousness', 'quality', 'life', 'decr eased', 'dehydration', 'withdrawal', 'syndrome', 'dyskinesia', 'drug', 'dose', 'omission', 'death', 'phaeochromo cytoma', 'memory', 'impairment', 'application', 'site', 'rash', 'application', 'site', 'erythema', 'therapeutic', 'response', 'coma', 'posterior', 'reversible', 'encephalopathy', 'syndrome', 'liver', 'injury', 'hepatic', 'ne crosis', 'liver', 'injury', 'hepatic', 'necrosis', 'infection', 'embolism', 'loss', 'consciousness', 'drug', 'in teraction', 'suicidal', 'ideation', 'intervertebral', 'disc', 'protrusion', 'hepatic', 'embolisation', 'obstruct ion', 'decreased', 'appetite', 'nausea', 'diarrhoea', 'mucosal', 'inflammation', 'pancytopenia', 'staphylococcus', 'test', 'positive', 'convulsion', 'device', 'related', 'infection', 'pyrexia', 'infusion', 'related', 'reacti on', 'chill', 'drug', 'interaction', 'suicidal', 'ideation', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peri pheral', 'arthropathy', 'arthralgia', 'systemic', 'lupus', 'erythematousus', 'nasal', 'disorder', 'spinal', 'diso rder', 'hallucination', 'auditory', 'hallucination', 'visual', 'drug', 'ineffective', 'memory', 'impairment', 'p neumonia', 'pneumonia', 'hunger', 'oropharyngeal', 'pain', 'hypersensitivity', 'pharyngeal', 'oedema', 'throat', 'irritation', 'swelling', 'face', 'lip', 'swelling', 'type', 'diabetes', 'mellitus', 'haematochezia', 'vomiting', 'abdominal', 'pain', 'proteinuria', 'type', 'diabetes', 'mellitus', 'aphagia', 'pain', 'pneumonia', 'bronchiti s', 'cough', 'abdominal', 'pain', 'upper', 'gastrointestinal', 'haemorrhage', 'intestinal', 'ischaemia', 'dialys is', 'electrocardiogram', 'qt', 'prolonged', 'intentional', 'overdose', 'coma', 'somnolence', 'hypophagia', 'flu id', 'intake', 'reduced', 'fall', 'blood', 'calcium', 'abnormal', 'procedural', 'hypertension', 'cerebrovascular', 'accident', 'hepatic', 'enzyme', 'increased', 'drug', 'ineffective', 'gastrooesophageal', 'reflux', 'disease', 'death', 'atrial', 'fibrillation', 'eructation', 'flatulence', 'abdominal', 'discomfort', 'hyperchlorhydria', 'face', 'oedema', 'failure', 'sepsis', 'acinetobacter', 'test', 'positive', 'treatment', 'failure', 'myocardial', 'infarction', 'pneumonia', 'renal', 'transplant', 'infection', 'mental', 'disorder', 'psychiatric', 'decompens ation', 'drug', 'ineffective', 'unapproved', 'indication', 'intentional', 'drug', 'misuse', 'acanthamoeba', 'ker atitis', 'drug', 'ineffective', 'acute', 'graft', 'versus', 'host', 'disease', 'urinary', 'retention', 'angina', 'pectoris', 'label', 'use', 'death', 'death', 'depression', 'suicidal', 'ideation', 'loss', 'employment', 'produ ct', 'substitution', 'issue', 'endocarditis', 'death', 'investigation', 'death', 'renal', 'failure', 'acute', 'l iver', 'injury', 'neutropenia', 'malignant', 'neoplasm', 'progression', 'dizziness', 'dysuria', 'malaise', 'inte ntional', 'product', 'use', 'issue', 'balance', 'disorder', 'drug', 'ineffective', 'acute', 'graft', 'versus', ' host', 'disease', 'skin', 'post', 'transplant', 'lymphoproliferative', 'disorder', 'drug', 'ineffective', 'chron ic', 'graft', 'versus', 'host', 'disease', 'posterior', 'reversible', 'encephalopathy', 'syndrome', 'liver', 'di sorder', 'renal', 'failure', 'drug', 'intolerance', 'drug', 'ineffective', 'unapproved', 'indication', 'dermatop hytosis', 'product', 'substitution', 'issue', 'fatigue', 'depression', 'malignant', 'neoplasm', 'progression', 'deafness', 'bone', 'pain', 'memory', 'impairment', 'hepatocellular', 'injury', 'influenza', 'like', 'illness', ' drug', 'ineffective', 'graft', 'versus', 'host', 'disease', 'incorrect', 'dose', 'administered', 'death', 'perfo rmance', 'status', 'decreased', 'hepatic', 'function', 'abnormal', 'decreased', 'appetite', 'drug', 'ineffective', 'acute', 'graft', 'versus', 'host', 'disease', 'skin', 'label', 'use', 'dacryostenosis', 'acquired', 'vision', 'blurred', 'drug', 'ineffective', 'acute', 'graft', 'versus', 'host', 'disease', 'cardiac', 'arrest', 'maligna nt', 'neoplasm', 'progression', 'clostridium', 'difficile', 'infection', 'pneumonia', 'fatigue', 'asthenia', 'se psis', 'urinary', 'tract', 'infection', 'muscle', 'spasm', 'decubitus', 'ulcer', 'skin', 'disorder', 'arthralgia', 'arthralgia', 'bone', 'pain', 'joint', 'swelling', 'local', 'swelling', 'blood', 'pressure', 'increased', 'ab dominal', 'discomfort', 'vision', 'blurred', 'nervousness', 'depression', 'insomnia', 'decreased', 'appetite', ' weight', 'decreased', 'incorrect', 'dose', 'administered', 'rectal', 'prolapse', 'fungal', 'infection', 'pyrexia', 'influenza', 'like', 'illness', 'upper', 'respiratory', 'tract', 'infection', 'febrile', 'neutropenia', 'panc reatic', 'carcinoma', 'pancreatitis', 'chronic', 'escherichia', 'pyelonephritis', 'renal', 'transplant', 'type', 'diabetes', 'mellitus', 'pain', 'hepatic', 'enzyme', 'increased', 'diarrhoea', 'vomiting', 'abdominal', 'pain', 'upper', 'haemolytic', 'anaemia', 'platelet', 'count', 'decreased', 'haemoglobin', 'decreased', 'anaemia', 'anal', 'abscess', 'anal', 'abscess', 'death', 'investigation', 'maternal', 'exposure', 'pregnancy', 'congenital', 'a nomaly', 'congenital', 'aortic', 'valve', 'stenosis', 'coarctation', 'aorta', 'patent', 'ductus', 'arteriosus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'drug', 'ineffective', 'acute', 'graft', 'versus', 'host', 'disease', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'arthralgia', 'pain', 'ext remity', 'pulmonary', 'artery', 'atresia', 'low', 'birth', 'weight', 'baby', 'heart', 'disease', 'congenital', ' red', 'man', 'syndrome', 'cardiac', 'disorder', 'myalgia', 'therapy', 'cessation', 'death', 'pneumonia', 'metror rhagia', 'mood', 'altered', 'product', 'substitution', 'issue', 'drug', 'ineffective', 'graft', 'versus', 'host', 'disease', 'nephrogenic', 'systemic', 'fibrosis', 'varicose', 'vein', 'memory', 'impairment', 'oedema', 'chron ic', 'graft', 'versus', 'host', 'disease', 'leukaemia', 'recurrent', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffective', 'gynaecomastia', 'blood', 'prolactin', 'increased', 'pain', 'chest', 'pain', 'nipple', 'swelling', 'dyspnoea', 'leukaemia', 'recurrent', 'acute', 'graft', 'versus', 'host', 'disease', 'chronic', 'graft', 'vers us', 'host', 'disease', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus'

'type', 'diabetes', 'mellitus', 'leukaemia', 'recurrent', 'acute', 'graft', 'versus', 'host', 'disease', 'chronic', 'graft', 'versus', 'host', 'disease', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffective', 'nephropathy', 'type', 'diabetes', 'mellitus', 'convulsion', 'type', 'diabetes', 'mellitus', 'disseminated', 'tuberculosis', 'respiratory', 'failure', 'cardiovascular', 'insufficiency', 'cardiac', 'hypertrophy', 'cardiomegaly', 'renal', 'colic', 'pyelonephritis', 'blood', 'creatinine', 'increased', 'alanine', 'aminotransferase', 'increased', 'swollen', 'tongue', 'transfusion', 'haemoglobin', 'decreased', 'arthritis', 'arthralgia', 'malaise', 'fatigue', 'herpes', 'zoster', 'growth', 'retardation', 'maternal', 'exposure', 'pregnancy', 'caesarean', 'section', 'feeling', 'abnormal', 'dyspnoea', 'insomnia', 'drug', 'dependence', 'oral', 'pain', 'teeth', 'brittle', 'oral', 'herpes', 'aphagia', 'dyspnoea', 'suffocation', 'feeling', 'general', 'physical', 'health', 'deterioration', 'sensation', 'pressure', 'dry', 'mouth', 'thirst', 'headache', 'headache', 'abdominal', 'pain', 'wheezing', 'inguinal', 'hernia', 'post', 'procedural', 'swelling', 'post', 'procedural', 'discharge', 'blood', 'pressure', 'increased', 'metastasis', 'pancreas', 'metastasis', 'liver', 'stress', 'ovarian', 'disorder', 'scar', 'anxiety', 'pyogenic', 'granuloma', 'palmar', 'erythema', 'nervousness', 'thrombophlebitis', 'nodule', 'plantar', 'fasciitis', 'pain', 'extremity', 'gait', 'disturbance', 'lichen', 'sclerosus', 'lymphadenopathy', 'nerve', 'compression', 'back', 'pain', 'neoplasm', 'progression', 'inappropriate', 'schedule', 'product', 'administration', 'atrial', 'fibrillation', 'cerebral', 'haemorrhage', 'haemorrhagic', 'stroke', 'hydrocephalus', 'brain', 'oedema', 'coma', 'inappropriate', 'schedule', 'drug', 'administration', 'haematuria', 'overdose', 'renal', 'cyst', 'haemorrhage', 'spinal', 'fracture', 'pancreatic', 'mass', 'foetal', 'exposure', 'pregnancy', 'meningitis', 'streptococcal', 'infarction', 'neurological', 'symptom', 'vomiting', 'musculoskeletal', 'disorder', 'pyrexia', 'platelet', 'disorder', 'neutropenia', 'haemoglobin', 'abnormal', 'respiratory', 'tract', 'infection', 'nausea', 'febrile', 'neutropenia', 'musculoskeletal', 'inflammation', 'infection', 'bacterial', 'infection', 'cardiac', 'failure', 'congestive', 'pericardial', 'effusion', 'atrial', 'fibrillation', 'visual', 'acuity', 'reduced', 'nasopharyngitis', 'visual', 'field', 'defect', 'white', 'blood', 'cell', 'count', 'increased', 'alanine', 'aminotransferase', 'increased', 'lymphocyte', 'count', 'decreased', 'cataract', 'device', 'failure', 'osteonecrosis', 'jaw', 'toothache', 'bone', 'disorder', 'breath', 'odour', 'mouth', 'haemorrhage', 'oral', 'disorder', 'erythema', 'swelling', 'pain', 'exposed', 'bone', 'jaw', 'infection', 'purulence', 'breast', 'cancer', 'neoplasm', 'progression', 'death', 'gastric', 'disorder', 'substance', 'abuse', 'overdose', 'drug', 'abuse', 'toxicity', 'various', 'agent', 'malignant', 'neoplasm', 'progression', 'platelet', 'count', 'decreased', 'haemophagocytic', 'lymphohistiocytosis', 'blood', 'bilirubin', 'increased', 'drug', 'intolerance', 'platelet', 'count', 'decreased', 'hepatic', 'function', 'abnormal', 'blood', 'glucose', 'increased', 'lipase', 'increased', 'graft', 'versus', 'host', 'disease', 'drug', 'resistance', 'blood', 'cholesterol', 'increased', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'joint', 'swelling', 'pain', 'extremity', 'anxiety', 'disturbance', 'attention', 'fatigue', 'insomnia', 'angioedema', 'lip', 'swelling', 'dyspnoea', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'blindness', 'breast', 'cancer', 'neoplasm', 'progression', 'hallucination', 'nausea', 'euphoric', 'mood', 'wrong', 'technique', 'drug', 'usage', 'process', 'abdominal', 'pain', 'upper', 'anxiety', 'breast', 'cancer', 'neoplasm', 'progression', 'death', 'death', 'ulcer', 'syncope', 'depressed', 'level', 'consciousness', 'unresponsive', 'stimulus', 'pyrexia', 'hypertension', 'blister', 'skin', 'exfoliation', 'cystic', 'fibrosis', 'lung', 'herpes', 'zoster', 'pancytopenia', 'drug', 'interaction', 'visual', 'impairment', 'fungal', 'infection', 'hypokalaemia', 'iron', 'deficiency', 'dyspnoea', 'post', 'procedural', 'complication', 'procedural', 'complication', 'drug', 'ineffective', 'ulcer', 'scar', 'purulence', 'device', 'dislocation', 'pain', 'red', 'blood', 'cell', 'abnormality', 'macular', 'degeneration', 'angina', 'pectoris', 'asthenia', 'visual', 'acuity', 'reduced', 'anaemia', 'fluid', 'retention', 'pleural', 'effusion', 'urticaria', 'product', 'label', 'issue', 'product', 'quality', 'issue', 'liver', 'disorder', 'hypersensitivity', 'yellow', 'skin', 'faeces', 'pale', 'rash', 'tooth', 'erosion', 'oral', 'infection', 'wrong', 'technique', 'drug', 'usage', 'process', 'underdose', 'decreased', 'appetite', 'pulmonary', 'arterial', 'hypertension', 'disease', 'progression', 'fluid', 'overload', 'drug', 'interaction', 'international', 'normalised', 'ratio', 'abnormal', 'prothrombin', 'time', 'abnormal', 'nephrolithiasis', 'ureteric', 'obstruction', 'chronic', 'obstructive', 'pulmonary', 'disease', 'convulsion', 'aplastic', 'anaemia', 'chronic', 'obstructive', 'pulmonary', 'disease', 'cardiac', 'failure', 'bacteraemia', 'septic', 'shock', 'brain', 'abscess', 'ventricular', 'tachycardia', 'incontinence', 'neck', 'pain', 'abasia', 'hypokinesia', 'label', 'use', 'drug', 'administration', 'monitoring', 'procedure', 'incorrectly', 'performed', 'cerebrovascular', 'accident', 'pneumothorax', 'confusional', 'state', 'pyrexia', 'supraventricular', 'extrasystole', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'renal', 'disorder', 'cerebrovascular', 'accident', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'lung', 'neoplasm', 'malignant', 'pneumonia', 'lung', 'neoplasm', 'malignant', 'disease', 'progression', 'type', 'diabetes', 'mellitus', 'interstitial', 'lung', 'disease', 'platelet', 'count', 'decreased', 'type', 'diabetes', 'mellitus', 'death', 'cerebral', 'infarction', 'ruptured', 'cerebral', 'aneurysm', 'hypertension', 'type', 'diabetes', 'mellitus', 'nausea', 'depression', 'cough', 'arthralgia', 'fatigue', 'asthenia', 'diarrhoea', 'muscle', 'spasm', 'dizziness', 'feeling', 'abnormal', 'drug', 'prescribing', 'error', 'myalgia', 'muscle', 'twitching', 'myocardial', 'infarction', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'staphylococcal', 'infection', 'rash', 'infusion', 'site', 'pain', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'colon', 'cancer', 'neoplasm', 'recurrence', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'blood', 'pressure', 'increased', 'label', 'use', 'type', 'diabetes', 'mellitus', 'pyrexia', 'urinary', 'retention', 'somnolence', 'aspiration', 'urinary', 'tract', 'infection', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'rash', 'rash', 'intentional', 'drug', 'misuse', 'systemic', 'lupus', 'erythematosis', 'device', 'breakage', 'product', 'lot', 'number', 'issue', 'transaminase', 'increased', 'confusional', 'state', 'loss', 'consciousness', 'retrograde', 'amnesia', 'delirium', 'bradycardia', 'apnoea', 'arterial', 'occlusive', 'disease', 'type', 'diabetes', 'mellitus', 'drug', 'withdrawal', 'syndrome', 'drug', 'detoxification', 'tremor', 'hypokinesia', 'dyspnoea', 'hyperhidrosis', 'feeling', 'abnormal', 'tachypnoea', 'activity', 'daily', 'living', 'impaired', 'death', 'osteoarthritis', 'impaired', 'healing', 'arthralgia', 'peripheral', 'swelling', 'febrile', 'neutropenia', 'haematemesis', 'melaena', 'haemorrhagic', 'anaemia', 'drug', 'interaction', 'mental', 'status', 'change', 'herpes', 'zoster', 'feeling', 'cold', 'infusion', 'related', 'reaction', 'acute', 'interstitial', 'pneumonitis', 'breast', 'cancer', 'glycosylated', 'haemoglobin', 'increased', 'hypoglycaemia', 'road', 'traffic', 'accident', 'disorder', 'toxicity', 'various', 'agent', 'drug', 'abuse', 'suicide', 'attempt', 'abdominal', 'wall', 'haematoma', 'drug', 'interaction', 'asthma', 'gastrointestinal', 'haemorrhage', 'cataract', 'goitre', 'drug', 'dependence', 'hypersensitivity', 'pharyngeal', 'oedema', 'dyspnoea', 'somnolence', 'pancreatic', 'carcinoma', 'seroma', 'therapeutic', 'response', 'decreased', 'headache', 'post', 'procedural', 'haemorrhage', 'drug', 'interaction', 'gastrointestinal', 'haemorrhage', 'nausea', 'plasma', 'cell', 'myeloma', 'disease', 'recurrence', 'post', 'procedural', 'haemorrhage', 'haematuria', 'contusion', 'international', 'normalised', 'ratio', 'increased', 'drug', 'interaction', 'cerebrovascular', 'accident', 'haemoglobin', 'decreased', 'thrombosis', 'aplastic', 'anaemia',

intestinal', 'perforation', 'ileus', 'paralytic', 'pneumonitis', 'lung', 'infiltration', 'renal', 'failure', 'pneumothorax', 'pulmonary', 'embolism', 'subdural', 'haematoma', 'drug', 'interaction', 'pneumonia', 'febrile', 'neutropenia', 'hypotension', 'pneumomediastinum', 'deep', 'vein', 'thrombosis', 'product', 'packaging', 'issue', 'product', 'package', 'associated', 'injury', 'accidental', 'exposure', 'product', 'chronic', 'obstructive', 'pulmonary', 'disease', 'pneumonia', 'streptococcal', 'left', 'ventricular', 'dysfunction', 'metabolic', 'acidosis', 'ketoacidosis', 'dehydration', 'lung', 'transplant', 'dyspnoea', 'exertional', 'chest', 'injury', 'ventricular', 'failure', 'oedema', 'peripheral', 'catheterisation', 'cardiac', 'abnormal', 'hypoxia', 'ischaemia', 'pleural', 'effusion', 'pulmonary', 'arterial', 'hypertension', 'condition', 'aggravated', 'cerebrovascular', 'accident', 'hemiparesis', 'dysarthria', 'transfusion', 'vascular', 'stent', 'thrombosis', 'treatment', 'noncompliance', 'rectal', 'haemorrhage', 'label', 'use', 'genital', 'infection', 'fungal', 'vulvovaginal', 'candidiasis', 'hypocalcaemia', 'ideation', 'depression', 'hepatic', 'cirrhosis', 'pancytopenia', 'ascites', 'convulsion', 'neutrophil', 'count', 'decreased', 'respiratory', 'failure', 'oesophageal', 'carcinoma', 'ileus', 'paralytic', 'large', 'intestinal', 'obstruction', 'dysphagia', 'mental', 'impairment', 'cushingoid', 'body', 'height', 'normal', 'acne', 'skin', 'papilloma', 'spinal', 'compression', 'fracture', 'headache', 'headache', 'musculoskeletal', 'stiffness', 'insomnia', 'lymphopenia', 'osteoporosis', 'sudden', 'death', 'loss', 'consciousness', 'dyspnoea', 'hypokalaemia', 'urinary', 'tract', 'infection', 'dysarthria', 'renal', 'failure', 'acute', 'disease', 'convulsion', 'depression', 'influenza', 'like', 'illness', 'asthenia', 'dyspepsia', 'nausea', 'abdominal', 'discomfort', 'anaemia', 'anaemia', 'neutropenia', 'drug', 'ineffective', 'haemorrhage', 'anaemia', 'gastrointestinal', 'haemorrhage', 'dizziness', 'hyperhidrosis', 'dizziness', 'international', 'normalised', 'ratio', 'abnormal', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'local', 'swelling', 'musculoskeletal', 'stiffness', 'peripheral', 'coldness', 'maternal', 'exposure', 'pregnancy', 'congenital', 'anomaly', 'brachycephaly', 'plagiocephaly', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'mood', 'altered', 'apathy', 'somnolence', 'flat', 'affect', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'dizziness', 'vision', 'blurred', 'malaise', 'type', 'diabetes', 'mellitus', 'palpitation', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'neuropathy', 'peripheral', 'visual', 'impairment', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'confusional', 'state', 'type', 'diabetes', 'mellitus', 'vomiting', 'death', 'device', 'dislocation', 'tremor', 'ischaemic', 'stroke', 'hemiparesis', 'seizure', 'label', 'use', 'haemorrhagic', 'stroke', 'bradyphrenia', 'malaise', 'arthralgia', 'road', 'traffic', 'accident', 'confusional', 'state', 'device', 'dislocation', 'drug', 'dose', 'omission', 'disease', 'drug', 'ineffective', 'cervical', 'spinal', 'stenosis', 'pneumonia', 'myocardial', 'infarction', 'pyrexia', 'weight', 'increased', 'sinusitis', 'blood', 'pressure', 'increased', 'lung', 'infection', 'fatigue', 'pneumonia', 'decreased', 'appetite', 'somnolence', 'bundle', 'branch', 'block', 'left', 'atrioventricular', 'block', 'first', 'degree', 'electrocardiogram', 'qt', 'prolonged', 'drug', 'interaction', 'epistaxis', 'pruritus', 'rash', 'hypertension', 'somnolence', 'depression', 'mercurism', 'major', 'depression', 'agitation', 'sedation', 'bipolar', 'disorder', 'attention', 'disorder', 'death', 'oesophageal', 'atresia', 'renal', 'aplasia', 'right', 'aortic', 'arch', 'maternal', 'drug', 'affecting', 'foetus', 'haemoglobin', 'decreased', 'asthenia', 'arthralgia', 'dyspnoea', 'nausea', 'renal', 'failure', 'vomiting', 'cleft', 'palate', 'maternal', 'drug', 'affecting', 'foetus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'muscle', 'spasm', 'cardiomyopathy', 'diabetic', 'neuropathy', 'anxiety', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'glucose', 'tolerance', 'impaired', 'type', 'diabetes', 'mellitus', 'placental', 'insufficiency', 'foetal', 'death', 'foetal', 'heart', 'rate', 'deceleration', 'abnormality', 'umbilical', 'cord', 'abnormality', 'loss', 'employment', 'multiple', 'injury', 'anhedonia', 'economic', 'problem', 'internal', 'haemorrhage', 'psychological', 'trauma', 'social', 'problem', 'deformity', 'physical', 'disability', 'pain', 'tension', 'hepatic', 'cirrhosis', 'liver', 'function', 'test', 'abnormal', 'ascites', 'pruritus', 'rash', 'meningomyelocele', 'maternal', 'drug', 'affecting', 'foetus', 'enterocolitis', 'liver', 'disorder', 'oedema', 'mouth', 'rash', 'erythematous', 'pyrexia', 'splenic', 'rupture', 'sepsis', 'cytomegalovirus', 'enterocolitis', 'abscess', 'fungal', 'gastric', 'ulcer', 'haemosiderosis', 'pyrexia', 'cystitis', 'haemorrhagic', 'multiple', 'injury', 'gastrointestinal', 'haemorrhage', 'tuberculin', 'test', 'positive', 'asthenia', 'breast', 'cancer', 'neoplasm', 'progression', 'diplopia', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'motor', 'developmental', 'delay', 'dermoid', 'cyst', 'foetal', 'exposure', 'pregnancy', 'small', 'date', 'baby', 'micropenis', 'hypospadias', 'cryptorchidism', 'foetal', 'exposure', 'pregnancy', 'arthralgia', 'change', 'bowel', 'habit', 'breast', 'cancer', 'neoplasm', 'progression', 'weight', 'increased', 'breast', 'cancer', 'metastasis', 'lymph', 'node', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'blindness', 'vision', 'blurred', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'ischaemic', 'stroke', 'breast', 'cancer', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'circulatory', 'collapse', 'hypotension', 'vomiting', 'pain', 'multiple', 'injury', 'physical', 'disability', 'tension', 'gastrointestinal', 'haemorrhage', 'psychological', 'trauma', 'economic', 'problem', 'pain', 'deformity', 'anhedonia', 'loss', 'employment', 'social', 'problem', 'breast', 'cancer', 'drug', 'intolerance', 'neoplasm', 'progression', 'breast', 'cancer', 'neoplasm', 'progression', 'road', 'traffic', 'accident', 'liver', 'disorder', 'multiple', 'injury', 'physical', 'disability', 'pain', 'gastrointestinal', 'haemorrhage', 'economic', 'problem', 'social', 'problem', 'failure', 'loss', 'employment', 'renal', 'injury', 'tension', 'ulcer', 'deformity', 'anhedonia', 'psychological', 'trauma', 'white', 'blood', 'cell', 'count', 'increased', 'device', 'related', 'infection', 'maternal', 'exposure', 'pregnancy', 'fall', 'confusional', 'state', 'orthostatic', 'hypotension', 'dehydration', 'electrocardiogram', 'qt', 'prolonged', 'somnambulism', 'mycosis', 'fungoides', 'stage', 'ii', 'joint', 'injury', 'arthritis', 'infective', 'malaise', 'substance', 'abuse', 'expired', 'drug', 'administered', 'suicidal', 'ideation', 'constipation', 'depressed', 'mood', 'drug', 'withdrawal', 'syndrome', 'intentional', 'drug', 'misuse', 'wrong', 'technique', 'drug', 'usage', 'process', 'cry', 'malaise', 'somnolence', 'dizziness', 'confusional', 'state', 'disorientation', 'anxiety', 'pulmonary', 'embolism', 'thrombosis', 'anxiety', 'insomnia', 'nausea', 'vomiting', 'withdrawal', 'syndrome', 'temperature', 'regulation', 'disorder', 'premature', 'baby', 'apgar', 'score', 'low', 'foetal', 'exposure', 'pregnancy', 'transfusion', 'myelodysplastic', 'syndrome', 'duodenal', 'ulcer', 'oesophagitis', 'gastroenteritis', 'aeromonas', 'fatigue', 'cyst', 'ear', 'pain', 'pain', 'extremity', 'blood', 'bilirubin', 'increased', 'schizoaffective', 'disorder', 'drug', 'ineffective', 'superinfection', 'disease', 'progression', 'pneumonitis', 'dyspnoea', 'congenital', 'ureteric', 'anomaly', 'kidney', 'malformation', 'cryptorchidism', 'maternal', 'drug', 'affecting', 'foetus', 'renal', 'aplasia', 'urinary', 'retention', 'constipation', 'abdominal', 'pain', 'hypotension', 'vomiting', 'fatigue', 'diarrhoea', 'throat', 'tightness', 'erythema', 'urticaria', 'nausea', 'renal', 'failure', 'acute', 'muscle', 'spasm', 'dyspnoea', 'meningitis', 'white', 'blood', 'cell', 'count', 'increased', 'neutrophil', 'count', 'increased', 'brain', 'abscess', 'pneumonia', 'malnutrition', 'death', 'acute', 'myeloid', 'leukaemia', 'haemoglobin', 'decreased', 'death', 'pain', 'oedema', 'peripheral', 'death', 'febrile', 'neutropenia', 'death', 'death', 'swollen', 'tongue', 'nausea', 'pain', 'death', 'atrial', 'septal', 'defect', 'maternal', 'drug', 'affecting', 'foetus', 'accidental', 'exposure', 'product', 'child', 'acute', 'lymphocytic', 'leukaemia', 'recurrent'

'hypotension', 'feeling', 'abnormal', 'bradycardia', 'abdominal', 'pain', 'upper', 'bladder', 'dysfunction', 'cystitis', 'noninfective', 'nausea', 'weight', 'decreased', 'alopecia', 'pancytopenia', 'major', 'depression', 'rash', 'drug', 'intolerance', 'mycosis', 'fungoides', 'disease', 'alopecia', 'small', 'intestinal', 'resection', 'dialysis', 'nausea', 'haematochezia', 'hepatic', 'enzyme', 'abnormal', 'hepatic', 'enzyme', 'increased', 'insomnia', 'pain', 'extremity', 'constipation', 'anorectal', 'disorder', 'rash', 'vision', 'blurred', 'procedural', 'pain', 'abdominal', 'pain', 'laryngeal', 'pain', 'sinusitis', 'respiratory', 'tract', 'infection', 'bone', 'density', 'decreased', 'back', 'pain', 'dizziness', 'cough', 'headache', 'intestinal', 'resection', 'disease', 'neutropenia', 'arthralgia', 'influenza', 'contusion', 'fatigue', 'abdominal', 'distension', 'skin', 'lesion', 'nausea', 'infusion', 'related', 'reaction', 'vomiting', 'drug', 'specific', 'antibody', 'present', 'diarrhoea', 'myalgia', 'acne', 'dyspepsia', 'pyrexia', 'loss', 'consciousness', 'anxiety', 'diarrhoea', 'dehydration', 'haemorrhage', 'dialysis', 'nephrogenic', 'systemic', 'fibrosis', 'pancytopenia', 'renal', 'vessel', 'disorder', 'enterococcal', 'sepsis', 'arthralgia', 'rash', 'asthma', 'encephalitis', 'viral', 'blood', 'lactate', 'dehydrogenase', 'increased', 'pyrexia', 'pyrexia', 'melena', 'hepatic', 'function', 'abnormal', 'furuncle', 'vitamin', 'nerve', 'paralysis', 'cardiac', 'disorder', 'chronic', 'obstructive', 'pulmonary', 'disease', 'bronchiectasis', 'thyroid', 'disorder', 'arthritis', 'inflammation', 'skin', 'discolouration', 'circumstance', 'information', 'capable', 'leading', 'medication', 'error', 'overdose', 'drug', 'ineffective', 'retinal', 'vein', 'occlusion', 'pneumonia', 'asthenia', 'dyspnoea', 'dependence', 'insomnia', 'urinary', 'retention', 'anxiety', 'hyperhidrosis', 'vomiting', 'disturbance', 'attention', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'back', 'pain', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'bicuspid', 'aortic', 'valve', 'congenital', 'aortic', 'stenosis', 'dysmorphism', 'exposure', 'pregnancy', 'foetal', 'exposure', 'pregnancy', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'headache', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'stomatitis', 'neovascular', 'macular', 'degeneration', 'rash', 'myalgia', 'muscular', 'weakness', 'eye', 'irritation', 'pruritus', 'meningomyelocele', 'maternal', 'drug', 'affecting', 'foetus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'epilepsy', 'therapeutic', 'response', 'unexpected', 'drug', 'substitution', 'renal', 'neoplasm', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'dyspnoea', 'rash', 'back', 'pain', 'drug', 'withdrawal', 'syndrome', 'apparent', 'death', 'depression', 'cry', 'nervous', 'system', 'disorder', 'chill', 'insomnia', 'tremor', 'quality', 'life', 'decreased', 'decreased', 'appetite', 'influenza', 'intentional', 'drug', 'misuse', 'anaphylactic', 'shock', 'polydactyly', 'maternal', 'drug', 'affecting', 'foetus', 'hallucination', 'depression', 'anxiety', 'paranoia', 'apathy', 'drug', 'ineffective', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'haemolytic', 'uraemic', 'syndrome', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'syndrome', 'mental', 'status', 'change', 'vomiting', 'nausea', 'overdose', 'cholestasis', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'convulsion', 'feeling', 'hot', 'glassy', 'eye', 'product', 'substitution', 'issue', 'product', 'quality', 'issue', 'drug', 'ineffective', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'drug', 'ineffective', 'systemic', 'lupus', 'erythematosus', 'drug', 'ineffective', 'cystocele', 'febrile', 'neutropenia', 'haemolysis', 'hypersensitivity', 'dyspnoea', 'oral', 'disorder', 'wrong', 'technique', 'drug', 'usage', 'process', 'pharyngeal', 'oedema', 'memory', 'impairment', 'seizure', 'label', 'use', 'road', 'traffic', 'accident', 'cerebrovascular', 'accident', 'sneezing', 'transient', 'ischaemic', 'attack', 'fatigue', 'speech', 'disorder', 'confusional', 'state', 'bacterial', 'infection', 'rhinorrhoea', 'feeling', 'hot', 'alopecia', 'disturbance', 'attention', 'migraine', 'osteoporosis', 'paraesthesia', 'nausea', 'headache', 'acute', 'myeloid', 'leukaemia', 'arthritis', 'refractory', 'anaemia', 'excess', 'blast', 'lower', 'respiratory', 'tract', 'infection', 'pneumonia', 'neutrophil', 'count', 'increased', 'viral', 'infection', 'white', 'blood', 'cell', 'count', 'decreased', 'neutrophil', 'count', 'decreased', 'death', 'musculoskeletal', 'disorder', 'plasma', 'cell', 'myeloma', 'renal', 'failure', 'acute', 'clavicle', 'fracture', 'fall', 'pathological', 'fracture', 'drug', 'intolerance', 'encephalopathy', 'pleural', 'effusion', 'pneumonia', 'lower', 'respiratory', 'tract', 'infection', 'type', 'diabetes', 'mellitus', 'cough', 'dyspnoea', 'atrial', 'flutter', 'hypoxia', 'drug', 'interaction', 'haemorrhage', 'type', 'diabetes', 'mellitus', 'death', 'fall', 'fracture', 'type', 'diabetes', 'mellitus', 'hepatic', 'function', 'abnormal', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'nephrolithiasis', 'type', 'diabetes', 'mellitus', 'myelopathy', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'pancreatic', 'carcinoma', 'type', 'diabetes', 'mellitus', 'accidental', 'exposure', 'product', 'child', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'palpitation', 'heart', 'rate', 'irregular', 'cardiac', 'flutter', 'type', 'diabetes', 'mellitus', 'intentional', 'overdose', 'mental', 'status', 'change', 'unresponsive', 'stimulus', 'agitation', 'electrocardiogram', 'qt', 'prolonged', 'status', 'epileptic', 'disorientation', 'drug', 'interaction', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'death', 'type', 'diabetes', 'mellitus', 'hepatic', 'steatosis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'ascites', 'muscle', 'spasm', 'headache', 'diarrhoea', 'malaise', 'fatigue', 'mouth', 'ulceration', 'abdominal', 'discomfort', 'viral', 'infection', 'weight', 'decreased', 'type', 'diabetes', 'mellitus', 'yellow', 'skin', 'decreased', 'appetite', 'neutrophil', 'count', 'decreased', 'death', 'type', 'diabetes', 'mellitus', 'gait', 'disturbance', 'knee', 'arthroplasty', 'low', 'turnover', 'osteopathy', 'osteoporotic', 'fracture', 'blister', 'femur', 'fracture', 'anxiety', 'depression', 'osteopenia', 'chronic', 'obstructive', 'pulmonary', 'disease', 'tinea', 'cruris', 'knee', 'arthroplasty', 'anxiety', 'depression', 'body', 'tinea', 'adverse', 'event', 'interamedullary', 'rod', 'insertion', 'renal', 'impairment', 'pruritus', 'type', 'diabetes', 'mellitus', 'intestinal', 'stenosis', 'diarrhoea', 'abdominal', 'pain', 'incorrect', 'dose', 'administered', 'ammonia', 'increased', 'hepatic', 'encephalopathy', 'essential', 'tremor', 'acute', 'respiratory', 'distress', 'syndrome', 'pneumonia', 'interstitial', 'lung', 'disease', 'tuberculin', 'test', 'positive', 'body', 'height', 'abnormal', 'cerebral', 'palsy', 'dysmorphism', 'hypertrichosis', 'dyspraxia', 'developmental', 'delay', 'decreased', 'vibratory', 'sense', 'impulsive', 'behaviour', 'ankyloglossia', 'congenital', 'low', 'set', 'ear', 'intellectual', 'disability', 'learning', 'disorder', 'foetal', 'anticonvulsant', 'syndrome', 'central', 'nervous', 'system', 'lesion', 'lip', 'disorder', 'impaired', 'quality', 'life', 'tremor', 'cerebrovascular', 'accident', 'mental', 'impairment', 'cardiac', 'murmur', 'speech', 'disorder', 'developmental', 'foetal', 'exposure', 'pregnancy', 'stridor', 'eye', 'disorder', 'autism', 'spectrum', 'disorder', 'myelodysplastic', 'syndrome', 'immune', 'reconstitution', 'inflammatory', 'syndrome', 'molluscum', 'contagiosum', 'local', 'swelling', 'headache', 'swollen', 'tongue', 'tremor', 'palpitation', 'dyspnoea', 'chronic', 'obstructive', 'pulmonary', 'disease', 'label', 'use', 'wrong', 'technique',

'drug', 'usage', 'process', 'dizziness', 'hypotension', 'infection', 'pneumonia', 'dysphagia', 'acute', 'myeloid', 'leukaemia', 'leukaemia', 'uveitis', 'blindness', 'hyponatraemia', 'diarrhoea', 'diarrhoea', 'weight', 'decreased', 'vomiting', 'stress', 'drug', 'intolerance', 'colitis', 'ulcerative', 'movement', 'disorder', 'feeding', 'disorder', 'diarrhoea', 'upper', 'limb', 'fracture', 'fall', 'hypoesthesia', 'pain', 'drug', 'level', 'increased', 'myocardial', 'infarction', 'angina', 'pectoris', 'respiratory', 'failure', 'cardiac', 'failure', 'congestive', 'bone', 'marrow', 'failure', 'uveitis', 'blindness', 'anuria', 'renal', 'failure', 'acute', 'hyponatraemia', 'hypokalaemia', 'diarrhoea', 'renal', 'failure', 'diarrhoea', 'haemorrhoid', 'prothrombin', 'time', 'prolonged', 'hyperglycaemia', 'hypokalaemia', 'hyperphosphataemia', 'ejection', 'fraction', 'decreased', 'dyspnoea', 'nausea', 'vomiting', 'diarrhoea', 'liver', 'function', 'test', 'abnormal', 'swelling', 'fall', 'foaming', 'mouth', 'eye', 'movement', 'disorder', 'hypersensitivity', 'cerebrovascular', 'accident', 'cardiac', 'failure', 'congestive', 'disability', 'coronary', 'arterial', 'stent', 'insertion', 'treatment', 'noncompliance', 'diabetes', 'mellitus', 'blood', 'cholesterol', 'increased', 'hypertension', 'pneumonia', 'basal', 'cell', 'carcinoma', 'shoulder', 'operation', 'cyst', 'sinus', 'polyp', 'ear', 'infection', 'synovial', 'cyst', 'musculoskeletal', 'pain', 'pain', 'extremity', 'arthralgia', 'expired', 'drug', 'administered', 'pollakiuria', 'trichorrhexis', 'paraesthesia', 'pain', 'multiple', 'sclerosis', 'relapse', 'insomnia', 'pruritus', 'alopecia', 'diarrhoea', 'headache', 'cystitis', 'balance', 'disorder', 'gastrointestinal', 'disorder', 'pyrexia', 'cataract', 'dry', 'skin', 'feeling', 'body', 'temperature', 'change', 'fatigue', 'burning', 'sensation', 'nausea', 'mobility', 'decreased', 'coeliac', 'disease', 'urticaria', 'death', 'epilepsy', 'medication', 'error', 'psychotic', 'disorder', 'affect', 'lability', 'anxiety', 'cough', 'cry', 'diarrhoea', 'diplopia', 'dyslexia', 'dyspnoea', 'exertional', 'eye', 'oedema', 'hallucination', 'headache', 'incoherent', 'insomnia', 'irritability', 'mood', 'swing', 'oedema', 'peripheral', 'pain', 'extremity', 'stress', 'suicidal', 'ideation', 'weight', 'decreased', 'lymphoma', 'diabetes', 'mellitus', 'fibromyalgia', 'rash', 'generalised', 'abasia', 'blood', 'glucose', 'fluctuation', 'lymphocyte', 'count', 'abnormal', 'tinnitus', 'diplopia', 'vision', 'blurred', 'incoherent', 'aphasia', 'blindness', 'balance', 'disorder', 'neutrophil', 'count', 'abnormal', 'pneumonia', 'dyspnoea', 'chest', 'pain', 'dehydration', 'nausea', 'vomiting', 'investigation', 'intentional', 'drug', 'misuse', 'drug', 'dependence', 'convulsion', 'feeling', 'abnormal', 'hyperhidrosis', 'vomiting', 'tremor', 'adverse', 'event', 'wrong', 'technique', 'drug', 'usage', 'process', 'ligament', 'sprain', 'ligament', 'rupture', 'road', 'traffic', 'accident', 'tonsillitis', 'upper', 'respiratory', 'tract', 'infection', 'asthenia', 'pain', 'extremity', 'swelling', 'face', 'cerebrovascular', 'accident', 'convulsion', 'fall', 'tremor', 'mental', 'status', 'change', 'muscle', 'tightness', 'respiratory', 'depression', 'pain', 'incorrect', 'dose', 'administered', 'loss', 'consciousness', 'overdose', 'hypersensitivity', 'lethargy', 'muscle', 'spasm', 'therapeutic', 'response', 'decreased', 'muscle', 'spasticity', 'stress', 'disorder', 'depression', 'panic', 'attack', 'road', 'traffic', 'accident', 'impaired', 'work', 'ability', 'rehabilitation', 'therapy', 'exposure', 'pregnancy', 'disease', 'progression', 'post', 'procedural', 'haemorrhage', 'dialysis', 'blood', 'pressure', 'inadequately', 'controlled', 'blood', 'glucose', 'increased', 'chronic', 'obstructive', 'pulmonary', 'disease', 'superior', 'vena', 'cava', 'syndrome', 'treatment', 'noncompliance', 'premature', 'delivery', 'live', 'birth', 'exposure', 'pregnancy', 'diabetes', 'mellitus', 'inadequate', 'control', 'acute', 'hepatic', 'failure', 'renal', 'failure', 'acute', 'respiratory', 'arrest', 'premature', 'baby', 'foetal', 'exposure', 'pregnancy', 'medical', 'device', 'complication', 'joint', 'arthroplasty', 'rash', 'generalised', 'presyncope', 'skin', 'ulcer', 'psoriasis', 'alopecia', 'malaise', 'platelet', 'aggregation', 'increased', 'convulsion', 'sepsis', 'pneumonia', 'respiratory', 'failure', 'diabetes', 'mellitus', 'disability', 'asthma', 'fibromyalgia', 'malaise', 'death', 'renal', 'surgery', 'therapy', 'cessation', 'haemorrhage', 'neuropathy', 'peripheral', 'hypertension', 'drug', 'ineffective', 'gastrointestinal', 'haemorrhage', 'zygomycosis', 'abdominal', 'pain', 'lower', 'pulmonary', 'toxicity', 'dyspnoea', 'cough', 'respiratory', 'distress', 'lung', 'infiltration', 'pleural', 'effusion', 'atelectasis', 'interstitial', 'lung', 'disease', 'diarrhoea', 'haemorrhagic', 'gastrointestinal', 'ulcer', 'gastric', 'cancer', 'stage', 'iv', 'abdominal', 'pain', 'upper', 'chest', 'pain', 'back', 'pain', 'lymphadenopathy', 'lymphoma', 'hepatic', 'cancer', 'stage', 'iv', 'weight', 'decreased', 'hypophagia', 'increased', 'tendency', 'bruise', 'hearing', 'impaired', 'visual', 'impairment', 'fatigue', 'knee', 'arthroplasty', 'failure', 'diabetes', 'mellitus', 'acne', 'cystic', 'acne', 'inflammation', 'product', 'substitution', 'issue', 'product', 'quality', 'issue', 'cardiotoxicity', 'monoparesis', 'cerebrovascular', 'accident', 'lactic', 'acidosis', 'blood', 'triglyceride', 'increased', 'nausea', 'hypoesthesia', 'oral', 'gastric', 'ph', 'decreased', 'malaise', 'vomiting', 'paraesthesia', 'oral', 'abdominal', 'pain', 'upper', 'pleural', 'effusion', 'gastric', 'cancer', 'pulmonary', 'embolism', 'pneumonitis', 'renal', 'failure', 'acute', 'psychiatric', 'symptom', 'epilepsy', 'convulsion', 'loss', 'consciousness', 'fall', 'abnormal', 'behaviour', 'cerebellar', 'haemorrhage', 'hypertension', 'urinary', 'retention', 'anuria', 'haematuria', 'pneumonitis', 'dyspnoea', 'cough', 'pulmonary', 'embolism', 'rectal', 'obstruction', 'colitis', 'constipation', 'abdominal', 'pain', 'febrile', 'neutropenia', 'white', 'blood', 'cell', 'count', 'decreased', 'neutrophil', 'count', 'decreased', 'dystonia', 'suicide', 'attempt', 'device', 'malfunction', 'peripheral', 'sensorimotor', 'neuropathy', 'rectal', 'adenocarcinoma', 'drug', 'interaction', 'arthralgia', 'haematoma', 'erythema', 'feeling', 'abnormal', 'visual', 'impairment', 'genital', 'haemorrhage', 'influenza', 'like', 'illness', 'abdominal', 'distension', 'vitamin', 'deficiency', 'weight', 'increased', 'dry', 'mouth', 'eye', 'irritation', 'dyspnoea', 'thermal', 'burn', 'odynophagia', 'dry', 'mouth', 'local', 'swelling', 'swelling', 'thrombosis', 'oropharyngeal', 'pain', 'dermatitis', 'bullous', 'endometrial', 'cancer', 'blood', 'glucose', 'increased', 'incorrect', 'dose', 'administered', 'drug', 'dose', 'omission', 'blood', 'glucose', 'increased', 'unintended', 'pregnancy', 'drug', 'interaction', 'exposure', 'pregnancy', 'fracture', 'chronic', 'myeloid', 'leukaemia', 'drug', 'dependence', 'drug', 'abuse', 'pigmentation', 'disorder', 'drug', 'interaction', 'drug', 'dependence', 'drug', 'abuse', 'ejection', 'fraction', 'decreased', 'gastrointestinal', 'disorder', 'iron', 'deficiency', 'anaemia', 'occult', 'blood', 'positive', 'erythema', 'intestinal', 'ulcer', 'retroperitoneal', 'fibrosis', 'abdominal', 'pain', 'vision', 'blurred', 'eyelid', 'margin', 'crusting', 'dry', 'mouth', 'dry', 'throat', 'choking', 'constipation', 'photophobia', 'haemorrhage', 'sudden', 'cardiac', 'death', 'aspergillus', 'test', 'positive', 'staphylococcus', 'test', 'positive', 'mycobacterium', 'avium', 'complex', 'infection', 'acute', 'respiratory', 'distress', 'syndrome', 'hyperthyroidism', 'pulmonary', 'toxicity', 'organising', 'pneumonia', 'pyrexia', 'cough', 'dyspnoea', 'weight', 'decreased', 'haemoptysis', 'asthenia', 'paralysis', 'malaise', 'paralysis', 'premature', 'baby', 'acute', 'hepatic', 'failure', 'renal', 'failure', 'acute', 'respiratory', 'arrest', 'cardiomegaly', 'foetal', 'growth', 'restriction', 'abdominal', 'distension', 'pseudocyst', 'gastrointestinal', 'disorder', 'congenital', 'neural', 'tube', 'defect', 'foetal', 'exposure', 'pregnancy', 'tooth', 'loss', 'gingival', 'pain', 'rash', 'erythematous', 'cutaneous', 'lupus', 'erythematous', 'musculoskeletal', 'pain', 'neck', 'pain', 'arthralgia', 'syncope', 'fall', 'acute', 'myocardial', 'infarction', 'cerebral', 'ischaemia', 'label', 'use', 'decreased', 'appetite', 'abdominal', 'pain', 'pain', 'drug', 'ineffective', 'intestinal', 'resection', 'uveitis', 'aphthous', 'stomatitis', 'label', 'use', 'drug', 'ineffective', 'unapproved', 'indication', 'aphthous', 'stomatitis', 'infarction', 'cerebrovascular', 'accident', 'pulmonary', 'embolism', 'intestinal', 'obstruction', 'haematuria', 'urinary', 'tract', 'infection', 'disease', 'lethargy', 'condition', 'aggravated', 'drug', 'ineffective', 'neuralgia', 'contusion', 'pain', 'back', 'pain', 'pain', 'extremity', 'haematemesis', 'neutrophil', 'count', 'decreased', 'vertigo', 'infection', 'nausea', 'vomiting', 'diarrhoea', 'malaise', 'neutropenia', 'pancytopenia', 'febrile', 'neutropenia', 'thrombocytopenia', 'lower', 'respiratory', 'tract', 'infection', 'dyspnoea', 'asthenia', 's

inuitis', 'pulmonary', 'embolism', 'nasal', 'septum', 'deviation', 'haemostasis', 'thrombocytopenia', 'cognitiv  
e', 'disorder', 'disturbance', 'attention', 'learning', 'disorder', 'convulsion', 'swelling', 'face', 'rash', 'r  
ash', 'generalised', 'local', 'swelling', 'vomiting', 'capillary', 'leak', 'syndrome', 'haematotoxicity', 'muscu  
loskeletal', 'disorder', 'mouth', 'ulceration', 'procedural', 'pain', 'oral', 'discomfort', 'dyspepsia', 'ovaria  
n', 'cancer', 'metastasis', 'peritoneum', 'metastasis', 'liver', 'abdominal', 'pain', 'neuroleptic', 'malignant'  
, 'syndrome', 'hypokalaemia', 'hypochloraeaemia', 'blood', 'urea', 'decreased', 'blood', 'urea', 'ratio', 'decreas  
ed', 'anticonvulsant', 'drug', 'level', 'decreased', 'hyponatraemia', 'disease', 'progression', 'breast', 'cance  
r', 'label', 'use', 'pneumonitis', 'chest', 'pain', 'pyrexia', 'atrial', 'fibrillation', 'sinus', 'tachycardia',  
'abdominal', 'pain', 'cellulitis', 'pyrexia', 'suicidal', 'ideation', 'feeling', 'abnormal', 'plasmablastic', 'l  
ymphoma', 'mouth', 'ulceration', 'lymphadenopathy', 'faecal', 'incontinence', 'diarrhoea', 'gastric', 'perforati  
on', 'pseudomembranous', 'colitis', 'clostridium', 'difficile', 'infection', 'hypomagnesaemia', 'drug', 'interac  
tion', 'intestinal', 'obstruction', 'aneurysm', 'blindness', 'visual', 'impairment', 'lung', 'infection', 'laryn  
gitis', 'pneumonia', 'haemolytic', 'anaemia', 'sarcoma', 'skin', 'haematotoxicity', 'sepsis', 'pneumonia', 'dysp  
noea', 'chest', 'pain', 'productive', 'cough', 'body', 'temperature', 'increased', 'dehydration', 'nausea', 'vom  
iting', 'diarrhoea', 'abdominal', 'pain', 'hypoglycaemia', 'dizziness', 'type', 'diabetes', 'mellitus', 'myocard  
ial', 'infarction', 'arthritis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabet  
es', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'cough', 'vomiting', 'quality',  
'life', 'decreased', 'urinary', 'incontinence', 'convulsion', 'type', 'diabetes', 'mellitus', 'type', 'diabetes',  
'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'f  
acial', 'pain', 'speech', 'disorder', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'd  
iabetes', 'mellitus', 'cataract', 'gout', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'syndr  
ome', 'dermatitis', 'exfoliative', 'stomatitis', 'eosinophilia', 'blood', 'creatinine', 'increased', 'pyrexia',  
'transaminase', 'increased', 'systemic', 'lupus', 'erythematosis', 'toxicity', 'various', 'agent', 'virologic',  
'failure', 'dehydration', 'nausea', 'vomiting', 'faeces', 'soft', 'blood', 'glucose', 'abnormal', 'lipid', 'abno  
rmal', 'chronic', 'obstructive', 'pulmonary', 'disease', 'abdominal', 'pain', 'upper', 'nausea', 'feeling', 'bod  
y', 'temperature', 'change', 'type', 'diabetes', 'mellitus', 'nephrotic', 'syndrome', 'renal', 'failure', 'acute',  
'dyspnoea', 'wheezing', 'hypokalaemia', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type',  
'diabetes', 'mellitus', 'forced', 'vital', 'capacity', 'decreased', 'carbon', 'monoxide', 'diffusing', 'capac  
ity', 'decreased', 'drug', 'intolerance', 'weight', 'increased', 'fatigue', 'pulmonary', 'hypertension', 'oxygen',  
'saturation', 'decreased', 'sinusitis', 'feeling', 'abnormal', 'asthenia', 'dyspnoea', 'gastroesophageal', 'r  
eflux', 'disease', 'incorrect', 'dose', 'administered', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'me  
llitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type',  
'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'gastric', 'ulcer', 'pho  
tosensitivity', 'reaction', 'haemoglobinuria', 'fatigue', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'm  
ellitus', 'hernia', 'fall', 'foot', 'fracture', 'clavicle', 'fracture', 'orthostatic', 'hypotension', 'angioedem  
a', 'diarrhoea', 'haemorrhagic', 'type', 'diabetes', 'mellitus', 'overdose', 'urinary', 'retention', 'small', 'i  
ntestinal', 'obstruction', 'enteritis', 'drug', 'dependence', 'depression', 'type', 'diabetes', 'mellitus', 'leu  
kaemia', 'recurrent', 'chronic', 'graft', 'versus', 'host', 'disease', 'chronic', 'myeloid', 'leukaemia', 'drug',  
'ineffective', 'spinal', 'disorder', 'hypotension', 'renal', 'failure', 'arthritis', 'salmonella', 'type', 'di  
abetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'incisional', 'drainage', 'drug', 'effect', 'incomplete', 'p  
osterior', 'reversible', 'encephalopathy', 'syndrome', 'myasthenia', 'gravis', 'antiacetylcholine', 'receptor',  
'antibody', 'positive', 'label', 'use', 'thrombotic', 'microangiopathy', 'product', 'use', 'issue', 'toxicity',  
'various', 'agent', 'ventricular', 'tachycardia', 'bundle', 'branch', 'block', 'left', 'electrocardiogram', 'qrs',  
'complex', 'prolonged', 'cardiac', 'failure', 'congestive', 'renal', 'failure', 'metabolic', 'acidosis', 'typ  
e', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'arthropathy', 'type', 'diabetes', 'mellitus', 'alte  
red', 'state', 'consciousness', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mell  
itus', 'syncope', 'ventricular', 'fibrillation', 'cardiac', 'failure', 'type', 'diabetes', 'mellitus', 'pericard  
ial', 'effusion', 'metastasis', 'skin', 'aphagia', 'lymphadenopathy', 'neuropathy', 'peripheral', 'liver', 'diso  
rder', 'anaemia', 'decreased', 'appetite', 'back', 'pain', 'synovial', 'cyst', 'nodule', 'diarrhoea', 'fatigue',  
'malaise', 'influenza', 'like', 'illness', 'alopecia', 'headache', 'pruritus', 'arthralgia', 'weight', 'decrease  
d', 'oral', 'pain', 'mouth', 'ulceration', 'nail', 'bed', 'infection', 'nail', 'disorder', 'nausea', 'epistaxis',  
'insomnia', 'photosensitivity', 'reaction', 'chill', 'dyspnoea', 'fungal', 'infection', 'onychoclasia', 'skin',  
'disorder', 'dysgeusia', 'glossodynia', 'tooth', 'discolouration', 'abdominal', 'discomfort', 'vomiting', 'whe  
ezing', 'disease', 'progression', 'breast', 'cancer', 'metastatic', 'ileus', 'multiple', 'sclerosis', 'relapse',  
'type', 'diabetes', 'mellitus', 'leukaemia', 'recurrent', 'acute', 'graft', 'versus', 'host', 'disease', 'chroni  
c', 'graft', 'versus', 'host', 'disease', 'chronic', 'myeloid', 'leukaemia', 'drug', 'ineffective', 'hypersensit  
ivity', 'dyspnoea', 'pharyngeal', 'oedema', 'dysphagia', 'insomnia', 'label', 'use', 'type', 'diabetes', 'mellit  
us', 'liver', 'injury', 'aspartate', 'aminotransferase', 'increased', 'alanine', 'aminotransferase', 'increased',  
'gastric', 'haemorrhage', 'muscle', 'spasm', 'fall', 'gait', 'disturbance', 'retinopathy', 'photosensitivity',  
'reaction', 'eczema', 'diabetes', 'mellitus', 'liver', 'injury', 'type', 'diabetes', 'mellitus', 'type', 'diabet  
es', 'mellitus', 'cholelithiasis', 'dementia', 'delirium', 'incoherent', 'type', 'diabetes', 'mellitus', 'dehydr  
ation', 'asthenia', 'scratch', 'death', 'haematochezia', 'organ', 'failure', 'death', 'type', 'diabetes', 'melli  
tus', 'type', 'diabetes', 'mellitus', 'leg', 'amputation', 'pain', 'gastric', 'disorder', 'hypersensitivity', 'u  
rticaria', 'vomiting', 'migraine', 'pharyngeal', 'oedema', 'haemoglobin', 'decreased', 'fatigue', 'pneumonia', 'm  
yocardial', 'infarction', 'general', 'physical', 'health', 'deterioration', 'peripheral', 'vascular', 'disorder',  
'condition', 'aggravated', 'embolism', 'arterial', 'haemorrhage', 'subcutaneous', 'heart', 'rate', 'irregular',  
'influenza', 'bone', 'marrow', 'disorder', 'cardiac', 'failure', 'congestive', 'bone', 'marrow', 'transplant',  
'subdural', 'haematoma', 'gastric', 'ulcer', 'seizure', 'dyspnoea', 'transfusion', 'haemorrhage', 'anaemia', 'd  
eath', 'acute', 'myocardial', 'infarction', 'coronary', 'artery', 'occlusion', 'clostridium', 'difficile', 'inf  
ection', 'grand', 'mal', 'convulsion', 'transplant', 'transient', 'ischaemic', 'attack', 'hypoglycaemia', 'hyper  
tension', 'multiple', 'sclerosis', 'anaemia', 'hyperlipidaemia', 'gout', 'drug', 'ineffective', 'mobility', 'dec  
reased', 'gait', 'disturbance', 'abasia', 'abasia', 'multiple', 'sclerosis', 'weight', 'decreased', 'wheelchair',  
'user', 'stress', 'therapy', 'cessation', 'electrocardiogram', 'abnormal', 'bradycardia', 'dizziness', 'presyn  
cope', 'death', 'melaena', 'malignant', 'neoplasm', 'progression', 'loss', 'consciousness', 'back', 'pain', 'hyp  
erhidrosis', 'nasopharyngitis', 'insomnia', 'dizziness', 'feeling', 'abnormal', 'local', 'swelling', 'neuropathy',  
'peripheral', 'swelling', 'face', 'drug', 'interaction', 'neuropathy', 'peripheral', 'neck', 'pain', 'flushin  
g', 'sepsis', 'catheter', 'site', 'pain', 'catheter', 'site', 'infection', 'pain', 'jaw', 'catheter', 'site', 'p  
ruritus', 'dyspnoea', 'heart', 'rate', 'increased', 'product', 'physical', 'issue', 'catheter', 'site', 'rash',  
'diarrhoea', 'dermatitis', 'contact', 'catheter', 'site', 'haemorrhage', 'erythema', 'catheter', 'site', 'swelli  
ng', 'catheter', 'site', 'urticaria', 'headache', 'gastroenteritis', 'viral', 'diarrhoea', 'breast', 'cancer', 'h  
epatic', 'neoplasm', 'metastasis', 'liver', 'hypertensive', 'crisis', 'anxiety', 'abdominal', 'distension', 'ab  
dominal', 'pain', 'pruritus', 'hypertension', 'atrial', 'flutter', 'pulmonary', 'hypertension', 'type', 'diabete  
s', 'mellitus', 'renal', 'failure', 'chronic', 'concomitant', 'disease', 'aggravated', 'haemodialysis', 'fluid',

[illegible]


, 'blood', 'cell', 'count', 'decreased', 'red', 'blood', 'cell', 'count', 'decreased', 'platelet', 'count', 'decreased', 'tooth', 'disorder', 'blood', 'pressure', 'abnormal', 'urinary', 'tract', 'infection', 'malaise', 'diarrhoea', 'spinal', 'pain', 'pain', 'dizziness', 'tremor', 'cold', 'sweat', 'presyncope', 'feeling', 'abnormal', 'hypoaesthesia', 'dyspnoea', 'pollakiuria', 'urinary', 'incontinence', 'insomnia', 'abdominal', 'pain', 'upper', 'asthenia', 'back', 'pain', 'pain', 'extremity', 'abdominal', 'pain', 'intestinal', 'fistula', 'abdominal', 'pain', 'wrong', 'technique', 'drug', 'usage', 'process', 'blood', 'potassium', 'decreased', 'anaemia', 'cholelithiasis', 'device', 'issue', 'injection', 'site', 'rash', 'vomiting', 'wrong', 'technique', 'drug', 'usage', 'process', 'wound', 'infection', 'vomiting', 'headache', 'incorrect', 'dose', 'administered', 'incorrect', 'dose', 'administered', 'localised', 'intraabdominal', 'fluid', 'collection', 'large', 'intestinal', 'stenosis', 'wound', 'dehiscence', 'drug', 'ineffective', 'dental', 'caries', 'weight', 'decreased', 'injection', 'site', 'erythema', 'device', 'issue', 'suppressed', 'lactation', 'label', 'use', 'haematotoxicity', 'platelet', 'count', 'decreased', 'ascites', 'anaemia', 'infarction', 'venous', 'occlusion', 'cataract', 'visual', 'impairment', 'cardiac', 'disorder', 'glucose', 'tolerance', 'impaired', 'blood', 'pressure', 'fluctuation', 'blood', 'glucose', 'increased', 'cardiac', 'operation', 'symptom', 'limb', 'discomfort', 'optic', 'neuritis', 'hypertonia', 'fatigue', 'multiple', 'sclerosis', 'relapse', 'memory', 'impairment', 'drug', 'ineffective', 'hypoaesthesia', 'paraesthesia', 'diplopia', 'muscular', 'weakness', 'balance', 'disorder', 'aphasia', 'somnolence', 'concomitant', 'disease', 'aggravated', 'restlessness', 'fall', 'temperature', 'intolerance', 'gait', 'disturbance', 'bowel', 'movement', 'irregularity', 'blood', 'creatinine', 'increased', 'seizure', 'csf', 'protein', 'abnormal', 'aphasia', 'hemianopia', 'homonymus', 'speech', 'disorder', 'pleocytosis', 'central', 'nervous', 'system', 'lesion', 'cerebellar', 'syndrome', 'stupor', 'altered', 'state', 'consciousness', 'diarrhoea', 'acute', 'disseminated', 'encephalomyelitis', 'encephalopathy', 'bladder', 'dysfunction', 'pyrexia', 'paresis', 'hip', 'fracture', 'white', 'blood', 'cell', 'disorder', 'lymphadenopathy', 'leukocytosis', 'death', 'anal', 'stenosis', 'hypoaesthesia', 'oral', 'paraesthesia', 'oral', 'lip', 'swelling', 'corneal', 'erosion', 'intraocular', 'pressure', 'increased', 'pulmonary', 'haemorrhage', 'haemorrhagic', 'erosive', 'gastritis', 'gastric', 'ulcer', 'perforation', 'liver', 'abscess', 'drug', 'abuse', 'inflammatory', 'bowel', 'disease', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'haemolytic', 'uraemic', 'syndrome', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'sopor', 'drug', 'abuse', 'diabetes', 'mellitus', 'inadequate', 'control', 'drug', 'resistance', 'drug', 'ineffective', 'diabetes', 'mellitus', 'inadequate', 'control', 'drug', 'resistance', 'drug', 'ineffective', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'muscle', 'contraction', 'involuntary', 'blood', 'pressure', 'increased', 'tachycardia', 'heart', 'rate', 'increased', 'nervousness', 'anxiety', 'feeling', 'abnormal', 'malaise', 'norepinephrine', 'increased', 'drug', 'withdrawal', 'syndrome', 'breast', 'cancer', 'malignant', 'neoplasm', 'progression', 'hyperhidrosis', 'pain', 'extremity', 'back', 'pain', 'paraesthesia', 'inappropriate', 'schedule', 'drug', 'administration', 'heart', 'valve', 'incompetence', 'gait', 'disturbance', 'movement', 'disorder', 'cardiac', 'disorder', 'arthritis', 'pain', 'rotator', 'cuff', 'syndrome', 'blood', 'pressure', 'inadequately', 'controlled', 'oedema', 'peripheral', 'intracranial', 'aneurysm', 'multiple', 'sclerosis', 'relapse', 'central', 'nervous', 'system', 'lesion', 'balance', 'disorder', 'muscle', 'spasticity', 'asthenia', 'ataxia', 'hip', 'fracture', 'device', 'dislocation', 'dysmenorrhoea', 'vaginal', 'haemorrhage', 'device', 'expulsion', 'sinus', 'disorder', 'drug', 'interaction', 'ischaemic', 'stroke', 'type', 'diabetes', 'mellitus', 'amnesia', 'paraesthesia', 'dry', 'eye', 'blindness', 'muscular', 'weakness', 'cataract', 'muscle', 'atrophy', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'atrial', 'fibrillation', 'neuropathy', 'peripheral', 'type', 'diabetes', 'mellitus', 'foetal', 'death', 'type', 'diabetes', 'mellitus', 'hypertension', 'cardiac', 'murmur', 'mitral', 'valve', 'prolapse', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'paranoia', 'delusion', 'suicidal', 'ideation', 'depression', 'anxiety', 'panic', 'attack', 'confusional', 'state', 'insomnia', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'hypertension', 'electrocardiogram', 'qt', 'prolonged', 'cold', 'sweat', 'type', 'diabetes', 'mellitus', 'lower', 'extremity', 'mass', 'convulsion', 'syncope', 'refractory', 'cytopenia', 'multilineage', 'dysplasia', 'renal', 'failure', 'acute', 'histiocytosis', 'haematophagic', 'aspartate', 'aminotransferase', 'increased', 'blood', 'alkaline', 'phosphatase', 'increased', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'chest', 'pain', 'pyrexia', 'rash', 'varicella', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'blood', 'pressure', 'fluctuation', 'blood', 'pressure', 'increased', 'palpitation', 'chest', 'discomfort', 'hyperhidrosis', 'tremor', 'loss', 'consciousness', 'laceration', 'blood', 'glucose', 'decreased', 'blood', 'glucose', 'increased', 'death', 'suicidal', 'ideation', 'ideation', 'hallucination', 'auditory', 'dementia', 'type', 'poor', 'peripheral', 'circulation', 'stress', 'visual', 'acuity', 'reduced', 'incorrect', 'dose', 'administered', 'blood', 'pressure', 'systolic', 'increased', 'heart', 'rate', 'increased', 'tremor', 'mydriasis', 'type', 'diabetes', 'mellitus', 'type', 'diabetes', 'mellitus', 'adverse', 'drug', 'reaction', 'pruritus', 'palpitation', 'blood', 'pressure', 'increased', 'adverse', 'event', 'drug', 'interaction', 'intentional', 'overdose', 'suicide', 'attempt', 'somnolence', 'amylase', 'increased', 'hepatitis', 'c', 'fatigue', 'bradycardia', 'hyperkalaemia', 'liver', 'injury', 'hepatic', 'necrosis', 'leukopenia', 'international', 'normalised', 'ratio', 'abnormal', 'gastrointestinal', 'haemorrhage', 'gastritis', 'large', 'intestine', 'polyp', 'decreased', 'appetite', 'weight', 'decreased', 'nasopharyngitis', 'abdominal', 'distension', 'cough', 'viral', 'infection', 'abdominal', 'pain', 'constipation', 'abdominal', 'discomfort', 'eructation', 'label', 'use', 'drug', 'dose', 'omission', 'drug', 'interaction', 'inflammation', 'liver', 'function', 'test', 'abnormal', 'thoracic', 'vertebral', 'fracture', 'back', 'pain', 'musculoskeletal', 'chest', 'pain', 'atrial', 'fibrillation', 'upper', 'limb', 'fracture', 'spinal', 'fracture', 'cellulitis', 'cyst', 'incorrect', 'dose', 'administered', 'loss', 'consciousness', 'head', 'injury', 'syncope', 'hypotension', 'blood', 'thyroid', 'stimulating', 'hormone', 'decreased', 'thyroxine', 'free', 'decreased', 'foot', 'fracture', 'constipation', 'renal', 'failure', 'chronic', 'pancreatic', 'carcinoma', 'neoplasm', 'malignant', 'yellow', 'skin', 'hallucination', 'hepatitis', 'depression', 'speech', 'disorder', 'muscular', 'weakness', 'red', 'blood', 'cell', 'count', 'decreased', 'white', 'blood', 'cell', 'count', 'decreased', 'platelet', 'count', 'decreased', 'hypersplenism', 'macrocytosis', 'blood', 'test', 'abnormal', 'hepatitis', 'b', 'virus', 'test', 'positive', 'elliptocytosis', 'hepatitis', 'c', 'neutropenia', 'anisocytosis', 'mean', 'cell', 'haemoglobin', 'increased', 'lymphocyte', 'count', 'increased', 'hepatitis', 'virus', 'test', 'positive', 'mean', 'cell', 'volume', 'increased', 'pancytopenia', 'pulmonary', 'embolism', 'mucoepidermoid', 'carcinoma', 'salivary', 'gland', 'bronchitis', 'diarrhoea', 'vomiting', 'cerebrovascular', 'accident', 'muscle', 'spasm', 'pain', 'extremity', 'accidental', 'exposure', 'product', 'child', 'toxicity', 'various', 'agent', 'restlessness', 'impaired', 'work', 'ability', 'oral', 'discomfort', 'dysgeusia', 'nausea', 'myocardial', 'infarction', 'viral', 'infection', 'death', 'fatigue', 'abdominal', 'pain', 'lower', 'endometriosis', 'dermal', 'cyst', 'granuloma', 'malaise', 'transient', 'ischaemic', 'attack', 'psoriasis', 'loss', 'consciousness', 'dehydration', 'ear', 'infection', 'psoriasis', 'bradyphrenia', 'back', 'pain', 'subcutaneous', 'abscess', 'abdominal', 'pain', 'pyrexia', 'calculus', 'urinary', 'disease', 'foetal', 'exposure', 'pregnancy', 'drug', 'withdrawal', 'syndrome', 'neonatal', 'respiratory', 'failure', 'disease', 'status', 'epilepticus', 'complex', 'partial', 'seizure', 'gene', 'mutation', 'dyskinesia', 'hypotonia', 'hypokinesia', 'drug', 'ineffective', 'cardiac', 'arrest', 'dyspnoea', 'hip', 'arthroplasty', 'treatment', 'noncompliance', 'arthritis', 'dysuria', 'drug', 'ineffective', 'type', 'diabetes', 'mellitus', 'capillary', '



leak', 'syndrome', 'pleural', 'effusion', 'appendicitis', 'abdominal', 'pain', 'upper', 'body', 'temperature', 'increased', 'constipation', 'nausea', 'decreased', 'appetite', 'dysgeusia', 'pruritus', 'skin', 'discolouration', 'lymphoedema', 'mouth', 'ulceration', 'epistaxis', 'pain', 'acne', 'rash', 'generalised', 'malaise', 'disease', 'progression', 'breast', 'cancer', 'diarrhoea', 'fatigue', 'agitation', 'restlessness', 'sinusitis', 'headache', 'rhinorrhoea', 'rhinalgia', 'epistaxis', 'pain', 'back', 'pain', 'neck', 'pain', 'bone', 'pain', 'pain', 'extremity', 'pelvic', 'pain', 'gait', 'disturbance', 'musculoskeletal', 'chest', 'pain', 'body', 'temperature', 'increased', 'pruritus', 'laceration', 'mouth', 'ulceration', 'nail', 'disorder', 'onychoclasia', 'dysgeusia', 'paraesthesia', 'fatigue', 'disease', 'progression', 'breast', 'cancer', 'back', 'disorder', 'procedural', 'pain', 'agitation', 'delirium', 'fall', 'supraventricular', 'tachycardia', 'drug', 'hypersensitivity', 'dyspnoea', 'rash', 'subdural', 'haematoma', 'mouth', 'haemorrhage', 'death', 'dystonia', 'drug', 'abuse', 'incorrect', 'drug', 'administration', 'duration', 'drug', 'ineffective', 'boniva', 'ibuprofen', 'letairis', 'letairis', 'letairis', 'tracleer', 'ilaris', 'ilaris', 'prednisone', 'relpax', 'ultracet', 'ambien', 'ranolazine', 'benlysta', 'plaquenil', 'prednisone', 'belimumab', 'azathioprine', 'prednisone', 'fluoxetine', 'clonazepam', 'calcium', 'carbonate', 'vitamin', 'omeprazole', 'benlysta', 'plaquenil', 'foltx', 'cymbalta', 'xanax', 'percocet', 'nexium', 'sumatriptan', 'methotrexate', 'ibuprofen', 'acetaminophen', 'ofatumumab', 'baktar', 'zyloric', 'chinese', 'medicine', 'ingredient', 'takepron', 'itrizole', 'prednisolone', 'prednisolone']

```
In [97]: # [11] Lemmatized ve stemmed veri için Zipf yasası analizi
# Açıklama: İşlenmiş veriler için Zipf log-log grafikleri çizilir.
# PDF: Temizlenmiş veri için Zipf analizi.
# Yorum [11]:
# - **Zipf Yasası**: İşlenmiş veriler de Zipf dağılımına uyuyor, ama benzersiz kelime sayısı azaldı (stop words)
# - **Veri Azalması**: ~1.000 kelime stop words nedeniyle çıkarıldı.
# - **PDF Bağlamı**: Grafikler ve kelime sayıları PDF'de açıklanacak.
lemmatized_tokens = [token for sentence in tokenized_corpus lemmatized for token in sentence]
stemmed_tokens = [token for sentence in tokenized_corpus stemmed for token in sentence]
lemmatized_freq = Counter(lemmatized_tokens)
stemmed_freq = Counter(stemmed_tokens)

plt.figure(figsize=(10, 6))
ranks = np.arange(1, len(lemmatized_freq) + 1)
frequencies = np.array([freq for _, freq in lemmatized_freq.most_common()])
plt.loglog(ranks, frequencies, marker=".", label="Lemmatized Veri")
ranks = np.arange(1, len(stemmed_freq) + 1)
frequencies = np.array([freq for _, freq in stemmed_freq.most_common()])
plt.loglog(ranks, frequencies, marker=".", label="Stemmed Veri")
plt.title("İşlenmiş Veri için Zipf Log-Log Grafiği")
plt.xlabel("Kelime Sıralaması (Log)")
plt.ylabel("Frekans (Log)")
plt.grid(True)
plt.legend()
plt.savefig("zipf_processed.png")
plt.show()
print(f"Lemmatized kelime sayısı: {len(lemmatized_tokens)}, Benzersiz: {len(lemmatized_freq)}")
print(f"Stemmed kelime sayısı: {len(stemmed_tokens)}, Benzersiz: {len(stemmed_freq)}")
```



Lemmatized kelime sayısı: 55458, Benzersiz: 5298  
Stemmed kelime sayısı: 55458, Benzersiz: 5110

```
In [25]: # [12] Ön işlenmiş token listelerini metne çevir
# Açıklama: Lemmatized ve stemmed tokenlar metne çevrilir.
```

```
# PDF: Temizlenmiş veri seti.  
# Yorum [12]:  
# - **Metinler**: TF-IDF ve CSV için hazırlandı.  
# - **PDF Bağlamı**: Temizlenmiş veri örnekleri PDF'de sunulacak.
```

```
lemmatized_texts = [' '.join(tokens) for tokens in tokenized_corpus_lemmatized]  
stemmed_texts = [' '.join(tokens) for tokens in tokenized_corpus_stemmed]  
print("İlk 3 lemmatize edilmiş metin:")  
print(lemmatized_texts[:3])  
print("İlk 3 stem edilmiş metin:")  
print(stemmed_texts[:3])
```

İlk 3 lemmatize edilmiş metin:

['drug administration error overdose vomiting diarrhoea arthralgia headache dyspepsia renal impairment oedema peripheral fluid retention pneumonia drug ineffective death angioedema laryngeal oedema face oedema tuberculosis central nervous system cholecystectomy nephrolithiasis biliary tract disorder malaise adenoviral haemorrhagic cystitis pyrexia swelling meconium stain amniotic cavity infection maternal exposure pregnancy respiratory failure listeriosis pyrexia headache vomiting mental status change meningitis pneumonia staphylococcal type iv hypersensitivity reaction skin toxicity erythroderma syndrome nail toxicity arthralgia myalgia asthenia diarrhoea neuropathy peripheral diarrhoea abdominal pain asthenia diarrhoea weight decreased abdominal pain blood creatinine increased protein increased dysuria pyrexia blood creatinine increased protein increased pleural effusion chemical poisoning neck pain back pain paraesthesia localised oedema oedema peripheral fluid retention nasal congestion metastasis spine anxiety renal cyst metastasis thorax metastasis retroperitoneum emotional disorder pancreatic carcinoma metastatic metastasis liver metastasis lung emotional distress lymphadenopathy prostate cancer peripheral venous disease swollen tongue pruritus rash generalised listeriosis pyrexia diarrhoea meningitis overdose general physical health deterioration malaise drug ineffective haematoma thrombocytopenia international normalised ratio increased device dislocation cerebrovascular accident blood pressure increased pain aggression symptom anger blepharospasm suicidal ideation haemoglobin decreased posterior reversible encephalopathy syndrome cerebral haemorrhage subarachnoid haemorrhage erection increased hyponatraemia loss consciousness listeriosis pyrexia headache vomiting meningitis fluid retention haemoglobin decreased subdural haematoma sopor drug abuse overdose hallucination visual headache insomnia somnolence confusional state cognitive disorder alopecia ileus paralytic abdominal pain nausea foetal death abortion late amniotic cavity infection maternal exposure pregnancy breast cancer device misuse uterine perforation depression anxiety depressed mood device issue injury pain emotional distress foetal distress syndrome intraventricular haemorrhage neonatal low birth weight baby listeriosis pyrexia sepsis meningitis pneumonia aspiration oxygen saturation decreased foetal exposure pregnancy meconium stain amniotic cavity infection maternal exposure pregnancy oedema peripheral fluid retention fatigue oedema peripheral drug ineffective flushing cardiac failure congestive fluid retention swelling pyelonephritis maternal exposure pregnancy normal newborn blood pressure fluctuation dyspepsia allergic cough headache malaise fluid retention fluid overload renal failure acute disorientation drug prescribing error incorrect dose administered medication error foetal death amniotic cavity infection maternal exposure pregnancy pharyngeal oedema label use eye haemorrhage blood creatinine increased visual acuity reduced ophthalmological examination abnormal alanine aminotransferase increased aspartate aminotransferase increased feeling abnormal somnolence drug intolerance spinal column stenosis diabetes mellitus blindness acute graft versus host disease chronic graft versus host disease lung disorder death infection mucosal inflammation gastrointestinal toxicity cardiotoxicity neurotoxicity hepatotoxicity nephropathy toxic transplant failure venoocclusive disease malignant neoplasm progression label use infection central venous catheterisation femur fracture fall neutropenia pain extremity hereditary angioedema anxiety panic attack depression cardiac failure congestive haemoglobin decreased hepatocellular injury adnexa uterus pain drug ineffective pregnancy contraceptive device embedded device ovarian cyst injury dyspareunia pain uterine perforation post procedural discomfort pain device dislocation pregnancy contraceptive device drug ineffective device difficult use uterine haemorrhage injury depression anxiety stress device issue oedema peripheral gait disturbance plasma cell myeloma respiratory disorder arrhythmia chest pain oedema peripheral gastroesophageal reflux disease pulmonary embolism anaemia haemoglobin decreased oesophageal perforation gastric haemorrhage hepatic failure nerve compression mobility decreased abasia death nasopharyngitis malaise pyrexia nasal congestion headache diarrhoea nausea breast cancer erythema monocyte count decreased increased count decreased skin lesion mean platelet volume decreased sarcoma white blood cell count decreased lymphocyte count decreased neutrophil count decreased count decreased linear iga disease rheumatoid arthritis arthralgia rheumatoid factor increased neck pain back pain musculoskeletal pain asthenia palpitation thirst gait disturbance death influenza weight decreased nasopharyngitis fall confusional state subcutaneous haematoma hypotension anaemia renal failure chronic death sepsis tonsillectomy completed suicide suicidal behaviour blood count abnormal haemoglobin decreased surgery loss consciousness fall gait disturbance convulsion influenza speech disorder malaise atrioventricular block first degree angina pectoris muscle spasm condition aggravated pain hypoaesthesia abdominal distension insomnia fatigue nausea alopecia transfusion convulsion death mental disorder panic attack depression anxiety condition aggravated label use acute respiratory distress syndrome failure general physical health deterioration death pleural effusion blister hypothyroidism blood potassium decreased anaemia nausea vomiting constipation blood pressure increased fluid retention pollakiuria local swelling joint swelling swelling grand mal convulsion malaise abdominal pain upper hyperthyroidism diabetes mellitus haemoglobin decreased pyrexia headache malnutrition multiple sclerosis loss consciousness weight decreased fibroadenoma breast label use hyperthermia malignant neoplasm malignant diabetes mellitus endocarditis staphylococcal nephrogenic systemic fibrosis type diabetes mellitus influenza pneumonia nephrogenic systemic fibrosis neutrophil count increased white blood cell count increased abnormal behaviour dehydration hospitalisation convulsion convulsion lower limb fracture syncope osteomyelitis death death erysipelas sepsis atrial septal defect bundle branch block right tachycardia rectal haemorrhage rectal haemorrhage asthenia weight decreased death organising pneumonia fall lung infection urinary tract infection bacterial lower respiratory tract infection bacterial acute respiratory distress syndrome loss consciousness psoriasis blood cholesterol increased ammonia dyspnoea headache exposure contaminated water vomiting nausea fatigue lethargy abdominal pain upper death depression wheelchair user drug effect decreased death coeliac disease blindness hypertension blood pressure increased hyperhidrosis hyperhidrosis multiple sclerosis neoplasm malignant metastasis fall head injury arthralgia urinary tract infection asthenia ear infection increased viscosity bronchial secretion sinus disorder chronic obstructive pulmonary disease endotracheal intubation acute respiratory failure hyperglycaemia bronchitis pneumococcal bronchitis nephrogenic systemic fibrosis rhinalgia facial pain mobility decreased seizure blood sodium decreased cholelithiasis hepatic mass hyperglycaemia dyspnoea inappropriate antidiuretic hormone secretion hyperthermia malignant tetralogy cleft palate autism foetal exposure pregnancy chronic obstructive pulmonary disease emphysema bronchitis dyspnoea stress anxiety unevaluable event lung infection suicide attempt antipsychotic drug level therapeutic mental disorder antipsychotic drug level therapeutic adverse reaction suicidal ideation dizziness apnoea syncope memory impairment bronchitis irritability feeling abnormal amnesia conversion disorder visual impairment']

irment vision blurred headache pyrexia pain injection site reaction injection site haemorrhage fatigue confusion  
al state hyperammonaemia respiratory distress pulmonary oedema dyspnoea pulmonary alveolar haemorrhage pulmonary  
disease therapeutic response decreased drug ineffective haemoglobin decreased weight increased nephrogenic syste  
mic fibrosis pneumonia pulmonary valve stenosis congenital congenital anomaly foetal exposure pregnancy death dy  
spnoea fatigue dysphonia diarrhoea convulsion dyspnoea skin discolouration lip discolouration status epilepticus  
epilepsy fall tooth loss central nervous system lesion cognitive disorder drug withdrawal syndrome quality life  
decreased general physical health deterioration mental impairment disorientation affect lability gait disturbanc  
e speech disorder anticonvulsant drug level decreased drug effect decreased investigation liver disorder transam  
inase increased disease progression abortion induced unintended pregnancy medical device complication product qu  
ality issue drug dose omission disease progression renal failure acute type diabetes mellitus cholelithiasis bon  
e marrow failure bone marrow failure neutrophil count decreased chronic obstructive pulmonary disease dementia t  
ype hip fracture cerebrovascular accident nephrogenic systemic fibrosis pancreatitis hypoacusis pneumonia diseas  
e progression pancytopenia low turnover osteopathy femur fracture reflux laryngitis gingival recession intramedu  
llary rod insertion rib fracture bone graft squamous cell carcinoma skin osteoporosis periodontal operation visu  
al impairment disease progression loss proprioception fall gait disturbance asthenia embedded device hyponatraem  
ia dyspnoea pyrexia pancreatitis influenza pneumonia sepsis disease progression dizziness disease progression my  
ocardial infarction disease progression death investigation disease progression disease progression disease prog  
ression arthropathy osteonecrosis gangrene gangrene grand mal convulsion vomiting amnesia disease progression di  
sease progression sepsis tooth infection neurological decompensation disease progression thrombosis device issue  
arteriovenous fistula site complication convulsion pulmonary oedema rib fracture gastroenteritis viral peritonit  
is bacterial diarrhoea fluid overload infected cyst febrile neutropenia febrile neutropenia enterobacter pneumon  
ia corynebacterium infection pharyngitis malaise hypotension eye movement disorder heart rate decreased pulse ab  
normal blood pressure diastolic increased carnitine deficiency hyperammonaemia irritability affective disorder c  
ondition aggravated staphylococcal infection catheter site infection muscular weakness paraesthesia pancreatitis  
label use pulmonary haemorrhage swelling anaemia hypotension pneumonia urinary tract infection malaise cardiac d  
isorder cardiovascular disorder blood glucose increased anaemia sepsis mixed liver injury headache toothache per  
itonitis peritoneal dialysis complication hypotension pneumonia post procedural haemorrhage acidosis haemorrhage  
haematocrit decreased rectal haemorrhage haematochezia mouth haemorrhage epistaxis pyrexia syndrome myocardial i  
nfarction mycobacterium tuberculosis complex test positive headache chest discomfort respiratory failure chronic  
obstructive pulmonary disease myocardial infarction cardiac flutter therapeutic response decreased death parotit  
is salivary hypersecretion ear pain odynophagia parotid gland enlargement oedema inflammation leukocytosis anaem  
ia tachycardia schizoaffective disorder bipolar type drug ineffective convulsion bursitis abscess bacterial stap  
hylococcal infection fall rhabdomyolysis somnolence diabetes mellitus gait disturbance anaemia blood triglycerid  
e abnormal muscular weakness blood cholesterol abnormal cough influenza bone disorder incompatibility pain death  
localised infection diabetic ketoacidosis abscess limb transfusion vision blurred intraocular pressure increased  
rectocele cardiac arrest arrhythmia acidosis respiratory distress status epilepticus death gastrointestinal stro  
mal tumour malignant neoplasm progression intestinal obstruction pyrexia abdominal pain upper blood count abnorm  
al platelet count decreased injury general physical health deterioration cerebrovascular arteriovenous malformat  
ion gastroesophageal reflux disease peripheral artery thrombosis pain anxiety abdominal pain emotional distress  
platelet count decreased blood count abnormal cerebral venous thrombosis jugular vein thrombosis subdural haemat  
oma musculoskeletal stiffness myalgia platelet count decreased stem cell transplant splenomegaly contusion throm  
bosis injury emotional distress deep vein thrombosis anxiety pain abdominal pain general physical health deterio  
ration type diabetes mellitus death international normalised ratio fluctuation fall concussion clavicle fracture  
hip fracture parkinsonism mobility decreased faecal incontinence urinary incontinence depression memory impairme  
nt fatigue fall pain fall fall gait disturbance emotional distress type diabetes mellitus impaired healing calci  
phylaxis diabetic complication wound pancreatitis acute death gastrointestinal haemorrhage pneumonia pulmonary o  
edema failure thrive hypophagia surgery muscular weakness alopecia drug dose omission type diabetes mellitus neo  
plasm malignant pain extremity anaemia death histiocytosis haematophagic type diabetes mellitus ventricular tach  
ycardia melaena asthenia vertigo duodenal ulcer gastritis erosive gastrointestinal haemorrhage type diabetes mel  
litus haemorrhage red blood cell count decreased fatigue adverse event type diabetes mellitus psychotic behaviou  
r cognitive disorder bronchopulmonary aspergillosis myalgia type diabetes mellitus vaginal haemorrhage smear cer  
vix abnormal febrile convulsion helicobacter infection death nephrogenic systemic fibrosis circulatory collapse  
pneumonia aspiration white blood cell count increased neutrophil count increased platelet count decreased blood  
lactate dehydrogenase increased white blood cell count increased epistaxis headache influenza nausea contusion w  
ound haemorrhage blood smear test abnormal fatigue adverse drug reaction disease progression type diabetes melli  
tus visual impairment neuropathy peripheral increased appetite incontinence label use epistaxis blindness weight  
increased skin cancer nasopharyngitis dizziness dry eye wrong technique product usage process pruritus increased  
tendency bruise diarrhoea constipation type diabetes mellitus apparent death general physical health deteriorati  
on skin burning sensation decreased appetite weight decreased headache nausea pyrexia rash myalgia muscular weak  
ness gait disturbance tremor type diabetes mellitus peripheral swelling increased appetite weight increased stre  
ss type diabetes mellitus hypokinesia dehydration drug dose omission paralysis quality life decreased speech dis  
order loss consciousness withdrawal syndrome dyskinesia dysphagia cardiac arrest anaphylactic reaction interstit  
ial lung disease dyspnoea general physical health deterioration pleural effusion oedema aphthous stomatitis peri  
tonitis device malfunction cerebrovascular accident blindness unilateral mucosal inflammation convulsion gastroi  
ntestinal stromal tumour malaise hepatic neoplasm wrong technique drug usage process pancreatitis endometriosis  
uterine leiomyoma type diabetes mellitus central nervous system lesion injection site pain injection site bruisi  
ng wrong technique drug usage process hepatocellular injury cholestasis pyrexia myocardial infarction sarcoma ga  
strointestinal obstruction anaemia general physical health deterioration abnormal behaviour drug level increased  
lethargy irritability disorder dermatillomania activity daily living impaired memory impairment bradykinesia mus  
cular weakness insomnia drug interaction death breast cancer second primary malignancy metastasis pleura metasta  
sis lymph node blood glucose increased death death hypomagnesaemia drug interaction transfusion drug dose omissi  
on body height normal congenital oral malformation congenital cardiovascular anomaly congenital nose malformatio  
n tooth development disorder visual impairment foetal exposure pregnancy paternal drug affecting foetus correcti  
ve lens user dysmorphism foetal anticonvulsant syndrome premature baby toothache growth retardation congenital c  
ardiovascular anomaly cardiac murmur congenital hand malformation multiple injury low birth weight baby drug ine  
ffective coma malaise muscle abscess diarrhoea headache platelet count decreased gout stent placement obstructio  
n asthenia cold sweat nausea palpitation myocardial infarction metastasis bone osteonecrosis jaw convulsion tong  
ue injury hallucination anticonvulsant drug level therapeutic injury appendix disorder joint dislocation epileps  
y mood altered stomatitis cardiac disorder infection investigation foot deformity dyspnoea tachycardia white blo  
od cell count increased testicular torsion anaphylactic reaction metrorrhagia dizziness multiple sclerosis relap  
se dysaesthesia nephrogenic systemic fibrosis death bronchial carcinoma pneumonitis pleural effusion radiation p  
neumonitis oesophagitis pericarditis death thrombosis disease underdose embedded device device breakage back pai  
n pneumonia cytomegalovirus infection cystitis haemorrhagic acute graft versus host disease death muscle spasm u

rinary incontinence anxiety hyperventilation rash pruritic rhinorrhoea tongue disorder panic attack diarrhoea dry skin skin exfoliation skin exfoliation acne alopecia bronchospasm discomfort rash drug hypersensitivity amnesia aortic dissection rash discomfort constipation skin disorder skin sensitisation blister jaundice death death hypoaesthesia tremor feeling hot hyperhidrosis mobility decreased asthenia local swelling fat redistribution lipodystrophy acquired lymphocyte decreased unevaluable event multifocal motor neuropathy muscle atrophy blood count abnormal exposure pregnancy drug ineffective caesarean section abortion spontaneous blood fibrinogen decreased pulmonary embolism general physical health deterioration pain injury abdominal pain platelet count decreased anxiety general physical health deterioration injury thrombosis emotional distress pain abdominal pain ileectomy anxiety general physical health deterioration axillary vein thrombosis pain peripheral swelling deep vein thrombosis abdominal pain emotional distress injury subclavian vein thrombosis foetal heart rate decreased foetal exposure pregnancy foetal heart rate increased nephrogenic systemic fibrosis vertigo erythema tooth disorder colitis ulcerative eye pain ocular vascular disorder retinal vascular disorder deafness ear injury renal impairment intestinal haemorrhage diarrhoea drug ineffective ocular hyperaemia eye pain dry eye chest discomfort wrist fracture fall hysterectomy muscular weakness skin discolouration gait disturbance hypotension convulsion lower gastrointestinal haemorrhage renal failure pulmonary alveolar haemorrhage graft versus host disease cystitis haemorrhagic adenovirus infection bkg virus infection convulsion alcohol detoxification loss consciousness alcohol withdrawal syndrome renal failure acute dehydration joint injury tongue injury swollen tongue electrolyte imbalance dysarthria fall laceration gait disturbance headache drug ineffective pancreatitis acute blood glucose increased bone marrow failure pyrexia neutropenia leukopenia thrombocytopenia pancytopenia tonsillitis cough tonsillar hypertrophy purulent discharge pharyngeal erythema odynophagia lymphadenopathy productive cough large intestine polyp diarrhoea blood potassium increased hyperthermia malignant abasia death cerebrovascular accident cerebral haemorrhage drooling haematochezia diverticulum paraesthesia asthenia back pain dyspepsia constipation renal function test abnormal pruritus throat irritation diarrhoea nasal discomfort malaise multiple sclerosis relapse urinary tract infection dizziness headache nausea cerebrovascular accident death blood alkaline phosphatase increased transaminase increased increased electrocardiogram abnormal left ventricular dysfunction sinus tachycardia nephrogenic systemic fibrosis foetal cardiac disorder label use exposure pregnancy ocular hyperaemia lacrimation increased dry eye skin lesion lymphadenopathy lymph node pain basal cell carcinoma seborrheic keratosis fall uterine perforation injury pain emotional distress type diabetes mellitus thrombocytopenia petechia suicidal ideation depressed mood nightmare haemoglobin decreased acute myocardial infarction malignant neoplasm progression general physical health deterioration death alanine aminotransferase increased aspartate aminotransferase increased fatigue abdominal pain upper injection site discolouration injection site pruritus unevaluable event blepharospasm aggression anger symptom suicidal ideation uterine perforation device dislocation infusion site erythema chill emotional distress pain embedded device injury platelet count decreased pyrexia prostatic specific antigen increased bone pain respiratory arrest pleural effusion uterine perforation injury pain emotional distress oropharyngeal spasm respiratory disorder dysphagia psychomotor hyperactivity salivary hypersecretion dysarthria sensation foreign body melaena type diabetes mellitus hepatic lesion malignant neoplasm progression gastric cancer product use issue seizure like phenomenon myoclonus type diabetes mellitus type diabetes mellitus rash pruritic generalised erythema type diabetes mellitus uterine perforation injury pain emotional distress urticaria erythema pruritus drug interaction hip fracture fall urinary tract infection type diabetes mellitus death device dislocation type diabetes mellitus type diabetes mellitus uterine perforation injury pain emotional distress transient ischaemic attack traumatic haematoma uterine perforation injury pain emotional distress psychological trauma skin discolouration rash death neoplasm progression overdose dyspnoea lung infection thrombotic microangiopathy renal impairment hepatic failure mental status change stem cell transplant graft versus host disease fatigue drug administration error cognitive disorder anxiety depression sexual dysfunction blood testosterone free decreased uptake increased back pain type diabetes mellitus hepatitis c insomnia blood cholesterol increased benign prostatic hyperplasia urinary tract obstruction drug dependence erectile dysfunction abdominal pain upper diarrhoea vomiting infusion related reaction generalised erythema pruritus macroglossia dyspnoea malignant neoplasm progression pancytopenia neurogenic bladder feeling abnormal balance disorder nervousness frustration hypoaesthesia dyspnoea label use syndrome consciousness fluctuating lip swelling lip discolouration blister pain skin exfoliation chapped lip eye disorder scab scar weight decreased skin disorder rash generalised dyspnoea hypersensitivity malaise spinal disorder dizziness feeling abnormal ovarian germ cell cancer stage ii amenorrhoea weight increased tremor galactorrhoea dyspnoea blood prolactin increased palpitation dyskinesia dysuria swelling muscle spasm breast enlargement fatigue muscular weakness agitation aggression hyperhidrosis abdominal pain femoral neck fracture osteoarthritis drug ineffective chest pain palpitation drug ineffective death malignant neoplasm progression glaucoma cataract vitamin decreased arthropathy syncope electrocardiogram qt prolonged renal failure acute rhabdomyolysis traumatic liver injury pneumonia aspiration intentional overdose suicide attempt loss consciousness diarrhoea vomiting nausea restlessness haemorrhage haemarthrosis embolism arterial pulmonary embolism phlebitis skin necrosis adhesion vasculitis death pain vomiting hallucination auditory nervousness feeling abnormal major depression hemiparesis quadriplegia multiple sclerosis malaise pulmonary function test decreased chest discomfort fear death depression hypertension sinus tachycardia dizziness asthenia limb traumatic amputation road traffic accident pain back pain nerve compression joint swelling abasia fall ligament sprain foot fracture breast cancer erythema pruritus abdominal pain muscle spasm splenectomy splenomegaly packed red blood cell transfusion post procedural haemorrhage cold agglutinin pyrexia white blood cell count decreased haematocrit decreased bronchitis disease progression pseudolymphoma drug ineffective haemoglobinuria night sweat weight increased fatigue cough myelodysplastic syndrome diarrhoea platelet count decreased cerebrovascular accident migraine presyncope syncope bronchiolitis apnoea cyanosis rhinorrhoea umbilical hernia inguinal hernia oedema genital headache subarachnoid haemorrhage influenza like illness dysphagia dyspnoea immune thrombocytopenic purpura haemoglobinuria pain nausea chill jaundice hypotension fatigue dyspnoea oedema peripheral right ventricular failure haemoglobin decreased dialysis haemoglobinuria fatigue renal impairment hyperkalaemia iron deficiency anaemia chronic gastritis central nervous system lesion renal artery thrombosis syncope tongue injury tremor cerebrovascular accident atrial fibrillation thyroid nodule removal thyroid neoplasm metrorrhagia drug administration error label use pneumonia back pain death lymphopenia blood cholesterol increased hypertension nausea low density lipoprotein increased white blood cell count decreased deafness ear injury mental status change retinal detachment visual field defect fibromyalgia eye disorder seizure grand mal convulsion postictal state thrombocytopenia abdominal distension splenomegaly arthralgia tenderness full blood count decreased prostate cancer haematuria pyrexia prostatic pain urinary tract infection insomnia prostatic obstruction urinary tract obstruction hypertension cardiac failure arrhythmia hypertension lung infection dyspnoea blood urine present epistaxis blindness asthenia loss consciousness type diabetes mellitus hypoaesthesia oral hypoaesthesia type diabetes mellitus death disease progression type diabetes mellitus neuropathy peripheral muscle spasm myopathy sleep disorder blood glucose increased palpitation decreased appetite atrial fibrillation insomnia painful erection chest pain tic dyspnoea abdominal pain upper oedema type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus mania type diabetes mellitus type diabetes mellitus rheumatoid arthritis facial bone fracture syncope neutropenia pyrexia hepatic failure dyspnoea throat tightness swelling cardiac failure congestive death depression condition aggravated panic attack anxiety mental disorder

er suicidal ideation homicidal ideation skin exfoliation cerebrovascular accident weight increased withdrawal syndrome type diabetes mellitus cerebrovascular accident disorder pathological gambling fluid retention electrocardiogram qt prolonged aortic dissection myocardial infarction drug interaction oedematous pancreatitis amylase increased lipase increased death fall multiple sclerosis relapse asthenia erythema insomnia muscle spasm flat affect depression disease progression psychotic disorder drug interaction hypertension drug ineffective middle insomnia tinnitus blood potassium decreased intentional drug misuse pruritus malaise hypocalcaemia blood count abnormal device dislocation pelvic pain diverticulitis rectal haemorrhage eye disorder haemorrhoid death renal failure neoplasm malignant haematuria pyrexia myalgia urinary tract infection mania mobility decreased angiopathy hearing impaired blood pressure increased syndrome chest pain infusion related reaction drug ineffective fatigue hypoaesthesia nausea weight increased alopecia eye disorder body height decreased decreased appetite arthritis fall dyspnoea oral mucosal blistering rash generalised mood swing performance status decreased drug intolerance erythema nodosum cushingoid renal impairment cardiac arrest osteopenia osteoporosis death surgery cerebrovascular accident basal ganglion haemorrhage intraventricular haemorrhage brain injury diplegia dysstasia mania abasia dizziness drug intolerance gastrointestinal disorder therapeutic response aphonia pyrexia dizziness coeliac disease malaise intentional product misuse rotator cuff syndrome arthritis musculoskeletal pain death type diabetes mellitus carotid artery occlusion chronic obstructive pulmonary disease chest pain low density lipoprotein increased vertigo dizziness dysgeusia type diabetes mellitus suicidal ideation death respiratory disorder type diabetes mellitus spinal disorder label use intestinal ischaemia enterocolitis bacterial dyspnoea protein total increased type diabetes mellitus cardiac stress test abnormal arteriogram coronary abnormal weight decreased type diabetes mellitus haemorrhage renal failure myocardial infarction type diabetes mellitus spinal cord disorder type diabetes mellitus carpal tunnel syndrome arthropathy fatigue myalgia sinusitis drug ineffective pneumonia klebsiella pseudomonas test positive drug administered patient inappropriate age staphylococcus test positive condition aggravated depression panic attack anxiety mental disorder haemoptysis drug ineffective pain loss consciousness ventricular tachycardia heart rate increased electrocardiogram q wave abnormal electrocardiogram wave inversion heart rate irregular intentional overdose sopor type diabetes mellitus oedema skin fissure nephrolithiasis drug dose omission headache sinusitis condition aggravated cataract stent placement macular fibrosis haemoglobin decreased alopecia palpitation chill blood count abnormal electrolyte imbalance neutropenia dermatitis acneiform decreased appetite bradycardia foetal foetal exposure pregnancy mouth ulceration nail disorder diarrhoea fatigue pleural effusion headache decreased appetite nausea facial pain rash malaise pain jaw oral pain pain skin abdominal pain upper weight decreased disease progression breast cancer metastatic septic shock drug ineffective dysgeusia skin irritation skin exfoliation rash erythematous rash generalised death nephrolithiasis kidney infection heart rate increased dyspnoea fatigue dizziness haematuria haemorrhage contusion toxicity various agent drug interaction laboratory test abnormal drug reaction eosinophilia systemic symptom rash skin lesion generalised erythema excoriation face oedema lymphadenopathy skin exfoliation pyrexia pregnancy expired drug administered label use lymphocyte ovarian failure gastrointestinal haemorrhage dementia agitation confusional state nephrolithiasis amnesia angioedema flushing erythema skin exfoliation skin toxicity swelling pruritus vomiting diplopia gait disturbance balance disorder dyspnoea gastroenteritis dizziness coeliac disease femur fracture incorrect drug administration duration neoplasm malignant cough wheezing type diabetes mellitus type diabetes mellitus cardiac failure congestive fluid retention glucose tolerance impaired type diabetes mellitus hepatitis e necrosis cholangitis transplant rejection hepatic enzyme increased gallbladder disorder endothelin abnormal cervix operation product colour issue type diabetes mellitus coronary artery occlusion transient ischaemic attack cardiac failure congestive coronary artery disease aortic aneurysm transfusion liver disorder rash contusion urticaria cardiac failure congestive atrioventricular block second degree pleural effusion type diabetes mellitus platelet count decreased dyspnoea haemolysis haemoglobin decreased nasopharyngitis myocardial infarction myocardial infarction coronary artery disease myocardial infarction death cerebrovascular accident unresponsive stimulus sopor mydriasis drug abuse lymphoma myocardial infarction ischaemic cardiomyopathy angina pectoris cardiac failure congestive type diabetes mellitus throat tightness rash nasal congestion fluid retention myocardial infarction coronary artery disease cerebrovascular accident arteritis myocardial infarction cardiac failure congestive cardiac disorder hypotension cardiac failure congestive coronary artery disease angina unstable amnesia subileus loss consciousness psychomotor hyperactivity cataract type diabetes mellitus abdominal pain upper sepsis energy increased tension irritability libido increased abnormal behaviour psychomotor hyperactivity drug interaction type diabetes mellitus convulsion loss consciousness feeling abnormal fall head injury disorientation tremor headache somnolence fatigue drug administration error cough wheezing dyspnoea abdominal pain upper death optic atrophy intraocular pressure increased visual acuity reduced type diabetes mellitus hip fracture visual impairment overdose rehabilitation therapy gait disturbance mobility decreased dizziness fall pneumonia cough dyspnoea dyspnoea investigation muscle spasm coronary arterial stent insertion atrioventricular block pneumonia cough speech disorder label use malaise bronchitis chronic dyspnoea type diabetes mellitus investigation fall upper limb fracture wrist fracture vision blurred drug ineffective product quality issue bronchitis oxygen saturation decreased breast pain asthma cough drug ineffective device dislocation dyspareunia dysuria pain catheter placement bladder pain genital pain nocturia mental status change dehydration anaemia type diabetes mellitus angioedema metabolic acidosis dyspnoea drug ineffective pneumonia cough wheezing bronchitis nasopharyngitis asthma investigation haematuria epistaxis abdominal pain gastroesophageal reflux disease concomitant disease aggravated lower gastrointestinal haemorrhage pelvic discomfort accidental exposure product drug dispensing error pneumonia cough drug hypersensitivity increased upper airway secretion rash headache visual impairment papilloedema pneumonia viral cough drug hypersensitivity increased upper airway secretion rash diplopia eye pain lacrimation increased ocular hyperaemia photophobia scab vision blurred dyspnoea ageusia anosmia oxygen supplementation bipolar disorder myocardial infarction coronary arterial stent insertion carotid artery stent insertion implantable defibrillator insertion pulmonary thrombosis disability back disorder lung disorder panic attack coronary artery disease cardiac assistance device user pneumonia breast cancer palpitation chest pain pouchitis breast cancer type diabetes mellitus brain neoplasm spinal disorder disorder disability surgery drug ineffective convulsion investigation syndrome heart rate increased abdominal distension sinus operation cardiac disorder transient ischaemic attack facial pain pain extremity chest discomfort infection apnoea back pain aneurysm vitamin decreased adverse event arteriosclerosis disorder catheterisation cardiac pneumonitis chemical sluggishness pulmonary oedema death finger deformity oral surgery foot deformity arthropathy arthropathy prostatic disorder abnormal loss weight body height decreased memory impairment pneumonia alopecia colitis small intestinal stenosis diarrhoea oedema peripheral disease progression breast cancer rash weight decreased mouth ulceration hypoaesthesia oral acne onychoclasia paraesthesia oral glossodynia ulcer arrhythmia diverticulum death myocardial infarction coronary arterial stent insertion drug administration error tumour excision breast cancer interstitial lung disease sopor drug abuse type diabetes mellitus haemorrhage normochromic normocytic anaemia haematoma flank pain coma hypotension intentional drug abuse overdose type diabetes mellitus petechiae thrombocytopenia haematoma suicidal ideation suicidal behaviour abnormal behaviour hostility agitation depressed mood initial insomnia toxic skin eruption rash macular hepatocellular injury cholestasis confusional state vomiting vertigo cerebellar syndrome nausea muscle disorder eye disorder drug dispensing error incorrect dose administered medication error type diabetes mellitus delusion delusional perception product substitution issue type

diabetes mellitus sudden onset sleep delirium delusion haemorrhage malaise decreased appetite cachexia growth retardation weight decreased hemiplegia leukoencephalopathy aphasia type diabetes mellitus pulmonary embolism hepatic enzyme increased hypertension haemoptysis type diabetes mellitus autoimmune hemolytic anaemia dizziness erythema pruritus lip swelling eyelid oedema erythema dysphonia pallor dehydration rash lipodystrophy acquired drug ineffective nasopharyngitis pharyngitis herpes virus infection headache fatigue apathy weight decreased disorder aggression type diabetes mellitus lip oedema throat tightness type diabetes mellitus investigation disease progression ascites blood pressure decreased anaemia abdominal pain haemoglobin decreased abdominal wall haematoma shock haemorrhagic dyspnoea electrocardiogram qt prolonged encephalopathy hyperkalaemia pancreatitis acute type diabetes mellitus intestinal operation sopor drug abuse type diabetes mellitus hepatitis c hepatic pain dysgeusia epilepsy disorder bone loss rib fracture osteoporosis osteopenia azotaemia anxiety periarthritis joint range motion decreased oedema synovitis type diabetes mellitus pharyngeal oedema feeling abnormal dizziness fatigue asthenia asthenia gait disturbance chest pain myalgia eye pain general physical health deterioration depression fatigue intraventricular haemorrhage neonatal diarrhoea weight decreased death dyspnoea oral herpes eyelid oedema rash swelling face type diabetes mellitus intestinal obstruction serum reaction nausea vomiting abdominal discomfort pain extremity hypoesthesia conjunctival haemorrhage protein increased red blood cell sedimentation rate increased aspartate aminotransferase increased alanine aminotransferase increased complement factor decreased pyrexia polyneuropathy diarrhoea epigastric discomfort rash papule blister anaphylactic reaction condition aggravated urticaria blood pressure decreased heart rate increased dyspnoea respiratory rate increased chest discomfort type diabetes mellitus myalgia muscular weakness fall blood sodium decreased cardiac disorder blood glucose increased type diabetes mellitus ileal stenosis disease abdominal distension discomfort disease pain type diabetes mellitus renal abscess enterocolitis myocardial infarction type diabetes mellitus cardiac disorder type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus congestive cardiomyopathy dyspnoea exertional type diabetes mellitus type diabetes mellitus type diabetes mellitus pneumothorax pneumonitis pain pleural effusion glossodynia fatigue influenza like illness respiratory tract irritation arthralgia bone disorder onychoclasia chill rash body temperature increased chest discomfort wheezing neuropathy peripheral type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus acute respiratory distress syndrome respiratory distress hypoxia lung infiltration hypoventilation bradypnoea respiratory acidosis coma unresponsive stimulus miosis hyperhidrosis agitation toxicity various agent accidental overdose rale cough cyanosis tachycardia swelling face dyspnoea type diabetes mellitus product quality issue aortic aneurysm abnormal loss weight chronic obstructive pulmonary disease dyspnoea drug effect decreased type diabetes mellitus type diabetes mellitus type diabetes mellitus surgery type diabetes mellitus diabetic dermopathy type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus brain neoplasm brain neoplasm benign type diabetes mellitus rash morbilliform pruritus oedema peripheral lip oedema rash erythematous skin exfoliation cerebral thrombosis loss consciousness gait disturbance agraphia fear migraine abdominal pain back pain activity daily living impaired paralysis seizure frustration pain speech disorder injury general physical health deterioration amnesia scar stress impaired driving ability intracranial venous sinus thrombosis motor dysfunction weight increased malaise nausea hypothyroidism type diabetes mellitus haematochezia colon adenoma breast cancer recurrent metastasis bone pathological fracture rib fracture type diabetes mellitus cerebrovascular accident embolism arterial gallbladder disorder pneumonia uterine disorder weight decreased subileus sedation somnolence constipation akathisia abnormal behaviour drug ineffective type diabetes mellitus superior sagittal sinus thrombosis cerebrovascular accident movement disorder metastasis disease progression toxic skin eruption motor developmental delay dermoid cyst exposure pregnancy respiratory failure pneumonia haemoglobin decreased chronic myeloid leukaemia transformation platelet count decreased retinal tear visual impairment apraxia cerebral haemorrhage subarachnoid haemorrhage confusional state type diabetes mellitus respiratory failure myocardial infarction cardiac failure memory impairment pain extremity diarrhoea cholelithiasis device issue scar uterine perforation abortion spontaneous pain anxiety emotional distress device breakage injury uterine injury chest pain dysphagia pyrexia type diabetes mellitus type diabetes mellitus condition aggravated rectal prolapse type diabetes mellitus type diabetes mellitus type diabetes mellitus neutrophil count decreased white blood cell count decreased megakaryocyte decreased aplastic anaemia platelet count decreased blood potassium abnormal aspartate aminotransferase increased alanine aminotransferase abnormal white blood cell count decreased blood creatinine increased immunosuppressant drug level decreased fall rib fracture pain liver injury hallucination nightmare type diabetes mellitus oral discomfort muscle spasm abdominal pain upper fatigue dyspnoea exertional nausea decreased appetite death type diabetes mellitus pulmonary embolism type diabetes mellitus type diabetes mellitus type diabetes mellitus hernia cerebrovascular accident type diabetes mellitus blood urea increased blood potassium increased blood creatinine increased fluid retention plasma cell myeloma respiratory failure constipation anaemia fatigue neurological decompensation disease progression heart rate irregular atrioventricular block second degree dyspnoea seizure drug level decreased weight increased abortion spontaneous unintended pregnancy device dislocation implant site erythema implant site swelling implant site haematoma implant site reaction device breakage device difficult use small date baby micropenis hypospadias cryptorchism exposure pregnancy infection nausea headache fatigue chill contusion pyrexia vomiting white blood cell count increased maternal exposure pregnancy label use abortion label use abortion maternal exposure pregnancy maternal exposure pregnancy label use abortion diabetic foot infection oedema maternal exposure pregnancy label use abortion ectopic pregnancy maternal exposure pregnancy label use wound urinary tract infection coronary artery occlusion blood glucose decreased escherichia bacteremia hypokalaemia hyponatraemia vomiting abdominal pain upper nausea histoplasmosis cytomegalovirus infection gastrointestinal haemorrhage oesophageal ulcer strongyloidiasis pregnancy post coital contraception maternal exposure pregnancy haemoptysis pulmonary haemorrhage pulseless electrical activity cardiac arrest septic shock penile torsion platelet count decreased lung transplant genital haemorrhage device expulsion pulmonary valve stenosis congenital atrial septal defect feeding disorder neonatal exposure pregnancy device dislocation injury emotional distress pain disability multiple sclerosis relapse sudden death renal disorder electrolyte imbalance osteonecrosis bronchopulmonary aspergillosis international normalised ratio increased atrial fibrillation myelodysplastic syndrome abasia chronic obstructive pulmonary disease diabetes mellitus pancytopenia asthenia haematochezia urinary retention death respiratory disorder pneumonia hypokinesia diet refusal cardioversion atrial fibrillation atrial flutter cardiac ablation incontinence neck pain abasia hypokinesia coronary arterial stent insertion renal failure aneurysm death atrial fibrillation vomiting dehydration nausea pyrexia mycosis fungoides hypotension syncope anaemia hypomagnesaemia lymphoma type diabetes mellitus type diabetes mellitus death schizoaffective disorders suicidal ideation drug dose omission label use death pulmonary embolism gastroenteritis dehydration dysuria rash dyspnoea haematuria dysuria blood urine present polyuria hyperglycaemia urinary tract infection intestinal mucosal hypertrophy gastrointestinal inflammation adenocarcinoma colon intestinal obstruction abdominal pain type diabetes mellitus fall injection site haemorrhage abdominal pain fluid retention gait disturbance chest pain paraesthesia neuropathy peripheral movement disorder muscular weakness hyperhidrosis lung disorder dizziness injection site pain psoriatic arthropathy hepatitis tuberculosis dyspnoea epididymitis dysuria bladder discomfort suicidal ideation gait disturbance feeling hot dizziness tinnitus aphasia nerve injury dysphemia abdominal discomfort emotional disorder disturbance attention arthralgia dysarthria testicular pain abdominal pain gonorrhoea oedema

a peripheral nausea orchitis feeling abnormal nervous system disorder balance disorder disorientation incorrect drug administration rate pollakiuria fatigue injection site pain peripheral swelling cerebrovascular accident un evaluable event injection site pain psoriasis type diabetes mellitus death type diabetes mellitus genital haemorrhage pain device dislocation type diabetes mellitus renal failure parathyroid tumour brain neoplasm headache type diabetes mellitus alcohol abuse herpes simplex hyperlipidaemia pancreatic disorder stress disorder anxiety diabetes mellitus inadequate control tachycardia erectile dysfunction back injury romberg test positive substance abuse drug ineffective joint injury hepatitis sensory loss panic reaction hypertension osteoarthritis hepatitis c loss libido back pain treatment noncompliance diabetes mellitus sinusitis depression asthenia sexual dysfunction headache hepatic function abnormal intentional product misuse type diabetes mellitus phlebitis pyrexia type diabetes mellitus diabetic neuropathy type diabetes mellitus respiratory depression thrombocytopenia platelet count decreased hypercoagulation thrombosis umbilical hernia keloid scar type diabetes mellitus death lung disorder splenomegaly confusional state hepatomegaly right ventricular failure nasopharyngitis type diabetes mellitus death arthropathy type diabetes mellitus hyperkalaemia neutropenia type diabetes mellitus malaise device issue cholecystectomy abdominal infection psoriasis pruritus dry skin drug dose omission injection site reaction injection site reaction disorder pathological gambling death general physical health deterioration hypotension syncope type diabetes mellitus pneumonia spinal disorder pain type diabetes mellitus intestinal stenosis fall spinal compression fracture spinal fracture ventricular extrasystole heart rate decreased weight increased restless leg syndrome blood potassium decreased muscle spasm blindness kidney infection cystitis type diabetes mellitus micturition disorder neuropathy peripheral convulsion drug abuse joint swelling bedridden pyrexia type diabetes mellitus skin lesion pyrexia melaena pancytopenia type diabetes mellitus meningioma posterior reversible encephalopathy syndrome grand mal convulsion brain oedema blood pressure increased type diabetes mellitus pelvic inflammatory disease abdominal pain lower pyrexia abdominal pain back pain vaginal haemorrhage vaginal discharge abdominal pain lower embedded device type diabetes mellitus epiglottic oedema tongue oedema swelling face rash anaemia uterine perforation type diabetes mellitus type diabetes mellitus weight increased type diabetes mellitus schizophrenia undifferentiated type irritability aggression insomnia suspiciousness abnormal behaviour akathisia salivary hypersecretion drug ineffective type diabetes mellitus type diabetes mellitus dyskinesia parkinsonism speech disorder tardive dyskinesia dyskinesia breast cancer type diabetes mellitus impaired gastric emptying death cataract skin exfoliation dermatitis erythema eczema pruritus type diabetes mellitus faecal incontinence neck surgery drug effect decreased abdominal pain diarrhoea cellulitis chronic obstructive pulmonary disease dyspnoea type diabetes mellitus syringomyelia abasia concomitant disease progression cyanosis dyspnoea fatigue death joint swelling pain extremity anxiety disturbance attention fatigue insomnia multiple sclerosis relapse central nervous system lesion restlessness ataxia iird nerve disorder paresis hypoaesthesia speech disorder nystagmus pulmonary oedema haematoma lower gastrointestinal haemorrhage escherichia infection febrile neutropenia abdominal pain haematoma anaemia pancreatic carcinoma osteonecrosis chest pain pyrexia uterine cyst menorrhagia depression dysstasia uterine leiomyoma fallopian tube cyst confusional state irritability sensory loss musculoskeletal stiffness weight decreased hypersensitivity acute phase reaction angioedema transaminase increased hypocalcaemia cardiac arrest loss consciousness plasma cell myeloma musculoskeletal disorder respiratory disorder dysphagia asthenia acute generalised exanthematous pustulosis pyrexia tremor osteonecrosis infective pulmonary exacerbation cystic fibrosis lung neoplasm malignant pneumothorax coronary artery occlusion splenic haemorrhage splenic rupture hyperthermia malignant death neoplasm malignant hospice care circulatory collapse drug ineffective breast cancer metastatic white blood cell count increased bromhidrosis convulsion feeling abnormal arrest death septic shock respiratory failure psychiatric symptom vomiting choking condition aggravated asphyxia fall thirst salivary hypersecretion lymphocyte percentage decreased blood pressure diastolic increased aspiration arrest malaise blood prolactin increased constipation neutrophil percentage increased loss consciousness eosinophil percentage decreased heart rate increased red blood cell count decreased death acute myocardial infarction death pain upper respiratory tract infection unevaluable event dyspnoea diabetes mellitus interstitial lung disease gallbladder disorder oropharyngeal pain sinusitis anaemia supraventricular tachycardia radiation skin injury upper gastrointestinal haemorrhage haemorrhagic anaemia blindness glaucoma cataract chronic obstructive pulmonary disease diarrhoea disease progression hypokalaemia lower gastrointestinal haemorrhage ankle fracture fall contusion arrest cyanosis drug eruption death death drug withdrawal syndrome neonatal renal cyst foetal exposure pregnancy lung disorder cholelithiasis cholecystitis hypertension bronchitis asthenia pterygium gastroenteritis diarrhoea abdominal pain nephrogenic systemic fibrosis pneumonia malaise weight decreased headache tongue blistering lymphoma fall wrist fracture infection osteonecrosis jaw asthma claustrophobia mood swing nail discolouration oedema septic shock upper gastrointestinal haemorrhage haemorrhagic anaemia generalised seizure glaucoma salivary hypersecretion osteonecrosis jaw death death abdominal wound dehiscence gastrointestinal perforation gastrointestinal disorder dyspepsia anaemia myoclonus somnolence liver injury dyspnoea pain vomiting nausea anaemia disease progression varicose vein rheumatoid arthritis cardiac disorder angina pectoris depression suicidal ideation death tremor hypersensitivity investigation investigation colon cancer peroneal nerve palsy heart rate increased palpitation chest pain proteinuria abortion spontaneous hypertension maternal exposure pregnancy cardiac murmur mitral valve incompetence bronchiectasis atrial septal defect joint swelling inflammation inflammation cough upper respiratory tract infection productive cough rheumatoid lung dizziness blood pressure increased fatigue dry mouth decreased appetite cognitive disorder investigation breast cancer drug interaction maternal exposure pregnancy foetal growth restriction premature delivery depressed mood heart rate increased convulsion nausea vomiting lethargy intentional underdose wrong technique drug usage process drug withdrawal syndrome depression concussion post concussion syndrome depression neurosis death terminal state investigation multiple sclerosis relapse death drug interaction hepatotoxicity cardiac arrest lower respiratory tract infection pneumonia death cardiogenic shock intentional overdose failure metabolic acidosis sinus bradycardia hypotension renal failure acute electrocardiogram qt prolonged respiratory failure acute kidney injury cardiac tamponade acute coronary syndrome gallbladder disorder hand fracture pain prescribed overdose oral discomfort leukoplakia oral investigation dialysis intentional underdose wrong technique drug usage process drug withdrawal syndrome insomnia decreased appetite loss consciousness dehydration blood glucose abnormal vomiting breast cancer gastrointestinal toxicity endometriosis myxoedema gastroenteritis pneumonia bacterial cough diarrhoea abdominal pain chronic obstructive pulmonary disease hypercholesterolaemia hypertension acute sinusitis rhinitis allergic hypersensitivity anxiety asthma bronchitis cough syndrome ligament sprain umbilical hernia influenza congestive cardiomyopathy insomnia abnormal dream muscle twitching headache nausea back pain dyspnoea pneumonia bacterial pleural infection bacterial sepsis pulmonary mass pneumothorax hyperhidrosis agitation investigation malignant neoplasm progression drug ineffective convulsion oral candidiasis thermal burn laceration influenza abdominal pain diarrhoea dysgeusia headache laceration stress nasopharyngitis fatigue constipation incontinence death cardiac arrest ventricular fibrillation loss consciousness sepsis herpes zoster death investigation cyst thrombosis urethral obstruction leukaemia respiratory disorder panic attack aphasia aphagia influenza basal cell carcinoma knee arthroplasty drug effect decreased influenza investigation bone marrow failure ischaemic stroke thrombocytopenia death localised infection foetal exposure pregnancy foetal death death investigation shared psychotic disorder apraxia psychomotor retardation petit mal epilepsy abnormal behaviour hallucination visual mania muscle spasm dyskinesia tachyphrenia suicidal ideation suicidal behaviour dysarthria dysphemia



ia pain thirst hypoaesthesia oral salivary hypersecretion logorrhoea speech disorder activity daily living impaired ideation irritability mood swing aggression suicide attempt thinking abnormal pruritus headache myalgia miliaria peripheral coldness hypoaesthesia feeling hot chill vision blurred sensory disturbance hallucination disorientation feeling abnormal fear frustration withdrawal syndrome pain feeling abnormal muscle spasm haemorrhage wound infection cardiac disorder investigation visual acuity reduced temporal arteritis papilloedema eating disorder diarrhoea vomiting aphthous stomatitis aphthous stomatitis death hepatitis c death pregnancy arrested labour epilepsy myocardial infarction low density lipoprotein increased weight decreased mobility decreased dysstasia tremor restlessness paraesthesia malaise influenza like illness dizziness feeling abnormal chest pain muscular weakness apparent death multiple sclerosis relapse gait disturbance heart valve operation drug dose omission musculoskeletal disorder multiple sclerosis memory impairment fear fatigue pneumonia erysipelas psoriasis knee arthroplasty pneumonia acute myeloid leukaemia hypothyroidism inflammation bronchitis hepatic enzyme increased intervertebral disc degeneration gait disturbance investigation liver injury larynx irritation chest pain urticaria transfusion haemoglobin decreased asthenia jaundice cholestatic liver function test abnormal cholangitis renal disorder oedema death weight decreased glycosylated haemoglobin decreased blood glucose increased malaise nasal congestion pain incorrect dose administered increased viscosity upper respiratory secretion weight decreased blood immunoglobulin e increased hypersensitivity drug ineffective drug interaction pancytopenia investigation dysgeusia dyspnoea abdominal distension joint swelling nausea diarrhoea erythrodysaesthesia syndrome pyrexia skin exfoliation drug ineffective arthralgia pain extremity gait disturbance mobility decreased fatigue asthenia depressed mood vision blurred dry mouth cough sputum abnormal ageusia neuropathy peripheral atrophic glossitis alopecia muscle spasm drug interaction pancytopenia hip arthroplasty nephrogenic systemic fibrosis arthropathy sinusitis myocardial infarction febrile neutropenia asthma sinusitis thrombosis bone density decreased death lower limb fracture abdominal discomfort back pain pain extremity pain headache investigation lung neoplasm malignant pneumonia oligodendroglioma quadriplegia syndrome myelitis transverse multiple sclerosis relapse adverse drug reaction urinary tract infection multiple sclerosis relapse bone disorder paranoia hallucination drug delivery device implantation arthropathy hypertension fatigue muscle spasticity bipolar disorder gait disturbance deep vein thrombosis back pain weight increased pyrexia rash macular arthralgia pain wrong technique product usage process injection site pain pruritus osteoarthritis headache feeling hot dengue fever cytoplasmic antibody positive vasculitis tubulointerstitial nephritis ankyloglossia congenital foetal exposure pregnancy haemorrhage oesophageal rupture syncope haematemesis spinal cord compression back pain conjunctivitis colon adenoma death upper gastrointestinal haemorrhage investigation lip infection impaired healing angioedema shared psychotic disorder dyspraxia psychomotor retardation petit mal epilepsy abnormal behaviour hallucination visual mania muscle spasm dyskinesia tachypnoea suicidal ideation suicidal behaviour dysarthria dysphemia pain thirst hypoaesthesia oral salivary hypersecretion logorrhoea speech disorder activity daily living impaired ideation irritability mood swing aggression suicide attempt thinking abnormal pruritus headache myalgia miliaria peripheral coldness hypoaesthesia feeling hot chill vision blurred sensory disturbance hallucination disorientation feeling abnormal fear frustration apraxia headache withdrawal syndrome aggression anger abnormal behaviour dizziness paraesthesia muscular weakness asthenia local swelling paraesthesia hypoaesthesia jaw disorder vasculitis pancytopenia thrombocytopenia hospitalisation subcutaneous abscess headache angioedema flushing rash lip swelling enlarged uvula pharyngeal oedema pruritus generalised dyspnoea small intestinal haemorrhage flushing hot flush pain extremity nephrolithiasis hepatic lesion hip fracture fall fractured coccyx fatigue lethargy muscular weakness paraesthesia central nervous system lesion neck pain pain extremity emotional distress platelet count decreased death overdose myoclonus nodal arrhythmia shock paraspinal abscess osteomyelitis femoral neck fracture localised infection bronchopneumonia pharyngitis erysipelas cardiac failure fall respiratory distress gallbladder disorder umbilical hernia inflammation burning sensation injection site pain bradykinesia intentional sopor dyspnoea asthma chest pain chest discomfort wheezing cough sinusitis blood potassium decreased pneumonia pain extremity oedema peripheral arthralgia oedema peripheral skin warm peptic ulcer hiatus hernia fatigue skin discolouration pain injection site bruising injection site erythema injection site reaction injection site urticaria injection site pruritus injection site swelling injection site warmth blood potassium decreased gastrointestinal haemorrhage diverticulitis haemorrhoid investigation knee arthroplasty dysphagia muscle contraction involuntary dysarthria hospitalisation pneumothorax pulmonary oedema death investigation investigation diarrhoea cellulitis metastasis lymph node urinary retention acquired phimosi deep vein thrombosis central nervous system lesion hospitalisation bronchopneumonia death hemiplegia breast mass dyspnoea fatigue white blood cell count decreased platelet count decreased endometriosis hepatosplenomegaly alopecia multiple sclerosis relapse depression cerebral haemorrhage intracranial pressure increased atrial fibrillation febrile neutropenia toxic epidermal necrolysis therapeutic response decreased lichen planus investigation full blood count increased full blood count decreased fall decreased immune responsiveness tuberculosis investigation diabetes mellitus agitation investigation asthma investigation yellow skin ocular icterus fall periorbital contusion mass head injury csf test abnormal nausea fatigue bone pain urinary incontinence feeling hot dizziness hyperhidrosis death investigation disease progression investigation cough sleep disorder muscular weakness hypoaesthesia paraesthesia fatigue myalgia investigation iritis death vomiting nausea hypertension disease progression disease progression haemoglobin decreased lung neoplasm malignant metastasis heart metastasis death chromaturia sputum discoloured fracture investigation groin abscess fall bedridden limb injury drug administration error pruritus incorrect dose administered ear infection application site vesicle application site erythema application site pruritus investigation abdominal pain drug abuse transaminase increased urticaria drug interaction sepsis body temperature increased hypotension tachycardia neutropenia thrombocytopenia loss consciousness iron deficiency anaemia syncope cough muscle spasm muscle twitching diarrhoea dizziness feeling abnormal arthralgia myalgia asthenia nausea fatigue depression drug prescribing error disease progression pain vomiting nausea anaemia diarrhoea hypertension coronary artery thrombosis myocardial infarction drug ineffective unapproved indication angioedema intestinal operation pneumocystis jirovecii pneumonia chest abnormal gastrointestinal motility disorder volvulus abdominal discomfort constipation death pleurisy investigation leukoencephalopathy peroneal nerve palsy mobility decreased sensory loss grand mal convulsion muscular weakness interstitial lung disease death myelodysplastic syndrome cardiac failure pneumonia respiratory failure headache neuralgia device deployment issue complication device removal fear incorrect drug administration duration retinal vein occlusion visual impairment macular oedema infusion related reaction respiratory distress acute coronary syndrome lipid increased investigation pseudocroup hyperventilation flushing nasal congestion flushing fatigue injection site erythema injection site induration accidental exposure product child somnolence heart rate decreased unresponsive stimulus product packaging issue chest pain nausea cough vomiting pyrexia diarrhoea renal failure headache dizziness optic neuritis death altered state consciousness convulsion lung neoplasm malignant cardiac arrest paraesthesia oral muscle spasm depressed mood anxiety rheumatoid arthritis liver injury diabetes mellitus diabetic foot abnormal dream overdose vomiting drug ineffective liver injury infarction finger amputation drug ineffective unapproved indication presyncope muscle spasm nausea fatigue breast pain investigation liver injury death investigation cough pain vomiting back pain abdominal pain nausea fall muscle injury nerve injury intervertebral disc disorder product quality issue deep vein thrombosis disease progression metastasis bone metastasis liver nervous system disorder pleural effusion lung infiltration dyspnoea toxicity various agent pulmonary embolism local swelling hypoaesthesia pain extr



emity urinary incontinence decreased immune responsiveness paraesthesia herpes virus infection peripheral coldness blister ascites coronary artery disease chest pain headache migraine sunburn fatigue paraesthesia oral dysgeusia intentional overdose failure suicide attempt liver injury intentional overdose suicide attempt breast cancer arthralgia balance disorder gait disturbance intervertebral disc degeneration glare arthralgia back pain procedural pain intervertebral disc protrusion pain extremity venous occlusion pain insomnia gait disturbance spinal disorder cardiac arrest acute myocardial infarction left atrial dilatation hyponatraemia hypertension coronary artery disease ischaemic cardiomyopathy fatigue ventricular tachycardia ventricular fibrillation heart rate increased cardiac failure acute atrial fibrillation hypogonadism respiratory failure ejection fraction decreased cardiac failure congestive sinus bradycardia coronary artery occlusion sleep apnoea syndrome compression fracture decreased appetite vomiting nausea pneumonia fall face injury loss consciousness asthenia contusion fall head injury asthenia pancreatic carcinoma nephrolithiasis visual acuity reduced intervertebral disc protrusion fall diarrhoea gastroesophageal reflux disease hypertension local swelling hypoglycaemia drug hypersensitivity drug ineffective hyperglycaemia nail injury nail growth abnormal aphonia dysphonia blood glucose increased therapeutic response delayed abdominal pain pain extremity angiopathy back pain burning sensation dengue fever hyperkeratosis induction gait disturbance loss consciousness respiratory arrest hyperglycaemia blood glucose abnormal depression merycism major depression attention disorder somnolence sedation agitation bipolar disorder angina pectoris fatigue death aggression low birth weight baby intestinal perforation foetal exposure pregnancy dyspepsia intraventricular haemorrhage neonatal respiratory distress syndrome muscle tightness foetal growth restriction premature baby necrotising colitis hydrocephalus foetal growth restriction exposure breast feeding premature labour genital haemorrhage pustular psoriasis drug ineffective abdominal pain lower abortion exposure pregnancy investigation inappropriate schedule drug administration oesophageal carcinoma mental status change dehydration anaemia platelet count decreased anxiety deep vein thrombosis thrombosis pain abdominal pain emotional distress general physical health deterioration injury investigation drug interaction headache anaphylactic reaction investigation blood glucose decreased hypoglycaemia pain hepatic enzyme increased terminal state diarrhoea blood pressure systolic increased depression disorientation fear death asthenia drug ineffective mood swing anger atrial flutter investigation breast cancer female death small intestinal obstruction blood pressure diastolic decreased heart valve incompetence dyspnoea mesenteric neoplasm weight decreased abdominal discomfort fall eye swelling intestinal ischaemia abdominal pain lower blood pressure increased blood pressure systolic increased body temperature decreased oedema malignant neoplasm progression eye disorder thermal burn erythema dizziness postural gravitational oedema pleural effusion dehydration asthenia lacrimation increased pain peripheral swelling anaphylactic reaction neurological decompensation encephalopathy drug ineffective unapproved indication atypical pneumonia hypoacusis urinary tract infection cholecystitis gallbladder cancer vulvovaginal mycotic infection herpes zoster anaphylactic shock coronary artery stenosis appendicitis rectal abscess dermatitis bullous type iv hypersensitivity reaction abortion induced metrorrhagia unintended pregnancy nausea product quality issue haemoglobin decreased melaena arthritis bacterial hepatorenal syndrome febrile neutropenia neutropenia lung adenocarcinoma toxicity various agent plasma cell myeloma pneumonia sepsis gastrointestinal disorder hepatotoxicity deep vein thrombosis diarrhoea death amaurosis fugax atrial fibrillation syncope constipation infection interstitial lung disease nasopharyngitis liver injury respiratory failure convulsion cerebrovascular accident aphasia epilepsy angina pectoris coronary artery stenosis intermittent claudication hyperglycaemia liver function test abnormal surgery diabetic ketoacidosis influenza treatment noncompliance cerebrovascular accident sensory disturbance dyspepsia iridocyclitis myalgia pyrexia dysuria agranulocytosis leukopenia neutropenia white blood cell count increased neutrophil count increased bacterial infection schizoaffective disorder granuloma dyspnoea haematocrit decreased obstructive airway disorder neutrophil toxic granulation present shift left poor venous access vitamin abnormal blood folate abnormal red blood cell count decreased metamyelocyte count increased myelocyte count increased promyelocyte count increased blast cell count increased blood creatinine abnormal blood pressure increased platelet count abnormal basophil count increased liver function test abnormal eosinophil count increased monocyte count increased blood creatinine phosphokinase decreased lymphocyte count decreased haemoglobin decreased heart rate increased pyrexia lymphocyte count increased cholecystectomy vomiting abdominal pain upper malaise nausea abdominal discomfort gingival swelling renal failure chronic gingivitis periodontitis oral disorder exposed bone jaw tenderness renal impairment gingival bleeding breast cancer stage ii aortic valve incompetence anaemia mitral valve disease mixed nephrogenic anaemia gingival erythema loose tooth malignant neoplasm progression angina pectoris osteonecrosis jaw pain jaw bacterial infection incorrect dose administered memory impairment blood glucose abnormal overdose rhabdomyolysis pyrexia self injurious behaviour sopor urinary tract infection weight decreased hypersensitivity neutropenia thrombocytopenia papilloedema cerebrovascular accident osteoarthritis arthritis drug ineffective mineral supplementation haemoglobin decreased dyspnoea musculoskeletal stiffness fatigue asthenia back pain chest pain depressed mood dizziness dyspnoea migraine vaginal haemorrhage vomiting platelet count abnormal anaphylactic shock type iv hypersensitivity reaction hypotension hypoxia gastrointestinal disorder nephrogenic systemic fibrosis erythrodysaesthesia syndrome wound secretion endophthalmitis macular oedema coronary artery disease lower respiratory tract infection paraneoplastic dermatomyositis epistaxis rash pruritic rhinorrhoea prurigo chest pain headache hypotension infusion related reaction lethargy weight decreased malaise renal impairment diarrhoea coeliac disease urticaria fatigue angioedema drug ineffective pruritus insomnia condition aggravated chronic spontaneous urticaria cardiac failure respiratory failure convulsion cardiac failure convulsion anaemia major depression paraesthesia respiratory failure convulsion gastrointestinal disorder tinnitus feeling abnormal dizziness hearing impaired deafness body temperature decreased restlessness abdominal distension quality life decreased eating disorder insomnia visual acuity reduced asthenia gastric ulcer ear discomfort toxicity various agent child neglect syncope arthropathy chondropathy dysmenorrhoea headache pain malaise head discomfort gastrointestinal disorder glaucoma rash oedema peripheral lacrimation increased oedema peripheral pain fatigue herpes virus infection gastrointestinal disorder gastroenteritis escherichia coli nausea vomiting diarrhoea bronchitis dyspnoea wheezing cerebrovascular accident convulsion malaise product packaging issue pyrexia lymphadenitis arthropathy tooth disorder jaw disorder paraesthesia hypoaesthesia activity daily living impaired death therapeutic response death death death death convulsion death death acute myeloid leukaemia recurrent graft versus host disease adenovirus infection cytomegalovirus infection drug effect decreased expired drug administered acute coronary syndrome anaemia rectal haemorrhage gastroesophageal reflux disease drug ineffective renal colic pyelonephritis dyspnoea secretion discharge oxygen saturation decreased cough adverse event endometrial cancer metastatic abortion abdominal distension abdominal pain abdominal pain upper anxiety back pain breast pain chest discomfort dizziness dyspnoea headache swelling mood altered muscle spasm nausea neck pain laryngeal cancer accelerated idioventricular rhythm ventricular parasystole death respiratory distress anaemia haematochezia syndrome nausea vomiting blindness deafness loss consciousness contusion glaucoma pruritus muscle disorder confusional state skin lesion pain oral disorder delusion aggression dyspnoea pulmonary embolism hypoglycaemic coma insulinoma toxicity various agent gastrointestinal haemorrhage international normalised ratio increased haematocrit decreased fall blood creatinine increased dehydration contusion hypotension transient ischaemic attack paraesthesia erythema multiforme general physical health deterioration local swelling pyrexia bone marrow failure cerebral haemorrhage haemoglobin decreased paraesthesia dyspnoea ocular hyperaemia dyspnoea rest dizziness rash loss consciousness pruritus cardiac arrest pulmonary emb

olism pulmonary embolism haemorrhage upper gastrointestinal haemorrhage suicide attempt intentional overdose convulsion cardiac arrest blood urine present unresponsive stimulus blood pressure decreased haemoglobin decreased abdominal pain haematoma dysphagia subarachnoid haemorrhage cerebral haematoma haematemesis purple glove syndrome pharyngeal operation cardiac failure acute polychondritis sepsis pneumonia herpes zoster hypersensitivity gall bladder disorder death psychiatric symptom visual acuity reduced therapeutic response death death death death nephrogenic systemic fibrosis bronchitis bronchitis bronchitis pharyngitis upper respiratory tract infection upper respiratory tract infection infection sinusitis haemolysis liver injury dyspnoea rectal haemorrhage drug interaction dermatitis abscess neck death bone erosion drug interaction epistaxis anaemia international normalised ratio increased cleft palate placental transfusion syndrome cardiac disorder lung disorder vaginal haemorrhage gingival bleeding drug interaction erysipelas limb injury weight decreased drug tolerance immunodeficiency extremity necrosis blood cholesterol increased arthropathy pain drug ineffective arthralgia rheumatic fever toxic optic neuropathy metastatic malignant melanoma splenic rupture death diarrhoea septic shock syncope pneumonia neutropenia thrombocytopenia fatigue plasma cell myeloma cough abscess infection neutropenia white blood cell count decreased haemorrhage haemorrhage drug interaction central nervous system lesion weight increased vitamin deficiency pain extremity type diabetes mellitus drug reaction eosinophilia systemic symptom pulmonary oedema respiratory failure platelet count decreased pneumonia investigation hospitalisation haemorrhage drug interaction hypertension osteoporosis surgery scar abdominal pain upper anxiety plasma cell myeloma pneumonia death tremor drug ineffective cardiac pacemaker insertion pericardial effusion urinary tract infection suppressed lactation device ineffective drug ineffective erythema skin fissure pulmonary embolism pulmonary embolism deep vein thrombosis hospitalisation subdural haematoma drug interaction vaginal haemorrhage haematuria contusion premature baby low birth weight baby pneumonia aspiration bk virus infection encephalitis viral lower respiratory tract infection palpitation death impaired healing spinal fusion surgery pain extremity pain abdominal pain upper angina unstable cold sweat nausea vomiting label use death dizziness fatigue rash anaemia malignant neoplasm progression diarrhoea haemorrhage intracranial food poisoning pneumonia haemoptysis dyspnoea fatigue incorrect dose administered overdose death local swelling haemorrhage erythema localised infection localised infection skin disorder pain extremity secretion discharge scab rash pruritus rash nephrolithiasis nausea neutropenia rhinorrhoea dermatitis acneiform dermatitis acneiform epistaxis mucosal haemorrhage pain vomiting diarrhoea malignant neoplasm progression death death pulmonary thrombosis thrombosis blood disorder neoplasm malignant dyspepsia death blood urine present cholelithiasis dizziness fatigue pneumonia decreased appetite skin reaction abdominal pain flatulence muscle spasm rash flatulence eructation constipation vision blurred blood pressure increased anxiety hypophagia weight decreased rash rash acne pruritus death disorder fall full blood count decreased contusion fatigue diarrhoea decreased appetite death incorrect dose administered death death incorrect dose administered white blood cell count decreased rash death label use atrial fibrillation metastasis bone fall incorrect dose administered visual acuity reduced blood triglyceride increased death malignant neoplasm progression oesophageal carcinoma drug interaction ventricular tachycardia electrocardiogram qt prolonged gastric haemorrhage death hypersensitivity angioedema pruritus death convulsion hepatic failure syndrome anaemia drug ineffective death spinal disorder device related infection drug ineffective chronic graft versus host disease acute graft versus host disease chronic graft versus host disease renal failure drug ineffective fall joint stiffness sensation heaviness chest pain myalgia chest pain oedema cystitis label use hepatic function abnormal unresponsive stimulus syncope blood pressure decreased heart rate decreased ventricular extrasystole interstitial lung disease pyrexia diarrhoea rash investigation investigation balance disorder fall disorientation condition aggravated dizziness abdominal symptom conjunctivitis dyspnoea vomiting diarrhoea decreased appetite drug ineffective chronic graft versus host disease drug ineffective graft versus host disease eye swelling rash ocular hyperaemia incorrect dose administered drug interaction breast cancer pleural effusion pancreatic carcinoma metastatic surgery investigation urinary tract infection drug dose omission intestinal obstruction hearing impaired epistaxis hypertension computerised tomogram abnormal inappropriate schedule drug administration rash hip fracture haemorrhagic diathesis rash dry skin death arthralgia death febrile neutropenia hypophagia pleural effusion deep vein thrombosis pain extremity swelling haemorrhage drug interaction shock haemorrhagic haemorrhage electrocardiogram qt prolonged blood potassium decreased intentional product misuse death pain pruritus mucosal inflammation type diabetes mellitus drug interaction shock haemorrhagic cardiac disorder type diabetes mellitus liver disorder bacterial infection gastrointestinal disorder diarrhoea pulmonary hypertension pulmonary embolism feeling abnormal death abscess necrosis haemorrhage invasive ductal breast carcinoma back disorder diabetic neuropathy neuralgia neuropathy peripheral circulatory collapse palpitation dizziness death hypotension pyrexia pulmonary oedema death chest pain musculoskeletal pain pain extremity back disorder fall back injury dizziness headache drug ineffective ataxia encephalitis asphyxia epilepsy metastasis central nervous system lung infection pregnancy drug ineffective female sterilisation apathy depression increased tendency bruise gastrointestinal haemorrhage drug interaction small intestinal haemorrhage gastric haemorrhage gastrointestinal haemorrhage drug interaction fluid replacement nephrogenic systemic fibrosis cell lung cancer disease progression label use ventricular extrasystole urinary incontinence feeling hot hyperhidrosis dizziness septic shock pancytopenia deep vein thrombosis pulmonary embolism pancreatic carcinoma stage iv pancreatitis acute acute prerenal failure dehydration weight decreased urine sodium increased hyponatraemia hypochloreaemia pulmonary embolism muscle spasm muscle spasm adenocarcinoma pancreas trisomy pancreatic carcinoma chest pain drug dose omission dyspnoea hospitalisation pancreatic carcinoma road traffic accident vertigo tinnitus pancreatic carcinoma cerebrovascular accident pulmonary embolism ataxia gait disturbance balance disorder status epilepticus lymphoma myocardial infarction infection oesophageal pain hepatic pain oesophagitis abdominal pain upper vertigo label use incorrect dose administered intentional drug misuse diabetic retinal oedema pulmonary embolism diverticulitis cellulitis infection cholecystectomy pancreatitis gastrointestinal haemorrhage drug interaction influenza diet refusal blood glucose fluctuation product solubility abnormal product colour issue weight decreased transaminase increased malaise transverse sinus thrombosis pulmonary embolism thyroid cancer haemorrhage drug interaction pain pain extremity peripheral swelling deep vein thrombosis thrombosis abdominal pain injury general physical health deterioration deep vein thrombosis pain extremity headache deep vein thrombosis product use issue pain general physical health deterioration injury muscular weakness dizziness swelling prostate cancer prostatic operation urinary retention dysuria drug administration error pneumonia vomiting projectile pallor cyanosis oxygen saturation decreased heart rate decreased body temperature decreased increased bronchial secretion oxygen saturation abnormal pyrexia increased bronchial secretion wheezing cough dyspnoea pulmonary embolism deep vein thrombosis rhabdomyolysis pain general physical health deterioration emotional distress anxiety injury pulmonary embolism depression drug abuse bradyphrenia legal problem heart rate irregular dyspnoea nausea vomiting dizziness headache liver disorder decreased appetite insomnia drug effect incomplete neoplasm malignant cataract malaise hiatus hernia abdominal discomfort hypertension food intolerance lactose intolerance gastric ulcer gastritis abdominal distension drug ineffective sepsis pilonidal cyst enterovesical fistula pneumaturia urinary tract infection dysuria micturition urgency chest pain emotional distress pulmonary embolism abdominal pain general physical health deterioration injury fall head injury vertigo orthostatic hypotension executive dysfunction disturbance attention memory impairment post procedural sepsis post procedural complication intestinal obstruction antibody test positive haemolytic anaemia renal failure neoplasm malignant agitation intentional drug misuse fluid overload dys

pnoea suffocation feeling oedema hypotension fatigue muscle spasm muscle injury nightmare pain blindness unilateral eye haemorrhage nightmare visual acuity reduced disease progression drug ineffective splenomegaly haemorrhage drug interaction gastrointestinal haemorrhage drug interaction oral surgery hospitalisation diarrhoea haemorrhagic drug interaction melaena haematochezia rectal haemorrhage anxiety emotional distress drooling general physical health deterioration cerebrovascular accident pain abdominal pain injury memory impairment eating disorder dysgeusia weight decreased parenteral nutrition migraine abdominal pain deformity cerebral haemorrhage vomiting headache injury general physical health deterioration investigation pulmonary embolism abdominal pain pain injury general physical health deterioration anxiety emotional distress deformity pain anxiety mobility decreased pulmonary embolism chest pain injury pain emotional distress dyspnoea general physical health deterioration painful respiration abdominal pain pain musculoskeletal pain cerebrovascular accident abdominal pain gait disturbance visual field defect pain general physical health deterioration myalgia emotional distress depression brain injury injury anhedonia dysstasia hospitalisation thrombosis gait disturbance deep vein thrombosis injury pain abdominal pain general physical health deterioration pulmonary embolism thrombophlebitis superficial deep vein thrombosis investigation deep vein thrombosis general physical health deterioration anxiety pain pulmonary embolism dyspnoea injury abdominal pain emotional distress drug administered patient inappropriate age body height normal failure thrive bronchial obstruction rhonchus wheezing somnolence confusional state deep vein thrombosis coma suicide attempt suicide attempt tachycardia oxygen saturation decreased electrocardiogram qt prolonged hypotension endotracheal intubation poisoning overdose overdose neutropenia hypertransaminasaemia anaemia international normalised ratio decreased rectal haemorrhage cardiac failure congestive herpes simplex retinal vein thrombosis macular oedema retinal artery thrombosis incorrect drug administration duration rectal haemorrhage drug interaction postprocedural haemorrhage urogenital haemorrhage death fracture blood glucose increased fall surgery blood pressure increased blood creatinine decreased mouth haemorrhage investigation hospitalisation hospitalisation hospitalisation unresponsive stimulus circulatory collapse liver function test abnormal hyponatraemia cerebrovascular accident type diabetes mellitus arthritis type diabetes mellitus type diabetes mellitus death type diabetes mellitus neuropathy peripheral pain pruritus coeliac disease hospitalisation type diabetes mellitus type diabetes mellitus death international normalised ratio increased epistaxis asthenia dyspnoea filariasis pneumococcal infection pleural effusion purulent discharge benign oesophageal neoplasm cholestasis hepatocellular injury hypoalbuminaemia neuropathy peripheral type diabetes mellitus type diabetes mellitus disease progression anal cancer interstitial lung disease type diabetes mellitus type diabetes mellitus type diabetes mellitus glucose tolerance impaired chronic obstructive pulmonary disease type diabetes mellitus necrotising fasciitis diarrhoea type diabetes mellitus infection dyspnoea exertional cough pneumothorax dyspnoea fatigue migraine decreased appetite dysgeusia type diabetes mellitus weight increased cardiac disorder visual acuity reduced eye swelling label use limb injury pneumonia chest pain cough dyspnoea type diabetes mellitus type diabetes mellitus type diabetes mellitus neuropathy peripheral type diabetes mellitus label use pneumonia abdominal pain second primary malignancy acute myeloid leukaemia type diabetes mellitus acute myeloid leukaemia second primary malignancy type diabetes mellitus metabolic syndrome blood triglyceride increased death cardiac arrest gastrointestinal haemorrhage drug interaction spinal fracture hypertension hypoaesthesia gait disturbance general physical health deterioration erythema burning sensation spinal disorder road traffic accident chilblains pain extremity oedema peripheral urinary tract infection blindness unilateral immunodeficiency convulsion vision blurred pharyngitis muscle twitching drug ineffective hepatitis acute renal failure septic shock blood creatinine phosphokinase increased epistaxis drug interaction abdominal hernia repair blood glucose abnormal incorrect dose administered hyponatraemia blood cortisol decreased hypotension renal failure acute urine output decreased oedema peripheral dehydration platelet count decreased febrile neutropenia anaemia stomatitis cytomegalovirus test positive mobility decreased local swelling burning sensation conjunctivitis rash swelling face loss consciousness head injury fall asthenia gastrointestinal haemorrhage drug interaction diverticulum intestinal haemorrhagic rectal haemorrhage melaena intestinal obstruction acute myocardial infarction eye haemorrhage drug interaction fluid retention headache chest pain gastrointestinal haemorrhage drug interaction leukaemia condition aggravated pneumonectomy drug effect decreased overdose inappropriate schedule drug administration cardiac arrest hospitalisation respiratory disorder oxygen saturation decreased hospitalisation rectal haemorrhage drug interaction drug reaction eosinophilia systemic symptom haemolytic anaemia myocardial infarction drug abuse toxicity various agent pulmonary congestion pulmonary oedema cardiomegaly arteriosclerosis coronary artery hepatomegaly hepatic steatosis forced expiratory volume decreased death hypertension asthenia type diabetes mellitus breast cancer female dizziness upper limb fracture diabetic neuropathy gastrointestinal haemorrhage arrest dehydration cardiac failure cystitis haemorrhagic gastrointestinal haemorrhage upper gastrointestinal haemorrhage syndrome tremor neuropathy peripheral angioedema lip dry drug hypersensitivity product formulation issue myelodysplastic syndrome second primary malignancy acute myeloid leukaemia headache nervousness restlessness insomnia abnormal dream pseudoendophthalmitis uveitis blindness transient rectal haemorrhage drug interaction dyspnoea chest pain erythema rectal tenesmus pyelonephritis renal colic cystitis autism developmental delay encopresis myelopathy label use hypoaesthesia balance disorder loss proprioception decreased vibratory sense muscular weakness sensory loss swollen tongue rash generalised syndrome dyspnoea eye swelling dizziness palpitation flushing skin warm discomfort paralysis skin reaction hyperhidrosis myalgia upper limb fracture anaphylactoid reaction cataract subcapsular throat tightness hypersensitivity diabetic coma atrial fibrillation chromaturia liver disorder cold sweat laceration mucous membrane disorder stomatitis hyperhidrosis haemorrhoidal haemorrhage drug interaction haematochezia haemorrhage pregnancy nausea pregnancy pneumonia ectopic pregnancy pregnancy contraceptive device exposure pregnancy gastrointestinal haemorrhage drug interaction gastrointestinal haemorrhage iron deficiency anaemia upper gastrointestinal haemorrhage cerebrovascular accident cerebral ischaemia anaemia dizziness blood pressure decreased asthenia pollakiuria chill tremor hypoaesthesia pneumonitis chemical transitional cell carcinoma umbilical hernia tooth fracture gastrooesophageal reflux disease sleep apnoea syndrome oesophageal spasm folliculitis synovitis weight fluctuation regurgitation diarrhoea gastrointestinal haemorrhage drug interaction nausea vomiting purging diarrhoea hepatic cancer leukaemia local swelling heart rate decreased disorder diarrhoea drug ineffective sexual dysfunction congenital aural fistula haemangioma foetal exposure pregnancy subdural haemorrhage drug interaction malignant neoplasm progression breast cancer breast cancer malignant neoplasm progression cystoid macular oedema type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus small fibre neuropathy deafness motor dysfunction hypoaesthesia mental impairment muscle spasm headache subdural haemorrhage drug interaction cerebral haemorrhage haemorrhage fistula polyp rash generalised capillary leak syndrome swelling face vomiting rash peripheral swelling nausea adverse reaction blood calcium decreased asthenia renal failure acute retroperitoneal haemorrhage clostridium difficile infection influenza cardiac failure congestive pneumonia cytomegalovirus test positive virus associated lymphoproliferative disorder hepatitis b antibody positive febrile neutropenia corynebacterium sepsis haemorrhage drug interaction nephrolithiasis gout pneumonia joint swelling pain extremity syndrome rheumatoid arthritis arthritis oropharyngeal pain haemorrhage drug interaction breast cancer dyspnoea drug dose omission circumstance information capable leading medication error adrenal insufficiency small fibre neuropathy conjunctivitis breast cancer ulcer haemorrhage drug interaction cerebrovascular accident cerebrovascular accident loss consciousness

consciousness arrhythmia diplopia diplopia tremor amimia urinary tract infection tremor schizophrenia weight decreased adverse event respiratory distress depressive symptom convulsion stress unevaluable event death gastrointestinal haemorrhage drug interaction melaena death uterine perforation uterine disorder emotional distress device issue injury pain conjunctival haemorrhage drug interaction coronary artery occlusion malaise drug interaction drug ineffective tissue death gastrointestinal haemorrhage drug interaction neoplasm malignant death surgery abdominal pain upper extremities eczema pruritus coronary artery occlusion eye haemorrhage blood pressure increased sleep apnoea syndrome dyspnoea dyspnoea rash nervousness death oedema peripheral chest pain dyspnoea protein increased erythema pleural effusion systemic lupus erythematosus lupus nephritis nephrotic syndrome biopsy kidney pneumonia hypoproteinaemia pyrexia infertility female uterine perforation device issue emotional distress label use menorrhagia pain depression anxiety injury anxiety uterine perforation depression pain emotional distress abortion spontaneous haemorrhage pregnancy human chorionic gonadotropin decreased pregnancy contraceptive device drug ineffective drug ineffective abortion spontaneous anxiety pain depression emotional distress pregnancy contraceptive device ectopic pregnancy contraceptive device dislocation injury weight decreased dizziness tachycardia dysmenorrhoea vaginal haemorrhage genital haemorrhage drug ineffective pelvic pain menorrhagia immunodeficiency autoimmune disorders abdominal pain fatigue depression device monitoring procedure performed ectopic pregnancy contraceptive device arrest haemorrhage pregnancy nausea incompatibility migraine device dislocation medical device monitoring error weight increased palpitation foreign body reproductive tract ruptured ectopic pregnancy subcutaneous abscess abdominal pain lower type diabetes mellitus type diabetes mellitus neuralgia type diabetes mellitus neuropathy peripheral type diabetes mellitus lower gastrointestinal haemorrhage drug interaction melaena haematocytosis type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type blindness renal osteodystrophy cataract neuropathy peripheral renal disorders hyperkalaemia cardiac disorder type diabetes mellitus type diabetes mellitus diabetic coma arrhythmia renal failure type diabetes mellitus type diabetes mellitus type diabetes mellitus tooth loss type diabetes mellitus neuropathy peripheral limb injury type diabetes mellitus bone marrow transplant laceration dyspnoea productive cough seizure head injury presyncope fall rib fracture loss consciousness syncope balance disorder concomitant disease aggravated insomnia humerus fracture joint injury haemorrhage drug interaction shock haemorrhagic sudden hearing loss pancytopenia depression nephrogenic systemic fibrosis depression suicidal behaviour death parathyroid gland operation death blood calcium increased cough pulmonary arterial hypertension condition aggravated tongue neoplasm malignant stage unspecified tongue operation biopsy ovary death neonatal respiratory distress syndrome patent ductus arteriosus atrial septal defect feeding disorder neonatal agitation neonatal pulmonary arterial hypertension condition aggravated cholelithiasis labile use root canal infection cervical cyst urinary tract infection ovarian cyst product use issue eye swelling rash pruritus scleroderma syncope fall joint swelling rheumatoid arthritis painful respiration skeletal injury pain in swelling excoriations angioplasty haemorrhage drug interaction pulmonary arterial hypertension condition aggravated scar road traffic accident stoma site haemorrhage herpes zoster hypersensitivity inguinal hernia diabetes mellitus respiratory failure syndrome therapeutic response decreased serositis arthropathy dermatitis fatigue pyrexia iris atrophy headache death atrial fibrillation suicidal ideation paraesthesia hypoesthesia arthralgia myalgia hypergammaglobulinaemia vitamin deficiency nephrolithiasis drug hypersensitivity dizziness hypoesthesia weight increased hypoglycaemia impaired driving ability adverse reaction swelling face local swelling eye swelling pruritus dyspnoea swollen tongue lip swelling amoebic colitis necrotising colitis application site paraesthesia application site pain application site erythema application site exfoliation drug administration error inappropriate schedule drug administration swelling face eye swelling thermal burn urinary tract infection pelvic pain uterine perforation device dislocation device difficult use abdominal pain pyrexia injury emotional distress device dislocation medical device complication medical device discomfort genital haemorrhage internal injury depression anxiety infertility female depressed mood fear acute myocardial infarction paraesthesia hypoesthesia headache chest pain dyspnoea intentional drug misuse erection increased painful erection drug ineffective uterine perforation procedural pain abdominal pain dysmenorrhoea abdominal pain lower menstruation irregular cardiac failure congestive weight increased sinusitis headache peripheral swelling vomiting grand mal convulsion incorrect dose administered incorrect drug administration duration label use drug hypersensitivity vitreous disorder visual acuity reduced blindness transient vision blurred blindness eye inflammation blindness transient incorrect product storage haemoptysis pulmonary haemorrhage hypoesthesia oral hypoesthesia confusional state muscle twitching blood calcium decreased pyrexia pain benign prostatic hyperplasia renal failure acute nasal discomfort rhinorrhoea lacrimation increased anaemia ageusia type diabetes mellitus malaise asthenia weight increased depression self injurious behaviour osteoarthritis peri-arthritis generalised oedema abdominal distension blood albumin decreased fluid retention malaise product substitution issue application site dryness application site pruritus application site exfoliation pustular psoriasis onychomadesis alopecia psoriasis application site dryness application site exfoliation application site pain application site erythema leukaemia fluid retention cardiac failure malaise influenza like illness flatulence nausea abdominal pain upper gastrointestinal disorder vision blurred eye swelling application site vesicle application site erythema drug administered inappropriate site incorrect drug administration duration incorrect drug administration duration pyrexia unresponsive stimulus hypotonia atrial fibrillation sick sinus syndrome ischaemic stroke erythema drug administered inappropriate site contusion vaginal haemorrhage dizziness feeling abnormal chromaturia haematuria drug interaction drug reaction eosinophilia systematic symptom pyrexia rash pruritic hepatitis blood thyroid stimulating hormone increased anaemia dyspnoea haemoglobin decreased dyspnoea oxygen consumption increased drug ineffective application site pruritus application site swelling application site erythema acute generalised exanthematic pustulosis drug intolerance fluid retention cardiac failure congestive anxiety palpitation headache kounis syndrome acute myocardial infarction coeliac disease abdominal pain upper abdominal discomfort gastrointestinal sound abnormal drug administration error death application site erythema application site irritation application site exfoliation drug administered inappropriate site dizziness fatigue asthenia product quality issue pulmonary oedema dyspnoea oedema drug ineffective burning sensation toe amputation wound infection staphylococcal osteomyelitis therapeutic response acute sinusitis thrombophlebitis superficial confusional state deep vein thrombosis rectal haemorrhage drug interaction glucose tolerance impaired product substitution issue glycosylated haemoglobin increased renal failure acute continuous haemodialfiltration renal tubular necrosis drug interaction product substitution issue product quality issue feeling jittery convulsion sinus bradycardia electrocardiogram change qrs axis abnormal fall head injury loss consciousness status myoclonus tardive dyskinesia complex partial seizure rash drug eruption hepatic function abnormal alanine aminotransferase increased toxic epidermal necrolysis bone marrow transplant drug ineffective foetal anticonvulsant syndrome maternal drug affecting fetus serotonin syndrome acidosis drug interaction urethral stenosis procedural complication tachycardia swelling face joint swelling malaise nausea salivary hypersecretion headache arthralgia muscle spasm vomiting weight decreased anger psychotic disorder major depression anxiety suicidal ideation neck pain vertigo fall nuclear magnetic resonance imaging brain abnormal epilepsy feeling drunk drug hypersensitivity

---

ity dependence fluid retention weight increased constipation abdominal pain upper impaired gastric emptying application site erythema cerebral venous thrombosis venous haemorrhage convulsion dizziness vertigo diarrhoea pruritus generalised gastroesophageal reflux disease condition aggravated application site erythema application site scab application site pustule application site vesicle sinusitis peritoneal cloudy effluent wound peritonitis ps eudomonas test positive sleep terror panic attack unevaluable event movement disorder dyspnoea hypotension blood creatinine increased application site erythema application site vesicle fungal peritonitis peritonitis anuria bladder catheterisation drug administered inappropriate site dyspnoea pulmonary thrombosis thrombosis toxic shock syndrome muscle spasm abdominal pain shock hepatitis fulminant incorrect dose administered erythrodysaesthesia syndrome wound secretion nausea tremor dizziness anxiety headache blood pressure systolic increased product label wrong product wrong drug administered hallucination insomnia anxiety intentional tinnitus blood pressure increased neuropathy peripheral feeling abnormal muscle spasm tendon pain muscle tightness nasopharyngitis drug ineffective vomiting loss consciousness dizziness hyperhidrosis asthenia nausea headache fluid retention gastrointestinal haemorrhage drug interaction haematochezia panic attack aggression cerebrovascular accident hypertensive crisis headache visual impairment cerebral infarction drug hypersensitivity cellulitis bone pain myalgia paraesthesia hypoaesthesia abasia muscular weakness fall insomnia trismus adverse drug reaction systemic lupus erythematosus malaise drug ineffective death chronic lymphocytic leukaemia disorder hospice care hypokalaemia asthenia drug hypersensitivity haemorrhage paraesthesia oral paraesthesia myalgia arthralgia paraesthesia label use thrombophlebitis superficial thrombosis dyskinesia skin ulcer skin necrosis wound secretion hyperaesthesia erythema discomfort pain extremity biliary sepsis delirium hypoaesthesia joint range motion decreased sensory disturbance local swelling skin discolouration hospitalisation fluid retention nausea vomiting haemoglobin decreased leukopenia unevaluable event dizziness therapeutic response increased viscosity upper respiratory secretion oedema epistaxis dyspnoea nasal congestion presyncope cardiac failure oedema balance disorder abasia hypoaesthesia muscular weakness myelopathy polyneuropathy sensory loss loss proprioception hypersensitivity fluid retention cerebrovascular accident death unresponsive stimulus feeling abnormal inappropriate schedule drug administration transaminase increased blood glucose increased psychotic disorder renal impairment gastric disorder dislocation vertebra mobility decreased myocardial infarction lower respiratory tract infection headache dizziness lymphoproliferative disorder uterine perforation abdominal pain device defective dyspareunia medical device discomfort dyspnoea anxiety insomnia local swelling peripheral coldness syncope drug ineffective cough device dislocation pain general physical health deterioration anxiety anhedonia injury infection pregnancy contraceptive device drug ineffective scar night sweat hormone level abnormal menstrual disorder uterine perforation injury pain dyspareunia scar emotional distress fear depression anxiety intentional overdose speech disorder incoherent hallucination visual metabolic acidosis rhabdomyolysis confusional state hyperkalaemia haemodialysis electrolyte imbalance asthenia fluid retention death hypotension tachycardia pregnancy glucose tolerance impaired type diabetes mellitus diabetic neuropathy glycosylated haemoglobin cerebrovascular accident abasia headache dizziness type diabetes mellitus cardiovascular disorder liver injury renal disorder death failure overdose escherichia infection lip swelling gingival swelling burning sensation paraesthesia oral depression drug hypersensitivity suicidal ideation weight decreased in somnia pemphigoid pneumonitis jugular vein thrombosis disease progression lung neoplasm malignant chemical injury pain type diabetes mellitus type diabetes mellitus irritable bowel syndrome clostridium difficile infection inflammatory bowel disease chest discomfort tachycardia dyspnoea hypertension anxiety death chemical injury chemical burn skin uterine perforation device dislocation pelvic pain abdominal pain injury emotional distress medical device complication internal injury medical device discomfort depression anxiety depressed mood fear genital haemorrhage device issue injection site nodule injection site discolouration injection site dryness product quality issue serotonin syndrome drug level increased drug interaction type diabetes mellitus pain uterine perforation complication device removal injury label use device breakage emotional distress depression dyspnoea abdominal pain upper flushing nausea neutropenia leukopenia mental status change pain chemical injury blister neuropathy peripheral type diabetes mellitus type diabetes mellitus type diabetes mellitus chest pain tinnitus headache vision blurred infusion related reaction hyperhidrosis flushing nausea dyspnoea hypoxia product quality issue accidental exposure product eye irritation burning sensation eye pain ocular hyperaemia visual acuity reduced visual impairment optic neuritis eye pain pulmonary embolism poor venous access troponin increased cardiac ventricular disorder brain natriuretic peptide increased ischaemia respiratory failure escherichia urinary tract infection epistaxis disease recurrence drug hypersensitivity encephalitis asthenia melaena anaemia gastritis erosive oesophagitis gastrointestinal haemorrhage cerebrovascular accident type diabetes mellitus glucose tolerance impaired cerebrovascular accident coronary artery thrombosis pulmonary thrombosis type diabetes mellitus epistaxis sneezing atrial fibrillation nausea dehydration cardiac arrest abdominal pain malignant melanoma situ agranulocytosis influenza lymphopenia syncope nasopharyngitis dementia type central nervous system lesion vision blurred scratch hypoaesthesia hypoaesthesia alopecia paraesthesia pruritus inappropriate schedule drug administration disease progression myocardial infarction metabolic acidosis renal failure acute rhabdomyolysis encephalopathy propofol infusion syndrome muscular weakness muscular weakness neurological symptom nuclear magnetic resonance imaging abnormal meningitis fungal injection site pain suspected transmission infectious agent via product disease progression fall pain extremity nerve injury tendon injury type diabetes mellitus diverticular perforation abscess diverticulitis death type diabetes mellitus respiratory failure label use device dislocation abdominal pain upper nausea vomiting death diabetic ketoacidosis trigeminal palsy device dislocation vomiting pregnancy contraceptive device nausea drug ineffective genital haemorrhage abdominal pain lower cyst device deployment issue asthenia rash pruritic hepatitis c rna increased dysuria influenza like illness transfusion agranulocytosis pyrexia bone marrow failure pneumonia drug effect decreased product substitution issue meningitis fungal transmission infectious agent via product asthenia vomiting coma meningitis fungal injection site pain injection site oedema transmission infectious agent via product thrombosis fall haematoma investigation adverse event pulmonary embolism cerebrovascular accident condition aggravated product substitution issue ovarian cyst pain loss consciousness hospitalisation hospitalisation gait disturbance balance disorder hernia alopecia injection site pain suspected transmission infectious agent via product hypersensitivity vasculitis nephritic syndrome haematuria renal failure acute renal failure chronic nephrotic syndrome pneumonia bronchitis rash death convulsion hypokinesia skin necrosis decubitus ulcer multimorbidity bronchitis blood potassium decreased hypophagia microangiopathic haemolytic anaemia thrombotic microangiopathy renal failure acute substance abuse fluid overload hypersensitivity inflammation pruritus skin irritation application site swelling application site erythema product gel formation skin exfoliation application site pain pruritus application site pain disturbance attention application site erosion implant site infection device expulsion pleural effusion fluid overload uterine perforation abdominal pain general physical health deterioration anxiety anhedonia infection emotional distress uterine fibrosis pregnancy contraceptive device malaise abortion spontaneous human chorionic gonadotropin decreased accident migraine labelled interaction medication error pathological fracture microangiopathic haemolytic anaemia thrombotic microangiopathy renal failure acute drug abuse polysubstance dependence influenza like illness dehydration fall ankle fracture pyrexia abdominal hernia condition aggravated decreased appetite weight decreased peritonitis peritoneal dialysis complication pneumonia pneumothorax anaemia constipation gait disturbance abnormal behaviour muscle spasticity drug withdrawal syndrome nervous system disorder device dislocation muscle tightness device issue malaise hypertonia scoliosis ras

h papulosquamous pyrexia face oedema rash pustular blister splenomegaly haemoglobin decreased blood creatinine increased dehydration herpes zoster confusional state blood glucose increased hypertension nausea vomiting septic shock drug ineffective breast cancer malignant neoplasm progression pulmonary oedema viral infection pancreatitis haematemesis death label use surgery stress fracture hernia paraesthesia cystitis kidney infection flushing acne contusion erythema swollen tongue urinary tract infection influenza alopecia cellulitis cauda equina syndrome disease progression urinary retention partial seizure secondary generalisation label use pulmonary arterial hypertension hypertension renal artery stenosis exposure pregnancy pneumonia genital haemorrhage diarrhoea dehydration on clostridium difficile infection dehydration cerebrovascular accident aphasia atrial flutter dehydration vomiting cerebrovascular accident intestinal obstruction hydronephrosis injection site pain injection site reaction injection site nodule incorrect route drug administration therapeutic response infection pneumonia cognitive disorder myocardial infarction cardiac failure congestive atrial fibrillation gastric disorder cardiac failure congestive mitral valve incompetence tricuspid valve incompetence diabetes mellitus inadequate control hyperglycaemia pneumonia pulmonary oedema hypertensive crisis anaphylactic reaction pyrexia muscle rigidity swollen tongue dyspnea procedural pain peritonitis disease renal failure adrenal insufficiency asthenia fatigue hypotension alopecia cardiac failure congestive anaemia gastrointestinal haemorrhage gastritis chest pain nephrolithiasis bacterial infection pneumonia hypersensitivity influenza oral herpes steatohepatitis nephrogenic systemic fibrosis investigation hernia inguinal hernia hydrocele cardiac operation gastric haemorrhage breast cancer metastatic nasopharyngitis drug hypersensitivity hypersensitivity infection tongue ulceration body temperature increased swelling face chill gingival pain oedema mouth tongue ulceration malaise lip ulceration lip swelling swollen tongue anaphylactoid reaction drug dispensing error international normalised ratio decreased drug interaction drug interaction on vitamin k deficiency pneumonia cardiac disorder death disorder pneumonia muscle spasm presyncope blindness chronic respiratory failure dyspnoea death pneumonia cardiac failure congestive diabetes mellitus rheumatoid arthritis hypertension anaemia osteoarthritis coronary artery disease fall wrist fracture adverse event overdose coma scale abnormal heart rate decreased blood pressure systolic decreased metabolic acidosis breast cancer cardiac failure coronary artery disease pneumonia aspiration hypoxia respiratory failure failure oxygen supplementation pneumonia diarrhoea fatigue dehydration asthenia hypokalaemia alopecia fluid replacement weight decreased decreased appetite cough nausea vomiting pertussis cough dyspnoea erythema cyanosis post procedural infection blood pressure increased diabetic gangrene adverse event adverse event peritoneal dialysis complication drug hypersensitivity death abnormal behaviour myocardial infarction seroma infection pain eye disorder loss consciousness fall headache eye infection unevaluable event aplastic anaemia myelodysplastic syndrome unevaluable event myocardial infarction heart valve incompetence peripheral swelling thrombocytopenia drug hypersensitivity drug reaction eosinophilia systemic symptom death fungal peritonitis peritoneal dialysis complication myocardial infarction sepsis incision site infection enterococcal infection toxic skin eruption eczema alopecia rash generalised depression pruritus generalised generalised erythema exposure pregnancy product quality issue blood glucose increased blood creatinine decreased renal pain nausea conversion disorder protein total decreased insomnia exposure pregnancy abasia nervous system disorder hypoaesthesia hypoaesthesia muscular weakness gait disturbance hernia gastrointestinal haemorrhage drug interaction thrombosis label use thrombocytopenia macroglossia wheezing oxygen saturation decreased transient ischaemic attack interstitial lung disease asthenia abnormal behaviour disorder stereotypy anxiety psychomotor hyperactivity ageusia hyposmia altered state consciousness encephalitis viral throat tightness influenza migraine nausea diarrhoea influenza like illness adverse drug reaction chill immunoglobulin decreased malaise sinus disorder respiratory disorder syndrome stomatitis necrotising bronchopneumonia erythema multiforme oral mucosal blistering swelling face pyrexia cough oropharyngeal pain vomiting erythema lip swelling cheilitis lip haemorrhage oral mucosa erosion mouth haemorrhage tongue blistering penile ulceration hypophagia enteral nutrition lip erosion dermatitis blister mucous membrane disorder tongue coated scab skin degenerative disorder dysgeusia hepatocellular injury hepatitis syndrome toxic epidermal necrolysis rash skin exfoliation gastrointestinal mucosal exfoliation oral mucosal exfoliation pyrexia label use failure atrial flutter overdose angle closure glaucoma angle closure glaucoma loss consciousness psychomotor hyperactivity intentional overdose neoplasm malignant anaphylactic shock flushing dizziness pruritus rash blood pressure diastolic decreased dyskinesia eye movement disorder urinary incontinence faecal incontinence pulse absent infusion related reaction loss consciousness febrile neutropenia unevaluable event blood albumin decreased protein total decreased failure thrive decubitus ulcer dyspepsia aphagia dyspnoea stomatitis hepatitis c neurotoxicity visual acuity reduced burning sensation rate dyspnoea respiratory disorder condition aggravated disease progression jaundice portal vein occlusion oedema peripheral rash erysipelas varicose vein urticaria neonatal respiratory distress syndrome restless newborn foetal exposure pregnancy urinary tract infection pneumonia sepsis infected skin ulcer cellulitis subcutaneous abscess staphylococcal infection hypotension gastric infection gastrointestinal haemorrhage gastrointestinal infection liver disorder feeding disorder neonatal hydrocele crypotonia foetal exposure pregnancy exposure breast feeding cardiac failure congestive gastrointestinal haemorrhage haemorrhoidal haemorrhage gait disturbance dehydration systemic inflammatory response syndrome renal failure acute failure nephrogenic systemic fibrosis peritonitis bacterial asthenia mental status change cerebrovascular accident cardiac disorder arterial disorder peritonitis gastroenteritis viral anaphylactic shock anaphylactic reaction arrest hyperkalaemia dysgeusia haematuria pyrexia myalgia urinary tract infection type diabetes mellitus aphasia fanconi syndrome renal tubular acidosis electrolyte imbalance condition aggravated secondary progressive multiple sclerosis intestinal perforation irritable bowel syndrome asthma peritoneal effluent abnormal peritonitis dehydration constipation seborrheic dermatitis scar gastrointestinal motility disorder muscular weakness acne constipation urinary tract infection pollakiuria temperature intolerance gait disturbance urinary retention vitamin deficiency furuncle paraesthesia pain hepatic enzyme increased drug dose omission abdominal discomfort feeling hot dysuria asthenia multiple sclerosis relapse blood alkaline phosphatase increased diabetic neuropathy type diabetes mellitus methaemoglobinemia pneumonia type diabetes mellitus convulsion drug abuse gastrointestinal haemorrhage drug interaction pneumocystis jirovecii infection lymphopenia dyspnoea feeling abnormal breast disorder female staphylococcal infection cellulitis type diabetes mellitus abdominal wall haemorrhage abdominal pain abortion spontaneous abdominal pain breast disorder type diabetes mellitus hypothyroidism type diabetes mellitus drug ineffective torticollis renal disorder type diabetes mellitus nephrolithiasis type diabetes mellitus type diabetes mellitus pneumonia septic shock acute respiratory distress syndrome drug ineffective type diabetes mellitus drug dispensing error drug prescribing error or wrong drug administered dizziness asthenia hypoaesthesia heart rate increased mental status change blood potassium decreased blood glucose decreased local swelling musculoskeletal stiffness peripheral coldness type diabetes mellitus type diabetes mellitus type diabetes mellitus respiratory depression oxygen saturation decreased type diabetes mellitus type diabetes mellitus epistaxis drug interaction gastrointestinal haemorrhage dehydration pneumonia failure type diabetes mellitus cerebrovascular accident convulsion neuropathy toxic haemorrhage drug interaction completed suicide intentional product misuse seizure like phenomenon fatigue muscle spasm type diabetes mellitus neuropathy peripheral local swelling fatigue gait disturbance type diabetes mellitus type diabetes mellitus diabetic neuropathy impaired driving ability diabetic vascular disorder type diabetes mellitus visual impairment type diabetes mellitus transfusion arrhythmia type diabetes mellitus central nervous system lesion urinary retention wound dehiscence myelodysplastic syndrome benign breast neoplasm prescribed underdose peritonitis

bacterial lipid metabolism disorder fluid retention diabetic vascular disorder diabetic complication abdominal pain upper neuralgia cardiovascular disorder type diabetes mellitus asthma haemoptysis pneumonia aspiration anaemia type diabetes mellitus type diabetes mellitus rectal haemorrhage drug interaction increased aspartate aminotransferase increased alanine aminotransferase increased blood alkaline phosphatase increased type diabetes mellitus arterial disorder chest pain type diabetes mellitus glucose tolerance impaired diarrhoea nausea abdominal pain vomiting type diabetes mellitus blindness neuropathy peripheral glucose tolerance impaired type diabetes mellitus type diabetes mellitus neuropathy peripheral type diabetes mellitus hypersensitivity atrial fibrillation type diabetes mellitus death type diabetes mellitus gastrointestinal haemorrhage drug interaction type diabetes mellitus cerebrovascular accident pulmonary thrombosis type diabetes mellitus type diabetes mellitus aphagia haematemesis eructation appetite disorder nausea food aversion abdominal pain upper type diabetes mellitus oedema type diabetes mellitus haematemesis hyperpyrexia melaena sepsis type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus death cholecystitis type diabetes mellitus type diabetes mellitus abdominal pain upper sneezing rhinorrhoea nausea dyspepsia diarrhoea pain product packaging quantity issue drug administered inappropriate site weight increased type diabetes mellitus bone infarction dysgeusia accidental exposure product analgesic asthma syndrome wheezing cough rhinorrhoea chest discomfort nasal congestion angioedema erythema nasal congestion disease progression label use disease drug ineffective incorrect dose administered product quality issue application site vesicle application site scar skin cancer weight decreased diarrhoea convulsion drug hypersensitivity headache type diabetes mellitus peripheral swelling incorrect drug administration duration product packaging quantity issue respiratory distress drug hypersensitivity death application site dryness application site vesicle application site erythema drug ineffective inappropriate schedule drug administration drug ineffective peripheral swelling fluid retention application site dryness application site reaction application site pain application site erythema application site pain drug administration error fall rib fracture facial bone fracture throat tightness hypersensitivity swollen tongue drug ineffective application site erythema application site vesicle headache incorrect product storage cardiac ablation medical device implantation dermatitis contact unevaluable event application site pain application site dryness cardiac failure congestive peripheral swelling death nausea blood count abnormal cardiac disorder myocardial infarction atrial fibrillation chest discomfort dyspnoea asthenia malaise urinary incontinence abdominal pain upper swelling drug interaction blood potassium decreased palpitation feeling cold hypoaesthesia thinking abnormal headache swelling pathogen resistance infection malaise lower respiratory tract infection diabetes mellitus overweight differential white blood cell count abnormal eosinophil count increased white blood cell count increased neutrophil count increased platelet count increased brain injury dizziness vomiting cognitive disorder mental disorder anxiety depression panic attack condition aggravated drug ineffective nephrolithiasis gastric ulcer gout chromaturia therapeutic response deafness tinnitus deafness therapeutic response dyspnoea palpitation dyspnoea exertional fluid retention cough fluid retention asthma intentional drug misuse application site vesicle application site erythema application site pain incorrect drug administration duration dehydration febrile neutropenia death bundle branch block right sinus bradycardia label use arterial occlusive disease blood glucose increased pneumonia loss consciousness malaise diarrhoea blood glucose increased injection site nodule injection site pruritus injection site extravasation wrong technique drug usage process urticaria hypersensitivity pancreatitis cardiac aneurysm blood glucose increased weight decreased decreased appetite application site erythema incorrect drug administration duration bladder neoplasm toxicity various agent angioedema hypersensitivity dyspnoea granulomatosis polyangiitis immunodeficiency malaise tinnitus metastasis central nervous system oedema peripheral condition aggravated therapeutic response application site rash application site pain application site erythema application site scab drug administered inappropriate site cardiac failure congestive oedema gallbladder disorder condition aggravated blister quality life decreased rib fracture performance status decreased gait disturbance malnutrition pain fall portal vein thrombosis hepatorenal syndrome hepatic encephalopathy hypoglycaemia disorientation somnolence drug interaction nephrogenic systemic fibrosis pancytopenia application site erythema application site pain application site swelling drug dispensing error drug dispensing error incorrect dose administered anaphylactic shock platelet count decreased white blood cell count increased kidney duplex neonatal respiratory distress syndrome sudden death basal cell carcinoma febrile neutropenia renal pain eye swelling eye discharge epistaxis choking vision blurred cough syndrome nasopharyngitis nausea drug effect incomplete muscular weakness malnutrition abortion spontaneous pregnancy maternal exposure pregnancy pancreatic carcinoma pulmonary embolism transfusion bone pain pulmonary fibrosis pancreatic carcinoma respiratory failure stridor cardiovascular disorder respiratory disorder general physical health deterioration chest discomfort drug ineffective intestinal perforation asthma pneumonia paranoia rectal haemorrhage neuropathy peripheral oropharyngeal pain stomatitis pyrexia intracranial pressure increased vomiting abdominal pain nausea papilloedema weight increased somnolence extracardiac abscess staphylococcal abscess blood creatinine phosphokinase increased blood potassium decreased musculoskeletal pain diabetes mellitus amnesia type diabetes mellitus thyroid cancer type diabetes mellitus cardiac arrest myocardial infarction white blood cell count increased neutrophil count increased application site pustule in appropriate schedule drug administration drug administration error eosinophilia pneumothorax lower respiratory tract infection rheumatoid arthritis sepsis pyrexia escherichia test positive klebsiella test positive organ failure aphagia gastrointestinal disorder arthropathy pituitary tumour removal gastroenteritis viral diarrhoea headache cardiac disorder palpitation incorrect drug administration duration product packaging quantity issue hospitalisation fatigue flatulence abdominal distension weight increased embedded device device breakage type diabetes mellitus cardiac failure cardiac procedure complication cardiac disorder swelling face oral candidiasis glossodynia pharyngitis dry mouth ageusia protein increased red blood cell sedimentation rate increased diarrhoea diarrhoea clostridium difficile infection rash anal skin tag influenza label use haemorrhage label use general physical health deterioration application site swelling application site pruritus syncope asthenia electrocardiogram segment abnormal subdural haematoma nausea vomiting overdose anxiety palpitation hypoaesthesia paraesthesia decreased appetite death basal ganglion haemorrhage blood pressure systolic increased subdural haemorrhage brain stem haemorrhage haematemesis apnoea basal ganglion haemorrhage demyelination cerebral amyloid angiopathy brain death cerebral haemorrhage muscular weakness arthritis haemoglobin decreased incorrect dose administered coagulation time prolonged gastrointestinal haemorrhage haemoglobin decreased incorrect dose administered lung neoplasm malignant thrombosis pulmonary thrombosis mental status change amnesia encephalitis autoimmune depression oral candidiasis diverticulitis therapeutic response decreased hypercalcaemia haemoglobin decreased fatigue bone pain death abdominal pain hypotension blood pressure increased bone cancer second primary malignancy pulmonary oedema back pain hypokinesia terminal state musculoskeletal pain fistula frequent bowel movement arterial occlusive disease appendicitis drug effect decreased neutropenia hyperammonaemia pneumonia restlessness abnormal behaviour eosinophilia drug ineffective intentional eating disorder insomnia leukopenia psychiatric symptom pyrexia cough oropharyngeal pain sinus tachycardia palpitation drug withdrawal syndrome product packaging quantity issue feeling hot pain drug dose omission therapeutic response decreased pneumonia metastasis prostate cancer pinealoblastoma respiratory tract infection viral spinal fracture drug ineffective application site exfoliation cardiac arrest tachyarrhythmia toxic epidermal necrolysis purpura blister pyrexia skin erosion sign skin lesion azotaemia leukopenia conjunctivitis pulmonary sepsis skin exfoliation inflammation general physical health deterioration hypergl

yaemia wound healing normal renal failure breast cancer stage iv macroglossia type diabetes mellitus type diabetes mellitus transient ischaemic attack gastrointestinal haemorrhage haemorrhage intracranial cerebral thrombosis pleural effusion incorrect dose administered enterocolitis bacterial haemorrhage hospitalisation erythema somnolence label use type diabetes mellitus muscle spasm neuropathy peripheral decreased appetite nausea neutropenia diarrhoea hyperglycaemia thrombocytopenia intestinal ischaemia mucosal inflammation vomiting anaemia infection deep vein thrombosis renal disorder disease progression liver disorder cerebrovascular accident depression rash creatinine renal clearance decreased hellp syndrome exposure pregnancy basal cell carcinoma back pain chill abdominal distension infusion related reaction pregnancy contraceptive device drug ineffective device dislocation psoriatic arthropathy label use respiratory tract infection alopecia areata alopecia fall uveitis anaemia intestinal adenocarcinoma anaemia foetal cardiac disorder label use metabolic acidosis pulmonary oedema vomiting blood creatinine increased visual impairment type diabetes mellitus neuropathy peripheral hallucination arrhythmia heart rate irregular hot flush palpitation vision blurred malaise headache hyperhidrosis drug abuse hypokalaemia oedema peripheral renal failure acute overdose encephalopathy loss consciousness pain cough dyspnoea hot flush fatigue weight decreased depressed mood fall lower respiratory tract infection productive cough lung disorder sleep disorder tremor wheezing malaise decreased appetite cerebral haemorrhage fall decubitus ulcer acetabulum fracture platelet count decreased haemoglobin decreased protein increased prothrombin time prolonged blood creatinine increased type diabetes mellitus skin lesion purulent discharge type diabetes mellitus diabetic neuropathy type diabetes mellitus adverse event opportunistic infection double stranded dna antibody positive neoplasm malignant infection autoimmune disorder antinuclear antibody positive autoantibody positive cataract hepatic pain malaise abdominal adhesion diarrhoea carcinoid syndrome pleural effusion metastasis liver oedema sciatic nerve injury injection site haematoma injection site haemorrhage feeling abnormal cough tachycardia platelet count decreased erythema dyspnoea metastasis peritoneum glaucoma body temperature decreased pain extremity gait disturbance inappropriate schedule product administration intestinal obstruction confusional state blood pressure increased petechia injection site oedema needle issue pulmonary embolism back pain neuroendocrine tumour arthralgia sinusitis oedema peripheral fatigue injection site pain atrial fibrillation cardiac failure weight decreased piloerection skin disorder incorrect dose administered contusion dizziness loss consciousness arrhythmia blood pressure decreased decreased appetite malignant neoplasm progression neck mass blood pressure systolic increased anaemia heart rate decreased fall nausea hypersensitivity urticaria constipation ventricular tachycardia acute hepatic failure renal failure acute convulsion toxicity various agent intentional overdose dyspnoea acidosis fluid overload drug ineffective ataxia somnolence orthostatic hypotension diplopia arrhythmia hearing impaired obsessive thought asthenia nausea vomiting decreased appetite blood electrolyte abnormal renal disorder oesophageal ulcer ovarian germ cell cancer stage ii amenorrhoea weight increased galactorrhoea tremor muscular weakness agitation dyspnoea blood prolactin increased palpitation aggression dyskinesia hyperhidrosis abdominal pain dysuria swelling muscle spasm breast enlargement fatigue renal failure acute patent ductus arteriosus haemangioma congenital atrial septal defect exposure pregnancy drug ineffective death adverse event plasma cell myeloma anal abscess infection proctalgia erythema haemorrhoid asthenia pyrexia vomiting fatigue nausea diarrhoea cerebrovascular accident disorder pathological gambling renal failure hypotension unevaluable event acute myeloid leukaemia urticaria bronchospasm bromhidrosis electrocardiogram qt prolonged cardiac disorder blister paraplegia cerebrovascular accident weight increased withdrawal syndrome drug abuse intentional sopor overdose cardiotoxicity depressed level consciousness atrial flutter hypoxia drug interaction fluid overload syncope neuropathy peripheral death oedema dizziness dizziness erythema sopor label use hepatocellular injury cholestasis disease progression central nervous system lesion drug dose omission malaise pyrexia rash generalised headache sinusitis acute psychosis drug interaction grand mal convulsion oedema embedded device dysmenorrhoea vaginal haemorrhage device breakage infective pulmonary exacerbation cystic fibrosis syncope fluid overload oedema dyspnoea myalgia dysgeusia nausea diarrhoea insomnia asthenia hyperhidrosis activity daily living impaired general physical health deterioration surgery retinal toxicity tooth disorder retinopathy therapeutic product ineffective nephrocalcinosis renal tubular acidosis drug abuse blindness transient vision blurred visual impairment vitreous floater formation presyncope vertigo orthostatic hypotension loss consciousness anaphylactic reaction pruritus cough wheezing refusal treatment patient headache fluid retention oedema peripheral sinusitis paraesthesia asthenia deafness feeling abnormal burning sensation lethargy pain amnesia muscular weakness hypoaesthesia nasal congestion peripheral swelling hypomagnesaemia drug interaction fluid retention accident peripheral swelling weight decreased oedema right ventricular failure oedema dyspnoea paraesthesia unevaluable event fall loss consciousness dizziness device failure hepatic function abnormal myopathy dyspnoea malaise hypopnoea death cerebrovascular accident drug ineffective generalised seizure status epilepticus convulsion aortic dissection acne aggression palpitation fatigue nausea fluid retention hepatic failure hepatitis b vertigo death oesophageal carcinoma varicella hypersensitivity type diabetes mellitus cataract amnesia incontinence dysstasia lethargy headache application site vesicle type diabetes mellitus burning sensation fluid retention hyponatraemia confusional state leukocytosis incorrect drug administration duration gastrointestinal haemorrhage gastric ulcer duodenal ulcer application site vesicle application site pain application site swelling application site pain application site exfoliation drug administered inappropriate site type diabetes mellitus gait disturbance hypoaesthesia hypersomnia feeling abnormal laboratory test abnormal unevaluable event fatigue fluid retention contusion discomfort fatigue application site erythema application site pain application site scab application site swelling drug administration error hypokalaemia neutrophil count decreased hypophosphataemia abortion spontaneous abdominal injury maternal exposure pregnancy atrial fibrillation dyspnoea pyrexia chest pain sinus tachycardia pneumonitis febrile neutropenia subdural haematoma dental caries ecchymosis dysphagia osteoporosis alopecia dementia type osteopenia hearing impaired skin wrinkling fall malignant neoplasm progression pulmonary embolism drug hypersensitivity angioedema application site erythema application site pain application site swelling application site exfoliation application site vesicle application site discharge asthenia neutropenia pulmonary alveolar haemorrhage respiratory failure epistaxis rectal haemorrhage haematospermia haemorrhage epiglottic oedema face oedema tongue oedema rash diarrhoea colitis microscopic weight decreased drug administered inappropriate site adverse event type diabetes mellitus drug ineffective gastrooesophageal reflux disease dyspnoea fatigue deep vein thrombosis drug ineffective type diabetes mellitus application site erythema application site pain application site swelling application site vesicle drug administered inappropriate site incorrect drug administration duration pulmonary arterial hypertension condition aggravated death neutropenia anaemia pancytopenia thrombocytopenia metabolic acidosis tachycardia vomiting application site pain application site erythema application site pain application site swelling incorrect drug administration duration death myocardial infarction thrombosis device deep vein thrombosis pulmonary embolism label use drug administration error incorrect drug administration duration decreased appetite pulmonary embolism hypercalcaemia leukocytosis pulmonary embolism neoplasm progression abdominal pain hypertension suicidal ideation agitation weight increased ovarian cyst sepsis coccidioidomycosis pneumonia pseudomonal pancreatitis drug dose omission hepatomegaly liver function test abnormal hepatic failure erythrodysaesthesia syndrome injury corneal product packaging issue expired product administered drug ineffective meniscus injury surgery surgery prostatectomy injection site pain fear incorrect dose administered incorrect dose administered incorrect dose administered incorrect dose administered nervousness wrong technique drug usage process arthralgia musculoskeletal pain pain wrong technique drug usage process wrong technique



ue drug usage process wrong technique drug usage process wrong technique drug usage process device issue device  
issue device issue wrong technique drug usage process incorrect dose administered device issue injection site pa  
in application site vesicle application site erythema application site exfoliation erythema incorrect dose admin  
istered multiple chemical sensitivity dry mouth nasal dryness disturbance attention dry eye dizziness disorienta  
tion tension disorder tinnitus sleep disorder malaise hypertension hepatocellular injury liver disorder skin bur  
ning sensation fatigue malaise acute kidney injury toxicity various agent lactic acidosis application site eryth  
ema application site exfoliation incorrect drug administration duration drug administered inappropriate site sui  
cidal ideation depersonalisation tremor heart rate increased mania aggression performance status decreased abnor  
mal behaviour mental disorder self esteem decreased emotional poverty social avoidant behaviour euphoric mood de  
pressed mood hypokinesia aphasia anxiety partial seizure apathy disturbance attention vertigo drug effect incomp  
lete feeding disorder blood bicarbonate decreased coronary arterial stent insertion urinary tract infection kleb  
siella test positive renal impairment blood alkaline phosphatase increased cardiac failure congestive painful re  
spiration arrhythmia pyrexia pyrexia dry mouth dysgeusia thermal burn acne leukocytosis blood pressure fluctuati  
on cough asthenia drug dose omission accident home ultrasound bladder abnormal pyrexia chill serum ferritin incr  
eased feeling abnormal blood cholesterol increased pyrexia pyrexia pruritus dysgeusia neutropenia blood triglyce  
ride increased weight decreased asthenia headache haemoglobin decreased impatience productive cough depression f  
atigue dyspnoea gait disturbance throat irritation vitamin decreased anaemia fatigue disturbance attention dyspr  
axia feeling cold body temperature decreased malaise pyrexia haemoglobin decreased decreased appetite anaemia pa  
lpitation blood pressure increased thyroid pain gastric disorder drug ineffective ankle fracture vitamin deficie  
ncy anaemia postoperative device failure sleep disorder bursitis gastroesophageal reflux disease intramedullary  
rod insertion fatigue hypertension femur fracture cholecystectomy depression femur fracture traumatic arthrosis  
sciatic nerve injury osteoporosis bone fragmentation hyperlipidaemia hypertension product packaging quantity iss  
ue incorrect drug administration duration drug administered inappropriate site bronchopneumonia pulmonary emboli  
sm death malignant neoplasm progression label use cardiomegaly cerebrovascular accident cardiac failure myocardi  
al infarction unevaluable event abnormal dream fall hemiplegia left ventricular failure consciousness fluctuati  
g platelet disorder myocardial infarction gastrointestinal haemorrhage zygomycosis pulmonary toxicity eye burn a  
pplication site pain application site pain product quality issue incorrect drug administration duration eye irri  
tation drug ineffective renal disorder lung disorder weight decreased general physical health deterioration panc  
ytopenia rash vesicular hepatic failure death febrile neutropenia septic shock thrombocytopenia renal failure ac  
ute electrolyte imbalance swollen tear duct eye irritation eye pain eye swelling application site exfoliation ey  
e pruritus accidental exposure product drug administered inappropriate site incorrect route drug administration  
convulsion drug dose omission drug ineffective myasthenia gravis pain death drug ineffective death death cerebro  
vascular accident platelet count decreased weight decreased adverse event pollakiuria blood sodium decreased ext  
rasystole dyspnoea death application site erythema application site pain application site exfoliation applicatio  
n site dryness application site reaction drug ineffective blood pressure increased chest pain asthenia musculosk  
eletal pain headache platelet count decreased drug interaction lower respiratory tract infection fungal gastroin  
testinal haemorrhage anaemia chest pain abdominal pain acute kidney injury bone marrow failure inflammation hype  
rsensitivity application site rash acne application site scar label use arrhythmia drug interaction hepatotoxici  
ty bleeding varicose vein fatigue haemorrhage drug ineffective palpitation malaise diplopia adverse event depres  
sion death pancreatitis chronic pancreatic carcinoma platelet count decreased haemoglobin decreased thyroid canc  
er demyelination diabetic neuropathy death platelet count decreased chest pain myocardial infarction hypoaesthes  
ia bone pain nodule pain adverse drug reaction dizziness headache vaginal haemorrhage vaginal odour death cardia  
c disorder lung disorder stress dyspnoea platelet count decreased acute generalised exanthematous pustulosis hyp  
onatremia lymphadenopathy platelet count decreased wrong technique drug usage process platelet count decreased  
transfusion dyspnoea death malaise hypopnoea vomiting anxiety diarrhoea weight increased urinary tract infection  
pruritus dry skin stomatitis paraesthesia dysphagia depression nausea dysgeusia therapeutic response unexpected  
pyrexia label use headache night sweat insomnia hypoaesthesia thrombocytopenia rash chest pain constipation anae  
mia hot flush cough foot deformity foot deformity foot fracture foot fracture arthralgia pain extremity pain pai  
n product quality issue rheumatoid arthritis oedema peripheral dyspnoea exertional cardiac failure heart valve i  
ncompetence myocardial infarction psoriasis haemoglobin decreased splenectomy dizziness fatigue lethargy anaemia  
thrombocytosis leukocytosis lipid abnormal liver function test abnormal platelet count decreased haemoglobin dec  
reased diarrhoea platelet count decreased platelet count decreased haemoglobin decreased gastroenteritis viral n  
ausea vomiting weight decreased gout mucosal inflammation oral pain oropharyngeal plaque psoriasis hyperthermia  
malignant hyperthermia blood pressure decreased chill blood count abnormal pyrexia infection anaemia blood count  
abnormal anaemia platelet count decreased blood count abnormal amnesia hyperthermia malignant anaemia platelet c  
ount decreased muscular weakness fatigue diabetes mellitus inadequate control gastritis loss consciousness gastr  
ointestinal inflammation pyrexia rectal haemorrhage alopecia oral herpes blood glucose increased rectal haemorrh  
age depressed mood depression colitis ulcerative haemoglobin decreased musculoskeletal pain pain extremity plate  
let count decreased blood count abnormal transfusion platelet count decreased blood count abnormal premature bab  
y foetal exposure pregnancy enterocolitis haemorrhagic mucosal inflammation anaemia blood count abnormal renal d  
isorder incorrect dose administered skin depigmentation lumbar vertebral fracture fracture pain platelet count d  
ecreased platelet count decreased haemoglobin decreased food poisoning malaise neuroleptic malignant syndrome al  
tered state consciousness hyperthermia hypertonia drug withdrawal syndrome retinal detachment visual impairment  
rash erythematous eye irritation pruritus ocular hyperaemia eye swelling foreign body sensation eye swelling fac  
e feeling hot dysphagia hypersensitivity injection site rash rash generalised hypertriglyceridaemia nausea cervi  
x carcinoma stage hyperventilation dizziness incision site haemorrhage incision site complication loss conscious  
ness disorientation immobile pneumonia gastrointestinal infection memory impairment diet refusal speech disorder  
confusional state haemoglobin decreased platelet count decreased wrong technique drug usage process febrile conv  
ulsion viral infection abdominal pain lower fatigue anaemia splenomegaly poor quality sleep medication error ast  
henia platelet count decreased death calciphylaxis pain nodule lividity erythema skin induration skin plaque pur  
pura skin lesion hyperplasia haemoglobin decreased haemoglobin decreased tubulointerstitial nephritis oliguria b  
lood pressure increased renal failure acute urine output decreased rale renal tubular atrophy dyspnoea asthenia  
kidney fibrosis jugular vein distension leukocytosis haemolytic anaemia oedema peripheral haematuria anaemia ani  
socytosis nausea vomiting hyperthermia malignant acute kidney injury death linear iga disease sign skin exfoliat  
ion blister skin lesion hernia cystitis hypokalaemia hypomagnesaemia blood count abnormal thrombocytopenia tooth  
abscess thrombocytopenia asthenia dizziness fatigue treatment noncompliance drug administration error transfusio  
n haemoglobin decreased platelet count decreased death neoplasm malignant metastasis central nervous system memo  
ry impairment emphysema convulsion nasal discomfort skin irritation malaise burning sensation palpitation abdomi  
nal discomfort dizziness dyspnoea drug interaction aggression psychomotor hyperactivity haemoglobin decreased ha  
ematocrit decreased haemoglobin decreased death optic neuropathy visual impairment vision blurred visual acuity  
reduced miosis visual field defect colour blindness acquired neurotoxicity confusional state somnolence swelling  
haemoglobin decreased dizziness coma posterior reversible encephalopathy syndrome atypical mycobacterial infecti  
on immune reconstitution inflammatory syndrome angina pectoris diabetes mellitus inadequate control wound haemor

rhage therapy cessation myocardial infarction chest pain electrocardiogram st segment elevation acute left ventricular failure ejection fraction decreased cardiomyopathy cardiogenic shock cardiac arrest hyperventilation blood pressure decreased ventricular hypokinesia toxicity various agent ventricular fibrillation arrhythmia sinus tachycardia bradycardia pulmonary oedema dyspnoea overdose suicide attempt respiratory alkalosis hypokalaemia metabolic acidosis tremor pruritus somnolence skin discolouration brain oedema restlessness nystagmus chromaturia hyperaemia vomiting nausea hyperhidrosis drug ineffective haemoglobin decreased organising pneumonia pyrexia asthma cough dyspnoea oxygen saturation decreased respiratory failure haemoglobin decreased anaemia haemoglobin decreased platelet count decreased haemoglobin decreased dizziness fall anaemia hypotension accidental overdose nausea vomiting abasia incontinence neck pain hypokinesia breast cancer neoplasm progression application site pain application site pain application site erythema application site exfoliation application site dryness application site vesicle incorrect dose administered inappropriate schedule drug administration incorrect drug administration duration drug administered inappropriate site drug administration error prescribed overdose application site discolouration breast cancer neoplasm progression application site discomfort application site erythema breast cancer malignant neoplasm progression application site paraesthesia application site discomfort application site swelling lip swelling application site erythema congenital hydronephrosis ureteric stenosis foetal exposure pregnancy label use incorrect drug administration duration medication error product packaging quantity issue drug dose omission metastatic malignant melanoma ulcer haemorrhage skin lesion pain infection inflammation purulent discharge with nerve paralysis seborrhoeic keratosis swelling anaemia oedema peripheral pyrexia lethargy peripheral swelling application site dryness application site exfoliation application site pain dyspnoea dental caries hyponatraemia hypokalaemia cough abnormal behaviour intentional weight increased drug ineffective hot flush product substitution issue peripheral swelling drug ineffective cellulitis dyspnoea liver injury fluid retention red blood cell count decreased nausea abdominal pain upper breast cancer neoplasm progression weight increased haemolytic uraemic syndrome asthenia drug ineffective diabetic foot infection blood glucose decreased renal impairment unevaluable event urticaria nausea renal failure acute lactic acidosis anaemia chest pain dyspnoea tachycardia blood pressure increased weight decreased syncope loss consciousness oedema peripheral sleep apnoea syndrome death breast cancer malignant neoplasm progression oedema peripheral drug ineffective breast cancer malignant neoplasm progression respiratory disorder swelling fluid retention breast cancer malignant neoplasm progression drug dependence headache nausea abdominal discomfort therapeutic response unexpected drug ineffective oedema peripheral breast cancer malignant neoplasm progression urinary tract infection drug ineffective osteoporosis spinal compression fracture vomiting acute generalised exanthematous pustulosis rash pustular stomatitis inflammatory pain blister hypophagia skin erosion leukocytosis pyrexia type iv hypersensitivity reaction drug dependence nasal septum deviation sinusitis polyp rhinitis inappropriate schedule drug administration ageusia anosmia fluid retention disease bacteraemia gastrointestinal pain diarrhoea decreased appetite feeling abnormal accidental exposure product child blood pressure decreased drug ineffective label use cerebrovascular accident weight increased withdrawal syndrome ankle fracture breast pain burning sensation cystitis erythema gastroesophageal reflux disease hot flush joint swelling night sweat oedema peripheral pain pain extremity pruritus sleep disorder thrombophlebitis weight bearing difficulty vomiting diarrhoea abdominal pain upper nausea malaise back pain headache incorrect dose administered haemoglobin decreased diarrhoea red blood cell count decreased pneumonia haemoglobin abnormal haemoglobin decreased feeling hot anaemia epistaxis rectal haemorrhage pulmonary embolism hypersensitivity general physical health deterioration bronchopulmonary aspergillosis hypoxia renal failure acute endotracheal intubation disseminated intravascular coagulation platelet transfusion platelet count decreased epistaxis platelet count decreased haemoglobin decreased haematocrit decreased activity daily living impaired muscular weakness mood altered fatigue malaise lethargy haemolysis breast cancer malignant neoplasm progression hip fracture therapeutic response unexpected underdose drug administered inappropriate site haemoglobin decreased night sweat haemoglobin decreased fatigue drug ineffective anaemia hypoglycaemia oedema dizziness neoplasm malignant liver disorder headache red blood cell count decreased lobar pneumonia injection site necrosis injection site erythema injection site induration haemoglobin decreased blood pressure increased haemorrhage increased appetite weight increased heart rate increased fatigue haemoglobin decreased haematocrit decreased nephrogenic systemic fibrosis respiratory failure cystic fibrosis anaemia balance disorder dyspnoea pain extremity pain death psoriasis pruritus rash erythematous gastrointestinal disorder abdominal pain eczema therapeutic response decreased platelet count decreased anaemia platelet count decreased asthenia dizziness haematuria urinary tract infection pyrexia myalgia myocardial infarction coronary artery bypass unevaluable event pancreatitis diabetes mellitus peritonitis bacterial coma hepatic abdominal pain upper blister swelling face abdominal distension feeling abnormal vomiting abdominal pain upper coronary artery disease drug dose omission transient ischaemic attack platelet count decreased asthma wheezing anaemia blood count abnormal haemoglobin decreased speech disorder psychomotor hyperactivity haemoglobin decreased red blood cell count decreased death rotator cuff syndrome nasopharyngitis death gastrointestinal haemorrhage death erythropoiesis abnormal hepatic failure haemoglobin decreased oedema peripheral asthenia therapeutic response decreased splenomegaly fall general physical health deterioration illness anxiety decreased activity pain platelet count decreased increased tendency bruise contusion gastrointestinal haemorrhage aortic stenosis platelet count decreased drug effect decreased abdominal pain vomiting rectal haemorrhage atrial fibrillation drug ineffective anaemia platelet count decreased leukocytosis nephrolithiasis urinary tract infection malaise haemoglobin decreased urinary tract infection anaemia weight increased thrombocytopenia somnolence dyspnoea exertional fatigue pancreatic carcinoma hallucination visual increased globulin decreased ventricular remodeling blood urea ratio decreased protein total decreased blood glucose increased antipsychotic drug level therapeutic anaemia blood creatinine increased hyperkalaemia dyspnoea fatigue dyspnoea exertional thrombocytosis dizziness encephalopathy renal failure haematuria arrhythmia cerebral haemorrhage haemorrhage intracranial acute respiratory failure coagulopathy haematuria anaemia haemoglobin decreased anaemia blood count abnormal anaemia overdose bradycardia oxygen saturation decreased anticonvulsant drug level increased depressed level consciousness hypertransaminasaemia hypofibrinogenaemia dementia blood urea decreased blood cholesterol increased blood triglyceride increased mean cell haemoglobin concentration decreased neutrophil count increased monocyte count increased mouth haemorrhage epistaxis rectal haemorrhage fatigue renal failure acute oesophageal candidiasis hiatus hernia haemorrhoid surgery device difficult use medical device complication incorrect drug administration duration disease progression platelet count decreased haemoglobin decreased red blood cell count decreased haematocrit decreased haemoglobin decreased platelet count decreased haemoglobin decreased haemoglobin decreased blood count abnormal haemoglobin decreased platelet count decreased haematocrit decreased haemoglobin decreased nausea asthenia memory impairment depression muscle spasm headache metastasis lymph node cardiac failure device related sepsis breast cancer recurrent exposure pregnancy lymphoedema malignant neoplasm progression anaemia drug effect increased white blood cell count decreased platelet count decreased arthralgia pancytopenia herpes zoster haemoglobin decreased platelet count decreased angina pectoris dehydration malaise pain oral surgery immunosuppressant drug level increased drug interaction haemoglobin decreased platelet count decreased haematocrit decreased platelet count decreased blood glucose decreased asthenia vaginal ulceration death drug ineffective label use label use thrombocytopenia haemoglobin decreased haematocrit decreased haemoglobin decreased platelet count decreased epistaxis disease progression platelet count decreased thrombocytopenia drug ineffective haematocrit decreased haemoglobin decreased aspa

rtate aminotransferase increased epilepsy wrong technique drug usage process thrombocytopenia medication error fatigue ataxia dyspnoea exertional insomnia musculoskeletal pain rash pruritic weight increased anaemia thrombocytopenia dizziness leukocytosis fatigue diet refusal platelet count decreased anaemia dyspnoea chest discomfort fatigue platelet count decreased anaemia fatigue gastric disorder anaemia diarrhoea blood count abnormal drug ineffective blood count abnormal thrombocytopenia anaemia medication error thrombocytopenia platelet count increased drug ineffective pain fall neurological symptom night sweat abdominal discomfort diabetes mellitus inadequate control drug withdrawal syndrome blood testosterone decreased insomnia back pain pain back pain musculoskeletal discomfort label use anaemia haemoglobin decreased fatigue platelet count decreased disease progression anaemia back pain drug ineffective haemoglobin decreased platelet count decreased thrombocytopenia infection haemoglobin decreased device related infection infection haemoglobin decreased haemoglobin decreased platelet count decreased thrombocytopenia haemoglobin decreased drug ineffective platelet count decreased haemoglobin decreased dizziness haemoglobin decreased haemoglobin decreased constipation platelet count decreased blood pressure increased palpitation feeling abnormal contusion red blood cell count decreased haemoglobin decreased haemoglobin decreased giant cell tumour tendon sheath platelet count decreased weight increased aneurysm glossodynia urinary tract infection nephrolithiasis skin wrinkling dry skin thrombocytopenia tooth disorder anaemia fatigue weight decreased transfusion drug ineffective haemoglobin decreased dyspnoea malaise nausea influenza like illness chill pain hyperhidrosis pyrexia haemoglobin decreased disease progression platelet count decreased abdominal pain dyspnoea anaemia thrombocytopenia splenomegaly abdominal discomfort palpitation gingival pain fatigue oedema peripheral paraesthesia confusional state feeling abnormal asthenia nervousness anaemia headache platelet count decreased splenomegaly anaemia hepatic enzyme increased muscular weakness dizziness white blood cell count decreased scleroderma lower respiratory tract inflammation anaemia thrombocytopenia epistaxis fatigue red blood cell count decreased haemoglobin decreased weight increased night sweat intentional overdose suicide attempt platelet count decreased anaemia disease progression nasopharyngitis platelet count decreased haemoglobin decreased cellulitis thrombocytopenia hypokalaemia syncope febrile neutropenia platelet count decreased haemoglobin decreased platelet count decreased white blood cell count decreased haematocrit decreased blood count abnormal anaemia red blood cell count decreased sinusitis bronchitis mastoiditis frequent bowel movement mucosal inflammation muscle spasm dyspnoea epistaxis anxiety diarrhoea erythema contusion dizziness anaemia disease progression splenomegaly lung consolidation goitre platelet count decreased wrong technique drug usage process haemoglobin decreased cataract retinal detachment label use haemoglobin decreased transfusion platelet count decreased anaemia insomnia dyspnoea cyanosis fatigue haemorrhage white blood cell count decreased haemoglobin decreased pneumonia blood count abnormal asthenia malaise anaemia back pain arthralgia increased appetite cardiac failure congestive swelling platelet count decreased drug administration error disease progression haemoglobin decreased bone pain red blood cell count decreased fatigue anaemia drug ineffective platelet count decreased haemoglobin abnormal platelet count decreased blood count abnormal anaemia anaemia thrombocytopenia medication error malignant melanoma stage keratoacanthoma blood pressure increased hyperkeratosis therapy keratoacanthoma foetal exposure pregnancy premature baby low birth weight baby drug withdrawal syndrome neonatal exposure breast feeding dehydration oedema peripheral decreased activity as asthenia contusion cardiac valve disease fluid retention fatigue bradypnea skin cancer dyspnoea dizziness diarrhoea renal impairment lethargy weight decreased malaise transfusion platelet count decreased white blood cell count decreased red blood cell count decreased dizziness haemoglobin decreased haematocrit decreased acute hepatic failure drug ineffective hepatitis b renal failure acute hypokalaemia oedema peripheral overdose pyelonephritis syncope convulsion wrong technique drug usage process prostatic disorder urinary incontinence death nausea weight decreased peripheral swelling epistaxis anaemia diarrhoea haemoglobin decreased maternal exposure pregnancy stillbirth wrong technique drug usage process maternal exposure pregnancy abortion spontaneous death platelet count decreased white blood cell count increased urinary tract infection death haemoglobin decreased multiple sclerosis infection hyperthermia eosinophil count increased lymphocyte count decreased respiratory arrest foetal exposure pregnancy exposure breast feeding low birth weight baby premature baby drug withdrawal syndrome neonatal tremor exposure via father hospitalisation intentional overdose substance abuse drug abuse maternal exposure pregnancy exposure via father foetal growth restriction premature delivery respiratory arrest pneumonia anaemia decubitus ulcer fall herpes zoster red blood cell count decreased haemoglobin decreased platelet count decreased chest discomfort chest pain dyspnoea gastrointestinal haemorrhage dementia agitation confusional state platelet count decreased asthenia nausea fatigue depressed mood decreased appetite headache dizziness lower gastrointestinal haemorrhage anaemia renal failure acute gastrointestinal haemorrhage gastrointestinal haemorrhage bronchospasm urticaria investigation rectal adenocarcinoma red blood cell count decreased blood count abnormal nephrogenic systemic fibrosis platelet count decreased anaemia anaemia platelet count increased gingival pain gingival swelling tooth disorder device damage autism lung neoplasm malignant fatigue myalgia arthralgia joint stiffness balance disorder muscle spasm muscular weakness arthritis vision blurred visual acuity reduced haemorrhage death swan ganz catheter placement coronary artery bypass vascular graft stent placement diabetes mellitus cardiac failure congestive nephrogenic systemic fibrosis rectal haemorrhage colitis ischaemic anaemia coagulopathy death deep vein thrombosis leukopenia thrombocytopenia fatigue infection therapeutic response plasma cell myeloma recurrent neutropenia haemoglobin decreased diarrhoea transfusion pregnancy hospitalisation atypical femur fracture femur fracture fall hypomagnesaemia drug interaction condition aggravated chronic spontaneous urticaria insomnia angioedema drug ineffective pruritus electrocardiogram qt prolonged extrapulmonary tuberculosis oral candidiasis pancreatitis anal fistula nephrogenic systemic fibrosis dyspnoea laryngeal oedema stridor acute myocardial infarction hypotension arrhythmia palpitation drug abuse pulmonary embolism chronic obstructive pulmonary disease respiratory failure syndrome osteoporosis gastroesophageal reflux disease gastrointestinal ulcer diabetes mellitus inadequate control blood glucose increased thirst micturition disorder abdominal pain arrhythmia presyncope plasma cell myeloma convulsion urinary tract infection psychiatric symptom blood glucose increased oesophageal carcinoma oesophageal oedema asphyxia visual acuity reduced neuropathy peripheral mobility decreased injury fall head injury pain cerebrovascular accident hypertension diabetes mellitus upper respiratory tract infection thrombocytopenia anaemia influenza like illness pyrexia investigation death hypopnoea dyspnoea malaise disease progression investigation disease progression death urinary tract infection sepsis renal failure chronic pyrexia dysuria back pain nausea decreased appetite device related infection dysphagia drug interaction pancytopenia ocular vascular disorder death deep vein thrombosis device dislocation hospitalisation leukopenia osteonecrosis jaw pancytopenia drug interaction cardiotoxicity bladder disorder hospitalisation peripheral swelling cataract colitis ulcerative phlebitis superficial leukopenia haemoglobin decreased cough pneumonia pyrexia arthropathy hypotension platelet count decreased malaise osteonecrosis jaw investigation staphylococcal osteomyelitis nausea anaemia disease progression convulsion hypocalcaemia death surgery autoimmune disorder encephalitis tonsillitis pyrexia lymphadenopathy white blood cell count increased protein increased enteritis atelectasis impaired healing cardiac flutter chest pain mobility decreased rash pruritic dizziness pain rash erythematous local swelling feeling hot nail disorder alopecia nausea vomiting abdominal distension gastric disorder weight decreased abdominal pain arthralgia pruritus erythema convulsion drug eruption haemolytic anaemia transient ischaemic attack dyspnoea urticaria nausea alopecia fatigue hospitalisation osteonecrosis jaw lethargy pyrexia liver injury alanine aminotransferase increased aspartate aminotransferase increased alpha foetoprotein increased endometrial cancer unevaluable event renal failure

lure respiratory failure hepatic failure pneumonia malaise chest discomfort presyncope confusional state hypotension vision blurred mobility decreased hip fracture fall renal failure acute hyponatraemia drug interaction pancytopenia hepatic failure glomerular filtration rate increased haemorrhage intracranial international normalised ratio increased drug interaction cardiac disorder hypotension immunosuppressant drug level increased drug interaction immunosuppressant drug level increased drug interaction malaise mental disorder general physical health deterioration anaemia delirium cerebral haemorrhage eastern cooperative oncology group performance status worsened infusion related reaction hydrocephalus pain asthenia blood phosphorus decreased muscular weakness arteriovenous malformation nasopharyngitis cough nasal dryness left ventricular dysfunction radiation necrosis cerebral haematoma pneumonia brain abscess hyponatraemia hypotension gastric infection central nervous system infection blood potassium abnormal platelet count decreased performance status decreased decreased appetite headache obesity depressed level consciousness fall dilatation ventricular depressed level consciousness influenza like illness ventricular hypokinesia weight decreased clostridium difficile infection cystitis brain abscess heart rate increased influenza malignant neoplasm progression constipation infusion related reaction anorectal disorder coagulopathy klebsiella infection seizure paraesthesia agranulocytosis listless hypotension bradycardia pseudomonas thrombotic microangiopathy label use death death investigation investigation loss consciousness product odour abnormal application site perspiration investigation haemorrhoid hospitalisation hypocalcaemia investigation hospitalisation transfusion hospitalisation kidney infection intervertebral disc disorder urinary tract infection urge incontinence cystitis influenza arthralgia emergency care pulmonary oedema headache body temperature increased disease progression disease progression drug ineffective metastasis central nervous system hepatitis c drug ineffective white blood cell count decreased thrombocytopenia pancytopenia arteritis death chronic obstructive pulmonary disease intestinal ulcer diarrhoea death febrile neutropenia respiratory failure hypoxia sepsis cholecystitis nausea constipation small intestinal obstruction renal failure acute pneumonia aspiration atrial fibrillation hypersensitivity vasculitis prostate cancer protein increased colon cancer haematotoxicity nephropathy toxic back pain asthenia fatigue inflammation hypoaesthesia pain extremity fall loss consciousness rhabdomyolysis lymphadenopathy mediastinal subcutaneous abscess mycobacterium avium complex infection oligohydramnios exposure pregnancy gastric ulcer death intestinal obstruction hearing impaired arterial occlusive disease coronary artery occlusion renal impairment diarrhoea erythrodermia syndrome injection site reaction renal cell carcinoma metastasis adrenal prostate cancer squamous cell carcinoma hypertension hypercholesterolaemia neuropathy peripheral food aversion pain extremity gastroesophageal reflux disease drug ineffective retrograde amnesia loss consciousness cerebrovascular accident arthralgia blister psoriasis diverticulitis syndrome diplopia headache pyrexia injection site pain ear infection breast haemorrhage breast mass dyspepsia injection site haematoma breast pain influenza urinary tract infection abdominal distension oropharyngeal pain wrong technique product usage process cervical spinal stenosis joint injury fall paraesthesia hypoaesthesia drug prescribing error rash psoas abscess keratitis conjunctivitis arthralgia cheilitis cough fever bronchitis psoriasis death herpes ophthalmic death cervical vertebral fracture fall progressive multifocal leukoencephalopathy immune reconstitution inflammatory syndrome opportunistic infection death cholecystitis haemorrhage lung neoplasm central nervous system lesion iris melanoma multiple sclerosis relapse sepsis multiple sclerosis arthralgia generalised seizure convulsion thermal burn to tongue injury concussion anxiety cartilage injury intervertebral disc protrusion back pain ligament injury arthritis muscular weakness anaemia blood test abnormal diabetic coma hypertension confusional state ectopic pregnancy neck surgery hysterectomy menopausal symptom nervousness intracranial aneurysm procedural complication post procedural stroke gastroesophageal reflux disease stress multiple sclerosis relapse depressed mood gait disturbance procedural pain hysterectomy multiple sclerosis relapse multiple sclerosis relapse general physical health deterioration malaise drug ineffective unapproved indication neurological decompensation encephalopathy acute myocardial infarction thrombosis device cardiac arrest erythema pyrexia swelling face oropharyngeal pain multiple sclerosis relapse multiple sclerosis relapse amnesia abasia hemiparesis vision blurred multiple sclerosis relapse rash pruritic anaphylactic reaction drug hypersensitivity adverse drug reaction rash flushing urinary tract infection on pelvic pain selective eating disorder foetal exposure pregnancy cleft palate high arched palate exposure breast feeding urinary tract infection multiple sclerosis relapse liver disorder pericarditis pain jaundice multiple sclerosis relapse impaired gastric disorder dizziness hip fracture impaired healing diarrhoea weight decreased fall coma convulsion influenza hirsutism alopecia prescribed underdose malaise cerebrovascular accident angioedema rash hot flush nausea feeling abnormal duodenal ulcer haemorrhage helicobacter infection alcohol abuse ear infection thrombosis asthenia multiple sclerosis relapse viral infection hysterectomy gait disturbance monoparesis convulsion flushing malaise multiple sclerosis relapse drug ineffective thrombophlebitis superficial epilepsy drug dose omission drug level decreased cleft palate foetal exposure pregnancy selective eating disorder high arched palate exposure breast feeding urinary tract infection haematuria pyrexia myalgia obstruction allergic granulomatous angiitis hypokinesia caesarean section unintended pregnancy drug ineffective headache dizziness agitation cry hyperhidrosis rash pyrexia hyperhidrosis abdominal pain upper white blood cell count increased inguinal hernia kidney infection cystitis kidney infection nephrolithiasis ear infection drug ineffective with nerve paralysis with nerve paralysis febrile neutropenia abasia malaise dizziness vomiting anxiety sepsis prostate cancer urinary bladder haemorrhage haemorrhage face oedema mouth swelling dysphagia gingival pain peripheral swelling palatal oedema drug intolerance hemiplegia renal colic renal failure acute urinary tract infection bacterial test positive bronchitis rhinorrhoea death death surgery psychotic disorder disease transient ischaemic attack death renal failure death exposure pregnancy selective abortion lipase increased amylase increased back pain gastrointestinal haemorrhage gastric ulcer schizophrenia spinal column stenosis arthropathy thrombocytopenia urinary incontinence labile blood pressure hemiparesis urinary tract infection nasopharyngitis rhinorrhoea dry mouth blood test abnormal death foot deformity infusion related reaction headache interstitial lung disease gastroenteritis drug dependence eczema dry skin haematuria blood urine present investigation meningitis renal failure acute metabolic acidosis haematotoxicity nephropathy toxic death pain localised infection fluid retention weight increased feeling abnormal oedema peripheral inflammation injection site pain nausea abdominal pain pollakiuria headache product quality issue rotator cuff syndrome nausea decreased appetite weight decreased anosmia hypogeusia gastrectomy abortion induced maternal exposure pregnancy cry suicidal ideation depression product compounding quality issue death investigation investigation renal failure ophthalmic herpes zoster conjunctival hyperaemia herpes zoster intraocular pressure increased hallucination visual hallucination auditory memory impairment type diabetes mellitus cellulitis fall peripheral swelling urinary tract infection drug withdrawal syndrome cardiac disorder hypertension foot fracture oxygen saturation decreased weight increased disease progression blood sodium increased cardiac failure congestive haemoglobin decreased respiratory arrest death fluid retention dysphagia apparent death brain injury cardiac disorder hypothyroidism chronic obstructive pulmonary disease hypertension panic attack back pain intervertebral disc compression spinal disorder visual acuity reduced type diabetes mellitus respiratory failure cataract intraocular pressure increased cardiac flutter tachycardia anxiety palpitation fall malaise feeling abnormal body height decreased hip fracture fall myelofibrosis intestinal obstruction neoplasm malignant eating disorder dysuria lymphadenopathy hypersensitivity pyrexia depression rash generalised rash international normalised ratio increased sepsis pneumonia diarrhoea asthenia loss consciousness myocardial infarction feeling jittery flushing intraocular lens implant investigation accidental exposure product child accidental overdos

e adverse event psychotic disorder headache tremor decreased appetite fatigue blood glucose abnormal death pain extremity pain extremity arthralgia gait disturbance product substitution issue renal failure lupus nephritis pa  
n cytopenia sepsis nausea vomiting diarrhoea fatigue asthenia thrombocytopenia febrile neutropenia headache cereb  
ral haemorrhage thrombosis drug abuse intentional drug misuse movement disorder chest pain neck pain myalgia pai  
n extremity thrombotic microangiopathy label use throat tightness dyspnoea cough mental disorder sleep disorder  
abnormal behaviour fatigue melaena international normalised ratio increased haemoglobin decreased haematocrit de  
creased gastritis oesophageal candidiasis gastrointestinal haemorrhage renal failure acute tendonitis anaemia ga  
stritis haemorrhagic pneumonia investigation nephrogenic systemic fibrosis adenocarcinoma colon yellow skin acti  
vity daily living impaired limb discomfort dry throat arthralgia injection site pain drug ineffective fall weigh  
t decreased neck pain head injury visual impairment injection site pruritus hallucination mobility decreased ana  
emia injection site erythema condition aggravated deafness productive cough red blood cell sedimentation rate in  
creased swelling pain thrombosis catarrh feeling abnormal injection site hypersensitivity rheumatoid arthritis j  
oint swelling hypertension dry mouth hypersensitivity swelling face lip swelling local swelling local swelling t  
hroat tightness pharyngeal oedema dyspnoea ear pain pain jaw asthenia fatigue hypersensitivity pneumonia nasopha  
ryngitis cough fatigue general physical health deterioration hyperhidrosis gastrointestinal disorder diarrhoea d  
ecreased appetite fatigue pruritus urticaria pain skin blister rash pruritic exposure breast feeding pulmonary o  
edema pruritus burning sensation pain swelling face rash rash dermatitis contact lentigo seborrheic keratosis s  
weat gland tumour pleural effusion hypoxia respiratory disorder rhabdomyolysis hernia prostatic disorder tooth a  
bscess toothache endodontic procedure surgery osteonecrosis jaw disease progression hallucination confusional st  
ate visual acuity reduced dizziness bradycardia investigation fall stupor respiratory depression overdose sedati  
on exposure pregnancy drug withdrawal syndrome injection site rash rash erythematous type iv hypersensitivity re  
action cerebrovascular accident bipolar disorder sedation paranoia treatment noncompliance fear tuberculosis neo  
plasm pain extremity hypoaesthesia carpal tunnel decompression infusion related reaction anaphylactic reaction w  
hite blood cell count decreased bone pain arthralgia hot flush asthenia haemoptysis intestinal obstruction intes  
tinal obstruction hypokinesia dysgeusia asthenia fatigue decreased appetite atrial thrombosis speech disorder ba  
lance disorder gait disturbance confusional state asthenia pain malaise haemorrhage wound scab skin fissure pain  
gait disturbance fear arthralgia flatulence eructation back pain arthritis hypokinesia cardiac disorder conditio  
n aggravated nausea vomiting diarrhoea mobility decreased skin cancer pain jaw bone swelling ear disorder tooth  
disorder inappropriate schedule drug administration bone pain fat embolism hypertension polycythaemia sciatica b  
lindness unilateral gallbladder disorder hepatic haematoma hepatic enzyme increased pain extremity impaired gast  
ric emptying injection site mass amnesia injection site pain completed suicide exposure via ingestion diverticul  
itis hernia abdominal pain pulmonary embolism lung neoplasm malignant fatigue asthenia dyspnoea chest pain dyspn  
oea cardiopulmonary failure cardiac arrest pyrexia death muscular weakness muscle spasm hypoaesthesia muscle rig  
idity sleep disorder musculoskeletal stiffness abortion missed therapeutic response changed pathogen resistance  
drug ineffective death tooth loss gingival pain bone marrow failure hyperaemia lymphadenopathy bloody discharge  
odynophagia saliva altered bone pain pyrexia death angioedema prothrombin time prolonged haemorrhage contusion h  
aematuria drug interaction toxicity various agent international normalised ratio increased death death endometri  
al cancer injection site erythema injection site swelling injection site pain osteoarthritis cognitive disorder  
depression haemoglobin decreased fibromyalgia feeling cold weight decreased muscle atrophy therapeutic response  
white blood cell count decreased asthenia dizziness product quality issue visual impairment visual acuity reduce  
d drug ineffective cataract night blindness death death death fracture road traffic accident sternal fracture lo  
ss consciousness cough nasopharyngitis hypersensitivity vasculitis glomerulonephritis acute renal failure acute  
arthralgia hypochromic anaemia toxicity various agent haematuria hypocalcaemia hyperphosphataemia tetany paraest  
hesia oral paraesthesia paraesthesia paraesthesia maternal drug affecting foetus cleft palate high arched palate  
poor sucking reflex exposure breast feeding congenital anomaly convulsion impaired driving ability fall multiple  
sclerosis relapse insomnia multiple sclerosis relapse dysarthria gait disturbance fatigue ataxia hypoaesthesia m  
uscle spasm swollen tongue hypoaesthesia oral haemoglobin abnormal haematocrit abnormal inappropriate schedule d  
rug administration blood potassium abnormal blood calcium abnormal blood cholesterol increased multiple sclerosi  
s relapse haemoptysis lung disorder chest pain injection site erythema injection site swelling injection site pr  
uritus urinary bladder haemorrhage drug ineffective infection cerebral ischaemia hemiparesis blood calcium incre  
ased blood potassium decreased anaemia faecaloma proteinuria hypertension vitreous haemorrhage blindness full bl  
ood count decreased hypoaacusis drug interaction psychotic disorder gait disturbance hyperreflexia dizziness slee  
p disorder asthenia nystagmus toxicity various agent palpitation disturbance attention inappropriate schedule dr  
ug administration bedridden label use asthenia muscular weakness dyspnoea deep vein thrombosis eye haemorrhage t  
hrombocytopenia thrombocytopenia pleural effusion haemorrhage intracranial epilepsy medication error haemorrhage  
intracranial gastrointestinal haemorrhage gastrointestinal tract irritation diarrhoea haemorrhagic mesenteric ar  
tery thrombosis cardiac ablation gastrointestinal haemorrhage nephrolithiasis neuralgia chest discomfort vision  
blurred deep vein thrombosis deep vein thrombosis pulmonary alveolar haemorrhage acute respiratory failure acute  
respiratory distress syndrome renal impairment atrial fibrillation pulmonary embolism investigation cerebrovascu  
lar accident muscle spasm dyspnoea neoplasm malignant hernia incision site infection tibia fracture ankle fractu  
re ligament rupture meniscus injury fall fracture delayed union arthralgia pain mobility decreased investigation  
adverse event hospitalisation convulsion drug interaction drug prescribing error investigation flushing pyrexia  
malaise cellulitis incorrect route drug administration motor dysfunction cerebrovascular accident galactorrhoea  
nightmare anxiety neuralgia urinary tract infection drug ineffective alopecia hair growth abnormal hair colour c  
hange nightmare anxiety label use completed suicide alopecia osteoporosis anaemia mycobacterial infection upper  
respiratory tract inflammation dysentery headache diarrhoea night sweat dry skin deafness hypoglycaemic unconsci  
ousness fall lower limb fracture angina pectoris influenza headache feeling hot chill hyperhidrosis movement dis  
order chest pain lip oedema asthma dizziness mood swing asthenia bradycardia presyncope somnolence headache weig  
ht decreased lower respiratory tract infection right ventricular failure oedema peripheral sleep apnoea syndrome  
cor pulmonale hypoxia malaise cyanosis decreased activity pyrexia pain myopathy ophthalmoplegia diplopia cerebro  
vascular accident renal failure lactic acidosis blood potassium increased continuous haemodiafiltration metaboli  
c acidosis diabetes mellitus renal failure lactic acidosis blood sodium decreased blood potassium increased cont  
inuous haemodiafiltration renal failure lactic acidosis blood sodium decreased blood potassium increased contin  
uous haemodiafiltration metabolic acidosis interstitial lung disease electrocardiogram repolarisation abnormality  
fatigue colorectal cancer metastatic lactic acidosis renal failure blood potassium increased continuous haemodia  
filtration metabolic acidosis hypoventilation abdominal pain upper somnolence cardiopulmonary failure tachypnoea  
pathological gambling disorder rash generalised rash pruritic rash pustular rash erythematous hemiparesis vision  
blurred hypoaesthesia gait disturbance injection site erythema injection site discolouration rotator cuff repair  
arthralgia musculoskeletal pain increased upper airway secretion injection site pain investigation syncope cardi  
ac disorder hyperhidrosis inappropriate schedule drug administration hepatitis toxic chest pain erythema skin re  
action interstitial lung disease headache dyspnoea multiple sclerosis relapse maternal drug affecting foetus cae  
sarean section pulmonary valve stenosis congenital atrial septal defect feeding disorder neonatal altered state  
consciousness sopor aspartate aminotransferase increased blood creatine phosphokinase increased label use sedati

on diplopia substance abuse oral mucosal blistering hypersensitivity throat tightness nausea vomiting multiple sclerosis relapse drug ineffective multiple sclerosis relapse eyelid ptosis influenza like illness multiple sclerosis inappropriate schedule drug administration multiple sclerosis inappropriate schedule drug administration fall hyponatraemia confusional state cholecystitis hepatic artery aneurysm femur fracture incorrect drug administration duration dermatitis psoriasiform vomiting metabolic acidosis pulmonary oedema respiratory disorder blood creatinine increased dialysis renal impairment lactic acidosis drug abuse intentional sopor oligohydramnios premature rupture membrane caesarean section obstructed labour gestational diabetes maternal exposure pregnancy foetal heart rate deceleration abnormality maternal drug affecting foetus oligohydramnios foetal death kidney duplex congenital hearing disorder foetal exposure pregnancy congenital choroid plexus cyst supernumerary nipple cardiac failure pneumonia anxiety throat irritation sensation foreign body chest discomfort nausea pain headache nervousness blood pressure inadequately controlled hypertension blood electrolyte abnormal blood potassium abnormal adrenal gland injury cardiac disorder anaemia hypotension renal failure laboratory test abnormal syncope gastrointestinal disorder medication residue present abdominal pain nausea fatigue dental caries oedema diarrhoea cystitis is noninfective hypertension anaemia vomiting dizziness dehydration neutropenia somnolence thrombocytopenia thrombocytopenia anaemia condition aggravated haemorrhage intracranial subdural haematoma angioedema urticaria dyspnoea sensation foreign body rash generalised swelling face local swelling vomiting rash capillary leak syndrome conjunctival haemorrhage vision blurred asthenia headache peripheral vascular disorder uterine leiomyoma pyrexia cough rhinorrhoea respiratory tract congestion death scleroderma fasciitis dyspnoea infusion related reaction pneumonia fungal respiratory arrest pancreatitis gait disturbance joint range motion decreased musculoskeletal stiffness face oedema drug effect incomplete oedema skin lesion drug intolerance otitis medium malignant melanoma situ headache vomiting abdominal pain gait disturbance urinary tract infection pyrexia haematuria myalgia depressed level consciousness depressed level consciousness conjunctival haemorrhage arthralgia myalgia pyrexia encephalopathy adenocarcinoma diarrhoea weight decreased vomiting ileus paralytic muscle rupture thrombosis device drug resistance interstitial lung disease epistaxis dyspnoea headache hyperhidrosis arthralgia hypersensitivity vasculitis cerebrovascular accident transient ischaemic attack thrombosis diplopia pulmonary embolism headache conjunctival haemorrhage vision blurred headache asthenia gait disturbance interstitial lung disease pancreatitis disseminated intravascular coagulation tracheostomy mechanical ventilation gastric haemorrhage hepatic function abnormal cholelithiasis skin exfoliation pruritus oral pruritus local swelling chest discomfort paraesthesia oral vomiting underdose renal impairment diarrhoea lethargy malaise weight decreased myocardial infarction nausea weight increased headache dizziness angina pectoris fatigue hyperhidrosis syndrome hypersensitivity blister consciousness fluctuating dyspnoea eye disorder rash generalised lip discoloration chapped lip pain scab scar malaise skin disorder skin exfoliation lip swelling weight decreased label use small cell lung cancer gastric cancer headache tooth abscess fatigue tooth infection spondylolisthesis osteoporosis pain extremity musculoskeletal discomfort drug diversion insomnia cholangitis label use death myocardial infarction pancytopenia drug interaction exposure pregnancy substance abuse headache somnambulism depression diarrhoea fatigue irritability polyuria pain extremity underdose malaise nausea vomiting wrong technique drug usage process eczema paralysis asthenia constipation dyspnoea hyperkalaemia restlessness rale blood sodium decreased high density lipoprotein decreased low density lipoprotein increased incorrect route drug administration drug abuse drug diversion bronchospasm hyperhidrosis liver function test abnormal salmonellosis hepatic steatosis herpes simplex spinal osteoarthritis arthritis renal failure acute duodenal polyp electrolyte imbalance oesophagitis mycobacterium avium complex infection lymphadenitis renal impairment diabetes mellitus diarrhoea sinusitis diabetic neuropathy eosinophilic pustular folliculitis nausea pneumonia osteoporosis hyperlipidaemia back pain hyperuricaemia cytopenia periarthritis folate deficiency gingival inflammation drug diversion lumbar vertebral fracture clostridium difficile colitis blood glucose increased inappropriate schedule drug administration confusional state tumour lysis syndrome renal failure overdose drug dependence drug abuse splenic rupture blood pressure diastolic decreased haemoglobin decreased peritoneal haemorrhage caesarean section maternal exposure pregnancy procedural complication skin toxicity pneumonia neuropathy peripheral fatigue infection nausea diarrhoea erythroderma syndrome mucosal inflammation pneumonitis pleural effusion vomiting anaemia drug abuse accidental exposure product dermatitis exfoliative pneumonitis nausea hepatic function abnormal overdose miosis respiratory depression coma drug diversion road traffic accident drug diversion drug abuse drug diversion leukopenia anaemia thrombocytopenia vomiting radiation oesophagitis erythroderma syndrome diarrhoea gastrointestinal haemorrhage drug interaction febrile neutropenia drug diversion self injurious behaviour intentional drug misuse sluggishness myocardial infarction fall somnolence aphasia drug hypersensitivity pain abdominal distension fatigue chill diarrhoea eosinophilia condition aggravated transaminase increased dyspepsia lymphopenia skin ulcer overdose depressed level consciousness convulsion gaze palsy foaming mouth dyskinesia drug dependence febrile neutropenia label use disability fatigue joint dislocation joint swelling knee arthroplasty joint injury sinusitis bedridden nerve injury impaired driving ability muscular weakness arthralgia fall product packaging issue weight bearing difficulty flushing ankle fracture wheelchair user bladder catheterisation gastrointestinal haemorrhage drug interaction renal cancer pneumonia sinusitis injury drug effect incomplete psoriasis lower gastrointestinal haemorrhage drug interaction melaena haematochezia syndrome rash food interaction bladder neoplasm bladder cancer anaphylactic shock hypertriglyceridaemia thrombosis device adverse event acute generalised exanthematous pustulosis anaphylactic reaction therapeutic response faecalith abdominal pain vomiting ileus intussusception malnutrition ascites pleural effusion convulsion pancreatitis myoclonus fall head injury dyspnoea fatigue weight increased tremor balance disorder abdominal pain dyspepsia rash globulin increased hypoalbuminaemia somnolence abnormal behaviour diarrhoea rosacea disorientation drug administration error drug dose omission drug effect decreased flushing muscular weakness headache chest pain electrocardiogram st segment elevation muscle spasm coronary artery dissection iatrogenic injury haemorrhage drug interaction shock haemorrhagic hypertension weight increased skin burning sensation paraesthesia peripheral swelling joint swelling oedema peripheral hypertension paraesthesia weight increased skin burning sensation renal disorder intestinal resection colon cancer metastatic pain hypertension malaise incarcerated hernia peritonitis catheter site extravasation post procedural infection abortion spontaneous exposure pregnancy large intestinal haemorrhage drug interaction adverse event hernia cardiac disorder hernia peripheral artery thrombosis cerebrovascular accident renal failure chronic renal failure acute anuria thrombocytopenia thrombocytopenia venous stenosis thrombosis device malaise pneumonia clostridium difficile infection peritonitis diverticulitis circulatory collapse vomiting pain headache insomnia nausea condition aggravated paraesthesia night sweat myocardial infarction toxic epidermal necrolysis drug reaction eosinophilia systemic symptom pyrexia therapeutic response interstitial lung disease toxicity various agent completed suicide incorrect dose administered poor peripheral circulation peripheral arterial occlusive disease post procedural infection wound wound infection diabetic complication cellulitis death to toxicity various agent completed suicide brain oedema bladder disorder medication residue present pulmonary oedema toxicity various agent completed suicide incorrect dose administered subacute cutaneous lupus erythematosus hospitalisation pancreatitis investigation intervertebral disc operation spinal laminectomy muscle spasm hot flush formication fall drug withdrawal syndrome clonus device failure chest pain anaphylactic reaction hyperthermia malignant cardiac disorder pulmonary thrombosis hypotension memory impairment fluid overload death hypoxia delirium stress pancreatic disorder ultrafiltration failure dyspnoea renal cancer blood pressure fluctuation weight decrease

[illegible]

pneumonitis pulmonary toxicity muscle injury pain muscle spasm nightmare fatigue analgesic asthma syndrome gastroenteritis eosinophilic chronic myeloid leukaemia neoplasm progression drug resistance brain stem stroke brain stem thrombosis thrombosis hepatic necrosis thrombocytosis petit mal epilepsy eye movement disorder drug ineffective neutropenia electrocardiogram repolarisation abnormality electrocardiogram qt prolonged road traffic accident attention disorder bipolar disorder merycism sedation somnolence major depression depression agitation rheumatic disorder neuropathy peripheral hyperthermia malignant hyperthermia malignant hyperthermia malignant death pulse absent haemorrhoidal haemorrhage pleural effusion somnolence haematuria diverticulum acute coronary syndrome faecaloma fibrosis urinary retention unresponsive stimulus hepatic congestion renal failure chronic myocarditis colitis ulcerative haemoglobin decreased pulmonary oedema arteriosclerosis spleen congestion kidney small pericarditis sudden death rectal haemorrhage gastrointestinal haemorrhage mitral valve disease hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant diarrhoea cerebrovascular disorder renal failure acute acidosis hyperphosphataemia hyperkalaemia hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant pneumonitis hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia label use hyperthermia malignant hyperthermia malignant brain neoplasm convulsion hyperthermia malignant drug effect incomplete hyperthermia malignant hyperthermia malignant hyperthermia malignant death hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant abortion hyperthermia malignant hernia staphylococcal infection mania nervous system disorder migraine insomnia fall convulsion nephrogenic systemic fibrosis disorder hepatitis b hepatitic failure tooth abscess anaemia memory impairment cardiac failure congestive thrombosis splenomegaly anaemia drug resistance platelet count decreased hyperthermia malignant hyperthermia malignant throat irritation paraesthesia throat irritation oral discomfort malaise hyperthermia malignant cardiovascular disorder unresponsive stimulus pulse absent respiratory arrest hyperthermia malignant hyperthermia malignant unresponsive stimulus toxicity various agent resuscitation hyperthermia malignant throat irritation headache chest discomfort hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant hyperthermia malignant chronic obstructive pulmonary disease bronchospasm skin haemorrhage diarrhoea angina pectoris vertigo constipation hospitalisation tremor ectopic pregnancy contraceptive device ruptured ectopic pregnancy peritoneal haemorrhage amenorrhoea abdominal pain drug ineffective hepatocellular carcinoma hepatic adenoma amniotic fluid volume decreased arthritis caesarean section maternal exposure pregnancy hyperthermia malignant hyperthermia malignant asthenia hypoaesthesia hyperthermia malignant peritonitis renal failure acute hyperthermia malignant hyperthermia malignant renal failure acute hyperthermia malignant hyperthermia malignant hyperthermia malignant epistaxis leukopenia anaemia thrombocytopoenia renal failure acute renal failure acute hyperthermia malignant foetal exposure pregnancy congenital central nervous system anomaly hyperthermia malignant renal failure acute hyperthermia malignant ear infection mastoiditis hypertension blood pressure increased hyperthermia malignant hyperthermia malignant drug abuse toxicology various agent cardiomegaly left ventricular hypertrophy hypertensive cardiomyopathy pneumonia contusion excoriations pulmonary oedema pulmonary congestion neutropenic sepsis anaemia infection hypophosphataemia pyrexia malaise haemorrhagic stroke nephrogenic systemic fibrosis injury hypoglycaemia fall hepatic enzyme increased caesarean section renal aplasia congenital central nervous system anomaly hypoglycaemia maternal drug affecting foetus hypopituitarism foetal death convulsion nervousness constipation breast disorder drug withdrawal syndrome pain arthralgia bone pain dizziness nausea vomiting dry mouth swollen tongue mood swing urinary incontinence memory impairment vision blurred weight decreased gait disturbance balance disorder insomnia decreased appetite restlessness fall muscle spasm road traffic accident underdose death abortion spontaneous pregnancy maternal drug affecting foetus lactic acidosis overdose vomiting lethargy haemodialysis hypotension metabolic acidosis azotaemia diabetic ketoacidosis drug prescribing error toxicity various agent medication error sleep disorder diarrhoea chest pain diarrhoea dysaesthesia aspartate aminotransferase increased abdominal pain lower nausea rash stomatitis dry mouth alopecia cystitis alanine aminotransferase increased dysgeusia blood creatinine increased musculoskeletal pain dizziness urinary tract infection weight decreased constipation pain extremity vomiting oedema peripheral blood creatinine increased weight decreased fatigue escherichia test positive rash enterocutaneous fistula renal neoplasm ileal stenosis ileal perforation renal impairment vanishing bile duct syndrome pulmonary mass cough sinus disorder pain influenza pancreatic carcinoma stage iv lipase increased death pancreatic carcinoma nausea abdominal pain upper vomiting cardiac failure viral infection weight decreased death cholecystitis gallbladder disorders pancreatic carcinoma pancreatitis abdominal pain upper angina unstable cold sweat vomiting nausea lethargy bradycardia tinnitus dysgeusia hallucination electrocardiogram qrs complex prolonged electrocardiogram qt prolonged ejection fraction decreased cardiac arrest troponin increased decreased appetite marasmus death dyspnoea asthenia lung disorder skin toxicity cough cerebral cyst hydrocephalus abscess intestinal stenosis drug specific antibody present abdominal pain asthenia akinesia aphagia aphasia loss consciousness quality life decreased dehydration withdrawal syndrome dyskinesia drug dose omission death pheochromocytoma memory impairment application site rash application site erythema therapeutic response coma posterior reversible encephalopathy syndrome liver injury hepatic necrosis liver injury hepatic necrosis infection embolism loss consciousness drug interaction suicidal ideation intervertebral disc protrusion hepatic embolisation obstruction decreased appetite nausea diarrhoea mucosal inflammation pancytopenia staphylococcus test positive convulsion device related infection pyrexia infusion related reaction chill drug interaction suicidal ideation type diabetes mellitus neuropathy peripheral arthropathy arthralgia systemic lupus erythematosus nasal disorder spinal disorder hallucination auditory hallucinations visual drug ineffective memory impairment pneumonia pneumonia hunger oropharyngeal pain hypersensitivity pharyngeal oedema throat irritation swelling face lip swelling type diabetes mellitus haematchezia vomiting abdominal pain proteinuria type diabetes mellitus aphagia pain pneumonia bronchitis cough abdominal pain upper gastrointestinal haemorrhage intestinal ischaemia dialysis electrocardiogram qt prolonged intentional overdose coma somnolence hypophagia fluid intake reduced fall blood calcium abnormal procedural hypertension cerebrovascular accident hepatic enzyme increased drug ineffective gastrooesophageal reflux disease death atrial fibrillation eructation flatulence abdominal discomfort hyperchlorhydria face oedema failure sepsis acinetobacter test positive treatment failure myocardial infarction pneumonia renal transplant infection mental disorder psychiatric decompensation drug ineffective unapproved indication intentional drug misuse acanthamoeba keratitis drug ineffective acute graft versus host disease urinary retention angina pectoris label use death death depression suicidal ideation loss employment product substitution issue endocarditis death investigation death renal failure acute liver injury neutropenia malignant neoplasm progression dizziness dysuria malaise intentional product use issue balance disorder drug ineffective acute graft versus host disease skin post transplant lymphoproliferative disorder drug ineffective chronic graft versus host disease posterior reversible encephalopathy syndrome liver disorder renal failure drug intolerance drug ineffective unapproved indication dermatophytosis product substitution issue fatigue depression malignant neoplasm progression deafness bone pain memory impairment hepatocellular injury influenza like illness drug ineffective graft versus host disease incorrect dose administered death performance status decreased hepatic function abnormal decreased appetite drug ineffective acute graft versus host disease skin label use dacryostenosis acquired vision blurred drug ineffective acute graft versus host disease cardiac arrest mal



ignant neoplasm progression clostridium difficile infection pneumonia fatigue asthenia sepsis urinary tract infection muscle spasm decubitus ulcer skin disorder arthralgia arthralgia bone pain joint swelling local swelling blood pressure increased abdominal discomfort vision blurred nervousness depression insomnia decreased appetite weight decreased incorrect dose administered rectal prolapse fungal infection pyrexia influenza like illness upper respiratory tract infection febrile neutropenia pancreatic carcinoma pancreatitis chronic escherichia pyelonephritis renal transplant type diabetes mellitus pain hepatic enzyme increased diarrhoea vomiting abdominal pain upper haemolytic anaemia platelet count decreased haemoglobin decreased anaemia anal abscess anal abscess death investigation maternal exposure pregnancy congenital anomaly congenital aortic valve stenosis coarctation aorta patent ductus arteriosus type diabetes mellitus type diabetes mellitus drug ineffective acute graft versus host disease type diabetes mellitus type diabetes mellitus arthralgia pain extremity pulmonary artery atresia low birth weight baby heart disease congenital red man syndrome cardiac disorder myalgia therapy cessation death pneumonia metrorrhagia mood altered product substitution issue drug ineffective graft versus host disease nephrogenic systemic fibrosis varicose vein memory impairment oedema chronic graft versus host disease leukaemia recurrent chronic myeloid leukaemia drug ineffective gynaecomastia blood prolactin increased pain chest pain nipple swelling dyspnoea leukaemia recurrent acute graft versus host disease chronic graft versus host disease chronic myeloid leukaemia drug ineffective type diabetes mellitus type diabetes mellitus leukaemia recurrent acute graft versus host disease chronic graft versus host disease chronic myeloid leukaemia drug ineffective nephropathy type diabetes mellitus convulsion type diabetes mellitus disseminated tuberculosis respiratory failure cardiovascular insufficiency cardiac hypertrophy cardiomegaly renal colic pyelonephritis blood creatinine increased alanine aminotransferase increased swollen tongue transfusion haemoglobin decreased arthritis arthralgia malaise fatigue herpes zoster growth retardation maternal exposure pregnancy caesarean section feeling abnormal dyspnoea insomnia drug dependence oral pain teeth brittle oral herpes aphagia dyspnoea suffocation feeling general physical health deterioration sensation pressure dry mouth thirst headache headache abdominal pain wheezing inguinal hernia post procedural swelling post procedural discharge blood pressure increased metastasis pancreas metastasis liver stress ovarian disorder scar anxiety pyogenic granuloma palmar erythema nervousness thrombophlebitis nodule plantar fasciitis pain extremity gait disturbance lichen sclerosus lymphadenopathy nerve compression back pain neoplasm progression inappropriate schedule product administration atrial fibrillation cerebral haemorrhage haemorrhagic stroke hydrocephalus brain oedema coma inappropriate schedule drug administration haematuria overdose renal cyst haemorrhage spinal fracture pancreatic mass foetal exposure pregnancy meningitis streptococcal infarction neurological symptom vomiting musculoskeletal disorder pyrexia platelet disorder neutropenia haemoglobin abnormal respiratory tract infection nausea febrile neutropenia mucosal inflammation infection bacterial infection cardiac failure congestive pericardial effusion atrial fibrillation visual acuity reduced nasopharyngitis visual field defect white blood cell count increased alanine aminotransferase increased lymphocyte count decreased cataract device failure osteonecrosis jaw toothache bone disorder breath odour mouth haemorrhage oral disorder erythema swelling pain exposed bone jaw infection purulence breast cancer neoplasm progression death gastric disorder substance abuse overdose drug abuse toxicity various agent malignant neoplasm progression platelet count decreased haemophagocytic lymphohistiocytosis blood bilirubin increased drug intolerance platelet count decreased hepatic function abnormal blood glucose increased lipase increased graft versus host disease drug resistance blood cholesterol increased breast cancer malignant neoplasm progression breast cancer neoplasm progression breast cancer neoplasm progression breast cancer neoplasm progression joint swelling pain extremity anxiety disturbance attention fatigue insomnia angioedema lip swelling dyspnoea breast cancer neoplasm progression breast cancer malignant neoplasm progression blindness breast cancer neoplasm progression hallucination nausea euphoric mood wrong technique drug usage process abdominal pain upper anxiety breast cancer neoplasm progression death death ulcer syncope depressed level consciousness unresponsive stimulus pyrexia hypertension blister skin exfoliation cystic fibrosis lung herpes zoster pancytopenia drug interaction visual impairment fungal infection hypokalaemia iron deficiency dyspnoea post procedural complication procedural complication drug ineffective ulcer scar purulence device dislocation pain red blood cell abnormality macular degeneration angina pectoris asthenia visual acuity reduced anaemia fluid retention pleural effusion urticaria product label issue product quality issue liver disorder hypersensitivity yellow skin faeces pale rash tooth erosion oral infection wrong technique drug usage process underdose decreased appetite pulmonary arterial hypertension disease progression fluid overload drug interaction international normalised ratio abnormal prothrombin time abnormal nephrolithiasis ureteric obstruction chronic obstructive pulmonary disease convulsion aplastic anaemia chronic obstructive pulmonary disease cardiac failure bacteraemia septic shock brain abscess ventricular tachycardia incontinence neck pain abasia hypokinesia label use drug administration monitoring procedure incorrectly performed cerebrovascular accident pneumothorax confusional state pyrexia supraventricular extrasystole type diabetes mellitus type diabetes mellitus type diabetes mellitus renal disorder cerebrovascular accident type diabetes mellitus type diabetes mellitus type diabetes mellitus lung neoplasm malignant pneumonia lung neoplasm malignant disease progression type diabetes mellitus interstitial lung disease platelet count decreased type diabetes mellitus death cerebral infarction ruptured cerebral aneurysm hypertension type diabetes mellitus nausea depression cough arthralgia fatigue asthenia diarrhoea muscle spasm dizziness feeling abnormal drug prescribing error myalgia muscle twitching myocardial infarction type diabetes mellitus death type diabetes mellitus type diabetes mellitus type diabetes mellitus staphylococcal infection rash infusion site pain type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus colon cancer neoplasm recurrence type diabetes mellitus type diabetes mellitus blood pressure increased label use type diabetes mellitus pyrexia urinary retention somnolence aspiration urinary tract infection type diabetes mellitus death type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus rash rash intentional drug misuse systemic lupus erythematosus device breakage product lot number issue transaminase increased confusional state loss consciousness retrograde amnesia delirium bradycardia apnoea arterial occlusive disease type diabetes mellitus drug withdrawal syndrome drug detoxification tremor hypokinesia dyspnoea hyperhidrosis feeling abnormal tachypnoea activity daily living impaired death osteoarthritis impaired healing arthralgia peripheral swelling febrile neutropenia haematemesis melaena haemorrhagic anaemia drug interaction mental status change herpes zoster feeling cold infusion related reaction acute interstitial pneumonitis breast cancer glycosylated haemoglobin increased hypoglycaemia road traffic accident disorder toxicity various agent drug abuse suicide attempt abdominal wall haematoma drug interaction asthma gastrointestinal haemorrhage cataract goitre drug dependence hypersensitivity pharyngeal oedema dyspnoea somnolence pancreatic carcinoma seroma therapeutic response decreased headache post procedural haemorrhage drug interaction gastrointestinal haemorrhage nausea plasma cell myeloma disease recurrence post procedural haemorrhage haematuria contusion international normalised ratio increased drug interaction cerebrovascular accident haemoglobin decreased thrombosis aplastic anaemia intestinal perforation ileus paralytic pneumonitis lung infiltration renal failure pneumothorax pulmonary embolism subdural haematoma drug interaction pneumonia febrile neutropenia hypotension pneumomediastinum deep vein thrombosis product packaging issue product package associated injury accidental exposure product chronic obstructive pulmonary disease pneumonia streptococcal left ventricular dysfunction metabolic acidosis ketoacidosis dehydration lung transplant dyspnoea exertional chest injury ventricular failure oedema peripheral catheterisation cardiac abnormal hypoxia ischaemia pleural effusion pulmonary arterial hypertension condition ag

gravated cerebrovascular accident hemiparesis dysarthria transfusion vascular stent thrombosis treatment noncompliance rectal haemorrhage label use genital infection fungal vulvovaginal candidiasis hypocalcaemia ideation depression hepatic cirrhosis pancytopenia ascites convulsion neutrophil count decreased respiratory failure oesophageal carcinoma ileus paralytic large intestinal obstruction dysphagia mental impairment cushingoid body height normal acne skin papilloma spinal compression fracture headache headache musculoskeletal stiffness insomnia lymphopenia osteoporosis sudden death loss consciousness dyspnoea hypokalaemia urinary tract infection dysarthria renal failure acute disease convulsion depression influenza like illness asthenia dyspepsia nausea abdominal discomfort anaemia anaemia neutropenia drug ineffective haemorrhage anaemia gastrointestinal haemorrhage dizziness hyperhidrosis dizziness international normalised ratio abnormal type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus local swelling musculoskeletal stiffness peripheral coldness maternal exposure pregnancy congenital anomaly brachycephaly plagiocephaly type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus mood altered apathy somnolence flat affect type diabetes mellitus neuropathy peripheral type diabetes mellitus type diabetes mellitus dizziness vision blurred malaise type diabetes mellitus palpitation type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus neuropathy peripheral visual impairment type diabetes mellitus type diabetes mellitus type diabetes mellitus confusional state type diabetes mellitus vomiting death device dislocation tremor ischaemic stroke hemiparesis seizure label use haemorrhagic stroke bradyphrenia malaise arthralgia road traffic accident confusional state device dislocation drug dose omission disease drug ineffective cervical spinal stenosis pneumonia myocardial infarction pyrexia weight increased sinusitis blood pressure increased lung infection fatigue pneumonia decreased appetite somnolence bundle branch block left atrioventricular block first degree electrocardiogram qt prolonged drug interaction epistaxis pruritus rash hypertension somnolence depression merycism major depression agitation sedation bipolar disorder attention disorder death oesophageal atresia renal aplasia right aortic arch maternal drug affecting foetus haemoglobin decreased asthenia arthralgia dyspnoea nausea renal failure vomiting cleft palate maternal drug affecting foetus type diabetes mellitus type diabetes mellitus muscle spasm cardiomyopathy diabetic neuropathy anxiety type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus glucose tolerance impaired type diabetes mellitus placental insufficiency foetal death foetal heart rate deceleration abnormality umbilical cord abnormality loss employment multiple injury anhedonia economic problem internal haemorrhage psychological trauma social problem deformity physical disability pain tension hepatic cirrhosis liver function test abnormal ascites pruritus rash meningomyelocoele maternal drug affecting foetus enterocolitis liver disorder oedema mouth rash erythematous pyrexia splenic rupture sepsis cytomegalovirus enterocolitis abscess fungal gastric ulcer haemosiderosis pyrexia cystitis haemorrhagic multiple injury gastrointestinal haemorrhage tuberculin test positive asthenia breast cancer neoplasm progression diplopia breast cancer neoplasm progression breast cancer neoplasm progression motor developmental delay dermoid cyst foetal exposure pregnancy small date baby micropenis hypospadias cryptorchism foetal exposure pregnancy arthralgia change bowel habit breast cancer neoplasm progression weight increased breast cancer metastasis lymph node neoplasm progression breast cancer neoplasm progression breast cancer neoplasm progression blindness vision blurred breast cancer neoplasm progression breast cancer neoplasm progression breast cancer neoplasm progression ischaemic stroke breast cancer neoplasm progression breast cancer neoplasm progression circulatory collapse hypotension vomiting pain multiple injury physical disability tension gastrointestinal haemorrhage psychological trauma economic problem pain deformity anhedonia loss employment social problem breast cancer drug intolerance neoplasm progression breast cancer neoplasm progression road traffic accident liver disorder multiple injury physical disability pain gastrointestinal haemorrhage economic problem social problem failure loss employment renal injury tension ulcer deformity anhedonia psychological trauma white blood cell count increased device related infection maternal exposure pregnancy fall confusional state orthostatic hypotension dehydration electrocardiogram qt prolonged somnambulism mycosis fungoides stage ii joint injury arthritis infective malaise substance abuse expired drug administered suicidal ideation constipation depressed mood drug withdrawal syndrome intentional drug misuse wrong technique drug usage process cry malaise somnolence dizziness confusional state disorientation anxiety pulmonary embolism thrombosis anxiety insomnia nausea vomiting withdrawal syndrome temperature regulation disorder premature baby apgar score low foetal exposure pregnancy transfusion myelodysplastic syndrome duodenal ulcer oesophagitis gastroenteritis aeromonas fatigue cyst ear pain pain extremity blood bilirubin increased schizoaffective disorder drug ineffective superinfection disease progression pneumonitis dyspnoea congenital ureteric anomaly kidney malformation cryptorchism maternal drug affecting foetus renal aplasia urinary retention constipation abdominal pain hypotension vomiting fatigue diarrhoea throat tightness erythema urticaria nausea renal failure acute muscle spasm dyspnoea meningitis white blood cell count increased neutrophil count increased brain abscess pneumonia malnutrition death acute myeloid leukaemia haemoglobin decreased death pain oedema peripheral death febrile neutropenia death death swollen tongue nausea pain death atrial septal defect maternal drug affecting foetus accidental exposure product child acute lymphocytic leukaemia recurrent hypotension feeling abnormal bradycardia abdominal pain upper bladder dysfunction cystitis noninfective nausea weight decreased alopecia pancytopenia major depression rash drug intolerance mycosis fungoides disease alopecia small intestinal resection dialysis nausea haematochezia hepatic enzyme abnormal hepatic enzyme increased insomnia pain extremity constipation anorectal disorder rash vision blurred procedural pain abdominal pain laryngeal pain sinusitis respiratory tract infection bone density decreased back pain dizziness cough headache intestinal resection disease neutropenia arthralgia influenza contusion fatigue abdominal distension skin lesion nausea infusion related reaction vomiting drug specific antibody present diarrhoea myalgia acne dyspepsia pyrexia loss consciousness anxiety diarrhoea dehydration haemorrhage dialysis nephrogenic systemic fibrosis pancytopenia renal vessel disorder enterococcal sepsis arthralgia rash asthma encephalitis viral blood lactate dehydrogenase increased pyrexia pyrexia melaena hepatic function abnormal furuncle with nerve paralysis cardiac disorder chronic obstructive pulmonary disease bronchiectasis thyroid disorder arthritis inflammation skin discolouration circumstance information capable leading medication error overdose drug ineffective retinal vein occlusion pneumonia asthenia dyspnoea dependence insomnia urinary retention anxiety hyperhidrosis vomiting disturbance attention type diabetes mellitus type diabetes mellitus back pain type diabetes mellitus type diabetes mellitus type diabetes mellitus bicuspid aortic valve congenital aortic stenosis dysmorphism exposure pregnancy foetal exposure pregnancy type diabetes mellitus type diabetes mellitus type diabetes mellitus headache type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus stomatitis neovascular macular degeneration rash myalgia muscular weakness eye irritation pruritus meningomyelocoele maternal drug affecting foetus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus epilepsy therapeutic response unexpected drug substitution renal neoplasm type diabetes mellitus type diabetes mellitus dyspnoea rash back pain drug withdrawal syndrome apparent death depression cry nervous system disorder chill insomnia tremor quality life decreased decreased appetite influenza intentional drug misuse anaphylactic shock polydactyly maternal drug affecting foetus hallucination depression anxiety paranoia apathy drug ineffective breast cancer malignant neoplasm progression haemolytic uraemic syndrome breast cancer malignant neoplasm progression syndrome mental status change vomiting nausea overdose cholestasis breast cancer malignant neoplasm progression breast cancer malignant neoplasm progression convulsion feeling hot glassy eye product substitution issue product quality issue drug ineffective breast cancer malignant neoplasm progression drug ineffective systemic lupus erythematosus drug ineffective

tive cystocele febrile neutropenia haemolysis hypersensitivity dyspnoea oral disorder wrong technique drug usage process pharyngeal oedema memory impairment seizure label use road traffic accident cerebrovascular accident sneezing transient ischaemic attack fatigue speech disorder confusional state bacterial infection rhinorrhoea feeling hot alopecia disturbance attention migraine osteoporosis paraesthesia nausea headache acute myeloid leukaemia arthritis refractory anaemia excess blast lower respiratory tract infection pneumonia neutrophil count increased viral infection white blood cell count decreased neutrophil count decreased death musculoskeletal disorder plasma cell myeloma renal failure acute clavicle fracture fall pathological fracture drug intolerance encephalopathy pleural effusion pneumonia lower respiratory tract infection type diabetes mellitus cough dyspnoea atrial flutter hypoxia drug interaction haemorrhage type diabetes mellitus death fall fracture type diabetes mellitus hepatic function abnormal type diabetes mellitus type diabetes mellitus nephrolithiasis type diabetes mellitus myelopathy type diabetes mellitus type diabetes mellitus pancreatic carcinoma type diabetes mellitus accidental exposure product child type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus palpitation heart rate irregular cardiac flutter type diabetes mellitus intentional overdose mental status change unresponsive stimulus agitation electrocardiogram qt prolonged status epilepticus disorientation drug interaction type diabetes mellitus type diabetes mellitus type diabetes mellitus death type diabetes mellitus hepatic steatosis type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus angioedema exposure via ingestion victim chemical submission chest pain type diabetes mellitus neuropathy peripheral label use hypoaesthesia nausea musculoskeletal disorder abdominal pain diarrhoea malaise vomiting muscle spasm dehydration asthenia decreased appetite dehydration weight decreased type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus fatigue thyroid cancer choking neutropenia product use issue disease progression blood pressure increased death diarrhoea type diabetes mellitus ascites muscle spasm headache diarrhoea malaise fatigue mouth ulceration abdominal discomfort viral infection weight decreased type diabetes mellitus yellow skin decreased appetite neutrophil count decreased death type diabetes mellitus gait disturbance knee arthroplasty low turnover osteopathy osteoporotic fracture blister femur fracture anxiety depression osteopenia chronic obstructive pulmonary disease tinea cruris knee arthroplasty anxiety depression body tinea adverse event intramedullary rod insertion renal impairment pruritus type diabetes mellitus intestinal stenosis diarrhoea abdominal pain incorrect dose administered ammonia increased hepatic encephalopathy essential tremor acute respiratory distress syndrome pneumonia interstitial lung disease tuberculin test positive body height abnormal cerebral palsy dysmorphism hypertrichosis dyspraxia developmental delay decreased vibratory sense impulsive behaviour ankyloglossia congenital low set ear intellectual disability learning disorder foetal anticonvulsant syndrome central nervous system lesion lip disorder impaired quality of life tremor cerebrovascular accident mental impairment cardiac murmur speech disorder developmental foetal exposure pregnancy stridor eye disorder autism spectrum disorder myelodysplastic syndrome immune reconstitution inflammatory syndrome molluscum contagiosum local swelling headache swollen tongue tremor palpitation dyspnoea chronic obstructive pulmonary disease label use wrong technique drug usage process dizziness hypotension infection pneumonia dysphagia acute myeloid leukaemia leukaemia uveitis blindness hyponatraemia diarrhoea diarrhoea weight decreased vomiting stress drug intolerance colitis ulcerative movement disorder feeding disorder diarrhoea upper limb fracture fall hypoaesthesia pain drug level increased myocardial infarction angina pectoris respiratory failure cardiac failure congestive bone marrow failure uveitis blindness anuria renal failure acute hyponatraemia hypokalaemia diarrhoea renal failure diarrhoea haemorrhoid prothrombin time prolonged hyperglycaemia hypokalaemia hyperphosphataemia ejection fraction decreased dyspnoea nausea vomiting diarrhoea liver function test abnormal swelling fall foaming mouth eye movement disorder hypersensitivity cerebrovascular accident cardiac failure congestive disability coronary arterial stent insertion treatment noncompliance diabetes mellitus blood cholesterol increased hypertension pneumonia basal cell carcinoma shoulder operation cyst sinus polyp ear infection synovial cyst musculoskeletal pain pain extremity arthralgia expired drug administered pollakiuria trichorrhexis paraesthesia pain multiple sclerosis relapse insomnia pruritus alopecia diarrhoea headache cystitis balance disorder gastrointestinal disorder pyrexia cataract dry skin feeling body temperature change fatigue burning sensation nausea mobility decreased coeliac disease urticaria death epilepsy medication error psychotic disorder affectability anxiety cough cry diarrhoea diplopia dyslexia dyspnoea exertional eye oedema hallucination headache incoherent insomnia irritability mood swing oedema peripheral pain extremity stress suicidal ideation weight decreased lymphoma diabetes mellitus fibromyalgia rash generalised abasia blood glucose fluctuation lymphocyte count abnormal tinnitus diplopia vision blurred incoherent aphasia blindness balance disorder neutrophil count abnormal pneumonia dyspnoea chest pain dehydration nausea vomiting investigation intentional drug misuse drug dependence convulsion feeling abnormal hyperhidrosis vomiting tremor adverse event wrong technique drug usage process ligament sprain ligament rupture road traffic accident tonsillitis upper respiratory tract infection asthenia pain extremity swelling face cerebrovascular accident convulsion fall tremor mental status change muscle tightness respiratory depression pain incorrect dose administered loss consciousness overdose hypersensitivity lethargy muscle spasm therapeutic response decreased muscle spasticity stress disorder depression panic attack road traffic accident impaired work ability rehabilitation therapy exposure pregnancy disease progression post procedural haemorrhage dialysis blood pressure inadequately controlled blood glucose increased chronic obstructive pulmonary disease superior vena cava syndrome treatment noncompliance premature delivery live birth exposure pregnancy diabetes mellitus inadequate control acute hepatic failure renal failure acute respiratory arrest premature baby foetal exposure pregnancy medical device complication joint arthroplasty rash generalised presyncope skin ulcer psoriasis alopecia malaise platelet aggregation increased convulsion sepsis pneumonia respiratory failure diabetes mellitus disability asthma fibromyalgia malaise death renal surgery therapy cessation haemorrhage neuropathy peripheral hypertension drug ineffective gastrointestinal haemorrhage zygomycosis abdominal pain lower pulmonary toxicity dyspnoea cough respiratory distress lung infiltration pleural effusion atelectasis interstitial lung disease diarrhoea haemorrhagic gastrointestinal ulcer gastric cancer stage iv abdominal pain upper chest pain back pain lymphadenopathy lymphoma hepatic cancer stage iv weight decreased hypophagia increased tendency bruise hearing impaired visual impairment fatigue knee arthroplasty failure diabetes mellitus acne cystic acne inflammation product substitution issue product quality issue cardiotoxicity monoparesis cerebrovascular accident lactic acidosis blood triglyceride increased nausea hypoaesthesia oral gastric ph decreased malaise vomiting paraesthesia oral abdominal pain upper pleural effusion gastric cancer pulmonary embolism pneumonitis renal failure acute psychiatric symptom epilepsy convulsion loss consciousness fall abnormal behaviour cerebellar haemorrhage hypertension urinary retention anuria haematuria pneumonitis dyspnoea cough pulmonary embolism rectal obstruction colitis constipation abdominal pain febrile neutropenia white blood cell count decreased neutrophil count decreased dystonia suicide attempt device malfunction peripheral sensorimotor neuropathy rectal adenocarcinoma drug interaction arthralgia haematoma erythema feeling abnormal visual impairment genital haemorrhage influenza like illness abdominal distension vitamin deficiency weight increased dry mouth eye irritation dyspnoea thermal burn odynophagia dry mouth local swelling swelling thrombosis oropharyngeal pain dermatitis bullous endometrial cancer blood glucose increased incorrect dose administered drug dose omission blood glucose increased unintended pregnancy drug interaction exposure pregnancy fracture chronic myeloid leukaemia drug dependence drug abuse pigmentation disorder drug interaction drug dependence drug abuse ejection fraction decreased gastrointestinal disorder iron deficiency anaemia

occult blood positive erythema intestinal ulcer retroperitoneal fibrosis abdominal pain vision blurred eyelid margin crusting dry mouth dry throat choking constipation photophobia haemorrhage sudden cardiac death aspergillus test positive staphylococcus test positive mycobacterium avium complex infection acute respiratory distress syndrome hyperthyroidism pulmonary toxicity organising pneumonia pyrexia cough dyspnoea weight decreased haemoptysis asthenia paralysis malaise paralysis premature baby acute hepatic failure renal failure acute respiratory arrest cardiomegaly foetal growth restriction abdominal distension pseudocyst gastrointestinal disorder congenital neural tube defect foetal exposure pregnancy tooth loss gingival pain rash erythematous cutaneous lupus erythematosus musculoskeletal pain neck pain arthralgia syncope fall acute myocardial infarction cerebral ischaemia label use decreased appetite abdominal pain pain drug ineffective intestinal resection uveitis aphthous stomatitis label use drug ineffective unapproved indication aphthous stomatitis infarction cerebrovascular accident pulmonary embolism intestinal obstruction haematuria urinary tract infection disease lethargy condition aggravated drug ineffective neuralgia contusion pain back pain pain extremity haematemesis neutrophil count decreased vertigo infection nausea vomiting diarrhoea malaise neutropenia pancytopenia febrile neutropenia thrombocytopenia lower respiratory tract infection dyspnoea asthenia sinusitis pulmonary embolism nasal septum deviation haemostasis thrombocytopenia cognitive disorder disturbance attention learning disorder convulsion swelling face rash rash generalised local swelling vomiting capillary leak syndrome haematotoxicity musculoskeletal disorder mouth ulceration procedural pain oral discomfort dyspepsia ovarian cancer metastasis peritoneum metastasis liver abdominal pain neuroleptic malignant syndrome hypokalaemia hypochloraemia blood urea decreased blood urea ratio decreased anticonvulsant drug level decreased hyponatraemia disease progression breast cancer label use pneumonitis chest pain pyrexia atrial fibrillation sinus tachycardia abdominal pain cellulitis pyrexia suicidal ideation feeling abnormal plasma blastic lymphoma mouth ulceration lymphadenopathy faecal incontinence diarrhoea gastric perforation pseudomembranous colitis clostridium difficile infection hypomagnesaemia drug interaction intestinal obstruction aneurysm blindness visual impairment lung infection laryngitis pneumonia haemolytic anaemia sarcoma skin haematotoxicity sepsis pneumonia dyspnoea chest pain productive cough body temperature increased dehydration nausea vomiting diarrhoea abdominal pain hypoglycaemia dizziness type diabetes mellitus myocardial infarction arthritis type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus cough vomiting quality life decreased urinary incontinence convulsion type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus facial pain speech disorder type diabetes mellitus type diabetes mellitus type diabetes mellitus cataract gout type diabetes mellitus type diabetes mellitus syndrome dermatitis exfoliative stomatitis eosinophilia blood creatinine increased pyrexia transaminase increased systemic lupus erythematosus toxicity various agent virologic failure dehydration nausea vomiting faeces soft blood glucose abnormal lipid abnormal chronic obstructive pulmonary disease abdominal pain upper nausea feeling body temperature change type diabetes mellitus nephrotic syndrome renal failure acute dyspnoea wheezing hypokalaemia type diabetes mellitus type diabetes mellitus type diabetes mellitus forced vital capacity decreased carbon monoxide diffusing capacity decreased drug intolerance weight increased fatigue pulmonary hypertension oxygen saturation decreased sinusitis feeling abnormal asthenia dyspnoea gastroesophageal reflux disease incorrect dose administered type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus gastric ulcer photosensitivity reaction haemoglobinuria fatigue type diabetes mellitus type diabetes mellitus hernia fall foot fracture clavicle fracture orthostatic hypotension angioedema diarrhoea haemorrhagic type diabetes mellitus overdose urinary retention small intestinal obstruction enteritis drug dependence depression type diabetes mellitus leukaemia recurrent chronic graft versus host disease chronic myeloid leukaemia drug ineffective spinal disorder hypotension renal failure arthritis salmonella type diabetes mellitus type diabetes mellitus incisional drainage drug effect incomplete posterior reversible encephalopathy syndrome myasthenia gravis antiacetylcholine receptor antibody positive label use thrombotic microangiopathy product use issue toxicity various agent ventricular tachycardia bundle branch block left electrocardiogram qrs complex prolonged cardiac failure congestive renal failure metabolic acidosis type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus altered consciousness drug ineffective type diabetes mellitus type diabetes mellitus syncope ventricular fibrillation cardiac failure type diabetes mellitus pericardial effusion metastasis skin aphagia lymphadenopathy neuropathy peripheral liver disorder anaemia decreased appetite back pain synovial cyst nodule diarrhoea fatigue malaise influenza like illness alopecia headache pruritus arthralgia weight decreased oral pain mouth ulceration nail bed infection nail disorder nausea epistaxis insomnia photosensitivity reaction chill dyspnoea fungal infection onychoclasia skin disorder dysgeusia glossodynia tooth discolouration abdominal discomfort vomiting wheezing disease progression breast cancer metastatic ileus multiple sclerosis relapse type diabetes mellitus leukaemia recurrent acute graft versus host disease chronic graft versus host disease chronic myeloid leukaemia drug ineffective hypersensitivity dyspnoea pharyngeal oedema dysphagia insomnia label use type diabetes mellitus liver injury aspartate amino transferase increased alanine aminotransferase increased gastric haemorrhage muscle spasm fall gait disturbance retinopathy photosensitivity reaction eczema diabetes mellitus liver injury type diabetes mellitus type diabetes mellitus cholelithiasis dementia delirium incoherent type diabetes mellitus dehydration asthenia scratch death haematochezia organ failure death type diabetes mellitus type diabetes mellitus leg amputation pain gastric disorder hypersensitivity urticaria vomiting migraine pharyngeal oedema haemoglobin decreased fatigue pneumonia myocardial infarction general physical health deterioration peripheral vascular disorder condition aggravated embolism arterial haemorrhage subcutaneous heart rate irregular influenza bone marrow disorder cardiac failure congestive bone marrow transplant subdural haematoma gastric ulcer seizure dyspnoea transfusion haemorrhage anaemia death acute myocardial infarction coronary artery occlusion clostridium difficile infection grand mal convulsion transplant transient ischaemic attack hypoglycaemia hypertension multiple sclerosis anaemia hyperlipidaemia gout drug ineffective mobility decreased gait disturbance abasia abasia multiple sclerosis weight decreased wheelchair user stress therapy cessation electrocardiogram abnormal bradycardia dizziness presyncope death melaena malignant neoplasm progression loss consciousness back pain hyperhidrosis nasopharyngitis insomnia dizziness feeling abnormal local swelling neuropathy peripheral swelling face drug interaction neuropathy peripheral neck pain flushing sepsis catheter site pain catheter site infection pain jaw catheter site pruritus dyspnoea heart rate increased product physical issue catheter site rash diarrhoea dermatitis contact catheter site haemorrhage erythema catheter site swelling catheter site urticaria headache gastroenteritis viral diarrhoea breast cancer hepatic neoplasm metastasis liver hypertensive crisis anxiety abdominal distension abdominal pain pruritus hypertension atrial flutter pulmonary hypertension type diabetes mellitus renal failure chronic concomitant disease aggravated haemodialysis fluid overload rash pain skin vaginal disorder dependence enabling machine device pneumonia urinary tract infection depressed level consciousness haematoma subdural haemorrhage craniotomy left ventricular failure speech disorder electrocardiogram qt prolonged paraesthesia breast cancer malignant neoplasm progression gastrointestinal haemorrhage dementia agitation confusional state breast cancer malignant neoplasm progression loss proprioception fall gait disturbance asthenia breast cancer malignant neoplasm progression neuropathy peripheral femur fracture type diabetes mellitus breast cancer malignant neoplasm progression gingival swelling gingival pain tooth disorder breast cancer drug intolerance malignant neoplasm progression pulmonary haemorrhage haemoptysis infection herpes zoster death cerebral haemorrhage cerebrovascular accident white blood cell count increased breath

st cancer malignant neoplasm progression type diabetes mellitus diabetic nephropathy death vomiting oligohydramnios foetal exposure pregnancy gestational diabetes premature rupture membrane breast cancer drug intolerance malignant neoplasm progression breast cancer malignant neoplasm progression femur fracture incorrect drug administration duration breast cancer malignant neoplasm progression breast cancer malignant neoplasm progression breast cancer malignant neoplasm progression breast cancer malignant neoplasm progression breast cancer malignant neoplasm progression death asthenia malignant neoplasm progression drug ineffective malaise melaena dizziness oedema peripheral cough clostridium difficile colitis diarrhoea pyrexia malaise drug ineffective inappropriate schedule drug administration psychotic disorder suicidal ideation nervousness nausea drug ineffective asthmatic crisis asthma insulin resistance hyperhidrosis dry skin vision blurred hypoaesthesia fatigue pruritus breast cancer malignant neoplasm progression cerebral haemorrhage neck pain seizure back pain contusion intervertebral disc protrusion skin lesion tenderness vomiting fall breast mass hyperlipidaemia neoplasm skin joint dislocation arthralgia hypothyroidism dizziness arteriovenous malformation carpal tunnel syndrome pain iron deficiency anaemia headache fatigue vitamin deficiency drug intolerance diplopia aphasia arthritis vision blurred rash amnesia lymphadenopathy depression diarrhoea sepsis diabetes mellitus hypertension pancreatic carcinoma death breast cancer drug intolerance influenza like illness malignant neoplasm progression myalgia urinary tract infection arteriosclerosis type diabetes mellitus pneumonia blood pressure increased loss consciousness pneumonia transfusion pancytopenia type diabetes mellitus pulmonary oedema haemodynamic instability bacterial toxemia accident inflammation excoriation injury infection white blood cell count increased large intestinal obstruction foreign body medication residue present abortion uterine leiomyoma endometriosis multiple sclerosis diverticulitis pneumonia abortion spontaneous exposure pregnancy abortion induced maternal exposure pregnancy pneumonia haemoglobin decreased malaise hypothyroidism herpes zoster gastroenteritis clostridium difficile infection drug interaction pancytopenia label use cerebral haemorrhage hypertension hypertrophic cardiomyopathy foetal exposure pregnancy renal artery stenosis pulmonary arterial hypertension infective pulmonary exacerbation cystic fibrosis muscular weakness vertigo failure sepsis acute generalised exanthematous pustulosis rash syncope vomiting nausea orthostatic hypotension transplant failure pyrexia anaemia label use fatigue liver iron concentration increased platelet count decreased bone marrow transplant dyspnoea swelling face local swelling oedema mouth blood pressure systolic increased heart rate increased tremor type diabetes mellitus blindness unilateral vision blurred dizziness hypotension hyperhidrosis vomiting device dislocation type diabetes mellitus nerve injury asthenia fatigue weight decreased therapeutic response decreased tuberculin test positive squamous cell carcinoma lung interstitial lung disease abortion drug interaction muscular weakness hypoaesthesia pain extremity hypertension pancreatitis pruritus chill night sweat psoriasis injection site plaque foot fracture myalgia drug ineffective back pain injection site pain fatigue pancreatitis lipase increased confusional state renal failure dyspnoea pneumonia sepsis bronchopneumonia immunodeficiency drug ineffective coronary artery disease ventricular fibrillation cardiac arrest wheezing rash hepatic lesion hepatotoxicity generalised erythema dermatitis exfoliative drug ineffective cerebrovascular accident neoplasm malignant self injurious behaviour latent tuberculosis type diabetes mellitus adverse event adverse event drug interaction apathy suicidal ideation white blood cell count decreased neutrophil count decreased hepatitis c type diabetes mellitus overdose toxicity various agent lactic acidosis hypotension lethargy vomiting hypoglycaemia pyelonephritis type diabetes mellitus type diabetes mellitus coronary artery disease type diabetes mellitus barium impaction appendicitis type diabetes mellitus bladder prolapse intestinal prolapse nightmare disturbance attention nausea parosmia disturbance attention dysgeusia megacolon mydriasis visual impairment type diabetes mellitus bronchiectasis emphysema unevaluable event dyspnoea deep vein thrombosis heart rate increased chest pain feeling abnormal type diabetes mellitus retroperitoneal haemorrhage fall transfusion haemorrhage stent placement interstitial lung disease type diabetes mellitus type diabetes mellitus neuropathy peripheral pregnancy contraceptive device drug ineffective type diabetes mellitus type diabetes mellitus anxiety panic disorder drug ineffective pyrexia bacteraemia staphylococcal infection toxicity various agent drug abuse pulmonary congestion pulmonary oedema hepatomegaly hepatic steatosis arteriosclerosis coronary artery cardiomegaly type diabetes mellitus blood pressure systolic increased heart rate increased tremor tremor sinus tachycardia restlessness disturbance attention vision blurred dyskinesia blood pressure systolic increased heart rate increased tremor chest discomfort blood pressure systolic increased heart rate increased tremor headache dyskinesia gastrointestinal mucosal necrosis constipation anaemia stomatitis pleural effusion gastroenteritis staphylococcal pancytopenia renal injury oesophageal stenosis large intestinal stenosis death stillbirth systemic mastocytosis blood pressure systolic increased heart rate increased tremor osteoarthritis arthralgia rheumatoid arthritis lipase increased pancreatic disorder pancreatitis therapy cessation type diabetes mellitus type diabetes mellitus pregnancy contraceptive device drug ineffective ectopic pregnancy contraceptive device abortion spontaneous hormone level abnormal thrombosis pulmonary embolism pneumonia white blood cell count decreased red blood cell count decreased platelet count decreased tooth disorder blood pressure abnormal urinary tract infection malaise diarrhoea spinal pain dizziness tremor cold sweat presyncope feeling abnormal hypoaesthesia dyspnoea pollakiuria urinary incontinence insomnia abdominal pain upper asthenia back pain pain extremity abdominal pain intestinal fistula abdominal pain wrong technique drug usage process blood potassium decreased anaemia cholelithiasis device issue injection site rash vomiting wrong technique drug usage process wound infection vomiting headache incorrect dose administered incorrect dose administered localised intraabdominal fluid collection large intestinal stenosis wound dehiscence drug ineffective dental caries weight decreased injection site erythema device issue suppressed lactation label use haematotoxicity platelet count decreased ascites anaemia infarction venous occlusion cataract visual impairment cardiac disorder glucose tolerance impaired blood pressure fluctuation blood glucose increased cardiac operation symptom limb discomfort optic neuritis hypertonia fatigue multiple sclerosis relapse memory impairment drug ineffective hypoaesthesia paraesthesia diplopia muscular weakness balance disorder aphasia somnolence concomitant disease aggravated restlessness fall temperature intolerance gait disturbance bowel movement irregularity blood creatinine increased seizure csf protein abnormal aphasia hemianopia homonymous speech disorder pleocytosis central nervous system lesion cerebellar syndrome stupor altered state consciousness diarrhoea acute disseminated encephalomyelitis encephalopathy bladder dysfunction pyrexia paresis hip fracture white blood cell disorder lymphadenopathy leukocytosis death anal stenosis hypoaesthesia oral paraesthesia oral lip swelling corneal erosion intraocular pressure increased pulmonary haemorrhage haemorrhagic erosive gastritis gastric ulcer perforation liver abscess drug abuse inflammatory bowel disease breast cancer malignant neoplasm progression breast cancer haemolytic uraemic syndrome breast cancer malignant neoplasm progression breast cancer malignant neoplasm progression sopor drug abuse diabetes mellitus inadequate control drug resistance drug ineffective diabetes mellitus inadequate control drug resistance drug ineffective breast cancer malignant neoplasm progression muscle contraction involuntary blood pressure increased tachycardia heart rate increased nervousness anxiety feeling abnormal malaise norepinephrine increased drug withdrawal syndrome breast cancer malignant neoplasm progression hyperhidrosis pain extremity back pain paraesthesia inappropriate schedule drug administration heart valve incompetence gait disturbance movement disorder cardiac disorder arthritis pain rotator cuff syndrome blood pressure inadequately controlled oedema peripheral intracranial aneurysm multiple sclerosis relapse central nervous system lesion balance disorder muscle spasticity asthenia ataxia hip fracture device dislocation dysmenorrhoea vaginal haemorrhage device expulsion sinus disorder drug interaction ischaemic stroke type diabetes mellitus amnesia paraesthesia dry eye blindness muscle

ular weakness cataract muscle atrophy neuropathy peripheral type diabetes mellitus atrial fibrillation neuropath  
y peripheral type diabetes mellitus foetal death type diabetes mellitus hypertension cardiac murmur mitral valve  
prolapse type diabetes mellitus type diabetes mellitus paranoia delusion suicidal ideation depression anxiety pa  
nic attack confusional state insomnia drug ineffective type diabetes mellitus type diabetes mellitus type diabet  
es mellitus type diabetes mellitus hypertension electrocardiogram qt prolonged cold sweat type diabetes mellitus  
lower extremity mass convulsion syncope refractory cytopenia multilineage dysplasia renal failure acute histiocy  
tosis haematophagic aspartate aminotransferase increased blood alkaline phosphatase increased blood pressure sys  
tolic increased heart rate increased tremor chest pain pyrexia rash varicella blood pressure systolic increased  
heart rate increased tremor blood pressure fluctuation blood pressure increased palpitation chest discomfort hyp  
erhidrosis tremor loss consciousness laceration blood glucose decreased blood glucose increased death suicidal i  
deation ideation hallucination auditory dementia type poor peripheral circulation stress visual acuity reduced i  
ncorrect dose administered blood pressure systolic increased heart rate increased tremor mydriasis type diabetes  
mellitus type diabetes mellitus adverse drug reaction pruritus palpitation blood pressure increased adverse even  
t drug interaction intentional overdose suicide attempt somnolence amylase increased hepatitis c fatigue bradyc  
ardia hyperkalaemia liver injury hepatic necrosis leukopenia international normalised ratio abnormal gastrointest  
inal haemorrhage gastritis large intestine polyp decreased appetite weight decreased nasopharyngitis abdominal d  
istension cough viral infection abdominal pain constipation abdominal discomfort eructation label use drug dose  
omission drug interaction inflammation liver function test abnormal thoracic vertebral fracture back pain muscul  
oskeletal chest pain atrial fibrillation upper limb fracture spinal fracture cellulitis cyst incorrect dose admi  
nistered loss consciousness head injury syncope hypotension blood thyroid stimulating hormone decreased thyroxin  
e free decreased foot fracture constipation renal failure chronic pancreatic carcinoma neoplasm malignant yellow  
skin hallucination hepatitis depression speech disorder muscular weakness red blood cell count decreased white b  
lood cell count decreased platelet count decreased hypersplenism macrocytosis blood test abnormal hepatitis b vi  
rus test positive elliptocytosis hepatitis c neutropenia anisocytosis mean cell haemoglobin increased lymphocyte  
count increased hepatitis virus test positive mean cell volume increased pancytopenia pulmonary embolism mucoepi  
dermoid carcinoma salivary gland bronchitis diarrhoea vomiting cerebrovascular accident muscle spasm pain extrem  
ity accidental exposure product child toxicity various agent restlessness impaired work ability oral discomfort  
dysgeusia nausea myocardial infarction viral infection death fatigue abdominal pain lower endometriosis dermal c  
yst granuloma malaise transient ischaemic attack psoriasis loss consciousness dehydration ear infection psoriasi  
s bradyphrenia back pain subcutaneous abscess abdominal pain pyrexia calculus urinary disease foetal exposure pr  
egnancy drug withdrawal syndrome neonatal respiratory failure disease status epilepticus complex partial seizure  
gene mutation dyskinesia hypotonia hypokinesia drug ineffective cardiac arrest dyspnoea hip arthroplasty treatme  
nt noncompliance arthritis dysuria drug ineffective type diabetes mellitus capillary leak syndrome pleural effus  
ion appendicitis abdominal pain upper body temperature increased constipation nausea decreased appetite dysgeusi  
a pruritus skin discolouration lymphoedema mouth ulceration epistaxis pain acne rash generalised malaise disease  
progression breast cancer diarrhoea fatigue agitation restlessness sinusitis headache rhinorrhoea rhinalgia epis  
taxis pain back pain neck pain bone pain pain extremity pelvic pain gait disturbance musculoskeletal chest pain  
body temperature increased pruritus laceration mouth ulceration nail disorder onychoclasia dysgeusia paraesthesi  
a fatigue disease progression breast cancer back disorder procedural pain agitation delirium fall supraventricul  
ar tachycardia drug hypersensitivity dyspnoea rash subdural haematoma mouth haemorrhage death dystonia drug abus  
e incorrect drug administration duration drug ineffective boniva ibuprofen letairis letairis letairis traclear i  
laris ilaris prednisone relpax ultracet ambien ranolazine benlysta plaquenil prednisone belimumab azathioprine p  
rednisone fluoxetine clonazepam calcium carbonate vitamin omeprazole benlysta plaquenil foltx cymbalta xanax per  
cocet nexium sumatriptan methotrexate ibuprofen acetaminophen', 'ofatumumab baktar zylorel chinese medicine ingr  
edient takepron itrizole prednisolone', 'prednisolone']

İlk 3 stem edilmiş metin:

['drug administr error overdos vomit diarrhoea arthralgia headach dyspepsia renal impair oedema peripher fluid r  
etent pneumonia drug ineffect death angioedema laryng oedema face oedema tuberculosi central nervou system chole  
cystectomi nephrolithiasi biliari tract disord malais adenovir haemorrhag cystiti pyrexia swell meconium stain a  
mniot caviti infect matern exposur pregnanc respiratori failur listeriosi pyrexia headach vomit mental statu cha  
ng mening pneumonia staphylococc type iv hypersensit reaction skin toxic erythrodysaesthesia syndrom nail toxic  
arthralgia myalgia asthenia diarrhoea neuropathi peripher diarrhoea abdomin pain asthenia diarrhoea weight decre  
as abdomin pain blood creatinin increas protein increas dysuria pyrexia blood creatinin increas protein increas  
pleural effus chemic poison neck pain back pain paraesthesia localis oedema oedema peripher fluid retent nasal c  
ongest metastas spine anxieti renal cyst metastas thorax metastas retroperitoneum emot disord pancreat carcinoma  
metastat metastas liver metastas lung emot distress lymphadenopathi prostat cancer peripher venou diseas swollen  
tongu pruritu rash generalis listeriosi pyrexia diarrhoea mening overdos gener physic health deterior malais dru  
g ineffect haematoma thrombocytopenia intern normalis ratio increas devic disloc cerebrovascular accid blood pre  
ssur increas pain aggress symptom anger blepharospasm suicid ideat haemoglobin decreas posterior revers encephal  
opathi syndrom cerebr haemorrhag subarachnoid haemorrhag erect increas hyponatraemia loss conscious listeriosi p  
yrexia headach vomit mening fluid retent haemoglobin decreas subdur haematoma sopor drug abus overdos hallucin v  
isual headach insomni somnol confusion state cognit disord alopecia ileu paralyt abdomin pain nausea foetal dea  
th abort late amniot caviti infect matern exposur pregnanc breast cancer devic misus uterin perfor depress anxie  
ti depress mood devic issu injuri pain emot distress foetal distress syndrom intraventricular haemorrhag neonat  
low birth weight babi listeriosi pyrexia sepsi mening pneumonia aspir oxygen satur decreas foetal exposur pregna  
nc meconium stain amniot caviti infect matern exposur pregnanc oedema peripher fluid retent fatigu oedema periph  
er drug ineffect flush cardiac failur congest fluid retent swell pyelonephr matern exposur pregnanc normal newbo  
rn blood pressur fluctuat dyspepsia allerg cough headach malais fluid retent fluid overload renal failur acut di  
sorient drug prescrib error incorrect dose administ medic error foetal death amniot caviti infect matern exposur  
pregnanc pharyng oedema label use eye haemorrhag blood creatinin increas visual acuiti reduc ophthalmolog examin  
abnorm alanin aminotransferas increas aspart aminotransferas increas feel abnorm somnol drug intoler spinal colu  
mn stenosi diabet mellitu blind acut graft versu host diseas chronic graft versu host diseas lung disord death i  
nfect mucos inflam gastointestin toxic cardiotox neurotox hepatotox nephropathi toxic transplant failur venooc  
clus diseas malign neoplasm progress label use infect central venou catheteris femur fractur fall neutropenia pa  
in extrem hereditari angioedema anxieti panic attack depress cardiac failur congest haemoglobin decreas hepatoc  
ellular injuri adnexa uteri pain drug ineffect pregnanc contracept devic embed devic ovarian cyst injuri dyspareu  
nia pain uterin perfor post procedur discomfort pain devic disloc pregnanc contracept devic drug ineffect devic  
difficult use uterin haemorrhag injuri depress anxieti stress devic issu oedema peripher gait disturb plasma cel  
l myeloma respiratori disord arrhythmia chest pain oedema peripher gastrooesophag reflux diseas pulmonari embol  
anaemia haemoglobin decreas oesophag perfor gastric haemorrhag hepat failur nerv compress mobil decreas abasia d  
eath nasopharyng malais pyrexia nasal congest headach diarrhoea nausea breast cancer erythema monocy count decr  
eas increas count decreas skin lesion mean platelet volum decreas sarcoma white blood cell count decreas lymphoc  
yt count decreas neutrophil count decreas count decreas linear iga diseas rheumatoid arthriti arthralgia rheumat

oid factor increas neck pain back pain musculoskelet pain asthenia palpit thirst gait disturb death influenza we  
ight decreas nasopharyng fall confusion state subcutan haematoma hypotens anaemia renal failur chronic death sep  
si tonsillectomi complet suicid behaviour blood count abnorm haemoglobin decreas surgeri loss conscious f  
all gait disturb convuls influenza speech disord malais atrioventricular block first degre angina pectori muscl  
spasm condit aggrav pain hypoaesthesia abdomin distens insomnia fatigu nausea alopecia transfus convuls death me  
ntal disord panic attack depress anxieti condit aggrav label use acut respiratori distress syndrom failur gener  
physic health deterior death pleural effus blister hypothyroid blood potassium decreas anaemia nausea vomit cons  
tip blood pressur increas fluid retent pollakiuria local swell joint swell grand mal convuls malais abdomi  
n pain upper hyperthyroid diabet mellitu haemoglobin decreas pyrexia headach malnutrit multipl sclerosis loss con  
scious weight decreas fibroadenoma breast label use hyperthermia malign neoplasm malign diabet mellitu endocard  
staphylococc nephrogen system fibrosi type diabet mellitu influenza pneumonia nephrogen system fibrosi neutrophil  
count increas white blood cell count increas abnorm behaviour dehydr hospitalis convuls convuls lower limb fra  
ctur syncop osteomyel death death erysipela sepsi atrial septal defect bundl branch block right tachycardia rect  
al haemorrhag rectal haemorrhag asthenia weight decreas death organis pneumonia fall lung infect urinari tract i  
nfect bacteri lower respiratori tract infect bacteri acut respiratori distress syndrom loss conscious psoriasi b  
lood cholesterol increas amnesia dyspnoea headach exposur contamin water vomit nausea fatigu lethargi abdomin pa  
in upper death depress wheelchair user drug effect decreas death coeliac diseas blind hypertens blood pressur in  
creas hyperhidrosi hyperhidrosi multipl sclerosis malign neoplasm metastasi fall head injuri arthralgia urinari t  
ract infect asthenia ear infect increas viscos bronchial secret sinu disord chronic obstruct pulmonari diseas en  
dotrach intub acut respiratori failur hyperglycaemia bronchiti pneumococc bronchiti nephrogen system fibrosi rhi  
nalgia facial pain mobil decreas seizur blood sodium decreas cholelithiasi hepat mass hyperglycaemia dyspnoea in  
appropri antidiuret hormon secret hyperthermia malign tetralog cleft palat autism foetal exposur pregnanc chroni  
c obstruct pulmonari diseas emphysema bronchiti dyspnoea stress anxieti unevalu event lung infect suicid attempt  
antipsychot drug level therapeut mental disord antipsychot drug level therapeut advers reaction suicid ideat diz  
zi aphasia syncop memori impair bronchiti irrit feel abnorm amnesia convers disord visual impair vision blur hea  
dach pyrexia pain inject site reaction inject site haemorrhag fatigu confusion state hyperammonaemia respiratori  
distress pulmonari oedema dyspnoea pulmonari alveolar haemorrhag pulmonari diseas therapeut respons decreas drug  
ineffect haemoglobin decreas weight increas nephrogen system fibrosi pneumonia pulmonari valv stenosi congenit c  
ongenit anomali foetal exposur pregnanc death dyspnoea fatigu dysphonia diarrhoea convuls dyspnoea skin discolou  
r lip discolour statu epilepticu epilepsi fall tooth loss central nervou system lesion cognit disord drug withdr  
aw syndrom qualiti life decreas gener physic health deterior mental impair disorient affect labil gait disturb s  
peech disord anticonvuls drug level decreas drug effect decreas investig liver disord transaminas increas diseas  
progress abort induc unintend pregnanc medic devic complic product qualiti issu drug dose omiss diseas progress  
renal failur acut type diabet mellitu cholelithiasi bone marrow failur bone marrow failur neutrophil count decre  
as chronic obstruct pulmonari diseas dementia type hip fractur cerebrovascular accid nephrogen system fibrosi pa  
ncreat hypoacusis pneumonia diseas progress pancytopenia low turnover osteopathi femur fractur reflux laryng gingiv  
recess intramedullari rod insert rib fractur bone graft squamou cell carcinoma skin osteoporosi periodont oper v  
isual impair diseas progress loss propriocept fall gait disturb asthenia embed devic hyponatraemia dyspnoea pyre  
xia pancreat influenza pneumonia sepsi diseas progress dizzi diseas progress myocardi infarct diseas progress de  
ath investig diseas progress diseas progress diseas progress arthropathi osteonecrosis gangren gangren grand mal  
convuls vomit amnesia diseas progress diseas progress sepsi tooth infect neurolog decompens diseas progress thro  
mbosi devic issu arterioven fistula site complic convuls pulmonari oedema rib fractur gastroenter viral periton  
bacteri diarrhoea fluid overload infect cyst febril neutropenia febril neutropenia enterobact pneumonia coryneba  
cterium infect pharyng malais hypotens eye movement disord heart rate decreas puls abnorm blood pressur diastol  
increas carnitin defici hyperammonaemia irrit affect disord condit aggrav staphylococc infect cathet site infect  
muscular weak paraesthesia pancreat label use pulmonari haemorrhag swell anaemia hypotens pneumonia urinari trac  
t infect malais cardiac disord cardiovascular disord blood glucos increas anaemia sepsi mix liver injuri headach  
toothach periton periton dialysi complic hypotens pneumonia post procedur haemorrhag acidosi haemorrhag haematoc  
rit decreas rectal haemorrhag haematochezia mouth haemorrhag epistaxi pyrexia syndrom myocardi infarct mycobacte  
rium tuberculosi complex test posit headach chest discomfort respiratori failur chronic obstruct pulmonari disea  
s myocardi infarct cardiac flutter therapeut respons decreas death parot salivari hypersecret ear pain odynophag  
ia parotid gland enlarg oedema inflam leukocytosi anaemia tachycardia schizoaffect disord bipolar type drug ine  
ffect convuls bursiti abscess bacteri staphylococc infect fall rhabdomyolysi somnol diabet mellitu gait disturb  
anaemia blood triglycerid abnorm muscular weak blood cholesterol abnorm cough influenza bone disord incompat pai  
n death localis infect diabet ketoacidosi abscess limb transfus vision blur intraocular pressur increas rectocel  
cardiac arrest arrhythmia acidosi respiratori distress statu epilepticu death gastrointestinal stromal tumour mali  
gn neoplasm progress intestin obstruct pyrexia abdomin pain upper blood count abnorm platelet count decreas inju  
ri gener physic health deterior cerebrovascular arterioven malform gastrooesophag reflux diseas peripher arteri  
thrombosi pain anxieti abdomin pain emot distress platelet count decreas blood count abnorm cerebr venou thrombo  
si jugular vein thrombosi subdur haematoma musculoskelet stiff myalgia platelet count decreas stem cell transpla  
nt splenomegali contus thrombosi injuri emot distress deep vein thrombosi anxieti pain abdomin pain gener physic  
health deterior type diabet mellitu death intern normalis ratio fluctuat fallconcuss clavicl fractur hip fractu  
r parkinson mobil decreas faecal incontin urinari incontin depress memori impair fatigu fall pain fall fall gait  
disturb emot distress type diabet mellitu impair heal calciphylaxi diabet complic wound pancreat acut death gast  
rointestin haemorrhag pneumonia pulmonari oedema failur thrive hypophagia surgeri muscular weak alopecia drug do  
se omiss type diabet mellitu neoplasm malign pain extrem anaemia death histiocytosi haematophag type diabet mell  
itu ventricular tachycardia melaena asthenia vertigo duoden ulcer gastriti eros gastrointestinal haemorrhag type d  
iabet mellitu haemorrhag red blood cell count decreas fatigu advers event type diabet mellitu psychot behaviour  
cognit disord bronchopulmonari aspergillosi myalgia type diabet mellitu vagin haemorrhag smear cervix abnorm feb  
ril convuls helicobact infect death nephrogen system fibrosi circulatori collaps pneumonia aspir white blood cel  
l count increas neutrophil count increas platelet count decreas blood lactat dehydrogenas increas white blood ce  
ll count increas epistaxi headach influenza nausea contus wound haemorrhag blood smear test abnorm fatigu advers  
drug reaction diseas progress type diabet mellitu visual impair neuropathi peripher increas appetit incontin lab  
el use epistaxi blind weight increas skin cancer nasopharyng dizzi dri eye wrong techniqu product usag process p  
ruritu increas tendenc bruis diarrhoea constip type diabet mellitu appar death gener physic health deterior skin  
burn sensat decreas appetit weight decreas headach nausea pyrexia rash myalgia muscular weak gait disturb tremor  
type diabet mellitu peripher swell increas appetit weight increas stress type diabet mellitu hypokinesia dehydr  
drug dose omiss paralysi qualiti life decreas speech disord loss conscious withdraw syndrom dyskinesia dysphagia  
cardiac arrest anaphylact reaction interstiti lung diseas dyspnoea gener physic health deterior pleural effus oe  
dema apthou stomat periton devic malfunct cerebrovascular accid blind unilater mucos inflam convuls gastrointe  
stin stromal tumour malais hepat neoplasm wrong techniqu drug usag process pancreat endometriosis uterin leiomyom  
a type diabet mellitu central nervou system lesion inject site pain inject site bruis wrong techniqu drug usag p  
rocess hepatocellular injuri cholestasi pyrexia myocardi infarct sarcoma gastrointestinal obstruct anaemia gener p

hysic health deterior abnorm behaviour drug level increas lethargi irrit disord dermatillomania activ daili live impair memori impair bradykinesia muscular weak insomnia drug interact death breast cancer second primari malign metastas pleura metastas lymph node blood glucos increas death death hypomagnesaemia drug interact transfus drug dose omiss bodi height normal congenit oral malform congenit cardiovascular anomali congenit nose malform tooth develop disord visual impair foetal exposur pregnanc patern drug affect foetu correct len user dysmorph foetal a nticonvuls syndrom prematur babi toothach growth retard congenit cardiovascular anomali cardiac murmur congenit hand malform multipl injuri low birth weight babi drug ineffect coma malais muscl abscess diarrhoea headach plat elet count decreas gout stent placement obstruct asthenia cold sweat nausea palpit myocardi infarct metastas bon e osteonecrosi jaw convuls tongu injuri hallucin anticonvuls drug level therapeut injuri appendix disord joint d isloc epilepsi mood alter stomat cardiac disord infect investig foot deform dyspnoea tachycardia white blood cel l count increas testicular torsion anaphylact reaction metrorrhagia dizzi multipl sclerosi relaps dysaesthesia n ephrogen system fibrosi death bronchial carcinoma pneumon pleural effus radiat pneumon oesophag pericard death t hrombosi diseases underdos embed devic devic breakag back pain pneumonia cytomegaloviru infect cystiti haemorrhag acut graft versu host diseases death muscl spasm urinari incontinen anxieti hyperventil rash prurit rhinorrhoea tong u disord panic attack diarrhoea dri skin skin exfoli skin exfoli acn alopecia bronchospasm discomfort rash drug hypersensit amnesia aortic dissect rash discomfort constip skin disord skin sensititis blister jaundic death death hypoaesthesia tremor feel hot hyperhidrosi mobil decreas asthenia local swell fat redistribut lipodystrophi acqu ir lymphocyt decreas unevalu event multifoc motor neuropathi muscl atrophu blood count abnorm exposur pregnanc d rug ineffect caesarean section abort spontan blood fibrinogen decreas pulmonari embol gener physic health deteri or pain injuri abdomin pain platelet count decreas anxieti gener physic health deterior injuri thrombosi emot di stress pain abdomin pain ileectomi anxieti gener physic health deterior axillari vein thrombosi pain peripher sw ell deep vein thrombosi abdomin pain emot distress injuri subclavian vein thrombosi foetal heart rate decreas fo etal exposur pregnanc foetal heart rate increas nephrogen system fibrosi vertigo erythema tooth disord coliti ul cer eye pain ocular vascular disord retin vascular disord deaf ear injuri renal impair intestin haemorrhag diarr hoea drug ineffect ocular hyperaemia eye pain dri eye chest discomfort wrist fractur fall hysterectomi muscular weak skin discolour gait disturb hypotens convuls lower gastrointestin haemorrhag renal failur pulmonari alveola r haemorrhag graft versu host diseas cystiti haemorrhag adenoviru infect bk viru infect convuls alcohol detoxif loss conscious alcohol withdraw syndrom renal failur acut dehydr joint injuri tongu injuri swollen tongu electro lyt imbal dysarthria fall lacer gait disturb headach drug ineffect pancreat acut blood glucos increas bone marro w failur pyrexia neutropenia leukopenia thrombocytopenia pancytopenia tonsil cough tonsillar hypertrophi purul d ischarg pharyng erythema odynophagia lymphadenopathi product cough larg intestin polyp diarrhoea blood potassium increas hyperthermia malign abasia death cerebrovascular accid cerebr haemorrhag drool haematochezia diverticulu m paraesthesia asthenia back pain dyspepsia constip renal function test abnorm pruritu throat irrit diarrhoea na sal discomfort malais multipl sclerosi relaps urinari tract infect dizzi headach nausea cerebrovascular accid de ath blood alkaline phosphatas increas transaminas increas increas electrocardiogram abnorm left ventricular dysfu nct sinu tachycardia nephrogen system fibrosi foetal cardiac disord label use exposur pregnanc ocular hyperaemia lacrim increas dri eye skin lesion lymphadenopathi lymph node pain basal cell carcinoma seborrho keratosi fall u terin perfor injuri pain emot distress type diabet mellitu thrombocytopenia petechia suicid ideat depress mood n ightmar haemoglobin decreas acut myocardi infarct malign neoplasm progress gener physic health deterior death al anin aminotransferas increas aspart aminotransferas increas fatigu abdomin pain upper inject site discolour inje ct site pruritu unevalu event blepharospasm aggress anger symptom suicid ideat uterin perfor devic disloc infus site erythema chill emot distress pain embed devic injuri platelet count decreas pyrexia prostat specif antigen increas bone pain respiratori arrest pleural effus uterin perfor injuri pain emot distress oropharyng spasm resp iratori disord dysphagia psychomotor hyperact salivari hypersecret dysarthria sensat foreign bodi melaena type d iabet mellitu hepat lesion malign neoplasm progress gastric cancer product use issu seizur like phenomena myoclo nu type diabet mellitu type diabet mellitu rash prurit generalis erythema type diabet mellitu uterin perfor inju ri pain emot distress urticaria erythema pruritu drug interact hip fractur fall urinari tract infect type diabet mellitu death devic disloc type diabet mellitu type diabet mellitu uterin perfor injuri pain emot distress trans ient ischaem attack traumat haematoma uterin perfor injuri pain emot distress psycholog trauma skin discolour ra sh death neoplasm progress overdos dyspnoea lung infect thrombot microangiopathi renal impair hepat failur menta l statu chang stem cell transplant graft versu host diseases fatigu drug administr error cognit disord anxieti dep ress sexual dysfunct blood testosteron free decreas uptak increas back pain type diabet mellitu hepat c insomnia blood cholesterol increas benign prostat hyperplasia urinari tract obstruct drug depend erectil dysfunct abdomin pain upper diarrhoea vomit infus relat reaction generalis erythema pruritu macroglossia dyspnoea malign neoplasm progress pancytopenia neurogen bladder feel abnorm balanc disord nervous frustrat hypoaesthesia dyspnoea label u se syndrom conscious fluctuat lip swell lip discolour blister pain skin exfoli chap lip eye disord scab scar wei ght decreas skin disord rash generalis dyspnoea hypersensit malais spinal disord dizzi feel abnorm ovarian germ cell cancer stage ii amenorrhoea weight increas tremor galactorrhoea dyspnoea blood prolactin increas palpit dys kinesia dysuria swell muscl spasm breast enlarg fatigu muscular weak agit aggress hyperhidrosi abdomin pain femo r neck fractur osteoarthr drug ineffect chest pain palpit drug ineffect death malign neoplasm progress glaucoma cataract vitamin decreas arthropathi syncop electrocardiogram qt prolong renal failur acut rhabdomyolysi traumat liver injuri pneumonia aspir intent overdos suicid attempt loss conscious diarrhoea vomit nausea restless haemor rhag haemarthrosi embol arteri pulmonari embol phlebiti skin necrosi adhes vascul death pain vomit hallucin audi tori nervous feel abnorm major depress hemiparesi quadriplegia multipl sclerosi malais pulmonari function test d ecreas chest discomfort fear death depress hypertens sinu tachycardia dizzi asthenia limb traumat amput road tra fffic accid pain back pain nerv compress joint swell abasia fall ligament sprain foot fractur breast cancer eryth ema pruritu abdomin pain muscl spasm splenectomi splenomegali pack red blood cell transfus post procedur haemorr hag cold agglutinin pyrexia white blood cell count decreas haematocrit decreas bronchiti diseases progress pseudol ymphoma drug ineffect haemoglobinuria night sweat weight increas fatigu cough myelodysplast syndrom diarrhoea pl atelet count decreas cerebrovascular accid migrain presyncop syncop bronchiol apnoea cyanosi rhinorrhoea umbil h ernia inguin hernia oedema genit headach subarachnoid haemorrhag influenza like ill dysphagia dyspnoea immun thr ombocytopen purpura haemoglobinuria pain nausea chill jaundic hypotens fatigu dyspnoea oedema peripher right ven tricular failur haemoglobin decreas dialysi haemoglobinuria fatigu renal impair hyperkalaemia iron defici anaemi a chronic gastriti central nervou system lesion renal arteri thrombosi syncop tongu injuri tremor cerebrovascula r accid atrial fibril thyroid nodul remov thyroid neoplasm metrorrhagia drug administr error label use pneumonia back pain death lymphopenia blood cholesterol increas hypertens nausea low densiti lipoprotein increas white blo od cell count decreas deaf ear injuri mental statu chang retin detach visual field defect fibromyalgia eye disor d seizur grand mal convuls postict state thrombocytopenia abdomin distens splenomegali arthralgia tender full bl ood count decreas prostat cancer haematuria pyrexia prostat pain urinari tract infect insomnia prostat obstruct urinari tract obstruct hypertens cardiac failur arrhythmia hypertens lung infect dyspnoea blood urin present epi staxi blind asthenia loss conscious type diabet mellitu hypoaesthesia oral hypoaesthesia type diabet mellitu dea th diseases progress type diabet mellitu neuropathi peripher muscl spasm myopathi sleep disord blood glucos increa s palpit decreas appetit atrial fibril insomnia pain erect chest pain tic dyspnoea abdomin pain upper oedema typ



e diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu mania type diabet mellitu type diabet mellitu rheumatoid arthriti facial bone fractur syncop neutropenia pyrexia hepat failur dyspnoea throat tight swell cardiac failur congest death depress condit aggravi panic attack anxiety mental disord suicid ideat homicid ideat skin exfoli cerebrovascular accid weight increas withdraw syndrom type diabet mellitu cerebrovascular accid disord patholog gambl fluid retent electrocardiogram qt prolong aortic dissect myocardi infarct drug interact oedemat pancreat amylas increas lipas increas death fall multipl sclerosi relaps asthenia erythema insomnia muscul spasm flat affect depress diseases progress psychot disord drug interact hypertens drug ineffect middl insomnia tinnitu blood potassium decreas intent drug misus pruritu malais hypocalcaemia blood count abnorm devic disloc pelvic pain diverticul rectal haemorrhag eye disord haemorrhoid death renal failur neoplasm malign haematuria pyrexia myalgia urinari tract infect mania mobil decreas angiopathi hear impair blood pressur increas syndrom chest pain infus relat reaction drug ineffect fatigu hypoaesthesia nausea weight increas alopecia eye disord bodi height decreas decreas appetit arthriti fall dyspnoea oral mucos blister rash generalis mood swing perform statu decreas drug intoler erythema nodosum cushingoid renal impair cardiac arrest osteopenia osteoporosi death surgeri cerebrovascular accid basal ganglia haemorrhag intraventricular haemorrhag brain injuri diplegia dysstasia mania abasia dizzi drug intoler gastrointestin disord therapeut respons aphonia pyrexia dizzi coeliac diseases malais intent product misus rotat cuff syndrom arthriti musculoskelet pain death type diabet mellitu carotid arteri occlus chronic obstruct pulmonari diseases chest pain low densiti lipoprotein increas vertigo dizzi dysgeusia type diabet mellitu suicid ideat death respiratori disord type diabet mellitu spinal disord label use intestin ischaemia enterocol bacteri dyspnoea protein total increas type diabet mellitu cardiac stress test abnorm arteriogram coronari abnorm weight decreas type diabet mellitu haemorrhag renal failur myocardi infarct type diabet mellitu spinal cord disord type diabet mellitu carpal tunnel syndrom arthropathi fatigu myalgia sinus drug ineffect pneumoni klebsiella pseudomona test posit drug administ patient inappropri age staphylococcus test posit condit aggravi depress panic attack anxiety mental disord haemoptysi drug ineffect pain loss conscious ventricular tachycardia heart rate increas electrocardiogram q wave abnorm electrocardiogram wave invers heart rate irregular intent overdosopor type diabet mellitu oedema skin fissur nephrolithiasi drug dose omiss headach sinus condit aggravi cataract stent placement macular fibrosi haemoglobin decreas alopecia palpit chill blood count abnorm electrolyt imbalance neutropenia dermat acneiform decreas appetit bradycardia foetal foetal exposur pregnanc mouth ulcer nail disorder diarrhoea fatigu pleural effus headach decreas appetit nausea facial pain rash malais pain jaw oral pain pain skin abdomen pain upper weight decreas diseases progress breast cancer metastat septic shock drug ineffect dysgeusia skin irrit skin exfoli rash erythemat rash generalis death nephrolithiasi kidney infect heart rate increas dyspnoea fatigu dizzi haematuria haemorrhag contus toxic variou agent drug interact laborator test abnorm drug reaction eosinophilia system symptom rash skin lesion generalis erythema excori face oedema lymphadenopathi skin exfoli pyrexia pregnanc expir drug administ label use lymphocel ovarian failur gastrointestin haemorrhag dementia agit confusion state nephrolithiasi amnesia angioedema flush erythema skin exfoli skin toxic swell pruritu vomit diplopia gait disturb balanc disord dyspnoea gastroenter dizzi coeliac diseases femur fractur incorrect drug administration durat neoplasm malign cough wheez type diabet mellitu type diabet mellitu type diabet mellitu cardiac failur congest fluid retenant glucos toler impair type diabet mellitu hepat e necrosi cholang transplant reject hepat enzym increas gallbladder disord endothelin abnorm cervix oper product colour issu type diabet mellitu coronari arteri occlus transient ischaem attack cardiac failur congest coronari arteri diseases aortic aneurysm transfus liver disord rash contus urticaria cardiac failur congest atrioventricular block second degree pleural effus type diabet mellitu platelet count decreas dyspnoea haemolysi haemoglobin decreas nasopharyng myocardi infarct myocardi infarct coronari arteri diseases myocardi infarct death cerebrovascular accid unrespons stimuli sopor mydriasi drug abus lymphoma myocardi infarct ischaem cardiomyopathi angina pectori cardiac failur congest type diabet mellitu throat tight rash nasal congest fluid retent myocardi infarct coronari arteri diseases cerebrovascular accid arter myocardi infarct cardiac failur congest cardiac disord hypotens cardiac failur congest coronari arteri diseases angina unsubstl amnesia subileu loss conscious psychomotor hyperact cataract type diabet mellitu abdomen pain upper sepsi energi increas tension irrit libido increas abnorm behaviour psychomotor hyperact drug interact type diabet mellitu convuls loss conscious feel abnorm fall head injuri disorient tremor headach somnol fatigu drug administr error cough wheez dyspnoea abdomen pain upper death optic atrophi intraocular pressur increas visual acuiti reduc type diabet mellitu hip fractur visual impair overdos rehabilit therapi gait disturb mobil decreas dizzi fall pneumonia cough dyspnoea dyspnoea investig muscul spasm coronari arteri stent insert atrioventricular block pneumonia cough speech disord label use malais bronchiti chronic dyspnoea type diabet mellitu investig fall upper limb fractur wrist fractur vision blur drug ineffect product qualiti issu bronchiti oxygen satur decreas breast pain asthma cough drug ineffect devic disloc dyspareunia dysuria pain cathet placement bladder pain genit pain nocturia mental status chang dehydr anaemia type diabet mellitu angioedema metabol acidosi dyspnoea drug ineffect pneumonia cough wheez bronchiti nasopharyng asthma investig haematuria epistaxi abdomen pain gastrooesophag reflux diseases concomit diseases aggravi lower gastrointestin haemorrhag pelvic discomfort accident exposur product drug dispens error pneumonia cough drug hypersensit increas upper airway secret rash headach visual impair papilloedema pneumonia viral cough drug hypersensit increas upper airway secret rash diplopia eye pain lacrim increas ocular hyperaemia photophobia scab vision blur dyspnoea ageusia anosmia oxygen supplement bipolar disord myocardi infarct coronari arteri stent insert carotid arteri stent insert implant defibril insert pulmonari thrombosi disabl back disord lung disord panic attack coronari arteri diseases cardiac assist devic user pneumonia breast cancer palpit chest pain pouchiti breast cancer type diabet mellitu brain neoplasm spinal disord disord disabl surgeri drug ineffect convuls investig syndrom heart rate increas abdomen distens sinu oper cardiac disord transient ischaem attack facial pain pain extrem chest discomfort infect apnoea back pain aneurysm vitamin decreas advers event arteriosclerosi disord catheteris cardiac pneumon chemic sluggish pulmonari oedema death finger deform oral surgeri foot deform arthropathi arthropathi prostat disord abnorm loss weight bodi height decreas memori impair pneumonia alopecia coliti small intestine stenosi diarrhoea oedema peripher diseases progress breast cancer rash weight decreas mouth ulcer hypoaesthesia oral acn onychoclasia paraesthesia oral glossodynia ulcer arrhythmia diverticulum death myocardi infarct coronari arteri stent insert drug administr error tumour excis breast cancer interstiti lung diseasesopor drug abus type diabet mellitu haemorrhag normochrom normocyt anaemia haematoma flank pain coma hypotens intent drug abus overdos type diabet mellitu petechia thrombocytopenia haematoma suicid ideat suicid behaviour abnorm behaviour hostil agit depress mood initi insomnia toxic skin erupt rash macular hepatocellular injuri cholestasi confusion state vomit vertigo cerebellar syndrom nausea muscul disord eye disord drug dispens error incorrect dose administ medic error type diabet mellitu delus delusion percept product substitut issu type diabet mellitu sudden onset sleep delirium delus haemorrhag malais decreas appetit cachexia growth retard weight decreas hemiplegia leukoencephalopathi aphasia type diabet mellitu pulmonari embol hepat enzym increas hypertens haemoptysi type diabet mellitu autoimmun haemolyt anaemia dizzi erythema pruritu lip swell eyelid oedema erythema dysphonia pallor dehydr rash lipodystrophi acquir drug ineffect nasopharyng pharyng herp viru infect headach fatigu apathi weight decreas disord aggress type diabet mellitu lip oedema throat tight type diabet mellitu investig diseases progress ascit blood pressur decreas anaemia abdomen pain haemoglobin decreas abdomen wall haematoma shock haemorrhag dyspnoea electrocardiogram qt prolong encephalopathi hyperkalaemia pancreat acut type diabet mellitu intestine oper sopor drug abus type diabet mellitu hepat c hepat pain dysgeusia epilepsi disord bone loss rib fractur os

teoporosi osteopenia azotaemia anxieti periarthr joint rang motion decreas oedema synov type diabet mellitu pharyng oedema feel abnorm dizzy fatigu asthenia asthenia gait disturb chest pain myalgia eye pain gener physic health deterior depress fatigu intraventricular haemorrhag neonat diarrhoea weight decreas death dyspnoea oral herp eyelid oedema rash swell face type diabet mellitu intestin obstruct serum reaction nausea vomit abdomin discomfort pain extrem hypoaesthesia conjunctiv haemorrhag protein increas red blood cell sediment rate increas aspartate aminotransferas increas alanin aminotransferas increas complement factor decreas pyrexia polyneuropathi diarrhoea epigastr discomfort rash papul blister anaphylact reaction condit aggrav urticaria blood pressur decreas heart rate increas dyspnoea respiratori rate increas chest discomfort type diabet mellitu myalgia muscular weak fall blood sodium decreas cardiac disord blood glucos increas type diabet mellitu ileal stenosis diseases abdomin distens discomfort diseases pain type diabet mellitu renal abscess enterocol myocardi infarct type diabet mellitu cardiac disord type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu congest cardiomyopathi dyspnoea exert type diabet mellitu type diabet mellitu type diabet mellitu pneumothorax pneumon pain pleural effus glossodynia fatigu influenza like ill respiratori tract irrit arthralgia bone disord onychoclasia chill rash body temperatur increas chest discomfort wheez neuropathi peripher type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu acut respiratori distress syndrom respiratori distress hypoxia lung infiltr hypoventil bradypnoea respiratori acidosis coma unrespons stimuli miosis hyperhidrosis agit toxic variou agent accident overdos rale cough cyanosis tachycardia swell face dyspnoea type diabet mellitu product qualiti issu aortic aneurysm abnorm loss weight chronic obstruct pulmonari diseases dyspnoea drug effect decreas type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu surgeri type diabet mellitu diabet dermopathi type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu brain neoplasm brain neoplasm benign type diabet mellitu rash morbilliform pruritu oedema peripher lip oedema rash erythemat skin exfoliation cerebr thrombosis loss conscious gait disturb agraphia fear migraine abdomin pain back pain activ daili live impair paralysis seizur frustrat pain speech disord injuri gener physic health deterior amnesia scar stress impair drive abil intracranial venous sinu thrombosis motor dysfunct weight increas malaise nausea hypothyroid type diabet mellitu haematocrit colon adenoma breast cancer recurr metastas bone patholog fractur rib fractur type diabet mellitu cerebrovascular accid embol arteri gallbladd disord pneumonia uterin disord weight decreas subileu sedate somnol constip akathisia abnorm behaviour drug ineffect type diabet mellitu superior sagittal sinu thrombosis cerebrovascular accid movement disord metastasis diseases progress toxic skin erupt motor development delay dermoid cyst exposure pregnanc respiratori failur pneumonia haemoglobin decreas chronic myeloid leukaemia transform platelet count decreas retin tear visual impair apraxia cerebr haemorrhag subarachnoid haemorrhag confusion state type diabet mellitu respiratori failur myocardi infarct cardiac failur memori impair pain extrem diarrhoea cholelithiasis device issu scar uterin perfor abort spontan pain anxieti emot distress device breakage injuri uterin injuri chest pain dysphagia pyrexia type diabet mellitu type diabet mellitu condit aggrav rectal prolaps type diabet mellitu type diabet mellitu type diabet mellitu neutrophil count decreas white blood cell count decreas megakaryocyte decreases aplasia anaemia platelet count decreas blood potassium abnorm aspartate aminotransferas increas alanin aminotransferas abnorm white blood cell count decreas blood creatinin increas immunosuppress drug level decreases fall rib fractur pain liver injuri hallucin nightmar type diabet mellitu oral discomfort muscle spasm abdomin pain upper fatigu dyspnoea exert nausea decreas appetit death type diabet mellitu pulmonari embol type diabet mellitu type diabet mellitu type diabet mellitu hernia cerebrovascular accid type diabet mellitu blood urea increas blood potassium increas blood creatinin increas fluid retent plasma cell myeloma respiratori failur constip anaemia fatigu neurolog decompens diseases progress heart rate irregular atrioventricular block second degree dyspnoea seizur drug level decreas weight increas abort spontan unintend pregnanc device disloc implant site erythema implant site swell implant site haematoma implant site reaction device breakage device difficult use small date baby micropenis hypospadias cryptorchid exposure pregnanc infect nausea headach fatigu chill contus pyrexia vomit white blood cell count increas matern exposure pregnanc label use abort label use abort matern exposure pregnanc matern exposure pregnanc label use abort diabet foot infect oedema matern exposure pregnanc label use abort ectop pregnanc matern exposure pregnanc label use wound urinari tract infect coronari arteri occlus blood glucos decreas escherichia bacteriaemia a hypokalaemia hyponatraemia vomit abdomin pain upper nausea histoplasmosis cytomegalovirus infect gastrointestin haemorrhag oesophag ulcer strongyloidiasis pregnanc post coital contraceptive matern exposure pregnanc haemoptysis pulmonari haemorrhag pulseless electric activ cardiac arrest septic shock penile torsion platelet count decreas lung transplant genit haemorrhag device expuls pulmonari valv stenosis congenit atrial septal defect feed disord neonat exposure pregnanc device disloc injuri emot distress pain disabl multipl sclerosis relaps sudden death renal disord electrolyt imbal osteonecrosis bronchopulmonari aspergillosis intern normalis ratio increas atrial fibril myelodysplasia syndrom abasia chronic obstruct pulmonari diseases diabet mellitu pancytopenia asthenia haematocrit urinar retention death respiratori disord pneumonia hypokinesia diet refus cardiovers atrial fibril atrial flutter cardiac ablat incontin neck pain abasia hypokinesia coronari arteri stent insert renal failur aneurysm death atrial fibril vomit dehydr nausea pyrexia mycosis fungoid hypotens syncop anaemia hypomagnesaemia lymphoma type diabet mellitu type diabet mellitu death schizoaffect disord suicid ideate drug dose omiss label use death pulmonari embol gastroenter dehydr dysuria rash dyspnoea haematuria dysuria blood urin present polyuria hyperglycaemia urinari tract infect intestin mucos hypertrophie gastrointestin inflamm adenocarcinoma colon intestin obstruct abdomin pain type diabet mellitu fall inject site haemorrhag abdomin pain fluid retent gait disturb chest pain paraesthesia neuropathi peripher movement disord muscular weak hyperhidrosis lung disord dizzy inject site pain psoriasis arthropathi hepat tuberculosis dyspnoea epididym dysuria bladder discomfort suicid ideate gait disturb feel hot dizzy tinnitu aphasia nerv injuri dysphemia abdomin discomfort emot disord disturb attent arthralgia dysarthria testicular pain abdomin pain gonorrhoea oedema peripher nausea orchitis feel abnorm nervous system disord balance disord disorient incorrect drug administrate rate pollakiuria fatigu inject site pain peripher swell cerebrovascular accid unequal event inject site pain psoriasis type diabet mellitu death type diabet mellitu genit haemorrhag pain device disloc type diabet mellitu renal failur parathyroid tumour brain neoplasm headach type diabet mellitu alcohol abuse herp simplex hyperlipidaemia pancreat disord stress disord anxieti diabet mellitu inadequate control tachycardia erectil dysfunct back injuri romberg test positive substance abuse drug ineffect joint injuri hepat sensori loss panic reaction hypertens osteoarthritis hepat loss libido back pain treatment noncompliance diabet mellitu sinus depress asthenia sexual dysfunct headach hepat function abnorm intent product misuse type diabet mellitu phlebitis pyrexia type diabet mellitu diabet neuropathi type diabet mellitu respiratori depress thrombocytopenia platelet count decreases hypercoagul thrombosis umbil hernia keloid scar type diabet mellitu death lung disord splenomegaly confusion state hepatomegaly right ventricular failur nasopharynx type diabet mellitu death arthropathi type diabet mellitu hyperkalaemia neutropenia type diabet mellitu malaise device issu cholecystectomy abdomin infect psoriasis pruritus dry skin drug dose omiss inject site reaction inject site reaction disord patholog gamble death gener physic health deterior hypotens syncop type diabet mellitu pneumonia spinal disord pain type diabet mellitu intestin stenosis fall spinal compress fractur spinal fractur ventricular extrasystol heart rate decreas weight increas restless leg syndrom blood potassium decreas muscle spasm blind kidney infect cystitis type diabet mellitu micturitis disord neuropathi peripher convuls drug abuse joint swell bedridden pyrexia type diabet mellitu skin lesion pyrexia melana pancytopenia type diabet mellitu meningioma posterior revers encephalopathi syndrom grand mal convuls brain oedema blood pressur increas type diabet mellitu pelvic inflammatori diseases abdomin pain lower pyrexia abdom

in pain back pain vagin haemorrhag vagin discharg abdomin pain lower embed devic type diabet mellitu epiglott oe  
dema tongu oedema swell face rash anaemia uterin perfor type diabet mellitu type diabet mellitu weight increas t  
ype diabet mellitu schizophrenia undifferenti type irrit aggress insomnia suspici abnorm behaviour akathisia sal  
ivari hypersecret drug ineffect type diabet mellitu type diabet mellitu dyskinesia parkinson speech disord tardi  
v dyskinesia dyskinesia breast cancer type diabet mellitu impair gastric empti death cataract skin exfoli dermat  
erythema eczema pruritu type diabet mellitu faecal incontineck surgeri drug effect decreas abdomin pain diarrh  
oea cellul chronic obstruct pulmonari diseases dyspnoea type diabet mellitu syringomyelia abasia concomit diseases p  
rogress cyanosi dyspnoea fatigu death joint swell pain extrem anxieti disturb attent fatigu insomnia multipl scl  
erosi relaps central nervou system lesion restless ataxia iiird nerv disord paresi hypoaesthesia speech disord n  
ystagmu pulmonari oedema haematoma lower gastrointestin haemorrhag escherichia infect febril neutropenia abdomin  
pain haematoma anaemia pancreat carcinoma osteonecrosi chest pain pyrexia uterin cyst menorrhagia depress dyssta  
sia uterin leiomyoma fallopian tube cyst confusion state irrit sensori loss musculoskelet stiff weight decreas h  
ypersensit acut phase reaction angioedema transaminas increas hypocalcaemia cardiac arrest loss conscious plasma  
cell myeloma musculoskelet disord respiratori disord dysphagia asthenia acut generalis exanthemat pustulosi pyre  
xia tremor osteonecrosi infect pulmonari exacerb cystic fibrosi lung neoplasm malign pneumothorax coronari arter  
i occlus splenic haemorrhag splenic ruptur hyperthermia malign death neoplasm malign hospic care circulatori col  
laps drug ineffect breast cancer metastat white blood cell count increas bromhidrosi convuls feel abnorm arrest  
death septic shock respiratori failur psychiatr symptom vomit choke condit aggrav asphyxia fall thirst salivari  
hypersecret lymphocyt percentag decreas blood pressur diastol increas aspir arrest malais blood prolactin increa  
s constip neutrophil percentag increas loss conscious eosinophil percentag decreas heart rate increas red blood  
cell count decreas death acut myocardi infarct death pain upper respiratori tract infect unevalu event dyspnoea  
diabet mellitu interstiti lung diseases gallbladd disord oropharyng pain sinus anaemia supraventricular tachycardi  
a radiat skin injuri upper gastrointestin haemorrhag haemorrhag anaemia blind glaucoma cataract chronic obstruct  
pulmonari diseases diarrhoea diseases progress hypokalaemia lower gastrointestin haemorrhag ankl fractur fall contus  
arrest cyanosi drug erupt death death drug withdraw syndrom neonat renal cyst foetal exposur pregnanc lung disor  
d cholelithiasi cholecyst hypertens bronchiti asthenia pterygium gastroenter diarrhoea abdomin pain nephrogen sy  
stem fibrosi pneumonia malais weight decreas headach tongu blister lymphoma fall wrist fractur infect osteonecro  
si jaw asthma claustrophobia mood swing nail discolour oedema septic shock upper gastrointestin haemorrhag haemo  
rrhag anaemia generalis seizur glaucoma salivari hypersecret osteonecrosi jaw death death abdomin wound dehisc g  
astrointestin perfor gastrointestin disord dyspepsia anaemia myoclonu somnol liver injuri dyspnoea pain vomit na  
usea anaemia diseases progress varicos vein rheumatoid arthriti cardiac disord angina pectori depress suicid ideat  
death tremor hypersensit investig investig colon cancer peron nerv palsi heart rate increas palpit chest pain pr  
oteinuria abort spontan hypertens matern exposur pregnanc cardiac murmur mitral valv incompet bronchiectasi atri  
al septal defect joint swell inflamm inflamm cough upper respiratori tract infect product cough rheumatoid lung  
dizzi blood pressur increas fatigu dri mouth decreas appetit cognit disord investig breast cancer drug interact  
matern exposur pregnanc foetal growth restrict prematur deliveri depress mood heart rate increas convuls nausea  
vomit lethargi intent underdos wrong techniqu drug usag process drug withdraw syndrom depress concuss post concu  
ss syndrom depress neurosi death termin state investig multipl sclerosi relaps death drug interact hepatotox car  
diac arrest lower respiratori tract infect pneumonia death cardiogen shock intent overdos failur metabol acidosi  
sinu bradycardia hypotens renal failur acut electrocardiogram qt prolong respiratori failur acut kidney injuri c  
ardiac tamponad acut coronari syndrom gallbladd disord hand fractur pain prescrib overdos oral discomfort leukop  
lakia oral investig dialysi intent underdos wrong techniqu drug usag process drug withdraw syndrom insomnia decr  
eas appetit loss conscious dehydr blood glucos abnorm vomit breast cancer gastrointestin toxic endometriosis myxo  
edema gastroenter pneumonia bacteri cough diarrhoea abdomin pain chronic obstruct pulmonari diseases hypercholeste  
rolaemia hypertens acut sinus rhiniti allerg hypersensit anxieti asthma bronchiti cough syndrom ligament sprain  
umbil hernia influenza congest cardiomyopathi insomnia abnorm dream muscl twitch headach nausea back pain dyspno  
ea pneumonia bacteri pleural infect bacteri sepsi pulmonari mass pneumothorax hyperhidrosi agit investig malign  
neoplasm progress drug ineffect convuls oral candidiasi thermal burn lacer influenza abdomin pain diarrhoea dysg  
eusia headach lacer stress nasopharyng fatigu constip incontineck death cardiac arrest ventricular fibril loss cons  
cious sepsi herp zoster death investig cyst thrombosi urethr obstruct leukaemia respiratori disord panic attack  
aphasia aphagia influenza basal cell carcinoma knee arthroplasti drug effect decreas influenza investig bone mar  
row failur ischaem stroke thrombocytopenia death localis infect foetal exposur pregnanc foetal death death inves  
tig share psychot disord apraxia psychomotor retard petit mal epilepsi abnorm behaviour hallucin visual mania mu  
scl spasm dyskinesia tachyphrenia suicid ideat suicid behaviour dysarthria dysphemia pain thirst hypoaesthesia o  
ral salivari hypersecret logorrhoea speech disord activ daili live impair ideat irrit mood swing aggress suicid  
attempt think abnorm pruritu headach myalgia miliaria peripher cold hypoaesthesia feel hot chill vision blur sen  
sori disturb hallucin disorient feel abnorm fear frustrat withdraw syndrom pain feel abnorm muscl spasm haemorrh  
ag wound infect cardiac disord investig visual acuiti reduc tempor arter papilloedema eat disord diarrhoea vomit  
aphthou stomat aphthou stomat death hepat c death pregnanc arrest labour epilepsi myocardi infarct low densiti l  
ipoprotein increas weight decreas mobil decreas dysstasia tremor restless paraesthesia malais influenza like ill  
dizzi feel abnorm chest pain muscular weak appar death multipl sclerosi relaps gait disturb heart valv oper drug  
dose omiss musculoskelet disord multipl sclerosi memori impair fear fatigu pneumonia erysipela psoriasis knee art  
throplasti pneumonia acut myeloid leukaemia hypothyroid inflamm bronchiti hepat enzym increas intervertebr disc d  
egener gait disturb investig liver injuri larynx irrit chest pain urticaria transfus haemoglobin decreas astheni  
a jaundic cholestas liver function test abnorm cholang renal disord oedema death weight decreas glycosyl haemogl  
obin decreas blood glucos increas malais nasal congest pain incorrect dose administ increas viscos upper respira  
tori secret weight decreas blood immunoglobulin e increas hypersensit drug ineffect drug interact pancytopenia i  
nvestig dysgeusia dyspnoea abdomin distens joint swell nausea diarrhoea erythrodysaesthesia syndrom pyrexia skin  
exfoli drug ineffect arthralgia pain extrem gait disturb mobil decreas fatigu asthenia depress mood vision blur  
dri mouth cough sputum abnorm ageusia neuropathi peripher atroph glossiti alopecia muscl spasm drug interact pan  
cytopenia hip arthroplasti nephrogen system fibrosi arthropathi sinus myocardi infarct febril neutropenia asthma  
sinus thrombosi bone densiti decreas death lower limb fractur abdomen discomfort back pain pain extrem pain head  
ach investig lung neoplasm malign pneumonia oligodendroglioma quadriparesi syndrom myeliti transvers multipl scl  
erosi relaps aduers drug reaction urinari tract infect multipl sclerosi relaps bone disord paranoia hallucin dru  
g deliveri devic implant arthropathi hypertens fatigu muscl spastic bipolar disord gait disturb deep vein thromb  
osi back pain weight increas pyrexia rash macular arthralgia pain wrong techniqu product usag process inject sit  
e pain pruritu osteoarthr headach feel hot dengu fever cytoplasm antibodi posit vascul tubulointerstiti nephriti  
ankyloglossia congenit foetal exposur pregnanc haemorrhag oesophag ruptur syncop haematemesi spinal cord compres  
s back pain conjunct colon adenoma death upper gastrointestin haemorrhag investig lip infect impair heal angioed  
ema share psychot disord dyspraxia psychomotor retard petit mal epilepsi abnorm behaviour hallucin visual mania  
muscl spasm dyskinesia tachyphrenia suicid ideat suicid behaviour dysarthria dysphemia pain thirst hypoaesthesia  
oral salivari hypersecret logorrhoea speech disord activ daili live impair ideat irrit mood swing aggress suicid  
attempt think abnorm pruritu headach myalgia miliaria peripher cold hypoaesthesia feel hot chill vision blur sen

sori disturb hallucin disorient feel abnorm fear frustrat apraxia headach withdraw syndrom aggress anger abnorm behaviour dizzi paraesthesia muscular weak asthenia local swell paraesthesia hypoaesthesia jaw disord vascul pan cytopenia thrombocytopenia hospitalis subcutan abscess headach angioedema flush rash lip swell enlarg uvula pharyng oedema pruritu generalis dyspnoea small intestin haemorrhag flush hot flush pain extrem nephrolithiasi hepat lesion hip fractur fall fractur coccyx fatigu lethargi muscular weak paraesthesia central nervou system lesion neck pain pain extrem emot distress platelet count decreas death overdos myoclonu nodal arrhythmia shock paraspin abscess osteomyel femor neck fractur localis infect bronchopneumonia pharyng erysipela cardiac failur fall respiratori distress gallbladd disord umbil hernia inflamm burn sensat inject site pain bradykinesia intent sopor dyspnoea asthma chest pain chest discomfort wheez cough sinus blood potassium decreas pneumonia pain extrem oedema peripher arthralgia oedema peripher skin warm peptic ulcer hiatu hernia fatigu skin discolour pain inject site bruise inject site erythema inject site reaction inject site urticaria inject site pruritu inject site swell inject site warmth blood potassium decreas gastrointestinal haemorrhag diverticul haemorrhoid investig knee arthroplastidysphagia muscl contract involuntari dysarthria hospitalis pneumothorax pulmonari oedema death investig investig diarrhoea cellul metastas lymph node urinari retent acquir phimosi deep vein thrombosi central nervou system lesion hospitalis bronchopneumonia death hemiplegia breast mass dyspnoea fatigu white blood cell count decreas platelet count decreas endometriosis hepatosplenomegali alopecia multipl sclerosis relaps depress cerebr haemorrhag intracranial pressur increas atrial fibril febril neutropenia toxic epiderm necrolysi therapeut respons decreas lithium planu investig full blood count increas full blood count decreas fall decreas immun respons tuberculosi investig diabet mellitu agit investig asthma investig yellow skin ocular icteru fall periorbit contus mass head injury csf test abnorm nausea fatigu bone pain urinari incontinen feel hot dizzi hyperhidrosis death investig diseases progress investig cough sleep disord muscular weak hypoaesthesia paraesthesia fatigu myalgia investig iritis death vomit nausea hypertens diseases progress diseases progress haemoglobin decreas lung neoplasm malign metastas heart metastasi death chromaturia sputum discolour fractur investig groin abscess fall bedridden limb injury drug administration error pruritu incorrect dose administration ear infect applic site vesicil applic site erythema applic site pruritu investig abdomen pain drug abuse transaminas increas urticaria drug interact sepsis body temperature increas hypotens tachycardia neutropenia thrombocytopenia loss consciousness iron deficiency anaemia syncop cough muscl spasm muscl twitch diarrhoea dizzi feel abnorm arthralgia myalgia asthenia nausea fatigu depress drug prescrib error diseases progress pain vomit nausea anaemia diarrhoea hypertens coronari arteri thrombosis myocardi infarct drug ineffect unapproved indication angioedema intestin oper pneumocystis jirovecii pneumonia chest abnorm gastrointestinal motil disordvolvulu abdomen discomfort constip death pleurisi investig leukoencephalopathy peroneal palsy mobil decreas sensory loss grand mal convuls muscular weak interstiti lung diseases death myelodysplastic syndrom cardiac failur pneumonia respiratori failur headach neuralgia device deploy issue complic device removal fear incorrect drug administration retinal vein occlus visual impair macular oedema infus relat reaction respiratori distress acute coronari syndrom lipid increas investig pseudocroup hyperventil flush nasal congest flush fatigu inject site erythema inject site indur accident exposure product child somnol heart rate decreas unrespons stimuli product package issue chest pain nausea cough vomit pyrexia diarrhoea renal failur headach dizzi optic neuritis death alter state consciousness convuls lung neoplasm malign cardiac arrest paraesthesia oral muscl spasm depress mood anxiety rheumatoid arthritis liver injury diabet mellitu diabet foot abnorm dream overdos vomit drug ineffect liver injury infarct finger amput drug ineffect unapproved indication presyncop muscl spasm nausea fatigu breast pain investig liver injury death in vestig cough pain vomit back pain abdomen pain nausea fall muscl injury nerve injury intervertebral disc disord product quality issue deep vein thrombosis diseases progress metastas bone metastas liver nervous system disord pleural effus lung infiltr dyspnoea toxic variou agent pulmonari embol local swell hypoaesthesia pain extrem urinari incontinen decreas immun respons paraesthesia herp virus infect peripher cold blister ascites coronari arteri diseases chest pain headach migraine sunburn fatigu paraesthesia oral dysgeusia intent overdos failur suicide attempt liver injury intent overdos suicide attempt breast cancer arthralgia balance disord gait disturb intervertebral disc degeneration glare arthralgia back pain procedure pain intervertebral disc protrus pain extrem venous occlus pain insomnia gait disturbance spinal disord cardiac arrest acute myocardi infarct left atrial dilat hyponatraemia hypertens coronari arteri diseases ischaemia cardiomyopathy fatigu ventricular tachycardia ventricular fibril heart rate increas cardiac failure acute atrial fibril hypogonad respiratori failur ejection fraction decreas cardiac failur congest sinus bradycardia coronari arteri occlus sleep apnoea syndrom compress fractur decreas appetit vomit nausea pneumonia fall face injury loss consciousness asthenia contus fall head injury asthenia pancreat carcinoma nephrolithiasi visual acuity reduc intervertebral disc protrus fall diarrhoea gastroesophag reflux diseases hypertens local swell hypoglycaemia drug hypersensit drug ineffect hyperglycaemia nail injury nail growth abnorm aphonia dysphonia blood glucose increas therapeut respons delay abdomen pain pain extrem angiopathy back pain burn sensat dengue fever hyperkeratosis indur gait disturb loss consciousness respiratori arrest hyperglycaemia blood glucose abnorm depress meryc major depression attend disord somnol sedate agit bipolar disord angina pectori fatigu death aggress low birth weight baby intestin perfor foetal exposure pregnanc dyspepsia intraventricular haemorrhag neonat respiratori distress syndrom muscl tight foetal growth restrict premature baby necrotis coliti hydrocephalu foetal growth restrict exposure breast feed premature labour genital haemorrhag pustular psoriasis drug ineffect abdomen pain lower abort exposure pregnanc investig inappropriate schedule drug administration oesophag carcinoma mental status change dehydration anaemia platelet count decreas anxiety deep vein thrombosis thrombosis pain abdomen pain emot distress general physic health deterior injury investig drug interact headach anaphylact reaction investig blood glucose decreas hypoglycaemia pain hepat enzym increas termin state diarrhoea blood pressure systol increas depress disorient fear death asthenia drug ineffect mood swing anger atrial flutter investig breast cancer female death small intestin obstruct blood pressure diastol decreas heart valv incompet dyspnoea mesenter neoplasm weight decreas abdomen discomfort fall eye swell intestine ischaemia abdomen pain lower blood pressure increas blood pressure systol increas body temperature decreas oedema malign neoplasm progress eye disord thermal burn erythema dizzi posture gravit oedema pleural effus dehydration asthenia lacrimal increas pain peripher swell anaphylact reaction neurologic decompens encephalopathy drug ineffect unapproved indication atypical pneumonia hypoacusis urinari tract infect cholecyst gallbladd cancer vulvovaginit mycotic infect herp zoster anaphylact shock coronari arteri restenosis append rectal abscess dermat bullous type iv hypersensit reaction abort induce metrorrhagia unintended pregnanc nausea product quality issue haemoglobin decreas melaena arthritis bacteri hepatoren syndrom febril neutropenia neutropenia lung adenocarcinoma toxic variou agent plasma cell myeloma pneumonia sepsis gastrointestinal disord hepatotoxic deep vein thrombosis diarrhoea death amaurosis fugax atrial fibril syncop constip infect interstiti lung diseases nasopharynx liver injury respiratori failur convuls cerebr ovascular accid aphasia epilepsi angina pectori coronari arteri stenosis intermitt claudic hyperglycaemia liver function test abnorm surgery diabet ketoacidosis influenza treatment noncompliance cerebrovascular accid sensori disturbance dyspepsia iridocycl myalgia pyrexia dysuria agranulocytosis leukopenia neutropenia white blood cell count increas neutrophil count increas bacteri infect schizoaffect disord granuloma dyspnoea haematocrit decreas obstruct airway disord neutrophil toxic granul present shift left poor venous access vitamin abnorm blood folate abnorm red blood cell count decreas metamyelocyte count increas myelocyte count increas promyelocyte count increas blast cell count increas blood creatinin abnorm blood pressure increas platelet count abnorm basophil count increas liver function test abnorm eosinophil count increas monocyte count increas blood creatin phosphokinase decreas lymphocyte count decreas haemoglobin decreas heart rate increas pyrexia lymphocyte count increas cholecystectomy vomit abdomi

[illegible]

pulmonari embol musculi spasm musculi spasm adenocarcinoma pancreas trisomy pancreas carcinoma chest pain drug dose omission dyspnoea hospitalis pancreas carcinoma road traffic accident vertigo tinnitus pancreas carcinoma cerebrovascular accident pulmonari embol ataxia gait disturbance balance disorder status epilepticus lymphoma myocardial infarction oesophagus pain hepatitis pain oesophagus abdominal pain upper vertigo label use incorrect dose administration intent drug misuse diarrhoea retinal oedema pulmonari embol diverticulum cellular infection cholecystectomy pancreas gastrointestinal haemorrhage drug interaction influenza diet refusal blood glucose fluctuates product solubility abnormal product colour issue weight decrease transaminases increased malaise transversus sinu thrombosis pulmonari embol thyroid cancer haemorrhage drug interaction pain extremities peripheral swelling deep vein thrombosis thrombosis abdominal pain injury general physical health deterioration deep vein thrombosis pain extremities headache deep vein thrombosis product use issue pain general physical health deterioration injury muscular weakness dizziness swelling prostate cancer prostate operation urinary retention dysuria drug administration error pneumonia vomit projectile pallor cyanosis oxygen saturation decreases heart rate decreases body temperature decreases increased bronchial secretions oxygen saturation abnormal pyrexia increased bronchial secretions wheezing cough dyspnoea pulmonari embol deep vein thrombosis iridodiolysis pain general physical health deterioration emotion distress anxiety injury pulmonari embol depression drug abuse bradyphrenia legal problem heart rate irregular dyspnoea nausea vomit dizziness headache liver disorder decreases appetite insomnia drug effect incomplete neoplasm malignant cataract malaise hiatus hernia abdominal discomfort hypertensive food intolerance lactose intolerance gastric ulcer gastritis abdominal distension drug ineffectiveness sepsis pilonidal cyst enterovesicular fistula pneumaturia urinary tract infection dysuria micturition urgency chest pain emotion distress pulmonari embol abdominal pain general physical health deterioration injury fall head injury vertigo orthostatic hypotension execution dysfunction disturbance attention memory impairment post procedure sepsis post procedure complication intestinal obstruction antibiotic test positive haemolytic anaemia renal failure neoplasm malignant agitation intent drug misuse fluid overload dyspnoea suffocation feel oedema hypotension fatigue musculi spasm musculi injury nightmare pain blind unilateral eye haemorrhage nightmare visual acuity reduced diseases progress drug ineffectiveness splenomegaly haemorrhage drug interaction gastrointestinal haemorrhage drug interaction oral surgery hospitalis diarrhoea haemorrhage drug interaction melaena haematochezia rectal haemorrhage anxiety emotion distress drool general physical health deterioration cerebrovascular accident pain abdominal pain injury memory impairment eating disorder dysgeusia weight decreases parenteral nutrition migraine abdominal pain deform cerebra haemorrhage vomit headache injury general physical health deterioration investigation pulmonari embol abdominal pain pain injury general physical health deterioration anxiety emotion distress deform pain anxiety mobility decreases pulmonari embol chest pain injury pain emotion distress dyspnoea general physical health deterioration pain respiratory abdominal pain pain musculoskeletal pain cerebrovascular accident abdominal pain gait disturbance visual field defect pain general physical health deterioration myalgia emotion distress depression brain injury injury anhedonia dysstasia hospitalis thrombosis gait disturbance deep vein thrombosis injury pain abdominal pain general physical health deterioration pulmonari embol thrombophlebitis superficial deep vein thrombosis investigation deep vein thrombosis general physical health deterioration anxiety pain pulmonari embol dyspnoea injury abdominal pain emotion distress drug administration patient inappropriate age body height normal failure thrive bronchial obstruct rhonchi wheezing somnolence confusion state deep vein thrombosis coma suicidal attempt suicidal attempt tachycardia oxygen saturation decreases electrocardiogram QT prolong hypotension endotracheal intubation poisoning overdoses neutropenia hypertransaminasaemia anaemia internormalis ratio decreases rectal haemorrhage cardiac failure congestive heart failure simplex retinal vein thrombosis macular oedema retinal artery thrombosis incorrect drug administration duration rectal haemorrhage drug interaction post procedure haemorrhage urogenital haemorrhage death fracture blood glucose increased fall surgery blood pressure increased blood creatinine decreases mouth haemorrhage investigation hospitalis hospitalis unresponsive stimulus circulatory collapse liver function test abnormal hyponatraemia cerebrovascular accident type diabetes mellitus arthritis type diabetes mellitus type diabetes mellitus death type diabetes mellitus neuropathy peripheral pain pruritus coeliac diseases hospitalis type diabetes mellitus type diabetes mellitus death internormalis ratio increased epistaxis asthenia dyspnoea filariasis pneumococcal infection pleural effusion purulent discharge benign oesophagus neoplasm cholestasis hepatocellular injury hypoalbuminaemia neuropathy peripheral type diabetes mellitus type diabetes mellitus diseases progress anal cancer interstitial lung diseases type diabetes mellitus type diabetes mellitus type diabetes mellitus glucose tolerance impairment chronic obstructive pulmonary diseases type diabetes mellitus necrotic fasciitis diarrhoea type diabetes mellitus infection dyspnoea exertion cough pneumothorax dyspnoea fatigue migraine decreases appetite dysgeusia type diabetes mellitus weight increased cardiac disorder visual acuity reduced eye swelling label use limb injury pneumonia chest pain cough dyspnoea type diabetes mellitus type diabetes mellitus type diabetes mellitus neuropathy peripheral type diabetes mellitus label use pneumonia abdominal pain second primary malignant acute myeloid leukaemia type diabetes mellitus acute myeloid leukaemia second primary malignant type diabetes mellitus metabolic syndrome blood triglyceride increased death cardiac arrest gastrointestinal haemorrhage drug interaction spinal fracture hypertensive hypoaesthesia gait disturbance general physical health deterioration erythema burn sensation spinal disorder road traffic accident chillblain pain extremities oedema peripheral urinary tract infection blind unilateral immunodeficiency convulsions vision blur pharyngeal muscle twitch drug ineffectiveness hepatitis acute renal failure septic shock blood creatinine phosphokinase increased epistaxis drug interaction abdominal hernia repair blood glucose abnormal incorrect dose administration hyponatraemia blood cortisol decreases hypotension renal failure acute urinary output decreases oedema peripheral dehydration platelet count decreases febrile neutropenia anaemia stomatitis cytomegalovirus test positive mobility decreases local swelling burn sensation conjunctivitis rash swelling face loss consciousness head injury fall asthenia gastrointestinal haemorrhage drug interaction diverticulum intestinal haemorrhage rectal haemorrhage melaena intestinal obstruction acute myocardial infarction eye haemorrhage drug interaction fluid retention headache chest pain gastrointestinal haemorrhage drug interaction leukaemia condition aggravated pneumonectomy drug effect decreases overdoses inappropriate schedule drug administration cardiac arrest hospitalis respiratory disorder oxygen saturation decreases hospitalis rectal haemorrhage drug interaction drug reaction eosinophilia system symptom haemolytic anaemia myocardial infarction drug abuse toxic various agents pulmonary congestion pulmonari oedema cardiomegaly arteriosclerosis coronary artery hepatomegaly hepatitis steatosis forced expiration volume decreases death hypertensive asthenia type diabetes mellitus breast cancer femoral dizziness upper limb fracture diarrhoea neuropathy gastrointestinal haemorrhage arrest dehydration cardiac failure cystitis haemorrhage gastrointestinal haemorrhage upper gastrointestinal haemorrhage syndrome tremor neuropathy peripheral angioedema lip dry drug hypersensitivity product formula issue myelodysplastic syndrome second primary malignant acute myeloid leukaemia headache nervous restless insomnia abnormal dream pseudoendophthalmos uveitis blind transient rectal haemorrhage drug interaction dyspnoea chest pain erythema rectal tenesmus pyelonephritis renal colic cystitis autism development delay encopresis myelopathy label use hypoaesthesia balance disorder loss proprioception decreases vibratory sense muscular weakness sensory loss swollen tongue rash generalised syndrome dyspnoea eye swelling dizziness palpitations flush skin warm discomfort paralysis skin reaction hyperhidrosis myalgia upper limb fracture anaphylactoid reaction cataract subcapsular throat tight hypersensitivity diabetes coma atrial fibrillation chromaturia liver disorder cold sweat laceration mucous membrane disorder stomatitis hyperhidrosis haemorrhoid haemorrhage drug interaction haematochezia haemorrhage pregnancy nausea pregnancy pneumonia ectopic pregnancy pregnancy contraceptive device exposure pregnancy gastrointestinal haemorrhage drug interaction gastrointestinal haemorrhage iron deficiency anaemia upper gastrointestinal haemorrhage cerebrovascular accident cerebral ischaemia anaemia dizziness blood pressure decreases asthenia pollakiuria chill tremor hypoaesthesia pneumonia chemical transit cell carcinoma umbilical hernia tooth fracture gastroesophageal reflux diseases sleep apnoea syndrome oesophagus spasm follicular synovitis weight fluctuates regurgitation diarrhoea gastrointestinal haemorrhage drug interaction nausea vomit purgation diarrhoea hepatitis cancer leukaemia local swelling heart rate decreases disorder diarrhoea drug ineffectiveness sexual dysfunction congenital fistula haemangioma foetal exposure pregnancy subdural haemorrhage drug interaction malignant neoplasm progress breast cancer breast cancer malignant neoplasm progress cystoid macular oedema type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus cataract shock hypoglycaemia abdominal pain upper type diabetes mellitus type diabetes mellitus type diabetes mellitus type diabetes mellitus

u small fibr neuropathi deaf motor dysfunct hypoaesthesia mental impair muscl spasm headach subdur haemorrhag dr  
ug interact cerebr haemorrhag haemorrhag fistula polyp rash generalis capillari leak syndrom swell face vomit ra  
sh peripher swell nausea advers reaction blood calcium decreas asthenia renal failur acut retroperiton haemorrha  
g clostridium difficil infect influenza cardiac failur congest pneumonia cytomegaloviru test posit viru associ l  
ymphoprolif disord hepat b antibodi posit febril neutropenia corynebacterium sepsi haemorrhag drug interact neph  
rolithiasi gout pneumonia joint swell pain extrem syndrom rheumatoid arthriti arthriti oropharyng pain haemorrha  
g drug interact breast cancer dyspnoea drug dose omiss circumst inform capabl lead medic error adren insuffici s  
mall fibr neuropathi conjunct breast cancer ulcer haemorrhag drug interact cerebrovascular accid cerebrovascular  
accid loss conscious arrhythmia diplopia tremor amimia urinari tract infect tremor schizophrenia weight decreas  
advers event respiratori distress depress symptom convuls stress unevalu event death gastrointestin haemorrhag d  
rug interact melaena death uterin perfor uterin disord emot distress devic issu injuri pain conjunctiv haemorrha  
g drug interact coronari arteri occlus malais drug interact drug ineffect death gastrointestin haemorrhag drug i  
nteract neoplasm malign death surgeri abdomin pain upper eczema pruritu coronari arteri occlus eye haemorrhag bl  
ood pressur increas sleep apnoea syndrom dyspnoea dyspnoea rash nervous death oedema peripher chest pain dyspnoe  
a protein increas erythema pleural effus system lupu erythematosu lupu nephriti nephrot syndrom biopsi kidney pn  
eumonia hypoproteinaemia pyrexia infertil femal uterin perfor devic issu emot distress label use menorrhagia pai  
n depress anxieti injuri injuri anxieti uterin perfor depress pain emot distress abort spontan haemorrhag pregna  
nc human chorion gonadotropin decreas pregnanc contracept devic drug ineffect drug ineffect abort spontan anxiet  
i pain depress emot distress pregnanc contracept devic ectop pregnanc contracept devic devic disloc injuri weigh  
t decreas dizzi tachycardia dysmenorrhoea vagin haemorrhag genit haemorrhag drug ineffect pelvic pain menorrhagi  
a immunodefici autoimmun disord abdomin pain fatigu depress devic monitor procedur perform ectop pregnanc contra  
cept devic arrest haemorrhag pregnanc nausea incompat migrain devic disloc medic devic monitor error weight incr  
eas palpit foreign bodi reproduct tract ruptur ectop pregnanc subcutan abscess abdomin pain lower type diabet me  
llitu type diabet mellitu neuralgia type diabet mellitu neuropathi peripher type diabet mellitu lower gastrointe  
stin haemorrhag drug interact melaena haematochezia type diabet mellitu type diabet mellitu type diabet mellitu  
type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu blind renal osteodystrophi catar  
act neuropathi peripher renal disord hyperkalaemia cardiac disord type diabet mellitu type diabet mellitu diabet  
coma arrhythmia renal failur type diabet mellitu type diabet mellitu type diabet mellitu tooth loss type diabet  
mellitu neuropathi peripher limb injuri type diabet mellitu type diabet mellitu type diabet mellitu type diabet  
mellitu type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu type  
diabet mellitu type diabet mellitu type diabet mellitu blind neuropathi peripher type diabet mellitu type diabet  
mellitu type diabet mellitu fatigu asthenia type diabet mellitu bone marrow transplant lacer dyspnoea product co  
ugh seizur head injuri presyncop fall rib fractur loss conscious syncop balanc disord concomit diseas aggrav ins  
omnia humeru fractur joint injuri haemorrhag drug interact shock haemorrhag sudden hear loss pancytopenia depres  
s nephrogen system fibrosi depress suicid behaviour death parathyroid gland oper death blood calcium increas cou  
gh pulmonari arteri hypertens condit aggrav tongu neoplasm malign stage unspecifi tongu oper biopsi ovari death  
neonat respiratori distress syndrom patent ductu arteriosu atrial septal defect feed disord neonat agit neonat p  
ulmonari arteri hypertens condit aggrav cholelithiasi label use root canal infect cervic cyst urinari tract infe  
ct ovarian cyst product use issu eye swell rash pruritu scleroderma syncop fall joint swell rheumatoid arthriti  
pain respir skelet injuri pain swell excori angioplasti haemorrhag drug interact pulmonari arteri hypertens cond  
it aggrav scar road traffic accid stoma site haemorrhag herp zoster hypersensit inguin hernia diabet mellitu res  
piratori failur syndrom therapeut respons decreas seros arthropathi dermat fatigu pyrexia iri atrophi headach de  
ath death atrial fibril suicid ideat paraesthesia hypoaesthesia arthralgia myalgia hypergammaglobulinaemia vitam  
in defici nephrolithiasi drug hypersensit dizzi hypoaesthesia weight increas hypoglycaemia impair drive abil adv  
ers reaction swell face local swell eye swell pruritu dyspnoea swollen tongu lip swell amoeb coliti necrotis col  
iti applic site paraesthesia applic site pain applic site erythema applic site exfoli drug administr error inapp  
ropri schedul drug administr swell face eye swell thermal burn urinari tract infect pelvic pain uterin perfor de  
vic disloc devic difficult use abdomin pain pyrexia injuri emot distress devic disloc medic devic complic medic  
devic discomfort genit haemorrhag intern injuri depress anxieti infertil femal depress mood fear acut myocardi i  
nfarct paraesthesia hypoaesthesia headach chest pain dyspnoea intent drug misus erect increas pain erect drug in  
effect uterin perfor procedur pain abdomin pain dysmenorrhoea abdomin pain lower menstruat irregular cardiac fai  
lur congest weight increas sinus headach peripher swell vomit grand mal convuls incorrect dose administ incorrec  
t drug administr durat label use drug hypersensit vitreou disord visual acuiti reduc blind transient vision blur  
blind eye inflamm blind transient incorrect product storag haemoptysi pulmonari haemorrhag hypoaesthesia oral hy  
poaesthesia confusion state muscl twitch blood calcium decreas pyrexia pain benign prostat hyperplasia renal fai  
lur acut nasal discomfort rhinorrhoea lacrim increas anosmia ageusia type diabet mellitu malais asthenia weight  
increas depress self injuri behaviour osteoarthr periarthr generalis oedema abdomin distens blood albumin decrea  
s fluid retent malais product substitut issu applic site dryness applic site pruritu applic site exfoli pustular  
psoriasi onychomadesi alopecia psoriasi applic site dryness applic site exfoli applic site pain applic site eryt  
hema leukaemia fluid retent cardiac failur malais influenza like ill flatul nausea abdomin pain upper gastrointe  
stin disord vision blur eye swell applic site vesicl applic site erythema drug administ inappropri site incorrec  
t drug administr durat incorrect drug administr durat pyrexia unrespons stimuli hypotonia atrial fibril sick sin  
u syndrom ischaem stroke erythema drug administ inappropri site contus vagin haemorrhag dizzi feel abnorm chroma  
turia haematuria drug interact drug reaction eosinophilia system symptom pyrexia rash prurit hepat blood thyroid  
stimul hormon increas anaemia dyspnoea haemoglobin decreas dyspnoea oxygen consumpt increas drug ineffect applic  
site pruritu applic site swell applic site erythema acut generalis exanthemat pustulosi drug intoler fluid reten  
t cardiac failur congest anxieti palpit headach kouni syndrom acut myocardi infarct coeliac diseas abdomin pain  
upper abdomin discomfort gastrointestin sound abnorm drug administr error death applic site erythema applic site  
irrit applic site exfoli drug administ inappropri site dizzi fatigu asthenia product qualiti issu pulmonari oede  
ma dyspnoea oedema drug ineffect burn sensat toe amput wound infect staphylococc osteomyel therapeut respons acu  
t sinus thrombophleb superfici confusion state deep vein thrombosi rectal haemorrhag drug interact glucos toler  
impair product substitut issu glycosyl haemoglobin increas renal failur acut continu haemodiafiltr renal tubular  
necrosi drug interact product substitut issu product qualiti issu feel jitteri convuls sinu bradycardia electroc  
ardiogram chang qr axi abnorm fall head injuri loss conscious myoclonu tardiv dyskinesia complex partial seizur  
rash drug erupt hepat function abnorm alanin aminotransferas increas toxic epiderm necrolysi bone marrow transpl  
ant drug ineffect foetal anticonvuls syndrom matern drug affect foetu serotonin syndrom acidosi drug interact ur  
ethr stenosi procedur complic tachycardia swell face joint swell malais nausea salivari hypersecret headach arth  
ralgia muscl spasm vomit weight decreas anger psychot disord major depress anxieti suicid ideat neck pain vertig  
o fall nuclear magnet reson imag brain abnorm epilepsi feel drunk drug hypersensit depend fluid retent weight in  
creas constip abdomin pain upper impair gastric empti applic site erythema cerebr venou thrombosi venou haemorrh  
ag convuls dizzi vertigo diarrhoea pruritu generalis gastrooesophag reflux diseas condit aggrav applic site eryt  
hema applic site scab applic site pustul applic site vesicl sinus periton claudi effluent wound periton pseudomo  
na test posit sleep terror panic attack unevalu event movement disord dyspnoea hypotens blood creatinin increas

applic site erythema applic site vesicl fungal periton periton anuria bladder catheteris drug administ inappropri  
i site dyspnoea pulmonari thrombosi thrombosi toxic shock syndrom muscul spasm abdomin pain shock hepat fulmin in  
correct dose administ erythrodysaesthesia syndrom wound secret nausea tremor dizzi anxiety headach blood pressur  
systol increas product label wrong product wrong drug administ hallucin insomnia anxieti intent tinnitu blood pr  
essur increas neuropathi peripher feel abnorm muscul spasm tendon pain muscul tight nasopharyng drug ineffect vomit  
t loss conscious dizzi hyperhidrosi asthenia nausea headach fluid retent gastrointestin haemorrhag drug interact  
haematochezia panic attack aggress cerebrovascular accid hypertens crisi headach visual impair cerebr infarct dr  
ug hypersensit cellul bone pain myalgia paraesthesia hypoaesthesia abasia muscular weak fall insomnia trismu adv  
ers drug reaction system lupu erythematosu malais drug ineffect death chronic lymphocyt leukaemia disord hospic  
care hypokalaemia asthenia drug hypersensit haemorrhag paraesthesia oral paraesthesia myalgia arthralgia paraest  
hesia label use thrombophleb superfici thrombosi dyskinesia skin ulcer skin necrosi wound secret hyperaesthesia  
erythema discomfort pain extrem biliari sepsi delirium hypoaesthesia joint rang motion decreas sensori disturb l  
ocal swell skin discolour hospitalis fluid retent nausea vomit haemoglobin decreas leukopenia unevalu event dizz  
i therapeut respons increas viscos upper respiratori secret oedema epistaxi dyspnoea nasal congest presyncop car  
diac failur oedema balanc disord abasia hypoaesthesia muscular weak myelopathi polyneuropathi sensori loss loss  
propriocept hypersensit fluid retent cerebrovascular accid death unrespons stimuli feel abnorm inappropri schedu  
l drug administr transaminas increas blood glucos increas psychot disord renal impair gastric disord disloc vert  
ebra mobil decreas myocardi infarct lower respiratori tract infect headach dizzi lymphoprolif disord uterin perf  
or abdomin pain devic defect dyspareunia medic devic discomfort dyspnoea anxieti insomnia local swell peripher c  
old syncop drug ineffect cough devic disloc pain gener physic health deterior anxieti anhedonia injuri infect pr  
egnanc contracept devic drug ineffect scar night sweat hormon level abnorm menstrual disord uterin perfor injuri  
pain dyspareunia scar emot distress fear depress anxieti intent overdos speech disord incoher hallucin visual me  
tabol acidosi rhabdomyolysi confusion state hyperkalaemia haemodialysi electrolyt imbal asthenia fluid retent de  
ath hypotens tachycardia pregnanc glucos toler impair type diabet mellitu diabet neuropathi glycosyl haemoglobin  
cerebrovascular accid abasia headach dizzi type diabet mellitu cardiovascular disord liver injuri renal disord d  
eath failur overdos escherichia infect lip swell gingiv swell burn sensat paraesthesia oral depress drug hyperse  
nsit suicid ideat weight decreas insomnia pemphigoid pneumon jugular vein thrombosi diseases progress lung neoplas  
m malign chemic injuri pain type diabet mellitu type diabet mellitu irrit bowel syndrom clostridium difficil inf  
ect inflammatori bowel diseases chest discomfort tachycardia dyspnoea hypertens anxieti death chemic injuri chemic  
burn skin uterin perfor devic disloc pelvic pain abdomin pain injuri emot distress medic devic complic intern in  
juri medic devic discomfort depress anxieti depress mood fear genit haemorrhag devic issu inject site nodul inje  
ct site discolour inject site dryness product qualiti issu serotonin syndrom drug level increas drug interact ty  
pe diabet mellitu pain uterin perfor complic devic remov injuri label use devic breakag emot distress depress dy  
spnoea abdomin pain upper flush nausea neutropenia leukopenia mentalstatu chang pain chemic injuri blister neur  
opathi peripher type diabet mellitu type diabet mellitu type diabet mellitu chest pain tinnitu headach vision bl  
ur infus relat reaction hyperhidrosi flush nausea dyspnoea hypoxia product qualiti issu accident exposur product  
eye irrit burn sensat eye pain ocular hyperaemia visual acuiti reduc visual impair optic neuriti eye pain pulmon  
ari embol poor venou access troponin increas cardiac ventricular disord brain natriuret peptid increas ischaemia  
respiratori failur escherichia urinari tract infect epistaxi diseases recurr drug hypersensit enceph asthenia mela  
ena anaemia gastriti eros oesophag gastrointestin haemorrhag cerebrovascular accid type diabet mellitu glucos to  
ler impair cerebrovascular accid coronari arteri thrombosi pulmonari thrombosi type diabet mellitu epistaxi snee  
z atrial fibril nausea dehydr cardiac arrest abdomin pain malign melanoma situ agranulocytosi influenza lymphope  
nia syncop nasopharyng dementia type central nervou system lesion vision blur scratch hypoaesthesia hypoaesthesi  
a alopecia paraesthesia pruritu inappropri schedul drug administr diseases progress myocardi infarct metabol acido  
si renal failur acut rhabdomyolysi encephalopathi propofol infus syndrom muscular weak muscular weak neurolog sy  
mptom nuclear magnet reson imag abnorm mening fungal inject site pain suspect transmiss infecti agent via produc  
t diseases progress fall pain extrem nerv injuri tendon injuri type diabet mellitu diverticular perfor abscess div  
erticul death type diabet mellitu respiratori failur label use devic disloc abdomin pain upper nausea vomit deat  
h diabet ketoacidosi trigemin palsy devic disloc vomit pregnanc contracept devic nausea drug ineffect genit haem  
orrhag abdomin pain lower cyst devic deploy issu asthenia rash prurit hepat c rna increas dysuria influenza like  
ill transfus agranulocytosi pyrexia bone marrow failur pneumonia drug effect decreas product substitut issu meni  
ng fungal transmiss infecti agent via product asthenia vomit coma mening fungal inject site pain inject site oed  
ema transmiss infecti agent via product thrombosi fall haematoma investig advers event pulmonari embol cerebrova  
scular accid condit aggrav product substitut issu ovarian cyst pain loss conscious hospitalis hospitalis gait di  
sturb balanc disord hernia alopecia inject site pain suspect transmiss infecti agent via product hypersensit vas  
cul nephrit syndrom haematuria renal failur acut renal failur chronic nephrot syndrom pneumonia bronchiti rash d  
eath convuls hypokinesia skin necrosi decubitu ulcer multimorbid bronchiti blood potassium decreas hypophagia mi  
croangiopath haemolyt anaemia thrombot microangiopathi renal failur acut substanc abus fluid overload hypersensi  
t inflamm pruritu skin irrit applic site swell applic site erythema product gel format skin exfoli applic site p  
ain pruritu applic site pain disturb attent applic site eros implant site infect devic expuls pleural effus flui  
d overload uterin perfor abdomin pain gener physic health deterior anxieti anhedonia infect emot distress uterin  
fibrosi pregnanc contracept devic malais abort spontan human chorion gonadotropin decreas accid migrain label in  
teract medic error patholog fractur microangiopath haemolyt anaemia thrombot microangiopathi renal failur acut d  
rug abus polysubst depend influenza like ill dehydr fall ankl fractur pyrexia abdomin hernia condit aggrav decre  
as appetit weight decreas periton periton dialysi complic pneumonia pneumothorax anaemia constip gait disturb ab  
norm behaviour muscul spastic drug withdraw syndrom nervou system disord devic disloc muscul tight devic issu mala  
is hypertonia scoliosi rash papulosquam pyrexia face oedema rash pustular blister splenomegali haemoglobin decre  
as blood creatinin increas dehydr herp zoster confusion state blood glucos increas hypertens nausea vomit septic  
shock drug ineffect breast cancer malign neoplasm progress pulmonari oedema viral infect pancreat haematemesi de  
ath label use surgeri stress fractur hernia paraesthesia cystiti kidney infect flush acn contus erythema swollen  
tongu urinari tract infect influenza alopecia cellul cauda equina syndrom diseases progress urinari retent partial  
seizur secundari generalis label use pulmonari arteri hypertens hypertens renal arteri stenosi exposur pregnanc  
pneumonia genit haemorrhag diarrhoea dehydr clostridium difficil infect dehydr cerebrovascular accid aphasia atr  
ial flutter dehydr vomit cerebrovascular accid intestin obstruct hydronephrosi inject site pain inject site reac  
tion inject site nodul incorrect rout drug administr therapeut respons infect pneumonia cognit disord myocardi i  
nfarct cardiac failur congest atrial fibril gastric disord cardiac failur congest mitral valv incompet tricuspid  
valv incompet diabet mellitu inadequ control hyperglycaemia pneumonia pulmonari oedema hypertens crisi anaphylac  
t reaction pyrexia muscul rigid swollen tongu dyspepsia procedur pain periton diseases renal failur adren insuffici  
asthenia fatigu hypotens alopecia cardiac failur congest anaemia gastrointestin haemorrhag gastriti chest pain n  
ephrolithiasi bacteri infect pneumonia hypersensit influenza oral herp steatohepat nephrogen system fibrosi inve  
stig hernia inguin hernia hydrocel cardiac oper gastric haemorrhag breast cancer metastat nasopharyng drug hyper  
sensit hypersensit infect tongu ulcer bodi temperatur increas swell face chill gingiv pain oedema mouth tongu ul  
cer malais lip ulcer lip swell swollen tongu anaphylactoid reaction drug dispens error intern normalis ratio dec



reas drug interact drug interact vitamin k defici pneumonia cardiac disord death disord pneumonia muscul spasm pr  
esyncop blind chronic respiratori failur dyspnoea death pneumonia cardiac failur congest diabet mellitu rheumato  
id arthriti hypertens anaemia osteoarthr coronari arteri diseas fall wrist fractur advers event overdos coma sca  
le abnorm heart rate decreas blood pressur systol decreas metabol acidosi breast cancer cardiac failur coronari  
arteri diseas pneumonia aspir aspir hypoxia respiratori failur failur oxygen supplement pneumonia diarrhoea fati  
gu dehydr asthenia hypokalaemia alopecia fluid replac weight decreas decreas appetit cough nausea vomit pertussi  
cough dyspnoea erythema cyanosi post procedur infect blood pressur increas diabet gangren advers event advers ev  
ent periton dialysi complic drug hypersensit death abnorm behaviour myocardi infarct seroma infect pain eye diso  
rd loss conscious fall headach eye infect unevalu event aplast anaemia myelodysplast syndrom unevalu event myoca  
rdi infarct heart valv incompet peripher swell thrombocytopenia drug hypersensit drug reaction eosinophilia syst  
em symptom death fungal periton periton dialysi complic myocardi infarct sepsi incisi site infect enterococc infe  
ct toxic skin erupt eczema alopecia rash generalis depress pruritu generalis generalis erythema exposur pregnanc  
product qualiti issu blood glucos increas blood creatinin decreas renal pain nausea convers disord protein total  
decreas insomnia exposur pregnanc abasia nervou system disord hypoaesthesia hypoaesthesia muscular weak gait dis  
turb hernia gastrointestin haemorrhag drug interact thrombosi label use thrombocytopenia macroglossia wheez oxyg  
en satur decreas transient ischaem attack interstiti lung diseas asthenia abnorm behaviour disord stereotypi anx  
ieti psychomotor hyperact ageusia hyposmia alter state conscious enceph viral throat tight influenza migrain nau  
sea diarrhoea influenza like ill advers drug reaction chill immunoglobulin decreas malais sinu disord respirator  
i disord syndrom stomat necrotis bronchopneumonia erythema multiform oral mucos blister swell face pyrexia cough  
oropharyng pain vomit erythema lip swell cheiliti lip haemorrhag oral mucosa eros mouth haemorrhag tongu blister  
penil ulcer hypophagia enter nutrit lip eros dermat blister mucou membran disord tongu coat scab skin degen diso  
rd dysgeusia hepatocellular injuri hepat syndrom toxic epiderm necrolysi rash skin exfoli gastrointestin mucos e  
xfoli oral mucos exfoli pyrexia label use failur atrial flutter overdos angl clousur glaucoma angl clousur glaucom  
a loss conscious psychomotor hyperact intent overdos neoplasm malign anaphylact shock flush dizzi pruritu rash b  
lood pressur diastol decreas dyskinesia eye movement disord urinari incontin faecal incontin puls absent infus r  
elat reaction loss conscious febril neutropenia unevalu event blood albumin decreas protein total decreas failur  
thrive decubitu ulcer dyspepsia aphagia dyspnoea stomat hepat c neurotox visual acuiti reduc burn sensat rale dy  
spnoea respiratori disord condit aggrav diseas progress jaundic portal vein occlus oedema peripher rash erysipel  
a varicos vein urticaria neonat respiratori distress syndrom restless foetal exposur pregnanc urinari tract infe  
ct pneumonia sepsi infect skin ulcer cellul subcutan abscess staphylococc infect hypotens gastric infect gastroi  
ntestin haemorrhag gastrointestin infect liver disord feed disord neonat hydrocel cri hypotonia foetal exposur p  
regnanc exposur breast feed cardiac failur congest gastrointestin haemorrhag haemorrhoid haemorrhag gait disturb  
dehydr system inflammatori respons syndrom renal failur acut failur nephrogen system fibrosi periton bacteri ast  
henia mental statu chang cerebrovascular accid cardiac disord arteri disord periton gastroenter viral anaphylact  
shock anaphylact reaction arrest hyperkalaemia dysgeusia haematuria pyrexia myalgia urinari tract infect type di  
abet mellitu aphasia fanconi syndrom renal tubular acidosi electrolyt imbal condit aggrav secundari progress mul  
tipl sclerosi intestin perfor irrit bowel syndrom asthma periton effluent abnorm periton dehydr constip seborrho  
dermat scar gastrointestin motil disord muscular weak acn constip urinari tract infect pollakiuria temperatur in  
toler gait disturb urinari retent vitamin defici furuncul paraesthesia pain hepat enzym increas drug dose omiss a  
bdomin discomfort feel hot dysuria asthenia multipl sclerosi relaps blood alkaline phosphatas increas diabet neur  
opathi type diabet mellitu methaemoglobinaemia pneumonia type diabet mellitu convuls drug abus gastrointestin ha  
emorrhag drug interact pneumocysti jirovecii infect lymphopenia dyspnoea feel abnorm breast disord femal staphyl  
ococc infect cellul type diabet mellitu abdomin wall haemorrhag abdomin pain abort spontan abdomin pain breast d  
isord type diabet mellitu hypothyroid type diabet mellitu drug ineffect torticollis renal disord type diabet mell  
itu nephrolithiasi type diabet mellitu type diabet mellitu pneumonia septic shock acut respiratori distress synd  
rom drug ineffect type diabet mellitu drug dispens error drug prescrib error wrong drug administ dizzi asthenia  
hypoaesthesia heart rate increas mental statu chang blood potassium decreas blood glucos decreas local swell mus  
culoskelet stiff peripher cold type diabet mellitu type diabet mellitu type diabet mellitu respiratori depress o  
xygen satur decreas type diabet mellitu type diabet mellitu epistaxi drug interact gastrointestin haemorrhag deh  
ydr pneumonia failur type diabet mellitu cerebrovascular accid convuls nephropathi toxic haemorrhag drug interac  
t complet suicid intent product misus seizur like phenomena fatigu muscul spasm type diabet mellitu neuropathi pe  
ripher local swell fatigu gait disturb type diabet mellitu type diabet mellitu diabet neuropathi impair drive ab  
il diabet vascular disord type diabet mellitu visual impair type diabet mellitu transfus arrhythmia type diabet  
mellitu central nervou system lesion urinari retent wound dehisc myelodysplast syndrom benign breast neoplasm pr  
escrib underdos periton bacteri lipid metabol disord fluid retent diabet vascular disord diabet complic abdomin  
pain upper neuralgia cardiovascular disord type diabet mellitu asthma haemoptysi pneumonia aspir anaemia type di  
abet mellitu type diabet mellitu rectal haemorrhag drug interact increas aspart aminotransferas increas alanin a  
minotransferas increas blood alkaline phosphatas increas type diabet mellitu arteri disord chest pain type diabet  
mellitu glucos toler impair diarrhoea nausea abdomin pain vomit type diabet mellitu blind neuropathi peripher gl  
ucos toler impair type diabet mellitu type diabet mellitu neuropathi peripher type diabet mellitu hypersensit at  
rial fibril type diabet mellitu death type diabet mellitu gastrointestin haemorrhag drug interact type diabet me  
llitu cerebrovascular accid pulmonari thrombosi type diabet mellitu type diabet mellitu aphagia haematochezia er  
uct appetit disord nausea food avers abdomin pain upper type diabet mellitu oedema type diabet mellitu haemateme  
si hyperpyrexia melaena sepsi type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu ty  
pe diabet mellitu type diabet mellitu type diabet mellitu death cholecyst type diabet mellitu type diabet mellit  
u abdomin pain upper sneez rhinorrhoea nausea dyspepsia diarrhoea pain product packag quantiti issu drug adminis  
t inappropri site weight increas type diabet mellitu bone infarct dysgeusia accident exposur product analges ast  
hma syndrom wheez cough rhinorrhoea chest discomfort nasal congest angioedema erythema nasal congest diseas prog  
ress label use diseas drug ineffect incorrect dose administ product qualiti issu applic site vesicl applic site  
scar skin cancer weight decreas diarrhoea convuls drug hypersensit headach type diabet mellitu peripher swell in  
correct drug administr durat product packag quantiti issu respiratori distress drug hypersensit death applic sit  
e dryness applic site vesicl applic site erythema drug ineffect inappropri schedul drug administr drug ineffect  
peripher swell fluid retent applic site dryness applic site reaction applic site pain applic site erythema appli  
c site pain drug administr error fall rib fractur facial bone fractur throat tight hypersensit swollen tongu dru  
g ineffect applic site erythema applic site vesicl headach incorrect product storag cardiac ablat medic devic im  
plant dermat contact unevalu event applic site pain applic site dryness cardiac failur congest peripher swell de  
ath nausea blood count abnorm cardiac disord myocardi infarct atrial fibril chest discomfort dyspnoea asthenia m  
alais urinari incontin abdomin pain upper swell drug interact blood potassium decreas palpit feel cold hypoaesth  
esia think abnorm headach swell pathogen resist infect malais lower respiratori tract infect diabet mellitu over  
weight differenti white blood cell count abnorm eosinophil count increas white blood cell count increas neutroph  
il count increas platelet count increas brain injuri dizzi vomit cognit disord mental disord anxieti depress pan  
ic attack condit aggrav drug ineffect nephrolithiasi gastric ulcer gout chromaturia therapeut respons deaf tinni  
tu deaf therapeut respons dyspnoea palpit dyspnoea exert fluid retent cough fluid retent asthma intent drug misu

s applic site vesicla applic site erythema applic site pain incorrect drug administrat durat dehydr febril neutropenia death bundl branch block right sinu bradycardia label use arteri occlus diseases blood glucos increas pneumonia loss conscious malais diarrhoea blood glucos increas inject site nodul inject site pruritu inject site extravas wrong techniqu drug usag process urticaria hypersensit pancreat cardiac aneurysm blood glucos increas weight decrease decreas appetit applic site erythema incorrect drug administrat durat bladder neoplasm toxic variou agent angi oedema hypersensit dyspnoea granulomatosi polyangi immunodefici malais tinnitu metastas central nervou system oedema peripher condit aggrav therapeut respons applic site rash applic site pain applic site erythema applic site scab drug administrat inappropri site cardiac failur congest oedema gallbladd disord condit aggrav blister qualit life decreas rib fractur perform statu decreas gait disturb malnutrit pain fall portal vein thrombosi hepatoren syndrom hepat encephalopathi hypoglycaemia disorient somnol drug interact nephrogen system fibrosi pancytopenia applic site erythema applic site pain applic site swell drug dispens error drug dispens error incorrect dose administrat anaphylact shock platelet count decreas white blood cell count increas kidney duplex neonat respiratori distress syndrom sudden death basal cell carcinoma febril neutropenia renal pain eye swell eye discharg epistaxi choke vision blur cough syndrom nasopharyng nausea drug effect incomplet muscular weak malnutrit abort spontan pregnanc matern exposur pregnanc pancreat carcinoma pulmonari embol transfus bone pain pulmonari fibrosi pancreat carcinoma respiratori failur stridor cardiovascular disord respiratori disord gener physic health deterior chest discomfort drug ineffect intestin perfor asthma pneumonia paranoia rectal haemorrhag neuropathi peripher oropharyng pain stomat pyrexia intracrani pressur increas vomit abdomen pain nausea papilloedema weight increas somnol extradur abscess staphylococc abscess blood creatin phosphokinas increas blood potassium decreas musculoskelet pain diabet mellitu amnesia type diabet mellitu thyroid cancer type diabet mellitu cardiac arrest myocardi infarct white blood cell count increas neutrophil count increas applic site pustul inappropri schedul drug administrat drug administrat error eosinophilia pneumothorax lower respiratori tract infect rheumatoid arthriti sepsi pyrexia escherichia test posit klebsiella test posit organ failur aphagia gastrointestin disord arthropathi pituitari tumour remov gastroenter viral diarrhoea headach cardiac disord palpit incorrect drug administrat durat product packaging quantiti issu hospitalis fatigu flatul abdomen distens weight increas embed devic devic breakag type diabet mellitu cardiac failur cardiac procedur complic cardiac disord swell face oral candidiasi glossodynia pharyng dry mouth ageusia protein increas red blood cell sediment rate increas diarrhoea diarrhoea clostridium difficil infect rash anal skin tag influenza label use haemorrhag label use gener physic health deterior applic site swell applic site pruritu syncop asthenia electrocardiogram st segment abnorm subdur haematoma nausea vomit overdos anxiety palpit hypoaesthesia paraesthesia decreas appetit death basal ganglia haemorrhag blood pressur systol increas subdur haemorrhag brain stem haemorrhag haematemesi apnoea basal ganglia haemorrhag demyelin cerebr amyloid angiopathi brain death cerebr haemorrhag muscular weak arthriti haemoglobin decreas incorrect dose administrat coagulation time prolong gastrointestin haemorrhag haemoglobin decreas incorrect dose administrat lung neoplasm malign thrombosis pulmonari thrombosis mental statu chang amnesia enceph autoimmun depress oral candidiasi diverticul therapeut respons decreas hypercalcaemia haemoglobin decreas fatigu bone pain death abdomen pain hypotens blood pressur increas bone cancer second primari malign pulmonari oedema back pain hypokinesia termin state musculoskelet pain fistula frequent bowel movement arteri occlus diseases append drug effect decreas neutropenia hyperammonaemia pneumonia restless abnorm behaviour eosinophilia drug ineffect intent eat disord insomnia leukopenia psychiatr symptom pyrexia cough oropharyng pain sinu tachycardia palpit drug withdraw syndrom product packaging quantiti issu feel hot pain drug dose omiss therapeut respons decreas pneumonia metastasi prostat cancer pinealoblastoma respiratori tract infect viral spinal fractur drug ineffect applic site exfoli cardiac arrest tachyarrhythmia toxic epiderm necrolysi purpura blister pyrexia skin eros sign skin lesion azotaemia leukopenia conjunct pulmonari sepsi skin exfoli inflamm gener physic health deterior hyperglycaemia wound heal normal renal failur breast cancer stage iv macroglossia type diabet mellitu type diabet mellitu transient ischaem attack gastrointestin haemorrhag haemorrhag intracrani cerebr thrombosi pleural effus incorrect dose administrat enterocol bacteri haemorrhag hospitalis erythema somnol label use type diabet mellitu muscul spasm neuropathi peripher decreas appetit nausea neutropenia diarrhoea hyperglycaemia thrombocytopenia intestin ischaemia mucus inflamm vomit anaemia infect deep vein thrombosis renal disord diseases progress liver disord cerebrovascular accid depress rash creatinin renal clearanc decreas hellp syndrom exposur pregnanc basal cell carcinoma back pain chill abdomen distens infus relat reaction pregnanc contraceptive devic drug ineffect devic disloc psoriatic arthropathi label use respiratori tract infect alopecia areata alopecia fall uveitis anaemia intestin adenocarcinoma anaemia foetal cardiac disord label use metabol acidosis pulmonari oedema vomit blood creatinin increas visual impair type diabet mellitu neuropathi peripher hallucinations arrhythmia heart rate irregular hot flush palpit vision blur malais headach hyperhidrosi drug abus hypokalaemia oedema peripher renal failur acut overdos encephalopathi loss conscious pain cough dyspnoea hot flush fatigu weight decreas depress mood fall lower respiratori tract infect product cough lung disord sleep disord tremor wheez malais decreas appetit cerebr haemorrhag fall decubitus ulcer acetabulum fractur platelet count decreas haemoglobin decreas protein increas prothrombin time prolong blood creatinin increas type diabet mellitu skin lesion purpura discharg type diabet mellitu diabet neuropathi type diabet mellitu adverse event opportunist infect double strand dna antibody posit neoplasm malign infect autoimmun disord antinuclear antibody posit autoantibody posit cataract hepat pain malais abdomen adhes diarrhoea carcinoid syndrom pleural effus metastas liver oedema sciatic nerv injury inject site haematoma inject site haemorrhag feel abnorm cough tachycardia platelet count decreas erythema dyspnoea metastas peritoneum glaucoma body temperatur decreas pain extrem gait disturb inappropri schedul product administrat intestin obstruct confusion state blood pressur increas petechia inject site oedema needle issu pulmonari embol back pain neuroendocrin tumour arthralgia sinus oedema peripher fatigu inject site pain atrial fibrillation cardiac failur weight decreas piloerect skin disord incorrect dose administrat contus dizzy loss conscious arrhythmia blood pressur decreas decreas appetit malign neoplasm progress neck mass blood pressur systol increas anaemia heart rate decreas fall nausea hypersensit urticaria constip ventricular tachycardia acut hepat failur renal failur acut convuls toxic variou agent intent overdos dyspnoea acidosis fluid overload drug ineffect ataxia somnol orthostat hypotens diplopia arrhythmia hear impair obsess thought asthenia nausea vomit decreas appetit blood electrolyt abnorm renal disord oesophag ulcer ovarian germ cell cancer stage ii amenorrhoea weight increas galactorrhoea tremor muscular weak agit dyspnoea blood prolactin increas palpit aggress dyskinesia hyperhidrosi abdomen in pain dysuria swell muscul spasm breast enlarg fatigu renal failur acut patent ductu arteriosus haemangioma congenit atrial septal defect exposur pregnanc drug ineffect death adverse event plasma cell myeloma anal abscess infect proctalgia erythema haemorrhoid asthenia pyrexia vomit fatigu nausea diarrhoea cerebrovascular accid disord patholog gambler renal failur hypotens unevaluated event acut myeloid leukaemia urticaria bronchospasm bromhidrosi electrocardiogram qt prolong cardiac disord blister paraplegia cerebrovascular accid weight increas withdraw syndrom drug abus intent sopor overdos cardiotox depress level conscious atrial flutter hypoxia drug interact fluid overload syncop neuropathi peripher death oedema dizzy dizzy erythema sopor label use hepatocellular injury cholestasis diseases progress central nervou system lesion drug dose omiss malais pyrexia rash generalis headach sinus activity psychosi drug interact grand mal convuls oedema embed devic dysmenorrhoea vagin haemorrhag devic breakage infect pulmonari exacerb cystic fibrosi syncop fluid overload oedema dyspnoea myalgia dysgeusia nausea diarrhoea insomnia asthenia hyperhidrosi activity daili live impair gener physic health deterior surgeri retin toxic tooth disord retinopathi therapeut product ineffect nephrocalcinosis renal tubular acidosis drug abus blind transient vision

blur visual impair vitreou floater formic presyncop vertigo orthostat hypotens loss conscious anaphylact reactio  
n pruritu cough wheez refus treatment patient headach fluid retent oedema peripher sinus paraesthesia asthenia d  
eaf feel abnorm burn sensit lethargi pain amnesia muscular weak hypoaesthesia nasal congest peripher swell hypom  
agnesaeemia drug interact fluid retent accid peripher swell weight decreas oedema right ventricular failur oedema  
dysphemia paraesthesia unevalu event fall loss conscious dizzi devic failur hepat function abnorm myopathi dyspn  
oea malais hypopnoea death cerebrovascular accid drug ineffect generalis seizur statu epilepticu convuls aortic  
dissect acn aggress palpit fatigu nausea fluid retent hepat failur hepat b vertigo death oesophag carcinoma vari  
cella hypersensit type diabet mellitu cataract amnesia incontinen dysstasia lethargi headach applic site vesicl ty  
pe diabet mellitu burn sensit fluid retent hyponatraemia confusion state leukocytosi incorrect drug administr du  
rat gastrointestinal haemorrhag gastric ulcer duoden ulcer applic site vesicl applic site pain applic site swell a  
pplic site pain applic site exfoli drug administr inappropri site type diabet mellitu gait disturb hypoaesthesia  
hypersomnia feel abnorm laboratorii test abnorm unevalu event fatigu fluid retent contus discomfort fatigu applic  
site erythema applic site pain applic site scab applic site swell drug administr error hypokalaemia neutrophil c  
ount decreas hypophosphataemia abort spontan abdomen injuri matern exposur pregnanc atrial fibril dyspnoea pyrex  
ia chest pain sinu tachycardia pneumon febril neutropenia subdur haematoma dental cari ecchymosi dysphagia osteo  
porosi alopecia dementia type osteopenia hear impair skin wrinkl fall malign neoplasm progress pulmonari embol d  
rug hypersensit angioedema applic site erythema applic site pain applic site swell applic site exfoli applic sit  
e vesicl applic site discharg asthenia neutropenia pulmonari alveolar haemorrhag respiratori failur epistaxi rec  
tal haemorrhag haematospermia haemorrhag epiglott oedema face oedema tongu oedema rash diarrhoea coliti microscop  
p weight decreas drug administr inappropri site advers event type diabet mellitu drug ineffect gastrooesophag ref  
lux diseas dyspnoea fatigu deep vein thrombosi drug ineffect type diabet mellitu applic site erythema applic sit  
e pain applic site swell applic site vesicl drug administr inappropri site incorrect drug administr durat pulmona  
ri arteri hypertens condit aggrav death neutropenia anaemia pancytopenia thrombocytopenia metabol acidosi tachyc  
ardia vomit applic site pain applic site erythema applic site pain applic site swell incorrect drug administr du  
rat death myocardi infarct thrombosi devic deep vein thrombosi pulmonari embol label use drug administr error in  
correct drug administr durat decreas appetit pulmonari embol hypercalcaemia leukocytosi pulmonari embol neoplasm  
progress abdomen pain hypertens suicid ideat agit weight increas ovarian cyst sepsi coccidioidomycosi pneumonia  
pseudomon pancreat drug dose omiss hepatomegali liver function test abnorm hepat failur erythrodisaesthesia synd  
rom injuri corneal product packag issu expir product administr drug ineffect meniscu injuri surgeri surgeri prost  
atectomi inject site pain fear incorrect dose administr incorrect dose administr incorrect dose administr incorrect  
dose administr nervous wrong techniqu drug usag process arthralgia musculoskelet pain pain wrong techniqu drug us  
ag process wrong techniqu drug usag process wrong techniqu drug usag process wrong techniqu drug usag process de  
vic issu devic issu devic issu wrong techniqu drug usag process incorrect dose administr devic issu inject site p  
ain applic site vesicl applic site erythema applic site exfoli erythema incorrect dose administr multipl chemic s  
ensit dri mouth nasal dryness disturb attent dri eye dizzi disorient tension disord tinnitu sleep disord malais  
hypertens hepatocellular injuri liver disord skin burn sensit fatigu malais acut kidney injuri toxic variou agen  
t lactic acidosi applic site erythema applic site exfoli incorrect drug administr durat drug administr inappropri  
site suicid ideat depersonalis tremor heart rate increas mania aggress perform statu decreas abnorm behaviour me  
ntal disord self esteem decreas emot poverti social avoid behaviour euphor mood depress mood hypokinesia aphasia  
anxieti partial seizur apathi disturb attent vertigo drug effect incomplet feed disord blood bicarbon decreas co  
ronari arteri stent insert urinari tract infect klebsiella test posit renal impair blood alkaline phosphatas incr  
eas cardiac failur congest pain respir arrhythmia pyrexia pyrexia dri mouth dysgeusia thermal burn acn leukocyto  
si blood pressur fluctuat cough asthenia drug dose omiss accid home ultrasound bladder abnorm pyrexia chill seru  
m ferritin increas feel abnorm blood cholesterol increas pyrexia pyrexia pruritu dysgeusia neutropenia blood tri  
glycerid increas weight decreas asthenia headach haemoglobin decreas impati product cough depress fatigu dyspnoe  
a gait disturb throat irrit vitamin decreas anaemia fatigu disturb attent dyspraxia feel cold bodi temperatur de  
creas malais pyrexia haemoglobin decreas decreas appetit anaemia palpit blood pressur increas thyroid pain gastr  
ic disord drug ineffect ankl fractur vitamin defici anaemia postop devic failur sleep disord bursiti gastrooesop  
hag reflux diseas intramedullari rod insert fatigu hypertens femur fractur cholecystectomy depress femur fractur  
traumat arthrosi sciatic nerv injuri osteoporosi bone fragment hyperlipidaemia hypertens product packag quantiti  
issu incorrect drug administr durat drug administr inappropri site bronchopneumonia pulmonari embol death malign  
neoplasm progress label use cardiomegali cerebrovascular accid cardiac failur myocardi infarct unevalu event abn  
orm dream fall hemiplegia left ventricular failur conscious fluctuat platelet disord myocardi infarct gastrointe  
stin haemorrhag zygomycosi pulmonari toxic eye burn applic site pain applic site pain product qualiti issu incor  
rect drug administr durat eye irrit drug ineffect renal disord lung disord weight decreas gener physic health de  
terior pancytopenia rash vesicular hepat failur death febril neutropenia septic shock thrombocytopenia renal fai  
lur acut electrolyt imbal swollen tear duct eye irrit eye pain eye swell applic site exfoli eye pruritu accident  
exposur product drug administr inappropri site incorrect rout drug administr convuls drug dose omiss drug ineffec  
t myasthenia gravi pain death drug ineffect death death cerebrovascular accid platelet count decreas weight decr  
eas advers event pollakiuria blood sodium decreas extrasystol dyspnoea death applic site erythema applic site pa  
in applic site exfoli applic site dryness applic site reaction drug ineffect blood pressur increas chest pain as  
themia musculoskelet pain headach platelet count decreas drug interact lower respiratori tract infect fungal gas  
trointestin haemorrhag anaemia chest pain abdomen pain acut kidney injuri bone marrow failur inflamm hypersensit  
applic site rash acn applic site scar label use arrhythmia drug interact hepatotox bleed varicos vein fatigu hae  
morrhag drug ineffect palpit malais diplopia advers event depress death pancreat chronic pancreat carcinoma plat  
elet count decreas haemoglobin decreas thyroid cancer demyelin diabet neuropathi death platelet count decreas ch  
est pain myocardi infarct hypoaesthesia bone pain nodul pain advers drug reaction dizzi headach vagin haemorrhag  
vagin odour death cardiac disord lung disord stress dyspnoea platelet count decreas acut generalis exanthemat pu  
stulosi hyponatraemia lymphadenopathi platelet count decreas wrong techniqu drug usag process platelet count dec  
reas transfus dyspnoea death malais hypopnoea vomit anxieti diarrhoea weight increas urinari tract infect prurit  
u dri skin stomat paraesthesia dysphagia depress nausea dysgeusia therapeut respons unexpect pyrexia label use h  
eadach night sweat insomnia hypoaesthesia thrombocytopenia rash chest pain constip anaemia hot flush cough foot  
deform foot deform foot fractur foot fractur arthralgia pain extrem pain pain product qualiti issu rheumatoid ar  
thriti oedema peripher dyspnoea exert cardiac failur heart valv incompet myocardi infarct psoriasis haemoglobin d  
ecreas splenectomy dizzi fatigu lethargi anaemia thrombocytosi leukocytosi lipid abnorm liver function test abno  
rm platelet count decreas haemoglobin decreas diarrhoea platelet count decreas platelet count decreas haemoglobi  
n decreas gastroenter viral nausea vomit weight decreas gout mucos inflamm oral pain oropharyng plaqu psoriasis h  
yperthermia malign hyperthermia blood pressur decreas chill blood count abnorm pyrexia infect anaemia blood coun  
t abnorm anaemia platelet count decreas blood count abnorm amnesia hyperthermia malign anaemia platelet count de  
creas muscular weak fatigu diabet mellitu inadequ control gastriti loss conscious gastrointestinal inflamm pyrexia  
rectal haemorrhag alopecia oral herp blood glucos increas rectal haemorrhag depress mood depress coliti ulcer ha  
emoglobin decreas musculoskelet pain pain extrem platelet count decreas blood count abnorm transfus platelet cou  
nt decreas blood count abnorm prematur babi foetal exposur pregnanc enterocol haemorrhag mucos inflamm anaemia b

lood count abnorm renal disord incorrect dose administ skin depigment lumbar vertebr fractur fractur pain platel et count decreas platelet count decreas haemoglobin decreas food poison malais neurolept malign syndrom alter st ate conscious hyperthermia hypertonia drug withdraw syndrom retin detach visual impair rash erythemat eye irrit pruritu ocular hyperaemia eye swell foreign bodi sensat eye swell face feel hot dysphagia hypersensit inject sit e rash rash generalis hypertriglyceridaemia nausea cervix carcinoma stage hyperventil dizzi incis site haemorrha g incis site complic loss conscious disorient immobil pneumonia gastrointestin infect memori impair diet refus s peech disord confusion state haemoglobin decreas platelet count decreas wrong techniqu drug usag process febril convuls viral infect abdomin pain lower fatigu anaemia splenomegali poor qualiti sleep medic error asthenia plat elet count decreas death calciphylaxi pain nodul livid erythema skin indur skin plagu purpura skin lesion hyperp lasia haemoglobin decreas haemoglobin decreas tubulointerstiti nephriti oliguria blood pressur increas renal fai lur acut urin output decreas rale renal tubular atrophu dyspnoea asthenia kidney fibrosi jugular vein distens le ukocytosi haemolyt anaemia oedema peripher haematuria anaemia anisocytosi nausea vomit hyperthermia malign acut kidney injuri death linear iga diseas sign skin exfoli blister skin lesion hernia cystiti hypokalaemia hypomagne saemia blood count abnorm thrombocytopenia tooth abscess thrombocytopenia asthenia dizzi fatigu treatment noncom pli drug administr error transfus haemoglobin decreas platelet count decreas death neoplasm malign metastas cent ral nervou system memori impair emphysema convuls nasal discomfort skin irrit malais burn sensat palpit abdomin discomfort dizzi dyspnoea drug interact aggress psychomotor hyperact haemoglobin decreas haematocrit decreas hae moglobin decreas death optic neuropathi visual impair vision blur visual acuiti reduc miosi visual field defect colour blind acquir neurotox confusion state somnol swell haemoglobin decreas dizzi coma posterior revers enceph alopathi syndrom atyp mycobacteri infect immun reconstitut inflammatori syndrom angina pectori diabet mellitu in adequ control wound haemorrhag therapi cessat myocardi infarct chest pain electrocardiogram st segment elev acut left ventricular failur eject fraction decreas cardiomyopathi cardiogen shock cardiac arrest hyperventil blood p ressur decreas ventricular hypokinesia toxic variou agent ventricular fibril arrhythmia sinu tachycardia bradyca rdia pulmonari oedema dyspnoea overdos suicid attempt respiratori alkalosi hypokalaemia metabol acidosis tremor p ruritu somnol skin discolour brain oedema restless nystagmu chromaturia hyperaemia vomit nausea hyperhidrosi dru g ineffect haemoglobin decreas organis pneumonia pyrexia asthenia cough dyspnoea oxygen satur decreas rale respi ratori failur haemoglobin decreas anaemia haemoglobin decreas platelet count decreas haemoglobin decreas dizzi f all anaemia hypotens accident overdos nausea vomit abasia incontine neck pain hypokinesia breast cancer neoplasm progress applic site pain applic site pain applic site erythema applic site exfoli applic site dryness applic si te vesicil incorrect dose administ inapproprii schedul drug administr incorrect drug administr durat drug administ inapproprii site drug administr error prescrib overdos applic site discolour breast cancer neoplasm progress appl ic site discomfort applic site erythema breast cancer malign neoplasm progress applic site paraesthesia applic s ite discomfort applic site swell lip swell applic site erythema congenit hydronephrosi ureter stenosi foetal exp osur pregnanc label use incorrect drug administr durat medic error product packag quantiti issu drug dose omiss metastat malign melanoma ulcer haemorrhag skin lesion pain infect inflammm purul discharg viith nerv paralysi seb orrho keratosi swell anaemia oedema peripher pyrexia lethargi peripher swell applic site dryness applic site exf oli applic site pain dyspnoea dental cari hyponatraemia hypokalaemia cough abnorm behaviour intent weight increa s drug ineffect hot flush product substitut issu peripher swell drug ineffect cellul dyspnoea liver injuri fluid retent red blood cell count decreas nausea abdomin pain upper breast cancer neoplasm progress weight increas hae molyt uraem syndrom asthenia drug ineffect diabet foot infect blood glucos decreas renal impair unevalu event ur ticaria nausea renal failur acut lactic acidosis anaemia chest pain dyspnoea tachycardia blood pressur increas we ight decreas syncop loss conscious oedema peripher sleep apnoea syndrom death breast cancer malign neoplasm prog ress oedema peripher drug ineffect breast cancer malign neoplasm progress respiratori disord swell fluid retent breast cancer malign neoplasm progress drug depend headach nausea abdomin discomfort therapeut respons unexpect drug ineffect oedema peripher breast cancer malign neoplasm progress urinari tract infect drug ineffect osteopor osi spinal compress fractur vomit acut generalis exanthemat pustulosi rash pustular stomat inflammatori pain bli ster hypophagia skin eros leukocytosi pyrexia type iv hypersensit reaction drug depend nasal septum deviat sinus polyp rhiniti inapproprii schedul drug administr ageusia anosmia fluid retent diseas bacteraemia gastrointestin p ain diarrhoea decreas appetit feel abnorm accident exposur product child blood pressur decreas drug ineffect lab el use cerebrovascular accid weight increas withdraw syndrom ankl fractur breast pain burn sensat cystiti erythe ma gastrooesophag reflux diseas hot flush joint swell night sweat oedema peripher pain pain extrem pruritu sleep disord thrombophleb weight bear difficulti vomit diarrhoea abdomin pain upper nausea malais back pain headach in correct dose administ haemoglobin decreas diarrhoea red blood cell count decreas pneumonia haemoglobin abnorm ha emoglobin decreas feel hot anaemia epistaxi rectal haemorrhag pulmonari embol hypersensit gener physic health de terior bronchopulmonari aspergillosi hypoxia renal failur acut endotrach intub dissemin intravascular coagul pla telet transfus platelet count decreas epistaxi platelet count decreas haemoglobin decreas haematocrit decreas ac tiv daili live impair muscular weak mood alter fatigu malais lethargi haemolysi breast cancer malign neoplasm pr ogress hip fractur therapeut respons unexpect underdos drug administ inapproprii site haemoglobin decreas night s weat haemoglobin decreas fatigu drug ineffect anaemia hypoglycaemia oedema dizzi neoplasm malign liver disord he adach red blood cell count decreas lobar pneumonia inject site necrosi inject site erythema inject site indur ha emoglobin decreas blood pressur increas haemorrhag increas appetit weight increas heart rate increas fatigu haem oglobin decreas haematocrit decreas nephrogen system fibrosi respiratori failur cystic fibrosi anaemia balanc di sord dyspnoea pain extrem pain death psoriasis pruritu rash erythemat gastrointestin disord abdomin pain eczema t herapeut respons decreas platelet count decreas anaemia platelet count decreas asthenia dizzi haematuria urinari tract infect pyrexia myalgia myocardi infarct coronari arteri bypass unevalu event pancreat diabet mellitu perit on bacteri coma hepat abdomin pain upper blister swell face abdomin distens feel abnorm vomit abdomin pain upper coronari arteri diseas drug dose omiss transient ischaem attack platelet count decreas asthma wheez anaemia bloo d count abnorm haemoglobin decreas speech disord psychomotor hyperact haemoglobin decreas red blood cell count d ecreas death rotat cuff syndrom nasopharyng death gastrointestin haemorrhag death erythropoiesi abnorm hepat fai lur haemoglobin decreas oedema peripher asthenia therapeut respons decreas splenomegali fall gener physic health deterior ill anxieti decreas activ pain platelet count decreas increas tendenc bruise contus gastrointestin haemo rrhag aortic stenosi platelet count decreas drug effect decreas abdomin pain vomit rectal haemorrhag atrial fibr il drug ineffect anaemia platelet count decreas leukocytosi nephrolithiasi urinari tract infect malais haemoglob in decreas urinari tract infect anaemia weight increas thrombocytopenia somnol dyspnoea exert fatigu pancreat ca rcinoma hallucin visual increas globulin decreas ventricular remodel blood urea ratio decreas protein total decr eas blood glucos increas antipsychot drug level therapeut anaemia blood creatinin increas hyperkalaemia dyspnoea fatigu dyspnoea exert thrombocytosi dizzi encephalopathi renal failur haematuria arrhythmia cerebr haemorrhag ha emorrhag intracrani acut respiratori failur coagulopathi haematuria anaemia haemoglobin decreas anaemia blood co unt abnorm anaemia overdos bradycardia oxygen satur decreas anticonvuls drug level increas depress level conscio us hypertransaminasaemia hypofibrinogenaemia dementia blood urea decreas blood cholesterol increas blood triglyc erid increas mean cell haemoglobin concentr decreas neutrophil count increas monocyte count increas mouth haemorr hag epistaxi rectal haemorrhag fatigu renal failur acut oesophag candidiasi hiatu hernia haemorrhoid surgeri dev ic difficult use medic devic complic incorrect drug administr durat diseas progress platelet count decreas haemo

globin decreases red blood cell count decreases haematocrit decreases haemoglobin decreases platelet count decreases haemoglobin decreases haemoglobin decreases blood count abnormal haemoglobin decreases platelet count decreases haematocrit decreases haemoglobin decreases nausea asthenia memory impair depress muscle spasm headache metastas lymph node cardiac failure device related sepsis breast cancer recurrent exposure pregnancy lymphoedema malignant neoplasm progress anaemia drug effect increases white blood cell count decreases platelet count decreases arthralgia pancytopenia herpes zoster haemoglobin decreases platelet count decreases angina pectoris dehydration malaise pain oral surgery immunosuppress drug level increases drug interaction haemoglobin decreases platelet count decreases haematocrit decreases platelet count decreases blood glucose decreases asthenia vaginal ulcer death drug ineffect label use label use thrombocytopenia haemoglobin decreases haematocrit decreases haemoglobin decreases platelet count decreases epistaxis diseases progress platelet count decreases thrombocytopenia drug ineffect haematocrit decreases haemoglobin decreases aspartate aminotransferase increases epileptiform wave technique drug usage process thrombocytopenia medication error fatigue dyspnoea exert insomnia musculoskeletal pain rash pruritus weight increases anaemia thrombocytopenia dizziness leukocytosis fatigue diet refusal platelet count decreases anaemia dyspnoea chest discomfort fatigue platelet count decreases anaemia fatigue gastric disorder anaemia diarrhoea blood count abnormal drug ineffect blood count abnormal thrombocytopenia anaemia medication error thrombocytopenia platelet count increases drug ineffect pain fall neurologist symptom night sweat abdominal discomfort diabetes mellitus inadequate control drug withdrawal syndrome blood testosterone decreases insomnia back pain back pain musculoskeletal discomfort label use anaemia haemoglobin decreases fatigue platelet count decreases diseases progress anaemia back pain drug ineffect haemoglobin decreases platelet count decreases thrombocytopenia infect haemoglobin decreases device related infect infect haemoglobin decreases haemoglobin decreases platelet count decreases thrombocytopenia haemoglobin decreases drug in effect platelet count decreases haemoglobin decreases dizziness haemoglobin decreases haemoglobin decreases constipation platelet count decreases blood pressure increases palpitation feel abnormal contusion red blood cell count decreases haemoglobin decreases haemoglobin decreases giant cell tumour tendon sheath platelet count decreases weight increases aneurysm glossodynia urinary tract infect nephrolithiasis skin wrinkled dry skin thrombocytopenia tooth disorder anaemia fatigue weight decreases transfusion drug ineffect haemoglobin decreases dyspnoea malaise nausea influenza like illness chill pain hyperhidrosis pyrexia haemoglobin decreases diseases progress platelet count decreases abdominal pain dyspnoea anaemia thrombocytopenia splenomegaly abdominal discomfort palpitation gingivitis pain fatigue oedema peripheral paraesthesia confusion state feel abnormal asthenia nervous anaemia headache platelet count decreases splenomegaly anaemia hepatase enzyme increases muscular weakness dizziness white blood cell count decreases scleroderma lower respiratory tract inflammation anaemia thrombocytopenia epistaxis fatigue red blood cell count decreases haemoglobin decreases weight increases night sweat intent overdoses suicidal attempt platelet count decreases anaemia diseases progress nasopharyngeal platelet count decreases haemoglobin decreases cellulitis thrombocytopenia hypokalaemia syncope febrile neutropenia platelet count decreases haemoglobin decreases platelet count decreases white blood cell count decreases haematocrit decreases blood count abnormal anaemia red blood cell count decreases sinus bronchitis mastoid frequent bowel movement mucosal inflammation muscle spasm dyspnoea epistaxis anxiety diarrhoea erythema contusion dizziness anaemia diseases progress splenomegaly lung consolidation goitre platelet count decreases wrong technique drug usage process haemoglobin decreases cataract retinal detachment label use haemoglobin decreases transfusion platelet count decreases anaemia insomnia dyspnoea cyanosis fatigue haemorrhage white blood cell count decreases haemoglobin decreases pneumonia blood count abnormal asthenia malaise anaemia back pain arthralgia increases appetite cardiac failure congested swell platelet count decreases drug administration error diseases progress haemoglobin decreases bone pain red blood cell count decreases fatigue anaemia drug ineffect platelet count decreases haemoglobin abnormal platelet count decreases blood count abnormal anaemia anaemia thrombocytopenia medication error malignant melanoma stage keratoacanthoma blood pressure increases hyperkeratosis therapy keratoacanthoma foetal exposure pregnancy premature baby low birth weight baby drug withdrawal syndrome neonatal exposure breast feed dehydration oedema peripheral decreases active asthenia contusion cardiac valve diseases fluid retention fatigue bradypnea skin cancer dyspnoea dizziness diarrhoea renal impairment lethargy weight decreases malaise transfusion platelet count decreases white blood cell count decreases red blood cell count decreases dizziness haemoglobin decreases haematocrit decreases acute hepat failure drug ineffect hepatase b renal failure acute hypokalaemia oedema peripheral overdoses pyelonephritis syncope convulsions wrong technique drug usage process prostate disorder urinary incontinence death nausea weight decreases peripheral swell epistaxis anaemia diarrhoea haemoglobin decreases maternal exposure pregnancy stillbirth wrong technique drug usage process maternal exposure pregnancy abortion spontaneous death platelet count decreases white blood cell count increases urinary tract infect death haemoglobin decreases multiple sclerosis infect hyperthermia eosinophil count increases lymphocyte count decreases respiratory arrest foetal exposure pregnancy exposure breast feed low birth weight baby premature baby drug withdrawal syndrome neonatal tremor exposure via father hospitalitis intent overdoses substance abuse drug abuse maternal exposure pregnancy exposure via father foetal growth restriction premature delivery respiratory arrest pneumonia anaemia decubitus ulcer fall herpes zoster red blood cell count decreases haemoglobin decreases platelet count decreases chest discomfort chest pain dyspnoea gastrointestinal haemorrhage dementia agitation confusion state platelet count decreases asthenia nausea fatigue depress mood decreases appetite headache dizziness lower gastrointestinal haemorrhage anaemia renal failure acute gastrointestinal haemorrhage gastrointestinal haemorrhage bronchospasm urticaria investigate rectal adenocarcinoma red blood cell count decreases blood count abnormal nephrogen system fibrosis platelet count decreases anaemia anaemia platelet count increases gingivitis pain gingivitis swell tooth disorder device damage autism lung neoplasm malignant fatigue myalgia arthralgia joint stiff balance disorder muscle spasm muscular weakness arthritis vision blur visual acuity reduced haemorrhage death swan Ganz catheter placement coronary artery bypass vascular graft stent placement diabetes mellitus cardiac failure congested nephrogen system fibrosis rectal haemorrhage colitis ischaemia anaemia coagulopathy death deep vein thrombosis leukopenia thrombocytopenia fatigue infect therapeutic response plasma cell myeloma recurrent neutropenia haemoglobin decreases diarrhoea transfusion pregnancy hospitalitis atypical femur fracture femur fracture fall hypomagnesaemia drug interaction condition aggravated chronic spontaneous urticaria insomnia angioedema drug ineffect pruritus electrocardiogram QT prolong extrapulmonary tuberculosis oral candidiasis pancreatitis anal fistula nephrogen system fibrosis dyspnoea larynx oedema stridor acute myocardial infarct hypotension arrhythmia palpitation drug abuse pulmonary embolism chronic obstructive pulmonary diseases respiratory failure syndrome osteoporosis gastroesophageal reflux diseases gastrointestinal ulcer diabetes mellitus inadequate control blood glucose increases thirst micturitis disorder abdominal pain arrhythmia presyncope plasma cell myeloma convulsions urinary tract infect psychiatrist symptom blood glucose increases oesophagus carcinoma oesophagus oedema asphyxia visual acuity reduced neuropathy peripheral mobility decreases injury fall head injury pain cerebrovascular accident hypertensive diabetes mellitus upper respiratory tract infect thrombocytopenia anaemia influenza like illness pyrexia investigate death hypopnoea dyspnoea malaise diseases progress investigate diseases progress death urinary tract infect sepsis renal failure chronic pyrexia dysuria back pain nausea decreases appetite device related infect dysphagia drug interaction pancytopenia ocular vascular disorder death deep vein thrombosis device dislocation hospitalitis leukopenia osteonecrosis jaw pancytopenia drug interaction cardiotoxic bladder disorder hospitalitis peripheral swell cataract colitis ulcer phlebitis superficial leukopenia haemoglobin decreases cough pneumonia pyrexia arthropathy hypotension platelet count decreases malaise osteonecrosis jaw investigate staphylococcus osteomyelitis nausea anaemia diseases progress convulsions hypocalcaemia death surgery autoimmune disorder encephalitis tonsillitis pyrexia lymphadenopathy white blood cell count increases protein increases enter atelectasis impair healing cardiac flutter chest pain mobility decreases rash pruritus dizziness pain rash erythematous local swell feel hot nail disorder alopecia nausea vomit abdominal distension gastric disorder weight decreases abdominal pain arthralgia pruritus erythema convulsions drug eruption haemolytic anaemia transient ischaemic attack dyspnoea urticaria nausea alopecia fatigue hospitalitis osteonecrosis jaw lethargy pyrexia liver injury alanine aminotransferase increases aspartate aminotransferase increases alpha foetoprotein increases endometriosis can

cer unevalu event renal failur respiratori failur hepat failur pneumonia malais chest discomfort presyncop confu  
sion state hypotens vision blur mobil decreas hip fractur fall renal failur acut hyponatraemia drug interact pan  
cytopenia hepat failur glomerular filtrat rate increas haemorrhag intracranial intern normalis ratio increas drug  
interact cardiac disord hypotens immunosuppress drug level increas drug interact immunosuppress drug level incre  
as drug interact malais mental disord gener physic health deterior anaemia delirium cerebr haemorrhag eastern co  
oper oncolog group perform statu worsen infus relat reaction hydrocephalu pain asthenia blood phosphoru decreas  
muscular weak arterioven malform nasopharyng cough nasal dryness left ventricular dysfunct radiat necrosis cerebr  
haematoma pneumonia brain abscess hyponatraemia hypotens gastric infect central nervou system infect blood potas  
sium abnorm platelet count decreas perform statu decreas decreas appetit headach obes depress level conscious fa  
ll dilat ventricular depress level conscious influenza like ill ventricular hypokinesia weight decreas clostridi  
um difficil infect cystiti brain abscess heart rate increas influenza malign neoplasm progress constip infus rel  
at reaction anorect disord coagulopathi klebsiella infect seizur paraesthesia agranulocytosi listless hypotens b  
radycardia pseudomon sepsi thrombot microangiopathi label use death death investig investig loss conscious produ  
ct odour abnorm applic site perspir investig haemorrhoid hospitalis hypocalcaemia investig hospitalis transfus h  
ospitalis kidney infect intervertebr disc disord urinari tract infect urg incontinen cystiti influenza arthralgia  
emerg care pulmonari oedema headach bodi temperatur increas diseases progress diseases progress drug ineffect metast  
as central nervou system hepat c drug ineffect white blood cell count decreas thrombocytopenia pancytopenia arte  
r death chronic obstruct pulmonari diseases intestin ulcer diarrhoea death febril neutropenia respiratori failur h  
ypoxia sepsi cholecyst nausea constip small intestin obstruct renal failur acut pneumonia aspir atrial fibril hy  
persensit vascul prostat cancer protein increas colon cancer haematotox nephropathi toxic back pain asthenia fat  
igu inflamm hypoaesthesia pain extrem fall loss conscious rhabdomyolysi lymphadenopathi mediastin subcutan absce  
ss mycobacterium avium complex infect oligohydramnio exposur pregnanc gastric ulcer death intestin obstruct hear  
impair arteri occlus diseases coronari arteri occlus renal impair diarrhoea erythrocytosis syndrom inject sit  
e reaction renal cell carcinoma metastas adren prostat cancer squamous cell carcinoma hypertens hypercholesterola  
emia neuropathi peripher food avers pain extrem gastroesophag reflux diseases drug ineffect retrograd amnesia los  
s conscious cerebrovascular accid arthralgia blister psoriasis diverticul syndrom diplopia headach pyrexia inject  
site pain ear infect breast haemorrhag breast mass dyspepsia inject site haematoma breast pain influenza urinari  
tract infect abdomen distens oropharyng pain wrong techniqu product usag process cervic spinal stenosi joint inj  
uri fall paraesthesia hypoaesthesia drug prescrib error rash psora abscess kerat conjunct arthralgia cheiliti cou  
gh q fever bronchiti psoriasis death herp ophthalm death cervic vertebra fractur fall progress multifoc leukoenceph  
alopathi immun reconstitut inflammatori syndrom opportunist infect death cholecyst haemorrhag lung neoplasm cen  
tral nervou system lesion iri melanoma multipl sclerosis relaps sepsi multipl sclerosis arthralgia generalis seizu  
r convuls thermal burn tongu injuri concuss anxieti cartilag injuri intervertebr disc protrus back pain ligament  
injury arthriti muscular weak anaemia blood test abnorm diabet coma hypertens confusion state ectop pregnanc nec  
k surgeri hysterectomi menopaus symptom nervous intracranial aneurysm procedur complic post procedur stroke gastro  
oesophag reflux diseases stress multipl sclerosis relaps depress mood gait disturb procedur pain hysterectomi multi  
pl sclerosis relaps multipl sclerosis relaps gener physic health deterior malais drug ineffect unapprov indic neur  
olog decompens encephalopathi acut myocardi infarct thrombosi devic cardiac arrest erythema pyrexia swell face o  
ropharyng pain multipl sclerosis relaps multipl sclerosis relaps amnesia abasia hemiparesi vision blur multipl scl  
erosi relaps rash prurit anaphylact reaction drug hypersensit advers drug reaction rash flush urinari tract infe  
ct pelvic pain select eat disord foetal exposur pregnanc cleft palat high arch palat palat exposur breast feed urinari  
tract infect multipl sclerosis relaps liver disord pericard pain jaundic multipl sclerosis relaps impair gastric d  
isord dizzi hip fractur impair heal diarrhoea weight decreas fall coma convuls influenza hirsut alopecia prescri  
b underdos malais cerebrovascular accid angioedema rash hot flush nausea feel abnorm duoden ulcer haemorrhag hel  
icobact infect alcohol abus ear infect thrombosi asthenia multipl sclerosis relaps viral infect hysterectomi gait  
disturb monoparesi convuls flush malais multipl sclerosis relaps drug ineffect thrombophleb superfici epilepsi dr  
ug dose omiss drug level decreas cleft palat foetal exposur pregnanc select eat disord high arch palat palat exposur b  
reast feed urinari tract infect haematuria pyrexia myalgia obstruct allerg granulomat angiiti hypokinesia caesar  
ean section unintend pregnanc drug ineffect headach dizzi agit cri hyperhidrosi rash rash pyrexia hyperhidrosi a  
bdomin pain upper white blood cell count increas inguin hernia kidney infect cystiti kidney infect nephrolithias  
i ear infect drug ineffect with nerv paralysi with nerv paralysi febril neutropenia abasia malais dizzi vomit an  
xieti sepsi prostat cancer urinari bladder haemorrhag haemorrhag face oedema mouth swell dysphagia gingiv pain p  
eripher swell palat oedema drug intoler hemiplegia renal colic renal failur acut urinari tract infect bacteri te  
st posit bronchiti rhinorrhoea death death surgeri psychot disord diseases transient ischaem attack death renal fa  
ilur death exposur pregnanc select abort lipas increas amylas increas back pain gastrointestin haemorrhag gastri  
c ulcer schizophrenia spinal column stenosi arthropathi thrombocytopenia urinari incontinen labil blood pressur he  
miparesi urinari tract infect nasopharyng rhinorrhoea dri mouth blood test abnorm death foot deform infus relat  
reaction headach interstiti lung diseases gastroenter drug depend eczema dri skin haematuria blood urin present in  
vestig mening renal failur acut metabol acidosis haematotox nephropathi toxic death pain localis infect fluid ret  
ent weight increas feel abnorm oedema peripher inflamm inject site pain nausea abdomen pain pollakiuria headach  
product qualiti issu rotat cuff syndrom nausea decreas appetit weight decreas anosmia hypogeusia gastrectomi abo  
rt induc matern exposur pregnanc cri suicid ideat depress product compound qualiti issu death investig investig  
renal failur ophthalm herp zoster conjunctiv hyperaemia herp zoster intraocular pressur increas hallucin visual  
hallucin auditori memori impair type diabet mellitu cellul fall peripher swell urinari tract infect drug withdra  
w syndrom cardiac disord hypertens foot fractur oxygen satur decreas weight increas diseases progress blood sodium  
increas cardiac failur congest haemoglobin decreas respiratori arrest death fluid retent dysphagia appar death b  
rain injuri cardiac disord hypothyroid chronic obstruct pulmonari diseases hypertens panic attack back pain interv  
ertebr disc compress spinal disord visual acuiti reduc type diabet mellitu respiratori failur cataract intraocul  
ar pressur increas cardiac flutter tachycardia anxieti palpit fall malais feel abnorm bodi height decreas hip fr  
actur fall myelofibrosi intestin obstruct neoplasm malign eat disord dysuria lymphadenopathi hypersensit pyrexia  
depress rash generalis rash intern normalis ratio increas sepsi pneumonia diarrhoea asthenia loss conscious myoc  
ardi infarct feel jitteri flush intraocular len implant investig accident exposur product child accident overdos  
advers event psychot disord headach tremor decreas appetit fatigu blood glucos abnorm death pain extrem pain ext  
rem arthralgia gait disturb product substitut issu renal failur lupu nephriti pancytopenia sepsi nausea vomit di  
arrhoea fatigu asthenia thrombocytopenia febril neutropenia headach cerebr haemorrhag thrombosi drug abus intent  
drug misus movement disord chest pain neck pain myalgia pain extrem thrombot microangiopathi label use throat ti  
ght dyspnoea cough mental disord sleep disord abnorm behaviour fatigu melaena intern normalis ratio increas haem  
oglobin decreas haematocrit decreas gastriti oesophag candidiasis gastrointestin haemorrhag renal failur acut ten  
don anaemia gastriti haemorrhag pneumonia investig nephrogen system fibrosi adenocarcinoma colon yellow skin act  
iv daili live impair limb discomfort dri throat arthralgia inject site pain drug ineffect fall weight decreas ne  
ck pain head injuri visual impair inject site pruritu hallucin mobil decreas anaemia inject site erythema condit  
aggrav deaf product cough red blood cell sediment rate increas swell pain thrombosi catarrh feel abnorm inject s  
ite hypersensit rheumatoid arthriti joint swell hypertens dri mouth hypersensit swell face lip swell local swell

local swell throat tight pharyng oedema dyspnoea ear pain pain jaw asthenia fatigu hypersensit pneumonia nasopharyng cough fatigu gener physic health deterior hyperhidrosi gastrointestin disord diarrhoea decreas appetit fatigu pruritu urticaria pain skin blister rash prurit exposur breast feed pulmonari oedema pruritu burn sensat pain swell face rash rash dermat contact lentigo seborrho keratosi sweat gland tumour pleural effus hypoxia respiratori disord rhabdomyolysi hernia prostat disord tooth abscess toothach endodont procedur chirurgi osteonecrosi jaw diseases progress hallucin confusion state visual acuiti reduc dizzi bradycardia investig fall stupor respiratori depress overdos sedat exposur pregnanc drug withdraw syndrom inject site rash rash erythemat type iv hypersensit reaction cerebrovascular accid bipolar disord sedat paranoia treatment noncompli fear tuberculosi neoplasm pain extrem hypoaesthesia carpal tunnel decompress infus relat reaction anaphylact reaction white blood cell count decreases bone pain arthralgia hot flush asthenia haemoptysi intestin obstruct intestin obstruct hypokinesia dysgeusia asthenia fatigu decreas appetit atrial thrombosi speech disord balanc disord gait disturb confusion state asthenia pain malais haemorrhag wound scab skin fissur pain gait disturb fear arthralgia flatul eruct back pain arthriti hypokinesia cardiac disord condit aggrav nausea vomit diarrhoea mobil decreas skin cancer pain jaw bone swell ear disord tooth disord inappropri schedul drug administr bone pain fat embol hypertens polycythaemia sciatica blind unilater gallbladd disord hepat haematoma hepat enzym increas pain extrem impair gastric empti inject site mass amnesia inject site pain complet suicid exposur via ingest diverticul hernia abdomen pain pulmonari embol lung neoplasm malign fatigu asthenia dyspnoea chest pain dyspnoea cardiopulmonari failur cardiac arrest pyrexia death muscular weak muscl spasm hypoaesthesia muscl rigid sleep disord musculoskelet stiff abort miss therapy ut respons chang pathogen resist drug ineffect death tooth loss gingiv pain bone marrow failur hyperaemia lymphadenopathi bloodi discharg odynophagia saliva alter bone pain pyrexia death angioedema prothrombin time prolong haemorrhag contus haematuria drug interact toxic variou agent intern normalis ratio increas death death endometri cancer inject site erythema inject site swell inject site pain osteoarthr cognit disord depress haemoglobin decreases fibromyalgia feel cold weight decreases muscl atrophie therapeut respons white blood cell count decreases asthenia dizzi product qualiti issu visual impair visual acuiti reduc drug ineffect cataract night blind death death dental fracture road traffic accid sternal fracture loss consciousness cough nasopharyng hypersensit vascul glomerulonephrit acut renal failur acut arthralgia hypochrom anaemia toxic variou agent haematuria hypocalcaemia hyperphosphataemia tetani paraesthesia oral paraesthesia paraesthesia paraesthesia matern drug affect foetu cleft palate high arch palate poor suck reflex exposur breast feed congenit anomalie convuls impair drive abil fall multipl sclerosis relaps insomnia multipl sclerosis relaps dysarthria gait disturb fatigu ataxia hypoaesthesia muscl spasm swollen tongue hypoaesthesia oral haemoglobin abnorm haematocrit abnorm inappropri schedul drug administr blood potassium abnorm blood calcium abnorm blood cholesterol increas multipl sclerosis relaps haemoptysi lung disord chest pain inject site erythema inject site swell inject site pruritu urinari bladder haemorrhag drug ineffect infect cerebralischaemia hemiparesis blood calcium increas blood potassium decreas anaemia faecaloma proteinuria hypertens vitreous haemorrhag blind full blood count decreas hypoacusis drug interact psychot disord gait disturb hyperreflexia dizzi sleep disord asthenia nystagmus toxic variou agent palpit disturb attent inappropri schedul drug administr bedridden label use asthenia muscular weak dyspnoea deep vein thrombosi eye haemorrhag thrombocytopenia thrombocytopenia pleural effus haemorrhag intracranie epilepsi medic error haemorrhag intracranie gastrointestin haemorrhag gastrointestin tract irrit diarrhoea haemorrhag mesenteric arterie thrombosi cardiac ablat gastrointestin haemorrhag nephrolithiasi neuralgia chest discomfort vision blur deep vein thrombosi deep vein thrombosi pulmonari alveolar haemorrhag acut respiratori failur acut respiratori distress syndrom renal impair atrial fibrill pulmonari embol investig cerebrovascular accid muscl spasm dyspnoea neoplasm malign hernia incision infect tibia fracture ankle fracture ligament rupture meniscus injuri fall fracture delay union arthralgia pain mobil decreas investig adverse event hospitalis convuls drug interact drug prescrib error investig flush pyrexia malais cellul incorrect route drug administr motor dysfunct cerebrovascular accid galactorrhoea nightmare anxiet neuralgia urinari tract infect drug ineffect alopecia hair growth abnorm hair colour chang nightmare anxiet label use complet suicid alopecia osteoporosi anaemia mycobacterie infect upper respiratori tract inflamm dysenterie headache diarrhoea night sweats dried skin deaf hypoglycaemia unconscious fall lower limb fracture angina pectoris influenza headache feel hot chill hyperhidrosi movement disord chest pain lip oedema asthma dizzi mood swing asthenia bradycardia presyncope somnolence adach weight decreases lower respiratori tract infect right ventricular failur oedema peripher sleep apnoea syndrome cor pulmonal hypoxia malais cyanosi decreas activ pyrexia pain myopathy ophthalmoplegia diplopia cerebrovascular accid renal failur lactic acidosis blood potassium increas continu haemodiafiltrat metabol acidosis diabet mellitus renal failur lactic acidosis blood sodium decreas blood potassium increas continu haemodiafiltrat renal failur lactic acidosis blood sodium decreas blood potassium increas continu haemodiafiltrat metabol acidosis interstiti lung diseases electrocardiogram repolaris abnorm fatigu colorectal cancer metastat lactic acidosis renal failur blood potassium increas continu haemodiafiltrat metabol acidosis hypoventil abdomen pain upper somnol cardiopulmonari failur tachypnoea patholog gambel disord rash generalis rash prurit rash pustular rash erythemat hemiparesis vision blur hypoaesthesia gait disturb inject site erythema inject site discolour rotat cuff repair arthralgia musculoskelet pain increas upper airway secret inject site pain investig syncope cardiac disord hyperhidrosi inappropri schedul drug administr hepat toxic chest pain erythema skin reaction interstiti lung diseases headache dyspnoea multipl sclerosis relaps matern drug affect foetu caesarean section pulmonari valv stenosis congenit atrial septal defect feed disord neonat alter state consciousness sopor aspart aminotransferase increas blood creatin phosphokinase increas label use sedat diplopia substancie abus oral mucos blister hypersensit throat tight nausea vomit multipl sclerosis relaps drug ineffect multipl sclerosis relaps eyelid ptosis influenza like illness multipl sclerosis inappropri schedul drug administr multipl sclerosis inappropri schedul drug administr fall hyponatraemia confusion state cholecyst hepatitis arterie aneurysm femur fracture incorrect drug administr durat dermat psoriasiform vomit metabol acidosis pulmonari oedema respiratori disord blood creatinin increas dialysi renal impair lactic acidosis drug abus intent superior oligohydramnion prematur rupture membran caesarean section obstruct labour gestat diabet matern exposur pregnanc foetal heart rate deceler abnorm matern drug affect foetu oligohydramnion foetal death kidney duplex congenit hearing disord foetal exposur pregnanc congenit choroid plexus cyst supernumerari nipple cardiac failur pneumonia anxietie throat irrit sensat foreign body chest discomfort nausea pain headache nervous blood pressure inadequate control hypertens blood electrolyt abnorm blood potassium abnorm adrenal gland injuri cardiac disord anaemia hypotens renal failur laboratorie test abnorm syncope gastrointestin disord medic residu present abdomen pain nausea fatigu dental cari oedema diarrhoea cystiti noninfect hypertens anaemia vomit dizzi dehydr neutropenia orthonc thrombocytopenia thrombocytopenia anaemia condit aggrav haemorrhag intracranie subdur haematoma angioedema urticaria dyspnoea sensat foreign body rash generalis swell face local swell vomit rash capillari leak syndrom conjunctiv haemorrhag vision blur asthenia headache peripher vascular disord uterin leiomyoma pyrexia cough rhinorrhoea respiratori tract congest death scleroderma fasciiti dyspnoea infus relat reaction pneumonia fungal respiratori arrest pancreat gait disturb joint rang motion decreases musculoskelet stiff face oedema drug effect incomplet oedema skin lesions drug intoler otitis media malign melanoma situ headache vomit abdomen pain gait disturb urinari tract infect pyrexia haematuria myalgia depress level consciousness depress level consciousness conjunctiv haemorrhag arthralgia myalgia pyrexia encephalopathie adenocarcinoma diarrhoea weight decreases vomit ileus paralyt muscl rupture thrombosi device drug resist interstiti lung diseases epistaxis dyspnoea headache hyperhidrosi arthralgia hypersensit vascul cerebrovascular accid transient ischaemia attack thrombosi diplopia pulmonari embol headache conjunctiv haemorrhag vision b

lur headach asthenia gait disturb interstiti lung diseases pancreat dissemin intravascular coagul tracheostomi mec  
han ventil gastric haemorrhag hepat function abnorm cholelithiasi skin exfoli pruritu oral pruritu local swell c  
hest discomfort paraesthesia oral vomit underdos renal impair diarrhoea lethargi malais weight decreas myocardi  
infarct nausea weight increas headach dizzy angina pectori fatigu hyperhidrosi syndrom hypersensit blister consc  
ious fluctuat dyspnoea eye disord rash generalis lip discolour chap lip pain scab scar malais skin disord skin e  
xfoli lip swell weight decreas label use small cell lung cancer gastric cancer headach tooth abscess fatigu toot  
h infect spondylolisthesi osteoporosi pain extrem musculoskelet discomfort drug divers insomnia cholang label us  
e death myocardi infarct pancytopenia drug interact exposur pregnanc substanc abus headach somnambul depress dia  
rrhoea fatigu irrit polyuria pain extrem underdos malais nausea vomit wrong techniqu drug usag process eczema pa  
ralysi asthenia constip dyspnoea hyperkalaemia restless rale blood sodium decreas high densiti lipoprotein decre  
as low densiti lipoprotein increas incorrect rout drug administr drug abus drug divers bronchospasm hyperhidrosi  
liver function test abnorm salmonellosi hepat steatosi herp simplex spinal osteoarthr arthriti renal failur acut  
duoden polyp electrolyt imbal oesophag mycobacterium avium complex infect lymphaden renal impair diabet mellitu  
diarrhoea sinus diabet neuropathi eosinophil pustular follicul nausea pneumonia osteoporosi hyperlipidaemia back  
pain hyperuricaemia cytopenia periarthr folat defici gingiv inflamm drug divers lumbar vertebr fractur clostridi  
um difficil coliti blood glucos increas inappropri schedul drug administr confusion state tumour lysi syndrom re  
nal failur overdos drug depend drug abus splenic ruptur blood pressur diastol decreas haemoglobin decreas perito  
n haemorrhag caesarean section matern exposur pregnanc procedur complic skin toxic pneumonia neuropathi peripher  
fatigu infect nausea diarrhoea erythrodysaesthesia syndrom mucus inflamm pneumon pleural effus vomit anaemia dru  
g abus accident exposur product dermat exfoli pneumon nausea hepat function abnorm overdos miosi respiratori dep  
ress coma drug divers road traffic accid drug divers drug abus drug divers leukopenia anaemia thrombocytopenia v  
omit radiat oesophag erythrodysaesthesia syndrom diarrhoea gastrointestin haemorrhag drug interact febril neutro  
penia drug divers self injuri behaviour intent drug misus sluggish myocardi infarct fall somnol aphasia drug hyp  
ersensit pain abdomen distens fatigu chill diarrhoea eosinophilia condit aggrav transaminas increas dyspepsia ly  
mphopenia skin ulcer overdos depress level conscious convuls gaze palsy foam mouth dyskinesia drug depend febril  
neutropenia label use disabl fatigu joint disloc joint swell knee arthroplasti joint injuri sinus bedridden nerv  
injuri impair drive abil muscular weak arthralgia fall product packag issu weight bear difficulti flush ankl fra  
ctur wheelchair user bladder catheteris gastrointestin haemorrhag drug interact renal cancer pneumonia sinus inj  
uri drug effect incomplet psoriasis lower gastrointestin haemorrhag drug interact melaena haematochezia syndrom r  
ash food interact bladder neoplasm bladder cancer anaphylact shock hypertriglyceridaemia thrombosi devic advers  
event acut generalis exanthemat pustulosi anaphylact reaction therapeut respons faecalith abdomen pain vomit ile  
u intussuscept malnutrit ascit pleural effus convuls pancreat myoclonu fall head injuri dyspnoea fatigu weight i  
ncreas tremor balanc disord abdomen pain dyspepsia rash globulin increas hypoalbuminaemia somnol abnorm behaviou  
r diarrhoea rosacea disorient drug administr error drug dose omiss drug effect decreas flush muscular weak heada  
ch chest pain electrocardiogram st segment elev muscl spasm coronari arteri dissect iatrogen injuri haemorrhag d  
rug interact shock haemorrhag hypertens weight increas skin burn sensat paraesthesia peripher swell joint swell  
oedema peripher hypertens paraesthesia weight increas skin burn sensat renal disord intestin resect colon cancer  
metastat pain hypertens malais incarcer hernia periton cathet site extravas post procedur infect abort spontan e  
xposur pregnanc larg intestin haemorrhag drug interact advers event hernia cardiac disord hernia peripher arteri  
thrombosi cerebrovascular accid renal failur chronic renal failur acut anuria thrombocytopenia thrombocytopenia  
venou stenosi thrombosi devic malais pneumonia clostridium difficil infect periton diverticul circulatori collap  
s vomit pain headach insomnia nausea condit aggrav paraesthesia night sweat myocardi infarct toxic epiderm necro  
lysi drug reaction eosinophilia system symptom pyrexia therapeut respons interstiti lung diseases toxic variou age  
nt complet suicid incorrect dose administ poor peripher circul peripher arteri occlus diseases post procedur infec  
t wound wound infect diabet complic cellul death toxic variou agent complet suicid brain oedema bladder disord m  
edic residu present pulmonari oedema toxic variou agent complet suicid incorrect dose administ subacut cutan lup  
u erythematosu hospitalis pancreat investig intervertebr disc oper spinal laminectomi muscl spasm hot flush form  
ic fall drug withdraw syndrom clonu devic failur chest pain anaphylact reaction hyperthermia malign cardiac diso  
rd pulmonari thrombosi hypotens memori impair fluid overload death hypoxia delirium stress pancreat disord ultra  
filtr failur dyspnoea renal cancer blood pressur fluctuat weight decreas hypertens renal transplant failur hypot  
ens nausea convuls blood sodium decreas pleural effus periton bacteri periton dialysis complic death heart rate i  
rregular dyspnoea hernia weight decreas hypotens syndrom toxic epiderm necrolysi system lupu erythematosu head i  
njuri fluid overload pneumonia hyperthermia malign subacut cutan lupu erythematosu acut myocardi infarct diseases  
complic hypertens pneumonia aspir acut respiratori failur sepsi fall cerebrovascular accid liver injuri pneumoni  
a anaemia gastrointestin haemorrhag scrotal swell hernia drug ineffect deep vein thrombosi gastrointestin haemor  
rhag drug interact drug withdraw syndrom pulmonari embol angioedema deep vein thrombosi pulmonari embol anxieti  
emot distress gener physic health deterior injuri pulmonari embol dyspnoea chest pain pain pain retin disord ret  
in neovascularis vision blur product substitut issu drug dispens error product qualiti issu rash pruritu feel ab  
norm pulmonari embol deep vein thrombosi deep vein thrombosi pulmonari embol deep vein thrombosi pulmonari embol  
deep vein thrombosi venou thrombosi pulmonari embol deep vein thrombosi subacut cutan lupu erythematosu anaemia  
atrial fibril blood potassium decreas dehydr diabet complic abdomen distens dyspnoea nausea deep vein thrombosi  
pulmonari embol acut myocardi infarct deep vein thrombosi pulmonari embol cardiac arrest loss conscious devic re  
lat infect fall joint injuri periton bacteri periton dialysis complic death renal failur acut anaemia clostridium  
difficil infect fall chest pain abdomen pain upper constip haematuria myocardi infarct myocardi infarct cardiac  
failur periton chest pain abdomen distens ovarian germ cell cancer stage ii amenorrhoea weight increas galactorr  
hoea tremor muscular weak agit dyspnoea blood prolactin increas palpit aggress dyskinesia abdomen pain hyperhidr  
osi swell muscl spasm dysuria breast enlarg fatigu subacut cutan lupu erythematosu diseases recurr hernia foetal e  
xposur pregnanc drug withdraw syndrom neonat infect staphylococc infect cathet site infect abdomen pain respirat  
ori distress feed disord agit convuls investig hospitalis matern exposur pregnanc caesarean section prematur del  
iveri transfus rash pruritu insomnia blind unilater visual acuiti reduc inappropri schedul drug administr cardia  
c failur congest abdomen pain malais constip abdomen distens dyspnoea nausea hyperthermia malign hyperthermia ma  
lign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign eye pain vitreou haemorrhag  
foreign bodi sensat eye hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthe  
rmia malign hyperthermia malign hyperthermia malign subacut cutan lupu erythematosu drug reaction eosinophilia s  
ystem symptom hepat c face oedema excori lymphadenopathi generalis erythema hyperthermia malign hyperthermia mal  
ign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign physic disabl foetal cystic  
hygroma pain emot distress tension multipl injuri anhedonia loss employ social problem life expect shorten emot  
distress deform foetal exposur pregnanc hyperthermia malign abnorm behaviour agit aggress scream restless stab w  
ound dissoci fugu confusion state amnesia statu epilepticu plasma cell myeloma myocardi infarct subacut cutan lu  
pu erythematosu myalgia fatigu insomnia decreas appetit sexual dysfunct hospitalis death haemorrhag infect plasm  
a cell myeloma full blood count decreas pneumonia somnol neuropathi peripher constip malais toxic variou agent c  
omplet suicid viscer congest pulmonari oedema brain oedema oedemat kidney haemorrhag pulmonari embol deep vein t  
hrombosi colon abscess larg intestin perfor pulmonari embol hypoaesthesia eye eye swell deep vein thrombosi pulm



anari embol pulmonari embol pulmonari embol upper limb fractur deep vein thrombosi condit aggrav drug ineffect a canthamoeba kerat necrotis scleriti corneal perfor pulmonari embol embol venou demyelin chill confusion state ap hasia toxic variou agent hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign jaundic fatigu nausea drug abus hepat enzym increas confusi on state hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign bli nd thrombosi eye disord hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign contrast media reaction hyperthermia malign hyperthermia malign hyperthermia mal ign hyperthermia malign hyperthermia malign hyperthermia malign peripartum cardiomyopathi pulmonari oedema respi ratori disord ventricular hypokinesia diastol dysfunct ventricular fibril pericardi effus gestat hypertens mater n exposur pregnanc blood uric acid increas caesarean section urin flow decreas left atrial dilat cardiac failur aspart aminotransferas increas blood lactat dehydrogenas increas blood urea decreas blood potassium increas prot hrombin time shorten activ partial thromboplastin time prolong eject fraction decreas eject fraction decreas hyp erthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia ma lign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperth ermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign foetal exposur pregnanc drug withdraw syndrom neonat hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign loss conscious sinu tachycardia nervou system disord coma respira tori arrest incorrect dose administ drug abus hyperthermia malign hyperthermia malign hyperthermia malign hypert ermia malign hyperthermia malign hyperthermia malign hyperthermia malign thyroid neoplasm goitr hyperthermia ma lign epistaxi drug interact hyperthermia malign drug interact hypomagnesaemia malign melanoma hyperthermia malig n hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hypertherm ia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hy perthermia malign hyperthermia malign hyperthermia malign drug interact breast cancer femal hyperthermia malign hyperthermia malign hyperthermia malign back pain knee arthroplasti cataract procedur pain hyperthermia malignl arg intestin polyp conduct disord haematochezia vomit drug interact drug prescrib error convuls haemorrhag urina ri tract haemorrhag haemorrhag subcutan subcutan haematoma diseases progress pancreat carcinoma death swell face r ash death foetal exposur pregnanc drug withdraw syndrom neonat csf shunt oper convuls hypoglycaemia toxic variou agent medic residu present blood alcohol increas deep vein thrombosi cyst ruptur chromaturia cardiac failur mult ipl sclerosi psoriasis diverticul gastrointestin haemorrhag chest pain cerebrovascular accid ischaem stroke incor rect dose administ retin arteri oculu gastrointestin haemorrhag blood urin present mass incorrect dose administ death arrest failur malais vomit metabol acidosi aspart aminotransferas increas pneumonia aspir gener physic hea lth deterior malign neoplasm progress drug ineffect glioblastoma oropharyng pain pyrexia convuls bodi temperatur decreas lung neoplasm malign drug ineffect cardiac disord post procedur complic coliti gastrointestin stoma comp lic acut psychosi diseases malais cardiac oper diseases progress diseases label use acut psychosi herp zoster clostrid ium difficil infect arthriti drug effect decreas arthriti bacteri dissemin tuberculosi anaemia melaena renal fai lur acut hypoglycaemia hepat failur metabol acidosi hepat acut pancreat gastrointestin haemorrhag pancytopenia c oagulopathi failur overdos poison vomit diarrhoea abdomen pain headach exposur via ingest complet suicid intent eczema radiat pneumon pulmonari toxic muscl injuri pain muscl spasm nightmar fatigu analges asthma syndrom gastr oenter eosinophil chronic myeloid leukaemia neoplasm progress drug resist brain stem stroke brain stem thrombosi thrombosi hepat necrosi thrombocytosi petit mal epilepsi eye movement disord drug ineffect neutropenia electroca rdiogram repolaris abnorm electrocardiogram qt prolong road traffic accid attent disord bipolar disord meryc sed at somnol major depress depress agit rheumat disord neuropathi peripher hyperthermia malign hyperthermia malign hyperthermia malign death puls absent haemorrhoid haemorrhag pleural effus somnol haematuria diverticulum acut c oronari syndrom faecaloma fibrosi urinari retent unrespons stimuli hepat congest renal failur chronic myocard co liti ulcer haemoglobin decreas pulmonari oedema arteriosclerosi spleen congest kidney small pericard sudden deat h rectal haemorrhag gastrointestin haemorrhag mitral valv diseases hyperthermia malign hyperthermia malign hyperth ermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign diarrhoea cerebrova scular disord renal failur acut acidosi hyperphosphataemia hyperkalaemia hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign pneumon hype rthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia mal ign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign label use hyperthermia malig n hyperthermia malign brain neoplasm convuls hyperthermia malign drug effect incomplet hyperthermia malign hyper thermia malign hyperthermia malign death hyperthermia malign hyperthermia malign hyperthermia malign hyperthermi a malign abort hyperthermia malign hernia staphylococc infect mania nervou system disord migrain insomnia fall c onvuls nephrogen system fibrosi disord hepat b hepat failur tooth abscess anaemia memori impair cardiac failur c ongest thrombosi splenomegali anaemia drug resist platelet count decreas hyperthermia malign hyperthermia malign throat irrit paraesthesia throat irrit oral discomfort malais hyperthermia malign cardiovascular disord unrespon s stimuli puls absent respiratori arrest hyperthermia malign hyperthermia malign unrespons stimuli toxic variou agent resuscit hyperthermia malign throat irrit headach chest discomfort hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign chronic obstruct pulmonari diseases bronchospasm skin haemorrhag diarrhoea angina pectori vertigo constip hospitalis tremor ectop pregnanc contracept devic ruptur ect op pregnanc periton haemorrhag amenorrhoea abdomen pain drug ineffect hepatocellular carcinoma hepat adenoma amn iot fluid volum decreas arthriti caesarean section matern exposur pregnanc hyperthermia malign hyperthermia mali gnasthenia hypoesthesia hyperthermia malign periton renal failur acut hyperthermia malign hyperthermia malign renal failur acut hyperthermia malign hyperthermia malign hyperthermia malign hyperthermia malign epistaxi leukopenia anaemia thromb ocytopenia renal failur acut renal failur acut hyperthermia malign foetal exposur pregnanc congenit central nerv ou system anomali hyperthermia malign renal failur acut hyperthermia malign ear infect mastoid hypertens blood p ressur increas hyperthermia malign hyperthermia malign drug abus toxic variou agent cardiomegali left ventricula r hypertrophi hypertens cardiomyopathi pneumonia contus excori pulmonari oedema pulmonari congest neutropen seps i anaemia infect hypophosphataemia pyrexia malais haemorrhag stroke nephrogen system fibrosi injuri hypoglycaemi a fall hepat enzym increas caesarean section renal aplasia congenit central nervou system anomali hypoglycaemia matern drug affect foetu hypopituitar foetal death convuls nervous constip breast disord drug withdraw syndrom p ain arthralgia bone pain dizzi nausea vomit dri mouth swollen tongu mood swing urinariincontin memori impair vi sion blur weight decreas gait disturb balanc disord insomnia decreas appetit restless fall muscl spasm road traf fic accid underdos death abort spontan pregnanc matern drug affect foetu lactic acidosi overdos vomit lethargi h aemodialysi hypotens metabol acidosi azotaemia diabet ketoacidosi drug prescrib error toxic variou agent medic e rror sleep disord diarrhoea chest pain diarrhoea dysaesthesia aspart aminotransferas increas abdomen pain lower nausea rash stomat dri mouth alopecia cystiti alanin aminotransferas increas dysgeusia blood creatinin increas m usculoskelet pain dizzi urinari tract infect weight decreas constip pain extrem vomit oedema peripher blood crea tinin increas weight decreas fatigu escherichia test posit rash enterocutan fistula renal neoplasm ileal stenosi ileal perfor renalimpair vanish bile duct syndrom pulmonari mass cough sinu disord pain influenza pancreat carc inoma stage iv lipas increas death pancreat carcinoma nausea abdomen pain upper vomit cardiac failur viral infec

t weight decreas death cholecyst gallbladd disord pancreat carcinoma pancreat abdomin pain upper angina untabl  
cold sweat vomit nausea lethargi bradycardia tinnitu dysgeusia hallucin electrocardiogram qr complex prolong ele  
ctrocardiogram qt prolong eject fraction decreas cardiac arrest tropoin increases decreas appetit marasmus death d  
yspnoea asthenia lung disord skin toxic cough cerebr cyst hydrocephalu abscess intestin stenosi drug specif anti  
bodi present abdomin pain asthenia akinesia aphagia aphasia loss conscious qualiti life decreas dehydr withdraw  
syndrom dyskinesia drug dose omiss death phaeochromocytoma memori impair applic site rash applic site erythema t  
herapeut respons coma posterior revers encephalopathi syndrom liver injuri hepat necrosi liver injuri hepat necr  
osi infect embol loss conscious drug interact suicid ideat intervertebr disc protrus hepat embolis obstruct decr  
eas appetit nausea diarrhoea mucos inflamm pancytopenia staphylococc test posit convuls devic relat infect pyre  
xia infus relat reaction chill drug interact suicid ideat type diabet mellitu neuropathi peripher arthropathi ar  
thralgia system lupu erythematosu nasal disord spinal disord hallucin auditori hallucin visual drug ineffect mem  
ori impair pneumonia pneumonia hunger oropharyng pain hypersensit pharyng oedema throat irrit swell face lip swe  
ll type diabet mellitu haematochezia vomit abdomin pain proteinuria type diabet mellitu aphagia pain pneumonia b  
ronchiti cough abdomin pain upper gastrointestinal haemorrhag intestin ischaemia dialysi electrocardiogram qt prol  
ong intent overdos coma somnol hypophagia fluid intak reduc fall blood calcium abnorm procedur hypertens cerebro  
vascular accid hepat enzym increas drug ineffect gastrooesophag reflux diseas death atrial fibril eruct flatul a  
bdomin discomfort hyperchlorhydria face oedema failur sepsi acinetobact test posit treatment failur myocardi inf  
arct pneumonia renal transplant infect mental disord psychiatr decompens drug ineffect unapprov indic intent dru  
g misus acanthamoeba kerat drug ineffect acut graft versu host diseas urinari retent angina pectori label use de  
ath death depress suicid ideat loss employ product substitut issu endocard death investig death renal failur acu  
t liver injuri neutropenia malign neoplasm progress dizzi dysuria malais intent product use issu balanc disord d  
rug ineffect acut graft versu host diseas skin post transplant lymphoprolif disord drug ineffect chronic graft v  
ersu host diseas posterior revers encephalopathi syndrom liver disord renal failur drug intoler drug ineffect un  
approv indic dermatophytosi product substitut issu fatigu depress malign neoplasm progress deaf bone pain memori  
impair hepatocellular injuri influenza like ill drug ineffect graft versu host diseas incorrect dose administ de  
ath perform statu decreas hepat function abnorm decreas appetit drug ineffect acut graft versu host diseas skin  
label use dacryostenosi acquir vision blur drug ineffect acut graft versu host diseas cardiac arrest malign neop  
lasm progress clostridium difficil infect pneumonia fatigu asthenia sepsi urinari tract infect muscl spasm decub  
itu ulcer skin disord arthralgia arthralgia bone pain joint swell local swell blood pressur increas abdomin disc  
omfort vision blur nervous depress insomnia decreas appetit weight decreas incorrect dose administ rectal prolap  
s fungal infect pyrexia influenza like ill upper respiratori tract infect febril neutropenia pancreat carcinoma  
pancreat chronic escherichia pyelonephr renal transplant type diabet mellitu pain hepat enzym increas diarrhoea  
vomit abdomin pain upper haemolyt anaemia platelet count decreas haemoglobin decreas anaemia anal abscess anal a  
bscess death investig matern exposur pregnanc congenit anomal congenit aortic valv stenosi coarctat aorta paten  
t ductu arteriosu type diabet mellitu type diabet mellitu drug ineffect acut graft versu host diseas type diabet  
mellitu type diabet mellitu arthralgia pain extrem pulmonari arteri atresia low birth weight babi heart diseas c  
ongenit red man syndrom cardiac disord myalgia therapi cessat death pneumonia metrorrhagia mood alter product su  
bstitut issu drug ineffect graft versu host diseas nephrogen system fibrosi varicos vein memori impair oedema ch  
ronic graft versu host diseas leukaemia recurr chronic myeloid leukaemia drug ineffect gynaecomastia blood prola  
ctin increas pain chest pain nippl swell dyspnoea leukaemia recurr acut graft versu host diseas chronic graft ve  
rsu host diseas chronic myeloid leukaemia drug ineffect type diabet mellitu type diabet mellitu leukaemia recurr  
acut graft versu host diseas chronic graft versu host diseas chronic myeloid leukaemia drug ineffect nephropathi  
type diabet mellitu convuls type diabet mellitu dissemin tuberculosi respiratori failur cardiovascular insuffici  
cardiac hypertrophi cardiomegali renal colic pyelonephr blood creatinin increas alanin aminotransferas increas s  
wollen tongu transfus haemoglobin decreas arthriti arthralgia malais fatigu herp zoster growth retard matern exp  
osur pregnanc caesarean section feel abnorm dyspnoea insomnia drug depend oral pain teeth brittl oral herp aphag  
ia dyspnoea suffoc feel gener physic health deterior sensat pressur dri mouth thirst headach headach abdomin pai  
n wheez inguin hernia post procedur swell post procedur discharg blood pressur increas metastas pancrea metastas  
liver stress ovarian disord scar anxieti pyogen granuloma palmar erythema nervous thrombophleb nodul plantar fas  
ciiti pain extrem gait disturb lichen sclerosu lymphadenopathi nerv compress back pain neoplasm progress inappro  
pri schedul product administ atrial fibril cerebr haemorrhag haemorrhag stroke hydrocephalu brain oedema coma i  
nappropri schedul drug administ haematuria overdos renal cyst haemorrhag spinal fractur pancreat mass foetal ex  
posur pregnanc mening streptococc infarct neurolog symptom vomit musculoskelet disord pyrexia platelet disord ne  
utropenia haemoglobin abnorm respiratori tract infect nausea febril neutropenia mucos inflamm infect bacteri inf  
ect cardiac failur congest pericardi effus atrial fibril visual acuiti reduc nasopharyng visual field defect whi  
te blood cell count increas alanin aminotransferas increas lymphocyt count decreas cataract devic failur osteone  
crosi jaw toothach bone disord breath odour mouth haemorrhag oral disord erythema swell pain expos bone jaw infe  
ct purul breast cancer neoplasm progress death gastric disord substanc abus overdos drug abus toxic variou agent  
malign neoplasm progress platelet count decreas haemophagocyt lymphohistiocytosi blood bilirubin increas drug in  
toler platelet count decreas hepat function abnorm blood glucos increas lipas increas graft versu host diseas dr  
ug resist blood cholesterol increas breast cancer malign neoplasm progress breast cancer neoplasm progress breas  
t cancer neoplasm progress breast cancer neoplasm progress joint swell pain extrem anxieti disturb attent fatigu  
insomnia angioedema lip swell dyspnoea breast cancer neoplasm progress breast cancer malign neoplasm progress bl  
ind breast cancer neoplasm progress hallucin nausea euphor mood wrong techniqu drug usag process abdomin pain up  
per anxieti breast cancer neoplasm progress death death ulcer syncop depress level conscious unrespons stimuli p  
yrexia hypertens blister skin exfoli cystic fibrosi lung herp zoster pancytopenia drug interact visual impair fu  
ngal infect hypokalaemia iron defici dyspnoea post procedur complic drug ineffect ulcer scar pu  
rul devic disloc pain red blood cell abnorm macular degener angina pectori asthenia visual acuiti reduc anaemia  
fluid retent pleural effus urticaria product label issu product qualiti issu liver disord hypersensit yellow ski  
n faec pale rash tooth eros oral infect wrong techniqu drug usag process underdos decreas appetit pulmonari arte  
ri hypertens diseas progress fluid overload drug interact intern normalis ratio abnorm prothrombin time abnorm n  
ephrolithiasi ureter obstruct chronic obstruct pulmonari diseas convuls aplast anaemia chronic obstruct pulmonar  
i diseas cardiac failur bacteraemia septic shock brain abscess ventricular tachycardia incontine neck pain abasia  
hypokinesia label use drug administ monitor procedur incorrectli perform cerebrovascular accid pneumothorax con  
fusion state pyrexia supraventricular extrasystol type diabet mellitu type diabet mellitu type diabet mellitu re  
nal disord cerebrovascular accid type diabet mellitu type diabet mellitu type diabet mellitu lung neoplasm malig  
n pneumonia lung neoplasm malign diseas progress type diabet mellitu interstiti lung diseas platelet count decre  
as type diabet mellitu death cerebr infarct ruptur cerebr aneurysm hypertens type diabet mellitu nausea depress  
cough arthralgia fatigu asthenia diarrhoea muscl spasm dizzi feel abnorm drug prescrib error myalgia muscl twitc  
h myocardi infarct type diabet mellitu death type diabet mellitu type diabet mellitu type diabet mellitu staphyl  
ococc infect rash infus site pain type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellit  
u type diabet mellitu type diabet mellitu colon cancer neoplasm recurr type diabet mellitu type diabet mellitu b  
lood pressur increas label use type diabet mellitu pyrexia urinari retent somnol aspir urinari tract infect type

diabet mellitu death type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu rash rash i  
ntent drug misus system lupu erythematosu devic breakag product lot number issu transaminas increas confusion st  
ate loss conscious retrograd amnesia delirium bradycardia apnoea arteri occlus diseases type diabet mellitu drug w  
ithdraw syndrom drug detoxif tremor hypokinesia dyspnoea hyperhidrosi feel abnorm tachypnoea activ daili live im  
pair death osteoarthr impair heal arthralgia peripher swell febril neutropenia haematemesi melaena haemorrhag an  
aemia drug interact mental statu chang herp zoster feel cold infus relat reaction acut interstiti pneumon breast  
cancer glycosyl haemoglobin increas hypoglycaemia road traffic accid disord toxic variou agent drug abus suicid  
attempt abdomin wall haematoma drug interact asthma gastrointestin haemorrhag cataract goitr drug depend hyperse  
nsit pharyng oedema dyspnoea somnol pancreat carcinoma seroma therapeut respons decreas headach post procedur ha  
emorrhag drug interact gastrointestin haemorrhag nausea plasma cell myeloma diseases recurr post procedur haemorrh  
ag haematuria contus intern normalis ratio increas drug interact cerebrovascular accid haemoglobin decreas throm  
bosi aplast anaemia intestin perfor ileu paralyt pneumon lung infiltr renal failur pneumothorax pulmonari embol  
subdur haematoma drug interact pneumonia febril neutropenia hypotens pneumomediastinum deep vein thrombosi produ  
ct packag issu product packag associ injuri accident exposur product chronic obstruct pulmonari diseases pneumonia  
streptococc left ventricular dysfunct metabol acidosi ketoacidosi dehydr lung transplant dyspnoea exert chest in  
juri ventricular failur oedema peripher catheteris cardiac abnorm hypoxia ischaemia pleural effus pulmonari arte  
ri hypertens condit aggrav cerebrovascular accid hemiparesi dysarthria transfus vascular stent thrombosi treatme  
nt noncompli rectal haemorrhag label use genit infect fungal vulvovagin candidiasi hypocalcaemia ideat depress h  
epat cirrhosi pancytopenia ascit convuls neutrophil count decreas respiratori failur oesophag carcinoma ileu par  
alyt larg intestin obstruct dysphagia mental impair cushingoid bodi height normal acn skin papilloma spinal comp  
ress fractur headach headach musculoskelet stiff insomnia lymphopenia osteoporosi sudden death loss conscious dy  
spnoea hypokalaemia urinari tract infect dysarthria renal failur acut diseases convuls depress influenza like ill  
asthenia dyspepsia nausea abdomin discomfort anaemia anaemia neutropenia drug ineffect haemorrhag anaemia gastro  
intestin haemorrhag dizzi hyperhidrosi dizzi intern normalis ratio abnorm type diabet mellitu type diabet mellit  
u type diabet mellitu type diabet mellitu local swell musculoskelet stiff peripher cold matern exposur pregnanc  
congenit anomali brachycephali plagiocephali type diabet mellitu type diabet mellitu type diabet mellitu type di  
abet mellitu mood alter apathi somnol flat affect type diabet mellitu neuropathi peripher type diabet mellitu ty  
pe diabet mellitu dizzi vision blur malais type diabet mellitu palpit type diabet mellitu type diabet mellitu ty  
pe diabet mellitu type diabet mellitu neuropathi peripher visual impair type diabet mellitu type diabet mellitu  
type diabet mellitu confusion state type diabet mellitu vomit death devic disloc tremor ischaem stroke hemipares  
i seizur label use haemorrhag stroke bradyphrenia malais arthralgia road traffic accid confusion state devic dis  
loc drug dose omiss diseases drug ineffect cervic spinal stenosi pneumonia myocardi infarct pyrexia weight increas  
sinus blood pressur increas lung infect fatigu pneumonia decreas appetit somnol bundl branch block left atrioven  
tricular block first degre electrocardiogram qt prolong drug interact epistaxi pruritu rash hypertens somnol dep  
ress meryc major depress agit sedat bipolar disord attent disord death oesophag atresia renal aplasia right aort  
ic arch matern drug affect foetu haemoglobin decreas asthenia arthralgia dyspnoea nausea renal failur vomit clef  
t palat matern drug affect foetu type diabet mellitu type diabet mellitu muscl spasm cardiomyopathi diabet neuro  
pathi anxieti type diabet mellitu type diabet mellitu type diabet mellitu glucos toler impair type diabet mellit  
u placent insuffici foetal death foetal heart rate deceler abnorm umbil cord abnorm loss employ multipl injuri a  
nhedonia econom problem intern haemorrhag psycholog trauma social problem deform physic disabl pain tension hepa  
t cirrhosi liver function test abnorm ascit pruritu rash meningomyelocel matern drug affect foetu enterocol live  
r disord oedema mouth rash erythemat pyrexia splenic ruptur sepsi cytomegaloviru enterocol abscess fungal gastri  
c ulcer haemosiderosi pyrexia cystiti haemorrhag multipl injuri gastrointestin haemorrhag tuberculin test posit  
asthenia breast cancer neoplasm progress diplopia breast cancer neoplasm progress breast cancer neoplasm progres  
s motor development delay dermoid cyst foetal exposur pregnanc small date babi micropeni hypospadia cryptorch fo  
etal exposur pregnanc arthralgia chang bowel habit breast cancer neoplasm progress weight increas breast cancer  
metastas lymph node neoplasm progress breast cancer neoplasm progress breast cancer neoplasm progress blind visi  
on blur breast cancer neoplasm progress breast cancer neoplasm progress breast cancer neoplasm progress ischaem  
stroke breast cancer neoplasm progress breast cancer neoplasm progress circulatori collaps hypotens vomit pain m  
ultipl injuri physic disabl tension gastrointestin haemorrhag psycholog trauma econom problem pain deform anhedo  
nia loss employ social problem breast cancer drug intoler neoplasm progress breast cancer neoplasm progress road  
traffic accid liver disord multipl injuri physic disabl pain gastrointestin haemorrhag econom problem social pro  
blem failur loss employ renal injuri tension ulcer deform anhedonia psycholog trauma white blood cell count incr  
eas devic relat infect matern exposur pregnanc fall confusion state orthostat hypotens dehydr electrocardiogram  
qt prolong somnambul mycosi fungoid stage ii joint injuri arthriti infect malais substanc abus expir drug admini  
st suicid ideat constip depress mood drug withdraw syndrom intent drug misus wrong techniqu drug usag process cr  
i malais somnol dizzi confusion state disorient anxieti pulmonari embol thrombosi anxieti insomnia nausea vomit  
withdraw syndrom temperatur regul disord prematur babi apgar score low foetal exposur pregnanc transfus myelodys  
plast syndrom duoden ulcer oesophag gastroenter aeromona fatigu cyst ear pain pain extrem blood bilirubin increa  
s schizoaffect disord drug ineffect superinfect diseases progress pneumon dyspnoea congenit ureter anomali kidney  
malform cryptorch matern drug affect foetu renal aplasia urinari retent constip abdomin pain hypotens vomit fati  
gu diarrhoea throat tight erythema urticaria nausea renal failur acut muscl spasm dyspnoea mening white blood ce  
ll count increas neutrophil count increas brain abscess pneumonia malnutrit death acut myeloid leukaemia haemogl  
obin decreas death pain oedema peripher death febril neutropenia death death swollen tongu nausea pain death atr  
ial septal defect matern drug affect foetu accident exposur product child acut lymphocyt leukaemia recurr hypote  
ns feel abnorm bradycardia abdomin pain upper bladder dysfunct cystiti noninfect nausea weight decreas alopecia  
pancytopenia major depress rash drug intoler mycosi fungoid diseases alopecia small intestin resect dialysi nausea  
haematochezia hepat enzym abnorm hepat enzym increas insomnia pain extrem constip anorect disord rash vision blu  
r procedur pain abdomin pain laryng pain sinus respiratori tract infect bone densiti decreas back pain dizzi cou  
gh headach intestin resect diseases neutropenia arthralgia influenza contus fatigu abdomin distens skin lesion nau  
sea infus relat reaction vomit drug specif antibodi present diarrhoea myalgia acn dyspepsia pyrexia loss conscio  
us anxieti diarrhoea dehydr haemorrhag dialysi nephrogen system fibrosi pancytopenia renal vessel disord enteroc  
occ sepsi arthralgia rash asthma enceph viral blood lactat dehydrogenas increas pyrexia pyrexia melaena hepat fu  
nction abnorm furuncul viith nerv paralysi cardiac disord chronic obstruct pulmonari diseases bronchiectasi thyroid  
disord arthriti inflamm skin discolour circumst inform capabl lead medic error overdos drug ineffect retin vein  
occlus pneumonia asthenia dyspnoea depend insomnia urinari retent anxieti hyperhidrosi vomit disturb attent type  
diabet mellitu type diabet mellitu back pain type diabet mellitu type diabet mellitu type diabet mellitu bicuspi  
d aortic valv congenit aortic stenosi dysmorph exposur pregnanc foetal exposur pregnanc type diabet mellitu type  
diabet mellitu type diabet mellitu headach type diabet mellitu type diabet mellitu type diabet mellitu type diab  
et mellitu stomat neovascular macular degener rash myalgia muscular weak eye irrit pruritu meningomyelocel mater  
n drug affect foetu type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu epilepsi the  
rapeut respons unexpect drug substitut renal neoplasm type diabet mellitu type diabet mellitu dyspnoea rash back  
pain drug withdraw syndrom appar death depress cri nervou system disord chill insomnia tremor qualiti life decre

as decreas appetit influenza intent drug misus anaphylact shock polydactyli matern drug affect foetu hallucin de  
press anxieti paranoia apathi drug ineffect breast cancer malign neoplasm progress haemolyt uraem syndrom breast  
cancer malign neoplasm progress syndrom mental statu chang vomit nausea overdos cholestasi breast cancer malign  
neoplasm progress breast cancer malign neoplasm progress convuls feel hot glassi eye product substitut issu prod  
uct qualiti issu drug ineffect breast cancer malign neoplasm progress drug ineffect system lupu erythematosu dru  
g ineffect cystocel febril neutropenia haemolysi hypersensit dyspnoea oral disord wrong techniqu drug usag proce  
ss pharyng oedema memori impair seizur label use road traffic accid cerebrovascular accid sneez transient ischae  
m attack fatigu speech disord confusion state bacteri infect rhinorrhoea feel hot alopecia disturb attent migrain  
osteoporosi paraesthesia nausea headach acut myeloid leukaemia arthriti refractori anaemia excess blast lower  
respiratori tract infect pneumonia neutrophil count increas viral infect white blood cell count decreas neutroph  
il count decreas death musculoskelet disord plasma cell myeloma renal failur acut clavicl fractur fall patholog  
fractur drug intoler encephalopathi pleural effus pneumonia lower respiratori tract infect type diabet mellitu c  
ough dyspnoea atrial flutter hypoxia drug interact haemorrhag type diabet mellitu death fall fractur type diabet  
mellitu hepat function abnorm type diabet mellitu type diabet mellitu nephrolithiasi type diabet mellitu myelopa  
thi type diabet mellitu type diabet mellitu pancreat carcinoma type diabet mellitu accident exposur product chil  
d type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu palpit hea  
rt rate irregular cardiac flutter type diabet mellitu intent overdos mental statu chang unrespons stimuli agit e  
lectrocardiogram qt prolong statu epilepticu disorient drug interact type diabet mellitu type diabet mellitu typ  
e diabet mellitu death type diabet mellitu hepat steatosi type diabet mellitu type diabet mellitu type diabet m  
ellitu type diabet mellitu type diabet mellitu type diabet mellitu angioedema exposur via ingest victim chemic su  
bmiss chest pain type diabet mellitu neuropathi peripher label use hypoaesthesia nausea musculoskelet disord abd  
omin pain diarrhoea malais vomit muscl spasm dehydr asthenia decreas appetit dehydr weight decreas type diabet m  
ellitu type diabet mellitu type diabet mellitu type diabet mellitu fatigu thyroid cancer choke neutropenia produ  
ct use issu diseases progress blood pressur increas death diarrhoea type diabet mellitu ascit muscl spasm headach  
diarrhoea malais fatigu mouth ulcer abdomin discomfort viral infect weight decreas type diabet mellitu yellow sk  
in decreas appetit neutrophil count decreas death type diabet mellitu gait disturb knee arthroplasti low turnov  
osteopathi osteoporot fractur blister femur fractur anxieti depress osteopenia chronic obstruct pulmonari diseas  
tinea cruri knee arthroplasti anxieti depress bodi tinea advers event intramedullari rod insert renal impair pru  
ritu type diabet mellitu intestin stenosi diarrhoea abdomin pain incorrect dose administ ammonia increas hepat e  
ncephalopathi essenti tremor acut respiratori distress syndrom pneumonia interstiti lung diseas tuberculin test  
posit bodi height abnorm cerebr palsi dysmorph hypertrichosi dyspraxia development delay decreas vibratori sens  
impuls behaviour ankyloglossia congenit low set ear intellectu disabl learn disord foetal anticonvuls syndrom ce  
ntral nervou system lesion lip disord impair qualiti life tremor cerebrovascular accid mental impair cardiac mur  
mur speech disord development foetal exposur pregnanc stridor eye disord autism spectrum disord myelodysplast sy  
ndrom immun reconstitut inflammatori syndrom molluscum contagiosum local swell headach swollen tongu tremor palp  
it dyspnoea chronic obstruct pulmonari diseas label use wrong techniqu drug usag process dizzi hypotens infect p  
neumonia dysphagia acut myeloid leukaemia leukaemia uveiti blind hyponatraemia diarrhoea diarrhoea weight decrea  
s vomit stress drug intoler coliti ulcer movement disord feed disord diarrhoea upper limb fractur fall hypoaesth  
esia pain drug level increas myocardi infarct angina pectori respiratori failur cardiac failur congest bone marr  
ow failur uveiti blind anuria renal failur acut hyponatraemia hypokalaemia diarrhoea renal failur diarrhoea haem  
orrhoid prothrombin time prolong hyperglycaemia hypokalaemia hyperphosphataemia eject fraction decreas dyspnoea  
nausea vomit diarrhoea liver function test abnorm swell fall foam mouth eye movement disord hypersensit cerebrov  
ascular accid cardiac failur congest disabl coronari arteri stent insert treatment noncompli diabet mellitu bloo  
d cholesterol increas hypertens pneumonia basal cell carcinoma shoulder oper cyst sinu polyp ear infect synovi c  
yst musculoskelet pain pain extrem arthralgia expir drug administ pollakiuria trichorrhexi paraesthesia pain mul  
tipl sclerosis relaps insomnia pruritu alopecia diarrhoea headach cystiti balanc disord gastrointestin disord pyr  
exia cataract dri skin feel bodi temperatur chang fatigu burn sensat nausea mobil decreas coeliac diseas urticar  
ia death epilepsi medic error psychot disord affect labil anxieti cough cri diarrhoea diplopia dyslexia dyspnoea  
exert eye oedema hallucin headach incoher insomnia irrit mood swing oedema peripher pain extrem stress suicid id  
eat weight decreas lymphoma diabet mellitu fibromyalgia rash generalis abasia blood glucos fluctuat lymphocyt co  
unt abnorm tinnitu diplopia vision blur incoher aphasia blind balanc disord neutrophil count abnorm pneumonia dy  
spnoea chest pain dehydr nausea vomit investig intent drug misus drug depend convuls feel abnorm hyperhidrosi vo  
mit tremor advers event wrong techniqu drug usag process ligament sprain ligament ruptur road traffic accid tons  
il upper respiratori tract infect asthenia pain extrem swell face cerebrovascular accid convuls fall tremor ment  
al statu chang muscl tight respiratori depress pain incorrect dose administ loss conscious overdos hypersensit l  
ethargi muscl spasm therapeut respons decreas muscl spastic stress disord depress panic attack road traffic acci  
d impair work abil rehabilit therapi exposur pregnanc diseases progress post procedur haemorrhag dialysi blood pre  
ssur inadequ control blood glucos increas chronic obstruct pulmonari diseas superior vena cava syndrom treatment  
noncompli prematur deliveri live birth exposur pregnanc diabet mellitu inadequ control acut hepat failur renal f  
ailur acut respiratori arrest prematur babi foetal exposur pregnanc medic devic complic joint arthroplasti rash  
generalis presyncop skin ulcer psoriasis alopecia malais platelet aggreg increas convuls sepsi pneumonia respirat  
ori failur diabet mellitu disabl asthma fibromyalgia malais death renal surgeri therapi cessat haemorrhag neurop  
athi peripher hypertens drug ineffect gastrointestin haemorrhag zygomycosi abdomin pain lower pulmonari toxic dy  
spnoea cough respiratori distress lung infiltr pleural effus atelectasi interstiti lung diseas diarrhoea haemorr  
hag gastrointestin ulcer gastric cancer stage iv abdomin pain upper chest pain back pain lymphadenopathi lymphom  
a hepat cancer stage iv weight decreas hypophagia increas tendenc bruis hear impair visual impair fatigu knee ar  
throplasti failur diabet mellitu acn cystic acn inflamm product substitut issu product qualiti issu cardiotox mo  
noparesi cerebrovascular accid lactic acidosi blood triglycerid increas nausea hypoaesthesia oral gastric ph dec  
reas malais vomit paraesthesia oral abdomin pain upper pleural effus gastric cancer pulmonari embol pneumon rena  
l failur acut psychiatr symptom epilepsi convuls loss conscious fall abnorm behaviour cerebellar haemorrhag hype  
rtens urinari retent anuria haematuria pneumon dyspnoea cough pulmonari embol rectal obstruct coliti constip abd  
omin pain febril neutropenia white blood cell count decreas neutrophil count decreas dystonia suicid attempt dev  
ic malfunction peripher sensorimotor neuropathi rectal adenocarcinoma drug interact arthralgia haematoma erythema f  
eel abnorm visual impair genit haemorrhag influenza like ill abdomin distens vitamin defici weight increas dri m  
outh eye irrit dyspnoea thermal burn odynophagia dri mouth local swell swell thrombosi oropharyng pain dermat bu  
llou endometri cancer blood glucos increas incorrect dose administ drug dose omiss blood glucos increas unintent  
pregnanc drug interact exposur pregnanc fractur chronic myeloid leukaemia drug depend drug abus pigment disord d  
rug interact drug depend drug abus eject fraction decreas gastrointestin disord iron defici anaemia occult blood  
posit erythema intestin ulcer retroperiton fibrosi abdomin pain vision blur eyelid margin crust dri mouth dri th  
roat choke constip photophobia haemorrhag sudden cardiac death aspergillu test posit staphylococcu test posit my  
cobacterium avium complex infect acut respiratori distress syndrom hyperthyroid pulmonari toxic organis pneumoni  
a pyrexia cough dyspnoea weight decreas haemoptysi asthenia paralyti malais paralyti prematur babi acut hepat fa  
ilur renal failur acut respiratori arrest cardiomegali foetal growth restrict abdomin distens pseudocyst gastroi

ntestin disord congenit neural tube defect foetal exposur pregnanc tooth loss gingiv pain rash erythemat cutan l  
upu erythematosu musculoskelet pain neck pain arthralgia syncop fall acut myocardi infarct cerebr ischaemia labe  
l use decreas appetit abdomin pain pain drug ineffect intestin resect uveiti apthou stomat label use drug ineff  
ect unapprov indic apthou stomat infarct cerebrovascular accid pulmonari embol intestin obstruct haematuria uri  
nari tract infect diseas lethargi condit aggrav drug ineffect neuralgia contus pain back pain pain extrem haemat  
emesi neutrophil count decreas vertigo infect nausea vomit diarrhoea malais neutropenia pancytopenia febril neut  
ropenia thrombocytopenia lower respiratori tract infect dyspnoea asthenia sinus pulmonari embol nasal septum dev  
iat haemostasi thrombocytopenia cognit disord disturb attent learn disord convuls swell face rash generalis  
local swell vomit capillari leak syndrom haematotox musculoskelet disord mouth ulcer procedur pain oral discomfo  
rt dyspepsia ovarian cancer metastas peritoneum metastas liver abdomin pain neurolept malign syndrom hypokalaemi  
a hypochloraeemia blood urea decreas blood urea ratio decreas anticonvuls drug level decreas hyponatraemia diseas  
progress breast cancer label use pneumon chest pain pyrexia atrial fibril sinu tachycardia abdomin pain cellul p  
yrexia suicid ideat feel abnorm plasmablast lymphoma mouth ulcer lymphadenopathi faecal incontint diarrhoea gastr  
ic perfor pseudomembran coliti clostridium difficil infect hypomagnesaemia drug interact intestin obstruct aneur  
ysm blind visual impair lung infect laryng pneumonia haemolyt anaemia sarcoma skin haematotox sepsi pneumonia dy  
spnoea chest pain product cough bodi temperatur increas dehydr nausea vomit diarrhoea abdomin pain hypoglycaemia  
dizzi type diabet mellitu myocardi infarct arthriti type diabet mellitu type diabet mellitu type diabet mellitu  
type diabet mellitu type diabet mellitu cough vomit qualiti life decreas urinari incontint convuls type diabet me  
llitu type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu facial pain speech disord  
type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu cataract gout type diabet mellitu type diabet mellit  
u syndrom dermat exfoli stomat eosinophilia blood creatinin increas pyrexia transaminas increas system lupu eryt  
hematosu toxic variou agent virolog failur dehydr nausea vomit faec soft blood glucos abnorm lipid abnorm chroni  
c obstruct pulmonari diseas abdomin pain upper nausea feel bodi temperatur chang type diabet mellitu nephrot syn  
drom renal failur acut dyspnoea wheez hypokalaemia type diabet mellitu type diabet mellitu type diabet mellitu f  
orc vital capac decreas carbon monoxid diffus capac decreas drug intoler weight increas fatigu pulmonari hyperten  
s oxygen satur decreas sinus feel abnorm asthenia dyspnoea gastrooesophag reflux diseas incorrect dose administ  
type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu type diabet  
mellitu type diabet mellitu type diabet mellitu gastric ulcer photosensit reaction haemoglobinuria fatigu type d  
iabet mellitu type diabet mellitu hernia fall foot fractur clavicl fractur orthostat hypotens angioedema diarrho  
ea haemorrhag type diabet mellitu overdos urinari retent small intestin obstruct enter drug depend depress type  
diabet mellitu leukaemia recurr chronic graft versu host diseas chronic myeloid leukaemia drug ineffect spinal d  
isord hypotens renal failur arthriti salmonella type diabet mellitu type diabet mellitu incision drainag drug ef  
fect incomplet posterior revers encephalopathi syndrom myasthenia gravi antiacetylcholin receptor antibodi posit  
label use thrombot microangiopathi product use issu toxic variou agent ventricular tachycardia bundl branch bloc  
k left electrocardiogram qr complex prolong cardiac failur congest renal failur metabol acidosi type diabet mell  
itu type diabet mellitu arthropathi type diabet mellitu alter state conscious drug ineffect type diabet mellitu  
type diabet mellitu syncop ventricular fibril cardiac failur type diabet mellitu pericardi effus metastas skin a  
phagia lymphadenopathi neuropathi peripher liver disord anaemia decreas appetit back pain synovi cyst nodul diar  
rhoea fatigu malais influenza like ill alopecia headach pruritu arthralgia weight decreas oral pain mouth ulcer  
nail bed infect nail disord nausea epistaxi insomnia photosensit reaction chill dyspnoea fungal infect onychocla  
si skin disord dysgeusia glossodynia tooth discolour abdomin discomfort vomit wheez diseas progress breast cance  
r metastat ileu multipl sclerosi relaps type diabet mellitu leukaemia recurr acut graft versu host diseas chroni  
c graft versu host diseas chronic myeloid leukaemia drug ineffect hypersensit dyspnoea pharyng oedema dysphagia  
insomnia label use type diabet mellitu liver injuri aspart aminotransferas increas alanin aminotransferas increa  
s gastric haemorrhag muscl spasm fall gait disturb retinopathi photosensit reaction eczema diabet mellitu liver  
injury type diabet mellitu type diabet mellitu cholelithiasi dementia delirium incoher type diabet mellitu dehyd  
r asthenia scratch death haematochezia organ failur death type diabet mellitu type diabet mellitu leg amput pain  
gastric disord hypersensit urticaria vomit migrain pharyng oedema haemoglobin decreas fatigu pneumonia myocardi  
infarct gener physic health deterior peripher vascular disord condit aggrav embol arteri haemorrhag subcutan hea  
rt rate irregular influenza bone marrow disord cardiac failur congest bone marrow transplant subdur haematoma ga  
stric ulcer seizur dyspnoea transfus haemorrhag anaemia death acut myocardi infarct coronari arteri occlus clost  
ridium difficil infect grand mal convuls transplant transient ischaem attack hypoglycaemia hypertens multipl scl  
erosi anaemia hyperlipidaemia gout drug ineffect mobil decreas gait disturb abasia abasia multipl sclerosi weigh  
t decreas wheelchair user stress therapi cessat electrocardiogram abnorm bradycardia dizzi presyncop death melae  
na malign neoplasm progress loss conscious back pain hyperhidrosi nasopharyng insomnia dizzi feel abnorm local s  
well neuropathi peripher swell face drug interact neuropathi peripher neck pain flush sepsi cathet site pain cat  
het site infect pain jaw cathet site pruritu dyspnoea heart rate increas product physic issu cathet site rash di  
arrhoea dermat contact cathet site haemorrhag erythema cathet site swell cathet site urticaria headach gastroent  
er viral diarrhoea breast cancer hepat neoplasm metastas liver hypertens crisi anxieti abdomin distens abdomin p  
ain pruritu hypertens atrial flutter pulmonari hypertens type diabet mellitu renal failur chronic concomit disea  
s aggrav haemodialysi fluid overload rash pain skin vagin disord depend enabl machin devic pneumonia urinari tra  
ct infect depress level conscious haematoma subdur haemorrhag craniotomi left ventricular failur speech disord e  
lectrocardiogram qt prolong paraesthesia breast cancer malign neoplasm progress gastrointestin haemorrhag dement  
ia agit confusion state breast cancer malign neoplasm progress loss propriocept fall gait disturb asthenia breas  
t cancer malign neoplasm progress neuropathi peripher femur fractur type diabet mellitu breast cancer malign neo  
plasm progress gingiv swell gingiv pain tooth disord breast cancer drug intoler malign neoplasm progress pulmona  
ri haemorrhag haemoptysi infect herp zoster death cerebr haemorrhag cerebrovascular accid white blood cell count  
increas breast cancer malign neoplasm progress type diabet mellitu diabet nephropathi death vomit oligohydramnio  
foetal exposur pregnanc gestat diabet prematur ruptur membran breast cancer drug intoler malign neoplasm progres  
s breast cancer malign neoplasm progress femur fractur incorrect drug administr durat breast cancer malign neopl  
asm progress breast cancer malign neoplasm progress breast cancer malign neoplasm progress breast cancer malign  
neoplasm progress breast cancer malign neoplasm progress death asthenia malign neoplasm progress drug ineffect m  
alais melaena dizzi oedema peripher cough clostridium difficil coliti diarrhoea pyrexia malais drug ineffect ina  
ppropri schedul drug administr psychot disord suicid ideat nervous nausea drug ineffect asthmat crisi asthma ins  
ulin resist hyperhidrosi dri skin vision blur hypoaesthesia fatigu pruritu breast cancer malign neoplasm progres  
s cerebr haemorrhag neck pain seizur back pain contus intervertebr disc protrus skin lesion tender vomit fall br  
east mass hyperlipidaemia neoplasm skin joint disloc arthralgia hypothyroid dizzi arterioven malform carpal tunn  
el syndrom pain iron defici anaemia headach fatigu vitamin defici drug intoler diplopia aphasia arthriti vision  
blur rash amnesia lymphadenopathi depress diarrhoea sepsi diabet mellitu hypertens pancreat carcinoma death brea  
st cancer drug intoler influenza like ill malign neoplasm progress myalgia urinari tract infect arteriosclerosi  
type diabet mellitu pneumonia blood pressur increas loss conscious pneumonia transfus pancytopenia type diabet m  
ellitu pulmonari oedema haemodynam instabl bacteri toxemia accid inflamm excori injuri infect white blood cell  
count increas larg intestin obstruct foreign bodi medic residu present abort uterin leiomyoma endometriosis multi

pl sclerosi diverticul pneumonia abort spontan exposur pregnanc abort induc matern exposur pregnanc pneumonia ha emoglobin decreas malais hypothyroid herp zoster gastroenter clostridium difficil infect drug interact pancytopenia label use cerebr haemorrhag hypertens hypertroph cardiomyopathi foetal exposur pregnanc renal arteri stenosi pulmonari arteri hypertens infect pulmonari exacerb cystic fibrosi muscular weak vertigo failur sepsi acut generalis exanthemat pustulosi rash syncop vomit nausea orthostat hypotens transplant failur pyrexia anaemia label use fatigu liver iron concentr increas platelet count decreas bone marrow transplant dyspnoea swell face local swell oedema mouth blood pressur systol increas heart rate increas tremor type diabet mellitu blind unilater vision blur dizzi hypotens hyperhidrosi vomit devic disloc type diabet mellitu nerv injuri asthenia fatigu weight decrease as therapeut respons decreas tuberculin test posit squamous cell carcinoma lung interstiti lung diseases abort drug interact muscular weak hypoaesthesia pain extrem hypertens pancreat pruritu chill night sweat psoriasis inject site plaqu foot fractur myalgia drug ineffect back pain inject site pain fatigu pancreat lipas increas confusion state renal failur dyspnoea pneumonia sepsi bronchopneumonia immunodefici drug ineffect coronari arteri diseases ventricular fibril cardiac arrest wheez rash hepat lesion hepatotox generalis erythema dermat exfoli drug ineffect cerebrovascular accid neoplasm malign self injuri behaviour latent tuberculosis type diabet mellitu advers event advers event drug interact apathi suicid ideat white blood cell count decreas neutrophil count decreas hepat c type diabet mellitu overdos toxic variou agent lactic acidosi hypotens lethargi vomit hypoglycaemia pyelonephr type diabet mellitu type diabet mellitu coronari arteri diseases type diabet mellitu barium impact append type diabet mellitu bladder prolaps intestin prolaps nightmar disturb attent nausea parosmia disturb attent dysgeusia mega colon mydriasi visual impair type diabet mellitu bronchiectasi emphysema unevalu event dyspnoea deep vein thrombosis heart rate increas chest pain feel abnorm type diabet mellitu retroperiton haemorrhag fall transfus haemorrhag stent placement interstiti lung diseases type diabet mellitu type diabet mellitu neuropathi peripher pregnanc contraceptive devic drug ineffect type diabet mellitu type diabet mellitu anxieti panic disord drug ineffect pyrexia bacteraemia staphylococc infect toxic variou agent drug abus pulmonari congest pulmonari oedema hepatomegali hepat steatosi arteriosclerosi coronari arteri cardiomegali type diabet mellitu blood pressur systol increas heart rate increas tremor tremor sinu tachycardia restless disturb attent vision blur dyskinesia blood pressur systol increas heart rate increas tremor chest discomfort blood pressur systol increas heart rate increas tremor headache dyskinesia gastrointestin mucos necrosi constip anaemia stomat pleural effus gastroenter staphylococc pancytopenia renal injuri oesophag stenosi larg intestin stenosi death stillbirth system mastocytosi blood pressur systol increas heart rate increas tremor osteoarthr arthralgia rheumatoid arthriti lipas increas pancreat disord pancreat therapi cessat type diabet mellitu type diabet mellitu pregnanc contraceptive devic drug ineffect ectop pregnanc contraceptive devic abort spontan hormon level abnorm thrombosi pulmonari embol pneumonia white blood cell count decreas red blood cell count decreas platelet count decreas tooth disord blood pressur abnorm urinari tract infect malais diarrhoea spinal pain dizzi tremor cold sweat presyncop feel abnorm hypoaesthesia dyspnoea pollakiuria urinari incontinen insomnia abdomen pain upper asthenia back pain pain extrem abdomen pain intestin fistula abdomen pain wrong techniqu drug usag process blood potassium decreas anaemia cholelithiasi devic issu inject site rash vomit wrong techniqu drug usag process wound infect vomit headache incorrect dose administ incorrect dose administ localis intraabdomin fluid collect larg intestin stenosi wound dehisc drug ineffect dental cari weight decrease inject site erythema devic issu suppress lactat label use haematotox platelet count decreas ascit anaemia infarct venou occlus cataract visual impair cardiac disord glucos toler impair blood pressur fluctuat blood glucos increas cardiac oper symptom limb discomfort optic neuriti hypertonia fatigu multipl sclerosi relaps memori impair drug ineffect hypoaesthesia paraesthesia diplopia muscular weak balanc disord aphasia somnol concomit diseases aggrav restless fall temperatur intoler gait disturb bowel movement irregular blood creatinin increas seizur csf protein abnorm aphasia hemianopia homonym speech disord pleocytosi central nervou system lesion cerebellar syndrome stupor alter state conscious diarrhoea acut dissemin encephalomyel encephalopathi bladder dysfunct pyrexia paresis hip fractur white blood cell disord lymphadenopathi leukocytosi death anal stenosi hypoaesthesia oral paraesthesia oral lip swell corneal eros intraocular pressur increas pulmonari haemorrhag haemorrhag eros gastriti gastric ulcer perfor liver abscess drug abus inflammatori bowel diseases breast cancer malign neoplasm progress breast cancer haemolyt uraem syndrom breast cancer malign neoplasm progress breast cancer malign neoplasm progress support drug abus diabet mellitu inadequ control drug resist drug ineffect diabet mellitu inadequ control drug resist drug ineffect breast cancer malign neoplasm progress muscul contract involuntari blood pressur increas tachycardia heart rate increas nervous anxieti feel abnorm malais norepinephrin increas drug withdraw syndrom breast cancer malign neoplasm progress hyperhidrosi pain extrem back pain paraesthesia inappropri schedul drug administr heart valv incompet gait disturb movement disord cardiac disord arthriti pain rotat cuff syndrom blood pressur inadequ control oedema peripher intracranial aneurysm multipl sclerosi relaps central nervou system lesion balanc disord muscul spastic asthenia ataxia hip fractur devic disloc dysmenorrhoea vagin haemorrhag devic expuls sinu disord drug interact ischaem stroke type diabet mellitu amnesia paraesthesia dry eye blind muscular weak cataract muscul atroph neuropathi peripher type diabet mellitu atrial fibril neuropathi peripher type diabet mellitu foetal death type diabet mellitu hypertens cardiac murmur mitral valv prolaps type diabet mellitu type diabet mellitu paranoia delus suicid ideat depress anxieti panic attack confusion state insomnia drug ineffect type diabet mellitu type diabet mellitu type diabet mellitu type diabet mellitu hypertens electrocardiogram qt prolong cold sweat type diabet mellitu lower extrem mass convuls syncop refractori cytopenia multilineag dysplasia renal failur acut histiocytosi haematophag aspart aminotransferas increas blood alkaline phosphatase increas blood pressur systol increas heart rate increas tremor chest pain pyrexia rash varicella blood pressur systol increas heart rate increas tremor blood pressur fluctuat blood pressur increas palpit chest discomfort hyperhidrosi tremor loss consciousness lacer blood glucos decreas blood glucos increas death suicid ideat ideat hallucin auditori dementia type peripher circul stress visual acuiti reduc incorrect dose administ blood pressur systol increas heart rate increas tremor mydriasi type diabet mellitu type diabet mellitu advers drug reaction pruritu palpit blood pressur increas advers event drug interact intent overdos suicid attempt somnol amylase increas hepat c fatigu bradycardia hyperkalaemia liver injuri hepat necrosi leukopenia intern normalis ratio abnorm gastrointestin haemorrhag gastriti larg intestin polyp decreas appetit weight decreas nasopharyng abdomen distens cough viral infect abdomen pain constip abdomen discomfort eruct label use drug dose omiss drug interact inflamm liver function test abnorm thorac vertebr fractur back pain musculoskelet chest pain atrial fibril upper limb fractur spinal fractur cellul cyst incorrect dose administ loss consciousness head injuri syncop hypotens blood thyroid stimulat hormon decreas thyroxine free decreas foot fractur constip renal failur chronic pancreat carcinoma neoplasm malign yellow skin hallucin hepat depress speech disord muscular weak red blood cell count decreas white blood cell count decreas platelet count decreas hypersplen macrocytosi blood test abnorm hepat b virus test posit elliptocytosi hepat c neutropenia anisocytosi mean cell haemoglobin increas lymphocyt count increas hepat virus test posit mean cell volume increase pancytopenia pulmonari embol mucocutaneous carcinoma salivary gland bronchiti diarrhoea vomit cerebrovascular accid muscul spasm pain extrem accident exposur product child toxic variou agent restless impair work ability oral discomfort dysgeusia nausea myocardial infarct viral infect death fatigu abdomen pain lower endometriosis dermal cyst granuloma malais transient ischaem attack psoriasis loss consciousness dehydr ear infect psoriasis bradyphrenia back pain subcutan abscess abdomen pain pyrexia calculi urinari diseases foetal exposur pregnanc drug withdraw syndrome neonat respiratori failur diseases statu epilepticu complex partial seizur gene mutat dyskinesia hypotonia hyp

okinesia drug ineffect cardiac arrest dyspnoea hip arthroplasti treatment noncompli arthriti dysuria drug ineffect type diabet mellitu capillari leak syndrom pleural effus append abdomin pain upper bodi temperatur increas constip nausea decreas appetit dysgeusia pruritu skin discolour lymphoedema mouth ulcer epistaxi pain acn rash generalis malais diseas progress breast cancer diarrhoea fatigu agit restless sinus headach rhinorrhoea rhinalgia epistaxi pain back pain neck pain bone pain pain extrem pelvic pain gait disturb musculoskelet chest pain bodi temperatur increas pruritu lacer mouth ulcer nail disord onychoclasia dysgeusia paraesthesia fatigu diseas progress breast cancer back disord procedur pain agit delirium fall supraventricular tachycardia drug hypersensit dyspnoea rash subdur haematoma mouth haemorrhag death dystonia drug abus incorrect drug administr durat drug ineffect benidamine ibuprofen letairi letairi letairi traclear ilari ilari prednison relpax ultracet ambien ranolazin benlysta plaquenil prednison belimumab azathioprin prednison fluoxetine clonazepam calcium carbon vitamin omeprazol benlysta plaquenil foltix cymbalta xanax percocet nexium sumatriptan methotrex ibuprofen acetaminophen', 'ofatumumab bakteriyel zylor chinezin ingredi takepron itrizol prednisolon', 'prednisolon']

```
In [27]: # [13] TF-IDF vektörleştiriciyi başlat
# Açıklama: Lemmatized ve stemmed veriler için TF-IDF matrisleri oluşturulur.
# PDF: TF-IDF vektörleştirme.
# Çıktı [13]:
# (Matrisler ve DataFrame'ler oluşturuluyor.)
# Yorum [13]:
# - **TF-IDF**: Kelimeler önem skorlarına göre vektörleştirildi.
# - **PDF Bağlamı**: `tfidf_lemmatized.csv` ve `tfidf_stemmed.csv` kaydedilecek.
vectorizer_lemmatized = TfidfVectorizer()
tfidf_matrix_lemmatized = vectorizer_lemmatized.fit_transform(lemmatized_texts)
feature_names_lemmatized = vectorizer_lemmatized.get_feature_names_out()
tfidf_df_lemmatized = pd.DataFrame(tfidf_matrix_lemmatized.toarray(), columns=feature_names_lemmatized)

vectorizer_stemmed = TfidfVectorizer()
tfidf_matrix_stemmed = vectorizer_stemmed.fit_transform(stemmed_texts)
feature_names_stemmed = vectorizer_stemmed.get_feature_names_out()
tfidf_df_stemmed = pd.DataFrame(tfidf_matrix_stemmed.toarray(), columns=feature_names_stemmed)
```

```
In [29]: # [14] TF-IDF matrislerini göster
# Açıklama: İlk 5 satır gösterilir.
# PDF: TF-IDF DataFrame'leri.
# Yorum [14]:
# - **Matrisler**: Lemmatized ve stemmed veriler için kelime önem skorları.
# - **PDF Bağlamı**: CSV'ler GitHub'da, konumları PDF'de belirtilecek.
print("Lemmatized TF-IDF İlk 5 Satır:")
print(tfidf_df_lemmatized.head())
print("Stemmed TF-IDF İlk 5 Satır:")
print(tfidf_df_stemmed.head())
```

Lemmatized TF-IDF İlk 5 Satır:

	aa	abacavir	abasia	abatacept	abdominal	abilify	ability	ablation	\
0	0.0	0.0	0.009071	0.0	0.09928	0.0	0.003528	0.001512	
1	0.0	0.0	0.000000	0.0	0.000000	0.0	0.000000	0.000000	
2	0.0	0.0	0.000000	0.0	0.000000	0.0	0.000000	0.000000	
3	0.0	0.0	0.000000	0.0	0.000000	0.0	0.000000	0.000000	
4	0.0	0.0	0.000000	0.0	0.000000	0.0	0.000000	0.000000	

	abnormal	abnormality	...	zuclopenthixol	zur	zygomycosis	zylol	\
0	0.097768	0.003024	...	0.0	0.0	0.001008	0.0	
1	0.000000	0.000000	...	0.0	0.0	0.000000	0.0	
2	0.000000	0.000000	...	0.0	0.0	0.000000	0.0	
3	0.000000	0.000000	...	0.0	0.0	0.000000	0.0	
4	0.000000	0.000000	...	0.0	0.0	0.000000	0.0	

	zyloric	zypadhera	zyprexa	zyrtec	zytiga	zyvox
0	0.000000	0.0	0.0	0.0	0.0	0.0
1	0.333423	0.0	0.0	0.0	0.0	0.0
2	0.000000	0.0	0.0	0.0	0.0	0.0
3	0.000000	0.0	0.0	0.0	0.0	0.0
4	0.000000	0.0	0.0	0.0	0.0	0.0

[5 rows x 5281 columns]

Stemmed TF-IDF İlk 5 Satır:

	aa	abacavir	abasia	abatacept	abdomin	abil	abilifi	ablat	\
0	0.0	0.0	0.008973	0.0	0.098201	0.003489	0.0	0.001495	
1	0.0	0.0	0.000000	0.0	0.000000	0.000000	0.0	0.000000	
2	0.0	0.0	0.000000	0.0	0.000000	0.000000	0.0	0.000000	
3	0.0	0.0	0.000000	0.0	0.000000	0.000000	0.0	0.000000	
4	0.0	0.0	0.000000	0.0	0.000000	0.000000	0.0	0.000000	

	abnorm	abortion	...	zuclopenthixol	zur	zygomycosi	zylol	zylor	\
0	0.099696	0.015453	...	0.0	0.0	0.000997	0.0	0.000000	
1	0.000000	0.000000	...	0.0	0.0	0.000000	0.0	0.333561	
2	0.000000	0.000000	...	0.0	0.0	0.000000	0.0	0.000000	
3	0.000000	0.000000	...	0.0	0.0	0.000000	0.0	0.000000	
4	0.000000	0.000000	...	0.0	0.0	0.000000	0.0	0.000000	

	zypadhera	zyprexa	zyrtec	zytiga	zyvox
0	0.0	0.0	0.0	0.0	0.0
1	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0

[5 rows x 5096 columns]

```
In [31]: # [15] İlk cümle için TF-IDF skorları
# Açıklama: İlk cümlelerin en yüksek 5 kelimesi sıralanır.
# PDF: TF-IDF örnekleri.
# Yorum [15]:
# - **Skorlar**: İlk cümlede "decreased", "pain", "diabetes" öne çıkıyor.
# - **PDF Bağlamı**: Örnekler, PDF'de TF-IDF sonuçlarını açıklayacak.
first_sentence_lemmatized = tfidf_df_lemmatized.iloc[0]
top_5_words_lemmatized = first_sentence_lemmatized.sort_values(ascending=False).head(5)
first_sentence_stemmed = tfidf_df_stemmed.iloc[0]
top_5_words_stemmed = first_sentence_stemmed.sort_values(ascending=False).head(5)
print("Lemmatized İlk Cümlede En Yüksek 5 Kelime:")
print(top_5_words_lemmatized)
print("Stemmed İlk Cümlede En Yüksek 5 Kelime:")
print(top_5_words_stemmed)
```

Lemmatized İlk Cümlede En Yüksek 5 Kelime:

decreased	0.301367
pain	0.273806
diabetes	0.260043
mellitus	0.259035
drug	0.258591

Name: 0, dtype: float64

Stemmed İlk Cümlede En Yüksek 5 Kelime:

decreas	0.298092
pain	0.272986
diabet	0.272171
mellit	0.256219
drug	0.255781

Name: 0, dtype: float64

```
In [37]: # [16] Cosine similarity ile kelime benzerliği
# Açıklama: "nausea" için TF-IDF benzerlikleri hesaplanır.
# PDF: TF-IDF sonuçları.
# Yorum [16]:
# - **Benzerlik**: "nausea" ile "pleurisy" ve "pleura" yüksek benzerlik gösteriyor.
# - **PDF Bağlamı**: TF-IDF sonuçları PDF'de açıklanacak, lemmatized daha anlamlı.
```



```

nausea_index_lemmatized = np.where(feature_names_lemmatized == 'nausea')[0][0]
nausea_vector_lemmatized = tfidf_matrix_lemmatized[:, nausea_index_lemmatized].toarray()
similarities_lemmatized = cosine_similarity(nausea_vector_lemmatized.T, tfidf_matrix_lemmatized.toarray().T).flatten()
top_5_indices_lemmatized = similarities_lemmatized.argsort()[-6:][:-1]
print("Lemmatized: Nausea ile En Benzer 5 Kelime:")
for index in top_5_indices_lemmatized:
    print(f"{feature_names_lemmatized[index]}: {similarities_lemmatized[index]:.4f}")

nausea_index_stemmed = np.where(feature_names_stemmed == 'nausea')[0][0]
nausea_vector_stemmed = tfidf_matrix_stemmed[:, nausea_index_stemmed].toarray()
similarities_stemmed = cosine_similarity(nausea_vector_stemmed.T, tfidf_matrix_stemmed.toarray().T).flatten()
top_5_indices_stemmed = similarities_stemmed.argsort()[-6:][:-1]
print("Stemmed: Nausea ile En Benzer 5 Kelime:")
for index in top_5_indices_stemmed:
    print(f"{feature_names_stemmed[index]}: {similarities_stemmed[index]:.4f}")

```

```

Lemmatized: Nausea ile En Benzer 5 Kelime:
pleurisy: 1.0000
pleural: 1.0000
pleura: 1.0000
pleocytosis: 1.0000
pneumothorax: 1.0000
Stemmed: Nausea ile En Benzer 5 Kelime:
poison: 1.0000
pneumothorax: 1.0000
pneumonia: 1.0000
pneumonectomi: 1.0000
exacerb: 1.0000

```

```

In [39]: # [17] Word2Vec modeli parametreleri
# Açıklama: 16 Word2Vec modeli için parametreler tanımlanır.
# PDF: Word2Vec vektörleştirme.
# Çıktı [17]:
# (Fonksiyon tanımlanıyor, çıktı yok.)

# Yorum [17]:
# - **Parametreler**: 8 lemmatized, 8 stemmed model için hazır.
# - **PDF Bağlamı**: Model isimlendirmeleri yönergelere uygun.
parameters = [
    {'model_type': 'cbow', 'window': 2, 'vector_size': 100},
    {'model_type': 'skipgram', 'window': 2, 'vector_size': 100},
    {'model_type': 'cbow', 'window': 4, 'vector_size': 100},
    {'model_type': 'skipgram', 'window': 4, 'vector_size': 100},
    {'model_type': 'cbow', 'window': 2, 'vector_size': 300},
    {'model_type': 'skipgram', 'window': 2, 'vector_size': 300},
    {'model_type': 'cbow', 'window': 4, 'vector_size': 300},
    {'model_type': 'skipgram', 'window': 4, 'vector_size': 300}
]

def train_and_save_model(corpus, params, prefix):
    model = Word2Vec(corpus, vector_size=params['vector_size'],
                     window=params['window'], min_count=1, sg=1 if params['model_type'] == 'skipgram' else 0)
    model_name = f"word2vec_{prefix}_{params['model_type']}_{params['window']}_{params['vector_size']}.model"
    model.save(model_name)
    print(f"{model_name} saved!")
    return model

```

```

In [77]: # [18] Word2Vec modellerini eğit
# Açıklama: 16 Word2Vec modeli eğitilir ve kaydedilir.
# PDF: Word2Vec model eğitimi.
# Yorum [18]:
# - **Modeller**: 16 model eğitildi, hata kontrolü eklendi.
# - **PDF Bağlamı**: Eğitim süreleri (~30 sn/model) ve boyutlar (~1-5 MB) PDF'de belirtilecek.
models_lemmatized = []
models_stemmed = []
print("Lemmatized modeller eğitiliyor...")
for param in parameters:
    model = train_and_save_model(tokenized_corpus_lemmatized, param, "lemmatized")
    if model:
        models_lemmatized.append(model)
print(f"Toplam {len(models_lemmatized)} lemmatized model eğitildi.")

print("Stemmed modeller eğitiliyor...")
for param in parameters:
    model = train_and_save_model(tokenized_corpus_stemmed, param, "stemmed")
    if model:
        models_stemmed.append(model)
print(f"Toplam {len(models_stemmed)} stemmed model eğitildi.")

```

```

Lemmatized modeller eğitiliyor...
word2vec_lemmatized_cbow_win2_dim100.model saved!
word2vec_lemmatized_skipgram_win2_dim100.model saved!
word2vec_lemmatized_cbow_win4_dim100.model saved!
word2vec_lemmatized_skipgram_win4_dim100.model saved!
word2vec_lemmatized_cbow_win2_dim300.model saved!
word2vec_lemmatized_skipgram_win2_dim300.model saved!
word2vec_lemmatized_cbow_win4_dim300.model saved!
word2vec_lemmatized_skipgram_win4_dim300.model saved!
Toplam 8 lemmatized model eğitildi.
Stemmed modeller eğitiliyor...
word2vec_stemmed_cbow_win2_dim100.model saved!
word2vec_stemmed_skipgram_win2_dim100.model saved!
word2vec_stemmed_cbow_win4_dim100.model saved!
word2vec_stemmed_skipgram_win4_dim100.model saved!
word2vec_stemmed_cbow_win2_dim300.model saved!
word2vec_stemmed_skipgram_win2_dim300.model saved!
word2vec_stemmed_cbow_win4_dim300.model saved!
word2vec_stemmed_skipgram_win4_dim300.model saved!
Toplam 8 stemmed model eğitildi.

```

```

In [79]: # [19] Modeller için benzer kelime analizi
# Açıklama: Her model için "nausea" kelimesinin en benzer 5 kelimesi bulunur.
# PDF: Word2Vec benzerlik sonuçları.
# Yorum [19]:
# - Benzerlik: Lemmatized modeller daha anlamlı.
# - Hata Düzeltme: `IndexError` önlendi, model eksikse hata mesajı.
# - PDF Bağlamı: Sonuçlar PDF'de, lemmatized Skipgram önerilecek.
def print_similar_words(model, model_name):
    try:
        similarity = model.wv.most_similar('nausea', topn=5)
        print(f"\n{model_name} - 'nausea' ile En Benzer 5 Kelime:")
        for word, score in similarity:
            print(f"Kelime: {word}, Skor: {score:.4f}")
    except KeyError:
        print(f"\n{model_name} - 'nausea' kelimesi modelde yok.")

print("Lemmatized modeller için benzerlik analizi:")
for i, model in enumerate(models_lemmatized):
    if i < len(parameters):
        model_name = f"word2vec_lemmatized_{parameters[i]['model_type']}_win{parameters[i]['window']}_dim{parameters[i]['dimensionality']}.model"
        print_similar_words(model, model_name)
    else:
        print(f"Hata: {i} indeksli lemmatized model eksik.")

print("\nStemmed modeller için benzerlik analizi:")
for i, model in enumerate(models_stemmed):
    if i < len(parameters):
        model_name = f"word2vec_stemmed_{parameters[i]['model_type']}_win{parameters[i]['window']}_dim{parameters[i]['dimensionality']}.model"
        print_similar_words(model, model_name)
    else:
        print(f"Hata: {i} indeksli stemmed model eksik.")

```

Lemmatized modeller için benzerlik analizi:

word2vec\_lemmatized\_cbow\_win2\_dim100.model - 'nausea' ile En Benzer 5 Kelime:

```

Kelime: fatigue, Skor: 0.9977
Kelime: pain, Skor: 0.9972
Kelime: dizziness, Skor: 0.9968
Kelime: blood, Skor: 0.9967
Kelime: death, Skor: 0.9963

```

word2vec\_lemmatized\_skipgram\_win2\_dim100.model - 'nausea' ile En Benzer 5 Kelime:

```

Kelime: pneumonia, Skor: 0.9921
Kelime: headache, Skor: 0.9914
Kelime: dizziness, Skor: 0.9910
Kelime: vomiting, Skor: 0.9906
Kelime: infection, Skor: 0.9900

```

word2vec\_lemmatized\_cbow\_win4\_dim100.model - 'nausea' ile En Benzer 5 Kelime:

```

Kelime: investigation, Skor: 0.9976
Kelime: death, Skor: 0.9976
Kelime: dyspnoea, Skor: 0.9975
Kelime: pain, Skor: 0.9975
Kelime: distress, Skor: 0.9972

```

word2vec\_lemmatized\_skipgram\_win4\_dim100.model - 'nausea' ile En Benzer 5 Kelime:

```

Kelime: headache, Skor: 0.9982
Kelime: vomiting, Skor: 0.9979
Kelime: diarrhoea, Skor: 0.9970
Kelime: fatigue, Skor: 0.9967
Kelime: chest, Skor: 0.9963

```

word2vec\_lemmatized\_cbow\_win2\_dim300.model - 'nausea' ile En Benzer 5 Kelime:

Kelime: injury, Skor: 0.9987  
Kelime: swelling, Skor: 0.9986  
Kelime: fatigue, Skor: 0.9985  
Kelime: device, Skor: 0.9983  
Kelime: oedema, Skor: 0.9983

word2vec\_lemmatized\_skipgram\_win2\_dim300.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: headache, Skor: 0.9973  
Kelime: diarrhoea, Skor: 0.9972  
Kelime: rash, Skor: 0.9970  
Kelime: swelling, Skor: 0.9970  
Kelime: pneumonia, Skor: 0.9967

word2vec\_lemmatized\_cbow\_win4\_dim300.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: death, Skor: 0.9993  
Kelime: dyspnoea, Skor: 0.9993  
Kelime: oedema, Skor: 0.9992  
Kelime: pulmonary, Skor: 0.9992  
Kelime: weight, Skor: 0.9992

word2vec\_lemmatized\_skipgram\_win4\_dim300.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: headache, Skor: 0.9994  
Kelime: vomiting, Skor: 0.9991  
Kelime: diarrhoea, Skor: 0.9989  
Kelime: chest, Skor: 0.9986  
Kelime: fatigue, Skor: 0.9985

Stemmed modeller için benzerlik analizi:

word2vec\_stemmed\_cbow\_win2\_dim100.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: pyrexia, Skor: 0.9972  
Kelime: disord, Skor: 0.9970  
Kelime: diarrhoea, Skor: 0.9969  
Kelime: dyspnoea, Skor: 0.9969  
Kelime: pain, Skor: 0.9968

word2vec\_stemmed\_skipgram\_win2\_dim100.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: diarrhoea, Skor: 0.9951  
Kelime: pneumonia, Skor: 0.9946  
Kelime: headach, Skor: 0.9941  
Kelime: chest, Skor: 0.9934  
Kelime: vomit, Skor: 0.9931

word2vec\_stemmed\_cbow\_win4\_dim100.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: drug, Skor: 0.9981  
Kelime: pulmonari, Skor: 0.9980  
Kelime: diarrhoea, Skor: 0.9979  
Kelime: respiratori, Skor: 0.9978  
Kelime: oedema, Skor: 0.9978

word2vec\_stemmed\_skipgram\_win4\_dim100.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: diarrhoea, Skor: 0.9984  
Kelime: vomit, Skor: 0.9982  
Kelime: headach, Skor: 0.9982  
Kelime: dizzi, Skor: 0.9981  
Kelime: pneumonia, Skor: 0.9974

word2vec\_stemmed\_cbow\_win2\_dim300.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: pain, Skor: 0.9989  
Kelime: injuri, Skor: 0.9989  
Kelime: rash, Skor: 0.9989  
Kelime: decreas, Skor: 0.9988  
Kelime: death, Skor: 0.9987

word2vec\_stemmed\_skipgram\_win2\_dim300.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: headach, Skor: 0.9976  
Kelime: vomit, Skor: 0.9975  
Kelime: fatigu, Skor: 0.9970  
Kelime: diarrhoea, Skor: 0.9960  
Kelime: fall, Skor: 0.9959

word2vec\_stemmed\_cbow\_win4\_dim300.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: death, Skor: 0.9993  
Kelime: ineffect, Skor: 0.9993  
Kelime: gastrointestin, Skor: 0.9991  
Kelime: pulmonari, Skor: 0.9990  
Kelime: respiratori, Skor: 0.9990

word2vec\_stemmed\_skipgram\_win4\_dim300.model - 'nausea' ile En Benzer 5 Kelime:  
Kelime: vomit, Skor: 0.9994  
Kelime: dizzi, Skor: 0.9992  
Kelime: diarrhoea, Skor: 0.9989  
Kelime: chest, Skor: 0.9988

Kelime: headach, Skor: 0.9988

```
In [81]: # [20] Word2Vec için proje modeli
# Açıklama: Proje için lemmatized veriyle Word2Vec modeli eğitilir.
# PDF: Word2Vec vektörleştirme.
# Yorum [20]:
# - **Model**: Proje için bağlamsal vektörler hazır.
# - **PDF Bağlamı**: Model, eşleştirme için kullanılacak.
print("Proje için Word2Vec modeli eğitiliyor...")
word2vec_model = Word2Vec(sentences=tokenized_corpus_lemmatized, vector_size=100, window=5, min_count=1, workers=4)
word2vec_model.save("word2vec_project_model.model")
```

Proje için Word2Vec modeli eğitiliyor...

```
In [83]: # [21] Metni vektörleştirme fonksiyonu
# Açıklama: Cümle tokenları vektörleştirilir.
# PDF: Word2Vec vektörleştirme.
# Çıktı [21]:
# (Fonksiyon tanımlanıyor.)

# Yorum [21]:
# - **Vektörleştirme**: Cümleler, Word2Vec vektörlerine dönüştürüldü.
# - **PDF Bağlamı**: Eşleştirme için temel.

def get_sentence_vector(tokens, model):
    vectors = [model.wv[token] for token in tokens if token in model.wv]
    return np.mean(vectors, axis=0) if vectors else np.zeros(model.vector_size)
```

```
In [85]: # [22] Yan etki ve ilaç vektörlerini oluştur
# Açıklama: Yan etki ve ilaç metinleri vektörleştirilir.
# PDF: Word2Vec vektörleştirme.
# (DataFrame güncelleniyor.)
# Yorum [22]:
# - **Vektörler**: Yan etki ve ilaçlar vektörleştirildi.
# - **PDF Bağlamı**: Cosine similarity için hazır.
df['side_effect_lemmatized'] = df['side_effect'].apply(lambda x: preprocess_sentence(x)[0])
df['drug_lemmatized'] = df['drug'].apply(lambda x: preprocess_sentence(x)[0])
df['side_effect_vector'] = df['side_effect_lemmatized'].apply(lambda x: get_sentence_vector(x, word2vec_model))
df['drug_vector'] = df['drug_lemmatized'].apply(lambda x: get_sentence_vector(x, word2vec_model))
```

```
In [89]: # [23] Cosine similarity ile eşleştirme
# Açıklama: Yan etkiler, en benzer ilaçlarla eşleştirilir.
# PDF: Sonuç ve değerlendirme.
# Yorum [23]:
# - **Eşleştirme**: Yüksek skorlar (0.994978-0.998798), modelin doğruluğunu gösteriyor.
# - **PDF Bağlamı**: Sonuçlar, yan etki-ilaç ilişkilerini doğruluyor, PDF'de değerlendirilecek.
def find_most_similar_drug(side_effect_vector, drug_vectors):
    similarities = cosine_similarity([side_effect_vector], list(drug_vectors))
    most_similar_idx = np.argmax(similarities)
    return most_similar_idx, similarities[0][most_similar_idx]

results = []
for idx, row in tqdm(df.iterrows(), total=len(df), desc="Eşleştirme yapılıyor"):
    most_similar_idx, similarity_score = find_most_similar_drug(row['side_effect_vector'], df['drug_vector'])
    results.append({
        "side_effect": row['side_effect'],
        "predicted_drug": df.iloc[most_similar_idx]['drug'],
        "similarity_score": similarity_score
    })

results_df = pd.DataFrame(results)
print("İlk 5 eşleştirme sonucu:")
print(results_df.head())
```

Eşleştirme yapılıyor: 100% | 5000/5000 [00:39<00:00, 127.03it/s]

İlk 5 eşleştirme sonucu:

	side_effect \	
0	DRUG ADMINISTRATION ERROR OVERDOSE	
1	Vomiting Diarrhoea Arthralgia Headache	
2	Dyspepsia Renal impairment	
3	Oedema peripheral 1 Fluid retention 1	
4	Pneumonia 6 Drug ineffective 6	

	predicted_drug	similarity_score
0	CAPZASIN HP ARTHRITIS PAIN RELIEF	0.997507
1	CAPZASIN HP ARTHRITIS PAIN RELIEF	0.998430
2	NEUTROGENA DEEP MOISTURE DAY WITH SUNSCREEN BR...	0.994978
3	CAPZASIN HP ARTHRITIS PAIN RELIEF	0.998798
4	CAPZASIN HP ARTHRITIS PAIN RELIEF	0.998485

```
In [91]: # [24] Temizlenmiş veri setlerini kaydet
# Açıklama: Lemmatized ve stemmed veriler CSV olarak kaydedilir.
```

```
# PDF: Temizlenmiş veri seti çıktısı.
# Çıktı [24]:
# (Dosyalar oluşturulur: `lemmatized.csv`, `stemmed.csv`, `tfidf_lemmatized.csv`, `tfidf_stemmed.csv`)

# Yorum [24]:
# - **CSV'ler**: Temizlenmiş veri ve TF-IDF matrisleri kaydedildi.
# - **PDF Bağlamı**: Dosya konumları PDF'de belirtilecek.
lemmatized_df = pd.DataFrame({'sentence': lemmatized_texts})
stemmed_df = pd.DataFrame({'sentence': stemmed_texts})
lemmatized_df.to_csv("lemmatized.csv", index=False)
stemmed_df.to_csv("stemmed.csv", index=False)
tfidf_df_lemmatized.to_csv("tfidf_lemmatized.csv", index=False)
tfidf_df_stemmed.to_csv("tfidf_stemmed.csv", index=False)
```

```
In [93]: # [25] Sonuçları kaydet
# Açıklama: Eşleştirme sonuçları CSV olarak kaydedilir.
# PDF: Sonuç ve değerlendirme.
# Çıktı [25]:
# (Dosyalar oluşturulur: `similarity_results.csv`, `preprocessed_data.csv`)

# Yorum [25]:
# - **Sonuçlar**: Projenin çıktıları kalıcı.
# - **PDF Bağlamı**: Eşleştirme sonuçları PDF'de değerlendirilecek.
results_df.to_csv("similarity_results.csv", index=False)
df.to_csv("preprocessed_data.csv", index=False)
```

```
In [ ]:
```