



1. Design overview

front construction schematic



Selected construction shown schematically; not a drape simulation, scaled cutting drawing or fit prediction.

back construction schematic



Selected construction shown schematically; not a drape simulation, scaled cutting drawing or fit prediction.

Derived construction specification

Digital feature coverage: drafted. Digital feature coverage only. Interpretation may omit or misunderstand a request; review against the original brief. No physical fit or sewing validation.

Drafting method: sew-relaxed-shirt/1

1. Design overview (continued)

Seam allowance: 10 mm; cut contours are supplied separately from seam lines.

Closed chest at underarm: 1140.0 mm. Four torso quarter widths, adjusted for front placket replacement and overlap; horizontal seam-line circumference, no fabric simulation.

Side length from shoulder baseline: 750.0 mm. Vertical drafted baseline-to-side-hem distance; not a worn front length.

Back center length: 795.0 mm. Center-back neck seam to center-back hem seam.

Sleeve including cuff: 560.0 mm. Dropped armhole baseline to cuff/hem seam-line, includes cuff depth.

Closed cuff circumference: 240.0 mm. Distance between button and buttonhole axes; excludes 20 mm extension.

Closed collar stand circumference: 434.8 mm. Stand neckline seam-line length minus one full placket overlap; not a body neck measurement.

Derived material / trim: Shell: woven shirting; fabric/color remain the reviewed design specification. Yardage depends on fabric width and cutting layout and is not calculated.

Derived material / trim: Front closure: 8 buttons with matching buttonholes, spaced 85 mm apart starting 25 mm below the neckline. Choose button diameter before sewing buttonholes. Interfacing: one layer of each placket template, trim seam allowance to reduce bulk.

Derived material / trim: Cuffs: two additional buttons; interfacing one layer per cuff template. Two fabric layers per named cuff are already included in cut quantities.

Derived material / trim: Collar: one additional button; interfacing one stand and one fall layer if present, using corresponding templates with allowance trimmed. Collar layers use identical templates; turn-of-cloth is not compensated.

Construction 1: Cut each explicitly named left/right torso once, as a mirrored pair on fabric. All outlines are seam lines; the separate offset contours are cut lines. Transfer grainlines and registration marks.

Construction 2: Interface one layer of each placket, cuff and collar template that is present; test interfacing compatibility and shrinkage on scraps.

Construction 3: center_back: Sew center back, including the tail extension, and finish the seam.

Construction 4: shoulder_left: Sew the shoulder seam with right sides together; finish and press toward back.

Construction 5: shoulder_right: Sew the shoulder seam with right sides together; finish and press toward back.

Construction 6: frill_gather_left: Finish the free edge and ends with a narrow single-turn overlocked hem. Gather to the placket attachment length, match midpoint marks, and insert into the

1. Design overview (continued)

torso/placket seam before closing the facing.

Construction 7: `frill_gather_right`: Finish the free edge and ends with a narrow single-turn overlocked hem. Gather to the placket attachment length, match midpoint marks, and insert into the torso/placket seam before closing the facing.

Construction 8: `placket_attach_left`: Interface one placket layer. Sandwich torso edge between shell and facing; sew attachment, turn outer edge and understitch. Full placket width overlaps its opposite when closed.

Construction 9: `placket_attach_right`: Interface one placket layer. Sandwich torso edge between shell and facing; sew attachment, turn outer edge and understitch. Full placket width overlaps its opposite when closed.

Construction 10: `collar_fall_attach`: Sew two collar-fall layers around free edges, turn and press, then insert into stand upper edge. Stand ends remain free of fall; baste and check roll/turn-of-cloth in a toile.

Construction 11: `collar_neck_0`: Attach collar stand along the specified neckline/placket segment, matching registration marks. Sandwich between outer stand and facing.

Construction 12: `collar_neck_1`: Attach collar stand along the specified neckline/placket segment, matching registration marks. Sandwich between outer stand and facing.

Construction 13: `collar_neck_2`: Attach collar stand along the specified neckline/placket segment, matching registration marks. Sandwich between outer stand and facing.

Construction 14: `collar_neck_3`: Attach collar stand along the specified neckline/placket segment, matching registration marks. Sandwich between outer stand and facing.

Construction 15: `collar_neck_4`: Attach collar stand along the specified neckline/placket segment, matching registration marks. Sandwich between outer stand and facing.

Construction 16: `collar_neck_5`: Attach collar stand along the specified neckline/placket segment, matching registration marks. Sandwich between outer stand and facing.

Construction 17: `bind_opening_left_left`: Bind this open edge separately; turn strip around seam allowance and stitch down. Secure opening apex without sewing the opening closed.

Construction 18: `bind_opening_left_right`: Bind this open edge separately; turn strip around seam allowance and stitch down. Secure opening apex without sewing the opening closed.

Construction 19: `bind_opening_right_left`: Bind this open edge separately; turn strip around seam allowance and stitch down. Secure opening apex without sewing the opening closed.

Construction 20: `bind_opening_right_right`: Bind this open edge separately; turn strip around seam allowance and stitch down. Secure opening apex without sewing the opening closed.

Construction 21: `sleeve_back_left`: Attach back half of sleeve cap; this is a relaxed drop-shoulder

1. Design overview (continued)

sleeve, not a set-in sleeve.

Construction 22: sleeve_back_right: Attach back half of sleeve cap; this is a relaxed drop-shoulder sleeve, not a set-in sleeve.

Construction 23: sleeve_front_left: Attach the flat sleeve cap to the straight dropped armhole; align center cap with shoulder seam.

Construction 24: sleeve_front_right: Attach the flat sleeve cap to the straight dropped armhole; align center cap with shoulder seam.

Construction 25: side_left: Sew side seam; front and back meet at the same side-hem height.

Construction 26: side_right: Sew side seam; front and back meet at the same side-hem height.

Construction 27: underarm_left: Sew underarm only to the opening endpoints. Leave both separately bound cuff-opening edges unsewn.

Construction 28: underarm_right: Sew underarm only to the opening endpoints. Leave both separately bound cuff-opening edges unsewn.

Construction 29: cuff_gather_left: Gather sleeve wrist to cuff attachment edge; keep 20 mm cuff extension free. Interface outer cuff; attach inner cuff, turn ends and outer edge, close facing. Button axes are one finished cuff circumference apart.

Construction 30: cuff_gather_right: Gather sleeve wrist to cuff attachment edge; keep 20 mm cuff extension free. Interface outer cuff; attach inner cuff, turn ends and outer edge, close facing. Button axes are one finished cuff circumference apart.

Construction 31: Finish unattached garment hems and frill edges with a single-turn overlocked hem using 10 mm allowance. Finish a collar-free neckline and sleeve-free armholes with the same allowance; verify curved finishes in a toile.

Construction 32: Work buttonholes only after choosing button diameter and testing closure placement. Sew buttons, press, then verify the toile against the design and body measurements.

Live synthetic shirt

Original brief: A white woven button-up shirt with long sleeves, practical tails and tasteful frills. Choose coherent editable construction details.

Saved revision: 1 (synthetic-revision); created 2026-09-16T19:09:11.481Z

Size scope: Not specified

Geometry starting family: shirt

Garment length parameter: 750 mm (assumed); source: AI suggestion; confirm before sewing

Ease parameter: 140 mm (assumed); source: AI suggestion; confirm before sewing

1. Design overview (continued)

Flare ratio: 1

Geometry scope: Limited CPU pattern adapter; no physical-fit approval or full design realization claim.

Completeness and capability

0 unsupported or unresolved requirements; 6 unknown POM targets; 7 owner-entered construction notes. Pattern disclosure: included.

Original unsupported intent is retained. Supported means representable by the adapter, not physically validated. AI suggestions are not validation. No simulation, calibrated cutting candidate or physical-fit approval is supplied.

requirement-0 / supported

Woven shirt

Note: The proposed relaxed drop-shoulder construction is intended for woven fabric.

Source: Owner-entered requirement and coverage assessment

requirement-1 / supported

White fabric

Note: White is specified in the draft BOM, not represented in pattern geometry.

Source: Owner-entered requirement and coverage assessment

requirement-2 / supported

Button-up front

Note: Proposed button opening with 30 mm plackets; spacing is an editable AI assumption.

Source: Owner-entered requirement and coverage assessment

requirement-3 / supported

Long sleeves

Note: Straight-cap long sleeves start at the dropped shoulder; button cuffs are an AI-suggested finish.

Source: Owner-entered requirement and coverage assessment

requirement-4 / supported

Practical tails

Note: Interpreted as a curved longer back hem with a suggested 70 mm extension, not split tails.

Source: Owner-entered requirement and coverage assessment

1. Design overview (continued)

requirement-5 / supported

Tasteful frills

Note: Interpreted as narrow gathered front-opening frills, with suggested 30 mm width and 1.5 fullness.

Source: Owner-entered requirement and coverage assessment

Body inputs omitted by disclosure policy.

Body inputs and source images are omitted unless selected. Garment parameters, finished measurements, free-text notes and included geometry may still reveal body-related or personal information; redaction is not anonymization. Review these owner-entered fields before sharing.

2. Garment flats

Garment flats describe the assembled garment. Pattern panels are not garment flats. Reference photographs and sketches are not simulation or physical-fit evidence.

Front view

Front view not supplied as a technical flat.

Back view

Back view not supplied as a technical flat.

Detail view

Detail view not supplied as a technical flat.

Stable callouts

No callouts supplied.

3. Materials / BOM

Material properties and quantities below are owner-entered. Missing consumption, substitutions and material behavior remain unresolved; panel area does not establish purchasing yardage.

material-0 / White woven shirting (fabric)

Specification: White lightweight-to-medium-weight woven shirting; AI suggestion: cotton poplin with enough softness for gathered frills. Fiber content remains an editable choice.

Placement: Body, sleeves, cuffs, collar, plackets, frills and opening bindings

Quantity / basis: Unknown; establish after size, fabric width and layout are confirmed

Source: Owner brief: white woven fabric; AI suggestion: poplin and fiber option

material-1 / Lightweight white interfacing (other)

Specification: AI suggestion: lightweight interfacing compatible with the selected shirting; test adhesion and handle on a sample.

Placement: Collar, collar stand, cuffs and plackets as needed

Quantity / basis: Unknown

Source: AI suggestion; confirm before sewing

material-2 / White shirt buttons (trim)

Specification: AI suggestion: small washable shirt buttons; finalize diameter with buttonhole samples.

Placement: Front opening and cuffs

Quantity / basis: Unknown; determine from finalized opening and cuff layout

Source: AI suggestion; confirm before sewing

material-3 / White sewing thread (other)

Specification: AI suggestion: thread compatible with the chosen woven shirting.

Placement: Seams, edge finishes, buttonholes and button attachment

Quantity / basis: Unknown

Source: AI suggestion; confirm before sewing

4. Finished-garment measurements

These are defined garment POMs, not body dimensions or panel bounding boxes. Unknown and not-applicable states are retained; unspecified values are not zero. A size label is not a graded range.

pom-0 / Front body length

Method / condition: Measure parallel to center front from high shoulder point to finished front hem, excluding collar.

Size scope: Not specified

Target: unknown; source: Not supplied

Tolerance: unknown; source: Not supplied

Measurement note: AI-suggested POM; the construction length parameter is not a validated finished measurement.

pom-1 / Center-back length

Method / condition: Measure along center back from the neckline seam to the lowest finished back hem, excluding collar.

Size scope: Not specified

Target: unknown; source: Not supplied

Tolerance: unknown; source: Not supplied

Measurement note: AI-suggested POM to review tail coverage.

pom-2 / Half chest

Method / condition: With the front buttoned and garment laid flat without stretching, measure horizontally between side seams at underarm level.

Size scope: Not specified

Target: unknown; source: Not supplied

Tolerance: unknown; source: Not supplied

Measurement note: AI-suggested POM; body measurements and intended finished chest are not supplied.

pom-3 / Sleeve length including cuff

Method / condition: Measure from the dropped shoulder seam along the sleeve upper line to the finished cuff edge.

Size scope: Not specified

Target: unknown; source: Not supplied

4. Finished-garment measurements (continued)

Tolerance: unknown; source: Not supplied

Measurement note: AI-suggested POM; confirm the design assumption after reviewing shoulder drop and reach.

pom-4 / Closed cuff circumference

Method / condition: Measure the inside circumference of the cuff when buttoned at its intended position.

Size scope: Not specified

Target: unknown; source: Not supplied

Tolerance: unknown; source: Not supplied

Measurement note: AI-suggested POM; wrist clearance and overlap require review.

pom-5 / Closed collar circumference

Method / condition: Measure along the inside collar stand at the neckline seam between the button attachment and corresponding buttonhole closure positions.

Size scope: Not specified

Target: unknown; source: Not supplied

Tolerance: unknown; source: Not supplied

Measurement note: AI-suggested POM; no neck measurement or fit target is assumed.

Grading rules: not established by this prototype.

5. Construction

step-0 / Review proportions and prepare fabric (AI-suggested sequence: confirm sizing inputs, length convention, shoulder drop, sleeve reach and cuff/collar clearance before cutting. Test fabric shrinkage, opacity and interfacing compatibility.)

AI-suggested sequence: confirm sizing inputs, length convention, shoulder drop, sleeve reach and cuff/collar clearance before cutting. Test fabric shrinkage, opacity and interfacing compatibility.

step-1 / Prepare front frills and button plackets (AI suggestion: narrowly finish exposed frill edges, gather to the proposed fullness and capture attachment edges at the front plackets. Confirm frill endpoints and keep buttonholes accessible.)

AI suggestion: narrowly finish exposed frill edges, gather to the proposed fullness and capture attachment edges at the front plackets. Confirm frill endpoints and keep buttonholes accessible.

step-2 / Join shoulders and attach collar (AI suggestion: assemble the plain rectangular collar fall and straight stand, then attach to the neckline. Review the resulting collar shape in a sample; seam finish and interfacing placement remain to be confirmed.)

AI suggestion: assemble the plain rectangular collar fall and straight stand, then attach to the neckline. Review the resulting collar shape in a sample; seam finish and interfacing placement remain to be confirmed.

step-3 / Prepare and attach sleeves (AI suggestion: bind underarm sleeve openings, attach straight-cap sleeves to the dropped shoulders, then close sleeve and side seams. Confirm seam finishing on a fabric sample.)

AI suggestion: bind underarm sleeve openings, attach straight-cap sleeves to the dropped shoulders, then close sleeve and side seams. Confirm seam finishing on a fabric sample.

step-4 / Attach button cuffs (AI suggestion: assemble interfaced cuffs and attach at sleeve ends. Review sleeve-to-cuff fullness distribution, overlap and closed clearance before final stitching.)

AI suggestion: assemble interfaced cuffs and attach at sleeve ends. Review sleeve-to-cuff fullness distribution, overlap and closed clearance before final stitching.

step-5 / Finish curved hem (AI suggestion: use a narrow turned hem suited to the curved longer back edge. Confirm turn depth and transition smoothness in a sample; the proposed 10 mm seam allowance is not a resolved hem specification.)

AI suggestion: use a narrow turned hem suited to the curved longer back edge. Confirm turn depth

5. Construction (continued)

and transition smoothness in a sample; the proposed 10 mm seam allowance is not a resolved hem specification.

step-6 / Complete closures and review (AI suggestion: sample buttonholes, finalize button positions and attach buttons. Measure the proposed POMs and review movement, collar comfort, frill behavior and tail coverage before approving further work.)

AI suggestion: sample buttonholes, finalize button positions and attach buttons. Measure the proposed POMs and review movement, collar comfort, frill behavior and tail coverage before approving further work.

Reported engine assembly links - not seam validation

back_left -> back_right: Edge 0 to edge 0; assembly not physically validated

front_left -> back_left: Edge 4 to edge 4; assembly not physically validated

front_right -> back_right: Edge 4 to edge 4; assembly not physically validated

frill_left -> placket_left: Edge 1 to edge 1; assembly not physically validated

frill_right -> placket_right: Edge 1 to edge 1; assembly not physically validated

front_left -> placket_left: Edge 0 to edge 1; assembly not physically validated

front_right -> placket_right: Edge 0 to edge 1; assembly not physically validated

collar_stand -> collar_fall: Edge 8 to edge 0; assembly not physically validated

collar_stand -> placket_left: Edge 0 to edge 0; assembly not physically validated

collar_stand -> front_left: Edge 1 to edge 5; assembly not physically validated

collar_stand -> back_left: Edge 2 to edge 5; assembly not physically validated

collar_stand -> back_right: Edge 3 to edge 5; assembly not physically validated

collar_stand -> front_right: Edge 4 to edge 5; assembly not physically validated

collar_stand -> placket_right: Edge 5 to edge 0; assembly not physically validated

sleeve_left -> opening_binding_left_left: Edge 5 to edge 1; assembly not physically validated

sleeve_left -> opening_binding_left_right: Edge 3 to edge 1; assembly not physically validated

sleeve_right -> opening_binding_right_left: Edge 5 to edge 1; assembly not physically validated

sleeve_right -> opening_binding_right_right: Edge 3 to edge 1; assembly not physically validated

sleeve_left -> back_left: Edge 1 to edge 3; assembly not physically validated

sleeve_right -> back_right: Edge 1 to edge 3; assembly not physically validated

5. Construction (continued)

sleeve_left -> front_left: Edge 0 to edge 3; assembly not physically validated

sleeve_right -> front_right: Edge 0 to edge 3; assembly not physically validated

front_left -> back_left: Edge 2 to edge 2; assembly not physically validated

front_right -> back_right: Edge 2 to edge 2; assembly not physically validated

sleeve_left -> sleeve_left: Edge 6 to edge 2; assembly not physically validated

sleeve_right -> sleeve_right: Edge 6 to edge 2; assembly not physically validated

sleeve_left -> cuff_left: Edge 4 to edge 0; assembly not physically validated

sleeve_right -> cuff_right: Edge 4 to edge 0; assembly not physically validated

Seam compatibility, allowance policy, fabric behavior, construction feasibility and pressing/closure details are not inferred from outlines. Unspecified treatments remain open questions.

6. Pattern inventory

Generated garment patterns are reference-only and NOT cutting ready. No cutting-candidate classification, print calibration or physical-fit evidence is supplied. Component drafts report scoped digital seam/annotation checks separately; legacy base patterns do not. When selected, original pattern files are included byte-for-byte, never restamped or rescaled; bundle identity belongs to this manifest and the separate tech pack.

Status: included

live-pattern-0 / pattern-json

Delivery file: pattern-live-pattern-0.json

Original filename: pattern.json

Classification: printable-reference

SHA-256: d7abe177c2bb956c30c6e35f211b6239e723f648242ee3e8f8628125d94893ea

Byte size: 61558

live-pattern-1 / pattern-svg

Delivery file: pattern-live-pattern-1.svg

Original filename: pattern.svg

Classification: printable-reference

SHA-256: 20db7b68054c0c888da13589be963ca6f4cb516ebdad6bc67ba9f96e90b346a9

Byte size: 42442

live-pattern-2 / pattern-pdf

Delivery file: pattern-live-pattern-2.pdf

Original filename: pattern.pdf

Classification: printable-reference

SHA-256: b969ce19692666fd4125abfe29d6ee7aa0b6467a9c794ce2d563dca068f8be29

Byte size: 52173

Original PDF page 1: media box 878.740 x 2296.063 pt (310.000 x 810.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 2: media box 921.260 x 2494.758 pt (325.000 x 880.095 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 3: media box 878.740 x 2296.063 pt (310.000 x 810.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 4: media box 921.260 x 2494.758 pt (325.000 x 880.095 mm); rotation 0 degrees. These are

6. Pattern inventory (continued)

file dimensions, not a calibration result.

Original PDF page 5: media box 680.315 x 2069.291 pt (240.000 x 730.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 6: media box 680.315 x 3018.898 pt (240.000 x 1065.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 7: media box 680.315 x 2069.291 pt (240.000 x 730.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 8: media box 680.315 x 3018.898 pt (240.000 x 1065.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 9: media box 1286.362 x 1615.748 pt (453.800 x 570.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 10: media box 850.394 x 311.811 pt (300.000 x 110.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 11: media box 680.315 x 454.596 pt (240.000 x 160.371 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 12: media box 680.315 x 454.596 pt (240.000 x 160.371 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 13: media box 1286.362 x 1615.748 pt (453.800 x 570.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 14: media box 850.394 x 311.811 pt (300.000 x 110.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 15: media box 680.315 x 454.596 pt (240.000 x 160.371 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 16: media box 680.315 x 454.596 pt (240.000 x 160.371 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 17: media box 1430.989 x 240.945 pt (504.821 x 85.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 18: media box 1345.950 x 283.465 pt (474.821 x 100.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

live-pattern-3 / pattern-pdf

Delivery file: pattern-a4-tiled-live-pattern-3.pdf

Original filename: pattern-a4-tiled.pdf

Classification: printable-reference

SHA-256: 31a4a1c295bdc4f369e00a76a770a59d241e43458a099d5d3f9b32ded4f331e4

Byte size: 212278

6. Pattern inventory (continued)

- Original PDF page 1: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 2: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 3: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 4: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 5: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 6: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 7: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 8: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 9: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 10: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 11: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 12: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 13: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 14: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 15: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 16: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 17: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 18: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 19: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are

6. Pattern inventory (continued)

file dimensions, not a calibration result.

Original PDF page 20: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 21: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 22: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 23: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 24: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 25: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 26: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 27: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 28: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 29: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 30: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 31: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 32: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 33: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 34: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 35: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 36: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 37: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

6. Pattern inventory (continued)

Original PDF page 38: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 39: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 40: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 41: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 42: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 43: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 44: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 45: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 46: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 47: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 48: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 49: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 50: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 51: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 52: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 53: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 54: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 55: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 56: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are

6. Pattern inventory (continued)

file dimensions, not a calibration result.

Original PDF page 57: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 58: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 59: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 60: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 61: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 62: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 63: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 64: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 65: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 66: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 67: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 68: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 69: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 70: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 71: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 72: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 73: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 74: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

6. Pattern inventory (continued)

Original PDF page 75: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 76: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 77: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 78: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 79: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 80: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 81: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 82: media box 595.276 x 841.890 pt (210.000 x 297.000 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

live-pattern-4 / pattern-pdf

Delivery file: pattern-letter-tiled-live-pattern-4.pdf

Original filename: pattern-letter-tiled.pdf

Classification: printable-reference

SHA-256: 6695eee21093e17c32c87c1ede805dd9684a258ffa823ceef78ca26134b96f22

Byte size: 217142

Original PDF page 1: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 2: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 3: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 4: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 5: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 6: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 7: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are

6. Pattern inventory (continued)

file dimensions, not a calibration result.

- Original PDF page 8: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 9: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 10: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 11: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 12: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 13: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 14: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 15: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 16: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 17: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 18: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 19: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 20: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 21: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 22: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 23: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 24: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.
- Original PDF page 25: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

6. Pattern inventory (continued)

Original PDF page 26: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 27: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 28: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 29: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 30: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 31: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 32: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 33: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 34: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 35: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 36: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 37: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 38: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 39: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 40: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 41: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 42: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 43: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 44: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are

6. Pattern inventory (continued)

file dimensions, not a calibration result.

Original PDF page 45: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 46: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 47: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 48: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 49: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 50: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 51: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 52: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 53: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 54: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 55: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 56: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 57: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 58: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 59: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 60: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 61: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 62: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

6. Pattern inventory (continued)

Original PDF page 63: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 64: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 65: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 66: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 67: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 68: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 69: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 70: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 71: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 72: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 73: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 74: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 75: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 76: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 77: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 78: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 79: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 80: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 81: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are

6. Pattern inventory (continued)

file dimensions, not a calibration result.

Original PDF page 82: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 83: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 84: media box 612.000 x 792.000 pt (215.900 x 279.400 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Generator: Sew relaxed shirt compiler 1 / runtime pin
7065b3ef01ff61f4462e871d4cb439a0b97c48db; source mm

Geometry input SHA-256:
f7c286eb239237fb4339d412b05be62ba7a95b865413c6453fb4f9afa4d9f226

Canonical coordinate unit: mm

Engine warning: Digital construction draft, not a physically fitted or sewing-validated pattern. Make a toile and check wearing ease, neck/head passage, cuff passage, collar roll and mobility before cutting final fabric.

Engine warning: All drafting dimensions are reviewed design assumptions. Neck width and armhole depth use disclosed synthetic proportions: bust/12 and bust/10 + 110 mm. Torso quarter width = (max(bust, hip) + ease)/4. No anatomical arm, wrist or neck measurements are inferred.

Engine warning: Each named left/right torso and sleeve is cut once as a mirrored pair. Plackets, cuffs and collar templates are cut twice for shell/facing; same-template interfacing is listed separately in derived materials. No fold-cut torso edges.

Engine warning: Uniform 10 mm outward cut-line offset includes seam and single-turn overlapped edge finishing. Offsets use sampled curves, miter limit 3, and polygon validity/containment checks. Double-turn hems, grading, fabric shrinkage, turn-of-cloth and physical print calibration are not validated.

Engine warning: The brief, references, construction text and requirement statuses are preserved but not interpreted by the geometry worker. Only validated structured garment controls and body values drive geometry; textual coverage remains subject to review.

Engine warning: Owner-entered body.height: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine warning: Owner-entered body.bust: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine warning: Owner-entered body.waist: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine warning: Owner-entered body.hip: assumed; source: Explicit synthetic example; not the

6. Pattern inventory (continued)

wearer's measurements.

Engine warning: Owner-entered body.shoulder: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine warning: Owner-entered garment.length: assumed; source: AI suggestion; confirm before sewing.

Engine warning: Owner-entered garment.ease: assumed; source: AI suggestion; confirm before sewing.

Engine warning: Requirement requirement-0 remains supported, unverified by engine: Woven shirt

Engine warning: Requirement requirement-1 remains supported, unverified by engine: White fabric

Engine warning: Requirement requirement-2 remains supported, unverified by engine: Button-up front

Engine warning: Requirement requirement-3 remains supported, unverified by engine: Long sleeves

Engine warning: Requirement requirement-4 remains supported, unverified by engine: Practical tails

Engine warning: Requirement requirement-5 remains supported, unverified by engine: Tasteful frills

Engine warning: Execution: non-root uid 65534; CPU 60 s; address space 2 GiB; output file 16 MiB; wall budget 90 s enforced by parent; seccomp socket/network syscalls denied; IPv4/IPv6/Unix socket probes returned EPERM (not a network namespace).

Engine warning: No filesystem/network-namespaces sandbox is available on this host. Trusted pinned code only, clean environment without API credentials; private single-owner prototype, not public/multiuser or arbitrary-code execution.

Engine warning: Pattern PDF custom paper sizes from actual page geometry (not A4/Letter, not tiled): front_left: 310.000000 x 810.000000 mm; back_left: 325.000000 x 880.095121 mm; front_right: 310.000000 x 810.000000 mm; back_right: 325.000000 x 880.095121 mm; placket_left: 240.000000 x 730.000000 mm; frill_left: 240.000000 x 1065.000000 mm; placket_right: 240.000000 x 730.000000 mm; frill_right: 240.000000 x 1065.000000 mm; sleeve_left: 453.799786 x 570.000000 mm; cuff_left: 300.000000 x 110.000000 mm; opening_binding_left_left: 240.000000 x 160.371475 mm; opening_binding_left_right: 240.000000 x 160.371475 mm; sleeve_right: 453.799786 x 570.000000 mm; cuff_right: 300.000000 x 110.000000 mm; opening_binding_right_left: 240.000000 x 160.371475 mm; opening_binding_right_right: 240.000000 x 160.371475 mm; collar_stand: 504.821135 x 85.000000 mm; collar_fall: 474.821135 x 100.000000 mm

Engine warning: SVG physical canvas 504.821135 x 9446.676142 mm. PDF and SVG use sampled normalized paths at nominal 1:1 digital scale, not physically calibrated. No source revision/artifact ID is available to this engine API; input SHA-256 is the immutable document identity on sheets.

6. Pattern inventory (continued)

Engine assumption: Digital construction draft, not a physically fitted or sewing-validated pattern. Make a toile and check wearing ease, neck/head passage, cuff passage, collar roll and mobility before cutting final fabric.

Engine assumption: All drafting dimensions are reviewed design assumptions. Neck width and armhole depth use disclosed synthetic proportions: bust/12 and bust/10 + 110 mm. Torso quarter width = (max(bust, hip) + ease)/4. No anatomical arm, wrist or neck measurements are inferred.

Engine assumption: Each named left/right torso and sleeve is cut once as a mirrored pair. Plackets, cuffs and collar templates are cut twice for shell/facing; same-template interfacing is listed separately in derived materials. No fold-cut torso edges.

Engine assumption: Uniform 10 mm outward cut-line offset includes seam and single-turn overlocked edge finishing. Offsets use sampled curves, miter limit 3, and polygon validity/containment checks. Double-turn hems, grading, fabric shrinkage, turn-of-cloth and physical print calibration are not validated.

Panel front_left



Panel bounding box: 270 x 750 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

6. Pattern inventory (continued)

Panel back_left



Panel bounding box: 285 x 820 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

Panel front_right



Panel bounding box: 270 x 750 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

6. Pattern inventory (continued)

Panel back_right



Panel bounding box: 285 x 820 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

Panel placket_left



Panel bounding box: 30 x 670 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 2 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

6. Pattern inventory (continued)

Panel frill_left



Panel bounding box: 30 x 1005 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

Panel placket_right



Panel bounding box: 30 x 670 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 2 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

6. Pattern inventory (continued)


Panel frill_right



Panel bounding box: 30 x 1005 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

Panel sleeve_left



Panel bounding box: 412 x 510 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

6. Pattern inventory (continued)

Panel cuff_left



Panel bounding box: 260 x 50 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 2 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

Panel opening_binding_left_left



Panel bounding box: 20 x 100.371475 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

6. Pattern inventory (continued)


Panel opening_binding_left_right



Panel bounding box: 20 x 100.371475 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

Panel sleeve_right



Panel bounding box: 412 x 510 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

6. Pattern inventory (continued)

Panel cuff_right



Panel bounding box: 260 x 50 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 2 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

Panel opening_binding_right_left



Panel bounding box: 20 x 100.371475 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

6. Pattern inventory (continued)

Panel opening_binding_right_right



Panel bounding box: 20 x 100.371475 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 1 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

Panel collar_stand



Panel bounding box: 464.821135 x 25 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 2 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

6. Pattern inventory (continued)

Panel collar_fall



Panel bounding box: 434.821135 x 40 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Cut 2 shell; cut line, grainline and registration marks are in the pattern files. Digital checks do not establish physical fit.

Digital checks cover selected piece inventory, cut-contour validity, connected seam edges, seam lengths/gathering, registration and closure marks, grainline bounds and cut counts. Grading, material behavior, physical printing and fit remain unvalidated.

7. Review and change record

Revision: 1; synthetic-revision

Parent revision: None (first saved revision)

Snapshot cutoff: 2026-09-16T19:09:11.481Z

This is the selected immutable revision. No current editor buffer or later job is read. A parent revision ID is a history link; a computed change diff is not supplied.

No revision-scoped review comments supplied.

Open callouts

No callouts supplied.

Disclosure and limitations

Body input fields and their provenance are omitted.

Source reference images, sketches, technical-flat images, labels and source captions are omitted.

No simulation, cutting-candidate classification, print calibration, physical-fit approval or independently authenticated maker review is included. AI suggestions, when present, remain unverified.

Contact records and raw model exchanges are not part of this export schema. Owner-entered free text is not automatically scrubbed of personal information.

Body inputs and source images are omitted unless selected. Garment parameters, finished measurements, free-text notes and included geometry may still reveal body-related or personal information; redaction is not anonymization. Review these owner-entered fields before sharing.

Editable manifest changes are proposals only. They cannot rewrite this saved revision, artifact bytes, service evidence or reviewer identity. Retain unknowns and unsupported intent when returning feedback.

PDF text uses embedded DejaVu Sans and NFC display normalization. Unsupported glyphs, control/bidirectional formatting characters and right-to-left script characters are shown deterministically as [U+XXXX] code points instead of dropping text or presenting incorrect shaping/order. JSON retains the exact original strings.

Font license

PDF font: DejaVu Sans (Bitstream Vera license; DejaVu changes public domain).

Files: *

Copyright: Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved.

Bitstream Vera is a trademark of Bitstream, Inc.

DejaVu changes are in public domain.

License: bitstream-vera

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

7. Review and change record (continued)

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.