

1. Design overview

Cotton overshirt handoff

Original brief: A boxy top with an asymmetric collar. Preserve the unsupported detail.

Saved revision: 1 (tHKO-8E5jf0LE4oLIRzRrh7K); created 2026-09-14T19:30:58.645Z

Size scope: Not specified

Geometry starting family: shirt

Garment length parameter: 600 mm (assumed); source: Explicit synthetic example; not the wearer's measurements

Ease parameter: 80 mm (assumed); source: Explicit synthetic example; not the wearer's measurements

Flare ratio: 1

Geometry scope: Limited manual CPU adapter; no physical-fit approval or full design realization claim.

Completeness and capability

1 unsupported or unresolved requirements; 1 unknown POM targets; 1 owner-entered construction notes. Pattern disclosure: included.

Original unsupported intent is retained. Supported means representable by the adapter, not physically validated. No AI interpretation, simulation, calibrated cutting candidate or physical-fit approval is supplied.

eb62b3ec-dd09-49b5-9b15-3d74e7860557 / unsupported

Preserve asymmetric collar intent; current adapter cannot realize it.

Note: Not supplied

Source: Owner-entered requirement and coverage assessment

Body inputs omitted by disclosure policy.

Body inputs and source images are omitted unless selected. Garment parameters, finished measurements, free-text notes and included geometry may still reveal body-related or personal information; redaction is not anonymization. Review these owner-entered fields before sharing.

2. Garment flats

Garment flats describe the assembled garment. Pattern panels are not garment flats. Reference photographs and sketches are not simulation or physical-fit evidence.

Front view

Front view not supplied as a technical flat.

Back view

Back view not supplied as a technical flat.

Detail view

Detail view not supplied as a technical flat.

sketch ed5125e2-639c-4931-9165-f6bb921b903c (front): Synthetic color swatch used to exercise the upload flow; not a garment flat.

Owner-entered source: Synthetic color swatch used to exercise the upload flow; not a garment flat.

Separate sanitized image: reference-IQ6OuiQZ0u8dCTpvku0sYd1l.png. This is not a supplied front/back technical flat.

sketch be261efe-49a7-4fbc-8dc8-a8f6675c72e9 (back): Synthetic color swatch used to exercise the upload flow; not a garment flat.

Owner-entered source: Synthetic color swatch used to exercise the upload flow; not a garment flat.

Separate sanitized image: reference-RohsAD1GztMVErrg__qLjt1a.png. This is not a supplied front/back technical flat.

Stable callouts

5b6bf32a-dc05-402e-8279-a3dc25ce83e7 -> /construction: Resolve collar construction before cutting.

3. Materials / BOM

Material properties and quantities below are owner-entered. Missing consumption, substitutions and material behavior remain unresolved; panel area does not establish purchasing yardage.

e0b0d263-38e1-4c96-af79-3b826b9b0a6f / Cotton twill (fabric)

Specification: Not supplied

Placement: Not supplied

Quantity / basis: Not supplied

Source: Not supplied

ca15fe14-d6bd-40f7-b30c-a8d76465d7ad / Corozo buttons (trim)

Specification: Not supplied

Placement: Not supplied

Quantity / basis: Not supplied

Source: Not supplied

4. Finished-garment measurements

These are defined garment POMs, not body dimensions or panel bounding boxes. Unknown and not-applicable states are retained; unspecified values are not zero. A size label is not a graded range.

8093edc5-271f-4a87-831c-8548c723a6be / Flat chest

Method / condition: Across relaxed garment below armhole

Size scope: Not specified

Target: 540 mm (known); source: Entered by owner

Tolerance: unknown; source: Not supplied

Measurement note: Not supplied

6a3789dd-301f-4a49-9bb9-5829fb919a5b / Back length

Method / condition: High shoulder point to back hem

Size scope: Not specified

Target: unknown; source: Not supplied

Tolerance: unknown; source: Not supplied

Measurement note: Not supplied

Grading rules: not established by this prototype.

5. Construction

712f5c83-02d9-4744-8778-dd2c21de7c7d / Collar attachment (Confirm facing and edge finish with maker.)

Confirm facing and edge finish with maker.

Reported engine assembly links - not seam validation

left_ftorso -> left_btorso: Edge 1 to edge 4; assembly not physically validated

left_ftorso -> left_btorso: Edge 3 to edge 2; assembly not physically validated

right_btorso -> left_btorso: Edge 5 to edge 0; assembly not physically validated

right_ftorso -> left_ftorso: Edge 0 to edge 5; assembly not physically validated

right_ftorso -> right_btorso: Edge 2 to edge 3; assembly not physically validated

right_ftorso -> right_btorso: Edge 4 to edge 1; assembly not physically validated

Seam compatibility, allowance policy, fabric behavior, construction feasibility and pressing/closure details are not inferred from outlines. Unspecified treatments remain open questions.

6. Pattern inventory

Generated garment patterns are reference-only and NOT cutting ready. No cutting-candidate classification, print calibration, seam/annotation validation or physical-fit evidence is supplied. When selected, original pattern files are included byte-for-byte, never restamped or rescaled; bundle identity belongs to this manifest and the separate tech pack.

Status: included

J32mQJmvtcXnqH54bsQW7Q4a / pattern-json

Delivery file: pattern-J32mQJmvtcXnqH54bsQW7Q4a.json

Original filename: pattern.json

Classification: printable-reference

SHA-256: 72cffb169e5caa28edf6f8be7391d819c9f2a33687945cebb6d967b853521cb0

Byte size: 38033

UuL0hzzlulxR9CmMrMJVR7cZy / pattern-svg

Delivery file: pattern-UuL0hzzlulxR9CmMrMJVR7cZy.svg

Original filename: pattern.svg

Classification: printable-reference

SHA-256: d9860619cdaaa65a0168cfa28f7cd11607164a2923022c3fc7b6fdbaa8495659

Byte size: 22463

7ElxUV8PeQheEoJ3IFzKxswx / pattern-pdf

Delivery file: pattern-7ElxUV8PeQheEoJ3IFzKxswx.pdf

Original filename: pattern.pdf

Classification: printable-reference

SHA-256: 7248d3fcfa4c8dc26eac40c024d390d49e77e50e82e8976371a4a37a733c4c42

Byte size: 26438

Original PDF page 1: media box 737.008 x 1899.052 pt (260.000 x 669.943 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 2: media box 793.701 x 1900.267 pt (280.000 x 670.372 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 3: media box 737.008 x 1899.052 pt (260.000 x 669.943 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 4: media box 793.701 x 1900.267 pt (280.000 x 670.372 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

6. Pattern inventory (continued)

Generator: Sew Computer CPU adapter 1 / GarmentCode

7065b3ef01ff61f4462e871d4cb439a0b97c48db / synthetic-body-v1; source mm

Geometry input SHA-256:

7d378a28379acddf3b6e4371e4bf0a22845f8b57bb3bbe0b5663b81c4e9c82ce

Canonical coordinate unit: mm

Engine warning: Original synthetic proportional construction fixture authored for Sew Computer; NOT research body measurements, a demographic average, inferred anatomy or fit advice. Five owner-entered body values remain the only measured inputs. Explicit subset acknowledgement is required before these assumptions are used.

Engine warning: Assumed head_l = $0.14 \times \text{construction height} = 238.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed waist_line = $0.25 \times \text{construction height} = 425.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed hips_line = $0.12 \times \text{construction height} = 204.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed bust_line = $0.12 \times \text{construction height} = 204.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed vert_bust_line = $0.11 \times \text{construction height} = 187.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed armscye_depth = $0.13 \times \text{construction height} = 221.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed neck_w = $0.09 \times \text{construction height} = 153.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed arm_length = $0.32 \times \text{construction height} = 544.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed wrist = $0.16 \times \text{construction bust} = 147.2000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed back_width = $0.48 \times \text{construction bust} = 441.6000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed waist_back_width = $0.5 \times \text{construction waist} = 380.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed hip_back_width = $0.52 \times \text{construction hips} = 509.6000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed bust_points = $0.18 \times \text{construction bust} = 165.6000$ mm; original synthetic

6. Pattern inventory (continued)

fixture, not inferred anatomy.

Engine warning: Assumed bum_points = $0.2 * \text{construction hips}$ = 196.0000 mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed leg_circ = $0.58 * \text{construction hips}$ = 568.4000 mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed crotch_hip_diff = $0.03 * \text{construction height}$ = 51.0000 mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed shoulder_incl = 15 degrees; original synthetic fixture.

Engine warning: Assumed hip_inclination = 10 degrees; original synthetic fixture.

Engine warning: Assumed arm_pose_angle = 45 degrees; original synthetic fixture.

Engine warning: Upstream derived assumptions: waist level = height - head_l - waist_line; leg length = waist level - hips_line; sleeve balance = shoulder_w - 20 mm; bust line = $\frac{2}{3} \text{vert_bust_line} + \frac{1}{3} \text{bust_line}$; hip inclination is halved; armscye depth includes 25 mm of upstream ease.

Engine warning: Canonical inputs are converted mm to cm exactly once; upstream pattern units_in_meter=100 is checked; curve coordinates and lengths are converted cm to mm exactly once. Angles and ratios are not scaled.

Engine warning: Supported subset: symmetric sleeveless Shirt with curved armholes and circle neck openings; no sleeves or collar panel. Length sets the upstream torso construction length from shoulder baseline; width = (bust + ease)/bust; flare is upstream hem-width ratio. Shoulder inclination can increase panel bounding height; length is not a validated finished POM.

Engine warning: Pinned default-template settings not exposed in this slice: {"collar": {"b_bezier_x": 0.175, "b_bezier_y": 0.175, "b_collar": "CircleNeckHalf", "b_flip_curve": false, "bc_angle": 95, "bc_depth": 0.05, "f_bezier_x": 0.175, "f_bezier_y": 0.175, "f_collar": "CircleNeckHalf", "f_flip_curve": false, "fc_angle": 95, "fc_depth": 0.15, "width": 0.5}, "shirt": {"flare": 1, "length": 1.411764705882353, "width": 1.0869565217391304}, "sleeve": {"armhole_shape": "ArmholeCurve", "connect_ruffle": 1.0, "connecting_width": 0.2, "end_width": 1.0, "length": 0.2, "opening_dir_mix": 0.1, "sleeve_angle": 11, "sleeveless": true, "smoothing_coeff": 0.25, "standing_shoulder": false, "standing_shoulder_len": 4.0}}

Engine warning: Trusted fixed family classes are selected directly; MetaGarment's implicit waistband insertion/0.7 waist scaling is deliberately not used.

Engine warning: The brief, references, construction text and requirement statuses are preserved but are not interpreted by this manual CPU adapter. Only family, length, ease, flare and entered body values are used.

Engine warning: Owner-entered body.height: assumed; source: Explicit synthetic example; not the wearer's measurements.

6. Pattern inventory (continued)

Engine warning: Owner-entered body.bust: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine warning: Owner-entered body.waist: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine warning: Owner-entered body.hip: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine warning: Owner-entered body.shoulder: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine warning: Owner-entered garment.length: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine warning: Owner-entered garment.ease: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine warning: Requirement eb62b3ec-dd09-49b5-9b15-3d74e7860557 remains unsupported, unverified by engine: Preserve asymmetric collar intent; current adapter cannot realize it.

Engine warning: Execution: non-root uid 65534; CPU 60 s; address space 2 GiB; output file 16 MiB; wall budget 90 s enforced by parent; seccomp socket/network syscalls denied; IPv4/IPv6/Unix socket probes returned EPERM (not a network namespace).

Engine warning: No filesystem/network-namespace sandbox is available on this host. Trusted pinned code only, clean environment without API credentials; private single-owner prototype, not public/multiuser or arbitrary-code execution.

Engine warning: Panel left_btorso: Printable reference only; NOT cutting ready.

Engine warning: Panel left_btorso: No seam allowances, grainlines, notches, cut quantities, printer calibration or physical fit verification.

Engine warning: Panel left_btorso: Upstream edge 0: Line, length 590.3667 mm, sampled points 0..1.

Engine warning: Panel left_btorso: Upstream edge 1: Arc, length 136.2429 mm, sampled points 1..70.

Engine warning: Panel left_btorso: Upstream edge 2: Line, length 63.9283 mm, sampled points 70..71.

Engine warning: Panel left_btorso: Upstream edge 3: CubicBezier, length 334.9986 mm, sampled points 71..239.

Engine warning: Panel left_btorso: Upstream edge 4: Line, length 318.1975 mm, sampled points 239..240.

Engine warning: Panel left_btorso: Upstream edge 5: Line, length 240.0000 mm, sampled points

6. Pattern inventory (continued)

240..241.

Engine warning: Panel left_ftorso: Printable reference only; NOT cutting ready.

Engine warning: Panel left_ftorso: No seam allowances, grainlines, notches, cut quantities, printer calibration or physical fit verification.

Engine warning: Panel left_ftorso: Upstream edge 0: Line, length 260.0000 mm, sampled points 0..1.

Engine warning: Panel left_ftorso: Upstream edge 1: Line, length 318.6262 mm, sampled points 1..2.

Engine warning: Panel left_ftorso: Upstream edge 2: CubicBezier, length 339.4534 mm, sampled points 2..172.

Engine warning: Panel left_ftorso: Upstream edge 3: Line, length 63.9283 mm, sampled points 172..173.

Engine warning: Panel left_ftorso: Upstream edge 4: Arc, length 148.7041 mm, sampled points 173..248.

Engine warning: Panel left_ftorso: Upstream edge 5: Line, length 566.1697 mm, sampled points 248..249.

Engine warning: Panel right_btorso: Printable reference only; NOT cutting ready.

Engine warning: Panel right_btorso: No seam allowances, grainlines, notches, cut quantities, printer calibration or physical fit verification.

Engine warning: Panel right_btorso: Upstream edge 0: Line, length 240.0000 mm, sampled points 0..1.

Engine warning: Panel right_btorso: Upstream edge 1: Line, length 318.1975 mm, sampled points 1..2.

Engine warning: Panel right_btorso: Upstream edge 2: CubicBezier, length 334.9986 mm, sampled points 2..170.

Engine warning: Panel right_btorso: Upstream edge 3: Line, length 63.9283 mm, sampled points 170..171.

Engine warning: Panel right_btorso: Upstream edge 4: Arc, length 136.2429 mm, sampled points 171..240.

Engine warning: Panel right_btorso: Upstream edge 5: Line, length 590.3667 mm, sampled points 240..241.

Engine warning: Panel right_ftorso: Printable reference only; NOT cutting ready.

Engine warning: Panel right_ftorso: No seam allowances, grainlines, notches, cut quantities, printer calibration or physical fit verification.

6. Pattern inventory (continued)

Engine warning: Panel right_ftorso: Upstream edge 0: Line, length 566.1697 mm, sampled points 0..1.

Engine warning: Panel right_ftorso: Upstream edge 1: Arc, length 148.7041 mm, sampled points 1..76.

Engine warning: Panel right_ftorso: Upstream edge 2: Line, length 63.9283 mm, sampled points 76..77.

Engine warning: Panel right_ftorso: Upstream edge 3: CubicBezier, length 339.4534 mm, sampled points 77..247.

Engine warning: Panel right_ftorso: Upstream edge 4: Line, length 318.6262 mm, sampled points 247..248.

Engine warning: Panel right_ftorso: Upstream edge 5: Line, length 260.0000 mm, sampled points 248..249.

Engine warning: Stitch right_ftorso upstream edge 2 (63.9283 mm) <-> right_btorso upstream edge 3 (63.9283 mm); flags []; seam compatibility unverified.

Engine warning: Stitch right_ftorso upstream edge 4 (318.6262 mm) <-> right_btorso upstream edge 1 (318.1975 mm); flags []; seam compatibility unverified.

Engine warning: Stitch left_ftorso upstream edge 3 (63.9283 mm) <-> left_btorso upstream edge 2 (63.9283 mm); flags []; seam compatibility unverified.

Engine warning: Stitch left_ftorso upstream edge 1 (318.6262 mm) <-> left_btorso upstream edge 4 (318.1975 mm); flags []; seam compatibility unverified.

Engine warning: Stitch right_ftorso upstream edge 0 (566.1697 mm) <-> left_ftorso upstream edge 5 (566.1697 mm); flags []; seam compatibility unverified.

Engine warning: Stitch right_btorso upstream edge 5 (590.3667 mm) <-> left_btorso upstream edge 0 (590.3667 mm); flags []; seam compatibility unverified.

Engine warning: Printable reference only; NOT cutting ready. No allowances, grain, notches, cut counts, closure engineering, tiling, physical print calibration, seam-compatibility or fit validation.

Engine warning: Actual upstream circular/quadratic/cubic curves are sampled, not replaced with vertex-only polygons. Nominal curve sample spacing 2 mm of arc length with uniform parameter steps (not a guaranteed chord-error tolerance); exact analytical curve bounds in mm; coordinates rounded to 0.000001 mm. Straight edges retain endpoints.

Engine warning: Upstream panel self-intersection check returned false. This is a limited geometric check, not certification of construction or robust coverage of all parameter combinations.

Engine warning: Geometry can reveal body dimensions, even if original body inputs are excluded from later exports. Keep artifacts private by default.

6. Pattern inventory (continued)

Engine warning: Stitch edge indices identify upstream edges, not sampled-polyline segment indices; point ranges are recorded in the panel warnings.

Engine warning: Pattern PDF custom paper sizes from actual page geometry (not A4/Letter, not tiled): left_btorso: 260.000000 x 669.943322 mm; left_ftorso: 280.000000 x 670.372040 mm; right_btorso: 260.000000 x 669.943322 mm; right_ftorso: 280.000000 x 670.372040 mm

Engine warning: SVG physical canvas 280.000000 x 2680.630724 mm. PDF and SVG use sampled normalized paths at nominal 1:1 digital scale, not physically calibrated. No source revision/artifact ID is available to this engine API; input SHA-256 is the immutable document identity on sheets.

Engine assumption: Original synthetic proportional construction fixture authored for Sew Computer; NOT research body measurements, a demographic average, inferred anatomy or fit advice. Five owner-entered body values remain the only measured inputs. Explicit subset acknowledgement is required before these assumptions are used.

Engine assumption: Assumed head_l = $0.14 * \text{construction height} = 238.0000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed waist_line = $0.25 * \text{construction height} = 425.0000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed hips_line = $0.12 * \text{construction height} = 204.0000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed bust_line = $0.12 * \text{construction height} = 204.0000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed vert_bust_line = $0.11 * \text{construction height} = 187.0000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed armscye_depth = $0.13 * \text{construction height} = 221.0000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed neck_w = $0.09 * \text{construction height} = 153.0000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed arm_length = $0.32 * \text{construction height} = 544.0000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed wrist = $0.16 * \text{construction bust} = 147.2000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed back_width = $0.48 * \text{construction bust} = 441.6000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed waist_back_width = $0.5 * \text{construction waist} = 380.0000 \text{ mm}$; original synthetic fixture, not inferred anatomy.

6. Pattern inventory (continued)

Engine assumption: Assumed hip_back_width = $0.52 * \text{construction hips}$ = 509.6000 mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed bust_points = $0.18 * \text{construction bust}$ = 165.6000 mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed bum_points = $0.2 * \text{construction hips}$ = 196.0000 mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed leg_circ = $0.58 * \text{construction hips}$ = 568.4000 mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed crotch_hip_diff = $0.03 * \text{construction height}$ = 51.0000 mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed shoulder_incl = 15 degrees; original synthetic fixture.

Engine assumption: Assumed hip_inclination = 10 degrees; original synthetic fixture.

Engine assumption: Assumed arm_pose_angle = 45 degrees; original synthetic fixture.

Engine assumption: Upstream derived assumptions: waist level = height - head_l - waist_line; leg length = waist level - hips_line; sleeve balance = shoulder_w - 20 mm; bust line = $\frac{2}{3} \text{vert_bust_line} + \frac{1}{3} \text{bust_line}$; hip inclination is halved; armhole depth includes 25 mm of upstream ease.

Engine assumption: Supported subset: symmetric sleeveless Shirt with curved armholes and circle neck openings; no sleeves or collar panel. Length sets the upstream torso construction length from shoulder baseline; width = (bust + ease)/bust; flare is upstream hem-width ratio. Shoulder inclination can increase panel bounding height; length is not a validated finished POM.

Engine assumption: Owner-entered body.height: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered body.bust: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered body.waist: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered body.hip: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered body.shoulder: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered garment.length: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered garment.ease: assumed; source: Explicit synthetic example; not the wearer's measurements.

6. Pattern inventory (continued)

Panel left_btorso



Panel bounding box: 240 x 629.943322 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Allowances, grainlines, notches and cut counts are not validated.

Panel left_ftorso



Panel bounding box: 260 x 630.37204 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Allowances, grainlines, notches and cut counts are not validated.

Panel right_btorso



Panel bounding box: 240 x 629.943322 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Allowances, grainlines, notches and cut counts are not validated.

6. Pattern inventory (continued)

Panel right_ftorso



Panel bounding box: 260 x 630.37204 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Allowances, grainlines, notches and cut counts are not validated.

Annotation checks not performed: seam allowances, grain, notches, cut counts/folds, material assignments and grading. Reported annotation strings do not establish completeness. No print calibration or physical scale check is recorded.

7. Review and change record

Revision: 1; tHKO-8E5jf0LE4oLIRzRrh7K

Parent revision: None (first saved revision)

Snapshot cutoff: 2026-09-14T19:31:03.718Z

This is the selected immutable revision. No current editor buffer or later job is read. A parent revision ID is a history link; a computed change diff is not supplied.

Comment q4s06NG-mQoONKKAhX1MSpeH -> /construction

Change main fabric to lightweight linen.

Reported reviewer: Test maker

Recorder: owner (reported external identity not authenticated)

Recorded at: 2026-09-14T19:31:03.252Z

Open callouts

5b6bf32a-dc05-402e-8279-a3dc25ce83e7 -> /construction: Resolve collar construction before cutting.

Disclosure and limitations

Body input fields and their provenance are omitted.

No AI interpretation, simulation, cutting-candidate classification, print calibration, physical-fit approval or independently authenticated maker review is included.

Contact records and raw model exchanges are not part of this export schema. Owner-entered free text is not automatically scrubbed of personal information.

Body inputs and source images are omitted unless selected. Garment parameters, finished measurements, free-text notes and included geometry may still reveal body-related or personal information; redaction is not anonymization. Review these owner-entered fields before sharing.

Editable manifest changes are proposals only. They cannot rewrite this saved revision, artifact bytes, service evidence or reviewer identity. Retain unknowns and unsupported intent when returning feedback.

PDF text uses embedded DejaVu Sans and NFC display normalization. Unsupported glyphs, control/bidirectional formatting characters and right-to-left script characters are shown deterministically as [U+XXXX] code points instead of dropping text or presenting incorrect shaping/order. JSON retains the exact original strings.

Font license

PDF font: DejaVu Sans (Bitstream Vera license; DejaVu changes public domain).

Files: *

Copyright: Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved.

Bitstream Vera is a trademark of Bitstream, Inc.

DejaVu changes are in public domain.

License: bitstream-vera

7. Review and change record (continued)

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.