

1. Design overview

AI validation top

Original brief: Blue linen sleeveless top, symmetric round neck, gently flared, 60 cm long. No sleeves or collar.

Saved revision: 2 (IFk9niG59m156293P-9bA_o6); created 2026-09-15T20:56:57.458Z

Size scope: Not specified

Geometry starting family: shirt

Garment length parameter: 600 mm (assumed); source: AI suggestion; owner confirmation and physical verification required

Ease parameter: 80 mm (assumed); source: AI suggestion; owner confirmation and physical verification required

Flare ratio: 1.1

Geometry scope: Limited CPU pattern adapter; no physical-fit approval or full design realization claim.

AI design provenance: OpenAI · existing Codex login / gpt-6-astra / sew-interpretation/1. Proposal -fudNVDMtGg0jwzGvqKr9sZ8; unverified suggestions accepted by the owner, with subsequent edits possible.

Completeness and capability

2 unsupported or unresolved requirements; 5 unknown POM targets; 4 owner-entered construction notes. Pattern disclosure: included.

Original unsupported intent is retained. Supported means representable by the adapter, not physically validated. AI suggestions are not validation. No simulation, calibrated cutting candidate or physical-fit approval is supplied.

z7KQoTI-WhC8f-PD2SDpCWnU / supported

Top

Note: AI proposal: The shirt family supports the basic top geometry.

Source: Owner-entered requirement and coverage assessment

bidFnGTBlvY7GX4LAW9007CH / unresolved

Blue color

Note: AI proposal: Preserved in the BOM; shade selection remains open. Color is not represented in geometry.

Source: Owner-entered requirement and coverage assessment

1. Design overview (continued)

JNIWVMnvIRUYa9Qr1J6EYuyC / unresolved

Linen fabric

Note: AI proposal: Preserved in the BOM; fabric weight, drape and shrinkage need review. Fabric is not represented in geometry.

Source: Owner-entered requirement and coverage assessment

Gt1h2o5xwnWbFnaZEOd5xa1n / supported

Sleeveless; no sleeves

Note: AI proposal: The shirt geometry is sleeveless with curved armholes.

Source: Owner-entered requirement and coverage assessment

oAWmn5KtEeMAGig7JwL2aVhT / supported

Symmetric shape

Note: AI proposal: The shirt geometry is symmetric.

Source: Owner-entered requirement and coverage assessment

mUCmwRfXXaRd3cyxRf8B0Rdm / supported

Round neckline

Note: AI proposal: The shirt geometry provides a round neckline; neckline depth and dressing clearance still need review.

Source: Owner-entered requirement and coverage assessment

loNzls4fsB493vJKixCw5Ki7 / supported

Gently flared

Note: AI proposal: AI suggestion: change the existing flare value of 1 to 1.1 in response to the brief. Confirm the intended silhouette; this parameter is not a finished hem measurement.

Source: Owner-entered requirement and coverage assessment

0710X_ctD_NzHFW6XM1jyLXX / supported

60 cm long

Note: AI proposal: Recorded as 600 mm construction length within the engine range. Confirm the intended measurement landmarks; body-dependent checks remain outstanding.

Source: Owner-entered requirement and coverage assessment

1. Design overview (continued)

QQVAVnY-QQSJxZCgOJHc0jyl / supported

No collar

Note: AI proposal: The shirt geometry has no collar panels.

Source: Owner-entered requirement and coverage assessment

Disclosed body inputs - distinct from garment POMs

height: 1700 mm (assumed); source: Explicit synthetic example; not the wearer's measurements

bust: 920 mm (assumed); source: Explicit synthetic example; not the wearer's measurements

waist: 760 mm (assumed); source: Explicit synthetic example; not the wearer's measurements

hip: 980 mm (assumed); source: Explicit synthetic example; not the wearer's measurements

shoulder: 400 mm (assumed); source: Explicit synthetic example; not the wearer's measurements

Body inputs and source images are omitted unless selected. Garment parameters, finished measurements, free-text notes and included geometry may still reveal body-related or personal information; redaction is not anonymization. Review these owner-entered fields before sharing.

2. Garment flats

Garment flats describe the assembled garment. Pattern panels are not garment flats. Reference photographs and sketches are not simulation or physical-fit evidence.

Front view

Front view not supplied as a technical flat.

Back view

Back view not supplied as a technical flat.

Detail view

Detail view not supplied as a technical flat.

Stable callouts

No callouts supplied.

3. Materials / BOM

Material properties and quantities below are owner-entered. Missing consumption, substitutions and material behavior remain unresolved; panel area does not establish purchasing yardage.

NyX7vwlgcsLX9-TLfUouWdqi / Blue linen shell fabric (fabric)

Specification: Owner-requested blue linen. AI suggestion: select an apparel-weight linen after reviewing opacity, drape and shrinkage; exact shade and weight unresolved.

Placement: Main top panels

Quantity / basis: Unknown; determine after pattern and fabric width review

Source: AI suggestion (OpenAI · existing Codex login / gpt-6-astra); Owner brief for material and color; AI suggestion for selection considerations

OneN6MQNVVeifpWvt_oAUKLb / Coordinating blue sewing thread (other)

Specification: AI suggestion: thread suitable for the selected linen; type and shade to confirm.

Placement: Seams and edge finishing

Quantity / basis: Unknown

Source: AI suggestion (OpenAI · existing Codex login / gpt-6-astra); AI suggestion; confirm before sewing

xAnY1DRcwtTFFDT5APT9sVlh / Blue neckline and armhole binding (trim)

Specification: AI suggestion: lightweight matching bias binding, purchased or self-fabric. Finish choice and width unresolved; binding is not generated geometry.

Placement: Neckline and armholes

Quantity / basis: Unknown; determine from reviewed edge lengths

Source: AI suggestion (OpenAI · existing Codex login / gpt-6-astra); AI suggestion; confirm before sewing

4. Finished-garment measurements

These are defined garment POMs, not body dimensions or panel bounding boxes. Unknown and not-applicable states are retained; unspecified values are not zero. A size label is not a graded range.

CwH_TDSgwvKMXXrJQqAeo-z4 / Finished top length

Method / condition: Measure from high shoulder point beside the neckline to the hem, parallel to center front, with garment laid flat.

Size scope: Not provided

Target: unknown; source: Not supplied

Tolerance: unknown; source: Not supplied

Measurement note: AI suggestion; not a measured result. AI-suggested measurement definition. Confirm whether the owner's 60 cm uses these landmarks; construction length does not establish this finished target.

yjvsofQZcIY71GOryq1QJmH7 / Chest circumference

Method / condition: Measure flat across the body at an agreed level below the armholes and double the width; record the measurement level.

Size scope: Not provided

Target: unknown; source: Not supplied

Tolerance: unknown; source: Not supplied

Measurement note: AI suggestion; not a measured result. AI-suggested POM; no body measurement or finished chest target is inferred from suggested ease.

FYtcBgKGVpjE8fVCsBdA1MeT / Hem circumference

Method / condition: Measure the full finished hem perimeter without stretching.

Size scope: Not provided

Target: unknown; source: Not supplied

Tolerance: unknown; source: Not supplied

Measurement note: AI suggestion; not a measured result. AI-suggested POM for reviewing gentle flare; the flare parameter is not a circumference.

lhPiDtP8sAF5C5pEwedneTPj / Neck opening circumference

Method / condition: Measure around the finished neckline edge without stretching.

Size scope: Not provided

Target: unknown; source: Not supplied

4. Finished-garment measurements (continued)

Tolerance: unknown; source: Not supplied

Measurement note: AI suggestion; not a measured result. AI-suggested POM; review head clearance and neckline shape before sewing.

rWpAwibfJZDdAszjsS66jUyl / Armhole circumference

Method / condition: Measure around each finished armhole edge without stretching.

Size scope: Not provided

Target: unknown; source: Not supplied

Tolerance: unknown; source: Not supplied

Measurement note: AI suggestion; not a measured result. AI-suggested POM for checking left/right symmetry and armhole comfort.

Grading rules: not established by this prototype.

5. Construction

mjT90z8ultl3ZG9hg2y0l6YW / Review fabric and pattern decisions (AI suggested step; unverified. AI suggestion: evaluate linen shrinkage and drape, and confirm length landmarks, ease, neckline clearance, seam allowances and edge finishes. This draft is not cutting-ready.)

AI suggested step; unverified. AI suggestion: evaluate linen shrinkage and drape, and confirm length landmarks, ease, neckline clearance, seam allowances and edge finishes. This draft is not cutting-ready.

_aG5SzOx8s2ipJ9orqNp3BoQ / Prepare and join main panels (AI suggested step; unverified. AI suggestion: after pattern review, stabilize curved edges as appropriate and join shoulder and side seams. Seam finish and assembly order depend on the chosen binding method and require confirmation.)

AI suggested step; unverified. AI suggestion: after pattern review, stabilize curved edges as appropriate and join shoulder and side seams. Seam finish and assembly order depend on the chosen binding method and require confirmation.

55RwtlHz3WKPN1Ay0Q-K0HwV / Finish neckline and armholes (AI suggested step; unverified. AI suggestion: use lightweight bias binding without adding sleeves or a collar. Binding dimensions, application method and any required pattern adjustments remain unresolved.)

AI suggested step; unverified. AI suggestion: use lightweight bias binding without adding sleeves or a collar. Binding dimensions, application method and any required pattern adjustments remain unresolved.

EyjLHlm74r46azP90IIAeJA6 / Finish hem and review (AI suggested step; unverified. AI suggestion: consider a narrow turned hem suitable for the linen and flare. Confirm hem allowance and finished length, then review symmetry, movement and dressing clearance. These are untested draft steps, not professional approval.)

AI suggested step; unverified. AI suggestion: consider a narrow turned hem suitable for the linen and flare. Confirm hem allowance and finished length, then review symmetry, movement and dressing clearance. These are untested draft steps, not professional approval.

Reported engine assembly links - not seam validation

left_torso -> left_torso: Edge 1 to edge 4; assembly not physically validated

left_torso -> left_torso: Edge 3 to edge 2; assembly not physically validated

right_torso -> left_torso: Edge 5 to edge 0; assembly not physically validated

5. Construction (continued)

right_ftorso -> left_ftorso: Edge 0 to edge 5; assembly not physically validated

right_ftorso -> right_btorso: Edge 2 to edge 3; assembly not physically validated

right_ftorso -> right_btorso: Edge 4 to edge 1; assembly not physically validated

Seam compatibility, allowance policy, fabric behavior, construction feasibility and pressing/closure details are not inferred from outlines. Unspecified treatments remain open questions.

6. Pattern inventory

Generated garment patterns are reference-only and NOT cutting ready. No cutting-candidate classification, print calibration, seam/annotation validation or physical-fit evidence is supplied. When selected, original pattern files are included byte-for-byte, never restamped or rescaled; bundle identity belongs to this manifest and the separate tech pack.

Status: included

Mm3Rm8gF-J-yDj2YEv87Jxn2 / pattern-json

Delivery file: pattern-Mm3Rm8gF-J-yDj2YEv87Jxn2.json

Original filename: pattern.json

Classification: printable-reference

SHA-256: 2b25750198529b047a3db72b231565b27b85e31d75e49a4aa0975a9bfa265b89

Byte size: 39294

kq9j4mraW8ywcjiVP7Y7vXF1 / pattern-svg

Delivery file: pattern-kq9j4mraW8ywcjiVP7Y7vXF1.svg

Original filename: pattern.svg

Classification: printable-reference

SHA-256: 99421dc9b8d118a81fdbcbcd0cd7a0f19da77b880053aee08860dd90af39827d

Byte size: 22789

4RLd7N1P046VE2_yqKltG9Pc / pattern-pdf

Delivery file: pattern-4RLd7N1P046VE2_yqKltG9Pc.pdf

Original filename: pattern.pdf

Classification: printable-reference

SHA-256: 20e199f5fca49cfc97d49f89af869d4ce496e94b1facb54c009c939ce2b05c7f

Byte size: 26486

Original PDF page 1: media box 805.039 x 1899.052 pt (284.000 x 669.943 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 2: media box 867.402 x 1900.267 pt (306.000 x 670.372 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 3: media box 805.039 x 1899.052 pt (284.000 x 669.943 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

Original PDF page 4: media box 867.402 x 1900.267 pt (306.000 x 670.372 mm); rotation 0 degrees. These are file dimensions, not a calibration result.

6. Pattern inventory (continued)

Generator: Sew Computer CPU adapter 1 / GarmentCode

7065b3ef01ff61f4462e871d4cb439a0b97c48db / synthetic-body-v1; source mm

Geometry input SHA-256:

5b5674a14c25fe892ad170ee6c693f4d42e24d1e94fab732af65795e54ecd3be

Canonical coordinate unit: mm

Engine warning: Original synthetic proportional construction fixture authored for Sew Computer; NOT research body measurements, a demographic average, inferred anatomy or fit advice. Five owner-entered body values remain the only measured inputs. Explicit subset acknowledgement is required before these assumptions are used.

Engine warning: Assumed head_l = $0.14 \times \text{construction height} = 238.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed waist_line = $0.25 \times \text{construction height} = 425.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed hips_line = $0.12 \times \text{construction height} = 204.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed bust_line = $0.12 \times \text{construction height} = 204.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed vert_bust_line = $0.11 \times \text{construction height} = 187.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed armscye_depth = $0.13 \times \text{construction height} = 221.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed neck_w = $0.09 \times \text{construction height} = 153.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed arm_length = $0.32 \times \text{construction height} = 544.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed wrist = $0.16 \times \text{construction bust} = 147.2000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed back_width = $0.48 \times \text{construction bust} = 441.6000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed waist_back_width = $0.5 \times \text{construction waist} = 380.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed hip_back_width = $0.52 \times \text{construction hips} = 509.6000$ mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed bust_points = $0.18 \times \text{construction bust} = 165.6000$ mm; original synthetic

6. Pattern inventory (continued)

fixture, not inferred anatomy.

Engine warning: Assumed bum_points = $0.2 * \text{construction hips}$ = 196.0000 mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed leg_circ = $0.58 * \text{construction hips}$ = 568.4000 mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed crotch_hip_diff = $0.03 * \text{construction height}$ = 51.0000 mm; original synthetic fixture, not inferred anatomy.

Engine warning: Assumed shoulder_incl = 15 degrees; original synthetic fixture.

Engine warning: Assumed hip_inclination = 10 degrees; original synthetic fixture.

Engine warning: Assumed arm_pose_angle = 45 degrees; original synthetic fixture.

Engine warning: Upstream derived assumptions: waist level = height - head_l - waist_line; leg length = waist level - hips_line; sleeve balance = shoulder_w - 20 mm; bust line = $\frac{2}{3} \text{vert_bust_line} + \frac{1}{3} \text{bust_line}$; hip inclination is halved; armscye depth includes 25 mm of upstream ease.

Engine warning: Canonical inputs are converted mm to cm exactly once; upstream pattern units_in_meter=100 is checked; curve coordinates and lengths are converted cm to mm exactly once. Angles and ratios are not scaled.

Engine warning: Supported subset: symmetric sleeveless Shirt with curved armholes and circle neck openings; no sleeves or collar panel. Length sets the upstream torso construction length from shoulder baseline; width = (bust + ease)/bust; flare is upstream hem-width ratio. Shoulder inclination can increase panel bounding height; length is not a validated finished POM.

Engine warning: Pinned default-template settings not exposed in this slice: {"collar": {"b_bezier_x": 0.175, "b_bezier_y": 0.175, "b_collar": "CircleNeckHalf", "b_flip_curve": false, "bc_angle": 95, "bc_depth": 0.05, "f_bezier_x": 0.175, "f_bezier_y": 0.175, "f_collar": "CircleNeckHalf", "f_flip_curve": false, "fc_angle": 95, "fc_depth": 0.15, "width": 0.5}, "shirt": {"flare": 1.1, "length": 1.411764705882353, "width": 1.0869565217391304}, "sleeve": {"armhole_shape": "ArmholeCurve", "connect_ruffle": 1.0, "connecting_width": 0.2, "end_width": 1.0, "length": 0.2, "opening_dir_mix": 0.1, "sleeve_angle": 11, "sleeveless": true, "smoothing_coeff": 0.25, "standing_shoulder": false, "standing_shoulder_len": 4.0}}

Engine warning: Trusted fixed family classes are selected directly; MetaGarment's implicit waistband insertion/0.7 waist scaling is deliberately not used.

Engine warning: AI parameter proposal: OpenAI · existing Codex login / gpt-6-astra / sew-interpretation/1; proposal -fudNVDMtGg0jwzGvqKr9sZ8. Accepted by owner; subsequent manual edits possible. Not a fit or sewing validation.

Engine warning: The brief, references, construction text and requirement statuses are preserved but are not interpreted by this manual CPU adapter. Only family, length, ease, flare and entered body

6. Pattern inventory (continued)

values are used.

- Engine warning: Owner-entered body.height: assumed; source: Explicit synthetic example; not the wearer's measurements.
- Engine warning: Owner-entered body.bust: assumed; source: Explicit synthetic example; not the wearer's measurements.
- Engine warning: Owner-entered body.waist: assumed; source: Explicit synthetic example; not the wearer's measurements.
- Engine warning: Owner-entered body.hip: assumed; source: Explicit synthetic example; not the wearer's measurements.
- Engine warning: Owner-entered body.shoulder: assumed; source: Explicit synthetic example; not the wearer's measurements.
- Engine warning: Owner-entered garment.length: assumed; source: AI suggestion; owner confirmation and physical verification required.
- Engine warning: Owner-entered garment.ease: assumed; source: AI suggestion; owner confirmation and physical verification required.
- Engine warning: Requirement z7KQoTI-WhC8f-PD2SDpCWnU remains supported, unverified by engine: Top
- Engine warning: Requirement bidFnGTBlvY7GX4LAW9007CH remains unresolved, unverified by engine: Blue color
- Engine warning: Requirement JNIWVMnvIRUYa9Qr1J6EYuyC remains unresolved, unverified by engine: Linen fabric
- Engine warning: Requirement Gt1h2o5xwnWbFnaZEOd5xa1n remains supported, unverified by engine: Sleeveless; no sleeves
- Engine warning: Requirement oAWmn5KtEeMAGig7JwL2aVhT remains supported, unverified by engine: Symmetric shape
- Engine warning: Requirement mUCmwRfXXaRd3cyxRf8B0Rdm remains supported, unverified by engine: Round neckline
- Engine warning: Requirement loNzls4fsB493vJKixCw5Ki7 remains supported, unverified by engine: Gently flared
- Engine warning: Requirement 071OX_ctD_NzHFW6XM1jyLXX remains supported, unverified by engine: 60 cm long
- Engine warning: Requirement QQVAVnY-QQSJxZCgOJHc0jyl remains supported, unverified by engine: No collar

6. Pattern inventory (continued)

Engine warning: Execution: non-root uid 65534; CPU 60 s; address space 2 GiB; output file 16 MiB; wall budget 90 s enforced by parent; seccomp socket/network syscalls denied; IPv4/IPv6/Unix socket probes returned EPERM (not a network namespace).

Engine warning: No filesystem/network-namespaces sandbox is available on this host. Trusted pinned code only, clean environment without API credentials; private single-owner prototype, not public/multiuser or arbitrary-code execution.

Engine warning: Panel left_btorso: Printable reference only; NOT cutting ready.

Engine warning: Panel left_btorso: No seam allowances, grainlines, notches, cut quantities, printer calibration or physical fit verification.

Engine warning: Panel left_btorso: Upstream edge 0: Line, length 590.3667 mm, sampled points 0..1.

Engine warning: Panel left_btorso: Upstream edge 1: Arc, length 136.2429 mm, sampled points 1..70.

Engine warning: Panel left_btorso: Upstream edge 2: Line, length 63.3675 mm, sampled points 70..71.

Engine warning: Panel left_btorso: Upstream edge 3: CubicBezier, length 337.4564 mm, sampled points 71..240.

Engine warning: Panel left_btorso: Upstream edge 4: Line, length 318.5972 mm, sampled points 240..241.

Engine warning: Panel left_btorso: Upstream edge 5: Line, length 264.0000 mm, sampled points 241..242.

Engine warning: Panel left_ftorso: Printable reference only; NOT cutting ready.

Engine warning: Panel left_ftorso: No seam allowances, grainlines, notches, cut quantities, printer calibration or physical fit verification.

Engine warning: Panel left_ftorso: Upstream edge 0: Line, length 286.0000 mm, sampled points 0..1.

Engine warning: Panel left_ftorso: Upstream edge 1: Line, length 319.1526 mm, sampled points 1..2.

Engine warning: Panel left_ftorso: Upstream edge 2: CubicBezier, length 343.0706 mm, sampled points 2..174.

Engine warning: Panel left_ftorso: Upstream edge 3: Line, length 63.0698 mm, sampled points 174..175.

Engine warning: Panel left_ftorso: Upstream edge 4: Arc, length 148.7041 mm, sampled points 175..250.

Engine warning: Panel left_ftorso: Upstream edge 5: Line, length 566.1697 mm, sampled points

6. Pattern inventory (continued)

250..251.

Engine warning: Panel right_btorso: Printable reference only; NOT cutting ready.

Engine warning: Panel right_btorso: No seam allowances, grainlines, notches, cut quantities, printer calibration or physical fit verification.

Engine warning: Panel right_btorso: Upstream edge 0: Line, length 264.0000 mm, sampled points 0..1.

Engine warning: Panel right_btorso: Upstream edge 1: Line, length 318.5972 mm, sampled points 1..2.

Engine warning: Panel right_btorso: Upstream edge 2: CubicBezier, length 337.4564 mm, sampled points 2..171.

Engine warning: Panel right_btorso: Upstream edge 3: Line, length 63.3675 mm, sampled points 171..172.

Engine warning: Panel right_btorso: Upstream edge 4: Arc, length 136.2429 mm, sampled points 172..241.

Engine warning: Panel right_btorso: Upstream edge 5: Line, length 590.3667 mm, sampled points 241..242.

Engine warning: Panel right_ftorso: Printable reference only; NOT cutting ready.

Engine warning: Panel right_ftorso: No seam allowances, grainlines, notches, cut quantities, printer calibration or physical fit verification.

Engine warning: Panel right_ftorso: Upstream edge 0: Line, length 566.1697 mm, sampled points 0..1.

Engine warning: Panel right_ftorso: Upstream edge 1: Arc, length 148.7041 mm, sampled points 1..76.

Engine warning: Panel right_ftorso: Upstream edge 2: Line, length 63.0698 mm, sampled points 76..77.

Engine warning: Panel right_ftorso: Upstream edge 3: CubicBezier, length 343.0706 mm, sampled points 77..249.

Engine warning: Panel right_ftorso: Upstream edge 4: Line, length 319.1526 mm, sampled points 249..250.

Engine warning: Panel right_ftorso: Upstream edge 5: Line, length 286.0000 mm, sampled points 250..251.

Engine warning: Stitch left_ftorso upstream edge 3 (63.0698 mm) <-> left_btorso upstream edge 2 (63.3675 mm); flags []; seam compatibility unverified.

6. Pattern inventory (continued)

Engine warning: Stitch left_ftorso upstream edge 1 (319.1526 mm) <-> left_btorso upstream edge 4 (318.5972 mm); flags []; seam compatibility unverified.

Engine warning: Stitch right_ftorso upstream edge 2 (63.0698 mm) <-> right_btorso upstream edge 3 (63.3675 mm); flags []; seam compatibility unverified.

Engine warning: Stitch right_ftorso upstream edge 4 (319.1526 mm) <-> right_btorso upstream edge 1 (318.5972 mm); flags []; seam compatibility unverified.

Engine warning: Stitch right_ftorso upstream edge 0 (566.1697 mm) <-> left_ftorso upstream edge 5 (566.1697 mm); flags []; seam compatibility unverified.

Engine warning: Stitch right_btorso upstream edge 5 (590.3667 mm) <-> left_btorso upstream edge 0 (590.3667 mm); flags []; seam compatibility unverified.

Engine warning: Printable reference only; NOT cutting ready. No allowances, grain, notches, cut counts, closure engineering, tiling, physical print calibration, seam-compatibility or fit validation.

Engine warning: Actual upstream circular/quadratic/cubic curves are sampled, not replaced with vertex-only polygons. Nominal curve sample spacing 2 mm of arc length with uniform parameter steps (not a guaranteed chord-error tolerance); exact analytical curve bounds in mm; coordinates rounded to 0.000001 mm. Straight edges retain endpoints.

Engine warning: Upstream panel self-intersection check returned false. This is a limited geometric check, not certification of construction or robust coverage of all parameter combinations.

Engine warning: Geometry can reveal body dimensions, even if original body inputs are excluded from later exports. Keep artifacts private by default.

Engine warning: Stitch edge indices identify upstream edges, not sampled-polyline segment indices; point ranges are recorded in the panel warnings.

Engine warning: Pattern PDF custom paper sizes from actual page geometry (not A4/Letter, not tiled): left_btorso: 284.000000 x 669.943323 mm; left_ftorso: 306.000000 x 670.372041 mm; right_btorso: 284.000000 x 669.943323 mm; right_ftorso: 306.000000 x 670.372041 mm

Engine warning: SVG physical canvas 306.000000 x 2680.630728 mm. PDF and SVG use sampled normalized paths at nominal 1:1 digital scale, not physically calibrated. No source revision/artifact ID is available to this engine API; input SHA-256 is the immutable document identity on sheets.

Engine assumption: Original synthetic proportional construction fixture authored for Sew Computer; NOT research body measurements, a demographic average, inferred anatomy or fit advice. Five owner-entered body values remain the only measured inputs. Explicit subset acknowledgement is required before these assumptions are used.

Engine assumption: Assumed head_I = 0.14 * construction height = 238.0000 mm; original synthetic fixture, not inferred anatomy.

6. Pattern inventory (continued)

Engine assumption: Assumed waist_line = $0.25 * \text{construction height} = 425.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed hips_line = $0.12 * \text{construction height} = 204.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed bust_line = $0.12 * \text{construction height} = 204.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed vert_bust_line = $0.11 * \text{construction height} = 187.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed armscye_depth = $0.13 * \text{construction height} = 221.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed neck_w = $0.09 * \text{construction height} = 153.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed arm_length = $0.32 * \text{construction height} = 544.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed wrist = $0.16 * \text{construction bust} = 147.2000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed back_width = $0.48 * \text{construction bust} = 441.6000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed waist_back_width = $0.5 * \text{construction waist} = 380.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed hip_back_width = $0.52 * \text{construction hips} = 509.6000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed bust_points = $0.18 * \text{construction bust} = 165.6000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed bum_points = $0.2 * \text{construction hips} = 196.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed leg_circ = $0.58 * \text{construction hips} = 568.4000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed crotch_hip_diff = $0.03 * \text{construction height} = 51.0000$ mm; original synthetic fixture, not inferred anatomy.

Engine assumption: Assumed shoulder_incl = 15 degrees; original synthetic fixture.

Engine assumption: Assumed hip_inclination = 10 degrees; original synthetic fixture.

Engine assumption: Assumed arm_pose_angle = 45 degrees; original synthetic fixture.

6. Pattern inventory (continued)

Engine assumption: Upstream derived assumptions: waist level = height - head_l - waist_line; leg length = waist level - hips_line; sleeve balance = shoulder_w - 20 mm; bust line = 2/3 vert_bust_line + 1/3 bust_line; hip inclination is halved; armscye depth includes 25 mm of upstream ease.

Engine assumption: Supported subset: symmetric sleeveless Shirt with curved armholes and circle neck openings; no sleeves or collar panel. Length sets the upstream torso construction length from shoulder baseline; width = (bust + ease)/bust; flare is upstream hem-width ratio. Shoulder inclination can increase panel bounding height; length is not a validated finished POM.

Engine assumption: Owner-entered body.height: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered body.bust: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered body.waist: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered body.hip: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered body.shoulder: assumed; source: Explicit synthetic example; not the wearer's measurements.

Engine assumption: Owner-entered garment.length: assumed; source: AI suggestion; owner confirmation and physical verification required.

Engine assumption: Owner-entered garment.ease: assumed; source: AI suggestion; owner confirmation and physical verification required.

Panel left_btorso



Panel bounding box: 264 x 629.943323 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Allowances, grainlines, notches and cut counts are not validated.

6. Pattern inventory (continued)

Panel left_ftorso



Panel bounding box: 286 x 630.372041 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Allowances, grainlines, notches and cut counts are not validated.

Panel right_btorso



Panel bounding box: 264 x 629.943323 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Allowances, grainlines, notches and cut counts are not validated.

Panel right_ftorso



Panel bounding box: 286 x 630.372041 mm. Outline thumbnail, not to scale. These are panel dimensions, not body measurements or finished-garment POMs.

Reported annotations: Allowances, grainlines, notches and cut counts are not validated.

6. Pattern inventory (continued)

Annotation checks not performed: seam allowances, grain, notches, cut counts/folds, material assignments and grading. Reported annotation strings do not establish completeness. No print calibration or physical scale check is recorded.

7. Review and change record

Revision: 2; IFk9niG59m156293P-9bA_o6

Parent revision: SRSXbVXusp87yhrrsSBV8VTNs

Snapshot cutoff: 2026-09-15T20:57:01.098Z

This is the selected immutable revision. No current editor buffer or later job is read. A parent revision ID is a history link; a computed change diff is not supplied.

No revision-scoped review comments supplied.

Open callouts

No callouts supplied.

Disclosure and limitations

Source reference images, sketches, technical-flat images, labels and source captions are omitted.

No simulation, cutting-candidate classification, print calibration, physical-fit approval or independently authenticated maker review is included. AI suggestions, when present, remain unverified.

Contact records and raw model exchanges are not part of this export schema. Owner-entered free text is not automatically scrubbed of personal information.

Body inputs and source images are omitted unless selected. Garment parameters, finished measurements, free-text notes and included geometry may still reveal body-related or personal information; redaction is not anonymization. Review these owner-entered fields before sharing.

Editable manifest changes are proposals only. They cannot rewrite this saved revision, artifact bytes, service evidence or reviewer identity. Retain unknowns and unsupported intent when returning feedback.

PDF text uses embedded DejaVu Sans and NFC display normalization. Unsupported glyphs, control/bidirectional formatting characters and right-to-left script characters are shown deterministically as [U+XXXX] code points instead of dropping text or presenting incorrect shaping/order. JSON retains the exact original strings.

Font license

PDF font: DejaVu Sans (Bitstream Vera license; DejaVu changes public domain).

Files: *

Copyright: Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved.

Bitstream Vera is a trademark of Bitstream, Inc.

DejaVu changes are in public domain.

License: bitstream-vera

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

.

7. Review and change record (continued)

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.