HW3

Erika Bueno and Zoe Portlas January 28, 2019

In teams of two, address the following questions:

#Eigenvalue analysis

analysis<-eigen.analysis(aMatrix)</pre>

What species (and location if available) did you choose? Why did you choose the species? We chose the queen alexendra sulphur butterfly (Colias alexandra) because we wanted to understand its population status.

What question do you want to answer about this population (e.g. population status, best management strategies)? The question want to answer is: What life stage (egg, 1st instar, 2nd instar, 3rd instar, diapause (pupae), post diapause, adult) is most important for maintaining the growth of the population?

Calculate eigenvalue, stable age distribution, elasticity, and sensitivity. What does this tell you about the population?

Using the calculations in part (c), or additional calculations, address the question you proposed in part (b).

Submit your writeup as an R markdown file on Github. This can be a private or public repository. I expect to see commits to the repository from each partner.

```
load("C:/Users/ebuen/Desktop/QuantReasoning/COMADRE_v.2.0.1.RData")
grep(comadre metadata Order, pattern= 'Lepidoptera') #search by order
  [1] 814 815 816 817 818 819 820 845 846 847 848 849 850 851 852
comadre$mat[845][[1]]$matA #alexandras sulphur butterfly with 7 life stages
##
                         АЗ
                                                  A7
            A 1
                  A2
                               Α4
                                     A5
                                           A6
## [1,] 0.0000 0.000 0.0000 0.000 0.000 705.75
## [2,] 0.6218 0.000 0.0000 0.000 0.000 0.000
                                                0.00
## [3,] 0.0000 0.598 0.0000 0.000 0.000 0.000
                                                0.00
## [4,] 0.0000 0.000 0.5666 0.000 0.000 0.000
                                                0.00
## [5,] 0.0000 0.000 0.0000 0.488 0.000 0.000
                                                0.00
## [6,] 0.0000 0.000 0.0000 0.000 0.217 0.000
                                                0.00
## [7,] 0.0000 0.000 0.0000 0.000 0.000 0.725
                                                0.00
aMatrix<-comadre$mat[845][[1]]$matA
print(aMatrix)
                               A4
                  A2
                         АЗ
                                           A6
                                                  A7
            A1
                                     A5
## [1,] 0.0000 0.000 0.0000 0.000 0.000 705.75
## [2,] 0.6218 0.000 0.0000 0.000 0.000 0.000
                                                0.00
## [3,] 0.0000 0.598 0.0000 0.000 0.000 0.000
                                                0.00
## [4,] 0.0000 0.000 0.5666 0.000 0.000 0.000
                                                0.00
## [5,] 0.0000 0.000 0.0000 0.488 0.000 0.000
                                                0.00
## [6,] 0.0000 0.000 0.0000 0.000 0.217 0.000
                                                0.00
## [7,] 0.0000 0.000 0.0000 0.000 0.000 0.725
                                                0.00
library(demogR) #demogR package allows you to analyze age-structured population models
## Warning: package 'demogR' was built under R version 3.5.2
#help(package="demogR") #help menu for demogR
```

```
#asymptotic growth rate: lambda
analysis$lambda1
## [1] 1.416025
# 1.416025
# Greater than 1 means the population is growing exponentially
# Stable age distribution
analysis$stable.age
## [1] 0.577948350 0.253786641 0.107176347 0.042884913 0.014779283 0.002264864
## [7] 0.001159602
#[1] 0.577948350 0.253786641 0.107176347 0.042884913 0.014779283 0.002264864
#[7] 0.001159602
# This tells us that most of the population is in the first stage (eggs) and few hatch and then subsequ
analysis $ elasticities
##
                  ΑЗ
                                      Α7
            A2
                       A4
                            A5
                                 A6
       A1
## [5,] 0.0000000 0.0000000 0.0000000 0.1428571 0.0000000 0.0000000 0.0000000
## attr(,"class")
## [1] "leslie.matrix"
            A2
               A3
                      A4
                          A5
                                A6
# [5,] 0.0000000 0.0000000 0.0000000 0.1428571 0.0000000 0.0000000 0.0000000
# attr(, "class")
# [1] "leslie.matrix"
# The elasticities tells us that any in difference surival among the life stages do not affect the grow
comadre$metadata$DOI.ISBN[845]
## [1] "10.1007/BF00349187"
analysis$sensitivities
           [,2]
                 [,3]
                      [,4]
                           [,5]
      [,1]
## [4,] 0.0000000 0.0000000 0.3570232 0.0000000 0.0000000 0.0000000
## [5,] 0.0000000 0.0000000 0.0000000 0.4145273 0.0000000 0.0000000
## [6,] 0.0000000 0.0000000 0.0000000 0.9322088 0.0000000
```

```
##
## [1,] 0.0002866303
## [2,] 0.000000000
## [3,] 0.000000000
## [4,] 0.000000000
## [5,] 0.000000000
## [6,] 0.000000000
## [7,] 0.000000000
## attr(,"class")
## [1] "leslie.matrix"
     [,1]
         [,2] [,3] [,4] [,5] [,6] [,7]
# [5,] 0.0000000 0.0000000 0.0000000 0.4145273 0.0000000 0.0000000 0.00000000000
# attr(,"class")
# [1] "leslie.matrix"
# The sensitivities tell us that stage 5 which is the diapause stage of the Colias alexandra butterfly
```