Chapter 1: Survival analysis — Exercises

STA310 Survival Analysis (Master's in Applied Biostatistics)

Table of contents

1 Special features of survival data (Book §1.2) 1
1.1 Censoring in a clinical trial 1
1.2 Study time and patient time 2
1.3 Choosing the time origin 2
1.4 Independent censoring 2
1.5 A misleading analysis 2
2 Survivor, hazard and cumulative hazard functions (Book §1.4) 3
2.1 Relating the survival and hazard functions 3
2.2 Interpreting the hazard 3
2.3 True or false 3
2.4 Interpreting the survivor function 3
3 Mini-lab: simulating survival and censoring 4
3.1 Simulating a censored sample 4

Chapter 1 sets up the objects of survival analysis — censoring, the time origin and time scale, and the survivor, hazard and cumulative hazard functions. These exercises check that you can reason about censoring and the time scale, and interpret $S(t)$, $h(t)$ and $H(t)$ in concrete medical settings.

1 Special features of survival data (Book §1.2)

1.1 Censoring in a clinical trial

Type: Concept & notation

A trial follows patients from surgery until recurrence of a tumour, up to a maximum of 24 months. The table gives the follow-up time (months) and what was observed for each patient.

Patient	Follow-up (months)	Outcome
1	8	recurrence
2	20	recurrence
3	24	no recurrence by end of study
4	15	lost to follow-up
5	24	no recurrence by end of study
6	12	recurrence

(a) Which patients' times are censored, and which are observed (uncensored)?
(b) For patient 4 (lost to follow-up at 15 months), what can we say about their time to recurrence?
(c) Why can we not simply discard the censored patients when summarising the data?

1.2 Study time and patient time

Type: Concept & notation

A clinical trial recruits patients over a two-year period and follows each of them until a common closing date, after which no further information is collected.

(a) Explain the difference between *study time* (calendar time) and *patient time* (time since the patient's time origin) in this trial.
(b) For a patient recruited one year after the trial starts, how does their patient time relate to study time?
(c) Why is the analysis of survival data usually based on patient time rather than study time?

1.3 Choosing the time origin

Type: From research question to model

A study investigates the survival of patients with a serious disease. Patients are diagnosed at different calendar dates, and treatment may start some weeks after diagnosis. During follow-up, some patients die while others are still alive when the study ends.

(a) Propose a sensible time origin for measuring survival time, and explain your choice.
(b) Name one alternative time origin that could be used, and describe how the choice of time origin changes the question the analysis answers.
(c) What is the endpoint (the event) in this study?

1.4 Independent censoring

Type: Assumptions

(a) Explain in your own words what *independent* (non-informative) censoring means.
(b) Give an example of a study where censoring would NOT be independent, and explain why it would then be misleading to ignore the censoring.
(c) Why is independent censoring needed for a valid analysis of censored survival data?

1.5 A misleading analysis

Type: What's wrong here?

A researcher studying time to recurrence excludes from the analysis all patients who had not yet had a recurrence when the study ended, and then reports the average time to recurrence among the remaining patients.

Explain what is wrong with this approach and how it distorts the result.

2 Survivor, hazard and cumulative hazard functions (Book §1.4)

2.1 Relating the survival and hazard functions

Type: Concept & notation

(a) How does the cumulative hazard $H(t)$ relate to the survivor function $S(t)$?
(b) The hazard is $h(t) = -\frac{\mathrm{d}}{\mathrm{d}t}\log S(t)$. Using this, express $H(t)$ in terms of $h(t)$, and explain in words what $H(t)$ accumulates.

2.2 Interpreting the hazard

Type: Concept & notation

Suppose that, for patients one year after a surgical procedure, the hazard of death is 0.2 per year.

(a) Explain in words what a hazard of 0.2 per year means.
(b) Explain why it is not correct to say that "20% of patients die during the next year".
(c) Can the hazard take values greater than 1? What about the survivor function $S(t)$?

2.3 True or false

Type: True / false with justification


State whether each claim is true or false and justify your answer in one sentence.

(a) The hazard function can take values greater than 1.
(b) If a subject is censored at time t, we know the event occurred after t.
(c) $S(t)$ is a non-increasing function of t.

2.4 Interpreting the survivor function

Type: Interpret figure

The figure shows the survivor function $S(t) = e^{-0.1t}$ for a population with constant hazard $\lambda = 0.1$.



(a) Read off the values of $S(10)$ and $S(20)$ approximately. What does $S(10)$ mean in words?
(b) Describe the shape of the curve. Is $S(t)$ increasing or decreasing, and why?
(c) A constant hazard $h(t) = \lambda$ implies $H(t) = \lambda t$ and hence $S(t) = e^{-\lambda t}$. Verify this using the relationships in §1.4, and explain why a constant hazard gives this exponential shape.

3 Mini-lab: simulating survival and censoring


3.1 Simulating a censored sample

Type: Mini-lab

Run the code below. It simulates $n = 500$ exponential survival times with hazard $\lambda = 0.1$, and then introduces independent censoring times $C \sim \text{Uniform}(0, 15)$.

```
set.seed(1)
n <- 500
lambda <- 0.1
times <- rexp(n, rate = lambda)

hist(times, probability = TRUE, breaks = 30,
     main = "Simulated exponential survival times")
```




```r
c <- runif(n, 0, 15)
censored <- c < times
cat("Censoring proportion:", round(mean(censored), 3), "\n")
```

```
Censoring proportion: 0.526
```

(a) The histogram is positively skewed, with a long right tail. Why is this typical of survival data (§1.2)?

(b) For an exponential survival time the hazard is constant, $h(t) = \lambda$. Use the relationships in §1.4 to find $S(t)$ and $H(t)$.

(c) What proportion of the observations are censored, and what does "censored" mean for one of these observations?