$$\nabla^2 = \nabla \cdot \nabla = \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} + \frac{\partial^2}{\partial z^2}$$
$$(\nabla^2) f = \partial_x^2 f + \partial_y^2 f + \partial_z^2 f$$
$$\nabla \cdot (\nabla f) = \partial_x^2 f + \partial_y^2 f + \partial_z^2 f$$
$$-2 - 2 \partial - 1$$

$$\nabla^2 = \nabla \cdot \nabla = \frac{2}{r} \frac{\partial}{\partial r} + \frac{1}{r^2 \tan(\theta)} \frac{\partial}{\partial \theta} + \frac{\partial^2}{\partial r^2} + r^{-2} \frac{\partial^2}{\partial \theta^2} + \frac{1}{r^2 \sin^2(\theta)} \frac{\partial^2}{\partial \phi^2}$$

$$(\nabla^2) f = \frac{1}{r^2} \left( r^2 \partial_r^2 f + 2r \partial_r f + \partial_\theta^2 f + \frac{\partial_\theta f}{\tan(\theta)} + \frac{\partial_\phi^2 f}{\sin^2(\theta)} \right)$$
$$\nabla \cdot (\nabla f) = \frac{1}{r^2} \left( r^2 \partial_r^2 f + 2r \partial_r f + \partial_\theta^2 f + \frac{\partial_\theta f}{\tan(\theta)} + \frac{\partial_\phi^2 f}{\sin^2(\theta)} \right)$$

$$\left[e_{x}\frac{\partial}{\partial x}+e_{y}\frac{\partial}{\partial y}+e_{z}\frac{\partial}{\partial z},\right.$$

$$\left[ oldsymbol{e}_x rac{\partial}{\partial x} + oldsymbol{e}_y rac{\partial}{\partial y} + oldsymbol{e}_z rac{\partial}{\partial z}, \ e_x rac{\partial}{\partial x} + e_y rac{\partial}{\partial y} + e_z rac{\partial}{\partial z} 
ight]$$

 $F^r e_r + F^\theta e_\theta + F^\phi e_\phi$ 

$$abla \cdot (\nabla f) = F^r e_r + F^{\theta} e_{\theta} + F^{\phi} e_{\phi}$$

$$F$$

$$\begin{pmatrix} F^r e_r \\ +F^{\theta} e_{\theta} \\ +F^{\phi} e_{\phi} \\ F^r e_r \\ +F^{\theta} e_{\theta} \\ +F^{\phi} e_{\phi} \end{pmatrix}$$