

PAUL DAVIS

USAA Program Guidelines

Reconstruction Requirements/Contents=Pack Out	Timeline
BEC to Office Dispatch	1 day from USAA dispatch
Accept/Reject Assignment	1 day from assignment received
Customer Contact	1 day from assignment received
Site Inspection	2 calendar days from assignment received
Job Sold/Not Sold	As soon as known
Target Job Start	As soon as known
Job Started	As soon as started
XA Workflow/Notes Status Update	48 hours from site inspection
24 Hour Documents Upload	24 hours from site inspection
Target Job Completion	As soon as known
Job Completed	As soon as completed
Estimate Upload	48 hours from site inspection
Water Mitigation Requirements	Timeline
BEC to Office Dispatch	1 hour from USAA dispatch
Office Accept/Reject Assignment	1 hour from USAA dispatch
Customer Contact	1 hour from assignment dispatch
Site Inspection	4 hours from assignment received
Job Sold/Not Sold	As soon as known
Target Job Started	As soon as known
Job Started	4 hours from assignment accepted
XA Workflow/Notes Status Update	24 hours from assignment dispatch
24 Hour Documents Upload	24 hours from site inspection
Target Job Completed	As soon as known
Job Completed	As soon as completed
Fire/Smoke Cleaning Requirements	Timeline
BEC to Office Dispatch	1 day from USAA dispatch
Accept/Reject Assignment	1 hour from assignment received
Customer Contact	1 hour from assignment received
Site Inspection	4 hours from assignment received
Job Sold/Not Sold	As soon as known
Target Job Start	As soon as known
Job Started	As soon as started
24 Hour Documents Upload	24 hours from site inspection
XA Workflow/Notes Status Update	24 hours from site inspection
Target Job Completion	As soon as known

PAUL DAVIS

USAA Program Guidelines

Job Completed	As soon as completed
Estimate Upload	48 hours from job completed
Document Uploads	Timeline
24 Hour Documents– Initial photos, MICA report, and 24-Hour Template	24 hours from site inspection
USAA Work Authorization	Before work starts
USAA Certificate of Satisfaction	2 business days from job completed
Final Estimate, Photos, Final MICA Report	2 business days from job completed
Review Process	Timeline
QA Review Commences	1 business day from estimate upload
Office Uploads All Revisions or Missing/Incomplete Documents	1 business day from first QA review
QA Approval (Submission to Carrier)	2 business days from estimate upload
Adjuster Review Commences	1 business day from QA Approval
Office Uploads All Revisions or Missing/Incomplete Documents	1 business day from first Adjuster review
Adjuster Approval & Payment Issued	2 business days from QA Approval
Total Cycle Time (All Trades)	Timeline
Assignment Dispatch to QA Approval	12 calendar days from USAA dispatch

CONTENTS (CLICK ON SECTIONS BELOW TO JUMP)

ACCOUNT SUPPORT.....	3
PROGRAM OVERVIEW	3
CARRIER BACKGROUND/DRUG SCREENING REQUIREMENTS	7
MINIMUM INSURANCE REQUIREMENTS	8
TECHNOLOGY REQUIREMENTS.....	9
SERVICE LEVEL OBLIGATION REQUIREMENTS.....	10
GENERAL OPERATIONAL REQUIREMENTS	11
ENVIRONMENTAL TESTING.....	13
GENERAL ESTIMATING REQUIREMENTS	15
WATER MITIGATION	19
FIRE AND SMOKE CLEANING.....	22
RECONSTRUCTION.....	23
ROOFING	27
DOCUMENTATION.....	37
USAA MEMBER SERVICE EXPECTATIONS	42

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

PAUL DAVIS

USAA Program Guidelines

ACCOUNT SUPPORT

Business Development

- Jana Snyder, VP of Business Development – USAA Partnership
 - Program Partnership Inquiries
 - JSnyder@PaulDavis.com
 - 904-294-9030
- Dane Ivery, Director of Strategic Accounts/USAA PDRP Account Manager
 - Concern Resolution, Coverage, Capacity/Rejections, Claim Payment Inquiries
 - USAA.Support@PaulDavis.com
 - 727-480-7213

Claims Force

- Trinity Peak, Estimate Review Team Manager
 - PDRI Claims Force Team Performance, Estimating practices
 - Trinity.peak@pauldavis.com
 - 904-899-6153

PROGRAM OVERVIEW

USAA Main Line

- The USAA main line is 210-531-8722.
 - Contact this line if an XactAnalysis assignment is needed from the adjuster if the insured contacted your office directly for service.
 - If you do not know the adjuster, press 0 to be connected to the next available adjuster.

Scope

- USAA sends referrals to network Paul Davis to provide reconstruction and mitigation to damaged property covered under an insurance contract. The network Paul Davis is expected to understand what types of repairs are required to put the homeowner back to their pre-loss condition using:
 - Generally recognized construction and local repair standards
 - Reasonable, customary, and competitive estimating practices
- Upon receipt of an assignment, Paul Davis should immediately review all information in the Client/Policy tab of XactAnalysis. Special attention should be given to the “Dispatch Assignment Notes / Special Instructions” section to ensure all specific guidance or request by the USAA Adjuster are acknowledged and followed.
- The member should be advised that the USAA adjuster has the final determination regarding scope of damage and coverage.
- If a question or concern regarding scope of repairs arises at the time of inspection or during repairs, the contractors must obtain direction from the USAA adjuster before proceeding.

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

Approved Work Not Completed

- All work on the estimate should be completed.
- Once the adjuster approves the estimate and Paul Davis receives payment, Paul Davis must ensure the work listed on the estimate was completed.
- If any approved and paid work on the estimate is not completed impacting the scope of the actual repair, Paul Davis should place a note in XactAnalysis notes and reimburse the member or USAA.
- Any change orders with the Member should be secured in writing, including a revised estimate for the change work order and must be uploaded as a PDF to XA prior to marking job completed
- It is Paul Davis' responsibility to ensure subcontractors understand the approved work in the estimate and that the work is completed.
- **Work in progress** photos should be taken and uploaded into XactAnalysis as the job progresses. During post construction walk through the contractor should photograph the completed work area and upload into XactAnalysis. This will assist with the accuracy of reinspection and help to support what work was completed.

Post construction photos, for your records, are highly encouraged to document the completion of the repairs.

- **Mitigation:**

- Water Mitigation jobs must include photos of the impacted areas prior to demo.

Photos of the equipment in use should be photographed and uploaded to XactAnalysis.

- **No Damages Found:** Photos should be taken and labeled with appropriate details in situations where no damage is found during inspection

Avoid capturing individuals in loss photos, including but not limited to: USAA members, family members, guests, contractors, agents, or representatives in loss photos

Services Offered

- USAA PDRI program is for Water Mitigation in all activated states
 - Prevent water damage from spreading any further by removing standing water and drying affected areas.
- General contracting (reconstruction and fire mitigation services) are now available in all activated states
- **General Contractor Assignments** – An assignment made as a General Contractor/ Reconstruction trade does not automatically warranty OH&P. OH&P should only be Included when supported by the coordination and complexity guidance above
- USAA will send over two assignments – one for “General Contractor/Reconstruction” and one for “Water Mitigation” when repairs are to be expected on a loss.
 - If Fire Mitigation or UPP (Contents) services are to be expected on a loss, a “General UPP Cleaning/Cleaning” assignment will be sent.
 - All other programs – fire structure cleaning, contents, reconstruction or temporary repairs (including tarping and board-ups) should be discussed with the adjuster for correct billing.

Solicitation of Assignments

- Paul Davis should not solicit their services for trades in which they are not an approved vendor.
 - A water mitigation vendor who conducts emergency services should not solicit repair services if they are not activated for that trade. Example – Vendor is activated for Water Mitigation but not as a General Contractor under the USAA program. The Water Mitigation vendor should not solicit the permanent repairs
 - Example - Vendor is activated for Water Mitigation and is an active General Contractor

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

under the USAA program. The Water Mitigation vendor may solicit the permanent repairs if a General Contractor has not yet been assigned.

- XactAnalysis Notes will be updated if there was a General Contractor assigned at the same time as the water mitigation assignment.
- Water Mitigation Paul Davis should check XactAnalysis prior to solicitation of repair services (general contracting, flooring, etc.).
- If XactAnalysis Notes indicates there is already a GC assigned to the loss DO NOT solicit the repair or reconstruction of the job.

Quality Assurance Review

- Paul Davis is required to provide a Quality Assurance review of all services provided, which includes SLA compliance, documentation, estimates, and more.

FAST Program Requirement

- *PDRI FAST Program is the only centralized estimating team applicable on USAA water losses.*

Reinspection & Estimate Accuracy

- Paul Davis shall submit estimates with a 94% or higher percentage on estimating accuracy as determined by the USAA Reinspection Team.
- The estimating accuracy is calculated by taking the total over and under payments (all expressed as positive amounts) dividing by the total actual value of the Services and then subtracting such amount from one.
- All estimates that are approved by the Paul Davis QA estimate review team will be included in the calculation.
- Paul Davis will bring forward any reinspection findings that were determined by Adjuster intervention and/or guidance.
- Reinspection shall be performed by USAA on a percentage of random Assignments to detect inaccurate estimates (both over- and under-write).
- Paul Davis will have 5 Business Days from the date results are delivered to dispute the findings with USAA.
- Upon receipt of an unsatisfactory audit report from USAA; Paul Davis shall, as soon as reasonably practicable, but not more than 30 Calendar Days after receipt of the report:
 - Identify the cause of Network accuracy failures
 - Provide USAA with the details causing the estimate accuracy failures and provide and implement procedures for ensuring such failures do not occur in the future if applicable
 - Provide USAA with reasonable assurance satisfactory to USAA that such Network estimate accuracy failures will not recur following the completion of the implementation of the procedure.
- If reimbursement is required, Paul Davis shall provide the

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

PAUL DAVIS

USAA Program Guidelines

reimbursement payment of the estimate difference to USAA within 30 Business Days of notification to Paul Davis.

Check Endorsement

- Paul Davis should not request endorsement of check until all work is completed.
- Any checks deposited without all applicable signatures may result in an immediate 60–90-day suspension.
 - It is strongly discouraged to send the check to the Member via mail for endorsement.

Central Pay

- All mitigation payments issued by USAA to PDRI through Central Pay will have 100% of amount disbursed to the franchisee with a signed Work Authorization, Direction to Pay, and Certificate of Satisfaction/Completion uploaded in documents
- All non-mitigation payments issued by USAA to PDRI through Central Pay will be disbursed to the franchisee on a 40/60 allotment.
 - 40% of the payment will be issued with a signed Work Authorization and Direct to Pay uploaded through documents.
 - The remaining 60% of the paid amount will be disbursed to the franchisee upon job completion and a signed Certificate of Satisfaction/Completion has been uploaded to the documents.

Collections

- If there are outstanding funds due for work completed, please contact the Account Manager prior to sending collection notices, lien notices, or any attempts to recover the debt.
- This does not include second notices, and/or “friendly” reminders of payment.

Loss Email Address

- Utilize the loss email address to notify the adjuster of items needing immediate approval or to notify the adjuster of insured’s concerns.
 - Do not use the loss email address for general job loss updates, i.e. dry out completed. Use XactAnalysis notes and timestamps for these items.
- The loss email address can be found in the Client/Policy tab in XactAnalysis.
 - Each loss email address is unique to each claim, and the same loss email address cannot be utilized across multiple losses.

DETAILS CLIENT/POLICY MAP ACTION ITEMS (0) NOTES (11) DOCUMENTS (3) PHOTOS (3) VIDEOS (0) THIRD PARTY SKETCHES (0) ACTIVITY LOG CLAIMSEARCH

Claim Information

Type of Loss WTR-PIR (WTR-PIR)	Date of Loss Feb 7, 2023, 12:00:00 AM
Cause of Loss	Date Received Feb 13, 2023, 12:00:00 AM
Claim # 012248927-001	Appointment Date
CAT Code	County
Policy Type HOM	Adjuster PDR of the Central Florida Paraholics - greg.allison@pauldavis.com
	File Ref Area FLPRFX_FFR23
Description of Loss and/or Initial Cause Line of Business: HOMEOWNERS Policy Form: SPECIAL Contract Type: HUCB Loss Description: water damage Item Types Involved: DWELLING Loss Email Address: 4x4gmzbrbc3@claims.usaa.com	

Updated: February 25th, 2026
Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

CARRIER BACKGROUND/DRUG SCREENING REQUIREMENTS

Frequency

- Every 3 years. Must be performed prior to Personnel providing Services.

Personnel that must be Background Checked

- Those performing onsite or office/backend Services under the Program who have:
 - Unescorted access to USAA premises
 - Will be in any USAA Member's homes
 - Access to Personal Data of Members or others
 - Access to USAA Systems or
 - Access to information deemed "restricted" by USAA

Scope of Background Searching – Minimum Requirements

- Social Security Number trace
- National Sex Offender Registry
- Criminal Records of Federal, State, County/Parish – for any address Personnel resided in last seven (7) years (including any alternate address for residential, employment, or scholastic purposes)
- Self-reporting (can be accomplished through VCC form)

Disqualifying Dispositions

- Felony conviction, guilty plea, adjudication of guilt, guilty verdict, nolo contendere, no contest plea or deferred dispositions (such as deferred adjudications, prosecutions or pretrial diversions) involving:
 - Intentional injury or loss, to person or property, including crimes against minors and crimes involving violence
 - Theft, fraud, dishonesty, breach of trust, or money laundering; or
 - The manufacture, sale, distribution of or trafficking of controlled or illegal substances.
 - Damage to property or injury of others while under the influence of alcohol or other substances, if the Services require operation of a motor vehicle. If operation of a motor vehicle is not required, franchisee must determine if assignment of Personnel is consistent with safe and effective performance of Services.
- If determined there is a criminal proceeding (such as pending criminal charge, indictment, conviction or sentencing) for Personnel performing Services, Personnel must be removed from performing Services pending outcome and must notify USAA in writing within seventy-two (72) hours.

Drug Tests

- Must be performed on Personnel every three (3) years.
- Personnel who have failed a drug test shall not be permitted to perform Services for USAA.

Drug and Alcohol-Free Workplace

- Franchise participants must also have/establish and comply with a Drug

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

and Alcohol-Free Workplace Policy in place that strictly prohibits the unlawful use, possession, manufacture, distribution, transfer, sale, misuse or influence of a controlled substance, prescription, over-the-counter medication or alcohol in the workplace by all Personnel.

MINIMUM INSURANCE REQUIREMENTS

(USAA program requirements only and not intended to replace Paul Davis standard Insurance Specs)

Minimum Limits

- **Commercial General Liability** with limits of no less than US \$1,000,000 per occurrence and US \$2,000,000 in the aggregate, including bodily injury and property damage and products and completed operations and advertising liability, which policy will include contractual liability coverage insuring the activities of Provider under this Agreement
- **Worker's Compensation and employers' liability** insurance with limits no less than the minimum amount required by applicable Law for each accident and occupational illness claim
- **Umbrella/Excess** Liability insurance coverage with limits of at least \$4,000,000 per occurrence and in the aggregate and with terms and conditions at least as broad as the underlying policies

Other Limits

- Only as applicable based on the nature of the Services being provided:
- **Errors and Omissions/Professional Liability**, in connection with the Services only as applicable based on the nature of the Services provided, with limits of no less than US \$5,000,000 per occurrence and US \$10,000,000 in the aggregate for all claims each policy year

Required Policy Terms

- Required coverage must be held at all times and for a period of two (2) years after services have been performed. No exclusions for coverage for work performed by subcontractors (if allowed). Franchisees must ensure that subcontractors (if allowed) have adequate insurance.
- Coverage provided by insurance companies with **AM Best Rating of no less than A-II**
- **Minimum thirty (30) days'** cancellation, non-renewal, or material change notice to USAA, PDRI, and CSI
- Coverage shall be **primary insurance** and any similar insurance by or for benefit of USAA shall be excess and non-contributory, and have waiver of subrogation
- Name USAA and its Representatives as **Additional Insureds** (with the exception of Workers' Compensation coverage): United Services Automobile Association, 9800 Fredericksburg Road, B-SVC-E, San Antonio, TX 78288
- **Claims-made policies only:** To the extent any insurance coverage is purchased on a "claims-made" basis, such insurance shall cover all prior acts of franchisee and any additional periods during which franchise

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

does or is required to perform the Services, and such insurance shall be continuously maintained until at least two (2) years beyond the completion or termination of the Services or provide for a tail of at least four (4) years from the occurrence of such event.

TECHNOLOGY REQUIREMENTS

MICA QA Assist

- MICA QA Assist is required for all USAA PDRP assignments, excluding assignments for tree removal and furniture and/or cabinet restoration.
- New assignments received in the USAA Mitigation and USAA PDRP Datasets are automatically exported to MICA QA Assist.
- Therefore, it is not permissible to add line items relating to the use of MICA Mobility to account for time spent entering MICA information.
- Once the estimate is completed the estimate will be evaluated with the MICA QA Assist data.
 - Do not discuss questions, concerns, or program details of MICA to the USAA member or the handling USAA
- Constructive feedback and concerns about MICA process can be sent to Support@nextgearsolutions.com
- Questions regarding MICA system issues or the MICA reports should be forwarded to Support@nextgearsolutions.com

MICA Mobility & MICA Report

- MICA Moisture Analytics is required for all USAA Water Mitigation assignments.
- New Mitigation assignments are automatically exported to MICA Mobility.
- It is not permissible to add line items relating to the use of MICA Moisture Analytics to account for time spent entering MICA Moisture Analytics information.
- Once the estimate is completed the estimate will be evaluated with the MICA Moisture Analytics data.
- Do not discuss questions, concerns, or program details of MICA to the USAA Member or the handling USAA Adjuster
- Constructive feedback and concerns about the MICA process can be sent to Support@nextgearsolutions.com
- Questions regarding MICA, system issues, or the MICA Mobility reports should be forwarded to Support@nextgearsolutions.com
- Preapproval for ineffective, unnecessary, or unsupported fan, dehumidifier, or specialty drying equipment does not ensure or guarantee estimate approval if usage is not properly documented with drying logs/ progression, equipment usage, etc.
 - Therefore, it is not required to call USAA to request permission for drying periods extending beyond 3 days.
 - The drying logs should support this need.
- A complete MICA Report is required for all mitigation jobs where drying equipment is placed, or an inspection occurred, including

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

PAUL DAVIS

USAA Program Guidelines

the following data:

- Outside psychrometric readings
- Inside unaffected psychrometric readings
- Inside affected psychrometric readings
- Dehumidifier readings
- HVAC readings
- Moisture mapping
- Material moisture content readings
- Material moisture content goals

ProAssist

- USAA requires the utilization of ProAssist technology on all USAA assignments
- ProAssist enables field workers to communicate location and progress updates with policyholders in a dynamic and consistent way, providing superior customer service

SERVICE LEVEL OBLIGATION REQUIREMENTS

Capacity

- Call or email Account Manager if the volume of assignments, severe weather conditions, or personnel issues is negatively impacting service and quality.
- Do not call USAA direct to request inactivation from receiving assignments.
- The Account Manager will immediately notify USAA and will inactivate the Paul Davis office from assignments.
- When you are ready, contact the Account Manager for reactivation.
- There is no minimum time to be allowed off assignments.
- During Catastrophes, USAA will issue specific CAT related time standards.
- For non-catastrophe claims, USAA considers the following to be indicators of capacity issues:
 - Delays in inspections (TIP) due to office volume issues
 - Excessive jobs in progress time (Job Completion TIP)
 - Excessive pending jobs

Target Start & Target Completion Dates

- In addition to the standard workflow statuses, Paul Davis is required to update the Target Start Date and Target Completion Date in XactAnalysis once the job is marked sold.
- If these dates change, update the dates accordingly as this will be managed and enforced.

Appointment Delays

- Contact the Member or Adjuster at least 15 min prior to scheduled time if delayed

Delays Requiring a Phone Call to Adjuster or Follow Up Note in XactAnalysis

- If an appointment made with the Adjuster cannot be kept, call the Adjuster at least 15 minutes before the appointment

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- Paul Davis must call the Member if an appointment made with them cannot be kept, call the Member at least 15 minutes before the appointment
- If Contact with Member cannot be made within 4 hours of receipt of a Water Mitigation assignment, call the Adjuster and document in XactAnalysis notes
- If Contact with Member cannot be made within 1 business day of a Furniture & Cabinet Restoration, Cleaning (Fire & Smoke) assignment, call the Adjuster and document in XactAnalysis notes
- If Water Mitigation services cannot start within 24 hours of assignment received, add note to XactAnalysis

Compliance Support

- Compliance Team will contact an Office if XA Workflow or Notes update is not made by the 24-hour mark for each assignment received

Status Updates – XactAnalysis Notes

- An initial status update must be provided within 24 hours of site inspection
- Additional status updates must occur once every 3 business days to document the current progress of the job

Job Sold Status

- Use this status update when you sign a job

Job Not Sold Status – Cancellation Request

- Use this status update only when you need to cancel an assignment, and no billing will take place
- Enter the specific reason for the cancellation when updating the status

Rejections

- Contact the Account Manager prior to rejecting a claim
- Reject an assignment only when your office cannot accept an assignment due to inability to meet SLA requirements, insufficient capacity, or other reasons not caused by the customer.

GENERAL OPERATIONAL REQUIREMENTS

XactAnalysis Notifications

- Paul Davis should at minimum have the following personal rules (notifications) set up in XactAnalysis.
 - New Assignment: Allows email notification when new assignment is received
 - Client Approval: Allows Paul Davis to get instant email notification when the uploaded estimate is “client approved/rejected”
 - Notes: Allows email notification when a note is entered in XactAnalysis.
 - Project Manager: Update Project Manager name in XactAnalysis

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

Fraud or Subrogation Potential

- If observed, notify the adjuster within 24 hours when there is suspicion of fraud or potential subrogation opportunities

Evidence Preservation

- Paul Davis must identify and preserve evidence in relation to the cause of loss.
- If Paul Davis (water mitigation or emergency board up) has access to the part that caused the loss (faulty faucet, valve, or electrical component), Paul Davis is expected to assist in preserving the evidence.
- Paul Davis should immediately notify USAA Adjuster if they have custody of the evidence.
- Identify what caused the damage and set aside in a safe location
- Take photos of what caused the damage
- If possible, please take photos of the product manufacturer's information
- Disposal of evidence could result in the Paul Davis being held responsible for reimbursement of all or some of the damages.

Subcontractors

- General Contractors CANNOT subcontract out the following trades or services without prior approval from the USAA adjuster.
 - Water Mitigation, Textile Restoration/Dry Cleaning
 - Specialty furniture report (ok to sub to Renovar)

Adjuster Contact

- Paul Davis should limit phone contact with USAA Operations and try to utilize XactAnalysis Notes to communicate with the Desk Adjuster.
 - Initial communication with the adjuster must be through the loss email address and XactAnalysis notes.
 - If after 2 attempts to email the loss email address and 2 posted XactAnalysis notes, there is no response from the adjuster, Paul Davis may call the adjuster.
 - Do not directly send or note link posted XactAnalysis notes, status updates or items to the desk adjuster; status updates should include the loss email address
- There are times when the Paul Davis will need to speak to the adjuster immediately.
 - If the call is of an urgent nature (you are at the Member's home), Paul Davis may select the option "0" during the adjuster voice mail and the call will route to the next available adjuster.
- It is permissible to contact USAA Operations (Adjusters) when:
 - You have a member issue in need of immediate resolution
 - You received an assignment that needs to be canceled and reassigned
 - You need immediate guidance or direction in a complex situation
 - Documented attempts to contact Desk Adjuster in XactAnalysis Notes have gone unanswered.
 - If you receive an assignment and you feel that it should be cancelled, please work with the provider to
- It is NOT permissible to contact USAA Operations (Adjusters):
 - On Mondays unless the file requires immediate assistance.
 - For any issue that can be resolved via XactAnalysis Notes
 - For administrative or non-claim related issues:

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- Zip code coverage issues (unless it pertains to a new assignment)
 - To cancel and resend estimates to stop the “TIP Clock”
 - Update zip code coverage profile or with any program inquiries
 - Xactware/Xactimate/XactNet address issues
- To contact USAA personnel via social media including but not limited to Facebook and LinkedIn.
 - Do not use or list USAA personnel for references
- Contact the Account Manager or PD QA Team for all administrative and technical issues first as they will be able to assist with most of these issues or they will know the protocol to get issue corrected with USAA and/or Xactware.
- Adjuster Communication Escalation Process
 - The appropriate form of communication for questions or requests for the adjuster is XactAnalysis Notes.
 - If you do not get a timely response from the adjuster, please send a second XactAnalysis Note and wait an appropriate amount of time for a response.

ENVIRONMENTAL TESTING

Environmental Testing

- If environmental testing is conducted for mold, asbestos or lead, documents must be uploaded in XactAnalysis with the results.
- Clearance test results should also be uploaded in XactAnalysis once abatement has been completed.
- A separate estimate uploaded into XactAnalysis will be required for mold, asbestos, or lead abatement.
- However, a separate assignment will not be needed for mold, asbestos, or lead.

Asbestos Testing

- Paul Davis should refer to the Environmental Protection Agency (EPA) Asbestos handling guidelines for specific testing and abatement requirements at www.epa.gov/asbestos/index.html
- If a Paul Davis office is subject to specific testing or abatement requirements superseding or exceeding the EPA, please provide the regulation to QA for review
- If testing is required, testing fee and results must be uploaded in XactAnalysis documents.
- Payment for testing will not be considered until test fee and results are uploaded to XactAnalysis.
- Contractor should also document in XactAnalysis Notes the specifics on why testing was required (age of home, suspected asbestos containing material, etc.)
- O&P is not permissible on the testing fee.
- O&P may be applied on subcontracted abatement cost.

Colorado Specific Asbestos Testing Fee

- The Colorado Air Quality Control Commission requires asbestos testing for repair or renovation to single-family residential dwellings when the affected area of demolition meets or

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

exceeds the following triggers:

- 50 linear feet of pipes,
- 32 square feet of other surfaces, or
- 55-gallon drum equivalent in volume.
- When triggered, use Xactimate category FEE and selection ASBT to include the expense of testing in estimates written, unless an exemption as noted below applies.
- This fee covers the cost of a qualified lab to travel to the job site, gather and test samples, and prepare a report.
- Selection ASBTs may be used by Paul Davis to expense on a per sample basis but should be limited to 7 or fewer samples; otherwise, the ASBT fee method should be utilized to invoice this expense.
- Single-family residential dwellings may be exempt from this testing if it was constructed after October 12, 1988, and we obtain one of the following:
 - A signed statement by either the construction architect, project engineer or certified inspector that no asbestos-containing materials were specified as a building material in any construction document or used in the construction of the structure, or
 - A copy of the Colorado Department of Public Health and Environment Single-Family Residential Dwelling Area of Public Access Opt-out Form properly executed by the homeowner prior to the loss.

Lead Testing

- Residential homes built prior to 1978 must either be tested for lead or presumed to have lead.
- Paul Davis has the option to utilize approved EPA testing kits to confirm or rule out lead or the Paul Davis can assume single family residential dwellings built prior to 1978 have lead present; thus, eliminating testing requirement.
- If Paul Davis chooses to test, USAA will reimburse for lead testing as follows:
 - Metal, Wood, Plaster and Drywall – Xactimate line item HMR LEADSS
 - Not all states recognize chemical test kits
 - EPA recognized kits <http://www2.epa.gov/lead/epa-recognition-lead-test-kits>
- If lead test is returned positive, the following is approved for dust containment.
 - Recommendation to use HEPA filter to clean work area
 - Use Xactimate line item WTR-HEPAVAL+; HEPA Vacuuming – Light
 - Scope should encompass the immediate work area inside the dust containment barrier
 - Recommendation to set up containment around disturbed work area
 - Use Xactimate line item DMO BARR – Dust Control barrier
 - Control barrier should encompass the disturbed area
 - Cost per square foot (of the floor area)
- Paul Davis should photograph the Test Result Summary to support lead test

SLO Exception

- An exception will be granted to the required SLOs on asbestos or lead losses when the following items are included in the assignment or estimate:

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- Use the following Xactimate code **HMR AGP** when confirmed lead or asbestos testing is received.
- Xactimate code is used for reporting purposes. If this step is missed, normal cycle time applies. There are no exceptions.
- Include asbestos and or lead bid in XactAnalysis documents.
- Include testing documents and place in XactAnalysis documents.

GENERAL ESTIMATING REQUIREMENTS

Estimate Upload Standards

- Do not submit a partially complete estimate to “stop the clock”
 - This includes uploading partial estimates if ITEL reports are unavailable. Upload repair estimates once all documentation is available.
- Uploading an incomplete estimate provides minimal value for program stakeholders and provides an incomplete portrayal of program benefits.
- Paul Davis offices who are utilizing technology, communicating effectively, and utilizing effective scheduling will have superior TIP scores in the long run.
- Do not request the assignment to be cancelled and resent later
- Providing Estimates to the Member
 - Paul Davis should provide the approved estimate to the member once the estimate is client approved in XactAnalysis. All Paul Davis offices should set up notifications in XactAnalysis to notify USAA when the estimate is “client approved”.

Header Information

- Paul Davis Logo
- At very top line: “Provider: Paul Davis”
- Complete Office Name (“Paul Davis of...”)
- Physical Office Address
- Office Email Address
- Office Phone Number
- Contractor/License Number
- Franchise Code/ID – must be included to properly route payment

Do Not Include

- The following should NOT be listed anywhere in the estimate:
 - Adjuster’s name or contact information (in “claim rep” field)
 - Information citing terms and conditions of contract (work authorization)
 - Fraud language / statement
 - Scope notes, inspection results, opinions (use XactAnalysis Notes)
- If state laws require, an automated prompt will appear to add a disclaimer statement.
 - In those cases, the required response is to select “yes” to include state specific verbiage.

Volume Incentive Clause

The agreement includes tiered discount incentives based on the annual claim volume referred by USAA (per calendar year) for all assignments with a signed Work Authorization on file. Mitigation credits must be added as a line item in each estimate, and applied to as follows:

- 0–6,000 claims: 4% credit on mitigation estimates, 1% on repair/reconstruction estimates

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- 6,001–12,000 claims: 5% credit on mitigation estimates, 1% on repair/reconstruction estimates
 - 12,001+ claims: 6% credit on mitigation estimates, 1% on repair/reconstruction estimates
- **Reconstruction credits will be calculated and paid to USAA on a quarterly basis*

Estimate Structure

- Floors – Walls – Ceiling (exterior = Ground – Siding – Roof)

Estimate Pricelist

- Xactimate estimate price lists are populated based on the date the Xactimate assignment is created and the location of the property.
- If a different price list date is deemed appropriate by the adjuster, the adjuster may adjust it accordingly.
- Any deviations from unit costs (Xactimate pricing) is prohibited (excluding subcontractor invoices).

Labor Hours

- Labor cost is included in most line-item cost in Xactimate.
- Labor hours to supplement line-item cost are not permissible.
- If there is an exception that renders the unit cost in Xactimate ineffective, the additional labor cost must be supported with photos and documentation in XactAnalysis Notes; including a line item Xactimate note.

Labor Minimums

- Labor minimum can be used when the line items of that category are not sufficient to cover the minimum cost of a job.

General Category Room

- A “General” category room should be created and used to place all “general” category line items that apply to the entire job.
 - Do not create an actual “general” room on the sketch
- Some examples of general category line items are (including, not limited to):
 - Emergency Service Call
 - Equipment setup, take down, and monitoring
 - Content Manipulation
 - Equipment decontamination
 - PPE
 - HEPA filters
 - Debris Haul
 - Bid items for Subcontractor invoices

Language Not Allowed

- The following should NOT be listed anywhere in the estimate
 - USAA references or network/program details
 - Adjuster’s name or contact information (in “claim rep” field)
 - Information citing terms and conditions of contract (work authorization)
 - Fraud language / statement
 - Scope notes, inspection results, opinions (use XactAnalysis Notes)
- If state laws require, an automated prompt will appear to add a disclaimer statement.
 - In those cases, the required response is to select “yes” to include state specific verbiage.

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

Deductible

- Unless arrangements have been made with the adjuster, Paul Davis is responsible for collecting the deductible from the USAA members.
- Prior to collecting, discuss with the adjuster and member if the deductible should be collected as part of the mitigation or reconstruction assignment.
 - If collected as a part of mitigation, it is permissible to collect the deductible after mitigation is completed and to show the deductible on the mitigation estimate.
 - To expedite payment and to minimize canceled checks/reissues, Paul Davis should document XactAnalysis Notes if they collected the deductible and which part of loss it was applied to.
- Check the XactAnalysis assignment notes before collecting the deductible.

Overhead and Profit

- Allowable on all trades (except mitigation) with adjuster pre-approval and solid documentation/support in the file notes

Depreciation

- The application of depreciation is an adjusting function and needs to be completed by the claims adjuster.
- Paul Davis should not be asked to apply depreciation to estimates.

Closed Estimates

- If the estimate has been collaborated by the adjuster and shows closed, the project in your projects list will no longer work and will show “closed” in your projects.
- You can retrieve the most current copy by going to the Control Center in Xactimate, click on “outbox” on the left- hand side, click “Request Assg”, choose “completed Estimate”, and then type in the 9-digit claim number- 3-digit loss report number of the estimate.
- Click download now and the estimate should show up in your Inbox. You can now make corrections, complete, and upload.

Approved Work Not Completed

- All work on the estimate should be completed.
- Once the adjuster approves the estimate and Paul Davis receives payment, Paul Davis must ensure the work listed on the estimate was completed.
- If any approved and paid work on the estimate is not completed impacting the scope of the actual repair, Paul Davis should place a note in XactAnalysis notes and reimburse the member or USAA.
- Any change orders with the Member should be secured in writing, including a revised estimate for the change work order **and must be uploaded to XA prior to marking job completed**
- It is Paul Davis’ responsibility to ensure subcontractors understand the approved work in the estimate and that the work is completed.

USAA Program Guidelines

Service Invoices

- An Emergency Service Call fee is permissible on all emergency water mitigation assignments.
- If no work is needed on a loss, but moisture readings are taken, then a service call fee would be applicable for that loss.
 - Psychrometric and interior moisture readings are required for the service call fee to be submitted for payment consideration.
 - If no readings are taken or provided, a service call fee cannot be submitted.
- The service fee (regular or after hours) is dependent on when the assignment was "Received":
 - WTR-ESRVD – Approved Xactimate codes for assignments received during normal business hours
 - WTR-ESRV – Approved Xactimate codes for assignments received after normal business hours
- Normal business hours are Monday through Friday, 8:00 AM to 5:00 PM (local time).
- After-hour charges are intended for actual emergency response time only.

Holidays

- After hours charges can be considered for assignments received and responded to on the following designated holidays:
 - New Year's Day
 - Memorial Day
 - Independence Day
 - Labor Day
 - Thanksgiving Day
 - Christmas Day

Subcontractors, Specialty Bids, Testing

- When line items are available in Xactimate, these line items should be used to write a detailed estimate.
- Lump sum sub bids are not permissible when there are Xactimate line items applicable to the work contained in the sub bid.
- If a sub bid is used, it should include an itemization to describe rooms, elevations or areas that are included in the estimate, the amount of square footage, materials, and labor costs.
- For specialty bids, the sub bid should be uploaded into the XactAnalysis Documents tab for review.
- Sub bids should not be marked up or adjusted; and Paul Davis should ensure there is no duplication of O&P and tax charges.
- If taxes are included in the sub bid, the line item should be marked as tax exempt.

Dwelling Cleaning

- Cleaning per SF should be calculated by room with appropriate SF deductions for openings.
- When estimating wall cleaning, the cleaning estimate must calculate a proper deduction for doors, window openings, fireplace openings, shower enclosures, sliding glass doors, cabinet face frame area, built in wall cabinets/shelving units, etc.
- Dwelling cleaning is eligible for O&P if meets criteria listed in O&P guidelines.
- CLN FINALR line item is intended to remove excess dust and debris removal within a residential home upon completion of construction activities prior to move in.
 - Includes removal of debris, wipe down of surfaces and clean floor.
 - Ex. Construction dust created by sanding and refinishing hardwood floors, tear out of tile flooring, drywall repairs or re-blowing texture. Replacement of carpet or painting

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- typically would not create dust.
- See Post Construction Cleanup

Content Manipulation

- Content manipulation is generally considered when the contents will be moved out of the room where repairs involve removal or replacement of floor coverings, significant repairs to drywall/plaster, or texturing of ceiling or wall surfaces, etc.
- Only one manipulation charge should be used per room based on its size and number of contents.
- Content Manipulation should be coded as “Dwelling” in Xactimate
- Use the CON ROOM series of line items unless explanation provided.

Drive Time

- Drive time, or other travel related cost is not permissible
- Travel related cost must be pre-approved by USAA adjuster and documented in XactAnalysis.

Supervisor Hours

- Non-productive supervisor hours are not permitted.
- If there is a supervisor present, you may bill for their productive hours (if they are assisting in the actual work task that does not have a dimension or quantity-based line item).
- Non-productive supervisor time is considered part of overhead and administrative cost and not billable.

WATER MITIGATION

Emergency Service Call Charges

- An Emergency Service Call fee is permissible on all emergency water mitigation assignments.
- The service fee (regular or after hours) is dependent on when the assignment was “Received”:
- WTR-ESRVD – Approved Xactimate codes for assignments received during normal business hours
 - Normal business hours are Monday through Friday, 8:00 AM to 5:00 PM (local time).
 - If the assignment is received during normal business hours, it is NOT permissible to include any after-hour billing or charges.
 - This includes subsequent (scheduled) monitoring flowing into the weekend.
 - Any exceptions should be documented in XactAnalysis Notes (ex: member or adjuster request weekend or after-hours appointment).
- WTR-ESRV – Approved Xactimate codes for assignments received after normal business hours
 - After-hour charges are intended for actual emergency response time only.
 - If the loss is received during normal business hours, after-hour and/or overtime charges are NOT permissible.
 - If the assignment comes in after hours (per above), only the actual emergency work performed after-hours will be considered for after-hours rates.
 - Weekend monitoring (fan manipulation, drying logs, and overall job maintenance) can be considered for after-hour rates within reason based on actual work

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

performed.

- Overtime cost incurred by Paul Davis is considered as part of overhead and cannot be billed to the claim.

Equipment Set Up, Take Down,

- Travel or driving time to and from the job is not chargeable line item under a USAA program assignment.
- Cost for the initial set up is permissible; based on amount of equipment needed and should be documented with line- item notes
- Fan/Dehumidifier daily monitoring, cost should not exceed one labor hour per day and one hour for equipment take down charges
 - Contact your adjuster for very large mitigation jobs for additional consideration.
- Hours billed for initial set up should be separated from daily monitoring.
- WTR EQ for Equipment set up should be a separate line item at .25 per each piece of EQ, not exceed a quantity of 4 (16 pieces of equipment). If additional time is needed for set up, please contact USAA adjuster during job to confirm approval and ensure approval is listed in XA notes

Daily Monitoring

- Daily monitoring, including weekends, is required to substantiate the number of invoiced days for equipment.
- The vendor should make all attempts to coordinate with the member or responsible party for monitoring.
- Any reason for days not monitored must be notated in XactAnalysis Notes and is subject to verification.
- Equipment runtime will be subject to a reduction if daily monitoring does not occur, and a valid reason is not provided.

Equipment Runtime

- Equipment charges are to be rounded to the nearest hour, not day, in both the Xactimate Estimate and MICA report.

Mitigation Demolition

- Paul Davis should use best judgment when conducting demolition to the dwelling.
- Paul Davis should document the impacted area with photos and moisture readings before and after the demo.

Post Mitigation Clean Up

- Cleanup fees are included in the labor component of tear out line items.
- General vacuuming is not permitted after mitigation work has been completed.

HEPA Vacuuming

- HEPA Vacuuming - Light is allowed when invoiced on a 'per sf' for Category 3 losses
 - WTR HEPAVAL
- HEPA Vacuuming - Detailed is allowed only when the presence of mold has been substantiated.
 - Bill for HEPA vacuuming on mold estimate.

Wood Floor Drying

- When considering injection type floor drying systems/ rescue mats or similar

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

equipment, the following needs to be considered:

- The mat system can be set up when it is cost effective to try and save the floor
- The Member must understand there may be cupping in the boards for up to 6 months.
 - After that time, if there is still cupping or loose board, they will need to call USAA to have the floor reinspected for possible refinishing or replacement.
- Paul Davis should be prepared to waive some of these charges if the flooring does not dry successfully and must be torn out.

Air Scrubbers

- Air scrubbers should not be utilized on Category 2 drying projects unless specific documentation is provided that substantiates the necessity for such equipment.

Mold/Rot

If less than 10 sf of mold or rot is discovered during the inspection, Paul Davis can proceed if the mold can be removed through the normal course of mitigation.

- However, if the loss requires specific mold remediation, and/or if rot is present, Paul Davis must call the USAA Adjuster for guidance immediately.
 - During this call, discuss the need for a mold protocol, to hire an industrial hygienist if needed or required by State Law, stabilization and other items that may be needed to correctly remediate a mold loss to obtain approvals. Be sure to note XA with any approvals.
 - Be sure to identify all work, including demo and if this work will need to be completed as part of mold remediation or through the normal course of water mitigation. This will allow the adjuster to determine if work should be billed as part of water or as part of mold.
 - If water mitigation is not needed on a loss, upload a site inspection invoice to close out the USAA PDRP program as soon as possible.
- Mold work is not a part of the USAA PDRP program, but a preliminary mold estimate should be uploaded as a PDF into the mitigation assignment for adjuster review after the initial discussion and prior to work starting.
 - Once uploaded, call the adjuster to notify them of the upload and request review of the estimate.
 - Do not upload mold estimates as final estimates into the USAA PDRP assignment.

Mitigation Subcontractors

- If a skilled trade is required to allow mitigation to be completed, Paul Davis may sub out that trade and charge O&P.
- Examples include emergency plumbing, electrician to restore electricity, asbestos, etc.
- A copy of the sub bid is required to bill for the O&P.

Odor Removal

- The best way to remove an odor is to remove the source.
- Hydroxyl generators, fogging, and odor counteractants have not been sufficiently proven effective nor given approval for use on mitigation losses by the IICRC.
- The use of Hydroxyl generators or fogging is discouraged by the IICRC and may not be

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

PAUL DAVIS

USAA Program Guidelines

reimbursable.

Equipment Decontamination

- Equipment decontamination charges are only permissible for Category 3 water losses.
 - Category 3 - Use Xactimate line item WTR-EQD, or WTR-EQDH for sewage, septic, mold, or other severe CAT 3 water losses
- Decontamination costs for fans or air movers is not reimbursable.
- Use judgment to ensure charges are reasonable and necessary for the exposure.

Category 3

- The use of Category 3 labor for a loss at which water sat for more than 72 hours is inappropriate if the water was not proven to contain any 'pathogenic, toxigenic, or other harmful agents.
- If microbial growth is not visible but a strong possibility, then steps should be taken to establish its presence; the burden of proof that the loss degraded to Category 3 must be supported sufficiently.

FIRE AND SMOKE CLEANING

Estimate Upload Process

- A preliminary estimate should be uploaded prior to work commencing for adjuster approval if cleaning is over 20 hours of cleaning and/or if the claim requires more than a 50% whole home pack out. **This should be documented prior to the work taking place.**
 - Documentation should include adjuster's name with loss email tagged so adjuster can approve.
 - The adjuster may request a final estimate on smaller-scale fire losses.

Cause/Source of Fire

- DO NOT ENTER or PERFORM any cleaning activities in the source area until Fire Investigation Unit completes their investigation, and approval is obtained from the USAA adjuster.
- Determine if the structure is safe to enter:
 - If "yes," enter.
 - If no, what needs to be done to enter:
 - Secure any hazardous building issues before entry. For example, a room where there is danger that the ceiling may collapse. Secure the ceiling before performing remediation activities.
 - Secure and board up the structure as needed.
 - Add notes after site inspection to confirm if the fire investigation is still ongoing if the source has been confirmed and to verify the cause of loss.
- Document the type of fire:
 - The main types of soot that can be present after a structure fire include "dry" soot, "synthetic" soot, "and "protein-based" soot.
 - Dry soot is produced during the burning of natural materials such as wood and other cellulose- based materials and

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

typically has the less intense odor that most people associate with campfires or wood-burning fireplaces. Dry soot is usually produced by oxygen-rich, high-heat fires.

- Wet/synthetic soot is produced during the burning of plastics, rubbers, and other synthetic-based materials, and typically has a very intense, pungent odor. Wet soot is often produced in oxygen-starved, low-heat, smoldering fires, and it creates a sticky residue that is not easily cleaned from surfaces without wet cleaning agents.
- Protein soot is produced during the burning of food products and usually has very pungent and long-lasting odors. The soot residue is virtually invisible and must be cleaned with wet cleaning agents.
- Once the structure has been deemed safe to enter, and the cause and source of fire has been determined, cleaning and remediation should begin in affected areas.

Demolition

- Any demolition needed as part of fire mitigation should be included on the reconstruction estimate.
 - If the adjuster requests it to be added to the fire and smoke cleaning estimate, add note to XA to support inclusion.

Line Items

- The appropriate CLN line items should be utilized for each surface cleaned.
 - This includes if HEPA vacuuming is performed to remove soot particles or ash from surfaces.
- If multiple passes are needed, upload photos to support the need for multiple passes.

Specialty Equipment

- If specialty equipment is needed, add notes to XA to need and provide clear, labeled photos to support use.

Odor Removal

- The best way to remove an odor is to remove the source.
- Hydroxyl generators, fogging, and odor counteractants have not been sufficiently proven effective nor given approval for use on mitigation losses by the IICRC.
- The use of Hydroxyl generators or fogging is discouraged by the IICRC and may not be reimbursable.

RECONSTRUCTION

Flooring

- Quantities for flooring must be broken down into removal and replacement.
- Waste is built into the Xactimate unit cost for all flooring line items except carpet and sheet vinyl.
- If flooring is only damaged in one room, settlement is generally based on that room unless there is a continuous run into other rooms.
- If a closing door (carpet only), or threshold separates the room or the run is not continuous into the next room, replacement of

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- other undamaged areas should not be included.
- Closets or sub rooms that are attached to a room or hallway should be included in the carpet replacement.

Waste Calculation

- All carpet and vinyl replacement estimates should be calculated applying 15% waste.
- Use of Xactimate Carpet and Vinyl Flooring Wizard is not permissible.

Carpet Pad Replacement

- If Paul Davis is replacing carpet pad when only the carpet is damaged (no damage to existing carpet pad), they should support the recommendation in XactAnalysis Notes:
 - How old is the carpet and pad?
 - Is this a high traffic area?
 - If the carpet only is replaced, is there a reasonable uniform appearance?

Floor Replacement and Sanding/Refinishing

- Member is entitled to a single finished surface; however, each claim should be evaluated on its own merit.
- The following questions may be considered when assessing flooring replacement or repairs:
- How old is the flooring material?
- Does the member have material from the initial installation that would allow repair of the floor for a reasonable uniform appearance?
 - If yes, reimburse member for the material provided
- How is the flooring installed (glued down, floating, etc.)?
- Is the flooring a continuous run into other rooms?
- Did member have an existing threshold at the doorway separating the run of flooring?
- How many times has the flooring been refinished?
- If a repair of the flooring is completed, does reasonable uniform appearance exist?
- Are there natural break points?
- Is there a clean break in the line of sight?
- When replacing part of a wood floor, consider and document the following variables when determining how far (stopping points) for sanding and refinishing the un-replaced floor for appearance consideration
 - When was the area last refinished?
- When sanding and finishing has been completed, does reasonable uniform appearance exist?
- When sanding and finishing has been completed, does reasonable transition between the refinished and the adjoining wood flooring exist?
- Is the wood floor product prefinished with factory finished and micro bevel?
 - If prefinished and contains micro bevel, does the member prefer replacement or repair consisting of removal of prefinished surface and micro bevel with sanding.
- If vinyl plank flooring, can it be cleaned and reinstalled?
- Do not include line item FCW ACCL when replacing wood flooring. The replacement line item allows for drop off, unboxing and acclimation time.

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

Sanding and Refinishing

- Xactware coding FCW FINDS (Add for dustless sanding); which should entail use of a power vacuum system generate up to 99.8% less dust than traditional sanding.
- If this line item is used, Paul Davis may only use Xactimate cleaning line item CLN FINALR per SF of the floor of impacted areas for post sanding cleaning.
- Tip: 2 coats of finish are included in the FCW FIN and FCW FIN+ unit cost pricing

Material Grades

- Without documented support, the base line material grade to be estimated is “AV”

Matching

- Each situation should be considered based on its own merits and unique circumstances, including state specific standards.
- The USAA adjuster should be consulted regarding specific matching requirements.

Painting

- Guidelines that can be used when determining areas to be painted:
- When was the area last painted?
- Does the member have matching paint? Is the paint still available?
- When painting has been completed, does reasonable uniform appearance exist?
- Is it more cost effective to paint the entire room?
- Is there a clean break in the line of sight?
- If there is only damage to the walls and not the ceiling; then only the walls should be painted.
- If there is only damage to the ceiling and not the walls, then only the ceiling should be painted.
- Semi-Gloss and High Gloss painted baseboards, door, window, and door trim, etc. should not be painted if not damaged.
- Sealant is typically applied for new drywall, new non-paint grade trim, stained areas, or areas to be textured.
 - Paint Damaged areas PNT P2
 - Sealant (Read the line-item descriptions to determine the best sealant for the work being performed)
 - Seal new drywall/texture S- (PVA Primer)
 - Seal stains S<, S
 - Seal Trim PNT TRIM
- Use two coats of paint when painting trim and the material is pre-primed. Use one coat of primer/sealant and one coat of paint if the material doesn't come pre-primed. (Read the line-item description of the trim material being replaced to determine what is included in the Xact cost)

Texture

- Most drywall (DRY) line items include simple hand, and/or a simple spray texture (orange peel) but excludes heavy or complex texturing/blending beyond the joint. Refer to the line- item description to confirm.
- The generally accepted industry standard is to attempt to match the texture and blend with the existing texture.
- Is this a texture that can be matched?
- Is additional square footage of textured needed to blend the texture?
- When the texture has been completed, does reasonable uniform appearance exist?
 - It is acceptable to replace ceiling texture due to lighting that does

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

not create a reasonable uniform appearance.

- A line item for removal of some drywall textures, such as stipple texture, does not exist in Xactimate.
 - If needed, DRY LAB should be utilized.
 - For guidance on the amount of time needed, a 12X12 section could take 1-3 hours to remove the texture.
 - Additional time needed for additional areas should be scaled appropriately.

ITEL

- USAA will utilize ITEL for flooring analysis testing on PDRP program assignments involving:
 - Carpet
 - Hardwood
 - Wood laminate vinyl (rolled, tile, plank)
 - Stone
 - Tile
- Based on damage involving each flooring material of 250 square feet or more AND when flooring quantity is over 'AV' quality. If ITEL report is not available, we should be billing utilizing "AV- average grade "
- ITEL Mobile is the preferred method for Carpet and hard flooring surfaces.
 - Any deviation from ITEL material cost or the failure to use ITEL should be justified in XactAnalysis Notes.
 - ITEL also conducts asbestos testing for flooring samples.
 - ITEL is not required for carpet padding.
 - ITEL must be utilized when there is a question to the quality grade of the flooring (premium, high, etc.)
 - If an ITEL sample has been submitted prior to the inspection and reasonably available, perhaps by water mitigation or emergency services, the utilization of the report is required.
 - Upon receipt of the ITEL report, input the material cost into Xactimate using the pertinent Xactimate pricing code.
 - There are multiple codes for NFCP – be sure to review the line item for accuracy.
 - Carpet FCC-NFCP
 - Pad FCC-NFCPPAD
 - Wood FCW-NFCP (Ensure correct FCW line item is used based off flooring type)
 - Vinyl FCV-NFCP
 - Tile FCT-NFCP
 - Stone FCT-NFCP
- The above Xactimate codes account for labor, equipment, and material components (glue, task strip, grout, thin set, ect.). You will need to input the ITEL material cost only.
 - Select the line item
 - Select the "Components" tab at the upper left of the screen
 - Find the line item in the "Materials" category
 - Overwrite the Unit Price (defaulted to zero) with the ITEL material cost
- **ITEL report must be uploaded to XactAnalysis with the completed final mitigation estimate.**

Cabinetry

- When cabinets are affected, the following guidelines may be considered when assessing damage, and supporting documentation and photos should address the following:
 - Attempt to match, before replacing consider the following:
 - Does the damage involve only a non-visible part of a cabinet interior? If so, can this damaged area be repaired with the cabinet in place? (Example: dishwasher hose leak damages back wall and deck of the under-sink cabinet)
 - Are the existing cabinets still readily available?

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- It is acceptable to perform a repair if a reasonable, uniform appearance can be achieved by replacing only the damaged cabinets or with refinishing.
- Explore repair options of rebuilding the boxes and reusing the doors, refacing, replacing just the doors; this method is most suitable for high end or custom cabinetry.
- If the above options are not appropriate and cabinetry cannot be restored to pre-loss condition to achieve a reasonable uniform appearance, replacement is recommended.
- Photos should support damages being claimed and the repair/replacement decisions made.

Siding

- Guidelines that can be used when determining whether to replace siding on an entire elevation or the entire dwelling:
 - Is the same type of siding still manufactured so a reasonable uniform appearance is possible?
 - Is it more cost effective to remove and replace the siding on the entire elevation vs. a partial repair?
 - Is there a clean break in the line of sight?
- These guidelines do not affect the state specific DOI rules or regulations relating to repairs.
 - A sample of the siding can be sent to ITEL for evaluation to assist in determining availability of the siding.

Roofing

- Guidelines that may be considered when determining or replacement of roofing material:
 - Does current material condition support spot or single slope repair technique?
 - Is the same roofing material (composition, tile, metal) still manufactured and available so achievement of a reasonable uniform appearance is possible?
 - If the roofing material is still available, is it more cost effective to remove and replace the material on the entire slope vs. a partial repair?
 - Is there a clean break in the line of sight to allow for a slope replacement?

Fencing

- Repair = Section or Partial Run
- Replacement – Entire Run
- Run – End Post to End Post/Corner to Corner
- Guidelines to consider when fencing is damaged
 - How much of the fence was damaged?
 - Was the fence stained?
 - Was stain only damaged?
 - Was the fence co-owned with the neighbor?

Leak Detection

- Leak detection should be separated into two separate line items:
 - One for the cost of the actual leak detection determination
 - One for the cost to repair the affected plumbing

USAA Program Guidelines

Masking

- Masking is permissible to protect undamaged flooring, walls, or ceiling.
- Painting line-item descriptions include removing switch and outlet cover plates, drop light fixtures, and moving items away from walls to make painting easier.
- An average amount of this kind of work is included.
- If paint in the home is relatively new, Paul Davis should verify if paint can be matched, or extra paint is available.
 - Acceptable Xactimate line items for standard painting jobs (If additional masking is required provide photos and line item note explanation)
 - Mask Flooring PNT-MASKSF>
 - Mask Baseboard/Trim PNT MASKLFT
 - Mask Walls (Ceiling work) PNT MASKLF
- If additional masking line items are used for drywall work, demo, etc., provide line item note for explanation.

Post Construction Clean Up

- Many line items include allowances for daily set up and site cleanup.
- If circumstances require additional cleaning allowances, use Xactimate line item CLN FINALR.
- This should only be used when there is an unusual amount of construction debris or dust related to the repairs in the affected area.
- This should be supported by photos.
- Paul Davis should take reasonable precaution to cover all air ducts during construction.
- Therefore, if duct cleaning is needed because of construction debris or dust it will be the Paul Davis's responsibility: and not a chargeable line item in the Xactimate estimate.
- Use Xactimate DMO-BARR to cover the ducts to prevent construction dust issues

Scaffolding, Ladders, Jacks

- Paul Davis will have and use standard ladders, jacks, and plank scaffolding as part of their normal equipment toolset, and as such, the labor yield assumption addresses the average time necessary for normal one or two-story applications, including the set up and use of this equipment as needed, where the ladder scaffold platform does not exceed 20'.
- Refer to the Xactimate line-item description.

Non-Damaged Plumbing Components

- Plumbing components (supply lines, p-traps, fixtures, etc.) are typically reusable and may not require resetting when undamaged by the covered peril.
- Allowance to replace or detach/reset undamaged components should be documented (photos and line-item note) when not evident by the repair methodology.

Code Compliance, Permits, Fees

- Supporting documentation for code compliance repairs and fees must be uploaded into XactAnalysis.

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- If IRC code, Paul Davis should show where the code has been adopted by municipality, city, state, or community.
- Administrative cost (labor hours) to secure permits/fees is part of a Paul Davis overhead and additional labor hours are not permissible.
- When the member will use Paul Davis to perform the code compliance repairs, USAA may consider as incurred and issue payment for the code expenses upon receipt of supporting documentation from the governing body (inspector, etc.) and upon approving the Paul Davis repair estimate.
- Code compliance repairs should be clearly indicated within the repair estimate.

Restoration/Renovations

- When a dwelling/building is being restored or under renovations, the pre-loss condition is when the loss first started which may be different than the date the loss was discovered.
- Items missing such as fixtures, carpet or wood finishes would not be covered if the loss occurred after the items were removed.
- If the date of the loss is prior to the renovation/restoration start date, the claim will consider the pre-loss condition of the risk at the date of the loss.

Temporary Toilets

- Temporary Toilets are generally not utilized on projects with small timelines.
- A note should be included to document any unique situations when a temporary toilet is required.

ROOFING

General Contracting Assignments

- There is a possibility that roofing repairs may be included in the General Contracting assignment.
- General Contracting assignments should not be utilized for assignments where roofing repairs are the only service needed.
 - If you receive a General Contracting assignment and determine that roofing is the only service needed, please contact your adjuster to have a Roofing assignment sent to your office and have the General Contracting assignment cancelled.

Scope of Work

- Evaluate each roof based on its own merits, including, but not limited to, age, condition, repair techniques and product availability.
- Roofing estimates should only include repairs needed as a result of direct physical damage.
- Paul Davis should not include roof repairs resulting from normal wear and tear (weathered shingles, deteriorated seals, or flashing, etc.).
- Any repairs needed due to normal maintenance should be handled outside of the claims assignment and not included in the estimate.
- Paul Davis should communicate their evaluation to USAA via XactAnalysis Notes and inform the member the report will be sent to the USAA adjuster for final determination regarding damage and coverage.

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

PAUL DAVIS

USAA Program Guidelines

Temporary Repairs

- All reasonable steps must be taken to avoid creating secondary damages during the application of any temporary repair.
- Paul Davis and subcontractors are required to utilize appropriate tools, methods and sound judgment when determining the type of temporary repair needed.
- Any methods used to secure temporary materials must be done so in a safe and proper manner in accordance with recognized standards, as deemed appropriate for the situation.
- Photos and line-item notes should clearly support methods employed for temporary repairs.

Roof Claim Requirements

- Damage Evaluation – Composition/Asphalt Shingles
 - Generally, damage can be seen as indentations and/or fractures in the shingles surface, or missing shingles.
 - The following does not constitute direct and physical roofing damage:
 - Normal granule loss or,
 - Deterioration of the shingle due to normal wear and tear; or weathering
 - Deteriorated flashing or seals due to wear, tear, and weathering
- Shingle Gauge Language for Vendors
 - Proceed with the practice of implementing RFG 300 for Laminate style shingles and RFG 240 for 3-tab style shingles on roof replacement estimates if the vendor is not able to obtain one of the following while onsite:
 - Material order/invoice from member or contractor showing an upgraded shingle was purchased and installed
 - Photo of the shingle packaging (if member has extra material from previous installation) confirming it is an upgraded material
 - Photo of a displaced shingle showing the stamp or backing of the shingle
- Wind Damage to Composition/Asphalt Shingles
 - This section seeks to provide guidance that can affect the confirmation of wind damage as the cause of loss to shingles.
 - There is no certain number of items that will confirm wind damage was sustained; each loss is evaluated on a case-by-case basis. If you confirm wind damage is present an estimate for repair of the affected area should be prepared.
 - Per Haag Engineering Guidance:
 - Wind Damage Indicators:
 - Damages identified at high wind exposure areas on the roof such as ridges and rakes
 - Random distribution of wind damaged shingles and/or collateral damages to non-roofing items
 - Creases in the shingles (not intended to be the sole identifier of wind damage)
 - Weather reports supporting existence of high-speed winds
 - Check condition and location of sealant bonding and fasteners
 - Possible Mechanical Damage Indicators:
 - Patterned damages (not random)
 - Wind damage solely to the center of the slope
 - Time of year the roof was installed
 - Fastener issues identified. (Ex: Shingles nailed through tar strip, overdriven nails,

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- staples used)
 - Creased shingle still sealed
 - Foot traffic impressions, marring or scuffing
- Unsealed Shingles
 - Wind damage is obvious with a combination of uplifted and creased, flipped, and removed shingles.
 - Flying debris impact might damage other shingles.
 - Wind damage typically is concentrated on the windward sides of a roof, especially along eaves, ridges, and tops of valleys.
 - Shingles with little or no bond are especially prone to being lifted and damaged by wind.
 - However, the lack of shingle bond alone does not constitute wind damage.
- Tile Roofing
 - Estimator should obtain ITEL evaluation of the roofing materials.
 - The preferred method for sample submission is the ITEL Now App
 - ITEL report will identify material pricing and availability of replacement materials, if applicable
 - Guidelines for interpreting the ITEL Tile Roofing Matching Analysis Similarity Rating:
 - Similarity Rating (1) Exact matching profile and lug pattern (candidate for same slope repair)
 - Similarity Rating (2) Excellent Profile match, slight difference in interlocking mechanism /lug pattern (candidate for full elevation/slope repair product)
 - Similarity Rating (3) Comparable profile match, no suitable repair match found (This product is not intended as a repair type product, but rather a similar replacement type product for cost analysis).
 - If ITEL report or material manufacturer indicates replacement material is available, the following should be considered:
 - Confirm and document that enough material needed is readily available and can be easily acquired
 - Physical location of replacement material and/or shipping costs
- ITEL Asphalt Shingle Program (ASP) and Vinyl Siding Program (VSP)
 - All estimates require the use of ITEL Asphalt Shingle and Vinyl Siding pricing. Xactimate pricing will require certain RFG and SVG line items to utilize 3rd party pricing provided by ITEL. Users are required to request and use the 3rd party pricing in Xactimate and allow Xactimate to revise the price(s) in the estimate
 - Applicable selector codes include 200, 300, 400, 500 series and SDG Vinyl (+ and ++), IVYNIL and VINB
 - Estimators should consider situations that would constitute good cause for bypassing ITEL ASP and VSP which would typically only include:
 - A supplement is needed to add shingles or siding to a previously completed estimate that requires the use of the original asphalt shingle or siding price
 - Updating the estimate price for asphalt shingles or vinyl siding already purchased and the original ITEL price is higher than the current price
 - **USAA requires estimates to request the Xactimate ITEL 3rd party pricing on identified Asphalt Shingle and Vinyl Siding materials**

Matching

- Each situation should be considered based on its own merits and unique circumstances, including state specific standards.

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- The USAA adjuster should be consulted regarding specific matching requirements.
- Roofing:
 - Guidelines that may be considered when determining or replacement of roofing material:
 - Does current material condition support spot or single slope repair technique?
 - Is the same roofing material (composition, tile, metal) still manufactured and available so achievement of a reasonable uniform appearance is possible?
 - If the roofing material is still available, is it more cost effective to remove and replace the material on the entire slope vs. a partial repair?
 - Is there a clean break in the line of sight to allow for a slope replacement?

General Roof Estimating Practices

- Ridge constitutes stopping point for “slope” replacement
- Ridge cap is included on 3 tab.
- Add a separate line item for ridge for architectural shingles.
- Drip edge, pipe jacks, vents, ridge, ridge vent, turbines, and split boots are included in removal of the roofing material and should be replace only.
 - Review Xactimate line items for additional items that may also be included
- If replacing a slope only, it is permissible to Remove and Replace ridge cap for 3 tab and architectural shingles.
- Starter rows are covered in the waste factor and should not be a separate line item.
- Felt should be estimated as a separate line item and not included in the shingle replacement line item.
 - For example: If replacing 3-tab shingles, RFG 240S should be used instead of RFG 240 and add felt as a separate line item.

Waste

- Waste should not be calculated based solely on aerial report waste recommendations.
- Waste should be calculated based on roof design and quantities in which the material or bundles are sold.
- Waste should not be added to the removal of existing roof.
- Waste should not be added to additional charges for steep or high roofs
- Standard waste on a gable roof is 10%; Hip roof is 15%
- For gable roofs with multiple facets, consider increasing the waste factor caused by the intersecting slopes
- Area for Ice and Water Shield (IWS) should be deducted
- Waste should not be added to felt

Debris Haul & Clean Up

- Standard roofing line items (RFG) in Xactimate include allowance for haul off and dumpster charges.
- It is not permissible to include charges for haul off and dumpster fees when using these line items
- Additional charges for post construction cleanup are not permissible.

2 Story/High Charges

- The RFG HIGH line item should only be applied to roofing slopes where the eave height is 2 story living areas or great from the ground level or where extra safety precautions may be necessary. The assumption being that the combination of taking these precautions and the difficulty of access to the higher areas of the roof, reduces labor

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

PAUL DAVIS

USAA Program Guidelines

productivity. If a separate line item is not utilized for RGH HIGH, please add an F9 note to indicate the reason why.

- Steep and 2-story charge is a one-time charge, not for each layer of roofing being removed

Soft Metals (Turbines, Vents, etc.)

- If the roof is being replaced and there is no damage to soft metals, estimate should reflect detach and reset of those materials
- If there is damage to the soft metals from a covered peril (i.e., wind or hail), estimate should reflect replacement of those materials.
- If only soft metals are damaged, estimate should reflect minimum roof charges to replace those materials
- Paul Davis must provide supporting documentation (photos, material receipts, etc.) to ensure the following is required and/or necessary:
 - Drip Edge, chimney, or valley, or flashing replacement.
 - Ice & water shield installation
 - Roof vents, turbines, or exhaust caps
 - Any permits or fees

CONTENTS

Contents Pack Out Assignments

- If a content pack out has been approved by adjuster and cleaning is involved a separate assignment will be required for pack outs. Pack out assignments will be made through the Miscellaneous Services trade in XactAnalysis.

Contents Pack Outs

- Every attempt should be made to utilize existing space onsite prior to utilizing off site storage.
- If a contents pack out has been approved by the adjuster:
 - If it requires storage offsite, a separate assignment will be required for the pack out through the Miscellaneous Services assignment in XactAnalysis. (shouldn't be included in other assignment trades)
 - Miscellaneous Services can also be used for non-smoke related cleaning and or pack out. This will all run through the Miscellaneous service assignment.
 - General UPP Cleaning/Cleaning assignment will be for smoke and fire cleaning and fire/smoke pack outs.
 - Fire and Smoke cleaning will require approval from the adjuster if it is over 20 hours of cleaning and/or if the claim requires more than a 50% whole home pack out, this should be documented prior to the work taking place.
 - Documentation should include adjuster's name with loss email tagged so adjuster can approve.

To support the scope requirement and estimate charges/billing for content pack outs, the estimate upload package should include:

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

PAUL DAVIS

USAA Program Guidelines

- Photos to clearly support the scope and labor demands of the pack out:
 - At least one photo of each packed box, labeled and with lid open – including “bric-a-brac”
 - Photos to support delicate packing requirements
 - Photos to support large quantities, stretch wrap, excessive storage.
 - Photos to support “heavy clean” or “high-density” line items, which will also require approved by the adjuster.
- Contents pack outs should be billed as labor hours using Xactimate line-item **CPS LAB** - Inventory, Packing, Boxing, and Moving charge - per hour. An inventory sheet is required any time contents are removed from the property and stored
 - Contractor should be prepared to support any labor hours with time sheets and content inventory sheets.
 - Based on box count/item count, the time to pack and/or disassemble items is not expected to exceed 15 minutes per box or item on average.
 - Based on box count/item count, the time to move the items from the home to the truck, then from the truck to the warehouse, should not exceed 15 minutes for each three-box grouping or per unboxed item.
- Inventory sheets should separately list all damaged or unsalvageable items.
 - Photos to support total loss items listed
 - Photos to support large quantities and high valued items
 - Please provide the adjuster with a list of non-salvageable items
 - **The non salvageable list MUST be provided at the time of estimate upload**

Pack Back

- The content manipulation charge per hour **CON LAB** should be used for pack backs. Most times the boxes are delivered to the specified room but are unpacked by the member.
- Number of content manipulation hours should be based on the number of boxes delivered by room. This should not exceed 15 minutes for each 3 box grouping or per unboxed item ▪ If the items were stored off site, the allowance should be the same as moving the items to the storage site
 - If the items were stored off site, the allowance should be the same as moving the items to the storage site
 - If the items were stored on site (in a POD for example), the number of boxes/items able to be moved should be doubled per hour
- If there is a need to unpack the boxes, additional content manipulation hours should be used by room. Allowance to unbox and place items back should not exceed 15 minutes per 3 box count or 12 boxes per hour.
 - Photos to support boxes were unpacked need to be provided and labeled by room
- If boxes are unpacked and a working supervisor is necessary, **CPS LABS** should be utilized
- CPS TAG line item may be used for larger items that are typically protected and/or shrink wrapped for storage.

Items Not Permissible

- Cargo Vans and/or Moving Vans unless a F9 note indicates a rental was needed and a rental invoice is uploaded. The vehicle or truck rental (CPS-TR series) must be rented for a specific claim

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- Fuel Surcharges
- Forklift Operator
- Heavy cleaning or high-density line items
 - NOTE: Heavy cleaning efforts will require adjuster approval, to assess restoration cost-effectiveness.
- Hazardous cleaning codes without adjuster approval
- "Evaluate pack & inventory" line items
 - NOTE: This includes all iterations of the CPS BX*** Xactimate code.
- Personal Protective Equipment
 - NOTE: Personal Protective Equipment (PPE) is no longer required on every job, however, there are certain conditions that would require PPE for some estimating and repair personnel on premises. If PPE is required, IICRC documentation is necessary for approval.
- Emergency services calls
 - NOTE: After-hour charges are typically intended for actual emergency response time only. If the loss is received during normal business hours, after-hour and/or overtime charges are NOT permissible. Weekend monitoring (fan manipulation, drying logs, and overall job maintenance) can be considered for after-hour rates within reason based on actual work performed (daily monitoring logs are required to substantiate billed monitoring days).

Xactimate Pricing (Codes) Guidelines

- Use **"Full Service"** for all (CDC- Cont: Garment & Soft Goods
- FULL SERVICE pricing includes pick up, off-site inventory, transportation to and from cleaner, ozone treatment if needed and the cleaning process
- When CDC-LABC is used for on-site time, the hours billed should be commensurate with the size of the load.
- Photo documentation is required of the bags packed out to substantiate charges as well as bag count.
- Bag count per hour is 6. EX: 100 bags warrants 17 hours on-site hours billed.
- Approval should be documented prior to work taking place.
- Documentation should include adjuster's name with loss email tagged so adjuster can approve.
- Storage containers are allowed if no onsite storage is available, however an invoice is required and must be uploaded to Xactanalysis. If the contractor owns the storage container, Xact pricing should be used instead of an invoice.

Contents Cleaning

- Contents cleaning should be billed by the hour. Detailed time sheets should be made available at adjuster request. For cleaning, only itemize contents items requiring specialized cleaning techniques such as:
 - Furniture (soft and hardwood)
 - Rugs
 - Fine Arts
 - Electronic (circuit cleaning)
- To account for cleaning supply cost; use Xactimate cleaning code CGN LABM -Cleaning Technician - incl. cleaning agent - per hour
- Inventory sheets should separately list all damaged or unsalvageable items.

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- Photos to support total loss items listed
 - Photos to support large quantities and high valued items.
 - Please provide the adjuster with a list of non-salvageable items
- Photos to clearly support the scope and labor demands of the pack out will be required. Be prepared to provide:
 - At least one photo of each packed box, labeled and with lid open – including “bric-a-brac” (see Xactimate photo for CGN-BRIC).
 - Photos to support delicate packing requirements.
 - Photos to support large quantities, stretch wrap, excessive storage.
 - Photos to support “heavy clean” or “high-density” line items, which will also require approved by the adjuster.
 - certain conditions that would require PPE for some estimating and repair personnel on premises. If PPE is required, IICRC documentation is necessary for approval.
 - to substantiate billed monitoring days).

Textiles

All USAA network claims that require textile/dry cleaning must be handled through the USAA Dry Cleaning Program. USAA will make all assignments direct to the Dry-Cleaning Program partner. No PDRP General Contractor or Cleaning Contractor should handle any portion of dry cleaning associated with any assignment. If you should receive an assignment that has dry cleaning involved, please immediately notify the USAA adjuster and they will assign that portion of the loss to the Dry- Cleaning Program.

Storage

- Every attempt should be made to utilize existing space onsite prior to utilizing off-site storage.
- Storage containers are allowed if no onsite storage is available, however an invoice is required and must be uploaded to XactAnalysis. If the contractor owns the storage container, Xact pricing should be used instead of an invoice.
- Storage time requirements should be considered, if storage is projected to last longer than 2 months, Local weather/climate storage conditions should also be reviewed and considered for an allowance of off-site climate-controlled storage.
- If offsite storage is being used outside of vendor’s facility for the member’s contents, use Xactimate line item or submit invoice from storage facility for charges beyond line item.
- Storage is calculated on a square foot basis.
 - Charging for storage in cubic feet is not permissible.
 - Xactimate storage line item should be CPS-STOR or CPS-STORH.
 - If using crates, the square feet of the crate should be used. Example. A 10’x10’x5’ crate for one month would be billed at 100 SF x one month

DOCUMENTATION

Work Authorization

- Work Authorizations utilized for this program may not contain any language relative to Power of Attorney authorization providing the Paul Davis to execute payment or other documents on behalf of the member.
- Work Authorizations may not contain any language or provisions that transfer the assignment of rights from the USAA member to Paul Davis, or its representative, for nonpayment by the member, or any other actions by the member or USAA, to proceed against USAA, its agents, or affiliates.
- If the Paul Davis secures a separate power of attorney due to the Member being overseas, please notify the USAA Adjuster and upload the document in XactAnalysis.
- It is permissible to secure a Work Authorization/Direction to Pay and upload it with the initial estimate.
 - An uploaded Work Authorization/Direction to Pay will be considered confirmation the PDRP Paul Davis will enact the repairs and will expedite payment.
- To ensure the Member is aware of the projected job timeline, Work Authorizations should include projected job start and completion date; and any contingencies that could alter the job timeline, such as:
 - Change orders
 - Special order materials
 - Scheduling, inspection, and home access complexities (difficulty accessing home due to non-traditional schedules or circumstances)
- Work Authorizations must be signed, dated, and uploaded before starting work
- Required form:

 RECOVER • RECONSTRUCT • RESTORE Paul Davis of Your Location Address Line 1 City, State/Province Phone / Fax Email WORK AUTHORIZATION I, the undersigned property owner or manager hereby authorize Paul Davis _____ _____ ("Contractor") to make repairs (the "Work") to the property located at the address below which was damaged by _____ _____ on or about _____ I agree that the Work and the cost for such Work will be as specified on the original estimate and any supplemental estimates prepared by Contractor and approved by the insurance company adjuster, plus any change orders approved by me and the Contractor. I agree that I am responsible for payment, on or before completion, of any portion of the Work that is not covered by insurance because of deductibles, settlement, depreciation, additional work requested by me, or otherwise. This Work Authorization, along with all approved estimates, supplemental estimates, and change orders is my entire agreement with the Contractor and no oral agreements will be binding. Due to the nature of the Work no completion date is specified. I understand that the Contractor has no connection with the insurance company or its adjuster and that only I have the authority to enter into this Work Authorization and authorize the contractor to do the Work. My mortgage payments are made to _____ ("my Mortgage Company") and I request that they protect the interest of the Contractor in handling any loss draft, check or payment. The applicable insurance company is _____ and I authorize them to pay all proceeds due Contractor under any applicable policy directly to	WORK AUTHORIZATION ADDITIONAL TERMS AND CONDITIONS 1. The Work included under this Work Authorization is limited to the items specified in this Work Authorization and the attached estimate plus any approved supplemental estimates and change orders and does <u>not</u> include any latent or hidden deficiencies or any pre-existing deficiencies unless specifically stated. 2. All material used will be standard stock materials, unless otherwise specified, and will match existing material within reasonable tolerance for color, texture, design and appearance. 3. The cost for painting in the estimate is the cost to return the painted surfaces to their same color. Any changes in color, texture or type of material will be at your expense. 4. The price for the Work is based on completion during normal working hours and you agree to provide access to the work site for Contractor's personnel as required for completion of the Work and to make your telephone, electricity, water and toilet facilities available to Contractor's personnel. 5. No Work will be deleted from this Work Authorization except by a written Change Order approved by you and the Contractor which must include any resulting price change. 6. The Contractor is not responsible for the theft, disappearance, or damage to any _____
--	--

USAA Program Guidelines

Direction to Pay

- Directions to Pay utilized for this program may not contain any language relative to Power of Attorney authorization providing the Paul Davis to execute payment or other documents on behalf of the member.
- If Paul Davis executes a Direction to Pay, it should either be a separate document or clearly identified within the Work Authorization with a separate signature block.
- Receipt of a Direction to Pay authorizes USAA to pay Paul Davis direct but does not guarantee direct payment.
- Job Status: In Xactimate there is a job status drop down with three options:
 - Job not sold
 - Job sold – No direction to pay (Select this when you have secured the Work Authorization)
 - Job sold – Direction to Pay (Select this for Emergency Services Only when you have secured both a Work Authorization and a Direction to Pay)

Certificate of Satisfaction

- USAA Certificate of Satisfaction must be signed, dated, and uploaded at the time of work completion
- Paul Davis will present the USAA specific COS form to the Member and secure the Member's signature on the USAA specific COS form
- COS can be either an electronic and/or hard copy for recordkeeping purposes
- Paul Davis shall upload a copy of a signed COS into XactAnalysis
- Paul Davis shall not receive funds prior to COS signature except in cases where Paul Davis requires a draw payment to initiate or continue with work at the Members property
- If the member is unavailable for signature, contact Adjuster
- Required form:

PAUL DAVIS

USAA Program Guidelines

Member Name _____ Claim Number _____ USAA Member's ACKNOWLEDGEMENT OF SATISFACTION (Signed Upon Completion of Services/Repairs) I have previously completed a walkthrough with _____. Any unsatisfactory or unfinished (punch list) items that I previously noted have now been completed to my satisfaction. _____ (initial) I have completed a final walkthrough of all work performed or services provided with _____ (contractor representative), and I acknowledge that based on the information currently available to me, all work performed and materials supplied by _____ (contractor), its employees, sub-contractors and agents have been completed in a professional and workmanlike manner in accordance with the job specifications, work authorization and/or estimate. I acknowledge and agree that based on the information currently available to me, payment for services is now fully due to _____ (contractor) and that I understand that I remain responsible to pay any deductible owed under any insurance policy and to pay any amount due that is not covered by insurance. By signing this Acknowledgement, I am not releasing _____ (contractor) from any of its obligations, contractual or otherwise, related to the work performed or materials supplied by _____ (contractor), its employees, sub-contractors, or agents, nor am I waiving any of my rights with respect those obligations. Member Printed Name/Date _____ Member Signature/Date _____ Member Printed Name/Date _____ Member Signature/Date _____ Contractor Representative Printed/Date _____ Contractor Representative Signature/Date _____ 10/2/2020 Confidential	Member Name _____ Claim Number _____ USAA Member's ACKNOWLEDGEMENT OF SATISFACTION (Signed Upon Completion of Services/Repairs) I have completed a walkthrough and the following items remain to be completed. <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 70%;">Estimate Item/description</th> <th style="width: 30%;">Initial upon completion</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> I have also completed a follow up walkthrough with _____ (contractor representative) of all work performed or services provided by _____ (contractor), including the items listed above, and I acknowledge that based on information currently available to me, all work performed and materials supplied by _____ (contractor), its employees, sub-contractors and agents have been completed in a professional and workmanlike manner in accordance with the job specifications, work authorization and/or estimate. I acknowledge and agree that based on the information currently available to me, payment for services is now fully due to _____ (contractor) and that I remain responsible to pay any deductible owed under any insurance policy and to pay any amount due that is not covered by insurance. By signing this Acknowledgement, I am not releasing _____ (contractor) from any of its obligations, contractual or otherwise, related to the work performed or materials supplied by _____ (contractor), its employees, sub-contractors, or agents, nor am I waiving any of my rights with respect those obligations. Member Printed Name/Date _____ Member Signature/Date _____ Member Printed Name/Date _____ Member Signature/Date _____ Contractor Representative Printed/Date _____ Contractor Representative Signature/Date _____ 10/2/2020 Confidential	Estimate Item/description	Initial upon completion										
Estimate Item/description	Initial upon completion												

24 Hour Report

- A 24-hour Report template is required to be uploaded on all USAA assignments, within 24 hours of site inspection
- This document helps you support your scope during QA & Carrier Review, please complete it fully with as much detail as possible

MICA Mobility & MICA Report

- MICA Moisture Analytics is required for all USAA Water Mitigation assignments.
- New assignments received in the USAA – Mitigation Dataset are automatically exported to MICA Mobility.
- It is not permissible to add line items relating to the use of MICA Moisture Analytics to account for time spent entering MICA Moisture Analytics information.
- Once the estimate is completed the estimate will be evaluated with the MICA Moisture Analytics data.
- Do not discuss questions, concerns, or program details of MICA to the USAA Member or the handling USAA Adjuster
- Constructive feedback and concerns about the MICA process can be sent to Support@nextgearsolutions.com
- Questions regarding MICA, system issues, or the MICA Mobility reports should be forwarded to Support@nextgearsolutions.com
- Preapproval for ineffective, unnecessary, or unsupported fan, dehumidifier, or specialty drying equipment does not ensure or guarantee estimate approval if usage is not properly documented with drying logs/ progression, equipment usage, etc.

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- Therefore, it is not required to call USAA to request permission for drying periods extending beyond 3 days. The drying logs should support this need.
- A complete MICA Report is required for all mitigation jobs where drying equipment is placed, or an inspection occurred, including the following data:
 - Outside psychrometric readings
 - Inside unaffected psychrometric readings
 - Inside affected psychrometric readings
 - Dehumidifier readings
 - HVAC readings
 - Moisture mapping
 - Material moisture content readings
 - Material moisture content goals

Photographs

- USAA reserves the right to withhold payment for services until proper photo documentation is received.
- Digital photographs are required for all assignments and uploaded with the estimate to XactAnalysis.
 - 3rd party server or program are not acceptable as the only source of photos.
- Photos should include the following:
 - Photo of front of home or building
 - Corner to corner photos in each room listed in estimate
 - Rooms labeled to match names of room in estimate
 - Identify all direct physical damage
 - Show any unique details impacting the estimate
 - Photograph what you observe to be the cause of the damage (if available)
 - Photographs should show carpet delamination
 - Provide before and after of all rooms with damage
- Good photographs and labeling are critical to the handling adjuster to review the estimate.
- Water Mitigation jobs must include photos of the impacted areas prior to demo.
- Water Mitigation jobs must also include post demo photos.
- Photos of the equipment in use must be photographed and uploaded to XactAnalysis.
- Roof Repairs:
 - Digital photos are required on all slopes that are being repaired/replaced
 - A minimum of 5 close photos of hail damage must be provided
 - Photographs of hail hits must include a test square (10X10 area)
 - Provide photos of roof vents, attic fans, ice and water shield, multiple roof layers, drip edge, valley metal, etc.
 - Provide a photograph of each elevation of the home to assist with determination of 2 story and steep charges.
 - Photograph pitch gauge to support roofs requiring steep roof charges.
 - Photograph of tape measure showing size of gutters/downspouts,
 - Tear test to show modified vs rolled roofing (on roofs being allowed in estimate).
- No Damages Found photos:
 - Should be taken and labeled with appropriate details in situations where no damages are found during inspection.

Work "In Progress"

- Work in progress photos should be taken and uploaded into XactAnalysis as the job progresses. During post construction walk through the contractor should photograph the

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

completed work area and upload into XactAnalysis. This will assist with the accuracy of reinspection and help to support what work was completed.

- **Post construction photos, for your records, are highly encouraged to document the completion of the repairs.**
- **Mitigation:**
 - Water Mitigation jobs must include photos of the impacted areas prior to demo.
 - Photos of the equipment in use should be photographed and uploaded to XactAnalysis.
- **No Damages Found:** Photos should be taken and labeled with appropriate details in situations where no damage is found during inspection
- **Avoid capturing individuals in loss photos, including but not limited to: USAA members, family members, guests, contractors, agents, or representatives in loss photos**

Xactimate Sketch

- Xactimate sketch must be utilized on all losses.
- Name the rooms based on what the member calls the room for ease of estimate review.
- Diagrams are required on all estimates if any work is being completed in the room.
- Diagrams should accurately reflect the affected room or exterior elevation.
- Roofing diagrams must include identification of slope (front, back side, etc) and compass direction on all slopes being repaired/replaced.
 - Diagrams must include identification of damage.
- All doors and openings should be accounted for in affected rooms.
- Reference block should be used to deduct cabinets, shower stalls, tub enclosures, vanities, built-ins, etc.
- Utilize separate levels to differentiate multiple floors of property

Missing Areas (Area Calculation)

- Walls
 - Deduct all missing walls, cabinets, tub enclosures, shower enclosures, mirrors that cannot be detached, fireplace, vanities, built ins, permanently installed appliances, etc.
 - Ensure properties of reference blocks or areas account for the Areas/LF that need to be removed.
 - Deduct openings exceeding 32sf (i.e., windows, doors, sliding glass doors, etc.).
- Floors
 - Surfaces located under cabinets, tub enclosures, shower enclosures, fireplace, vanities, built ins, permanently installed appliances, etc. should be removed from flooring replacement calculations.
- Deducted Areas (Area Calculation)
 - Deduct openings exceeding 32sf from siding (i.e., windows, doors, sliding glass doors, etc.).
 - If using a repair method not in line with this document, then the claim file should clearly explain the deviation.

24 Hour Report

- A report will be required to be uploaded into XactAnalysis 24 hours after site inspection
- The 24-Hour Report template is available in the USAA channel of MS Teams & is provided for you with each assignment received in RMS

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

PAUL DAVIS

USAA Program Guidelines

>> Client Documents

- Along with the report itself, the initial photos and MICA report is required

USAA MEMBER SERVICE EXPECTATIONS

Member Rank

- The USAA membership consists of members of the United States military services and their families and as such, it is important to address them by their appropriate military rank.
- Please ensure this information is shared with all staff and sub-contractors who will have contact with USAA's membership.

Locating Member Rank

The screenshot displays the XactAnalysis software interface with the 'Client/Policy' tab selected. The interface is divided into several sections:

- PROPERTY OWNER INFORMATION:** Includes fields for Policyholder Name, Address (GOLDSBORO, NC US), Home Phone, Business Phone, Mobile Phone, Pager, Email Address, and Risk Location (GOLDSBORO, NC US).
- CLAIM INFORMATION:** Includes fields for Type of Loss (WTR-PLB), Job Type (General), Claim Number, CAT Code, County (Wayne), Price List Area (NCKI5B8D), and Description of Loss and/or Instructions (water dripping from home down to crawl space).
- Member's Rank or Title:** A field at the bottom of the form, circled in red, containing the text '1ST LT'.

A callout box with a red arrow pointing to the 'Member's Rank or Title' field contains the following text: "To determine the USAA Member's military rank, refer to the Client/Policy tab of XactAnalysis. The rank will be included with the formal member name, and can also be located in the Description of Loss and/or Instructions section."

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

Rank - Enlisted and NCOs	Abbreviated	Address the Member
Airman Basic	AB	"Airman"
Airman	Amn	"Airman"
Airman First Class	A1C	"Airman"
Senior Airman	SrA	"Airman"
Sergeant	Sgt*	"Sergeant"
Staff Sergeant	SSgt	"Sergeant"
Technical Sergeant	TSgt	"Sergeant"
Master Sergeant	MSgt	"Sergeant"
Senior Master Sergeant	SMSgt	"Sergeant"
Chief Master Sergeant	CMSgt	"Chief"
Command Chief Master Sergeant	CCM	"Chief"
Chief Master Sergeant of the Air Force	CMSAF*	"Chief"

Rank - Officer Corps	Abbreviated	Address the Member
Second Lieutenant	2d Lt	"Lieutenant"
First Lieutenant	1st Lt	"Lieutenant"
Captain	Capt	"Captain"
Major	Maj	"Major"
Lieutenant Colonel	Lt Col	"Colonel"
Colonel	Col	"Colonel"
Brigadier General	Brig Gen	"General"
Major General	Maj Gen	"General"
Lieutenant General	Lt Gen	"General"
General	Gen	"General"

A Alpha	J Juliette	S Sierra
B Bravo	K Kilo	T Tange
C Charlie	L Lima	U Uniform
D Delta	M Mike	V Victor
E Echo	N November	W Whiskey
F Foxtrot	O Oscar	X X Ray
G Golf	P Papa	Y Yankee
H Hotel	Q Quebec	Z Zulu

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

PAUL DAVIS

USAA Program Guidelines

Army USAA Member Ranks & Abbreviations

Rank - Enlisted and Non-Commissioned	Abbreviated	Address the Member
Private	PV1	"Private"
Private	PV2	"Private"
Private First Class	PFC	"PFC"
Specialist	SPC	"Specialist"
Corporal	CPL	"Corporal"
Sergeant	SGT	"Sergeant"
Staff Sergeant	SSG	"Sergeant"
Sergeant First Class	SFC	"Sergeant"
Master Sergeant	MSG	"Sergeant"
First Sergeant	1SG	"First Sergeant"
Sgt. Major	SGM	"Sergeant Major"
Command Sergeant Major	CSM	"Sergeant Major"
Sergeant Major of the Army	SMA	"Sergeant Major"
Rank - Warrant Officer	Abbreviated	Address the Member
Warrant Officer	W1	"Mr., Mrs., Ms."
Chief Warrant Officer	CW2	"Chief"
Chief Warrant Officer	CW3	"Chief"
Chief Warrant Officer	CW4	"Chief"
Chief Warrant Officer	CW5	"Chief"
Rank - Officer Corps	Abbreviated	Address the Member
Second Lieutenant	2LT	"Lieutenant"
First Lieutenant	1LT	"Lieutenant"
Captain	CPT	"Captain"
Major	MAJ	"Major"
Lieutenant Colonel	LTC	"Colonel"
Colonel	COL	"Colonel"
Brigadier General	BG	"General"
Major General	MG	"General"
Lieutenant General	LTG	"General"
General	GEN	"General"

Rank - Enlisted and Non-Commissioned	Abbreviated	Address the Member
Private	Pvt	"Private"
Private First Class	PFC	"PFC"
Lance Corporal	LCpl	"Lance Corporal"
Corporal	Cpl	"Corporal"
Sergeant	Sgt	"Sergeant"
Staff Sergeant	SSgt	"Staff Sergeant"
Gunnery Sergeant	GySgt	"Gunnery Sergeant"

PAUL DAVIS

USAA Program Guidelines

Navy USAA Member Ranks & Abbreviations

Rank - Petty Officer Corps	Abbreviated	Address the Member
Petty Officer, Third Class	PO3	"Petty Officer"
Petty Officer, Second Class	PO2	"Petty Officer"
Petty Officer, First Class	PO1	"Petty Officer"
Chief Petty Officer	CPO	"Chief"
Senior Chief Petty Officer	SCPO	"Senior Chief"
Master Chief Petty Officer	MCPO	"Master Chief"
Command Master Chief Petty Officer	CMDCM	"Master Chief"
Fleet Master Chief	FLTCM	"Master Chief"
Force Master Chief	FORCM	"Master Chief"
Master Chief Petty Officer of the Navy	MCPON	"Master Chief"
Rank - Warrant Officer	Abbreviated	Address the Member
Warrant Officer	WO1	"Warrant Officer"
Chief Warrant Officer	CWO2	"Chief Warrant Officer"
Chief Warrant Officer	CWO3	"Chief Warrant Officer"
Chief Warrant Officer	CWO4	"Chief Warrant Officer"
Chief Warrant Officer	CWO5	"Chief Warrant Officer"
Rank - Officer Corps	Abbreviated	Address the Member
Ensign	ENS	"Ensign"
Lieutenant Junior Grade	LTJG	"Lieutenant"
Lieutenant	LT	"Lieutenant"
Lieutenant Commander	LCDR	"Commander"
Commander	CDR	"Commander"
Captain	Capt	"Captain"
Rear Admiral - Lower Half	RDML	"Admiral"
Rear Admiral - Upper Half	RADM	"Admiral"
Vice Admiral	VADM	"Admiral"
Admiral	ADM	"Admiral"
Fleet Admiral	FADM	"Admiral"

Member Service Expectations

- Paul Davis is expected to provide excellent customer service for every program assignment regardless
- of size and scope. This entails, but is not limited to, the following:
 - Ensure all employees and subcontractors understand USAA's expectations of service and quality requirements
 - Provide a timely inspection and repair estimate
 - If any of the following critical changes in scope are present during the initial visit to the member's home, please ensure you contact the file handler on the claim before proceeding.
 - Mold/Dry Rot
 - Long term damage
 - Water coming in from outside the home
 - There needs to be a single point of contact for the member throughout the entire mitigation process.
- This point of contact:
 - Is required to give the member a standardized letter at the onset of the job that gives the member their contact information and the contact information for those the member can contact in case of an escalation.
 - If there is a delay in the progress of the job based on member availability or request, you must document the XactAnalysis Notes of the agreed timeframe, conversation with the member and the next follow up date.

Updated: February 25th, 2026

Contact Paul Davis Quality Assurance (ClaimsForce@pauldavis.com)

USAA Program Guidelines

- You are required to meet with the member face-to-face at project completion for the final walk through to ensure there are no questions, concerns or issues that were left unresolved.
- XactAnalysis Notes must be entered documenting the conversation and ensuring timely work start and completion times.
- The Certificate of Satisfaction must be signed at the final walkthrough and must be uploaded in XactAnalysis.

Damage Caused during scope of repairs

- If any damage occurs to the member's property while performing services at their home, it is imperative that the situation is handled professionally and with clear documentation. This can include incidental damage to the claim scope such as damaging a granite countertop while trying to detach it or unrelated, such as knocking over a vase while cleaning.
 - Clear photos need to be taken of the affected area or items and properly labeled
 - Provide an Xact note update on what was damaged and why

Code of Conduct

- Personnel assigned to handle USAA claims shall:
 - Have at least one person on location fluent in English
 - Clean up Member home at the end of every workday
 - Conduct themselves in a courteous and professional manner
 - Maintain a well-groomed appearance and wear appropriate work attire.
 - Be free of alcohol, firearms, and tobacco when at Member homes
 - Carry identification (preferably photo ID) when at Member homes
- Personnel assigned to handle USAA claims shall NOT:
 - Pressure member to endorse check before work is complete
 - Utilize Member tools, supplies, or facilities without permission
 - Show up at Member home unannounced
 - Enter the home when only minor children are present
 - Take non-essential personnel (relatives, children) to appointment.
 - Smoke on Member premises