

## 5 domains of prevention


Psychosocial

CV disease

Family/ Safety


CASES

## Adult Disease Prevention - Average Risk Patient




**REMEMBER: Prioritize  
Screening and  
Prevention Based On:**


1. Age
2. Sex
3. Risk Factors



# Psychosocial Disorder Prevention – Substance Use Disorders

All adults should be screened for substance use annually





# Psychosocial Disorder Prevention – Substance Use Disorders

All adults should be screened for mental health disorders annually

Depression

Anxiety

PHQ-9

|    |                                                                                                                                                                          | Not at all | Several days | More than half the days | Nearly every day |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------|-------------------------|------------------|
| 1. | Little interest or pleasure in doing things                                                                                                                              | 0          | 1            | 2                       | 3                |
| 2. | Feeling down, depressed, or hopeless                                                                                                                                     | 0          | 1            | 2                       | 3                |
| 3. | Trouble falling or staying asleep, or sleeping too much                                                                                                                  | 0          | 1            | 2                       | 3                |
| 4. | Feeling tired or having little energy                                                                                                                                    | 0          | 1            | 2                       | 3                |
| 5. | Poor appetite or overeating                                                                                                                                              | 0          | 1            | 2                       | 3                |
| 6. | Feeling bad about yourself — or that you are a failure or have let yourself or your family down                                                                          | 0          | 1            | 2                       | 3                |
| 7. | Trouble concentrating on things, such as reading the newspaper or watching television                                                                                    | 0          | 1            | 2                       | 3                |
| 8. | Moving or speaking so slowly that other people could have noticed? Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual | 0          | 1            | 2                       | 3                |
| 9. | Thoughts that you would be better off dead or of hurting yourself in some way                                                                                            | 0          | 1            | 2                       | 3                |

GAD-7

GAD-7

Over the last 2 weeks, how often have you been bothered by the following problems?

|                                                      | Not at all | Several days | More than half the days | Nearly every day |
|------------------------------------------------------|------------|--------------|-------------------------|------------------|
| 1. Feeling nervous, anxious or on edge               | 0          | 1            | 2                       | 3                |
| 2. Not being able to stop or control worrying        | 0          | 1            | 2                       | 3                |
| 3. Worrying too much about different things          | 0          | 1            | 2                       | 3                |
| 4. Trouble relaxing                                  | 0          | 1            | 2                       | 3                |
| 5. Being so restless that it is hard to sit still    | 0          | 1            | 2                       | 3                |
| 6. Becoming easily annoyed or irritable              | 0          | 1            | 2                       | 3                |
| 7. Feeling afraid as if something awful might happen | 0          | 1            | 2                       | 3                |

Total Score — = Add Columns — + — + —

If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?


Not difficult at all


Somewhat difficult

Very difficult

Extremely difficult

☐☐☐☐





\*As of 2022, USPSTF states insufficient evidence for screening in men

## Case 1

26 yo W presents for an annual exam. Her immunizations are up to date aside from her COVID vaccine, which she declined. She is interested in becoming pregnant with her boyfriend.

VS: Ht 5' 2", Wt 175 lb, T 36.8, HR 80, RR 14, BP 138/82

- 1) What screening and prevention is indicated in this patient?
- 2) What will you prioritize and why?

- Cervical cancer screening
- STI, HIV and HCV testing (+/- syphilis screening depending on how they classify her risk)
- COVID vaccine, influenza vaccine depending on the time of year
- Substance use screening
- Depression and anxiety screening
- HTN and obesity screening
- Diet/exercise counseling
- Family planning counseling and folic acid supplementation
- IPV screening
- Advanced care planning

## Case 2

67 yo W with history of HTN on amlodipine coming in to establish care. She lives with her son who manages her finances for her. She is a former smoker and quit 20 years ago. Had a normal colonoscopy 7 years ago, no prior abnormal pap smears. Got the COVID shot at her pharmacy but prior to that had a tetanus shot about 5 years ago. Does not have her records today. Vitals and exam are normal.

- 1) What screening and prevention is indicated in this patient?
- 2) What will you prioritize and why?

- Tdap, PCV20, Shingles, (influenza vaccine depending on the time of year)
- Breast cancer screening
- Substance use screening (she offers up tobacco hx but need to ask about alcohol and other substances)
- Depression and anxiety screening
- Obesity screening
- Diabetes and lipid disorder screening
- Diet/exercise counseling
- [Fall](#) and osteoporosis screening
- Advanced Care Planning
- Consideration for elder abuse

## Case 3



69 yo M with history of homelessness presenting to establish care. He has a history of smoking in his 20s and drinks about 2 drinks every night. He had a colonoscopy 7 years ago and he remembers them telling him that he needed a repeat scope in 5 years. He is not on any medications. Vitals and exam are unremarkable today.

- 1) What screening and prevention is indicated in this patient?
- 2) What will you prioritize and why?

- Colon cancer screening (colonoscopy)
- +/- prostate cancer screening
- Tdap, shingles, PCV20 (influenza depending on the time of year)
- HIV/HCV screening if not previously performed
- Substance use and mental health screening
- HTN, obesity, diabetes and lipid disorder screening
- AAA screening
- Diet/exercise counseling
- Fall screening
- Advanced Care Planning

# 2024–2026 Update — CV Risk, Lipids & Vaccines

Standing teaching (screen all for alcohol/tobacco/drugs + depression [<65 anxiety]; HTN, BMI/obesity, diabetes, AAA men 65–75 ever-smoked; folic acid; falls; DEXA women ≥65; IPV; advance care) verified CURRENT.

## NEW — 2026 ACC/AHA Multisociety Dyslipidemia Guideline:

- Use the PREVENT calculator (ages 30–79) for primary-prevention risk — replaces Pooled Cohort Equations, which overestimated risk ~40–50%.
- PREVENT 10-yr risk tiers: low <3%, borderline 3–<5%, intermediate 5–<10%, high ≥10%. "Earlier and lower, for longer."
- LDL targets: very-high-risk <55, high-risk <70, intermediate on statin <100 mg/dL. Start statins earlier in familial hypercholesterolemia / young LDL ≥160 / high 30-yr risk.
- USPSTF statin (primary prevention) still: age 40–75 + ≥1 RF and 10-yr risk ≥10% (Grade B; 7.5–10% selective).

Vaccines (2024 ACIP): PCV21 for adults ≥50 (cases list "PCV20" — PCV20 still valid; PCV21 now an option, age lowered to 50). RSV for ≥75 (and 60–74 high-risk) by shared decision.

Diabetes screening unchanged: ADA — all at 35, or any age if overweight/obese + ≥1 RF; USPSTF 35–70 overweight/obese.

# Take-Home Points

Work all five prevention domains every visit (Cancer + ID in Part 1; Psychosocial, Cardiovascular, Family/Safety here) and individualize by age, sex, and risk.

Psychosocial: screen all adults annually for alcohol (SASQ/AUDIT-C), tobacco (every visit), and drug use; depression (all) and anxiety (<65).

Cardiovascular: HTN (office BP, annually if  $\geq 40$ /at risk), obesity (BMI), diabetes (ADA all at 35), lipids (40–75 + risk), AAA one-time US in men 65–75 who ever smoked.

Family/Safety: folic acid for those who may become pregnant; falls screen  $\geq 65$ ; DEXA women  $\geq 65$  (men insufficient evidence); annual IPV screen in reproductive-age women; advance-care planning for all.

2026 ACC/AHA: use PREVENT (not Pooled Cohort) for CV risk; "earlier and lower for longer" LDL targets.



# Attribution & Optimization Notes

Adapted from TeachIM.org — “Adult Disease Prevention Part 2: Cardiovascular Disease, Psychosocial Conditions and Family/Safety” (Melton, Guinn, Trefilek; Exec. Ed. Zhang; Sec. Ed. Brett; Univ. of Colorado / Washington). Published Sept 2021, last reviewed May 2024.

Source URL: [https://teachim.org/teaching\\_material/adult-disease-prevention-2/](https://teachim.org/teaching_material/adult-disease-prevention-2/) | Deck: Disease-Prevention-Part-2-2022-updates.pptx (embed-verified)

Licensed CC BY-NC 4.0. This optimized package is likewise CC BY-NC 4.0 — attribution required, non-commercial use only.

Optimized June 2026: original interactive board preserved (all 8 slides, animations & BioRender graphics intact). 2 surgical fixes: "USPTF" → "USPSTF" on slides 5 and 8 (single runs each). 3 slides appended (this addendum).

Currency verified vs 2026 ACC/AHA dyslipidemia guideline (PREVENT), USPSTF (statin, depression/anxiety 2023, AAA, osteoporosis), 2024 ACIP (PCV21), CDC RSV. Companions: teaching script DOCX, CV/Family-Safety learner worksheet PDF, PCE summary PDF.

Educational use only — clinician-reviewed before teaching; guidelines change frequently.