


Bisphosphonate	
Example	Alendronate (PO weekly) Ibandronate (PO monthly) Zoledronic acid (IV yearly)
Best candidate	1 st line for most people, GFR >35
Side effects	Hypocalcemia Esophagitis Atypical femur fracture (AFF) Osteonecrosis of jaw (ONJ)
Monitoring	Consider drug holiday after 3-5 years

Denosumab	
Example	Denosumab/Prolia (SQ inj every 6 months)
Best candidate	2 nd line; can't tolerate or fracture on bisphosphonate; use if GRF <35
Side effects	Rapid bone loss and increased risk of vertebral fractures after discontinuation



Romosozumab	
Example	Romosozumab/ Evenity (SQ inj monthly)
Best candidate	3 rd line T < -3.0 or T < -2.5 with vertebral fracture
Side effects	Hypocalcemia Arthralgias Do not use in CVD

Teriparatide	
Example	Teriparatide/Forteo (SQ inj daily)
Best candidate	3 rd line T < -3.0 or T < -2.5 with vertebral fracture
Side effects	Hypercalcemia Arthralgias Nausea

SERMs	
Example	Raloxifene/Evista (PO daily)
Best candidate	Rarely used; Consider in post-menopausal women, can't take bisphosphonate or denosumab, high risk for breast cancer
Side effects	Risk of DVT