


Replace HP inkjet printer cartridges

Replace any low or empty cartridges in an HP inkjet printer. Identify your cartridge type for steps to access and replace them.


Replacement cartridges and other supplies can be purchased from the [HP Store](#).

NOTE: Help HP recycle Original HP ink and toner supplies into new products and avoid sending them to landfills. Go to [HP Planet Partners - Supplies recycling program](#) to get started.



Type 1 - Replace cartridges


Replace cartridges for printers that use HP 178, 364, 564, 655, 862, 902, 903, 904, 905, 906, 907, 908, 909, 910, 912, 914, 915, 916, 917, 918, 919, 920, 934, and 935 cartridges.



How to Replace Your Tabbed HP Ink Cartridges


Learn how to replace tabbed HP ink cartridges.

1. Make sure paper is loaded into the input tray, and then turn the printer on.
2. Open the door or lid to the cartridge access area. Wait until the carriage stops moving before continuing.
3. Push in the tab on a cartridge, and then pull it from the slot.



4. Remove the new cartridge from the package, and then pull the orange pull-tab and plastic wrap completely off. The paper label on the top side tears slightly to vent the cartridge.

CAUTION: Completely remove the-tab and plastic wrap before removing the orange cap in the next step. Otherwise, the ink might leak.




5. Hold the cartridge by its sides, and then twist the orange cap counter-clockwise to remove it.

CAUTION: Do not touch the copper-colored contacts or the ink nozzles. Touching these parts can result in clogs, an ink system failure, and a failed electrical connection.



6. Insert the cartridge into its color-coded slot, and then press down on it until it clicks into place.



7. If the cartridge does not firmly seat, take it out of the slot, gently bend the tab away from the cartridge **no more than 1.27 cm (0.5 in)**, and then reinsert it.



CAUTION: Bending the tab too far might damage the cartridge or cause the tab to break off.



8. Close the door or lid to the cartridge access area, and then follow any instructions to align the printer if prompted.

⊗ **Type 2 - Replace cartridges**

Replace cartridges for printers that use HP 932, 933, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 962, 963, 964, 965, 966, 967, 968, and 969 cartridges.




How to Remove and Reinstall Your Slide-in HP Ink Cartridges

Learn how to remove and reinstall your slide in HP ink cartridges.

1. Make sure paper is loaded into the input tray, and then turn the printer on.
2. Open the door or lid to the cartridge access area. Wait until the carriage stops moving before continuing.
3. Push in on the front of a cartridge to release it from the carriage.

CAUTION: Do not lift the latch handle on the side of the carriage. This can unseat the printhead and cause print mechanism damage and printing problems.



4. Remove the new cartridge from the package.
5. Insert the cartridge into its color-coded slot until it clicks into place.
6. Close the door or lid to the cartridge access area, and then follow any instructions to align the printer if prompted.


Give Feedback

Ask our Virtual Assistant


⊗

Type 3 - Replace cartridges


Replace cartridges for printers that use HP 21, 22, 27, 28, 37, 46, 56-68, 61/301, 63/302, 64/303, 65/304, 74, 75, 92-98, 110, 121-125, 129-131, 134, 135, 140, 141, 300-305, 308, 336-339, 342-344, 350, 351, 650-654, 662, 664, 667, 668, 675, 678, 680, 682, 683, 703, 704, 802-805, 818, 851, 852, 855, and 901 cartridges.



1. Make sure paper is loaded into the input tray, and then turn the printer on.
2. Open the door or lid to the cartridge access area. Wait until the carriage stops moving before continuing.
3. Remove a cartridge from the carriage.
- **Carriages with cartridge latches:** Open the latch, and then pull the cartridge up and out of the slot.




- **Carriages without cartridge latches:** Gently press down on the cartridge to release it, and then pull it out of the slot.



4. Remove the new cartridge from the package. Be careful to hold it by the black plastic sides.
5. Remove the tape from the cartridge.

CAUTION: Do not attempt to replace the protective tape or touch the copper-colored contacts or the ink nozzles. Touching these parts can result in an ink system failure.



6. Insert the cartridge into its color-coded slot, making sure it is securely seated in the carriage. Close the latch if present.
7. Close the door or lid to the cartridge access area, and then follow any instructions to align the printer if prompted.

⊗

Other cartridge types

If your cartridge type is not covered in one of the other sections, you can find detailed instructions on the HP Support site.

Go to [HP Customer Support](#), enter your printer model number, and then look for cartridge replacement instructions in the "How To" section.

Was this document helpful?


Yes No

☐ ☐


Give Feedback

Additional support options


Ask our Virtual Assistant




Try one of our automated tools or diagnostics >



Get in touch with one of our support agents >




Ask a question on our HP Support Community page >



Enter a topic to search our knowledge library

What can we help you with?

Country/Region:  United States

About Us

Contact HP

Careers

Investor relations

Sustainable impact

Inclusion at HP

Newsroom

Tech Takes

HP Store Newsletter

HP Printables Newsletter

Ways to buy

Shop online

Call an HP rep

Find a reseller

Enterprise store

Public sector purchasing

Support

Download drivers

Support & troubleshooting

Community

Authorized service providers

Check repair status

Fraud alert

Security Center







HP Partners


HP Amplify Partner Program

HP Partner Portal

Developers

Stay connected



Recalls | Product recycling | Accessibility | CA Supply Chains Act | Privacy | Cookie Preferences |  Your privacy choices | Terms of use | Limited warranty statement | Terms & conditions of sales & service | IP Notices | EU Data Act

©2025 HP Development Company, L.P. The information contained herein is subject to change without notice.

Give Feedback

 Ask our Virtual Assistant