


Free Tcp/Ip Utility Program Documentation

I offer this program for free to anyone who wants to try it out. I have been teaching myself Python 3 since losing my job about a year ago, and this utility is my attempt to put my knowledge to a practical use. If you find it useful and want to donate a buck or two to the unemployed programmer who wrote it you can use the following link to do so: [Donate](#)

Screenshot:



This program designed to let you load in a HL7 message or textual file and send it out to a listening socket, or open a listening socket on a port and receive a message, then save off that message to a file if desired. The text windows that the messages are loaded into are editable and you can make changes to the message before sending or saving it. The program can send or receive an ACK if desired, and will automatically wrap the message with mllp if it detects that it's missing from the loaded file. And I used it quickly send source code between my Windows and Linux machines so there are options to send and receive a file name to save time saving the file on the receiving system. If acting as the listening server the program will ask you if you want to keep listening after a message is received, you will need to stop listening to perform other functions on window as the window is frozen while listening.

The program lets you save off the current screen values to a “profile” in case you want to use it to communicate with multiple locations and quickly load the correct IP and port values. Please note that if you load a profile it may load in a file name value onto the screen, however the no file name will be passed with the message unless the file was actually loaded into the window after the profile was loaded, the file loaded in with the profile will still be sent, but no filename will be passed with it.

Any Errors encounter will appear with a red background for example if the listener isn’t running when we try to send we get:

The screenshot shows the application interface with the following elements:

- Load msg from file:** A text box containing the path `C:/Users/Owner/Documents/Python3 source code/sma.txt` and a **Browse** button.
- Message Content:** A large text area containing:
 - Just a quick and short text file.
 - changed file name from sendme.txt to sma.txt (Send Me Again)
 - Created with the intention of using for testing my tcp_utilities.py GUI application
- Buttons:** A **Send** button is located to the right of the message content.
- Read ACK:** A checkbox labeled **Read ACK** is checked.
- Error Message:** A red banner at the bottom displays the error: `[WinError 10061] No connection could be made because the target machine actively refused it`.

(From the Windows 10 os)

Warning messages will appear with an orange background i.e. If we tell the program to send an ACK but don’t get an HL7 message:

The screenshot shows the application interface with the following elements:

- Load msg from file:** A text box containing the path `C:/Users/Owner/Documents/Python3 source code/sma.txt` and a **Browse** button.
- Message Content:** A large text area containing:
 - Just a quick and short text file.
 - changed file name from sendme.txt to sma.txt (Send Me Again)
 - Created with the intention of using for testing my tcp_utilities.py GUI application
- Buttons:** A **Send** button is located to the right of the message content.
- Read ACK:** A checkbox labeled **Read ACK** is checked.
- Warning Message:** An orange banner at the top displays the warning: `Not an HL7 Message, can not create an ACK`.
- Listen on Port:** A text box containing the value `5005`.
- Read File Name:** A checkbox labeled **Read File Name** is unchecked.
- Send ACK:** A checkbox labeled **Send ACK** is checked.
- Message Received:** A green banner at the bottom displays the message: `Message Received`.
- Received Data:** A large text area at the bottom contains the following HTML content:

```
<!DOCTYPE html><head> <meta charset="UTF-8"> <meta name="viewport" context="width=device-width, initial-scale=1.0"> <meta http-equiv="X-UA-Compatible" content="ie=edge"> <title>Document</title><head><body> <h1>Hello World</h1></body></html>
```
- Listen:** A **Listen** button is located to the right of the received data.

I hope that you find this Program usefull.

If you want to report a bug or have an enhancement request you can contact me at:
Eric_Frobese@Hotmail.com

